

Table of Contents

1.0 FUNCTIONS OF HOV LANE AND METERED RAMP DESIGN	1
1.1 Introduction	1
1.2 Criteria	1
1.2.1 Overview	1
1.2.2 Definitions	3
1.2.3 Adopted Reference Documents	4
1.2.4 General Design Controls and Considerations	5
1.3 Design Exceptions or Variances	12
2.0 METERED RAMP DESIGN	13
2.1 General Layout Ramp Meter Elements	13
2.1.1 Meter and Stop Bar Location	13
2.1.2 Number of Lanes.....	13
2.1.3 Freeway-to-Freeway Metered Design	21
2.1.4 Queue Management.....	21
2.1.5 HOV Bypass Lane	22
2.1.6 Enforcement Areas.....	22
2.2 Equipment	22
2.2.1 Ramp Controller	23
2.2.2 Signals	23
2.2.3 Detection	25
2.3 Lighting	26
2.4 Sighting	26
2.4.1 Standard Ramp Metering Signs.....	26
2.4.2 General HOV Signing	30
2.4.3 Freeway-to-Freeway Metering Signs	31
2.5 Pavement Markings	32
2.5.1 Stop Bar	32
2.5.2 HOV Markings	32
3.0 HOV/MANAGED LANES	34
3.1 Lane and Roadway Geometrics	34
3.1.1 Concurrent-Flow Lanes	34
3.1.2 Reversible Lanes.....	38
3.1.3 Metered Ramp HOV Bypass	41
3.2 Access	42
3.2.1 Transition Treatments	42
3.2.2 At-Grade Intermediate Access	44
3.2.3 Direct Access-Local Drop Ramps	47
3.2.4 Direct Access-Flyover Ramps.....	49
3.2.5 Summary of Access Options	51
3.2.6 Right Side Oriented Lanes	51
3.3 Support Facilities	53

3.3.1 Enforcement Considerations	53
3.3.2 Transit Stations-On-Line	59
3.3.3 Park & Pool Lots	64
3.3.4 Park & Ride Lots	66
3.4 Traffic Controls and ITS.....	68
3.4.1 Incident Management	68
3.4.2 Incident Management and Communication	70
3.5 Signing.....	71
3.5.1 HOV Signing	71
3.5.2 Managed Lane Signing	74
3.6 Pavement Markings	75
3.7 Pricing.....	78
3.7.1 Separation Treatments for Pricing	79
3.7.2 Electronic Toll Collection	80
3.7.3 Technology	84
3.7.4 Pricing Strategy	85
3.8 Toll Operations Management	87
3.8.1 Preliminary ETC Cost Considerations	87
3.9 Systemwide Issues.....	88

List of Tables

Table 1-1: Sample Design Vehicle Dimensions	6
Table 1-2: Summary of HOV/Managed Lane Mainlane Criteria	7
Table 1-3: Summary of HOV/Managed Lane Ramp Criteria	8
Table 2-1: Number of Ramp Lanes/Meters Based on Ramp Volume	15
Table 3-1: Suggested Design Sequence of Trade-offs for Concurrent-Flow HOV Lanes	36
Table 3-2: Suggested Design Sequence of Trade-offs for Reversible-Flow HOV Lanes	38
Table 3-3: Summary of Access Options	52
Table 3-4: Enforcement Attributes Associated with Different HOV Facilities	56
Table 3-5: Recommended Pavement Markings	78
Table 3-6: Tolling and HOT Applications by Price Coverage Area and Price Variability	86
Table 3-7: Preliminary Cost Estimates for ETC Pricing on a Managed Lane Facility	89

List of Figures

Figure 1-1: I-405 HOV Lane Before and After Conversion to Inside HOV Orientation in Seattle Area	10
Figure 1-2: Buffer Separated HOV Lane in Southern California	11
Figure 2-1: General Layout of Ramp Meter Detectors (One-lane Metered Ramp).....	14
Figure 2-2: Typical One Lane Metered Ramp	16
Figure 2-3: Typical One Lane Meter Ramp (Clover Lead or Loop Ramp).....	17
Figure 2-4: Typical One Lane Metered Ramp with HOV Bypass Lane.....	18
Figure 2-5: Typical Two Lane Metered Ramp	19

Figure 2-6: Typical Two Lane Metered Ramp with HOV Bypass Lane	20
Figure 2-7: Typical Ramp Meter Sign Details	24
Figure 2-8: Typical Advance Warning Sign	27
Figure 2-9: Typical Advance Warning Sign (Ramp).....	27
Figure 2-10: Typical “FORM 2 LANES WHEN METERED” Sign	27
Figure 2-11: Typical “STOP HERE ON RED” Sign (R10-6).....	28
Figure 2-12: NDOT Approved “ONE CAR PER GREEN” Sign.....	28
Figure 2-13: NDOT Approved “DO NOT STOP” Sign for HOV Bypass Lane	29
Figure 2-14: Typical “BE PREPARED TO STOP” Sign (W3-4)	29
Figure 2-15: Typical Traffic Signal Ahead Sign (W3-3).....	29
Figure 2-16: Typical Sign for Left Lane Drop (W4-2)	30
Figure 2-17: Typical Sign for Right Lane Drop (W4-2)	30
Figure 2-18: Typical “LEFT LANE ENDS” Sign (W9-1)	30
Figure 2-19: Typical “RIGHT LANE ENDS” Sign (W9-1).....	30
Figure 2-20: NDOT Approved HOV Sign for Metered Ramps (Temporary HOV Restriction).....	31
Figure 2-21: Alternative HOV Sign for Metered Ramp (Time-of-Day Restriction) (R3- 11a).....	31
Figure 2-22: Alternative HOV Sign (R3-11b)	31
Figure 2-23: Alternative HOV Sign (R3-10)	31
Figure 3-1: Concurrent Flow Lanes	34
Figure 3-2: Concurrent Flow Buffer Separated Cross Sections.....	36
Figure 3-3: Two-way Barriered HOV Facility Cross Sections.....	37
Figure 3-4: Reversible Single Lane Cross Sections.....	39
Figure 3-5: Reversible Multiple Lane Cross Sections	40
Figure 3-6: Converting Barrier Shape to Vertical at Columns	40
Figure 3-7: Right and Left HOV Bypass Orientations at Ramp Meters.....	42
Figure 3-8: Beginning an HOV Lane	43
Figure 3-9: Terminating an HOV Lane.....	44
Figure 3-10: Terminating an HOV Lane as a General Purpose Lane	44
Figure 3-11: Concurrent-Flow Intermediate Access with No Weave Lane	45
Figure 3-12: Typical Access Zone on a Concurrent Flow Lane with No Weave Lane ...	45
Figure 3-13: Intermediate Access Through Weave Lanes and Channelized Movements	46
Figure 3-14: Concurrent-Flow Intermediate Access with Weave Lane.....	46
Figure 3-15: Channelized Access for Reversible Flow Lanes.....	46
Figure 3-16: Example Two-Way Drop Ramps with Concurrent Flow Lanes	47
Figure 3-17: Example Layout for a Two-Way Drop Ramp	48
Figure 3-18: Example Layout for a Reversible Drop Ramp	48
Figure 3-19: Example Layout for a Two-Way Flyover Ramp.....	49
Figure 3-20: Two-Way Interchange Flyover Ramps	50
Figure 3-21: Example Layout for a Flyover Ramp to Existing Interchange Connectors	50
Figure 3-22: Reversible Flyover Ramps	51
Figure 3-23: Terminating a HOV Facility with Flyover Ramps.....	51
Figure 3-24: Examples of Right Side HOV Lanes Operated on Shoulder	53
Figure 3-25: Example of Right Side HOV Lane Design Guidance at Ramp Junctions ...	54
Figure 3-26: Police Enforcement on a Restricted Width HOV Lane	55
Figure 3-27: Median Enforcement Area Layouts	57

Figure 3-28: Examples of Median Enforcement Areas	57
Figure 3-29: Potential Locations for Low-speed Enforcement Areas	58
Figure 3-30: Designated Enforcement Areas on a Ramp	58
Figure 3-31: Bus Loading Area Dimensions	60
Figure 3-32: On-line Station Platform Configurations	61
Figure 3-33: On-line Station Platform Widths.....	62
Figure 3-34: On-line Station on a Drop Ramp.....	63
Figure 3-35: Example On-line Station with Side Platforms	64
Figure 3-36: Example Park & Pool Lot	64
Figure 3-37: Typical Parking Lot Layout Design Criteria.....	65
Figure 3-38: Prototype Layout for a Medium Park & Ride Lot	66
Figure 3-39: Prototype Layout for a Large Park & Ride Lot.....	67
Figure 3-40: Park & Ride Lots with Direct Access	67
Figure 3-41: Examples of Emergency Barrier Openings	69
Figure 3-42: Communication of Real-time Information to HOV Lane Users	70
Figure 3-43: Example HOV Lane Regulatory Signing from the MUTCD.....	72
Figure 3-44: Examples of HOV Regulatory Signing.....	73
Figure 3-45: Standard Traffic Control Signs on Preferential Lanes	74
Figure 3-46: Example HOV Lane Guide Signing.....	74
Figure 3-47: Example HOV Lane Permanent Pavement Markings.....	76
Figure 3-48: Example HOV/Managed Lane Diamond Pavement Marking	79
Figure 3-49: Plastic Channelizers on a Priced Managed Lanes.....	80
Figure 3-50: Toll Station on a Priced Managed Facility	81
Figure 3-51: Example Toll Gantry with Separate HOV Lane	82
Figure 3-52: Example Toll Gantry Design without HOV Observation Lane	82
Figure 3-53: Example of Overhead RF Antennae Used with AVI and Cameras Mounted as a Tolling Installation.....	83