

2 Reapplication Requirements

2.1 Deadlines for Reapplication

2.1.1 NDOT shall submit an application, or other form of written correspondence requesting permit coverage, not later than 180 days before this permit expires.

2.1.2 *Submitting a Late Application.* NDOT is not prohibited from submitting an application after the date provided in 2.1. NDEP reserves the right to take appropriate enforcement actions for any un-permitted discharges.

2.2 Contents of the Application

2.2.1 The Application must be signed in accordance with Part 6.7 of this permit and must include the following information:

PERMITTEE Information:

2.2.2.1 The name of the permittees municipal entity/state agency/federal agency, mailing address, and telephone number; and,

2.2.2.2 The names and titles of the primary administrative and technical contacts for the municipal permittee(s).

Information on the Municipal Separate Storm Sewer System:

2.2.3.1 The name of the receiving water(s) and a written statement of whether any of the receiving waters are on the latest CWA §303(d) list of impaired waters.

2.2.3.2 Information on NDOT's chosen best management practices (BMPs) and measurable goals, NDOT's timeframe for implementing each of the BMPs, and the person or persons responsible for implementing or coordinating NDOT's Stormwater Management Program (SWMP).

2.2.3.3 NDOT may identify any proposed changes or improvements to the storm water management program and monitoring activities for the upcoming five year term of the permit, if those proposed changes have not already been submitted pursuant to 40 CFR 122.42(c). NDOT may make use of the fourth year annual report as the permit reapplication package. Changes to the storm water management program may be justified due to the availability of new information on the relative magnitude of a problem or new data on water quality impacts of the storm water discharges. MDOT may propose to de- emphasize some program components and strengthen others, based on the experience gained under the first permit.

2.3 Where to Submit

- 2.3.1 NDOT is to submit the application, or other form of written correspondence requesting permit coverage, signed in accordance with the signatory requirements of Section 6.7 of this permit, to NDEP at the following address:

Stormwater Coordinator
Bureau of Water Pollution Control
Nevada Division of Environmental Protection
333 West Nye Lane
Carson City, NV 89706-0851

2.4 Permittees under a Single Permit

- 2.4.1 NDOT may partner with other permitted MS4s to develop and implement NDOT's SWMP. The description of NDOT's SWMP must clearly describe which permittee is responsible for implementing each of the control measures.

3 Special Conditions

3.1 Discharges to Water Quality Impaired Waters

- 3.1.1 *Applicability:* Based upon Nevada's year 2002-303(d) list and subsequent updates, NDOT must evaluate whether stormwater discharge from any part of the MS4 significantly contributes directly or indirectly to the listing of a waterbody on the 303(d) list (i.e., impaired waterbody). If NDOT has a discharge meeting this criterion, NDOT must comply with the results of Part 3.1.2; if NDOT does not have discharges meeting this criterion, Part 3.1 does not apply.
- 3.1.2 If NDOT has "303(d)" discharges described above, NDOT must also determine whether a TMDL has been developed and approved by NDEP for the listed waterbody. If there is a TMDL, NDOT must comply with Part 3.1.3; if no TMDL has been approved, NDOT must comply with Part 3.1.4.
- 3.1.3 When a TMDL has been established as described in paragraph 3.1.2, NDOT must notify NDEP if the TMDL includes a wasteload allocation applicable to stormwater discharges covered by this permit.
- 3.1.3.1 *Consistency with Total Maximum Daily Load (TMDL) Allocations.* If a TMDL is approved for any waterbody into which NDOT discharges, NDOT must:
- 3.1.3.1.1 Determine and report whether the approved TMDL is for a pollutant likely to be found in stormwater discharges from NDOT's MS4;