

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.




260

WINNEMUCCA


ROSE CREEK 168




WEST WINNEMUCCA 173




WINNEMUCCA BLVD WEST 176




WINNEMUCCA BLVD EAST 178




EAST WINNEMUCCA 180




BUTTON POINT 187




GOLCONDA 194




GOLCONDA SUMMIT 200




IRON POINT 203




PUMPERNICKEL VALLEY 205




STONEHOUSE 212



VALMY 216



MOTE 222



HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
0001 HRLY 99	IR-80, .2 mi W of the E/B off-ramp of the Rose Creek Intch "Exit 168".										
	6460	6825	6505	6765	6525	6825	6910	7530	7270	6850	
0002 HRLY 00	IR-80, E/B off-ramp of the Rose Creek Intch "Exit 168", 250' W of the cross traffic rd.										
	115	120	110	120	115	115	105	180	170	170	
0003 HRLY 98	Bridge St, 70' E of Railroad St & 55' W of RxR Tracks.						6250	7250	7750	7750	
0005	IR-80, E/B on-ramp of the Rose Creek Intch "Exit 168", 275' E of the cross traffic rd.										
	95	85	80	90	90	90	110	95	80	90	
0007	IR-80, W/B off-ramp of the Rose Creek Intch "Exit 168", 200' E of the cross traffic rd.										
	80	85	80	90	95	95	100	40	120	100	
0008 HRLY 98	Hershell Rd, .3 mi S of SR-289 (Winnemucca Bl) at RxR Crossing.						295	340	340	300	
0009	IR-80, W/B on-ramp of the Rose Creek Intch "Exit 168", 100' W of the cross traffic rd.										
	100	120	110	110	110	110	105	200	160	140	
0010 HRLY 98	IR-80, 2.1 mi W of the W Winnemucca Intch "Exit 173".										
	6420	6755	6445	6715	6485	6785	6910	7285	7140	6730	
0011 HRLY 98	IR-80, E/B off-ramp of the W Winnemucca Intch "Exit 173" 150' E of IR-80.										
	350	375	335	190	145	205	135	290	130	100	
0013 HRLY 98	IR-80, E/B on-ramp of the W Winnemucca Intch "Exit 173", .2 mi E of the cross traffic rd.										
	355	220	85	170	240	170	225	195	150	160	
0015 HRLY 98	IR-80, W/B off-ramp of the W Winnemucca Intch "Exit 173", 100' W of IR-80.										
	330	360	180	130	240	160	220	170	150	160	
0017 HRLY 00	IR-80, W/B on-ramp of the W Winnemucca Intch "Exit 173", .1 mi W of the cross traffic rd.										
	295	280	70	60	45	60	60	100	60	80	

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0018 HRLY 99	IR-80, 1.2 mi W of the W Winnemucca Intch "Exit 173".									
	6460	6680	6105	6765	6775	6850	7160	7260	7250	6870
0020 HRLY 98	Airport Rd, .4 mi E of SR-289, Frontage Rd.									
		590	795	910	985	1150	1000	940	1150	
0022 HRLY 00	US-95 (Winnemucca Bl), 200' E of Potato Rd.									
	9745	9200	8900	9155	11300	11000	11200	11200	9900	12400
0024 HRLY 98	SR-787 (Hanson St), 226' E of US-95 (Winnemacca Bl).									
	4270	4375	4500	4720	4790	5200	5400	5150	5100	5100
0025 HRLY 00	US-95 (Winnemucca Bl), 100' N of SR-294 (Hanson St).									
	12950	12200	11700	14200	13800	13600	14400	13700	12000	13700
0028 HRLY 00	SR-289 (Winnemucca Bl), 15' E of Bridge St.									
	8420	8000	7700	9140	8140	9200	9400	8600	8200	7900
0029	Highland Dr, .1 mi S of Old US-40.									
									2600	1750
0030 HRLY 98	SR-794 (3rd St), .25 mi E of Highland Dr.									
	2870	2725	2600	3285	3035	4050	4000	3300	3150	3150
0031	IR-80, E/B off-ramp of the Button Point Intch "Exit 187", 100' W of the cross traffic rd.									
	160	125	165	190	175	175	130	205	190	170
0032	IR-80, E/B on-ramp of the Button Point Intch "Exit 187", .1 mi E of the cross traffic rd.									
	130	105	145	170	160	165	130	335	160	170
0034	IR-80, W/B off-ramp of the Button Point Intch "Exit 187", .25 mi E of the cross traffic rd.									
	215	180	240	280	215	215	170	240	170	180
0035 HRLY 99	Frontage Rd to Rest Area, 100' E of the cross traffic rd of the Button Point Intch "Exit 18"									
					500	500	750	710	840	

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0037	IR-80, W/B on-ramp of the Button Point Intch "Exit 187", .2 mi W of the cross traffic rd.									
	245	200	260	305	215	215	195	280	200	190
0038	IR-80, E/B off-ramp of the Golconda Intch "Exit 194", .1 mi W of the cross traffic rd.									
	565	545	565	560	605	670	670	570	610	520
0040	Sibbald Av, in Golconda 80' S of Stanford St & 40' N of RxR tracks.									
HRLY 99							70	70	70	80
0041	IR-80, E/B on-ramp of the Golconda Intch "Exit 194", .2 mi E of the cross traffic rd.									
	160	140	140	110	140	155	155	235	270	170
0043	IR-80, W/B off-ramp of the Golconda Intch "Exit 194", 225' S of SR-789.									
	200	190	200	150	180	205	205	230	260	200
0044	SR-789 (Getchell Mine Rd), 177' W of the W/B off-ramp of the Golconda Intch "Exit 194".									
HRLY 00	1090	960	1045	1100	1250	1500	1800	1800	1550	800
0045	SR-789 (Getchell Mine Rd), 340' E of Morrison Av.									
HRLY 00	1200	1150	1270	1280	1440	1700	2200	2150	1850	1000
0046	Morrison Av, 200' N of SR-789 (Getchell Mine Rd).									
HRLY 98	295	285	370	420	335	650	650	640	550	460
0047	IR-80, W/B on-ramp of the Golconda Intch "Exit 194", .3 mi W of the cross traffic rd.									
	605	595	625	580	645	680	680	580	680	520
0048	IR-80, E/B off-ramp of the Golconda Summit Intch "Exit 200", 300' E of E/B lanes.									
HRLY 99	350	350	350	350	330	350	350	505	110	150
0049	IR-80, E/B on-ramp of the Golconda Summit Intch "Exit 200", 395' E of cross traffic rd.									
	350	350	350	350	350	325	325	225	110	100
0051	IR-80, W/B off-ramp of the Golconda Summit Intch "Exit 200", 370' E of cross traffic rd.									
	320	320	320	320	310	345	345	215	80	100

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0052	IR-80, W/B on-ramp of the Golconda Summit Intch "Exit 200", 430' W of the cross traffic rd.									
	320	320	320	320	350	330	330	460	110	170
0053	IR-80, E/B off-ramp of the Iron Point Intch "Exit 203", 180' S of the E/B lanes.									
HRLY 99	10	10	10	10	10	10	10	10	10	10
0054	IR-80, E/B on-ramp of the Iron Point Intch "Exit 203", 180' S of the E/B off-ramp.									
HRLY 99	10	10	10	10	10	10	5	5	10	10
0058	IR-80, W/B off-ramp of the Iron Point Intch "Exit 203", 170' N of the W/B lanes.									
HRLY 97	10	10	10	10	10	10	15	15	10	10
0059	IR-80, W/B on-ramp of the Iron Point Intch "Exit 203", 185' N of the W/B lanes.									
HRLY 99	10	10	10	10	15	15	10	20	10	10
0060	IR-80, E/B off-ramp of the Pumpernickel Intch "Exit 205", 577' E of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	20	10	10
0061	IR-80, E/B on-ramp of the Pumpernickel Intch "Exit 205", 580' E of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	5	10	10
0064	IR-80, W/B off-ramp of the Pumpernickel Intch "Exit 205", 570' of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	10	20	10
0065	IR-80, W/B on-ramp of the Pumpernickel Intch "Exit 205", 570' E of the cross traffic rd.									
HRLY 98	20	20	20	20	30	30	30	25	20	10
0067	IR-80, E/B off-ramp of the Stonehouse Intch "Exit 212", 278' W of the cross traffic rd.									
HRLY 98	135	110	215	240	240	240	280	220	210	150
0069	IR-80, E/B on-ramp of the Stonehouse Intch "Exit 212", 111' E of the cross traffic rd.									
HRLY 98	95	90	185	190	140	140	140	150	330	320
0071	IR-80, W/B off-ramp of the Stonehouse Intch "Exit 212", 205' E of the cross traffic rd.									
HRLY 98	100	85	175	190	155	155	155	200	330	360

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0073 HRLY 98	IR-80, W/B on-ramp of the Stonehouse Intch "Exit 212", 106' W of the cross traffic rd.									
	140	105	205	245	240	240	280	230	210	160
0074 HRLY 00	IR-80, E/B off-ramp of the Valmy Intch "Exit 216", 100' W of the cross traffic rd.									
	285	270	255	280	250	320	300	320	500	680
0076 HRLY 00	IR-80, E/B on-ramp of the Valmy Intch "Exit 216", 100' E of the cross traffic rd.									
	300	295	270	335	260	320	280	260	530	670
0078 HRLY 00	IR-80, W/B off-ramp of the Valmy Intch "Exit 216", .1 mi E of the cross traffic rd.									
	315	340	250	275	245	320	260	240	500	620
0080 HRLY 00	Frontage Rd to Ranches N, Valmy Intch "Exit 216", .8 mi NW of the W/B on-ramp.									
									10	10
0081 HRLY 00	IR-80, W/B on-ramp of the Valmy Intch "Exit 216", 100' W of the frontage rd .									
	300	315	235	230	250	330	320	320	500	610
0082	IR-80, E/B off-ramp of the Mote Intch "Exit 222", .2 mi W of the cross traffic rd.									
	20	20	20	290	290	35	35	65	30	20
0084	IR-80, E/B on-ramp of the Mote Intch "Exit 222", .2 mi E of the cross traffic rd.									
	30	30	20	320	320	35	35	35	50	30
0086 HRLY 96	IR-80, W/B off-ramp of the Mote Intch "Exit 222", .2 mi E of the cross traffic rd.									
	30	30	20	290	290	30	30	30	50	40
0088 HRLY 96	IR-80, W/B on-ramp of the Mote Intch "Exit 222", .2 mi W of the cross traffic rd.									
	20	20	20	70	120	25	25	45	40	30
0089 HRLY 00	SR-789 (Getchell Mine Rd), .5 mi S of the RxR grade crossing at Preble.									
	750	965	905	780	915	1100	1600	1600	870	600
0093 HRLY 98	SR-787 (Hanson St), 200' E of 6th St.									
	9335	10100	10900	10860	11900	12100	13600	13900	12900	13200

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0094 HRLY 00	SR-294 (Grass Valley Rd), 100' S of Windy Wy.									
	5760	6680	7400	6700	7340	8200	10000	10200	9200	9100
0095 HRLY 98	SR-294 (Grass Valley Rd), .7 mi S of E Valley Wy.									
	5185	5620	6200	6150	6735	6900	8500	8700	8000	8000
0096 HRLY 99	W Commander Dr, 100' W of SR-294 (Grass Valley Rd).									
			770	975	1115	1000	1200	800	690	750
0097 HRLY 98	SR-294 (Grass Valley Rd), S Grass Valley Rd to Leach Hot Springs, .1 mi S of W Commander Dr									
			1930	1930	2400	2550	3000	2750	2750	
0100 HRLY 00	US-95 (Melarkey St), 225' N of 2nd St.									
	5940	5995	6000	6480	6660	7100	7400	8000	6900	6900
0101 HRLY 98	2nd St, 80' W of Bridge St.									
	2030	1920	1700	1770	2240	1950	1750	1350	1500	1350
0102 HRLY 00	Weso Rd, .4 mi N of W/B lanes of IR-80.									
	1125	1135	1135	1375	1465	1900	1950	1200	2250	1600
0103 HRLY 99	Rd to Weso, 1.9 mi N of See Rd.									
	135	140	140	190	200	260	270	170	160	160
0105	Jungo Rd, .8 mi W of US-95 (Melarkey St).									
									870	900
0106 HRLY 00	US-95 (Melarkey St), 341' N of the County Rd to Jungo.									
	3970	3750	3500	4115	3710	3500	4400	4600	5750	5200
0107 HRLY 00	US-95, 1.1 mi N of the County Rd to Jungo.									
	2185	2595	2500	2815	2765	2650	3200	3200*	3100	3050
0109 HRLY 99	SR-290 (Paradise Valley Rd), .2 mi E of US-95.									
	250	280	280	250	290	310	330	330	360	350

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0110 HRLY 00	US-95, .2 mi S of SR-140.									
	1650	1700	1685	1700	1700	1400	1650	1650	1750	1700
0111 HRLY 98	SR-293 (Kings River Valley Rd), .1 mi W of US-95 at Orovada.									
	385	475	440	360	430	430	430	390	460	460
0114 HRLY 00	US-95, .7 mi S of Cordero Mine Rd in McDermit.									
	1550	1705	1585	1550	1565	1450	1650	1600	1700	1550
0116	Cordero Mine Rd, to the Cordero Mine, .25 mi W of US-95 in McDermit.									
	90	90	105	75	110	110	70	70	100	90
0117	Cordero Mine Rd, to the Cordero Mine at the bridge over McDermit Creek.									
	30	30	40	20	25	25	15	15	20	30
0118 HRLY 98	SR-293 (Kings River Valley Rd), 4 mi W of US-95 at Orovada.									
	105	175	140	130	100	110	110	120	120	120
0121 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 40 mi W of US-95.									
	205	205	195	245	270	270	270	250	290	330
0122 HRLY 98	SR-292 (Denio Rd), 2.75 mi S of the NV/OR Stateline & .2 mi N of SR-140.									
	140	185	170	200	270	270	270	120	150	140
0123 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 2.5 mi W of SR-292 (Denio Rd).									
	250	190	165	280	335	335	335	170	240	240
0124	SR-140 (Denio-Adel Oregon Rd), .7 mi E of the County Rd to Sheldon Antelope Range.									
	170	170	145	170	230	190	190	100	140	240
0128 HRLY 00	SR-795 (Reinhart Rd), 359' N of SR-289 Weso Rd & 174' N of the RxR Tracks.									
							875	540	1080	700
0129	Shelton Ln, .1 mi E of SR-290.									
									60	70

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0131 HRLY 00	SR-290 (Paradise Valley Rd), .6 mi S of SR-791 in Paradise Valley.									
	195	245	215	220	220	190	200	200	290	230
0132 HRLY 00	Paradise Valley Rd Spur, .25 mi E of SR-290.									
	85	140	130	130	160	170	180	180	170	190
0133 HRLY 00	Paradise Valley Rd Spur, .2 mi W of the E end of pavement, & 2.7 mi E of SR-290.									
	70	90	85	90	120	125	130	130	120	150
0135	Paradise Valley Rd, .2 mi N of Old SR-791 E.									
	70	85	50	50	45	45	50	50	75	80
0139	Desert Gem Rd, .2 mi S of Jungo Rd, 130' N of RxR, 2.95 mi W of Melarkey St in Winnemucca.									
							30	30	30	50
0144 HRLY 98	Old US-40, .13 mi E of Airport Rd.									
	1270	1250	1250	1230	1250	1250	1300	1350	1400	1250
0147 HRLY 00	Road to Valmy Rest Area, 232' E of County Rd to Marigold Mine.									
							165	550*	560	530
0148 HRLY 96	IR-80, E/B off-ramp of the Winnemucca Bl W Intch "Exit 176", .1 mi E of IR-80.									
	1645	1715	1850	1735	1685	1660	1745	1950	1760	1570
0149 HRLY 99	Winnemucca Bl, 350' W of Potato Rd.									
	7620	7580	6955	6300	7820	7220	7100	7800	6900	7050
0150 HRLY 96	IR-80, E/B on-ramp of the Winnemucca Bl W Intch "Exit 176", .2 mi E of SR-289 .									
	495	690	885	730	745	680	920	980	730	780
0151 HRLY 96	IR-80, W/B off-ramp of the Winnemucca Bl W Intch "Exit 176", 396' W of IR-80.									
	395	530	730	790	680	710	850	900	700	780
0152 HRLY 98	W Winnemucca Bl, .5 mi N of the W/B on-ramp of the W Winnemucca Intch "Exit 176".									
	1950	2115	1885	2500	2625	2000	2100	2000	1870	2000

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0153 HRLY 96	IR-80, W/B on-ramp of the Winnemucca Bl W Intch "Exit 176", .2 mi W of W Winnemucca Bl.									
	1825	1955	1920	1955	1770	1875	1920	2165	1760	1630
0155 HRLY 98	IR-80, .7 mi E of the Winnemucca Bl W Intch "Exit 176".									
	3880	4230	3950	4595	4745	4690	5265	5025	5160	5230
0156 HRLY 98	IR-80, E/B off-ramp of the Winnemucca E Intch "Exit 178", .2 mi E of end of cement.									
	310	290	230	315	290	285	365	265	310	380
0157 HRLY 98	SR-289 (Winnemucca Bl), 150' S of the Winnemucca E Intch "Exit 178".									
	4270	3830	3675	3960	4040	4550	4900	4000	4600	4600
0158 HRLY 98	IR-80, E/B on-ramp of the Winnemucca E Intch "Exit 178", .25 mi E of SR-289.									
	1195	1085	1165	1110	1015	1175	1160	1050	1040	1080
0159 HRLY 98	IR-80, W/B off-ramp of the Winnemucca E Intch "Exit 178", .1 mi W of the RxR overpass.									
	1145	1000	995	860	900	1090	1090	1160	1040	900
0162 HRLY 98	IR-80, W/B on-ramp of the Winnemucca E Intch "Exit 178", .2 mi W of SR-289.									
	315	320	215	240	290	300	350	250	300	260
0163 HRLY 99	IR-80, .4 mi E of the E/B on-ramp at Winnemucca Downtown Intch "Exit 178".									
	5595	5705	5665	5940	6080	6370	6800	6720	6630	6570
0164 HRLY 96	IR-80, E/B off-ramp of the E Winnemucca Intch "Exit 180", .2 mi E of IR-80.									
	160	125	115	175	145	140	250	260	180	220
0165 HRLY 99	SR-794 (3rd St), E Winnemucca Intch "Exit 180", .2 mi S of the E/B ramps.									
	1395	1300	1310	1530	1390	1600	1700	1500	1700	1700
0166 HRLY 98	IR-80, E/B on-ramp of the E Winnemucca Intch "Exit 180", .1 mi E of the cross traffic rd.									
	435	360	420	355	485	500	540	515	480	500
0167 HRLY 98	IR-80, W/B off-ramp of the E Winnemucca Intch "Exit 180", .25 E of the W/B lanes of IR-80.									
	790	670	660	675	695	720	625	710	610	580

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0170 HRLY 98	IR-80, W/B on-ramp of the E Winnemucca Intch "Exit 180", .2 mi W of the cross traffic rd.									
	210	155	135	215	170	160	205	170	120	200
0172 HRLY 00	SR-294 (Grass Valley Rd), .2 mi S of SR-787 (Hanson St).									
	7930	7745	9500	9700	10600	11100	13350	13500	12200	12100
0173 HRLY 98	SR-294 (Haskell St), .1 mi N of Hanson St.									
	4620	5020	5300	5375	5320	6300	6900	6250	6600	6300
0174 HRLY 98	SR-794 (3rd St), .1 mi W of Haskell St.									
	4220	4020	4200	5090	4615	5500	6000	5050	4850	4850
0175 HRLY 98	Hanson St, 100' W of Weso St in Winnemucca.									
	4840	4745	6990	6780	7090	7300	8000	8600	7800	7800
0176 HRLY 98	IR-80, btwn the Button Point Intch "Exit 187" & the Golconda Intch "Exit 194".									
	6390	6415	6455	6605	6930	7275	7530	7605	7360	7220
0177 HRLY 98	IR-80, .3 mi E of W/B off-ramp at Golconda Intch "Exit 194".									
	5580	5605	5605	5725	6000	6285	6540	6920	6600	6550
0178	IR-80, btwn the Golconda Summit Intch "Exit 200" & the Iron Point Intch "Exit 203".									
	5580	5605	5605	5725	6000	6275	6530	6910	6570	6430
0179	IR-80, btwn the Iron Point Intch "Exit 203" & the Pumpernickel Valley Intch "Exit 205".									
	5580	5605	5605	5725	5975	6270	6520	6395	6570	6430
0180	IR-80, btwn the Pumpernickel Intch "Exit 205" & the Stonehouse Intch "Exit 212".									
	5580	5605	5605	5725	5965	6260	6510	6355	6570	6430
0181	IR-80, btwn the Stonehouse Intch "Exit 212" & the Valmy Intch "Exit 216".									
	5500	5565	5545	5620	5780	6075	6245	6225	6810	6800
0182 HRLY 00	IR-80, 2.8 mi E of the Valmy Intch "Exit 216".									
	5530	5615	5575	5720	5785	6065	6165	6115	6840	6800

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0184 HRLY 99	Hanson St, 200' W of Mc Arther Av.									
	2770	2715	3300	3520	3500	3700	4300	4600	4500	4500
0185 HRLY 99	Haskell St, 250' S of SR-794 (Winnemucca Bl E).									
		2940	2800	3200	3170	3700	4200	3600	4300	4300
0186 HRLY 00	US-95, 3.1 mi S of the SR-290 to Paradise Valley .									
	1770	2095	2075	2100	1800	2100	2100*	2300	2150	2100
0187 HRLY 99	Water Canyon Rd, 1.3 mi SE of Highland Dr.									
			70	60	105	105	120	130	130	120
0188 HRLY 98	Minor St, 100' N of Bridge St.									
			640	690	680	750	875	780	850	850
0189 HRLY 98	Minor St, 200' S of Ballard Ln.									
			560	620	630	700	980	675	700	650
0190	Valley Rd, .4 mi N of SR-140 (Denio-Adel Oregon Rd).									
			35	35	30	40	40	40	30	30
0191 HRLY 00	SR-795 (Reinhart Rd), 625' E of US-95.									
									1050	750
0193 HRLY 00	SR-140 (Denio-Adel Oregon Rd), 245' W of US-95 (Old Denio ATR).									
			340	350	370	520	310	310	330	340
0194 HRLY 00	US-95, 1.5 mi N of SR-140 (Old Orovada ATR).									
			1385	1360	1350	1300	1350	1400	1450	1450
0195 HRLY 99	SR-294 (Grass Valley Rd), .2 mi S of Thomas Canyon Rd.									
									3350	3350
0196 HRLY 98	SR-294 (Grass Valley Rd), .15 mi N of HU-PE Co Line.									
								1800	1700	1700

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0197 South Road (McDermitt), .1 mi E of US-95.									250	280
0198 4th St, 222' N of Hanson St.									3200	2800
3073 Jones Ln, .6 mi S of Jungo Rd, W of Winnemucca at the RxR tracks.									60	60
3074 Desert Gem Rd, .1 mi S of Jungo Rd, W of Winnemucca at the RxR tracks.									40	40
3075 Eden Valley Rd, 1.1 mi N of Morrison Ln & .2 mi S of RxR tracks, N of Golconda.									430	430