



# QUALIFIED PRODUCTS LIST (QPL)

## Table of Contents

Spec #	Spec Description	Page #
408.02.05	ALL WEATHER ASPHALT COLD PATCH	3-4
502.02.05a	ANTI-GRAFFITI COATINGS (PERMANENT, NON-SACRIFICIAL)	6-7
401.03.02	ASPHALT RELEASE AGENTS	2-3
502.03.13j	ASPHALTIC PLUG EXPANSION JOINTS	7-8
625.03.04	BARRICADES	30-32
625.02.06	BARRIER RAIL (WATER FILLED)	28
610.02.01	CELLULAR EROSION CONTROL MATS	13-14
625.02.03a	CHANGEABLE MESSAGE SIGNS	24-25
625.02.03b	CHANGEABLE MESSAGE SIGNS (INTELLIGENT)	25-26
714.03.01	COATING SYSTEMS FOR BRIDGES	46-47
502.02.04a	CONCRETE STAIN	6
646.03.04	CRACK SEALANTS	43
702.03.04	CURING COMPOUND (BRIDGE DECK)	44-45
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	43
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	44
613.02.01	DETECTABLE WARNINGS (ADA TILE)	14-15
623.02.31	DRIVER FEEDBACK SIGNS	21
623.02.16	DUCT SEALING COMPOUND	20
637.02.01	DUST PALLIATIVE (OPTIONAL)	36-39
623.01.01	DYNAMIC MESSAGE SIGNS	18
728.03.02a	EPOXY ANCHORING SYSTEMS	54-56
505.02.01	EPOXY COATINGS (FOR STEEL REINFORCING BARS)	9-10
409.03.10	EVAPORATIVE RETARDER	4-5
502.03.13i	EXPANSION JOINT SEALANT	8
609.02.01a	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	10-11
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	8-9
618.02.01c	GUARDRAIL OFFSET BLOCKS	16
618.02.01a	GUARDRAIL TERMINAL (FLARED)	15
618.02.01b	GUARDRAIL TERMINAL (TANGENTIAL)	15-16
625.02.01	GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)	23-24
619.02.01	GUIDEPOSTS (FLEXIBLE)	16-17
630.02.01	HEADLIGHT GLARE SCREENS MODULAR UNITS	32
401.02.03a	HERBICIDES	1

<b>Spec #</b>	<b>Spec Description</b>	<b>Page #</b>
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	19
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	27
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	27
641.02.01	IMPACT ATTENUATORS	42
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	9
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	45-46
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	24
640.02.04	MODULAR BLOCK RETAINING WALL	41-42
640.02.03	MSE WALL (SMALL / LARGE)	41
726.03.04	MULCH	49-50
619.02.01a	OBJECT MARKERS (FLEXIBLE, TYPE 2)	17-18
496.02.02	OVERLAY SYSTEM (MULTILAYER)	5-6
729.03.04	PAINT MARKING MATERIAL (EPOXY)	56
729.03.06	PAINT MARKING MATERIAL (POLYUREA)	58
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	33-34
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	34
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	34-35
633.02.04	PAVEMENT MARKERS ADHESIVE	35
732.03.01	PAVEMENT MARKING TAPE (TYPE I)	59
732.03.02	PAVEMENT MARKING TAPE (TYPE II)	59
732.03.03	PAVEMENT MARKING TAPE (TYPE IV)	59-60
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	60
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	60
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	36
616.02.01	PLASTIC FENCE FABRIC	15
702.03.05	POZZOLANS	45
502.03.13i	PREFORMED JOINT FILLERS	7
729.03.05a	RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS	57
729.03.05c	RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)	57-58
729.03.05b	RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)	57
623.05.26	RED LIGHT DETECTORS	23
716.03.01	REFLECTIVE SHEETING	47-49
632.03.05	RETROREFLECTOMETERS	33

<b>Spec #</b>	<b>Spec Description</b>	<b>Page #</b>
637.02.05	ROADWAY INLET PROTECTION	39-40
623.02.08	SERVICE PEDESTALS	19
623.03.15	SIGN LIGHTING FIXTURES	22
625.03.03	SIGN SUPPORT SYSTEM	28-30
637.02.02	SILT FENCE	39
726.03.13	SOIL STABILIZER	51-54
640.02.03c	SOUNDWALL SYSTEMS	41
609.02.01b	STORMWATER TREATMENT VAULTS	12
726.03.05	TACKIFIER	50-51
623.03.01	TRAFFIC SIGNALS	21-22
609.02.01c	TRENCH DRAINS	12-13
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	20-21
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	20



# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.02.16 BACKFLOW PREVENTOR COVERS

Vendor Name / Address	Product Name	Remarks
VIT Products Incorporated Kim Goldenstein 2063 Wineridge Place Escondido CA 92029 sales@vitproducts.com	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211 www.vitproducts.com	ALHPI 60 SBBC 50  ID#: 3360, 3361  approved 6 /14/2006

### 213.03.05 JOINT COMPOUNDS FOR IRRIGATION PIPE

Vendor Name / Address	Product Name	Remarks
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 263-8001 Cell: (800) 231-3345 Fax: (713) 263-7577 www.rectorseal.com	RectorSeal #5  ID#: 0206  approved 8 /2 /1999

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Theresa Laurient PO Box 306 Commence City CO 80037 theresa@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	NEX type C  ID#: 0487  approved 3 /29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	V-LOC type C  ID#: 0006  approved 11/4 /1997

### 401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated Howard Stoddard 5903 Genoa Red Bluff Road Pasadena TX 77507 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501 www.controlsolutionsinc.com	Pramitol 25E application rate: 38L/hectare 25 gal/acre  ID#: 0007  approved 8 /1 /1993
Dow AgroSciences LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmiller@dow.com	Phone: (800) 313-7378 Cell: (317) 337-3000 Fax: (916) 525-2710 www.dowagro.com	Spike 80 DF Spike 80 W application rate: 1.8 kg/hectare 10 lbs/acre; application rate: 1.8 kg/hectare 10 lbs/acre;  ID#: 0008, 0480  DF is a dry formula with safer application W is a wet formula  approved 8 /2 /1993

### 401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
-----------------------	--------------	---------

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arrow Magnolia International LP Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	Slider Super Click Bio ID#: 0494, 0495 approved 7 /12/2006
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	Black Magic "For Rubber" Black Magic "13" ID#: 0261, 0260 approved 7 /21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	GreenGuard Thermal Slide ID#: 0597, 0262 approved 11/5 /2009
Brody Chemical Skip Martin PO Box 733 Zephyr Cove NV 89448 skip@brodychemical.com	Phone: (800) 480-2436 Cell: (775) 315-5994 Fax: (801) 274-2425 www.brodychemical.com	White Wizard ID#: 1442 approved 11/5 /2009
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	2217-A 2217-B 6992 ID#: 0421, 0587, 0716 approved 12/20/2007
Compound Technologies Inc Chris Henke 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-5794 Fax: (770) 386-3391 www.piltec.com	No 1 dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 0263 approved 7 /21/2000
Morning Star Solutions Inc Tammy Goldthorpe 2750 East 4215 South Salt Lake City UT 84124 tamme_price@yahoo.com	Phone: (801) 548-2287 Cell: Fax: (801) 274-2425	Clean Slate Clean Slate 2 ID#: 0632,0603 approved 6 /12/2006
North American Chemical George Aumond 1225 East Wakeham Avenue Santa Ana CA 92705 aumond@hazmatstorage.com	Phone: (800) 314-8719 Cell: (714) 542-3436 Fax: (714) 542-6338 www.northamericanchemical.com	8 Super Slide ID#: 0758 approved 9 /10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	Enviro-Slide Ultra ID#: 0259 approved 4 /26/2000

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Tec-Team Industries Karen Price P.O. Box 15128 Lynchburg VA 24502 tecteam2@gmail.com	Phone: (800) 700-2530 Cell: (434) 582-4503 Fax: (434) 582-4505 www.thetecteam.com	Teclon-Pro ID#: 0562 approved 11/9 /2006
ZEP Manufacturing Company Byran Castelloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 463-2466 Fax: (209) 830-5124 www.zep.com	Zep Freeze Free ID#: 1451 approved 3 /27/2006

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco Patching Products Mike Lawrence 420 North Roosevelt Avenue Chandler AZ 85226 mlawrence@qprmail.com	Phone: (800) 528-8242 Cell: (503) 347-6158 Fax: (480) 961-0513 www.equipmentbychesapeake.com	QPR 2000 ID#: 3309 approved 10/13/2011
D&G Oil & Gas Company Customer Service 2601 North 30th Street Endi OK 73701-8735	Phone: (580) 237-1743 Cell: Fax: www.breitlingoilandgas.com	Westpro Asphalt Patch ID#: 3309 approved 10/13/2011
Fossil Works Incorporated Customer Service 216 Big Horn Drive Unit 1 / PO Box 61638 Boulder City NV 89006-1638 info@fossilworksinc.com	Phone: (702) 612-6866 Cell: Fax: www.fossilworksinc.com	DARM ID#: 3307 approved 10/13/2011
Highway Product Incorporated Jim Lenford 7905 Agate Road White City OR 97503 lenford.jim6800toolbox.com	Phone: (800) 866-5269 Cell: (541) 826-3551 Fax: (541) 826-3607 www.800toolbox.com	All Season Patch ID#: 0511 approved 6 /1 /1999
Interwest Safety Supply Incorporated Dave Krantz 724 East 1860 South Provo UT 84606-6214 dkrantz@iwsafety.com	Phone: (801) 375-6321 Cell: Fax: (801) 377-2739 www.iwsafety.com	Instand Road Repair ID#: 3362 approved 12/31/2011
Lakeside industries Rick Rawlings 6505 226th Place SE Suite 200/PO Box 7016 Issaquah WA 98027 rickr@lakesideind.com	Phone: (425) 313-2681 Cell: (425) 313-2600 Fax: (425) 313-2620 www.lakesideind.com	EZ Street Cold Asphalt ID#: 3363 approved 1 /13/2011

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Nord-Agrar International Incorporated Customer Service 1605 Sonoma Avenue Albany CA 94707 info@nordagrar.com	Phone: (510) 525-8961 Cell: (800) 238-4838 Fax: (510) 525-8743 www.nordagrar.com	Perma Patch ID#: 3302 approved 10/13/2011
Ophir Oil Company Incorporated Customer Service 11001 Ophir Road/PO Box 898 Newcastle CA	Phone: Cell: Fax:	Ophir Hydro Patch ID#: 3301 approved 10/8 /2010
QPR Matt Burns 12735 Morris Road Suite 150 Alpharella GA 30004 mburns@qprmail.com	Phone: (800) 388-4338 Cell: (310) 982-0923 Fax: (676) 746-2238 www.qprcoldpatch.com	QPR High Performance Cold Patch ID#: 3298, 3324 approved 10/13/2011
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com	Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864 www.seaboardasphalt.com	Seaboard Asphalt Bond-X Bond X ID#: 3300 approved 10/13/2011
Unique Paving Materials Corporation William Stul 3993 East 93rd Street Cleveland OH 44105 info@uniquepavingmaterials.com	Phone: (800) 441-4880 Cell: (562) 243-3804 Fax: (216) 341-8514 www.uniquepavingmaterials.com	UPM High Performance Cold Mix ID#: 3295 approved 10/13/2011

**409.03.10 EVAPORATIVE RETARDER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film ID#: 0419 approved 1 /29/2003
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	Confilm application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 0203 approved 10/31/2010
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	AquaFilm Concentrate J74 application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l 400 ft2/gal ID#: 0242 approved 1 /14/2003

**409.03.10 EVAPORATIVE RETARDER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	<b>Eucobar</b> ID#: 0044 approved 8 /21/1997
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (800) 637-6372 Cell: (410) 354-1122 Fax: (410) 354-1122 www.kaufmanproducts.net	<b>VaporAid 060</b> ID#: 0191 approved 8 /2 /1999
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (888) 839-2661 Cell: (215) 332-7709 Fax: (215) 332-9997 www.vexcon.com	<b>Certi-Vex Envioassist</b> application rate: 4.9 m2/1 to 200 ft2/gal ID#: 0193 approved 8 /2 /1999
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>Sealtight Evapre</b> application rate: 1 gal to 9 gal water ID#: 0194 approved 3 /27/2006

**496.02.01 OVERLAY SYSTEM (POLYESTER)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
No Vendors at this Time *** *** *** ** ***	Phone: Cell: Fax:	<b>No Vendors at this Time</b> ID#: approved 3 /13/2012

**496.02.02 OVERLAY SYSTEM (MULTILAYER)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
E-Bond Epoxies Incorporated Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	<b>E-Bond 526 (aka Bridge Bond 34)/Silica 6/8 Blend</b> Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290 ID#: 0755 approved 8 /29/2009
Poly-Carb Incorporated Ruolei Wang 33095 Bainbridge Road Solon OH 44139 rwang2@dow.com	Phone: (800) 225-5649 Cell: (440) 914-3038 Fax: (440) 248-1513 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48</b> Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228- 2120 ID#: 0753 approved 8 /29/2009
Poly-Carb Incorporated Ruolei Wang 33095 Bainbridge Road Solon OH 44139 rwang2@dow.com	Phone: (800) 225-5649 Cell: (440) 914-3038 Fax: (440) 248-1513 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Flint Rock 65-8orGr8</b> Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0743 approved 8 /29/2009



**496.02.02 OVERLAY SYSTEM (MULTILAYER)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Unitex Chemicals / Dayton Superior Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerrybyrne@daytonsuperior.com	Phone: (800) 821-5846 Cell: Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-Poxy III DOT/Flint Rock 65-8 or Grade 8</b>	Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737
			0754 approved 8 /29/2009

**502.02.04a CONCRETE STAIN**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	<b>Canyon Tone Stain</b>	
			0519 approved 4 /12/2005
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	<b>Coverall 2800 AF Ext. Flat</b>	
			0761 approved 5 /20/2008

**502.02.04b CONCRETE PAINT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
No Vendors at this Time *** *** *** ** ***	Phone: Cell: Fax:	<b>No Vendors at this Time</b>	
			approved 9 /7 /2010

**502.02.05a ANTI-GRAFFITI COATINGS (PERMANENT, NON-SACRIFICIAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123 www.americanpolymer.com	<b>Clear VU High Solids (AP 307)</b>	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202)
			10/08 new product replaces GSS 10 approved 7 /6 /2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	<b>Fluorogrip® Anti Graffiti Film</b>	for signs ONLY
			0763 approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	<b>Monochem Permashield 5600 Premium System</b>	company passed an additional metal field test
			0679 approved 10/6 /2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (801) 255-7123 Cell: Fax: (888) 273-4489 www.seichemical.com	<b>GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer</b>	flattening agent required
			0680, 0725 approved 9 /29/2009

**502.02.05a ANTI-GRAFFITI COATINGS (PERMANENT, NON-SACRIFICIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>2K Waterbased Urethane Anti Graffiti</b> Part A: B65T00194 and Part B: B65V190 ID#: 0724 approved 9 /21/2009
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 346-2440 Cell: (510) 206-8030 Fax: (510) 346-2441 www.texcote.com	<b>Graffiti-Gard "S"</b> ID#: 0762 approved 11/12/2010

**502.03.13i PREFORMED JOINT FILLERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	<b>JEENE® Structural &amp; Sealing Jt Wabo® Evazote UV</b> ID#: 0011, 0005 approved 8 /2 /2006
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	<b>MetaZeal Physzite 380</b> ID#: 0509, 0009 approved 7 /24/2007
Polyset Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 b.zlotnick@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polyset.com	<b>Ply-Seal Ply-Seal XE Beige</b> ID#: 1862, 1863 approved 3 /28/2011
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	<b>Silicoflex</b> ID#: 0276 approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive #16 Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	<b>Will Seal 600</b> ID#: 0347 approved 10/31/1995
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	<b>W Seal</b> ID#: 0131 approved 4 /19/1999

**502.03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**502.03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
BASF/Watson Bowman Acme Corp Debra Steiger 95 Pineview Drive Amherst NY 14228 debbie.steiger@basf.com	Phone: (800) 677-4922 Cell: (716) 817-5410 Fax: (716) 691-9239 www.wbacorp.com	Wabo® Expandex ID#: 1437 approved 12/5 /2011
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	Matrix 502 Pave Tech ID#: 0198 approved 6 /5 /1997
Dynamic Surface Application Ltd Mike Stachowicz 373 Village Road Pennsdale PA 17756 mstachowicz@dsa-ltd.com	Phone: (800) 546-6041 Cell: (413) 427-0227 Fax: (570) 546-2415 www.dsa-ltd.com	BJS Thorma Joint System ID#: 0360 approved 9 /19/2002
Watson Bowman Acme Debra Steiger 95 Pineview Drive Amherst NY 14228	Phone: (716) 691-7566 Cell: Fax: (716) 691-9239 www.wbacorp.com	Wabco Expandex ID#: 3391 approved 12/5 /2011

**502.03.13k EXPANSION JOINT (SPECIAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Silicone Specialties Incorporated Dale Baker PO Box 50009 Tulsa OK 74150 dale.baker@ssicm.com	Phone: (800) 888-8909 Cell: (918) 698-6797 Fax: (918) 582-7510 www.ssicm.com	Dow 902 XJS Joint System this is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. ID#: 0212 approved 4 /22/2002

**502.03.13l EXPANSION JOINT SEALANT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (716) 691-7566 Cell: (716) 553-7308 Fax: (716) 553-7308 www.wbacorp.com	Wabo® Silicone Seal two part sealant ID#: 0340 approved 8 /2 /2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	902 RCS 890 SL Silicone Sealant ID#: 0339 approved 4 /22/2002

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Tammscoat ID#: 0567 approved 1 /1 /2006

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Poly-Carb Incorporated Ruolei Wang 33095 Bainbridge Road Solon OH 44139 rwang2@dow.com	Phone: (800) 225-5649 Cell: (440) 914-3038 Fax: (440) 248-1513 www.poly-carb.com	Mark 173.5 ID#: 1140 approved 11/10/2011
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 346-2440 Cell: (510) 206-8030 Fax: (510) 346-2441 www.texcote.com	TexCote 300 Bridge Cote TexCote XL70 Bridge Cote ID#: 0595, 0596 approved 6 /16/2008

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Crafco Asphalt Rubber type 1, 2 or 4 depends on the climate zone ID#: 0020 approved 1 /7 /1998
Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Calseal type 1, 2 or 4 depends on the climate zone ID#: 0025 approved 9 /8 /1998
Maxwell Products Incorporated Larry Allen 650 Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 44 Elastoflex 56 type 1, 2 or 4 depends on the climate zone ID#: 0022, 0023 approved 9 /30/1996

**505.02.01 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Infrastructure Protection Division Sam Attaguile 6801 Riverplace Boulevard Austin TX 78726 samattaguile@mmm.com	Phone: (512) 984-4146 Cell: Fax: (512) 984-4871 www.3m.com/corrosion	Scotchkote 413 FBE Scotchkote 413/215 Fusion Bonded Epoxy Coating 413 - AASHTO M284 / ASTM A775 Rebar Liquid Patch Compound 413/215 - AASHTO M284 / ASTM A775 as repair material for 3M FB 413 ID#: 1958, 3326 approved 10/10/2011
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fritz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (615) 983-4818 www.akzonobel.com	Resicoat RB600 HKF30R ID#: 0591 approved 4 /30/2008
Dupont Powder Coatings Inc Richard Pontes 9800 Genard Road Houston TX 77041 richard.pontes@usa.dupont.com	Phone: (800) 247-2598 Cell: (775) 527-1337 Fax: (614) 771-4139 www.hoovers.com/dupont-coatings	7-2719 Nap Gard 7-2750 Nap Gard ID#: 0281, 3327 approved 1 /22/2001

**505.02.01 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Valspar Corporation, The Karl Jorgenrud P.O. Box 1461 Minneapolis MN 55440 kjorgenrud@valspar.com	Phone: (612) 851-7036 Cell: (612) 309-5900 Fax: (612) 465-2676 www.valspar.com	Lilly Greenbar #720A009	0028  approved 4 /4 /2000

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Pro-1 Patch	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. 0315  approved 5 /14/2009
BASF Corporation Pete Warren 889 Valley Park Drive Shakopee MN 55379 pete.warren@basf.com	Phone: (800) 433-9517 Cell: (415) 577-8479 Fax: (800) 496-6067 www.buildingstystems.basf.com	Emaco S66 CI Rapid Mortar 10-60 Set 45 (CT)	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. 0385, 0386, 0387 approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	Phone: (610) 882-4013 Cell: Fax: (610) 868-8795 www.buzziunicemusa.com	UltiGrout® Ulti Pave3® Utility Fill One Step®	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. 0745, 0746  approved 6 /28/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	RS Cement All RS Concret RS DOT Repair RS Motar	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. RS= Rapid Set 0039, 0712 0713, 0714 approved 1 /27/1994
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Dayton Superior HD-50	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. 0038, 0037  approved 9 /30/1996
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	EucoSpeed EucoSpeed MP	duplicate  ID#: 0537, 0538  approved 9 /23/1998
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Express Repair Hi-Flow Grout	duplicate  ID#: 0539, 0047  approved 3 /16/2006

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Speed Crete® 2028 Rapid Speed Crete® Green Line	duplicate	0041, 0042 approved 1 /8 /2004
Five Star Products Incorporated Ryan Taylor 750 Commerce Drive Fairfield CT 06825 taylorr@fivestarprouducts.com	Highway Patch Structural Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0034, 0040 approved 9 /30/1996
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com	Loctite MagnaCrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0615 approved 4 /10/2006
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr	High Performance Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0327 approved 1 /3 /2002
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	HP Cement	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0507 approved 10/22/2004
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	US SPEC STR Mortar	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0655 approved 8 /29/2008
WR Meadows Incorporated of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338 www.wrmeadows.com	Futura 15 Fast Setting Concrete		0604, 3000 approved 8 /21/2008

**609.02.01b STORMWATER TREATMENT VAULTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	BaySaver	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	0284 approved 2 /19/2001

**609.02.01b STORMWATER TREATMENT VAULTS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: www.contech-cpi.com	CDS StormFilter Vortechs	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0447, 0448, 0452 approved 7 /23/2003
Jensen Precast Ron Anderson 825 Steneri Way Sparks NV 89431-5803 randerson@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 352-6364 www.jensenprecast.com	JPHV Stormwater Interceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0548 approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	Stormceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0286 approved 4 /22/2001
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	Inceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0348 approved 4 /6 /2006

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	A-67 Interceptor Polydrain XHD	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0394, 0395, 0767 approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	MHD 8 (8" ID) MHD 12 (12" ID)	(8"/12" Trench Drain System) this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0394, 0395, 0767 approved 1 /17/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	FF300 Concrete FG200 Concrete TraffikDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0726, 0663, 0380 approved 1 /28/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	S100K Concrete S300K Concrete	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0396, 0397 approved 1 /28/2003

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	Polycast 700 Polycast 900R Polycast 3000	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. R =Removeable	ID#: 0512, 0513, 0514 approved 3 /2 /2005
Hubbell Lenoir City Incorporated David Allard 3621 Industrial Park Drive Lenoir City TN 37771 dcallard@hubbell.com	Phone: (865) 635-2139 Cell: Fax: (865) 986-0585	Polycast® FP800 Polycast® FP1200		ID#: 3371 approved
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	EconoDrain MultiDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0492, 0493 approved 4 /6 /2004
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3143@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	Z-882 (9.25" Wide) Z-886 (4" Wide)	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0441, 0442 approved 3 /28/2003

**610.02.01 CELLULAR EROSION CONTROL MATS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0685 approved 11/18/2009
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: www.contech-cpi.com	Armorflex Petraxflex	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0332, 0333 approved 10/23/2008
Enviroscape ECM Ltd Heather Huff 22700 Street Route 613 Oakwood OH 45873 info@strawblanket.com	Phone: (419) 594-3210 Cell: Fax: (419) 594-3213 www.strawblanket.com	S2000 S2000BD		ID#: 3073 approved
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	Armorflex	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0326 approved 1 /21/1998



**610.02.01 CELLULAR EROSION CONTROL MATS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	<b>Shorblock Shoretec</b>	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 3 /23/2009
Soil Retention Products Inc Nick Jansson 2501 State Street Carlsbad CA 92008 njansson@soilretention.com	Phone: (760) 966-6090 Cell: Fax: (760) 966-6099 www.soilretention.com	<b>Enviroflex®</b>	approved 8 /23/2011

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>ACO DWD DWD Heritage</b>	approved NV Red ONLY approved 2 /26/2009
ADA Tactile Systems John Rapacz 2210 West Shangrila Phoenix AZ 85029 johnr@getsuredome.com	Phone: (602) 843-8710 Cell: (602) 694-2301 Fax: (602) 843-8715 www.getsure dome.com	<b>SureDome</b>	approved for NV Red and NV Green approved 12/10/2008
Advanced Surface Systems Inc (ASSI) Karen "KC" Hemry 509 Radford Place Knoxville TN 37917 kchemry@hotmail.com	Phone: (865) 540-3833 Cell: (865) 206-4789 Fax: (865) 540-3933 www.suredome.com	<b>SureDome</b>	approved for NV Red and NV Green approved 10/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	<b>ADA Arcis Tactile</b>	approved for NV Red and NV Green approved 9 /2 /2008
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742 www.armorcastprod.com	<b>Armorcast DWS</b>	approved for NV Red and NV Green approved 2 /28/2011
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	<b>TekWay Dome Tiles</b>	approved for NV Red and NV Green approved 11/27/2006

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	Step-Safe DWS	approved for NV Red and NV Green	ID#: 0484  approved 3 /26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	Cast-in-Tact 3	approved for NV Red and NV Green	ID#: 0666  approved 8 /20/2009

**616.02.01 PLASTIC FENCE FABRIC**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: www.contech-cpi.com	Safety Geogrid		ID#: 0345  approved 5 /15/2002
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	Safety Fence		ID#: 0202  approved 10/10/1999

**618.02.01a GUARDRAIL TERMINAL (FLARED)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	Fleat 350 Fleat SP	TL-3 Compliant;	ID#: 0045, 0668  approved 9 /29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	ET Plus SRT 350	TL-3 Compliant; LET Soil Tubes (replaced with ET Plus) TL-3	ID#: 0499, 0768  approved 4 /28/2000

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	SKT 350 SKT Lite SKT SP	TL-3 Compliant;	ID#: 0156, 0669, 0670  approved 1 /12/1998
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	CAT 350 ET Plus	TL-3 Compliant;	ID#: 0046, 0499  approved 3 /30/1997

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	<b>Glue Laminated Wood</b> used with w-beam and tri-beam guardrails	0485  approved 3 /10/2004
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	<b>King-Block King-Sized</b> used with steel post tri-beam guardrails used with steel post tri-beam guardrails	0524, 0523  approved 5 /31/2005

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb FG 300 Model EFX</b> type 2; standard surface and soil/ground mount options available type 2; standard surface and soil/ground mount options available	0684, 0692  approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model PE FG 300 Model UR</b> type 2; standard surface and soil/ground mount options available type 2; standard surface and soil/ground mount options available	0686  approved 10/15/1999
Safe Hit A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH K-Marker SH Barrier Replaceable</b> type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	0606, 0510  approved 10/5 /2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD Tubular RT 360 HD BD Tub</b> type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	0621, 0625  approved 10/5 /2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post SH Tubular</b> type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	0625, 0610  approved 10/5 /2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	<b>Driveable Del Socket Mt Del Surface Mt Del</b> type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options and angled mounts	0633, 0634, 0635  approved 4 /30/2009

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Shur-Flex Guardrail Clamp Shur-Tite Cable Barrier	type 2; standard surface and surface/soil mount options available type 2; standard surface and soil/ground mount options available	0637, 0638  approved 4 /30/2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	TD 5500 Earthflex Del	type 2; standard surface and surface/soil mount options available	0508  approved 12/3 /2002

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Island Sentry K-Marker	type 2; standard surface and surface/soil mount options available	0050  approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	BD Marker Round HM Marker Round	type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options available	0052, 0056  approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	T1 Marker Round T2 Marker Round	type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options available	0049, 0051  approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	FG 300 Complete Curb FG 300 Model PE	type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options available	0684, 0686  approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	FG 300 Model UR FG 300 Turn Pike Curb	type 2; standard surface and surface/soil mount options available type 2; standard surface and surface/soil mount options available	0687, 0688  approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Type K Island Marker	type 2; standard surface and surface/soil mount options available	0576  approved 9 /13/2007

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Safe Hit, A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Bolt Down RT 360 HD Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0622, 0623  approved 10/5 /2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post 36" SH Replaceable Barrier	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0610, 0068  approved 10/5 /2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker Series SH Tubular	type 2; standard surface and soil/ground mount options available	ID#: 0606, 0628  approved 10/5 /2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Driveable	type 2; standard surface and surface/soil mount options available	ID#: 0676  approved 2 /2 /2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5215 K Marker	type 2; standard surface and surface/soil mount options available	ID#: 0566  approved 12/3 /2002

**623.01.01 DYNAMIC MESSAGE SIGNS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700 www.daktronics.com	Light-Emitting Diode DMS	type 1 and type 2	ID#: 0502  approved 1 /7 /2004
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	2070 Light-Emitting Diode DMS	type 1 and type 2	ID#: 0510  approved 4 /4 /2008

**623.02.08 SERVICE PEDESTALS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Eaton Corporation Tom Barber 6225 South Valley View Suite C Las Vegas NV 89118 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771 www.eaton.com	Service Pedestals		ID#: 1307  approved 1 /7 /2011

**623.02.08 SERVICE PEDESTALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	<b>Phone:</b> (949) 387-4863 <b>Cell:</b> (714) 743-0712 <b>Fax:</b> (949) 387-4895 www.milbankmfg.com	<b>Metered Service Pedestals</b> ID#: 0367 approved 1 /15/2002
Myers Power Products Diana Grootonk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	<b>Phone:</b> (909) 923-1800 <b>Cell:</b> <b>Fax:</b> (909) 923-1806 www.myerspowerproducts.com	<b>Service Pedestals</b> +UPS/BBS ID#: 0267 approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	<b>Phone:</b> (800) 860-6157 <b>Cell:</b> (951) 493-8394 <b>Fax:</b> (951) 279-3116 www.pedestals.net	<b>Service Pedestals</b> ID#: 0366 approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 8440 Florin Road Sacramento CA 95828 cvasey@tescocontrols.com	<b>Phone:</b> (916) 395-8800 <b>Cell:</b> (916) 952-5088 <b>Fax:</b> (916) 403-0013 www.tescocontrols.com	<b>Tescoflex Service Pedestals</b> ID#: 0266 approved 11/21/2002

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	<b>Phone:</b> (682) 286-0046 <b>Cell:</b> (817) 657-6973 <b>Fax:</b> (682) 286-0086 www.chmindustries.com	<b>Series 426</b> bottom latching ID#: 0469 approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himastltg@aol.com	<b>Phone:</b> (847) 473-3800 <b>Cell:</b> (847) 217-1070 <b>Fax:</b> (847) 473-3870 www.eaglehighmast.com	<b>High Mast Assembly</b> bottom latching ID#: 0470 approved 1 /2 /2004
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	<b>Phone:</b> (702) 367-3949 <b>Cell:</b> (866) 465-6742 <b>Fax:</b> (702) 367-4656 www.myholophane.com	<b>Series Holophane LD5 Lighting Lowering D</b> bottom latching ID#: 0481 approved 1 /2 /2004

**623.02.16 DUCT SEALING COMPOUND**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	<b>Phone:</b> (800) 435-0705 <b>Cell:</b> <b>Fax:</b> (800) 533-4483 www.idealindustries.com	<b>Duct Seal</b> ID#: 0661 approved 10/7 /2009

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 263-8001 Cell: (800) 231-3345 Fax: (713) 263-7577 www.rectorseal.com	RectorSeal® ID#: 0677 approved 10/7 /2009

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	Brass Linguine Class 1 ID#: 0317 approved 1 /11/2001
Measurement Specialties Inco Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1 ID#: 0161 approved 5 /26/1999

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	P/N 606 Detector Loop 5000 Rubberized Loop rubberized asphalt material ID#: 0465, 0057 approved 6 /16/2000
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	271 Loop Detector 272 Loop Detector rubberized asphalt material ID#: 0072, 0068 approved 8 /5 /1998
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	Stat-a-Flex Polyester Loop polyester material ID#: 0061 approved 11/19/1996
Quikrete Company Rob Hernandez 7705 Wilbur Way Sacramento CA 95828 rhernandez@quikrete.com	Phone: (916) 689-8840 Cell: (916) 248-2139 Fax: (916) 689-8857 www.quikrete.com	Commercial Grade Permanent Blacktop Repair #1701 asphaltic concrete material ID#: 0283 approved 1 /1 /2001
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	Perm Sealer 974 Nitrile Pro Seal 6006 Polyester sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material ID#: 0064, 0063 approved 12/19/1996

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	Overkote Loop Filler asphaltic emulsion material ID#: 0062 approved 8 /5 /1998

**623.02.31 DRIVER FEEDBACK SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
RadarSign Charlie Robeson 6845 Shiloh Road East Alpharetta GA 30005 crobeson@radarsign.com	Phone: (866) 712-1864 Cell: (678) 520-5152 Fax: (702) 457-2352 www.radarsign.com	TC 500 Series ID#: 3152 approved 6 /14/2011
Traffic Logix Rico 3 Harriett Lane Spring Valley NY 10977 www.trafficlogix.com	Phone: (866) 915-6449 Cell: Fax:	Driver Feedback Signs ID#: 3378 approved 6 /14/2011
TraffiCalm Systems/MOR Manufacturing Jan DeSantis 5676 East Seltice Way Post Falls ID 83854 jdesantis@trafficalm.com	Phone: (208) 667-8799 Cell: (208) 292-1039 Fax: www.mormanufacturing.com	TraffiCalm/DriveBrite Radar Driver Feedback Signs ID#: 3379 approved 1 /13/2011

**623.03.01 TRAFFIC SIGNALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-3110 www.dialight.com	LED 12" Signal Heads (all) 16"x18" Ped Signal Hea must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications ID#: 0335, 0336 approved 3 /26/2002
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cheryluang@eoius.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoius.com	LED Traffic Signal Pedestrian Traffic Signal 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. ID#: 0700, 0701 approved 6 /17/2008
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 381-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	LED 12" Signal Heads (all) 16"x18" Tinted Ped must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications ID#: 1122, 1215 approved 4 /6 /2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 381-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-CIL-9 16" Countdown LED FH/MP must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications ID#: 1406 approved 4 /6 /2010



**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 381-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	<b>TSL-PED-16-DIL 16" LED FH/MP Indication</b>	must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 1405
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	<b>LED 12" GTx Signal Heads Pedestrian Signal Heads</b>	must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 0337, 0338
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	<b>LED 12" Signal Heads Pedestrian Signal Heads</b>	must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 0337, 0338

approved  
4 /6 /2010approved  
11/3 /2011approved  
3 /26/2002**623.03.15 SIGN LIGHTING FIXTURES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	<b>85 Watt Induction Versaflood III Induction</b>	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004) 0124, 0402
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	<b>GTx LED Signal Modules</b>	11/22/11 Will replace 85 Watt Induction Versaflood III 0402
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	<b>Panel Vue Series Model 85QLXXDG/QD/Door Prop</b>	0401

approved  
1 /17/2003approved  
11/14/2011approved  
1 /17/2003**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@luitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	<b>Lumi Trak</b>	10/11/2000

approved  
10/11/2000**623.05.26 RED LIGHT DETECTORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	<b>Red Light Detector</b>	0446

approved  
7 /16/2003

**623.05.26 RED LIGHT DETECTORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (750) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	Red Light Detector ID#: 0445 approved 8 /16/2003

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	MF-180-36 Masterflex type 3; standard surface/soil mount options available ID#: 0065 approved 8 /7 /1996
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	SDCF SMDW type 3; standard surface/soil mount options available type 3; standard surface/soil mount options available ID#: 0067, 0066 approved 10/1 /2008
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model PE type 3; standard surface/soil mount options available type 3; standard surface/soil mount options available ID#: 0684, 0686 approved 7 /2 /2008
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 UR HD Flex type 3; standard surface/soil mount options available type 3; standard surface/soil mount options available ID#: 0687, 0723 approved 7 /2 /2008
Qwick Kurb® Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 mike@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856 www.quickkurb.com	Qwick Kurb type 3; standard surface/soil mount options available ID#: 0627 approved 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD BD Tub RT 360 HD Tubular type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0621, 0622 approved 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post SH Replaceable Barrier type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0610, 0052 approved 10/5 /2008

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Surface/Soil Mt type 3; standard surface/soil mount options available ID#: 0634 approved 4 /30/2009

**625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktinc.com	FB 33 Flexible Barrier ID#: 0004 approved 2 /2 /1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	FlexX 2020 w/75 mm X 75mm ID#: 0019 approved 12/17/1997
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	DAPCO Straight Guardrail Reflector Plates type II; standard surface and soil/ground mount options available ID#: 0585 approved 1 /9 /1995
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	PCBM 12H High Impact PCBM T12H High Impact type II; standard surface and soil/ground mount options available type II; standard surface and soil/ground mount options available ID#: 0017, 0018 approved 11/3 /2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9300 Roadguide TD 9400 Roadguide ID#: 0371, 0372 approved 12/3 /2002

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T300* CMS T320* CMS T321* * DISCONTINUING THESE PRODUCTS ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP 465 ID#: 0077, 0078 approved 4 /8 /1997

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	CMS 80FM ID#: 0505 approved 10/13/2004
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345* * DISCONTINUING THESE PRODUCTS ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380 ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2205 Hightower Drive Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.precisionsolarcontrols.com	SMC HE 1000 ID#: 0084 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS ID#: 0085 approved 2 /22/1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	WTLMB-S-LL(A) ID#: 0355 approved 8 /5 /2002

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000 ID#: 0073, 0074 approved 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T300* CMS T320* CMS T321* * DISCONTINUING THESE PRODUCTS ID#: 0075, 0057, 0359 approved 7 /1 /2002

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP465  approved 4 /10/1997
Display Solutions Roy Dexter 6301 Best Friend Road Norcross GA 30071	Phone: (800) 541-9593 Cell: (770) 263-8353 Fax: (770) 662-5400 www.displaysolutionsinc.com	Sunray Solar Model 340  approved 10/23/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*  approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380  approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2205 Hightower Drive Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.precisionsolarcontrols.com	SMC SM 2000  approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que bec G2G 2V2 kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS  approved 2 /22/1998
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger II Silent Messenger III  approved 8 /14/2009
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger Solar Powered  approved 2 /22/1998

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	Phone: (775) 313-1402 Cell: (775) 882-6538 Fax: (775) 882-6538 www.barriersystemsinc.com	<b>Absorb 350 Universal Tau II XTENUator</b> TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions.	<b>ID#:</b> 0290, 0660, 2065 <b>approved</b> 10/30/2009
Energy Absorption Systems Inc Diane Sanchez 70 West Madison Street, Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Energite III Module N-E-A-T System Quadguard</b> TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0089, 0090, 0091 <b>approved</b> 4 /26/2006
Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 djones@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	<b>Energite III Fitch Inertial React 350</b> TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0092, 0093, 0094 <b>approved</b> 4 /14/1999
Work Area Protection Corporation Jeffery Smith 2500 Production Drive/PO Box 4087 St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	<b>SCI100GM</b> TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0545 <b>approved</b> 2 /23/2007

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	Phone: (775) 313-1402 Cell: (775) 882-6538 Fax: (775) 882-6538 www.barriersystemsinc.com	<b>UMAD TMA</b> TL-3 Compliant; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 3062 <b>approved</b> 10/10/2011
Energy Absorption Systems Inc Diane Sanchez 70 West Madison Street, Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Safe-Stop 180 TMA</b> TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0192 <b>approved</b> 11/3 /1999
TraFFix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	<b>ScorPion C 10,000</b> TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0264 <b>approved</b> 7 /26/2000
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	<b>MPS 350 III</b> TL-3 Compliant; Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.	<b>ID#:</b> 0097 <b>approved</b> 9 /17/1997

**625.02.06 BARRIER RAIL (WATER FILLED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**625.02.06 BARRIER RAIL (WATER FILLED)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742 www.armorcastprod.com	Guardian Barrier Water Filled w/350 Kit		ID#: 0099  approved 6 /23/1998
Energy Absorption Systems Inc Diane Sanchez 70 West Madison Street, Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).	ID#: 0098  approved 3 /30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	Rhino Safety Barrier w/350 kit	use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)).	ID#: 0482  approved 10/24/2007
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	Traffic Cntrl System 2001		ID#: 0551  approved 11/27/2007

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-ksystems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-ksystems.com	Safety Beacon Light		ID#: 0188  approved 1 /6 /1998

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Alcan Composites USA Inc Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	Phone: (270) 527-4200 Cell: (800) 434-3042 Fax: (270) 527-1552 www.alcancompositesusa.com	Dibond for Highway Work Zone Signage	must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0547, 0593  approved 5 /9 /2006
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	Bone Light 4MM ACM Aluminum Composite	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	ID#: 0616  approved 10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412 SZ-460 SZ-484	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	ID#: 0617, 0618, 0619  approved 10/16/2008

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412-2S SZ-460-2S SZ-484-2S	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 0620, 0657, 0658 approved 10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3000S Dynaflex DF3000WQ Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0220, 0221 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3003S Dynaflex DF3003W Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0222, 0223 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DL1003W Dynaflex UF2000 Uniflex Verticle Portable	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0224, 0225 approved 12/7 /1998
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C200 C202	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0227, 0228 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C902 Superflex Compact Stand w/Fiberglass Leaf Spr	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0899 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Superflex Compact Stand w/Fiberglass Leaf Spr	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0233 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X501 FS Coil Spring X550 FS Coil Spring	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0229, 0231 approved 4 /4 /2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X551 FS Coil Spring X600 FS Coil Spring	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance ID#: 0232, 0233 approved 4 /4 /2000



**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS1 SS548 SS548A SS548AE	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0411, 0415, 0405, 0409 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548C SS548CA SS548CAE SS548CE	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0407, 0412, 0418, 0403 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548E SS548UC SS548UCA SS548UCR	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0413, 0406, 0408, 0404 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0414, 0416, 0417 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster 4815RB 4818	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0235, 0251, 0237, 0238 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC 4884CS	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0239, 0240, 0241 approved 1 /24/2003

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	All Plastic Universal Waffle & Steel Legged	type 1 and type 2; with or without lights	ID#: 0246 approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	Plywood Panel Barricade	type 3; with or without lights	ID#: 0245 approved 3 /10/2000

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460 www.hwy-tech.com	<b>Barricade</b>	type 3 with or without lights	ID#: 0435  approved 1 /10/2000
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>Barricade O-Frame Barricade</b>	type 3B; with or without lights	ID#: 0250, 0613  approved 11/5 /2009
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.plasticsafety.com	<b>Anchor Barricade Sentinel</b>	type 3; with or without lights type 3, with or without lights	ID#: 0483, 0001  approved 5 /5 /2010
RA Lucas Company Inc, The Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: Fax: (562) 799-6150	<b>42" Channelizer</b>	type 3; standard surface/soil mount options available	ID#: 1003  approved 1 /23/2001
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2100 Works Barricade TD2150 Works Barricade</b>	type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested - 24"	ID#: 0171, 0374  approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2200 Works Barricade TD2250 Works Barricade</b>	type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 0375, 0376  approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2300 Works Barricade TD2400 All Plastic</b>	type 1 and type 2 type 3B cannot be used in configuration that is wider than was tested	ID#: 0526, 0527  approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2500 Works Barricade TD2550 Works Barricade</b>	type 1 type 3 cannot be used in configuration that is wider than was tested	ID#: 0525, 0529  approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2600 Works Barricade TD2650 Works Barricade</b>	type 1 and type 2 type 3 cannot be used in configuration that is wider than was tested	ID#: 0530, 0531  approved 10/14/2004

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 3000 A Frame Barricade</b>	type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 0532  approved 12/3 /2002
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	<b>Economy Plastic Folding Bar Sand Fill Bag</b>	type 3; with or without lights	ID#: 0248, 0249  approved 4 /3 /2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive/PO Box 4087 St Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	<b>Lane Changer B500 LC Traffic Drum</b>	type 3; with or without lights	ID#: 0745  approved 7 /12/2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	<b>200/M w/Temporary Signal Model # 2001</b>	type 3; with or without lights	ID#: 0590  approved 3 /10/2004

**627.02.01a POLYCARBONATE SIGNS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
No Vendors at this Time *** *** *** ** ***	Phone: Cell: Fax:	No Vendors at this Time		ID#: 3382  approved 11/4 /2008

**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	<b>Modular Guidance System</b>		ID#: 0102  approved 10/1 /2008
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	<b>Glare Screen System</b>		ID#: 0103  approved 7 /31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 70 West Madison Street Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>Glare Screen System</b>		ID#: 0123  approved 7 /31/1996

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	<b>LTL-X 30 Meter Geometry</b> <b>LTL-2000 discontinuing</b> 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies <b>ID#:</b> 0211, 0210  <b>approved</b> 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	<b>Mirolux Ultra 30</b>  <b>ID#:</b> 0213  <b>approved</b> 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>LaserLux CEN 30</b> <b>LaserLux CEN 30 Mobile</b> 10/08 MX 30 Retroreflectometer was discontinued but still qualifies; both the mobile and portable units are approved. <b>ID#:</b> 0544, 0551  <b>approved</b> 5 /2 /2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>StripeMaster Series I</b> <b>StripeMaster Series II</b>  <b>ID#:</b> 0542, 0543  <b>approved</b> 5 /27/2010

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	<b>DDOT ABS</b> 100 mm (4") round <b>ID#:</b> 0186  <b>approved</b> 6 /2 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	<b>929 ABS</b> <b>929 PP</b> <b>Ceramic</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round <b>ID#:</b> 0172, 0173, 0678 <b>approved</b> 6 /1 /1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085 www.glowlitemarker.com	<b>W: Type A/4"</b> <b>Y: Type AY/4"</b> 100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective <b>ID#:</b> 0516, 0517  <b>approved</b> 3 /7 /2005
Hi-Way Safety Incorporated Kris Harris 13310 5th Street Chino CA 91710 kris@hiwaysafety.com	Phone: (909) 591-1781 Cell: (909) 270-0643 Fax: (909) 627-0999 www.hi-waysafety.com	<b>W: ABS DOT 4"</b> <b>Y: ABS DOT 4"</b> <b>Y: ABS DOT 4" Non R</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round (non reflective) <b>ID#:</b> 0188, 0511  <b>approved</b> 6 /1 /1999

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Interstate Sales Mike Trentman 12600-200 Locksley Lane Auburn CA 95602 miket@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994 www.interstatesales.com	<b>Diamond Back (ABS &amp; Polypropylene)</b> 100 mm (4") round (ABS & Polypropylene) ID#: 0170 approved 6 / 1 /1999
Novabrite Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 926065106 norman@novabrite.com	Phone: (714) 656-3659 Cell: (925) 373-1751 Fax: (925) 215-2549 www.novabrite.com	<b>W: ADOT Y: ADOT W: CDOT Y: CDOT</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round 100 mm (4") round ID#: 0474, 0475, 0476, 0477 approved 3 /20/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 10000 Series</b> 100 mm (4") round ID#: 0373 approved 12/4 /2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>290 Durable Raised</b> 89 mm x 100 mm (3.6"x4") ID#: 0255 approved 6 / 1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	<b>921 AR 929 ABS 929 PP</b> ID#: 0172 approved 6 / 1 /1999
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	<b>911 Ab 953 Ab C80 FH Raised C88 Ab</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round 100 mm (4") round ID#: 0180, 0181, 0182, 0183 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	<b>AA ARC Round Shoulder ARC</b> 100 mm x 100 mm (4"x4") 100 mm x 100 mm (4"x4") 100 mm x 100 mm (4"x4") ID#: 0175, 0176, 0177 approved 6 / 1 /1999

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	<b>944SB 948</b> 58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4") ID#: 0184, 0185 approved 2 /6 /2002

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	<b>2002</b> <b>2004</b> 58 mm x 19 mm (2.3"x4.6") 58 mm x 19 mm (2.3"x4.6") ID#: 0178, 0179 approved 6 / 1 /1999

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	<b>34270 Hot Applied Flexible</b> ID#: 0105 approved 6 /16/1998
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	<b>836098 Bituminous</b> ID#: 0108 approved 2 /6 /2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	<b>Bundy 12 cm X 12 cm Pad;</b> white color on plantmix and back color on PCCP <b>(5" X 5") Pad</b> ID#: 0106 approved 5 /4 /1998
Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	<b>Dotstick Bituminous</b> ID#: 0464 approved 9 /29/2003
Martin Asphalt Dolly Navarrete 300 Christy Place South Houston TX 77587 dnavarrete@martinmlp.com	Phone: (713) 941-4410 Cell: (713) 818-1005 Fax: (713) 947-4906 www.martinasphalt.com	<b>172542 Evergrip Bituminous</b> ID#: 0107 approved 6 /15/1998

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085 www.glowlitemarkers.com	<b>W: Type 932 (1-way)</b> <b>Y: Type 932 (2-way)</b> 100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective ID#: 0516, 0517 approved 3 /7 /2005

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	710 WRR 780 WRR	WRR = Wet Reflective Removable white/yellow available	ID#: 0424, 0675, 0444 approved 8 /16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	200 Construction R	R = Removable white/yellow available	ID#: 1654 approved 9 /24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100R Series 200R Series Deltaline TWR	R = Removeable TWR = Temporary Wet Removeable white/yellow available	ID#: 0032, 0033, 0672 approved 6 /15/1999
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III R	R = Removeable white/yellow available	ID#: 0119 approved 8 /23/1989
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797 www.swarco.com	Director 2 - (DG) Director 2 (DG-WR)	DG = Detour Grade WR = Wet Reflective white/yellow available	ID#: 0120, 0648 approved 4 /26/1999
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140	white/yellow available	ID#: 0303, 0304, 0305 approved 8 /24/2001

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Arrow Magnolia International LP Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	Road Boss	application and dilution rates follow manufacturer's instructions	ID#: 0498 approved 11/8 /2005
Cypher Environmental Ltd Greg Martinez 701 North St. Vrain Street El Paso TX 79902 greg@eco-infrastructuresolutions.com	Phone: (915) 276-0879 Cell: Fax: (915) 534-7207 www.eco-infrastructuresolutions.com	DustStop	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.	ID#: 0707 approved 5 /6 /2010

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Dallas Roadway Products Inc Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	<b>Dust Control DC-22</b> Phone: (972) 803-6708 Cell: (702) 405-0351 Fax: (972) 596-8418 www.dallasroadway.com	application and dilution rates follow manufacturer's instructions	0549  approved 6 /19/2006
Earth Chem Incorporated Kevin Loucks PO Box 272627 Ft Collins CO 80527 EarthChem@aol.com	<b>Earth Bound</b> Phone: (970) 227-9661 Cell: Fax: www.earthchem.com		0822  approved 2 /16/2011
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	<b>Earthbind 100</b> Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	0420  approved 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Lignin (Ammonium Lignosulfonate)</b> Phone: (800) 369-3878 Cell: (775) 852-3878 Fax: (970) 346-3959 www.envirotechservices.com	application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%	0450  approved 8 /26/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	<b>HydroPam</b> Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.	0722  approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Trans Seal I</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0328  approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>PX 300</b> Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area	0433  approved 6 /10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hervenc@herculesenvironmental.com	<b>Hercules PAM</b> Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0150  approved 5 /18/2004
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hervenc@herculesenvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppressant</b> Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0150, 0149  approved 5 /2 /1999



**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Innovative Turf Solutions Melissa Schrard 5132 Ballantrae Court Cincinnati OH 45238 mrseinnovativeturfsolutions.com	<b>EnviroPam (powder)</b> <b>EnviroPam L (liquid)</b>	application and dilution rates follow manufacturer's instructions	1745  approved 2 /16/2011
Midwest Industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	<b>EnviroKleen</b> <b>Soil Sement</b>	application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	0278, 0279  approved 1 /13/2000
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	<b>TerraLOC</b>	application and dilution rates follow manufacturer's instructions	0721  approved 11/17/2009
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	<b>Plas-Bond</b> <b>Soiltac</b>	application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic	0274, 0275  approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Topein S Emulsion</b>	application and dilution rates follow manufacturer's instructions	0479  approved 2 /28/2002
Pennzsuppress Corporation Chuck Johnson 360 Nueces Street Suite 3609 Austin TX 78701 brucec@genesis-soils.com	<b>PennzSuppress D Dust</b> <b>Suppressant</b>	application and dilution rates follow manufacturer's instructions; application rate: 0.9 m2/L (36 sq ft / gal) (apply twice); can be used in travel-ways ONLY; application is restricted from within 50 years of any body of water.	0121  approved 5 /2 /1999
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Fisch-Stick</b> <b>Terravest</b>	application and dilution rates follow manufacturer's instructions	0152, 0153  approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	<b>LandTack Guar</b>	application and dilution rates follow manufacturer's instructions	1777  approved 2 /26/2011
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	<b>Dust Away</b>	application and dilution rates follow manufacturer's instructions	0639  approved 6 /2 /2009

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	Plas-Tex Poly-Tex	application and dilution rates follow manufacturer's instructions  approved 12/10/2003
Soilworks LLC Chad Falkenberg 1750 East Northrop Boulevard Suite 250 Chandler AZ 85286-1747 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	Soiltac®	application and dilution rates follow manufacturer's instructions  approved 9 /20/2004
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions  approved 11/2 /2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 966-0634 www.usg-erosioncontrol.com	Dust Armour	application and dilution rates follow manufacturer's instructions  approved 8 /28/2006

**637.02.02 SILT FENCE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Fiberweb Incorporated Brian Whitaker 70 Old Hickory Boulevard Old Hickory TN 37138 bwhitaker@fiberweb.com	Phone: (615) 847-7500 Cell: Fax: (615) 847-7068 www.fiberweb.com	Typar Geocells D3100D Typar Geocells DT1	approved for utilization as a temporary construction BMP under Section 537 of the Standard Specs i.e. silt fence, sediment logs, and rock check dams  approved 8 /19/2011
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	Triangular Silt Dike	  approved 6 /25/1998

**637.02.05 ROADWAY INLET PROTECTION**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	Siltsack	  approved 6 /25/1998
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlex™	  approved 10/15/2009

**637.02.05 ROADWAY INLET PROTECTION**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Bowhead Environmental & Safety Jeff Guentzel PO Box 375 Preston WA 98050 jeffg@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 388-2267 Fax: (888) 234-3677 www.shopbowhead.com	StreamGuard Catch Basin Insert ID#: 0088  approved 4 /9 /1997
Dandy Products Incorporated Tina Laemmle 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Bag Drainage Cntl Dandy Curb ID#: 0438, 0638  approved 5 /8 /2009
Dandy Products Incorporated Tina Laemmle 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Curb Bag Dandy Pop ID#: 0252, 0637  approved 10/28/1996
Enviroscape ECM Ltd Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: Cell: (419) 594-3210 Fax: (419) 594-3213 www.strawblanket.com	Vertipro ID#: 0662  approved 3 /1 /2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Combo Guard Curb Inlet Guard ID#: 0720, 0693  approved 2 /25/2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Drop Guard GR-8 Guard ID#: 0719, 0710  approved 2 /25/2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: ( 63) 035-5347 www.inletfilters.com	Flexstorm Inlet Filters ID#: 0650  approved 3 /1 /2010
Silt-Saver Incorporated Jason Jones 1094 Culpepper Drive Conyers GA 30094 jason@siltssaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltssaver.com	SS-100A FFA SS-200A FFA FFA=Frame & Filter Assembly ID#: 0377, 0296  approved 11/4 /2002

**640.02.03 MSE WALL (SMALL / LARGE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**640.02.03 MSE WALL (SMALL / LARGE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	<b>Reinforced Soil Embankment Wall</b>	permitted only when specified in the contract documents as an acceptable product ID#: 0122  approved 9 / 8 / 1998
Reinforced Earth Company, The Tom Michalik 4909 Murphy Canyon Road #230 San Diego CA 92123 tmichalik@reinforcedearth.com	Phone: (858) 576-2400 Cell: Fax: (858) 576-2409 www.reinforcedearth.com	<b>Retained Earth™ Reinforced Earth Lrg Wall</b>	permitted only when specified in the contract documents as an acceptable product ID#: 0287, 0288  approved 2 / 7 / 2001
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrew@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	<b>MSE Earth MSE Large Wall Panel MSE Plus</b>	permitted only when specified in the contract documents as an acceptable product; modified panels required; W24 longitudinal wire not permitted ID#: 0189, 0195  approved 5 / 6 / 2002
Tensor International Corporation Bob Miller 2500 Northwinds Parkway Suite 500 Alpharetta GA 30009 bmiller@tensarcorp.com	Phone: (770) 344-2090 Cell: Fax: (770) 344-2084 www.tensar-international.com	<b>Ares Retaining Precast Wall</b>	permitted only when specified in the contract documents as an acceptable product ID#: 0342  approved 6 / 11 / 1998

**640.02.03c SOUNDWALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Clear Solutions Noise Barriers Inc Dwayne Faciane 1 Technology Drive Suite J729 Irvine CA 92618 sales@clearsolutionsnb.com	Phone: (714) 328-1610 Cell: Fax: (714) 889-6699 www.clearsolutionsnb.com	<b>Quilite Noise Barrier</b>	TL-4 Compliant; system will be selected based on specific project requirements; it is not a complete wall system ID#: 0515  approved 2 / 9 / 2005
Evonik Cyro LLC Stephen Costanzo 379 Interpace Parkway Parsppany NJ 07054-0677 acrylite-magic@evonik.com	Phone: (973) 541-8000 Cell: Fax: www.acrylite.net	<b>Acrylite® Soundstop Paraglas Soundstop</b>	TL-4 Compliant; system will be selected based on specific project requirements; it is not a complete wall system ID#: 0640, 0648  approved 11 / 25 / 2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	<b>Port-O-Wall</b>	TL-4 Compliant; system will be selected based on specific project requirements; it is not a complete wall system ID#: 0316  approved 10 / 24 / 2001

**640.02.04 MODULAR BLOCK RETAINING WALL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	<b>Redi-Rock</b>	permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications ID#: 0605  approved 7 / 23 / 2009

**640.02.04 MODULAR BLOCK RETAINING WALL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Reinforced Earth Company, The Tom Michalik 4909 Murphy Canyon Road #230 San Diego CA 92123 tmichalik@reinforcedearth.com	<b>Pyramid</b> Phone: (858) 576-2400 Cell: Fax: (858) 576-2409 www.reinforcedearth.com	permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	0214  approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	<b>KeySteel SQFT MSE Panel</b> Phone: (866) 758-3427 Cell: (702) 255-6364 Fax: www.keystonewalls.com	permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	0153  approved 5 /15/2002
Tensar International Corporation Bob Miller 2500 Northwinds Parkway Suite 500 Alpharetta GA 30009 bmiller@tensarcorp.com	<b>MESA</b> Phone: (770) 344-2090 Cell: Fax: (770) 344-2084 www.tensar-international.com	permitted only when specified in the contract documents as an acceptable product	3250  approved 7 /17/2000

**641.02.01 IMPACT ATTENUATORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	<b>Universal Tau II Universal Tau IIR</b> Phone: (775) 313-1402 Cell: (775) 882-6538 Fax: (775) 882-6538 www.barriersystemsinc.com	TL-3 Compliant; TL-3 Compliant;	0667  approved 8 /22/2011
Energy Absorption Systems Inc Diane Sanchez 70 West Madison Street, Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	<b>Quad Guard Wide (69/90) React 350 (60/96/120)</b> Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	TL-3 Compliant;	0128, 0129  approved 6 /15/1998
Energy Absorption Systems Inc Diane Sanchez 70 West Madison Street, Suite 2350 Chicago IL 60602 diane.sanchez@trin.net	<b>QuadGuard Elite 8 Bay Quad Guard Standard</b> Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	TL-3 Compliant;	0125, 0126  approved 6 /30/2008
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	<b>Adiem SRT350</b> Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	TL-3 Compliant;	0209, 0154  approved 3 /21/1995
Work Area Protection Corporation Jeffery Smith 2500 Production Drive/PO Box 4087 St. Charles IL 60174 workarea@workareaprotection.com	<b>SCI100GM</b> Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	TL-3 Compliant; Approved at all speeds.	0545  approved 2 /23/2007

**646.03.04 CRACK SEALANTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
------------------------------	---------------------	----------------	-------------

**646.03.04 CRACK SEALANTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	<b>Dural 50</b> ID#: 0752 approved 8 /29/2009
Liquid Concrete K.C. Sullivan 16915 SE 272 Street Suite 100-143 Covington WA 98042 kcs@liquidconcrete.com	Phone: (800) 201-9300 Cell: (206) 321-0702 Fax: (877) 349-1922 www.liquidconcrete.com	<b>Ure-Kote R-60</b> ID#: 0757 approved 7 /11/2007
Unitex Chemicals / Dayton Superior Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerrybyrne@daytonsuperior.com	Phone: (800) 821-5846 Cell: Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Bridge Seal CA</b> ID#: 0751 approved 8 /29/2009

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Res-Cure</b> ASTM C309 Type 1D ID#: 0573 approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	<b>Resin Cure w/Dye J11WD</b> ASTM C309 Type 1D ID#: 0609, 0598 approved 1 /8 /2010
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC MaxCure Resin Clear</b> ASTM C309 Type 1D ID#: 0607 approved 2 /6 /2006
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	<b>Resin Cure - Clear VOC</b> ASTM C309 Type 1D ID#: 0565 approved 9 /4 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1100 Clear</b> <b>1300 Clear</b> ASTM C309 Type 1D ID#: 0574, 0480 approved 8 /20/2008

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Whix Cure DOT</b> PCCP ASTM C309, Type 2, Class A	0582  approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	<b>White Wax Cure J9A</b> PCCP ASTM C309, Type 2, Class A	0611  approved 8 /29/2008
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	<b>Kurez Vox White</b> PCCP ASTM C309, Type 2, Class A	0047  approved 8 /21/1997
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	<b>Pavecure WW</b> PCCP ASTM C309, Type 2, Class A	0586  approved 2 /18/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC MaxCure Wax White</b> PCCP ASTM C309, Type 2, Class A	3063  approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1600 White</b> PCCP ASTM C309, Type 2, Class A	0575  approved 8 /21/2008

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B	0579  approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperior.com	<b>DSSCC White PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B Bridge Decks ASTM C309, Type 2, Class B	0578, 0581  approved 6 /17/2008

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC AMS 3754 White</b> Bridge Decks ASTM C309, Type 2, Class B	approved 6 /17/2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>2245 Bridge Deck Cure 2250 White</b> Bridge Decks ASTM C309, Type 2, Class B Bridge Decks ASTM C309, Type 2, Class B	approved 8 /21/2008

**702.03.05 POZZOLANS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Boral Material Technologies Melissa Garcia 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 melissa.garcia@boral.com	Phone: (210) 349-4069 Cell: Fax: www.boral.com	<b>Boral Micron 3 Fly Ash Class F</b> Plant: Rockdale, TX	approved 2 /17/2010
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 www.headwaters.com	<b>Bridger Fly Ash Class F</b> Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY	approved 2 /17/2010
Nevada Cement Company Derek Taylor I-80 Exit 46 Fernley NV 89408 dtaylor@nevadacement.com	Phone: (775) 575-2281 Cell: Fax: (775) 575-4387 www.nevadacement.com	<b>Pozzolan Class "N"</b> Class N	approved 4 /8 /2011
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	<b>Pozzolan Type F</b> Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM	approved 2 /4 /2011
Whitemud Resources Incorporated Rick Ketcheson 3345 8th Street Southwest Suite 30J Calgary AB T2G 3A4 rketcheson@whitemudresources.com	Phone: (403) 517-0058 Cell: (602) 300-2123 Fax: (403) 517-0046 www.whitemudresources.com	<b>Whitemud</b>	approved 2 /4 /2011

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	<b>Roadsaver Silicone SL</b>	approved 6 /20/2006



**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	<b>890 SL (replaces 888-SL)</b>     ID#: 0130  approved 3 /20/1997
DS Brown Company, The Ben Jacobus 300 East Cherry Street North Baltimore OH 45872 bjacobus@dsbrown.com	Phone: (800) 848-1730 Cell: (651) 748-8114 Fax: (651) 748-8115 www.dsbrown.com	<b>DSB 900 SL Self Leveling Silicone</b>     ID#: 0518  approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Pecora 300</b>     ID#: 0314  approved 9 /15/2001
Sika Corporation Brad Kamin 17 Elton Court Pleasant Hill CA 94523 kamin.brad@sika-corp.com	Phone: (925) 938-9336 Cell: (510) 701-7198 Fax: (925) 938-7117 www.sikaconstruction.com	<b>Sika Sil 728 SL</b>     ID#: 0534  approved 4 /10/2006
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	<b>Spectrum 900 SL Formula 974831 w/ 333 Cartridges</b>     ID#: 0362  approved 5 /31/2002

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carboline Company Debbie Lanham 2150 Schuetz Road Maryland Heights MO 63146 dlanham@carboline.com	Phone: (888) 227-2654 Cell: (314) 644-1000 Fax: (314) 587-2699 www.carboline.com	<b>Carbozinc 11 RED OXIDE ONLY</b>     Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: Urethane Converter 811  ID#: 0132  approved 12/30/1998
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	<b>Interzinc® 22HS Primer RED OXIDE ONLY</b>     Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS  ID#: 0430  approved 1 /10/2005
PPG Protective & Marine Coatings Nye Miller 18220 Watson Way Yorba Linda CA 92886 nyemiller@msm.com	Phone: (562) 691-9600 Cell: (714) 337-1953 Fax: (714) 777-3586 www.ppgpmc.com	<b>Dimetcote® 9 Inorganic Zinc RED OXIDE ONLY</b>     Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi-Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure  ID#: 0592  approved 5 /21/2008

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>Zinc Clad® II RED OXIDE ONLY</b>	Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65- 150 Series Part B: B65V150  approved 12/30/1998

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>3300 Flex P</b>	type III  for Barricades and Cones  approved 9/10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>3334 3930 3924S</b>	type IV type IV type IV  for Barricades ONLY and Permanent Traffic  approved 12/1/2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>3340 Cone RS-24* Roll-up RS-34* Roll-up</b>	type VI type VI type IV/VI  for Barricades ONLY and Permanent Traffic; *Roll- up Signs  approved 8/16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>3910 FL DG 3911 FL Y DG 3914 FL DG</b>	type VI type VI type VI  for permanent traffic signs; FL=Florescent, DG=Diamond Grade  approved 8/16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>3990 VIP DG</b>	type IX    approved 9/10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	<b>444 DG3 B 446 DG3 B 4000 DG3 4080 DG3 WZ</b>	type XI type XI type XI type XI  B=Barricade; WZ=Work Zones  approved 8/16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	<b>OC T11500 OC T11511 OC T11513 OC T11514</b>	type XI type XI type XI type XI  OC=OmniCube  approved 7/29/2010

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>	
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	OV T9500 OV T9511 OV T9513 OV T9514	type IX type IX type IX type IX OV=OmniView	1837, 0059, 0770, 0778 approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	S9000C Cone Collar	type VI for reboundable traffic cones ONLY	approved 2 /2 /2004 0471
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	T5500A HI T7000 F T7500 P	type III type IV type IV for Flagger Paddles ONLY; F=Flourescent, P=Prismatic, HI=High Intensity	approved 9 /15/2003 0455, 0456, 0344
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	W6000 P T6500 P HI W7514 F	type IV type IV type IV for temporary traffic control devices, delineators and permanent signs ONLY;	approved 7 /10/2001 0298, 0164, 0297
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	WR-7100 White R WR-7114 Orange FR	type IV type IV F= Fluorescent; R= Reboundable	approved 3 /31/2011 3055, 3056
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	92847 Crystal Flu Orange* Nikkalite CRG 92802 W	type IV type IV for permanent traffic signs ONLY; *for Flagger Paddles ONLY	approved 9 /10/2010 0522, 0650
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92804 Y Nikkalite CRG 92805 R	type IV type IV for permanent traffic signs ONLY	approved 9 /10/2010 0651, 0652
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92806 B Nikkalite CRG 92808 G	type IV type IV for permanent traffic signs ONLY	approved 9 /10/2010 0653, 0654
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92844 Flu Y-G Nikkalite HI ULGH II	type IV type IV for permanent traffic signs ONLY	approved 9 /10/2010 0649, 0271

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	<b>AP 1000</b> <b>AR 1000</b> Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	type V type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	0295, 3071 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	<b>Marathon Roll-up</b> <b>Super Bright Roll-up</b> Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	type VI type VI for use in emergency traffic control construction work zones and utility work areas	0294, 0162 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	<b>Resilience Channelizer Tape</b> <b>Reflective Flag*</b> Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	type IV type VI for use in construction work zones on drums, cones, tubes, posts, and vertical panels; *for flagger poles ONLY	1275, 3070 approved 4 /6 /2011

**726.03.04 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	<b>Second Nature Paper Fiber</b> Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0146 approved 6 /25/1998
Hamilton Manufacturing Inc (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	<b>NaturesOwn Evolution 70</b> <b>NaturesOwn Mulch</b> Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0147 approved 6 /25/1998
Hamilton Manufacturing Inc (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	<b>NaturesOwn Evolution</b> <b>NaturesOwn X9000 Mulch</b> Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0147 approved 6 /25/1998
Hydrostraw LLC Ronald Edwards 3676 West 9000 North Road Manteno IL 60950 ron@hydrostraw.com	<b>Bonded Fiber Matrix</b> <b>Guar Plus Formulation</b> Phone: (800) 545-1755 Cell: Fax: (815) 468-7450 www.hydrostraw.com	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	1746 approved
Hydrostraw LLC Ronald Edwards 3676 West 9000 North Road Manteno IL 60950 ron@hydrostraw.com	<b>Hydrostraw</b> Phone: (800) 545-1755 Cell: Fax: (815) 468-7450 www.hydrostraw.com	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	1104 approved 2 /3 /2009

**726.03.04 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>	
North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247 www.nagreen.com	Hydra CM Steep Slope Matrix	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	3407 approved 2 /27/2012
Profile Products LLC Heather Rohde 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089 hrohde@profileproducts.com	Phone: (847) 215-3454 Cell: Fax: (847) 215-0577 www.profileproducts.com	Conwed 1000 Flexterra HP Terra Mulch Wood Fiber	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0145, 0244 approved 12/18/2008
Tensor North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	HydraCX2 Extreme Slope Matrix	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0715 approved 5 /28/2010
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	3064, 0318 approved 11/2 /2001

**726.03.05 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>	
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	TacPac GT	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0148 approved 6 /25/1998
Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	Driwater Hydro Mix	Environmental Services Division, Water Quality Specialist, must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; NOTE: surfaces subject to spill; can be slippery	0277 approved 1 /5 /2001
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Hydropan	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0683 approved 3 /1 /2010
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	PX 300	Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0433 approved 6 /10/2003

**726.03.05 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hamilton Manufacturing Inc (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	<b>Phone:</b> (208) 733-9689 <b>Cell:</b> <b>Fax:</b> (208) 733-9447 www.hmi-mfg.com	<b>NaturesOwn Triple Tac</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0147  approved 6 /25/1998
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrseinnovativeturfsolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633 www.innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 1745  approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (800) 962-4010 <b>Cell:</b> (216) 475-8488 <b>Fax:</b> (216) 475-6517 www.soilmoist.com	<b>FI-1045 FI-1046 FI-3500</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0689, 0680, 0681  approved 2 /3 /2010
Pennzsuppress Corporation Chuck Johnson 360 Nueces Street Suite 3609 Austin TX 78701 brucec@genesis-soils.com	<b>Phone:</b> (713) 542-5895 <b>Cell:</b> (707) 287-6111 <b>Fax:</b> (707) 968-5121 www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0121  approved 5 /19/2004
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackifierman@yahoo.com	<b>Phone:</b> (509) 235-3800 <b>Cell:</b> (509) 981-8555 <b>Fax:</b> (509) 235-3803 www.primeoneproducts.com	<b>Fisch-Stick Terravest</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0152, 0153  approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	<b>Phone:</b> (790) 666-9050 <b>Cell:</b> <b>Fax:</b> (740) 666-1339 www.landtack.com	<b>LandTack Guar</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 1777  approved 2 /26/2011
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	<b>Phone:</b> (888) 843-1029 <b>Cell:</b> (661) 747-5956 <b>Fax:</b> (661) 587-6806 www.EarthGuard.com	<b>EarthGuard EarthGuard Fiber Matrix</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 3064, 0318  approved 11/2 /2001

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arrow Magnolia International LP Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	<b>Phone:</b> (800) 527-2101 <b>Cell:</b> (214) 415-3984 <b>Fax:</b> (972) 247-7111 www.arrowmagnolia.com	<b>Road Boss</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0498  approved 11/8 /2005

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
<b>ENCAP LLC</b> Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	<b>Phone:</b> (877) 405-5050 <b>Cell:</b> (920) 217-0281 <b>Fax:</b> (920) 406-9740 www.encepro.com/index.php/products/	<b>PAM-12 PLUS</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	1205  approved 3 /10/2008
<b>Enviroad</b> Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	<b>Phone:</b> (800) 536-2650 <b>Cell:</b> (503) 701-7802 <b>Fax:</b> (503) 279-2633 www.enviroad.com	<b>Earthbind 100</b> application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	0420  approved 3 /17/2003
<b>Evonik Stockhausen LLC</b> Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	<b>Phone:</b> (336) 335-3781 <b>Cell:</b> <b>Fax:</b> (251) 443-4840 www.evonik.com	<b>HydroPam</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0722  approved 3 /1 /2010
<b>Fluid Tech Incorporated</b> Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Phone:</b> (702) 871-1884 <b>Cell:</b> (702) 871-7976 <b>Fax:</b> (702) 871-3629 www.fluid-tech-inc.com	<b>Trans Seal I Road Oyl Soil Seal</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0323, 0324, 0325  approved 1 /3 /2002
<b>GM Boston Co International LLC</b> Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799 www.gmbostoncompany.com	<b>PX 300</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0433  approved 6 /10/2003
<b>Hercules Environmental Inc</b> Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531 www.HerculesEnvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0160, 0149, 0154  approved 5 /18/2004
<b>Innovative Turf Solutions</b> Melissa Schrard 5132 Ballantrae Court Cincinnati OH 45238 mrseinnovativeturfsolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633 www.innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	1745  approved 2 /16/2011
<b>JRM Chemical</b> Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (800) 962-4010 <b>Cell:</b> (216) 475-8488 <b>Fax:</b> (216) 475-6517 www.soilmoist.com	<b>FI-1045 FI-1046 FI-3500</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0689, 0680, 0681  approved 2 /3 /2010
<b>Midwest Industrial Supply Inc</b> Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247	<b>Soil Sement</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0521  approved 1 /4 /2001

## 726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89135-0907 daniel@nuequipment.com	<b>Phone:</b> (702) 649-8767 <b>Cell:</b> (702) 325-2323 <b>Fax:</b> (702) 649-8446 www.nuequipment.com	<b>Plas-Bond Soiltac</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0275, 0230 approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 981-8555 <b>Fax:</b> (661) 391-1054 www.eaglehighmast.com	<b>Topein S Emulsion</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0479 approved 2/28/2002
Pennzsuppress Corporation Chuck Johnson 360 Nueces Street Suite 3609 Austin TX 78701 brucec@genesis-soils.com	<b>Phone:</b> (713) 542-5895 <b>Cell:</b> (707) 287-6111 <b>Fax:</b> (707) 968-5121 www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0121 approved 5/19/2004
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Phone:</b> (509) 235-3800 <b>Cell:</b> (509) 981-8555 <b>Fax:</b> (509) 235-3803 www.primeoneproducts.com	<b>Fisch-Stick Terravest</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	<b>Phone:</b> (790) 666-9050 <b>Cell:</b> <b>Fax:</b> (740) 666-1339 www.landtack.com	<b>LandTack Guar</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	1777 approved 2/26/2011
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	<b>Phone:</b> (702) 873-2023 <b>Cell:</b> <b>Fax:</b> (702) 873-0915 www.soil-tech.com	<b>Plas-Tex Poly-Tex</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 1750 East Northrop Boulevard Suite 250 Chandler AZ 85286-1747 info@soilworks.com	<b>Phone:</b> (800) 545-5420 <b>Cell:</b> (480) 545-5454 <b>Fax:</b> (480) 545-5456 www.soilworks.com	<b>Soiltac®</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0364 approved 9/20/2004
Tensar North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	<b>Phone:</b> (800) 772-2040 <b>Cell:</b> (801) 977-0970 <b>Fax:</b> (812) 867-0247 www.nagreen.com	<b>HydraCX2 Extreme Slope Matrix</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0285 approved 5/29/2009
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	<b>Phone:</b> (888) 843-1029 <b>Cell:</b> (661) 747-5956 <b>Fax:</b> (661) 587-6806 www.EarthGuard.com	<b>EarthGuard</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	3064, 0318 approved 11/2/2001



**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 966-0634 www.usg-erosioncontrol.com	<b>AirtrolTM Geobinder</b> Environmental Services Division, Water Quality Specialist (775) 888-7889 must be contacted prior to usage; application and dilution rates follow manufacturer's instructions	0555, 0554  approved 8 /28/2006

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	<b>HS 200 Epoxy Adhesive Ultra Bond 1</b> type I, II, IV and V; Grade 2; Class C & 1300 Class B&C type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	0422, 0329  approved 11/21/2005
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	<b>Ultra Bond 1100 Ultra Bond 1300</b> type I, II, IV and V; Grade 2; Class C & 1300 Class B&C type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	0330, 0331  approved 11/21/2005
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Epoxy Bonder LPL Epoxy Bonder</b> type I, II, IV and V; Grade 2 Classes B&C type I, II, IV and V; Grade 2 Classes B&C	0496, 0497  approved 4 /29/2004
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	<b>Sure Anchor I J-51 Sure Film J-74 Evaporation</b> type I, II, IV and V; Grade 3; Class A type I, II, IV and V; Grade 3; Class A	0393, 0190  approved 1 /14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	<b>Duralcrete</b> type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	0536  approved 11/8 /2004
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (800) 879-8000 Cell: (800) 950-6610 Fax: (918) 294-2968 www.us.hilti.com	<b>THE 50 HIT RE 500</b> type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	0322, 0323  approved 7 /6 /2009
ITW Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	Phone: (630) 350-0370 Cell: (630) 694-4720 Fax: (630) 495-6204 www.itw-redhead.com	<b>Ceramic 6 Epcon C6</b> type I & IV; Grade 3; classes B&C type I & IV; Grade 3; classes B&C	0341, 1006  approved 5 /14/2002

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Mapei Americas Headquarters Andrew Fulkerson 1144 East Newport Center Drive Deerfield Beach FL 33442 afulkerson@mapei.com	Phone: (800) 425-2734 Cell: (954) 531-5545 Fax: (954) 246-8825 www.mapei.com	<b>Planibond AE</b> ID#: 3221 approved 8 /3 /2011
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy EP-420</b> <b>Dynapoxy EP-450</b> type II, Grade 2; Classes B&C type I, II, IV & V; Grade 1; Classes B&C ID#: 0737, 0738 approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy Low Mod Epoxy</b> <b>Dynapoxy TM EP-430 Fast</b> type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C ID#: 0334, 0740 approved 6 /7 /2010
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	Phone: (914) 235-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	<b>PE1000+</b> <b>Power Fast Plus</b> type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C ID#: 1214, 0644 approved 12/5 /2011
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	<b>Standard Set</b> <b>T308 Plus</b> type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C ID#: 0645, 0646 approved 11/25/2008
Sika Corporation Brad Kamin 17 Elton Court Pleasant Hill CA 94523 kamin.brad@sika-corp.com	Phone: (925) 938-9336 Cell: (510) 701-7198 Fax: (925) 938-7117 www.sikaconstruction.com	<b>Sikadur 35 Hi Mod</b> ID#: 0534 approved 4 /10/2006
Simpson Strong Tie Wendy Allen 5151 South Airport Way Stockton CA 95206 wallen@strongtie.com	Phone: (800) 999-5099 Cell: (415) 559-9038 Fax: (209) 234-3868 www.stongtie.com/products/anchorsyste	<b>EDOT</b> <b>ET22 Epoxy-Tie Resin</b> type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C ID#: 0217, 0218 approved 1 /15/2009
Titan Construction Supply Inc Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	<b>Pro-Poxy 100</b> <b>Pro-Poxy 200</b> type II, III, IV and V; Grade 3; Class A, B&C type I, II, IV & V; Grade 2; Class B&C ID#: 0569, 0218 approved 4 /29/2008
Unitex Chemicals / Dayton Superior Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerrybyrne@@daytonsuperior.com	Phone: (800) 821-5846 Cell: Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-Poxy 300</b> <b>Pro-poxy 300 FAST</b> type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 2; Class B&C ID#: 0219, 0389 approved 1 /14/2003

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Unitex Chemicals / Dayton Superior Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerrybyrne@daytonsuperior.com	Phone: (800) 821-5846 Cell: Fax: (816) 483-3149  www.unitex-chemicals.com	<b>Pro-Poxy 50 Super LV</b> <b>Symons ResCon 304</b>  type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes A	ID#: 0247, 0248  approved 1 /14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 tgrevious@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (507) 364-8762  www.uspconnectors.com	<b>CIA-GEL 7000 Adhesive</b>  type I & IV; Grade 3; Classes B, C&D	ID#: 0265  approved 8 /9 /2000
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206  www.wrmeadows.com	<b>Rezi Weld 1000</b>  type I, II, IV and V; Grade 2; Classes B&C	ID#: 0478  approved 7 /17/2002

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Colorado Paint Company/Swarco Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881  www.coloradopaint.com	<b>RockHard 1180</b>  White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0199  approved 3 /23/2000
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217  www.ennistraffic.com	<b>HPS-3</b>  White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0436  approved 7 /25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS50</b> <b>Epoplex LS60</b>  White: LS50 Part A   White: LS60 Part A Yellow: LS50 Part A   Yellow: LS60 Part A Hardener: LS50 Part B   Hardener: LS60 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0378, 0379  approved 2 /6 /2003
Poly-Carb Incorporated Ruolei Wang 33095 Bainbridge Road Solon OH 44139 rwang2@dow.com	Phone: (800) 225-5649 Cell: (440) 914-3038 Fax: (440) 248-1513  www.poly-carb.com	<b>Mark 55.2 NV</b> <b>Mark 55.3 NV</b>  White: Mark 55.2 Part A   Mark 55.3 Part A Yellow: Mark 55.2 Part A   Mark 55.3 Part B Hardener: Mark 55.2 Part B   Mark 55.3 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0109, 0110  approved 5 /11/2004
Poly-Carb Incorporated Ruolei Wang 33095 Bainbridge Road Solon OH 44139 rwang2@dow.com	Phone: (800) 225-5649 Cell: (440) 914-3038 Fax: (440) 248-1513  www.poly-carb.com	<b>Mark 55.4 NV</b>  White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0111  approved 10/24/1997

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	UCAR TM DT 250 NA UCAR TM DT 400 NA	type I type II 0166, 1067 approved 7 /19/2002
Rohm & Haas LLC/Dow Chemical Joanna Shurell 100 Independence Mall West Philadelphia PA 19106 dowCIG@dow.com	Phone: (800) 447-4369 Cell: (215) 592-3000 Fax: (800) 382-4008 www.dow.com	FastrackTM 3427 FastrackTM HD21A	type I; prev Rhoplex TM Fastrack 3427; Bulk #10081323; Substance #101051012 type II; prev Rhoplex TM Fastrack HD21A; Bulk #10076070; Substance #101084604 0318, 0319 approved 5 /20/1999

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Colorado Paint Company/Swarco Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	W: 1160-NV Waterborne Y: 1166-NV Waterborne	RhoplexTM FastrackTM 3427 Type I RhoplexTM FastrackTM 3427 Type I 2073 approved 12/16/2011
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2	UCAR Latex DT 250 NA UCAR Latex DT 250 NA 0490, 0491 approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1	Fastrack® 3427 Fastrack® 3427 0345, 0346 approved 12/1 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 qpladmin@ennistraffic.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6000 Y: Pervo Plastics 6003	Fastrack® 3427 Fastrack® 3427 0349, 0350 approved 7 /30/2002

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Colorado Paint Company/Swarco Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	W: 1110-NV Ultra High Build Y: 1116-NV Ultra High	RhoplexTM FastrackTM HD-21A Type II RhoplexTM FastrackTM HD-21A Type II 2075 approved 12/16/2011

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2	UCAR Latex DT 400 NA UCAR Latex DT 400 NA 0353, 0354 approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1	Fastrack® HD21A Fastrack® HD21A 0540, 0541 approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 qpladmin@ennistraffic.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6050 Y: Pervo Plastics 6053	Fastrack® HD21A Fastrack® HD21A 0351, 0352 approved 7/30/2002
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	W: TM2398 Y: TM2399	Fastrack® HD-21A Fastrack® HD-21A 0423, 0424 approved 7/9/2003

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3M Stamark Liquid Pavement Marking	White: Part A 1200 Yellow: Part A 1201 Cross Linker: Part B 1230 Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass 0444 approved 8/16/2000
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	HPS-5	White: Part A HPS-5 Yellow: Part A HPS-5 Cross Linker: Part B HPS-5 Double Drop w/Glass Sphere Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet. 0439 approved 7/25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS90	White: Part A LS90 Yellow: Part A LS90 Cross Linker: Part B LS90 Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass 0440 approved 2/6/2003
Innovative Performance Systems Jennifer Hall 2400 Ellis Road Research Triangle Park NC 27709 jhall@ips-road.com	Phone: (877) 477-7623 Cell: (919) 990-9987 Fax: (919) 767-8506 www.ips-road.com	HPS-5	White: Part A HPS-5 Yellow: Part A HPS-5 Cross Linker: Part B HPS-5 Double Drop w/Glass Sphere Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet. 0437 approved 7/16/2003

**732.03.01 PAVEMENT MARKING TAPE (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270 Series 300 Series 400	type I white/yellow available approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type I type I white/yellow available approved 4 /29/2008
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797 www.swarco.com	Series Director 35 Series Director 60	type I type I white/yellow available approved 2 /17/2004

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type II type II white/yellow available approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 900 Series Delta-line XRP	type II type II white/yellow available approved 2 /2 /2010
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797 www.swarco.com	Series Director 35	type II white/yellow available approved 2 /17/2004

**732.03.03 PAVEMENT MARKING TAPE (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270 Series 380 Series 390	type IV type IV type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 400	type IV approved 4 /29/2008

**732.03.03 PAVEMENT MARKING TAPE (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Deltaline XRP type IV ID#: 0673 approved 2 /2 /2010

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 jeannie1@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownthermo.com	Tuffline Alkyd lead free ID#: 0398 approved 10/14/2004
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	W: 885555 Alkyd Thermoplastic Y: 884685 Alkyd lead free ID#: 0656, 0674 approved 9 /30/2009

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Jeffrey Hampton P.O. Box 404 Ennis TX 75120 qpladmin@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	Flame Tape Thermaline ID#: 0299, 0300 approved 5 /14/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Hot Tape Premark® PLUS replaced Premark 20/20 Flex Plus ID#: 0168, 0169 approved 5 /3 /2001

**726.03.04 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247 www.nagreen.com	GeoSkin ID#: 3406 approved 2 /27/2012

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797 www.swarco.com	Series Director 35 type II white/yellow available ID#: 0473 approved 2 /17/2004

**QPL NOTES**  
**December 10, 2010**

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.