



QUALIFIED PRODUCTS LIST (QPL)

Table of Contents

Spec #	Spec Description	Page #
496.02.01	AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	4
728.03.02a	ANCHORING SYSTEMS (EPOXY)	57-59
401.03.02	ASPHALT RELEASE AGENTS	2-3
625.03.04	BARRICADES	32-34
625.02.06	BARRIER RAIL (WATER FILLED)	28
625.02.07	BEACON (PORTABLE LIGHT SYSTEM)	29
610.02.01	CELLULAR EROSION CONTROL MATS	13
625.02.03a	CHANGEABLE MESSAGE SIGNS	25
625.02.03b	CHANGEABLE MESSAGE SIGNS (INTELLIGENT)	26-27
714.03.01	COATING SYSTEMS FOR BRIDGES	49-50
713.03.01	COATING SYSTEMS FOR BRIDGES	49-50
502.02.05a	COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)	5-6
505.02.01	COATINGS (EPOXY FOR STEEL REINFORCING BARS)	8-9
502.02.04b	CONCRETE PAINT	5
502.02.04a	CONCRETE STAIN	5
646.03.04	CRACK SEALANTS	46
702.03.04	CURING COMPOUND (BRIDGE DECK)	47-48
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	46
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	47
613.02.01	DETECTABLE WARNINGS (ADA TILE)	13-14
623.05.26	DETECTORS (RED LIGHT)	22
623.02.16	DUCT SEALING COMPOUND	20
637.02.01	DUST PALLIATIVE (OPTIONAL)	39-42
623.01.01	DYNAMIC MESSAGE SIGNS	18
409.03.10	EVAPORATIVE RETARDER	3-4
502.03.13k	EXPANSION JOINT (SPECIAL)	7
502.03.13l	EXPANSION JOINT SEALANT	7
502.03.13j	EXPANSION JOINTS (ASPHALTIC PLUG)	7
616.02.01	FABRIC (PLASTIC FENCE)	14
609.02.01a	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	9-11
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	8
618.02.01c	GUARDRAIL OFFSET BLOCKS	15
618.02.01a	GUARDRAIL TERMINAL (FLARED)	15

Spec #	Spec Description	Page #
618.02.01b	GUARDRAIL TERMINAL (TANGENTIAL)	15
625.02.01	GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)	23-24
619.02.01	GUIDEPOSTS (FLEXIBLE)	15-16
630.02.01	HEADLIGHT GLARE SCREENS MODULAR UNITS	34
401.02.03a	HERBICIDES	1-2
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	19
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	27
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	28
641.02.01	IMPACT ATTENUATORS	45
502.03.13i	JOINT FILLERS (PREFORMED)	6-7
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	8
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	49
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	37-38
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	22
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	24
640.02.03a	MSE WALL	43-44
640.02.03b	MSE WALL (LARGE SIZE 5' x 10' PANELS)	44
726.03.04	MULCH	52-53
619.02.01a	OBJECT MARKERS (FLEXIBLE, TYPE 2)	17-18
496.02.02a	OVERLAY SYSTEM (MULTILAYER)	4-5
729.03.04	PAINT MARKING MATERIAL (EPOXY)	59-60
729.03.06	PAINT MARKING MATERIAL (POLYUREA)	61
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	35-36
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	36
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	36-37
633.02.04	PAVEMENT MARKERS ADHESIVE	37
732.03.01	PAVEMENT MARKING TAPE (TYPE 1)	61-62
732.03.02	PAVEMENT MARKING TAPE (TYPE 2)	62
732.03.03	PAVEMENT MARKING TAPE (TYPE 4)	62-63
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	63
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	63
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	38-39
702.03.05	POZZOLANS	48
729.03.05a	RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS	60

Spec #	Spec Description	Page #
729.03.05c	RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)	60-61
729.03.05b	RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)	60
716.03.01	REFLECTIVE SHEETING	50-52
640.02.04	RETAINING WALL (MODULAR BLOCK)	45
632.03.05	RETROREFLECTOMETERS	34-35
637.02.05	ROADWAY INLET PROTECTION	42-43
623.02.08	SERVICE PEDESTALS	19
623.03.15	SIGN LIGHTING FIXTURES	22
625.03.03	SIGN SUPPORT SYSTEM	29-32
627.02.01a	SIGNS (POLYCARBONATE)	34
637.02.02	SILT FENCE	42
726.03.13	SOIL STABILIZER	54-56
640.02.03c	SOUNDWALL SYSTEMS	44
609.02.01b	STORMWATER TREATMENT VAULTS	11-12
509.03.09	SYNTHETIC DRILLING SLURRY	9
726.03.05	TACKIFIER	53-54
623.03.01	TRAFFIC SIGNALS	21-22
609.02.01c	TRENCH DRAINS	12-13
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	20-21
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	20



NEVADA DEPARTMENT OF TRANSPORTATION

QUALIFIED PRODUCTS LIST (QPL)

213.03.05 JOINT COMPOUNDS FOR IRRIGATION PIPE

Vendor Name / Address	Product Name	Remarks
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (800) 441-0051 Cell: (713) 860-6717 Fax: (713) 263-7577 www.rectorseal.com	RectorSeal #5 ID#: 0206 approved 8/2/1999

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Susan Keim PO Box 306 Commence City CO 80037 susan@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	NEX Mailbox Support System type C ID#: 0487 approved 3/29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	V-LOC Mailbox Support System type C ID#: 0006 approved 11/4/1997

401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated Howard Stoddard 5903 Genoa Red Bluff Road Pasadena TX 77507 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501 www.controlsolutionsinc.com	Pramitol 25E application rate: 38L/hectare 25 gal/acre ID#: 0007 approved 8/1/1993
Dow AgroSciences LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmillerdow.com	Phone: (800) 313-7378 Cell: (317) 337-3000 Fax: (916) 525-2710 www.dowagro.com	Spike 80 DF Spike 80 W application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application ID#: 0008, 0480 approved 8/2/1993

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Slider Super Slick Bio ID#: 0494, 0495 approved 7/12/2006

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	Black Magic "For Rubber" Black Magic "13" ID#: 0261, 0260 approved 7/21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	GrenGuard Thermal Slide ID#: 0597, 0262 approved 11/5/2009
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	2217-A 2217-B 6992 ID#: 0421, 0587, 0716 approved 12/20/2007
Compound Technologies Inc Chris Henke 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-5794 Fax: (770) 386-3391 www.piltec.com	No 1 dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 0263 approved 7/21/2000
Morning Star Solutions Inc Tammy Price 2750 East 4215 South Salt Lake City UT 84124 tamme-price@yahoo.com	Phone: (801) 548-2287 Cell: Fax: (801) 274-2425	Clean Slate Clean Slate 2 ID#: 0632, 0603 approved 6/12/2006
North American Chemical Rick Albers 161 West DiMaggio Drive Tooele UT 84074 greymojo@msn.com	Phone: (435) 840-2258 Cell: (800) 877-1201 Fax: www.northamericanchemcial.com	8 Super Slide ID#: 0758 approved 9/10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	Enviro-Slide Ultra ID#: 0259 approved 4/26/2000
Tec-Team Industries Karen Price P.O. Box 15128 Lynchburg VA 24502 tecteam2@gmail.com	Phone: (800) 700-2530 Cell: (434) 582-4503 Fax: (434) 582-4505 www.thetecteam.com	Teclon-Pro ID#: 0562 approved 11/9/2006
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Freeze Free ID#: 1451 approved 3/27/2006

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks	
ZEP Manufacturing Company Byran Castelloni 25224 South Schulte Road Tracy CA 30318 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Pinnacle Zep R-5274 Zep R-6690 Zep XT-3199 n/a non solvent non solvent n/a	ID#: 3105, 3106, 3107, 3108 approved 1/12/2010

408.02.05 ALL WEATHER COLD PATCH

Vendor Name / Address	Product Name	Remarks
No Vendors at this Time **	Phone: Cell: Fax:	No Vendors at this Time ID#: approved 6/14/2011

409.03.10 EVAPORATIVE RETARDER

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film ID#: 0419 approved 1/29/2003
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	Confilm application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 0203 approved 10/31/2010
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Film J-74 application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal ID#: 0242 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Eucobar ID#: 0044 approved 8/21/1997
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (800) 637-6372 Cell: (410) 354-8600 Fax: (410) 354-1122 www.kaufmanproducts.net	VaporAid 060 ID#: 0191 approved 8/2/1999
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (888) 839-2661 Cell: (215) 332-7709 Fax: (215) 332-9997 www.vexcon.com	Certi-Vex Envioassist application rate: 4.9 m2/1 to 200 ft2/gal ID#: 0193 approved 8/2/1999

409.03.10 EVAPORATIVE RETARDER

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Sealtight Evapre application rate: 1 gal to 9 gal water ID#: 0194 approved 3/27/2006

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Cemex Michael Camello 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762 michael.camello@cemex.com	Phone: (925) 426-8787 Cell: Fax: (916) 939-7481 www.cemex.com	Aggregate ID#: 0014 approved 1/26/1997

496.02.02a OVERLAY SYSTEM (MULTILAYER)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
E-Bond Epoxies Steve Frank 3491 Old Cobbler Court San Diego CA 92111 stevepolymerdek@aol.com	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	E-Bond 526 (aka E-Bond 34) w/Silica 6/8 Blend Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290 ID#: 0755 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48 Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 0753 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Flint Rock 65-8orGr8 Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0743 approved 8/29/2009
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggf Freeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8 Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0754 approved 8/29/2009

502.02.04a CONCRETE STAIN

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	Canyon Tone Stain ID#: 0519 approved 4/12/2005

502.02.04a CONCRETE STAIN

Vendor Name / Address	Product Name	Remarks	ID#:
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	Coverall 2800 AF Ext. Flat	approved 5 /20/2008

502.02.04b CONCRETE PAINT

Vendor Name / Address	Product Name	Remarks	ID#:
No Vendors at this Time **	No Vendors at this Time		approved 9 /7 /2010

502.02.05a COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123 www.americanpolymer.com	Clear VU High Solids (AP 307)	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202) 10/08 new product replaces GSS 10 approved 7 /6 /2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	Fluorogrip® Anti Graffiti Film	for Signs ONLY approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	Monochem Permashield 5600 Premium System	company passed an additional metal field test approved 10/6 /2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (801) 255-7123 Cell: Fax: (888) 273-4489 www.seichemical.com	GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer	flattening agent required approved 9 /29/2009
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	2K Waterbased Urethane Anti Graffiti	Part A: B65T00194 and Part B: B65V190 approved 9 /21/2009
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	Graffiti-Gard "S"	approved 11/12/2010

502.03.13i JOINT FILLERS (PREFORMED)

Vendor Name / Address		Product Name	Remarks
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	JEENE® Structural & Sealing Jt Wabo® Evazote UV	ID#: 0011, 0005 approved 8 /2 /2006
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	MetaZeal Phyzite 380	ID#: 0509, 0009 approved 7 /24/2007
Polyset Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 benz@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polyset.com	Ply-Seal Ply-Seal XE Beige	ID#: 1862, 1863 approved 3 /28/2011
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	Silicoflex	ID#: 0276 approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive #16 Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	Will Seal 600	ID#: 0347 approved 10/31/1995
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	W Seal	ID#: 0131 approved 4 /19/1999

502.03.13j EXPANSION JOINTS (ASPHALTIC PLUG)

Vendor Name / Address		Product Name	Remarks
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	Matrix 502 Pave Tech	ID#: 0198 approved 6 /5 /1997
Dynamic Surface Application Ltd Tim Persing 373 Village Road Pennsdale PA 17756 tpersing@dsa-ltd.com	Phone: (800) 546-6041 Cell: (570) 337-3605 Fax: (570) 546-2415 www.dsa-ltd.com	BJS Thorma Joint System	ID#: 0360 approved 9 /19/2002

502.03.13k EXPANSION JOINT (SPECIAL)

Vendor Name / Address		Product Name	Remarks
------------------------------	--	---------------------	----------------

502.03.13k EXPANSION JOINT (SPECIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Silicone Specialties Incorporated Dale Baker PO Box 50009 Tulsa OK 74150 dale.baker@ssicm.com	Phone: (800) 888-8909 Cell: (918) 698-6797 Fax: (918) 582-7510 www.ssicm.com	Dow 902 XJS Joint System	this is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product.
			0212 approved 4 /22/2002

502.03.13l EXPANSION JOINT SEALANT

Vendor Name / Address	Product Name	Remarks	ID#:
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (716) 691-7566 Cell: (716) 553-7308 Fax: (716) 553-7308 www.wbacorp.com	Wabo® Silicone Seal	two part sealant
			0340 approved 8 /2 /2006

Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	902 RCS	
			ID#: 0339 approved 4 /22/2002

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Tammscoat Fine	
			0567 approved 7 /18/2007

Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	TexCote 300 Bridge Cote TexCote XL70 Bridge Cote	
			ID#: 0595, 0596 approved 6 /16/2008

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks	ID#:
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Crafco Asphalt Rubber	type 1, 2 or 4 depends on the climate zone
			0020 approved 1 /7 /1998

Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Calseal	type 1, 2 or 4 depends on the climate zone
			ID#: 0025 approved 9 /8 /1998

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks
Maxwell Products Incorporated Larry Allen 650 Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 44 Elastoflex 56 type 1, 2 or 4 depends on the climate zone ID#: 0022, 0023 approved 9 /30/1996

505.02.01 COATINGS (EPOXY FOR STEEL REINFORCING BARS)

Vendor Name / Address	Product Name	Remarks
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fritz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (615) 983-4818 www.akzonobel.com	Resicoat RB600 HKF30R ID#: 0591 approved 4 /30/2008
Dupont Powder Coatings Inc Richard Pontes 9800 Genard Road Houston TX 77041 richard.pontes@usa.dupont.com	Phone: (800) 247-2598 Cell: (775) 527-1337 Fax: (614) 771-4139 www.hoovers.com/dupont-coatings	7-2719 Nap Guard ID#: 0281 approved 1 /22/2001
Valspar Corporation, The Michael Adams 1136 Fayette North Kansas City MO 64116 madams@valspar.com	Phone: (281) 370-6164 Cell: (281) 795-1461 Fax: (281) 370-6654 www.valspar.com	Lilly Greenbar #720A009 ID#: 0028 approved 4 /4 /2000

509.03.09 SYNTHETIC DRILLING SLURRY

Vendor Name / Address	Product Name	Remarks
CETCO Construction Drilling Products Randy Strickland 2870 Forbes Avenue Hoffman Estates IL 60192 randy.strickland@cetco.com	Phone: (800) 527-9948 Cell: (817) 584-6792 Fax: (847) 851-1332 www.cetco.com	Shore Pac ID#: 0559 approved 9 /25/2006
Geo-Tech Drilling Fluids Max Holmes 1781 Hawthorne Loop Driftwood TX 78619 mholmes@geotech.us	Phone: (210) 587-4758 Cell: (310) 923-4160 Fax: (210) 568-4567 www.pdscoin.com	Novagel Polymer ID#: 0558 approved 9 /25/2006
PDS Company Customer Service 8140 East Rosecrans Avenue Paramount CA 90723 sales@pdscoinc.com	Phone: (562) 634-8180 Cell: (870) 863-5707 Fax: (562) 634-1350 www.pdscoinc.com	Super Mud %Champion Equipment Co ID#: 0560 approved 9 /25/2006

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Atlas Pro-1 Patch Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0315 approved 5 /14/2009
BASF Corporation Pete Warren 889 Valley Park Drive Shakopee MN 55379 pete.warren@basf.com	Emaco S66 CI Rapid Mortar 10-60 Set 45 (CT) Phone: (800) 433-9517 Cell: (415) 577-8479 Fax: (800) 496-6067 www.buildingstystems.basf.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0385, 0386, 0387 approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	UltiGrout® Ulti Pave3® Phone: (610) 882-5013 Cell: Fax: (610) 868-8795 www.buzziunicemusa.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0745, 0746 approved 7 /12/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	RS Cement All RS Concret RS DOT Repair RS Motar Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. RS= Rapid Set	0039, 0712 0713, 0714 approved 1 /27/1994
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Dayton Superior HD-50 Edoco Fast Patch 928 Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0038, 0037 approved 9 /30/1996
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	EucoSpeed EucoSpeed MP Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0537, 0538 approved 9 /23/1998
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Express Repair Hi Flow Grout Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0539, 0047 approved 11/8 /2005
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Speed Crete® 2028 Rapid Speed Crete® Green Line Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0041, 0042 approved 1 /8 /2004
Five Star Products Incorporated Chris Piekos 750 Commerce Drive Fairfield CT 06825 piekosc@fivestarprouducts.com	Highway Patch Structural Concrete Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprouducts.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0034, 0040 approved 9 /30/1996

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com	Phone: (209) 830-7803 Cell: (209) 482-4488 Fax: (209) 830-7804 www.us.henkel.com	Loctite MagnaCrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
			0615 approved 4 /10/2006
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr	Phone: (949) 677-8229 Cell: Fax: (714) 439-1001 www.concreterepair.com	High Performance Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
			0327 approved 1 /3 /2002
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771 www.concreterepairmatierials.com	HP Cement	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
			0507 approved 10/22/2004
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC STR Mortar	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
			0655 approved 9 /29/2009
WR Meadows of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338	Phone: (623) 932-9383 Cell: Fax: (623) 932-1547 www.wrmeadows.com	Futura 15 Fast Setting Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
			0599 approved 9 /29/2009

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address	Product Name	Remarks	ID#:
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	Phone: (775) 831-4592 Cell: (800) 229-7283 Fax: (775) 831-4592 www.baysaver.com	BaySaver	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.
			0284 approved 2 /19/2001
Jensen Precast Ron Anderson 825 Steneri Way Sparks NV 89431-5803 randerson@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 352-6364 www.jensenprecast.com	JPHV Stormwater Interceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.
			0548 approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	Stormceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.
			0286 approved 4 /22/2001

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address		Product Name	Remarks	
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	Inceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0348 approved 4 /6 /2006
Tensar International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	CDS StormFilter StormFilter Vortechs	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0447, 0448, 0452 approved 7 /23/2003

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	A-67 Interceptor Polydrain XHD	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0394, 0395, 0767 approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	MHD 200 8" MHD 300	(8"/12" Trench Drain System) This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0561, 0765 approved 7 /5 /2006
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	FF300 Concrete FG200 Concrete TraffikDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0726, 0663, 0380 approved 1 /28/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	S100K Concrete S300K Concrete	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0396, 0397 approved 1 /28/2003
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	Polycast 700 Polycast 900R Polycast 3000	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. R =Removeable	ID#: 0512, 0513, 0514 approved 3 /2 /2005
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	EconoDrain MultiDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0492, 0493 approved 4 /6 /2004

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3l43@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	Z-882 (9.25" Wide) Z-886 (4" Wide)	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0441, 0442 approved 3/28/2003

610.02.01 CELLULAR EROSION CONTROL MATS

Vendor Name / Address		Product Name	Remarks	
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0685 approved 11/18/2009
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	Armorflex	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0326 approved 1/21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	Shorblock Shoretac	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0601, 0612 approved 3/23/2009
Tensar International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	Armotec Cellular Petraflex	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0332, 0333 approved 10/23/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address		Product Name	Remarks	
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	ACO Detectable Warning Device	approved NV Red ONLY	ID#: 0630 approved 2/26/2009
Advanced Surface Systems LLC Karen "KC" Hemry 3260 Northbend Circle Suite D Alcoa TN 37701 bumps@suredome.com	Phone: (865) 233-5680 Cell: (865) 206-4789 Fax: (865) 233-5681 www.suredome.com	SureDome	approved for NV Red and NV Green	ID#: 0598 approved 12/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	ADA Arcis Tactile	approved for NV Red and NV Green	ID#: 0608 approved 9/2/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address		Product Name	Remarks	
Armorcast Products Company Sydney Chase 13230 Salicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Armorcast DWS	approved for NV Red and NV Green	ID#: 0848 approved 2/28/2011
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	TekWay Dome Tiles	approved for NV Red and NV Green	ID#: 0564 approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	Step-Safe DWS	approved for NV Red and NV Green	ID#: 0484 approved 3/26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	Cast-in-Tact 3	approved for NV Red and NV Green	ID#: 0666 approved 8/20/2009

616.02.01 FABRIC (PLASTIC FENCE)

Vendor Name / Address		Product Name	Remarks	
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	Safety Fence		ID#: 0202 approved 10/10/1999
Tensar International Robert Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.earthtech.com	Safety GeoGrid		ID#: 0345 approved 5/15/2002

618.02.01a GUARDRAIL TERMINAL (FLARED)

Vendor Name / Address		Product Name	Remarks	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	Fleat 350 Fleat SP	TL-3	ID#: 0045, 0668 approved 9/29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	ET Plus SRT 350	TL-3; LET Soil Tubes (replaced with ET Plus)	ID#: 0499, 0768 approved 4/28/2000

618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)

Vendor Name / Address		Product Name	Remarks	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (303) 346-0722 www.roadsystems.com	SKT 350 SKT Lite SKT SP	TL-3	ID#: 0156, 0669, 0670 approved 1/12/1998
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	CAT 350 ET Plus	TL-3	ID#: 0046, 0499 approved 3/30/1997

618.02.01c GUARDRAIL OFFSET BLOCKS

Vendor Name / Address		Product Name	Remarks	
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	Glue Laminated Wood	used with w-beam and tri-beam guardrails	ID#: 0485 approved 3/10/2004
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	King-Block King-Sized	used with steel post tri-beam guardrails	ID#: 0524, 0523 approved 5/31/2005

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model EFX	type II; standard surface and soil/ground mount options available	ID#: 0684, 0692 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model PE FG 300 Model UR	type II; standard surface and soil/ground mount options available	ID#: 0686, 0687 approved 6/19/2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker SH Barrier Replaceable	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available.	ID#: 0606, 0510 approved 10/5/2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Tub RT 360 HD BD Tub	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0621, 0625 approved 10/5/2008

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	SH Dura Post SH Tubular	type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available
Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com		ID#: 0625, 0610 approved 10/5 /2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Driveable Del Socket Mt Del Surface Mt Del	standard surface and surface/soil mount options available and angled mounts
Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com		ID#: 0633, 0634, 0635 approved 4 /30/2009
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Shur-Flex Guardrail Clamp Shur-Tite Cable Barrier	standard surface and surface/soil mount options available and angled mounts
Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com		ID#: 0637, 0638 approved 4 /30/2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	TD 5500 Earthflex Delineator	standard surface and surface/soil mount options available
Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com		ID#: 0508 approved 12/3 /2002

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address	Product Name	Remarks
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Island Sentry K-Marker	
Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com		ID#: 0050 approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	BD Marker Round HM Marker Round	type II; standard surface and surface/soil mount options available
Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com		ID#: 0052, 0056 approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	T1 Marker Round T2 Marker Round	type II; standard surface and surface/soil mount options available
Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com		ID#: 0049, 0051 approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	FG 300 Complete Curb FG 300 Model PE	type II; standard surface and surface/soil mount options available
Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com		ID#: 0684, 0686 approved 6 /19/2009

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 Turn Pike Curb	type II; standard surface and surface/soil mount options available	ID#: 0687, 0688 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Type K Island Marker	type II; standard surface and surface/soil mount options available	ID#: 0576 approved 9/13/2007
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Bolt Down RT 360 HD Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0622, 0623 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post 36" SH Replaceable Barrier	type II; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0610, 0068 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 29916-0098 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker Series SH Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0606, 0628 approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Driveable	type II; standard surface and surface/soil mount options available	ID#: 0676 approved 2/2/2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5215 K Marker	type II; standard surface and surface/soil mount options available	ID#: 0566 approved 12/3/2002

623.01.01 DYNAMIC MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700 www.daktronics.com	Light-Emitting Diode DMS	type I and type II	ID#: 0502 approved 1/7/2004

623.01.01 DYNAMIC MESSAGE SIGNS

Vendor Name / Address	Product Name	Remarks
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	2070 Light-Emitting Diode type I and type II DMS approved 4 /4 /2008

623.02.08 SERVICE PEDESTALS

Vendor Name / Address	Product Name	Remarks
Eaton Corporation Tony Barber 1000 Cherrington Parkway Moon Township PA 15108 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771 www.eaton.com	Service Pedestals approved 1 /7 /2011
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (949) 387-4863 Cell: (714) 743-0712 Fax: (949) 387-4895 www.milbankmfg.com	Metered Service Pedestals approved 1 /15/2002
Myers Power Products Diana Grootonk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: Fax: (909) 923-1806 www.myerspowerproducts.com	Service Pedestals +UPS/BBS approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	Service Pedestals approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 3409 52nd Avenue Sacramento CA 95823 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 429-2817 www.tescocontrols.com	Tescoflex Service Pedestals approved 11/21/2002

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

Vendor Name / Address	Product Name	Remarks
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	Series 426 bottom latching approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himastt@ao.com	Phone: (847) 473-3800 Cell: (847) 217-1070 Fax: (847) 473-3870 www.eaglehighmast.com	High Mast Assembly bottom latching approved 1 /2 /2004

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

Vendor Name / Address	Product Name	Remarks
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Series Holophane LD5 Lighting Lowering D bottom latching ID#: 0481 approved 1 / 2 / 2004

623.02.16 DUCT SEALING COMPOUND

Vendor Name / Address	Product Name	Remarks
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483 www.idealindustries.com	Duct Seal ID#: 0661 approved 10/7 /2009
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	RectorSeal® ID#: 0677 approved 10/7 /2009

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

Vendor Name / Address	Product Name	Remarks
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	Brass Linguine Class 1 ID#: 0317 approved 1 / 11 / 2001
Measurement Specialties Inco Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1 ID#: 0161 approved 5 / 26 / 1999

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	P/N 606 Detector Loop 5000 Rubberized Loop rubberized asphalt material ID#: 0465, 0057 approved 6 / 16 / 2000
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	271 Loop Detector 272 Loop Detector rubberized asphalt material ID#: 0072, 0068 approved 1 / 9 / 2007

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	Stat-a-Flex Polyester Loop polyester material ID#: 0061 approved 11/19/1996
Quikrete Company Darrell Brokofsky 7705 Wilbur Way Sacramento CA 95828 dbrokofsky@quikrete.com	Phone: (916) 689-8840 Cell: Fax: (916) 689-8857 www.quikrete.com	Commercial Grade Permanent Blacktop Repair #1701 asphaltic concrete material ID#: 0283 approved 1 /1 /2001
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	Perm Sealer 974 Nitrile Pro Seal 6006 Polyester sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material ID#: 0064, 0063 approved 12/19/1996
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	Overkote Loop Filler asphaltic emulsion material ID#: 0062 approved 8 /5 /1998

623.02.31 DRIVER FEEDBACK SIGNS

Vendor Name / Address	Product Name	Remarks
MOR Manufacturing Linda Davis 5676 East Seltice Way Post Falls ID 83854	Phone: (208) 667-8799 Cell: Fax: www.mormanufacturing.com	Driver Feedback Signs ID#: 3150 approved 6 /14/2011
RadarSign Charlie Robeson 6845 Shiloh Road East Alpharetta GA 30005 crobesson@radarsign.com	Phone: (208) 667-8799 Cell: Fax: www.radarsign.com	Driver Feedback Signs ID#: 3152 approved 6 /14/2011
Traffic Logix Rico 3 Harriett Lane Spring Valley NY 10977	Phone: (866) 915-6449 Cell: Fax: www.trafficlogix.com	Driver Feedback Signs ID#: 3153 approved 6 /14/2011

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address	Product Name	Remarks
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-5778 www.dialight.com	LED 12" Signal Heads (all) 16"x18" Ped Signal Hea must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSI-LED specifications ID#: 0335, 0336 approved 3 /26/2002

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address		Product Name	Remarks	
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cherylhuang@eoibus.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoibus.com	LED Traffic Signal Pedestrian Traffic Signal	12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications.	ID#: 0700, 0701 approved 6 /17/2008
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	LED 12" Signal Heads (all) 16"x18" Tinted Ped	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1122, 1215 approved 4 /6 /2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-CIL-9 16" Countdown LED FH/MP	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1406 approved 4 /6 /2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-DIL 16" LED FH/MP Indication	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1405 approved 4 /6 /2010
Phoenix Highway Products Lupa Cruz 2631 North 37th Drive Phoenix AZ 85009 lupa@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	LED 12" Signal Heads Pedestrian Signal Heads	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 0337, 0338 approved 3 /26/2002

623.03.15 SIGN LIGHTING FIXTURES

Vendor Name / Address		Product Name	Remarks	
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	85 Watt Induction Versaflood III Induction	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004)	ID#: 0124, 0402 approved 1 /17/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Panel Vue Series Model 85QLXXDG/QD/Door Prop		ID#: 0401 approved 1 /17/2003

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

Vendor Name / Address		Product Name	Remarks	
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@luitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	Lumi Trak		ID#: 0365 approved 10/11/2000

623.05.26 DETECTORS (RED LIGHT)

Vendor Name / Address	Product Name	Remarks
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	Red Light Detector ID#: 0446 approved 7/16/2003
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (760) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	Red Light Detector ID#: 0445 approved 7/16/2003

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	MF-180-36 Masterflex type 3; standard surface/soil mount options available ID#: 0065 approved 8/7/1996
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	SDCF SMDW type III; standard surface/soil mount options available ID#: 0067, 0066 approved 10/1/2008
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model PE type III; standard surface/soil mount options available ID#: 0684, 0686 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 UR HD Flex type III; standard surface/soil mount options available ID#: 0687, 0723 approved 6/19/2009
Qwick Kurb® Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 mike@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856 www.quickkurb.com	Qwick Kurb type III; standard surface/soil mount options available ID#: 0627 approved 11/21/2008
RA Lucas Company Inc, The Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: Fax: (562) 799-6150	Enforcer 42" Channelizer ID#: 1003 approved 1/23/2001

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD BD Tub RT 360 HD Tubular type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0621, 0622 approved 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post SH Replaceable Barrier type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0610, 0052 approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Surface/Soil Mt type III; standard surface/soil mount options available ID#: 0634 approved 4/30/2009

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

Vendor Name / Address	Product Name	Remarks
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktinc.com	FB 33 Flexible Barrier ID#: 0004 approved 2/2/1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	FlexX 2020 w/75 mm X 75mm ID#: 0019 approved 12/17/1997
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com	DAPCO Straight Guardrail Reflector Plates ID#: 0585 approved 1/9/1995
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	PCBM 12H High Impact PCBM T12H High Impact ID#: 0017, 0018 approved 10/15/1999
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9300 Roadguide TD 9400 Roadguide ID#: 0371, 0372 approved 12/3/2002

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS	ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP 465		ID#: 0077, 0078 approved 4 /8 /1997
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	CMS 80FM		ID#: 0505 approved 10/13/2004
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS	ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380		ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC HE 1000		ID#: 0084 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS		ID#: 0085 approved 2 /22/1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	WTLMB-S-LL(A)		ID#: 0355 approved 8 /5 /2002

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address		Product Name	Remarks	
------------------------------	--	---------------------	----------------	--

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks	ID#:
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000	0073, 0074 approved 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T331 CMS GP465	ID#: 0077, 0078 approved 4 /10/1997
Display Solutions Roy Dexter 6301 Best Friend Road Norcross GA 30071	Phone: (800) 541-9593 Cell: (770) 263-8353 Fax: (770) 662-5400 www.displaysolutionsinc.com	Sunray Solar Model 340	ID#: 0080 approved 10/23/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380	ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC SM 2000	ID#: 0071 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS	ID#: 0085 approved 2 /22/1998
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechtechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechtechnology.com	Silent Messenger II Silent Messenger III	ID#: 0664, 0665 approved 8 /14/2009

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solararttechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solararttechnology.com	Silent Messenger Solar Powered ID#: 0086 approved 2/22/1998

625.02.04 IMPACT ATTENUATOR (TEMPORARY)

Vendor Name / Address	Product Name	Remarks
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	Phone: (775) 313-1402 Cell: (887) 274-5994 Fax: (775) 882-6538 www.barriersystemsinc.com	Absorb 350 Universal Tau II TL-3; Compliant; Use a nine-element design (min) with attachment/transition assembly; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0290, 0660 approved 10/30/2009

Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Energite III Module N-E-A-T System Quadguard TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0089, 0090, 0091 approved 4/26/2006
--	--	---

SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0545 approved 2/23/2007
--	--	---

Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 djones@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	Energite III Fitch Inertial React 350 TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0092, 0093, 0094 approved 4/14/1999
---	--	--

Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Sandy 48247-SPI Temp Big Sandy Sand Barrel TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0095, 0096 approved 11/1/2002
---	---	---

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Safe-Stop 180 TMA TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0192 approved 11/3/1999

Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	ScorPion C 10,000 TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0264 approved 7/26/2000
---	---	---

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	MPS 350 III TL-3 Compliant; Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.
		ID#: 0097 approved 9 /17/1997

625.02.06 BARRIER RAIL (WATER FILLED)

Vendor Name / Address	Product Name	Remarks
Armorcast Products Company Sydney Chase 13230 Salicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Guardian Barrier Water Filled w/350 Kit
		ID#: 0099 approved 6 /23/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Triton Barrier use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).
		ID#: 0098 approved 3 /30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	Rhino Safety Barrier w/350 kit use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L).
		ID#: 0482 approved 10/24/2007
Safety Barriers David Walker 10519 Lexington Drive Knoxville TN 37933	Phone: (865) 966-9123 Cell: (800) 966-2012 Fax: (865) 675-3622	Water Ballasted Barriers SB-1-TL
		ID#: 0711 approved 3 /27/2006
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	Traffic Cntrl System 2001
		ID#: 0551 approved 11/27/2007

625.02.07 BEACON (PORTABLE LIGHT SYSTEM)

Vendor Name / Address	Product Name	Remarks
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-ksystems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-ksystems.com	Safety Beacon Light
		ID#: 0188 approved 1 /6 /1998

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.03.03 SIGN SUPPORT SYSTEM

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	
Alcan Composites USA Inc Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	Phone: (270) 527-4200 Cell: (800) 434-3042 Fax: (270) 527-1552 www.alcancompositesusa.com	Dibond for Highway Work Zone Signage	must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance approved 5 /9 /2006
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	Bone Light 4MM ACM Aluminum Composite	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412 SZ-460 SZ-484	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412-2S SZ-460-2S SZ-484-2S	approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 approved 10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3000S Dynaflex DF3000WQ Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3003S Dynaflex DF3003W Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DL1003W Dynaflex UF2000 Uniflex Verticle Portable	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 12/7 /1998
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C200 C202	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C902 Superflex Compact Stand w/Fiberglass Leaf Spr	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 5 /31/2000

625.03.03 SIGN SUPPORT SYSTEM

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Superflex Compact Stand w/Fiberglass Leaf Spr must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0233 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X501 FS Coil Spring X550 FS Coil Spring must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0229, 0231 approved 4 /4 /2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X551 FS Coil Spring X600 FS Coil Spring must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0232, 0233 approved 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS1 SS548 SS548A SS548AE must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0411, 0415, 0405, 0409 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548C SS548CA SS548CAE SS548CE must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0407, 0412, 0418, 0403 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548E SS548UC SS548UCA SS548UCR must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0413, 0406, 0408, 0404 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560 must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0414, 0416, 0417 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster 4815RB 4818 must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0235, 0251, 0237, 0238 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC 4884CS must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0239, 0240, 0241 approved 1 /24/2003

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address		Product Name	Remarks	
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Buster Dual SF Little Buster Dual SF	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding	ID#: 0243, 0244 approved 5 /31/2000
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Zephyr Portable Stand	48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0248, 0272 approved 5 /31/2000

625.03.04 BARRICADES

Vendor Name / Address		Product Name	Remarks	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	All Plastic Universal Waffle & Steel Legged	type I and type II with or without lights	ID#: 0246 approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	Plywood Panel Barricade	type III with or without lights	ID#: 0245 approved 3 /10/2000
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460 www.hwy-tech.com	Barricade	type 3 with or without lights	ID#: 0435 approved 1 /10/2000
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Barricade O-Frame Barricade	type 3B with or without lights	ID#: 0250, 0613 approved 10/15/1999
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.plasticsafety.com	Anchor Barricade	type III with or without lights	ID#: 0483 approved 5 /5 /2010
Plasticade Industries Hery Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: Fax: (847) 955-8074 www.plasticade.com	Sentinel	type III with or without lights	ID#: 0001 approved 2 /21/2007

625.03.04 BARRICADES**Vendor Name / Address****Product Name****Remarks**

Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2100 Works Barricade TD2150 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested - 24"	ID#: 0171, 0374 approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2200 Works Barricade TD2250 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 0375, 0376 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2300 Works Barricade TD2400 All Plastic	type I and type II type 3B cannot be used in configuration that is wider than was tested	ID#: 0526, 0527 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2500 Works Barricade TD2550 Works Barricade	type I type 3 cannot be used in configuration that is wider than was tested	ID#: 0525, 0529 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2600 Works Barricade TD2650 Works Barricade	type I and type II type 3 cannot be used in configuration that is wider than was tested	ID#: 0530, 0531 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 3000 A Frame Barricade	type I and type II cannot be used in configuration that is wider than was tested	ID#: 0532 approved 12/3 /2002
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Sand Fill Bag	type 3 with or without lights	ID#: 0248, 0249 approved 4 /3 /2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 jsmith@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	Lane Changer B500 LC Traffic Drum	type III with or without lights	ID#: 0745 approved 7 /12/2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	200/M w/Temporary Signal Model # 2001	type III with or without lights	ID#: 0590 approved 3 /10/2004

627.02.01a SIGNS (POLYCARBONATE)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
No Vendors at this Time	No Vendors at this Time		
**	Phone:		
	Cell:		
	Fax:		approved 11/4 /2008

630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	Modular Guidance System	approved 10/1 /2008
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	Glare Screen System	approved 7 /31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	Glare Screen System	approved 7 /31/1996

632.03.05 RETROREFLECTOMETERS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	LTL-X 30 Meter Geometry LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies approved 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	Mirolux Ultra 30	approved 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux CEN 30 LaserLux CEN 30 Mobile	10/08 MX 30 Retroreflectometer was discontinued but still qualifies; both the mobile and portable units are approved. approved 5 /2 /2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series I StripeMaster Series II	approved 5 /27/2010

633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks	ID#:
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	DDOT ABS 100 mm (4") round	100 mm (4") round ID#: 0186 approved 6 / 2 / 1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	929 ABS 929 PP Ceramic duplicate	ID#: 0172, 0173, 0678 approved 6 / 1 / 1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarket.com	W: Type A/4" Y: Type AY/4" 100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective	ID#: 0516, 0517 approved 3 / 7 / 2005
Hi-Way Safety Incorporated Kris Harris 13310 5th Street Chino CA 91710 kris@hiwaysafety.com	Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	NRPDRND-YEL 100 mm (4") round	ID#: 0511 approved 6 / 1 / 1999
Hi-Way Safety Incorporated Kris Harris 13310 5th Street Chino CA 91710 kris@hiwaysafety.com	Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	W: NRPDRND Y: NRPDRND 100 mm (4") round	ID#: 0188, 0511 approved 6 / 1 / 1999
Interstate Sales Mike Trentman 12600-200 Locksley Lane Auburn CA 95602 miket@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994 www.interstatesales.com	Diamond Back (ABS & Polypropylene) 100 mm (4") round (ABS & Polypropylene)	ID#: 0170 approved 6 / 1 / 1999
Novabrite Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 926065106 norman@novabrite.com	Phone: (714) 656-3659 Cell: (925) 373-1751 Fax: (925) 215-2549 www.novabrite.com	W: ADOT Y: ADOT W: CDOT Y: CDOT 100 mm (4") round	ID#: 0474, 0475, 0476, 0477 approved 3 / 20 / 2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 10000 Series 100 mm (4") round	ID#: 0373 approved 12 / 4 / 2002

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks	ID#:
------------------------------	---------------------	----------------	-------------

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	290 Durable Raised 89 mm x 100 mm (3.6"x4") ID#: 0255 approved 6 /1 /1999
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	911 Ab 953 Ab C80 FH Raised C88 Ab 100 mm (4") round ID#: 0180, 0181, 0182, 0183 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	AA ARC Round Shoulder ARC 100 mm x 100 mm (4"x4") ID#: 0175, 0176, 0177 approved 6 /1 /1999

633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	944SB 948 58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4") ID#: 0184, 0185 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	Arc 2002 Arc 2004 58 mm x 19 mm (2.3"x4.6") ID#: 0178, 0179 approved 6 /1 /1999

633.02.04 PAVEMENT MARKERS ADHESIVE

Vendor Name / Address	Product Name	Remarks
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	34270 Hot Applied Flexible ID#: 0105 approved 6 /16/1998
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	836098 Bituminous ID#: 0108 approved 2 /6 /2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Bundy 12 cm X 12 cm Pad; (5" X 5") Pad white color on plantmix and back color on PCCP ID#: 0106 approved 5 /4 /1998

633.02.04 PAVEMENT MARKERS ADHESIVE

Vendor Name / Address	Product Name	Remarks
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrzell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Dotstick Bituminous ID#: 0464 approved 9/29/2003

633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)

Vendor Name / Address	Product Name	Remarks
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarket.com	W: Type 932 (1-way) Y: Type 932 (2-way) 100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective ID#: 0516, 0517 approved 3/7/2005
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25 Halftrack Model 26 TOM TRPM work zone pavement markers ID#: 0257, 0258 approved 10/15/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	710 WRR 780 WRR 1200 Stamark Liquid WRR =Wet Reflective Removable White and Yellow ID#: 0424, 0675, 0444 approved 8/16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road / PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	200 Construction R R =Removable White and Yellow ID#: 1654 approved 9/24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 R Series 200 R Series Deltaline TWR R =Removeable TWR = Temporary Wet Removeable White and Yellow ID#: 0032, 0033, 0672 approved 3/17/2000
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III R R =Removeable ID#: 0119 approved 2/23/1989
Swarco Industries / Traffic Mgt Jon Sproul 270 Rutherford Lane / PO Box 89 Columbia TN 38401 office.industries@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Director 2 - (DG) Director 2 (DG-WR) DG =Detour Grade WR =Wet Reflective White and Yellow ID#: 0120, 0648 approved 4/26/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks	ID#:
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140	White and Yellow 0303, 0304, 0305 approved 8 /24/2001

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Road Boss	application and dilution rates follow manufacturer's instructions 0498 approved 11/8 /2005
Cypher Environmental Ltd Greg Martinez 701 North Ft. Vrain Street El Paso TX 75229 greg@eco-infrastructuresolutions.com	Phone: (915) 276-0879 Cell: Fax: (915) 534-7207 www.cypherenvironmental.com	DustStop	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. 0707 approved 5 /6 /2010
Dallas Roadway Products Inc Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	Phone: (972) 803-6708 Cell: (702) 405-0351 Fax: (972) 596-8418 www.dallasroadway.com	Dust Control DC-22	application and dilution rates follow manufacturer's instructions 0549 approved 6 /19/2006
Earth Chem Incorporated Kevin Loucks PO Box 272627 Ft Collins CO 80527 EarthChem@aol.com	Phone: (970) 227-9661 Cell: Fax: www.earthchem.com	Earth Bound	0822 approved 2 /16/2011
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	Earthbind 100	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water 0420 approved 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	Phone: (800) 369-3878 Cell: (775) 852-3878 Fax: (970) 346-3959 www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5% 0450 approved 8 /26/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	HydroPam	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. 0722 approved 3 /1 /2010

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0328 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmboxtoncompany.com	application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules PAM Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0150 approved 5 /18/2004
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Soiloc-MQ-Dust Suppressant Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0149 approved 5 /2 /1999
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.com	EnviroKleen Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247 www.midwestind.com	application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	0278, 0279 approved 1 /13/2000
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	TerraLOC Phone: (219) 762-3165 Cell: Fax: (219) 755-4062 www.terraloc.com	application and dilution rates follow manufacturer's instructions	0721 approved 11/17/2009
NU Equipment Incorporated David Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic	0274, 0275 approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Topein S Emulsion Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 399-1054 www.alonashalt.com	application and dilution rates follow manufacturer's instructions	0479 approved 2 /28/2002

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Fisch-Stick Terravest Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	LandTack Guar Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com		ID#: 1777 approved 2/26/2011
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	Dust Away Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	application and dilution rates follow manufacturer's instructions	ID#: 0639 approved 6/2/2009
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	Plas-Tex Poly-Tex Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Soiltac® Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	application and dilution rates follow manufacturer's instructions	ID#: 0504 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	EarthGuard EarthGuard Fiber Matrix Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2/2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Dust Armour Dustrol Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	application and dilution rates follow manufacturer's instructions	ID#: 0553, 0571 approved 8/28/2006
Western Emulsions Incorporated Suzie Miller 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629 suzie@westernemulsions.com	Dust Control 50 Phone: (949) 248-8020 Cell: (520) 622-7203 Fax: (949) 248-8023 www.westernemulsions.com	application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%	ID#: 0449 approved 8/26/2003

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	TerraTex SC ID#: 0143 approved 6 /25/1998
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	Triangular Silt Dike ID#: 0142 approved 6 /25/1998

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address	Product Name	Remarks
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	Siltsack ID#: 0144 approved 6 /25/1998
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM ID#: 0685 approved 11/17/2009
Bowhead Environmental & Safety Jeff Guentzel PO Box 375 Preston WA 98050 jeffg@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 388-2267 Fax: (888) 234-3677 www.shopbowhead.com	StreamGuard Catch Basin Insert ID#: 0088 approved 4 /9 /1997
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Bag Drainage Cntl Dandy Curb ID#: 0438, 0638 approved 5 /8 /2009
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Curb Bag Dandy Pop ID#: 0252, 0637 approved 10/28/1996
Enviroscape ECM Ltd Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: Cell: (419) 594-3210 Fax: (419) 594-3213 www.strawblanket.com	Vertipro ID#: 0662 approved 3 /1 /2010

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address		Product Name	Remarks
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Combo Guard Curb Inlet Guard	ID#: 0720, 0693 approved 2 /25/2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Drop Guard GR-8 Guard	ID#: 0719, 0710 approved 2 /25/2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: (630) 355-3477 www.inletfilters.com	Flexstorm Inlet Filters	ID#: 0650 approved 3 /1 /2010
Silt-Saver Incorporated Jason Jones 1094 Culpepper Drive Conyers GA 30094 jason@siltsaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltsaver.com	SS-100A FFA SS-200A FFA	FFA=Frame & Filter Assembly ID#: 0377, 0296 approved 11/4 /2002

640.02.03a MSE WALL

Vendor Name / Address		Product Name	Remarks
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	Reinforced Soil Embankment Wall	ID#: 0122 approved 9 /8 /1998
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Earth MSE Plus	modified panels required; W24 longitudinal wire not permitted ID#: 0189, 0195 approved 5 /6 /2002
Tensar International Bob Miller 34892 Calle Furtuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Ares Retaining Precast Wall	permitted only when specified in the contract documents as an acceptable product ID#: 0342 approved 6 /11/1998

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address		Product Name	Remarks
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Retained Earth Lrg Wall Reinforced Earth Lrg Wall	ID#: 0287, 0288 approved 2 /7 /2001

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address	Product Name	Remarks	ID#:
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Large Wall Panel modified panels required; W24 longitudinal wire not permitted	0187 approved 5 /6 /2002

640.02.03c SOUNDWALL SYSTEMS

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Cyro LLC Stephen Costanzo 379 Interpace Parkway Parspany NJ 07054-0677 acrylite-magic@evonik.com	Phone: (973) 541-8000 Cell: Fax: www.acrylite.net	Acrylite® Soundstop Paraglas Soundstop TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0640, 0648 approved 11/25/2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	Port-O-Wall TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0316 approved 10/24/2001
Quilite International LLC Richard Cooling 2549 Eastbluff Drive #434 Newport Beach CA 92660 info@quilite.com	Phone: (949) 644-1294 Cell: Fax: (949) 644-6770 www.quilite.com	Quilite Noise Barrier TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0515 approved 2 /9 /2005

640.02.04 RETAINING WALL (MODULAR BLOCK)

Vendor Name / Address	Product Name	Remarks	ID#:
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	Redi-Rock permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	0605 approved 7 /23/2009
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Pyramid permitted only when the contract documents specify a modular block retaining wall	0214 approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	Phone: (866) 758-3427 Cell: (702) 255-6364 Fax: www.keystonewalls.com	KeySteel SOFT MSE Panel permitted only when the contract documents specify a modular block retaining wall	0153 approved 5 /15/2002
Tensor International Bob Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Mesa permitted only when the contract documents specify a modular block retaining wall	0343 approved 7 /17/2000

641.02.01 IMPACT ATTENUATORS

Vendor Name / Address	Product Name	Remarks	ID#:
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Quad Guard Wide (69/90) React 350 (60/96/120)	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6 /15/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	QuadGuard Elite 8 Bay Quad Guard Standard	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6 /30/2008
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducs.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 2 /23/2007
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	Adiem SRT350	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed required as directed in the Special Provisions. approved 3 /21/1995

646.03.04 CRACK SEALANTS

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Dural 50	 approved 8 /29/2009
Liquid Concrete Kendra Barnhart 16915 SE 272 Street Suite 100-143 Covington WA 98042 kendra@liquidconcrete.com	Phone: (800) 201-9300 Cell: (253) 335-0155 Fax: (877) 349-1922 www.liquidconcrete.com	Ure-Kote R-60	 approved 7 /11/2007
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Bridge Seal CA	 approved 8 /29/2009

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D approved 9 /2 /2008

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Aqua Resin Clear Type 1D DSSCC Resin Cure & Dye ASTM C309 Type 1D ID#: 0609, 0598 approved 1 / 8 / 2010
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Resin Clear ASTM C309 Type 1D ID#: 0607 approved 2 / 6 / 2006
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	Resin Cure - Clear VOC ASTM C309 Type 1D ID#: 0565 approved 9 / 4 / 2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1100 Clear 1300 Clear ASTM C309 Type 1D ID#: 0574, 0480 approved 8 / 20 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Whix Cure DOT PCCP ASTM C309, Type 2, Class A ID#: 0582 approved 9 / 2 / 2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	DSSCC Wax Cure White PCCP ASTM C309, Type 2, Class A ID#: 0611 approved 8 / 29 / 2008
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 481-7072 www.euclidchemical.com	Kurez Vox White ID#: 0047 approved 8 / 21 / 1997
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	Pavecure WW PCCP ASTM C309, Type 2, Class A ID#: 0586 approved 2 / 18 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address	Product Name	Remarks
Steel Engineers Keith Stumbauth 716 West Mesquite Las Vegas NV 89106 kstumbauth@steelengineers.com	Phone: (702) 386-0023 Cell: Fax: (702) 386-5799 www.steelengineers.com	UniWhite Cure Wax PCCP ASTM C309, Type 2, Class A ID#: 0577 approved 5 /29/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Wax White PCCP ASTM C309, Type 2, Class A ID#: 3063 approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1600 White PCCP ASTM C309, Type 2, Class A ID#: 0575 approved 8 /21/2008

702.03.04 CURING COMPOUND (BRIDGE DECK)

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas PAMS Cure Bridge Decks ASTM C309, Type 2, Class B ID#: 0579 approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperior.com	DSSCC PAMS PAMS Cure White Bridge Decks ASTM C309, Type 2, Class B ID#: 0578, 0581 approved 6 /17/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC AMS 3754 White Bridge Decks ASTM C309, Type 2, Class B ID#: 0602 approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	2245 Bridge Deck Cure Bridge Decks ASTM C309, Type 2, Class B ID#: 0604 approved 8 /21/2008

702.03.05 POZZOLANS

Vendor Name / Address	Product Name	Remarks
Boral Material Technologies Craig Plunk 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 craig.plunk@boral.com	Phone: (210) 349-4069 Cell: Fax: www.boral.com	Boral Micron 3 Fly Ash Class F Plant: Rockdale, TX Plant: Monticello, TX ID#: 0570 approved 2 /17/2010

702.03.05 POZZOLANS

Vendor Name / Address	Product Name	Remarks
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 www.headwaters.com	Bridger Fly Ash Class F Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY ID#: 0572 approved 2 /17/2010
Nevada Cement Company Derek Taylor I-80 Exit 46 Fernley NV 89408 dtaylor@nevadacement.com	Phone: (775) 575-2281 Cell: Fax: (775) 575-4387 www.nevadacement.com	Pozzolan Class "N" Class N ID#: 3059 approved 4 /8 /2011
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	Pozzolan Type F Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM Provisional approved until 2/4/2012 ID#: 0913 approved 2 /4 /2011
Whitemud Resources Incorporated Rick Ketcheson 3345 8th Street Southwest Suite 30J Calgary AB T2G 3A4 rketcheson@whitemudresources.com	Phone: (403) 517-0058 Cell: (602) 300-2123 Fax: (403) 517-0046 www.whitemudresources.com	Whitemud ID#: 1443 approved 2 /4 /2011

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address	Product Name	Remarks
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Roadsaver Silicone SL ID#: 0552 approved 6 /20/2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	890 SL (replaces 888-SL) ID#: 0130 approved 3 /20/1997
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	DSB 900 SL Self Leveling Silicone ID#: 0518 approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	Pecora 300 ID#: 0314 approved 9 /15/2001

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address	Product Name	Remarks
Sika Corporation Bruce Lakatosh 995 Towbin Avenue Lakewood NJ 08701 lakatosh.bruce@sika-corp.com	Phone: (800) 641-8242 Cell: Fax: (973) 473-4222 www.sika.com	Sika Sil 728 SL ID#: 0534 approved 4 /10/2006
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	Spectrum 900 SL Formula 974831 w/ 333 Cartridges ID#: 0362 approved 5 /31/2002

714.03.01 COATING SYSTEMS FOR BRIDGES

Vendor Name / Address	Product Name	Remarks
Carboline Protective Coatings Debbie Lanham 2150 Schuetz Road Maryland Heights MO 63146 dlanham@carboline.com	Phone: (888) 227-2654 Cell: (314) 644-1000 Fax: (314) 587-2699 www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: ID#: 0132 approved 12/30/1998
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	Shop Coat: Interzinc® 22HS Primer Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS ID#: 0430 approved 1 /10/2005
PPG Protective & Marine Coatings Nye Miller 18220 Watson Way Yorba Linda CA 92886 nyemiller@msm.com	Phone: (562) 691-9600 Cell: (714) 337-1953 Fax: (714) 777-3586 www.ppgpmc.com	Shop Coat: Dimetcote® 9 Inorganic Zinc Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi- Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure ID#: 0592 approved 5 /21/2008
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	Shop Coat: Zinc Clad® II Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150 ID#: 0424 approved 12/30/1998

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3300 Flex P 3340 Cone type III type III for Barricades and Cones ID#: 0642, 0291 approved 9 /10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	334 P 3990 VIP DG type IX type IX ID#: 0141, 0589 approved 9 /10/2010

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3900 3924S OP RS-24*	type IV type IV type IV for Barricades ONLY and Permanent Traffic; approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3910 FL DG 3914 FL DG	type VI type VI for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	444 DG3 B 446 DG3 B 4000 DG3 WZ	type XI type XI type XI B=Barricade; WZ=Work Zones approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OC T11500 OC T11511 OC T11513 OC T11514	type XI type XI type XI type XI OC=OmniCube approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OV T9500 OV T9511 OV T9513 OV T9514	type IX type IX type IX type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	S9000C Cone Collar	type VI for reboundable traffic cones ONLY approved 2 /2 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	T5500A HI T7000 F T7500 P	type III type IV type IV for Flagger Paddles ONLY; F=Florescent, P=Prismatic, HI=High Intensity approved 9 /15/2003
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	W6000 P T6500 P HI W7514 F	type III type VIII type VIII for temporary traffic control devices, delineators and permanent signs ONLY; approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	WR-7100 White R WR-7114 Orange FR	type IV type IV F= Fluorescent; R= Reboundable approved 3 /31/2011

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address		Product Name	Remarks	
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	92847 Crystal Flu Orange* Nikkalite CRG 92802 W	type IV type IV for permanent traffic signs ONLY; *for Flagger Paddles ONLY	ID#: 0522, 0650 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92804 Y Nikkalite CRG 92805 R	type IV type IV for permanent traffic signs ONLY	ID#: 0651, 0652 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92806 B Nikkalite CRG 92808 G	type IV type IV for permanent traffic signs ONLY	ID#: 0653, 0654 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92844 Flu Y- G Nikkalite HI ULGH II	type IV type IV for permanent traffic signs ONLY	ID#: 0649, 0271 approved 9 /10/2010
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	AP 1000 AR 1000	type V type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	ID#: 0295, 3071 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Marathon Roll-up Super Bright Roll-up	type VI type VI For use in Emergency Traffic Control Construction Work Zones and Utility Work Areas.	ID#: 0294, 0162 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Resilience Channelizer Tape Reflective Flag*	type IV type VI For use in construction work zones on drums, cones, tubes, posts, and vertical panels;	ID#: 1275, 3070 approved 4 /6 /2011

726.03.04 MULCH

Vendor Name / Address		Product Name	Remarks	
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	Second Nature Paper Fiber Mulch		ID#: 0146 approved 6 /25/1998

726.03.04 MULCH**Vendor Name / Address****Product Name****Remarks**

Hamilton Manufacturing Inc Patrick Andrew 901 Russet Street Twin Falls ID 83301 info@hmi-mfg.com/patrick@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	Nature's Own	ID#: 0147 approved 6 /25/1998
--	--	--------------	---

North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	HydraCX2 Extreme Slope Matrix	ID#: 0715 approved 5 /28/2010
---	---	-------------------------------	---

Profile Products LLC Heather Rohde 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089 hrohde@profileproducts.com	Phone: (847) 215-3454 Cell: Fax: (847) 215-0577 www.profileproducts.com	Conweb 1000 Flexterra	ID#: 0145, 0244 approved 12/18/2008
---	--	-----------------------	---

Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 3064, 0318 approved 11/2 /2001
--	--	------------------------------------	--

726.03.05 TACKIFIER**Vendor Name / Address****Product Name****Remarks**

Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	TacPac GT	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0148 approved 6 /25/1998
--	--	-----------	---

Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	Driwater Hydro Mix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery ID#: 0277 approved 1 /5 /2001
---	---	--------------------	---

Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Hydropan	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0683 approved 3 /1 /2010
---	---	----------	---

GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmboxtoncompany.com	PX 300	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0433 approved 6 /10/2003
---	---	--------	---

726.03.05 TACKIFIER

Vendor Name / Address	Product Name	Remarks	ID#:
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsoolutions.com		1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	FI-1045 FI-1046 FI-3500 Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0689, 0680, 0681 approved 2 /3 /2010
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Fisch-Stick Terravest Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0152, 0153 approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	LandTack Guar Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com		1777 approved 2 /26/2011
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	EarthGuard EarthGuard Fiber Matrix Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	3064, 0318 approved 11/2 /2001

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Road Boss Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	application and dilution rates follow manufacturer's instructions	0498 approved 11/8 /2005
ENCAP LLC Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	PAM-12 PLUS Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.enceppro.com/index.php/products/	application and dilution rates follow manufacturer's instructions	1205 approved 3 /10/2008
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Earthbind 100 Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	0420 approved 3 /17/2003

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Hydropan Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	application and dilution rates follow manufacturer's instructions	0683 approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Road Oyl Soil Seal Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0323, 0324, 0325 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	application and dilution rates follow manufacturer's instructions	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions	0160, 0149, 0154 approved 5 /18/2004
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	FI-1045 FI-1046 FI-3500 Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	application and dilution rates follow manufacturer's instructions	0689, 0680, 0681 approved 2 /3 /2010
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247	application and dilution rates follow manufacturer's instructions; application and dilution rates follow manufacturer's instructions	0521 approved 1 /4 /2001
North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	HydraCX2 Extreme Slope Matrix Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	application and dilution rates follow manufacturer's instructions	0285 approved 5 /29/2009
NU Equipment Incorporated Julia Frehener 184 West Brooks Avenue Las Vegas NV 89030 julie@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 249-1900 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions	0275, 0230 approved 11/13/2000

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:	
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 391-1054 www.eaglehighmast.com	Topein S Emulsion	application and dilution rates follow manufacturer's instructions	0479 approved 2/28/2002
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Fisch-Stick Terravest	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	LandTack Guar		ID#: 1777 approved 2/26/2011
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	Plas-Tex Poly-Tex	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilber Road, Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	Soiltac®	application and dilution rates follow manufacturer's instructions	ID#: 0364 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2/2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	AirtrolTM Geobinder Enviro-Shield Bonded Fiber	application and dilution rates follow manufacturer's instructions	ID#: 0555, 0554 approved 8/28/2006

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	HS 200 Epoxy Adhesive Ultra Bond 1	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	0422, 0329 approved 11/21/2005

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address		Product Name	Remarks	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	Ultra Bond 1100 Ultra Bond 1300	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 0330, 0331 approved 11/21/2005
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 4/29/2004
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Anchor I J-51 Sure Film J-74 Evaporation	type I, II, IV and V; Grade 3; Class A	ID#: 0393, 0190 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Duralcrete	type I and type II	ID#: 0536 approved 11/8/2004
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (800) 950-6119 Cell: (800) 950-6610 Fax: (800) 950-6610 www.us.hilti.com	THE 50 HT RE 500 Epoxy Adhesive Anchor	type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	ID#: 0322, 0323 approved 7/6/2009
ITW Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	Phone: (630) 350-0370 Cell: (630) 694-4720 Fax: (630) 495-6204 www.itw-redhead.com	Ceramic 6 Epcon C6	type I & IV; Grade 3; classes B&C	ID#: 0341, 1006 approved 5/14/2002
Mapei Americas Headquarters Customer Service 1144 East Newport Center Drive Deerfield Beach FL 33442	Phone: (800) 426-2734 Cell: Fax: www.mapei.com	Planibond AE	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 6/14/2011
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy EP-420 Dynapoxy EP-450	type II, Grade 2; Classes B&C type I, II, IV & V; Grade 1; Classes B&C	ID#: 0737, 0738 approved 6/7/2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy Low Mod Epoxy Dynapoxy TM EP-430 Fast	type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C	ID#: 0334, 0740 approved 6/7/2010

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	Power Fast Plus Standard Set T308 Plus	type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C	0644, 0645, 0646 approved 11/25/2008
Sika Corporation David Bellinger 4847 Hopyard Road Suite 4-130 Pleasanton CA 94588-2778	Phone: (925) 208-2103 Cell: Fax: (925) 397-3081	Sikadur 35 Hi Mod		ID#: 1313 approved 11/14/2002
Simpson Strong Tie Joe Le Bel 5151 South Airport Way Stockton CA 95206 jlebel@strongtie.com	Phone: (800) 999-5099 Cell: (916) 870-7863 Fax: (209) 234-3868 www.simpsonanchors.com	EDOT ET22 Epoxy-Tie Resin Adhesive	type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C	ID#: 0217, 0218 approved 1 /15/2009
Titan Construction Supply Inc Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	Pro-Poxy 100	type II, III, IV and V; Grade 3; Class A, B&C	ID#: 0569 approved 4 /29/2008
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 200 Pro-Poxy 300 Pro-poxy 400	type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes B&C	ID#: 0218, 0219, 0389 approved 1 /14/2003
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 50 Super LV Symons ResCon 304	type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes A	ID#: 0247, 0248 approved 1 /14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 tgrevious@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (507) 364-8762 www.uspconnectors.com	CIA-GEL 7000 Adhesive	type I & IV; Grade 3; Classes B, C&D	ID#: 0265 approved 8 /9 /2000
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Rezi Weld 1000	type I, II, IV and V; Grade 2; Classes B&C	ID#: 0478 approved 7 /17/2002

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:
------------------------------	---------------------	----------------	-------------

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Colorado Paint Company Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	RockHard 1180	White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B "Lead Free Yellow" contains organic yellow pigment.	0199 approved 3/23/2000
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-3	White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B "Lead Free Yellow" contains organic yellow pigment.	0436 approved 7/25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS50 Epoplex LS60	White: LS50 Part A White: LS60 Part A Yellow: LS50 Part A Yellow: LS60 Part A Hardener: LS50 Part B Hardener: LS60 Part B	0378, 0379 approved 2/6/2003
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.2 NV Mark 55.3 NV	White: Mark 55.2 Part A Mark 55.3 Part A Yellow: Mark 55.2 Part A Mark 55.3 Part B Hardener: Mark 55.2 Part B Mark 55.3 Part B	0109, 0110 approved 5/11/2004
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.4 NV	White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B "Lead Free Yellow" contains organic yellow pigment.	0111 approved 10/24/1997

729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS

Vendor Name / Address	Product Name	Remarks	ID#:	
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	UCAR TM DT 250 NA UCAR TM DT 400 NA	type I type II	0166, 1067 approved 7/19/2002
Dow Chemical / Rohm & Haas Susan Ridder 100 Independence Mall West Philadelphia PA 19106 sridder@dow.com	Phone: (800) 967-7704 Cell: (215) 592-3846 Fax: (800) 382-4008 www.dowchemical.com	Fastrack® Fastrack 3427 Fastrack® HD21A	type I; prev Rhoplex TM Fastrack 3427 type II; prev Rhoplex TM Fastrack HD21A	0318, 0319 approved 5/20/1999

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks	ID#:	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2	UCAR Latex DT 250 NA UCAR Latex DT 250 NA	0490, 0491 approved 12/11/2002

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1 Fastrack® 3427 Fastrack® 3427 ID#: 0345, 0346 approved 12/1 /2002

Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6000 Y: Pervo Plastics 6003 Fastrack® 3427 Fastrack® 3427 ID#: 0349, 0350 approved 7 /30/2002
--	---	---

729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2 UCAR Latex DT 400 NA UCAR Latex DT 400 NA ID#: 0353, 0354 approved 12/11/2002

Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1 Fastrack® HD21A Fastrack® HD21A ID#: 0540, 0541 approved 12/11/2002
--	--	---

Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6050 Y: Pervo Plastics 6053 Fastrack® HD21A Fastrack® HD21A ID#: 0351, 0352 approved 7 /30/2002
--	---	---

Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	W: TM2398 Y: TM2399 Fastrack® HD-21A Fastrack® HD-21A ID#: 0423, 0424 approved 7 /9 /2003
--	--	---

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Liquid Pavement Markings White: Part A 1200; Beads must be approved by Materials separately. Yellow: Part A 1201 Cross Linker: Part B 1230 ID#: 0444 "Lead Free Yellow" contains organic yellow approved 8 /16/2000

Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-5 White: HPS-5 Part A; Beads must be approved by Materials separately. Yellow: HPS-5 Part A Cross Linker: HPS-5 Part B ID#: 0439 "Lead Free Yellow" contains organic yellow approved 7 /25/2002
--	--	--

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks	ID#:	
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS90	White: LS90 Part A; Beads must be approved by Materials seperately. Yellow: LS90 Part A Cross Linker: LS90 Part B "Lead Free Yellow" contains organic yellow	0440 approved 2 /6 /2003

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270	type I approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type I white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 Series 200 Series Delta-line TWR	type I approved 10/10/2007
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35 Series Director 60	type I type I approved 2 /17/2004

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

Vendor Name / Address	Product Name	Remarks	ID#:
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type II white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 900 Series Delta-line XRP	type II approved 6 /17/2008
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35	type II approved 2 /17/2004

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

Vendor Name / Address		Product Name	Remarks	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270 Series 380 Series 390	type IV type IV type IV IES is a standard high performance optic WR ES is a standard high performance, wet	ID#: 0460, 0461, 0533 approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 400	type IV	ID#: 0015 approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line XRP	type IV	ID#: 0673 approved 2 /2 /2010

732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)

Vendor Name / Address		Product Name	Remarks	
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 jeannie@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownthermo.com	Tuffline Alkyd	lead free	ID#: 0398 approved 10/14/2004
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 885555 Alkyd Y: 884685 Alkyd	lead free	ID#: 0656, 0674 approved 9 /30/2009

732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)

Vendor Name / Address		Product Name	Remarks	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	Flame Tape Thermaline		ID#: 0299, 0300 approved 5 /14/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	Hot Tape Premark® PLUS	replaced Premark 20/20 Flex Plus	ID#: 0168, 0169 approved 5 /3 /2001

QPL NOTES
December 10, 2010

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.



NEVADA DEPARTMENT OF TRANSPORTATION

QUALIFIED PRODUCTS LIST (QPL)

213.03.05 JOINT COMPOUNDS FOR IRRIGATION PIPE

Vendor Name / Address	Product Name	Remarks
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (800) 441-0051 Cell: (713) 860-6717 Fax: (713) 263-7577 www.rectorseal.com	RectorSeal #5 ID#: 0206 approved 8/2/1999

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Susan Keim PO Box 306 Commence City CO 80037 susan@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	NEX Mailbox Support System type C ID#: 0487 approved 3/29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	V-LOC Mailbox Support System type C ID#: 0006 approved 11/4/1997

401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated Howard Stoddard 5903 Genoa Red Bluff Road Pasadena TX 77507 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501 www.controlsolutionsinc.com	Pramitol 25E application rate: 38L/hectare 25 gal/acre ID#: 0007 approved 8/1/1993
Dow AgroSciences LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmillerdow.com	Phone: (800) 313-7378 Cell: (317) 337-3000 Fax: (916) 525-2710 www.dowagro.com	Spike 80 DF Spike 80 W application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application ID#: 0008, 0480 approved 8/2/1993

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Slider Super Slick Bio ID#: 0494, 0495 approved 7/12/2006

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	Black Magic "For Rubber" Black Magic "13" ID#: 0261, 0260 approved 7/21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	GrenGuard Thermal Slide ID#: 0597, 0262 approved 11/5/2009
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	2217-A 2217-B 6992 ID#: 0421, 0587, 0716 approved 12/20/2007
Compound Technologies Inc Chris Henke 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-5794 Fax: (770) 386-3391 www.piltec.com	No 1 dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 0263 approved 7/21/2000
Morning Star Solutions Inc Tammy Price 2750 East 4215 South Salt Lake City UT 84124 tamme-price@yahoo.com	Phone: (801) 548-2287 Cell: Fax: (801) 274-2425	Clean Slate Clean Slate 2 ID#: 0632, 0603 approved 6/12/2006
North American Chemical Rick Albers 161 West DiMaggio Drive Tooele UT 84074 greymojo@msn.com	Phone: (435) 840-2258 Cell: (800) 877-1201 Fax: www.northamericanchemcial.com	8 Super Slide ID#: 0758 approved 9/10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	Enviro-Slide Ultra ID#: 0259 approved 4/26/2000
Tec-Team Industries Karen Price P.O. Box 15128 Lynchburg VA 24502 tecteam2@gmail.com	Phone: (800) 700-2530 Cell: (434) 582-4503 Fax: (434) 582-4505 www.thetecteam.com	Teclon-Pro ID#: 0562 approved 11/9/2006
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Freeze Free ID#: 1451 approved 3/27/2006

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks	
ZEP Manufacturing Company Byran Castelloni 25224 South Schulte Road Tracy CA 30318 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Pinnacle Zep R-5274 Zep R-6690 Zep XT-3199 n/a non solvent non solvent n/a	ID#: 3105, 3106, 3107, 3108 approved 1/12/2010

408.02.05 ALL WEATHER COLD PATCH

Vendor Name / Address	Product Name	Remarks	
No Vendors at this Time **	Phone: Cell: Fax:	No Vendors at this Time	ID#: approved 6/14/2011

409.03.10 EVAPORATIVE RETARDER

Vendor Name / Address	Product Name	Remarks	
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film	ID#: 0419 approved 1/29/2003
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	Confilm	application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 0203 approved 10/31/2010
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Film J-74	application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal ID#: 0242 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Eucobar	ID#: 0044 approved 8/21/1997
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (800) 637-6372 Cell: (410) 354-8600 Fax: (410) 354-1122 www.kaufmanproducts.net	VaporAid 060	ID#: 0191 approved 8/2/1999
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (888) 839-2661 Cell: (215) 332-7709 Fax: (215) 332-9997 www.vexcon.com	Certi-Vex Envioassist	application rate: 4.9 m2/1 to 200 ft2/gal ID#: 0193 approved 8/2/1999

409.03.10 EVAPORATIVE RETARDER

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Sealtight Evapre application rate: 1 gal to 9 gal water ID#: 0194 approved 3/27/2006

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Cemex Michael Camello 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762 michael.camello@cemex.com	Phone: (925) 426-8787 Cell: Fax: (916) 939-7481 www.cemex.com	Aggregate ID#: 0014 approved 1/26/1997

496.02.02a OVERLAY SYSTEM (MULTILAYER)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
E-Bond Epoxies Steve Frank 3491 Old Cobbler Court San Diego CA 92111 stevepolymerdek@aol.com	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	E-Bond 526 (aka E-Bond 34) w/Silica 6/8 Blend Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290 ID#: 0755 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48 Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 0753 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Flint Rock 65-8orGr8 Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0743 approved 8/29/2009
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggf Freeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8 Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0754 approved 8/29/2009

502.02.04a CONCRETE STAIN

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	Canyon Tone Stain ID#: 0519 approved 4/12/2005

502.02.04a CONCRETE STAIN

Vendor Name / Address	Product Name	Remarks	ID#:
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	Coverall 2800 AF Ext. Flat	0761 approved 5 /20/2008

502.02.04b CONCRETE PAINT

Vendor Name / Address	Product Name	Remarks	ID#:
No Vendors at this Time **	Phone: Cell: Fax:	No Vendors at this Time	approved 9 /7 /2010

502.02.05a COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123 www.americanpolymer.com	Clear VU High Solids (AP 307)	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202) 10/08 new product replaces GSS 10 approved 7 /6 /2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	Fluorogrip® Anti Graffiti Film	for Signs ONLY approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	Monochem Permashield 5600 Premium System	company passed an additional metal field test approved 10/6 /2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (801) 255-7123 Cell: Fax: (888) 273-4489 www.seichemical.com	GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer	flattening agent required approved 9 /29/2009
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	2K Waterbased Urethane Anti Graffiti	Part A: B65T00194 and Part B: B65V190 approved 9 /21/2009
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	Graffiti-Gard "S"	approved 11/12/2010

502.03.13i JOINT FILLERS (PREFORMED)

Vendor Name / Address		Product Name	Remarks
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	JEENE® Structural & Sealing Jt Wabo® Evazote UV	ID#: 0011, 0005 approved 8 /2 /2006
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	MetaZeal Phyzite 380	ID#: 0509, 0009 approved 7 /24/2007
Polyset Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 benz@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polyset.com	Ply-Seal Ply-Seal XE Beige	ID#: 1862, 1863 approved 3 /28/2011
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	Silicoflex	ID#: 0276 approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive #16 Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	Will Seal 600	ID#: 0347 approved 10/31/1995
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	W Seal	ID#: 0131 approved 4 /19/1999

502.03.13j EXPANSION JOINTS (ASPHALTIC PLUG)

Vendor Name / Address		Product Name	Remarks
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	Matrix 502 Pave Tech	ID#: 0198 approved 6 /5 /1997
Dynamic Surface Application Ltd Tim Persing 373 Village Road Pennsdale PA 17756 tpersing@dsa-ltd.com	Phone: (800) 546-6041 Cell: (570) 337-3605 Fax: (570) 546-2415 www.dsa-ltd.com	BJS Thorma Joint System	ID#: 0360 approved 9 /19/2002

502.03.13k EXPANSION JOINT (SPECIAL)

Vendor Name / Address		Product Name	Remarks
------------------------------	--	---------------------	----------------

502.03.13k EXPANSION JOINT (SPECIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Silicone Specialties Incorporated Dale Baker PO Box 50009 Tulsa OK 74150 dale.baker@ssicm.com	Phone: (800) 888-8909 Cell: (918) 698-6797 Fax: (918) 582-7510 www.ssicm.com	Dow 902 XJS Joint System	this is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product.
			0212 approved 4 /22/2002

502.03.13l EXPANSION JOINT SEALANT

Vendor Name / Address	Product Name	Remarks	ID#:
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (716) 691-7566 Cell: (716) 553-7308 Fax: (716) 553-7308 www.wbacorp.com	Wabo® Silicone Seal	two part sealant
			0340 approved 8 /2 /2006

Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	902 RCS	
			ID#: 0339 approved 4 /22/2002

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Tammscoat Fine	
			0567 approved 7 /18/2007

Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	TexCote 300 Bridge Cote TexCote XL70 Bridge Cote	
			ID#: 0595, 0596 approved 6 /16/2008

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks	ID#:
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Crafco Asphalt Rubber	type 1, 2 or 4 depends on the climate zone
			0020 approved 1 /7 /1998

Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Calseal	type 1, 2 or 4 depends on the climate zone
			ID#: 0025 approved 9 /8 /1998

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks
Maxwell Products Incorporated Larry Allen 650 Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 44 Elastoflex 56 type 1, 2 or 4 depends on the climate zone ID#: 0022, 0023 approved 9/30/1996

505.02.01 COATINGS (EPOXY FOR STEEL REINFORCING BARS)

Vendor Name / Address	Product Name	Remarks
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fritz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (615) 983-4818 www.akzonobel.com	Resicoat RB600 HKF30R ID#: 0591 approved 4/30/2008
Dupont Powder Coatings Inc Richard Pontes 9800 Genard Road Houston TX 77041 richard.pontes@usa.dupont.com	Phone: (800) 247-2598 Cell: (775) 527-1337 Fax: (614) 771-4139 www.hoovers.com/dupont-coatings	7-2719 Nap Guard ID#: 0281 approved 1/22/2001
Valspar Corporation, The Michael Adams 1136 Fayette North Kansas City MO 64116 madams@valspar.com	Phone: (281) 370-6164 Cell: (281) 795-1461 Fax: (281) 370-6654 www.valspar.com	Lilly Greenbar #720A009 ID#: 0028 approved 4/4/2000

509.03.09 SYNTHETIC DRILLING SLURRY

Vendor Name / Address	Product Name	Remarks
CETCO Construction Drilling Products Randy Strickland 2870 Forbes Avenue Hoffman Estates IL 60192 randy.strickland@cetco.com	Phone: (800) 527-9948 Cell: (817) 584-6792 Fax: (847) 851-1332 www.cetco.com	Shore Pac ID#: 0559 approved 9/25/2006
Geo-Tech Drilling Fluids Max Holmes 1781 Hawthorne Loop Driftwood TX 78619 mholmes@geotech.us	Phone: (210) 587-4758 Cell: (310) 923-4160 Fax: (210) 568-4567 www.pdscoin.com	Novagel Polymer ID#: 0558 approved 9/25/2006
PDS Company Customer Service 8140 East Rosecrans Avenue Paramount CA 90723 sales@pdscoinc.com	Phone: (562) 634-8180 Cell: (870) 863-5707 Fax: (562) 634-1350 www.pdscoinc.com	Super Mud %Champion Equipment Co ID#: 0560 approved 9/25/2006

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Atlas Pro-1 Patch Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0315 approved 5 /14/2009
BASF Corporation Pete Warren 889 Valley Park Drive Shakopee MN 55379 pete.warren@basf.com	Emaco S66 CI Rapid Mortar 10-60 Set 45 (CT) Phone: (800) 433-9517 Cell: (415) 577-8479 Fax: (800) 496-6067 www.buildingstystems.basf.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0385, 0386, 0387 approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	UltiGrout® Ulti Pave3® Phone: (610) 882-5013 Cell: Fax: (610) 868-8795 www.buzziunicemusa.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0745, 0746 approved 7 /12/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	RS Cement All RS Concret RS DOT Repair RS Motar Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. RS= Rapid Set	0039, 0712 0713, 0714 approved 1 /27/1994
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Dayton Superior HD-50 Edoco Fast Patch 928 Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0038, 0037 approved 9 /30/1996
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	EucoSpeed EucoSpeed MP Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0537, 0538 approved 9 /23/1998
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Express Repair Hi Flow Grout Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0539, 0047 approved 11/8 /2005
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Speed Crete® 2028 Rapid Speed Crete® Green Line Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0041, 0042 approved 1 /8 /2004
Five Star Products Incorporated Chris Piekos 750 Commerce Drive Fairfield CT 06825 piekosc@fivestarprouducts.com	Highway Patch Structural Concrete Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprouducts.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0034, 0040 approved 9 /30/1996

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com	Phone: (209) 830-7803 Cell: (209) 482-4488 Fax: (209) 830-7804 www.us.henkel.com	Loctite MagnaCrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 4 /10/2006
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr	Phone: (949) 677-8229 Cell: Fax: (714) 439-1001 www.concreterepair.com	High Performance Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 1 /3 /2002
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771 www.concreterepairmatierials.com	HP Cement	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 10/22/2004
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC STR Mortar	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 9 /29/2009
WR Meadows of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338	Phone: (623) 932-9383 Cell: Fax: (623) 932-1547 www.wrmeadows.com	Futura 15 Fast Setting Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 9 /29/2009

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address	Product Name	Remarks	ID#:
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	Phone: (775) 831-4592 Cell: (800) 229-7283 Fax: (775) 831-4592 www.baysaver.com	BaySaver	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 2 /19/2001
Jensen Precast Ron Anderson 825 Steneri Way Sparks NV 89431-5803 randerson@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 352-6364 www.jensenprecast.com	JPHV Stormwater Interceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	Stormceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 4 /22/2001

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address		Product Name	Remarks	
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	Inceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0348 approved 4 /6 /2006
Tensar International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	CDS StormFilter StormFilter Vortechs	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0447, 0448, 0452 approved 7 /23/2003

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	A-67 Interceptor Polydrain XHD	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0394, 0395, 0767 approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	MHD 200 8" MHD 300	(8"/12" Trench Drain System) This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0561, 0765 approved 7 /5 /2006
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	FF300 Concrete FG200 Concrete TraffikDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0726, 0663, 0380 approved 1 /28/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	S100K Concrete S300K Concrete	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0396, 0397 approved 1 /28/2003
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	Polycast 700 Polycast 900R Polycast 3000	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. R =Removeable	ID#: 0512, 0513, 0514 approved 3 /2 /2005
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	EconoDrain MultiDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0492, 0493 approved 4 /6 /2004

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3l43@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	Z-882 (9.25" Wide) Z-886 (4" Wide)	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0441, 0442 approved 3/28/2003

610.02.01 CELLULAR EROSION CONTROL MATS

Vendor Name / Address		Product Name	Remarks	
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0685 approved 11/18/2009
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	Armorflex	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0326 approved 1/21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	Shorblock Shoretac	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0601, 0612 approved 3/23/2009
Tensar International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	Armotec Cellular Petraflex	this is a general QPL ONLY: the unit will be selected based on the specific project requirements.	ID#: 0332, 0333 approved 10/23/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address		Product Name	Remarks	
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	ACO Detectable Warning Device	approved NV Red ONLY	ID#: 0630 approved 2/26/2009
Advanced Surface Systems LLC Karen "KC" Hemry 3260 Northbend Circle Suite D Alcoa TN 37701 bumps@suredome.com	Phone: (865) 233-5680 Cell: (865) 206-4789 Fax: (865) 233-5681 www.suredome.com	SureDome	approved for NV Red and NV Green	ID#: 0598 approved 12/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	ADA Arcis Tactile	approved for NV Red and NV Green	ID#: 0608 approved 9/2/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address		Product Name	Remarks	
Armorcast Products Company Sydney Chase 13230 Salicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Armorcast DWS	approved for NV Red and NV Green	ID#: 0848 approved 2/28/2011
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	TekWay Dome Tiles	approved for NV Red and NV Green	ID#: 0564 approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	Step-Safe DWS	approved for NV Red and NV Green	ID#: 0484 approved 3/26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	Cast-in-Tact 3	approved for NV Red and NV Green	ID#: 0666 approved 8/20/2009

616.02.01 FABRIC (PLASTIC FENCE)

Vendor Name / Address		Product Name	Remarks	
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	Safety Fence		ID#: 0202 approved 10/10/1999
Tensar International Robert Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.earthtech.com	Safety GeoGrid		ID#: 0345 approved 5/15/2002

618.02.01a GUARDRAIL TERMINAL (FLARED)

Vendor Name / Address		Product Name	Remarks	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	Fleat 350 Fleat SP	TL-3	ID#: 0045, 0668 approved 9/29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	ET Plus SRT 350	TL-3; LET Soil Tubes (replaced with ET Plus)	ID#: 0499, 0768 approved 4/28/2000

618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)

Vendor Name / Address		Product Name	Remarks	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (303) 346-0722 www.roadsystems.com	SKT 350 SKT Lite SKT SP	TL-3	ID#: 0156, 0669, 0670 approved 1/12/1998
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	CAT 350 ET Plus	TL-3	ID#: 0046, 0499 approved 3/30/1997

618.02.01c GUARDRAIL OFFSET BLOCKS

Vendor Name / Address		Product Name	Remarks	
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	Glue Laminated Wood	used with w-beam and tri-beam guardrails	ID#: 0485 approved 3/10/2004
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	King-Block King-Sized	used with steel post tri-beam guardrails	ID#: 0524, 0523 approved 5/31/2005

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model EFX	type II; standard surface and soil/ground mount options available	ID#: 0684, 0692 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model PE FG 300 Model UR	type II; standard surface and soil/ground mount options available	ID#: 0686, 0687 approved 6/19/2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker SH Barrier Replaceable	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available.	ID#: 0606, 0510 approved 10/5/2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Tub RT 360 HD BD Tub	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0621, 0625 approved 10/5/2008

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	SH Dura Post SH Tubular	type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available
Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com		ID#: 0625, 0610 approved 10/5 /2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Driveable Del Socket Mt Del Surface Mt Del	standard surface and surface/soil mount options available and angled mounts
Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com		ID#: 0633, 0634, 0635 approved 4 /30/2009
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Shur-Flex Guardrail Clamp Shur-Tite Cable Barrier	standard surface and surface/soil mount options available and angled mounts
Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com		ID#: 0637, 0638 approved 4 /30/2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	TD 5500 Earthflex Delineator	standard surface and surface/soil mount options available
Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com		ID#: 0508 approved 12/3 /2002

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address	Product Name	Remarks
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Island Sentry K-Marker	
Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com		ID#: 0050 approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	BD Marker Round HM Marker Round	type II; standard surface and surface/soil mount options available
Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com		ID#: 0052, 0056 approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	T1 Marker Round T2 Marker Round	type II; standard surface and surface/soil mount options available
Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com		ID#: 0049, 0051 approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	FG 300 Complete Curb FG 300 Model PE	type II; standard surface and surface/soil mount options available
Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com		ID#: 0684, 0686 approved 6 /19/2009

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 Turn Pike Curb	type II; standard surface and surface/soil mount options available	ID#: 0687, 0688 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Type K Island Marker	type II; standard surface and surface/soil mount options available	ID#: 0576 approved 9/13/2007
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Bolt Down RT 360 HD Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0622, 0623 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post 36" SH Replaceable Barrier	type II; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0610, 0068 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 29916-0098 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker Series SH Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0606, 0628 approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Driveable	type II; standard surface and surface/soil mount options available	ID#: 0676 approved 2/2/2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5215 K Marker	type II; standard surface and surface/soil mount options available	ID#: 0566 approved 12/3/2002

623.01.01 DYNAMIC MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700 www.daktronics.com	Light-Emitting Diode DMS	type I and type II	ID#: 0502 approved 1/7/2004

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	2070 Light-Emitting Diode type I and type II DMS approved 4 /4 /2008

623.02.08 SERVICE PEDESTALS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eaton Corporation Tony Barber 1000 Cherrington Parkway Moon Township PA 15108 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771 www.eaton.com	Service Pedestals approved 1 /7 /2011
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (949) 387-4863 Cell: (714) 743-0712 Fax: (949) 387-4895 www.milbankmfg.com	Metered Service Pedestals approved 1 /15/2002
Myers Power Products Diana Grootonk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: Fax: (909) 923-1806 www.myerspowerproducts.com	Service Pedestals +UPS/BBS approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	Service Pedestals approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 3409 52nd Avenue Sacramento CA 95823 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 429-2817 www.tescocontrols.com	Tescoflex Service Pedestals approved 11/21/2002

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	Series 426 bottom latching ID#: 0469 approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himasttgg@aol.com	Phone: (847) 473-3800 Cell: (847) 217-1070 Fax: (847) 473-3870 www.eaglehighmast.com	High Mast Assembly bottom latching ID#: 0470 approved 1 /2 /2004

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

Vendor Name / Address	Product Name	Remarks
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Series Holophane LD5 Lighting Lowering D bottom latching ID#: 0481 approved 1 / 2 / 2004

623.02.16 DUCT SEALING COMPOUND

Vendor Name / Address	Product Name	Remarks
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483 www.idealindustries.com	Duct Seal ID#: 0661 approved 10/7 /2009
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	RectorSeal® ID#: 0677 approved 10/7 /2009

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

Vendor Name / Address	Product Name	Remarks
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	Brass Linguine Class 1 ID#: 0317 approved 1 / 11 / 2001
Measurement Specialties Inco Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1 ID#: 0161 approved 5 / 26 / 1999

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	P/N 606 Detector Loop 5000 Rubberized Loop rubberized asphalt material ID#: 0465, 0057 approved 6 / 16 / 2000
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	271 Loop Detector 272 Loop Detector rubberized asphalt material ID#: 0072, 0068 approved 1 / 9 / 2007

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	Stat-a-Flex Polyester Loop polyester material ID#: 0061 approved 11/19/1996
Quikrete Company Darrell Brokofsky 7705 Wilbur Way Sacramento CA 95828 dbrokofsky@quikrete.com	Phone: (916) 689-8840 Cell: Fax: (916) 689-8857 www.quikrete.com	Commercial Grade Permanent Blacktop Repair #1701 asphaltic concrete material ID#: 0283 approved 1 /1 /2001
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	Perm Sealer 974 Nitrile Pro Seal 6006 Polyester sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material ID#: 0064, 0063 approved 12/19/1996
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	Overkote Loop Filler asphaltic emulsion material ID#: 0062 approved 8 /5 /1998

623.02.31 DRIVER FEEDBACK SIGNS

Vendor Name / Address	Product Name	Remarks
MOR Manufacturing Linda Davis 5676 East Seltice Way Post Falls ID 83854	Phone: (208) 667-8799 Cell: Fax: www.mormanufacturing.com	Driver Feedback Signs ID#: 3150 approved 6 /14/2011
RadarSign Charlie Robeson 6845 Shiloh Road East Alpharetta GA 30005 crobesson@radarsign.com	Phone: (208) 667-8799 Cell: Fax: www.radarsign.com	Driver Feedback Signs ID#: 3152 approved 6 /14/2011
Traffic Logix Rico 3 Harriett Lane Spring Valley NY 10977	Phone: (866) 915-6449 Cell: Fax: www.trafficlogix.com	Driver Feedback Signs ID#: 3153 approved 6 /14/2011

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address	Product Name	Remarks
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-5778 www.dialight.com	LED 12" Signal Heads (all) 16"x18" Ped Signal Hea must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSI-LED specifications ID#: 0335, 0336 approved 3 /26/2002

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address		Product Name	Remarks	
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cherylhuang@eoius.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoius.com	LED Traffic Signal Pedestrian Traffic Signal	12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications.	ID#: 0700, 0701 approved 6 /17/2008
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	LED 12" Signal Heads (all) 16"x18" Tinted Ped	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1122, 1215 approved 4 /6 /2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-CIL-9 16" Countdown LED FH/MP	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1406 approved 4 /6 /2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-DIL 16" LED FH/MP Indication	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 1405 approved 4 /6 /2010
Phoenix Highway Products Lupa Cruz 2631 North 37th Drive Phoenix AZ 85009 lupa@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	LED 12" Signal Heads Pedestrian Signal Heads	must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications	ID#: 0337, 0338 approved 3 /26/2002

623.03.15 SIGN LIGHTING FIXTURES

Vendor Name / Address		Product Name	Remarks	
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	85 Watt Induction Versaflood III Induction	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004)	ID#: 0124, 0402 approved 1 /17/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Panel Vue Series Model 85QLXXDG/QD/Door Prop		ID#: 0401 approved 1 /17/2003

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

Vendor Name / Address		Product Name	Remarks	
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@luitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	Lumi Trak		ID#: 0365 approved 10/11/2000

623.05.26 DETECTORS (RED LIGHT)

Vendor Name / Address	Product Name	Remarks
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	Red Light Detector ID#: 0446 approved 7/16/2003
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (760) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	Red Light Detector ID#: 0445 approved 7/16/2003

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	MF-180-36 Masterflex type 3; standard surface/soil mount options available ID#: 0065 approved 8/7/1996
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	SDCF SMDW type III; standard surface/soil mount options available ID#: 0067, 0066 approved 10/1/2008
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model PE type III; standard surface/soil mount options available ID#: 0684, 0686 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 UR HD Flex type III; standard surface/soil mount options available ID#: 0687, 0723 approved 6/19/2009
Qwick Kurb® Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 mike@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856 www.quickkurb.com	Qwick Kurb type III; standard surface/soil mount options available ID#: 0627 approved 11/21/2008
RA Lucas Company Inc, The Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: Fax: (562) 799-6150	Enforcer 42" Channelizer ID#: 1003 approved 1/23/2001

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD BD Tub RT 360 HD Tubular type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0621, 0622 approved 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post SH Replaceable Barrier type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) ID#: 0610, 0052 approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Surface/Soil Mt type III; standard surface/soil mount options available ID#: 0634 approved 4/30/2009

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

Vendor Name / Address	Product Name	Remarks
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktinc.com	FB 33 Flexible Barrier ID#: 0004 approved 2/2/1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	FlexX 2020 w/75 mm X 75mm ID#: 0019 approved 12/17/1997
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com	DAPCO Straight Guardrail Reflector Plates ID#: 0585 approved 1/9/1995
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	PCBM 12H High Impact PCBM T12H High Impact ID#: 0017, 0018 approved 10/15/1999
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9300 Roadguide TD 9400 Roadguide ID#: 0371, 0372 approved 12/3/2002

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS	ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP 465		ID#: 0077, 0078 approved 4 /8 /1997
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	CMS 80FM		ID#: 0505 approved 10/13/2004
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS	ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380		ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC HE 1000		ID#: 0084 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS		ID#: 0085 approved 2 /22/1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	WTLMB-S-LL(A)		ID#: 0355 approved 8 /5 /2002

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address		Product Name	Remarks	
------------------------------	--	---------------------	----------------	--

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks	ID#:
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000	0073, 0074 approved 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T331 CMS GP465	ID#: 0077, 0078 approved 4 /10/1997
Display Solutions Roy Dexter 6301 Best Friend Road Norcross GA 30071	Phone: (800) 541-9593 Cell: (770) 263-8353 Fax: (770) 662-5400 www.displaysolutionsinc.com	Sunray Solar Model 340	ID#: 0080 approved 10/23/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380	ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC SM 2000	ID#: 0071 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS	ID#: 0085 approved 2 /22/1998
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechtechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechtechnology.com	Silent Messenger II Silent Messenger III	ID#: 0664, 0665 approved 8 /14/2009

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger Solar Powered ID#: 0086 approved 2/22/1998

625.02.04 IMPACT ATTENUATOR (TEMPORARY)

Vendor Name / Address	Product Name	Remarks
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	Phone: (775) 313-1402 Cell: (887) 274-5994 Fax: (775) 882-6538 www.barriersystemsinc.com	Absorb 350 Universal Tau II TL-3; Compliant; Use a nine-element design (min) with attachment/transition assembly; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0290, 0660 approved 10/30/2009
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Energite III Module N-E-A-T System Quadguard TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0089, 0090, 0091 approved 4/26/2006
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0545 approved 2/23/2007
Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 djones@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	Energite III Fitch Inertial React 350 TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0092, 0093, 0094 approved 4/14/1999
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Sandy 48247-SPI Temp Big Sandy Sand Barrel TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0095, 0096 approved 11/1/2002

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Safe-Stop 180 TMA TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0192 approved 11/3/1999
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	ScorPion C 10,000 TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0264 approved 7/26/2000

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	MPS 350 III TL-3 Compliant; Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.
		ID#: 0097 approved 9 /17/1997

625.02.06 BARRIER RAIL (WATER FILLED)

Vendor Name / Address	Product Name	Remarks
Armorcast Products Company Sydney Chase 13230 Salicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Guardian Barrier Water Filled w/350 Kit
		ID#: 0099 approved 6 /23/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Triton Barrier use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).
		ID#: 0098 approved 3 /30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	Rhino Safety Barrier w/350 kit use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L).
		ID#: 0482 approved 10/24/2007
Safety Barriers David Walker 10519 Lexington Drive Knoxville TN 37933	Phone: (865) 966-9123 Cell: (800) 966-2012 Fax: (865) 675-3622	Water Ballasted Barriers SB-1-TL
		ID#: 0711 approved 3 /27/2006
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	Traffic Cntrl System 2001
		ID#: 0551 approved 11/27/2007

625.02.07 BEACON (PORTABLE LIGHT SYSTEM)

Vendor Name / Address	Product Name	Remarks
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-ksystems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-ksystems.com	Safety Beacon Light
		ID#: 0188 approved 1 /6 /1998

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks	ID#:	
Alcan Composites USA Inc Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	Phone: (270) 527-4200 Cell: (800) 434-3042 Fax: (270) 527-1552 www.alcancompositesusa.com	Dibond for Highway Work Zone Signage	must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance	0547, 0593 approved 5 /9 /2006
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	Bone Light 4MM ACM Aluminum Composite	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0616 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412 SZ-460 SZ-484	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0617, 0618, 0619 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412-2S SZ-460-2S SZ-484-2S	approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0620, 0657, 0658 approved 10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3000S Dynaflex DF3000WQ Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0220, 0221 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3003S Dynaflex DF3003W Dynaflex	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0222, 0223 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DL1003W Dynaflex UF2000 Uniflex Verticle Portable	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0224, 0225 approved 12/7 /1998
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C200 C202	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0227, 0228 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C902 Superflex Compact Stand w/Fiberglass Leaf Spr	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0899 approved 5 /31/2000

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks	ID#:
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Superflex Compact Stand w/Fiberglass Leaf Spr must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0233 approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X501 FS Coil Spring X550 FS Coil Spring must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0229, 0231 approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X551 FS Coil Spring X600 FS Coil Spring must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0232, 0233 approved 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS1 SS548 SS548A SS548AE must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0411, 0415, 0405, 0409 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548C SS548CA SS548CAE SS548CE must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0407, 0412, 0418, 0403 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548E SS548UC SS548UCA SS548UCR must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0413, 0406, 0408, 0404 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560 must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0414, 0416, 0417 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster 4815RB 4818 must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0235, 0251, 0237, 0238 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC 4884CS must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0239, 0240, 0241 approved 1 /24/2003

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address		Product Name	Remarks	
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Buster Dual SF Little Buster Dual SF	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding	ID#: 0243, 0244 approved 5 /31/2000
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Zephyr Portable Stand	48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0248, 0272 approved 5 /31/2000

625.03.04 BARRICADES

Vendor Name / Address		Product Name	Remarks	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	All Plastic Universal Waffle & Steel Legged	type I and type II with or without lights	ID#: 0246 approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	Plywood Panel Barricade	type III with or without lights	ID#: 0245 approved 3 /10/2000
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460 www.hwy-tech.com	Barricade	type 3 with or without lights	ID#: 0435 approved 1 /10/2000
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Barricade O-Frame Barricade	type 3B with or without lights	ID#: 0250, 0613 approved 10/15/1999
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.plasticsafety.com	Anchor Barricade	type III with or without lights	ID#: 0483 approved 5 /5 /2010
Plasticade Industries Hery Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: Fax: (847) 955-8074 www.plasticade.com	Sentinel	type III with or without lights	ID#: 0001 approved 2 /21/2007

625.03.04 BARRICADES

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>	
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2100 Works Barricade TD2150 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested - 24"	0171, 0374 approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2200 Works Barricade TD2250 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested	0375, 0376 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2300 Works Barricade TD2400 All Plastic	type I and type II type 3B cannot be used in configuration that is wider than was tested	0526, 0527 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2500 Works Barricade TD2550 Works Barricade	type I type 3 cannot be used in configuration that is wider than was tested	0525, 0529 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2600 Works Barricade TD2650 Works Barricade	type I and type II type 3 cannot be used in configuration that is wider than was tested	0530, 0531 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 3000 A Frame Barricade	type I and type II cannot be used in configuration that is wider than was tested	0532 approved 12/3 /2002
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Sand Fill Bag	type 3 with or without lights	0248, 0249 approved 4 /3 /2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 jsmith@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	Lane Changer B500 LC Traffic Drum	type III with or without lights	0745 approved 7 /12/2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	200/M w/Temporary Signal Model # 2001	type III with or without lights	0590 approved 3 /10/2004

627.02.01a SIGNS (POLYCARBONATE)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
No Vendors at this Time	No Vendors at this Time		
**	Phone:		
	Cell:		
	Fax:		
			approved 11/4 /2008

630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	Modular Guidance System	0102 approved 10/1 /2008
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	Glare Screen System	0103 approved 7 /31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	Glare Screen System	0123 approved 7 /31/1996

632.03.05 RETROREFLECTOMETERS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	LTL-X 30 Meter Geometry LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies 0211, 0210 approved 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	Mirolux Ultra 30	0213 approved 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux CEN 30 LaserLux CEN 30 Mobile	10/08 MX 30 Retroreflectometer was discontinued but still qualifies; both the mobile and portable units are approved. 0544, 0551 approved 5 /2 /2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series I StripeMaster Series II	0542, 0543 approved 5 /27/2010

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	290 Durable Raised 89 mm x 100 mm (3.6"x4") ID#: 0255 approved 6 /1 /1999
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	911 Ab 953 Ab C80 FH Raised C88 Ab 100 mm (4") round ID#: 0180, 0181, 0182, 0183 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	AA ARC Round Shoulder ARC 100 mm x 100 mm (4"x4") ID#: 0175, 0176, 0177 approved 6 /1 /1999

633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	944SB 948 58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4") ID#: 0184, 0185 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	Arc 2002 Arc 2004 58 mm x 19 mm (2.3"x4.6") ID#: 0178, 0179 approved 6 /1 /1999

633.02.04 PAVEMENT MARKERS ADHESIVE

Vendor Name / Address	Product Name	Remarks
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	34270 Hot Applied Flexible ID#: 0105 approved 6 /16/1998
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	836098 Bituminous ID#: 0108 approved 2 /6 /2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	Bundy 12 cm X 12 cm Pad; (5" X 5") Pad white color on plantmix and back color on PCCP ID#: 0106 approved 5 /4 /1998

633.02.04 PAVEMENT MARKERS ADHESIVE

Vendor Name / Address	Product Name	Remarks
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrzell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Dotstick Bituminous ID#: 0464 approved 9/29/2003

633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)

Vendor Name / Address	Product Name	Remarks
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarket.com	W: Type 932 (1-way) Y: Type 932 (2-way) 100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective ID#: 0516, 0517 approved 3/7/2005
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25 Halftrack Model 26 TOM TRPM work zone pavement markers ID#: 0257, 0258 approved 10/15/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	710 WRR 780 WRR 1200 Stamark Liquid WRR =Wet Reflective Removable White and Yellow ID#: 0424, 0675, 0444 approved 8/16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road / PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	200 Construction R R =Removable White and Yellow ID#: 1654 approved 9/24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 R Series 200 R Series Deltaline TWR R =Removeable TWR = Temporary Wet Removeable White and Yellow ID#: 0032, 0033, 0672 approved 3/17/2000
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III R R =Removeable ID#: 0119 approved 2/23/1989
Swarco Industries / Traffic Mgt Jon Sproul 270 Rutherford Lane / PO Box 89 Columbia TN 38401 office.industries@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Director 2 - (DG) Director 2 (DG-WR) DG =Detour Grade WR =Wet Reflective White and Yellow ID#: 0120, 0648 approved 4/26/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks	ID#:
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140	White and Yellow 0303, 0304, 0305 approved 8 /24/2001

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Road Boss	application and dilution rates follow manufacturer's instructions 0498 approved 11/8 /2005
Cypher Environmental Ltd Greg Martinez 701 North Ft. Vrain Street El Paso TX 75229 greg@eco-infrastructuresolutions.com	Phone: (915) 276-0879 Cell: Fax: (915) 534-7207 www.cypherenvironmental.com	DustStop	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. 0707 approved 5 /6 /2010
Dallas Roadway Products Inc Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	Phone: (972) 803-6708 Cell: (702) 405-0351 Fax: (972) 596-8418 www.dallasroadway.com	Dust Control DC-22	application and dilution rates follow manufacturer's instructions 0549 approved 6 /19/2006
Earth Chem Incorporated Kevin Loucks PO Box 272627 Ft Collins CO 80527 EarthChem@aol.com	Phone: (970) 227-9661 Cell: Fax: www.earthchem.com	Earth Bound	0822 approved 2 /16/2011
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	Earthbind 100	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water 0420 approved 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	Phone: (800) 369-3878 Cell: (775) 852-3878 Fax: (970) 346-3959 www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5% 0450 approved 8 /26/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	HydroPam	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. 0722 approved 3 /1 /2010

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0328 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmboxtoncompany.com	application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules PAM Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0150 approved 5 /18/2004
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Soiloc-MQ-Dust Suppressant Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0149 approved 5 /2 /1999
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.com	EnviroKleen Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247 www.midwestind.com	application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	0278, 0279 approved 1 /13/2000
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	TerraLOC Phone: (219) 762-3165 Cell: Fax: (219) 755-4062 www.terraloc.com	application and dilution rates follow manufacturer's instructions	0721 approved 11/17/2009
NU Equipment Incorporated David Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic	0274, 0275 approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Topein S Emulsion Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 399-1054 www.alonashalt.com	application and dilution rates follow manufacturer's instructions	0479 approved 2 /28/2002

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Fisch-Stick Terravest Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	LandTack Guar Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com		ID#: 1777 approved 2/26/2011
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	Dust Away Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	application and dilution rates follow manufacturer's instructions	ID#: 0639 approved 6/2/2009
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	Plas-Tex Poly-Tex Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Soiltac® Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	application and dilution rates follow manufacturer's instructions	ID#: 0504 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	EarthGuard EarthGuard Fiber Matrix Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2/2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Dust Armour Dustrol Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	application and dilution rates follow manufacturer's instructions	ID#: 0553, 0571 approved 8/28/2006
Western Emulsions Incorporated Suzie Miller 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629 suzie@westernemulsions.com	Dust Control 50 Phone: (949) 248-8020 Cell: (520) 622-7203 Fax: (949) 248-8023 www.westernemulsions.com	application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%	ID#: 0449 approved 8/26/2003

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	TerraTex SC ID#: 0143 approved 6 /25/1998
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	Triangular Silt Dike ID#: 0142 approved 6 /25/1998

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address	Product Name	Remarks
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	Siltsack ID#: 0144 approved 6 /25/1998
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM ID#: 0685 approved 11/17/2009
Bowhead Environmental & Safety Jeff Guentzel PO Box 375 Preston WA 98050 jeffg@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 388-2267 Fax: (888) 234-3677 www.shopbowhead.com	StreamGuard Catch Basin Insert ID#: 0088 approved 4 /9 /1997
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Bag Drainage Cntl Dandy Curb ID#: 0438, 0638 approved 5 /8 /2009
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Curb Bag Dandy Pop ID#: 0252, 0637 approved 10/28/1996
Enviroscape ECM Ltd Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: Cell: (419) 594-3210 Fax: (419) 594-3213 www.strawblanket.com	Vertipro ID#: 0662 approved 3 /1 /2010

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address		Product Name	Remarks
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Combo Guard Curb Inlet Guard	ID#: 0720, 0693 approved 2 /25/2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Drop Guard GR-8 Guard	ID#: 0719, 0710 approved 2 /25/2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: (630) 355-3477 www.inletfilters.com	Flexstorm Inlet Filters	ID#: 0650 approved 3 /1 /2010
Silt-Saver Incorporated Jason Jones 1094 Culpepper Drive Conyers GA 30094 jason@siltsaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltsaver.com	SS-100A FFA SS-200A FFA	FFA=Frame & Filter Assembly ID#: 0377, 0296 approved 11/4 /2002

640.02.03a MSE WALL

Vendor Name / Address		Product Name	Remarks
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	Reinforced Soil Embankment Wall	ID#: 0122 approved 9 /8 /1998
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Earth MSE Plus	modified panels required; W24 longitudinal wire not permitted ID#: 0189, 0195 approved 5 /6 /2002
Tensar International Bob Miller 34892 Calle Furtuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Ares Retaining Precast Wall	permitted only when specified in the contract documents as an acceptable product ID#: 0342 approved 6 /11/1998

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address		Product Name	Remarks
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Retained Earth Lrg Wall Reinforced Earth Lrg Wall	ID#: 0287, 0288 approved 2 /7 /2001

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address	Product Name	Remarks	ID#:
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Large Wall Panel modified panels required; W24 longitudinal wire not permitted	0187 approved 5 /6 /2002

640.02.03c SOUNDWALL SYSTEMS

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Cyro LLC Stephen Costanzo 379 Interpace Parkway Parspany NJ 07054-0677 acrylite-magic@evonik.com	Phone: (973) 541-8000 Cell: Fax: www.acrylite.net	Acrylite® Soundstop Paraglas Soundstop TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0640, 0648 approved 11/25/2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	Port-O-Wall TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0316 approved 10/24/2001
Quilite International LLC Richard Cooling 2549 Eastbluff Drive #434 Newport Beach CA 92660 info@quilite.com	Phone: (949) 644-1294 Cell: Fax: (949) 644-6770 www.quilite.com	Quilite Noise Barrier TL-4; system will be selected based on specific project requirements; it is not a complete wall system	0515 approved 2 /9 /2005

640.02.04 RETAINING WALL (MODULAR BLOCK)

Vendor Name / Address	Product Name	Remarks	ID#:
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	Redi-Rock permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	0605 approved 7 /23/2009
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Pyramid permitted only when the contract documents specify a modular block retaining wall	0214 approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	Phone: (866) 758-3427 Cell: (702) 255-6364 Fax: www.keystonewalls.com	KeySteel SOFT MSE Panel permitted only when the contract documents specify a modular block retaining wall	0153 approved 5 /15/2002
Tensor International Bob Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Mesa permitted only when the contract documents specify a modular block retaining wall	0343 approved 7 /17/2000

641.02.01 IMPACT ATTENUATORS

Vendor Name / Address	Product Name	Remarks	ID#:
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Quad Guard Wide (69/90) React 350 (60/96/120)	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6 /15/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	QuadGuard Elite 8 Bay Quad Guard Standard	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6 /30/2008
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducs.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 2 /23/2007
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	Adiem SRT350	TL-3 Compliant: Unit selected must have a manufacturer speed recommendation for design and meet the speed required as directed in the Special Provisions. approved 3 /21/1995

646.03.04 CRACK SEALANTS

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Dural 50	 approved 8 /29/2009
Liquid Concrete Kendra Barnhart 16915 SE 272 Street Suite 100-143 Covington WA 98042 kendra@liquidconcrete.com	Phone: (800) 201-9300 Cell: (253) 335-0155 Fax: (877) 349-1922 www.liquidconcrete.com	Ure-Kote R-60	 approved 7 /11/2007
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Bridge Seal CA	 approved 8 /29/2009

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D approved 9 /2 /2008

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Aqua Resin Clear Type 1D DSSCC Resin Cure & Dye ASTM C309 Type 1D ID#: 0609, 0598 approved 1 / 8 / 2010
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Resin Clear ASTM C309 Type 1D ID#: 0607 approved 2 / 6 / 2006
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	Resin Cure - Clear VOC ASTM C309 Type 1D ID#: 0565 approved 9 / 4 / 2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1100 Clear 1300 Clear ASTM C309 Type 1D ID#: 0574, 0480 approved 8 / 20 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Whix Cure DOT PCCP ASTM C309, Type 2, Class A ID#: 0582 approved 9 / 2 / 2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	DSSCC Wax Cure White PCCP ASTM C309, Type 2, Class A ID#: 0611 approved 8 / 29 / 2008
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 481-7072 www.euclidchemical.com	Kurez Vox White ID#: 0047 approved 8 / 21 / 1997
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	Pavecure WW PCCP ASTM C309, Type 2, Class A ID#: 0586 approved 2 / 18 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address	Product Name	Remarks
Steel Engineers Keith Stumbauth 716 West Mesquite Las Vegas NV 89106 kstumbauth@steelengineers.com	Phone: (702) 386-0023 Cell: Fax: (702) 386-5799 www.steelengineers.com	UniWhite Cure Wax PCCP ASTM C309, Type 2, Class A ID#: 0577 approved 5 /29/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Wax White PCCP ASTM C309, Type 2, Class A ID#: 3063 approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1600 White PCCP ASTM C309, Type 2, Class A ID#: 0575 approved 8 /21/2008

702.03.04 CURING COMPOUND (BRIDGE DECK)

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas PAMS Cure Bridge Decks ASTM C309, Type 2, Class B ID#: 0579 approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperior.com	DSSCC PAMS PAMS Cure White Bridge Decks ASTM C309, Type 2, Class B ID#: 0578, 0581 approved 6 /17/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC AMS 3754 White Bridge Decks ASTM C309, Type 2, Class B ID#: 0602 approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	2245 Bridge Deck Cure Bridge Decks ASTM C309, Type 2, Class B ID#: 0604 approved 8 /21/2008

702.03.05 POZZOLANS

Vendor Name / Address	Product Name	Remarks
Boral Material Technologies Craig Plunk 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 craig.plunk@boral.com	Phone: (210) 349-4069 Cell: Fax: www.boral.com	Boral Micron 3 Fly Ash Class F Plant: Rockdale, TX Plant: Monticello, TX ID#: 0570 approved 2 /17/2010

702.03.05 POZZOLANS

Vendor Name / Address	Product Name	Remarks
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 www.headwaters.com	Bridger Fly Ash Class F Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY ID#: 0572 approved 2 /17/2010
Nevada Cement Company Derek Taylor I-80 Exit 46 Fernley NV 89408 dtaylor@nevadacement.com	Phone: (775) 575-2281 Cell: Fax: (775) 575-4387 www.nevadacement.com	Pozzolan Class "N" Class N ID#: 3059 approved 4 /8 /2011
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	Pozzolan Type F Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM ID#: 0913 Provisional approved until 2/4/2012 approved 2 /4 /2011
Whitemud Resources Incorporated Rick Ketcheson 3345 8th Street Southwest Suite 30J Calgary AB T2G 3A4 rketcheson@whitemudresources.com	Phone: (403) 517-0058 Cell: (602) 300-2123 Fax: (403) 517-0046 www.whitemudresources.com	Whitemud ID#: 1443 approved 2 /4 /2011

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address	Product Name	Remarks
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Roadsaver Silicone SL ID#: 0552 approved 6 /20/2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	890 SL (replaces 888-SL) ID#: 0130 approved 3 /20/1997
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	DSB 900 SL Self Leveling Silicone ID#: 0518 approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	Pecora 300 ID#: 0314 approved 9 /15/2001

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address	Product Name	Remarks
Sika Corporation Bruce Lakatosh 995 Towbin Avenue Lakewood NJ 08701 lakatosh.bruce@sika-corp.com	Phone: (800) 641-8242 Cell: Fax: (973) 473-4222 www.sika.com	Sika Sil 728 SL ID#: 0534 approved 4 /10/2006
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	Spectrum 900 SL Formula 974831 w/ 333 Cartridges ID#: 0362 approved 5 /31/2002

714.03.01 COATING SYSTEMS FOR BRIDGES

Vendor Name / Address	Product Name	Remarks
Carboline Protective Coatings Debbie Lanham 2150 Schuetz Road Maryland Heights MO 63146 dlanham@carboline.com	Phone: (888) 227-2654 Cell: (314) 644-1000 Fax: (314) 587-2699 www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: ID#: 0132 approved 12/30/1998
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	Shop Coat: Interzinc® 22HS Primer Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS ID#: 0430 approved 1 /10/2005
PPG Protective & Marine Coatings Nye Miller 18220 Watson Way Yorba Linda CA 92886 nyemiller@msm.com	Phone: (562) 691-9600 Cell: (714) 337-1953 Fax: (714) 777-3586 www.ppgpmc.com	Shop Coat: Dimetcote® 9 Inorganic Zinc Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi- Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure ID#: 0592 approved 5 /21/2008
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	Shop Coat: Zinc Clad® II Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150 ID#: 0424 approved 12/30/1998

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3300 Flex P 3340 Cone type III type III for Barricades and Cones ID#: 0642, 0291 approved 9 /10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	334 P 3990 VIP DG type IX type IX ID#: 0141, 0589 approved 9 /10/2010

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3900 3924S OP RS-24*	type IV type IV type IV for Barricades ONLY and Permanent Traffic; approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3910 FL DG 3914 FL DG	type VI type VI for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	444 DG3 B 446 DG3 B 4000 DG3 WZ	type XI type XI type XI B=Barricade; WZ=Work Zones approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OC T11500 OC T11511 OC T11513 OC T11514	type XI type XI type XI type XI OC=OmniCube approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OV T9500 OV T9511 OV T9513 OV T9514	type IX type IX type IX type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	S9000C Cone Collar	type VI for reboundable traffic cones ONLY approved 2 /2 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	T5500A HI T7000 F T7500 P	type III type IV type IV for Flagger Paddles ONLY; F=Florescent, P=Prismatic, HI=High Intensity approved 9 /15/2003
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	W6000 P T6500 P HI W7514 F	type III type VIII type VIII for temporary traffic control devices, delineators and permanent signs ONLY; approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	WR-7100 White R WR-7114 Orange FR	type IV type IV F= Fluorescent; R= Reboundable approved 3 /31/2011

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks	ID#:	
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	92847 Crystal Flu Orange* Nikkalite CRG 92802 W	type IV type IV for permanent traffic signs ONLY; *for Flagger Paddles ONLY	0522, 0650 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92804 Y Nikkalite CRG 92805 R	type IV type IV for permanent traffic signs ONLY	0651, 0652 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92806 B Nikkalite CRG 92808 G	type IV type IV for permanent traffic signs ONLY	0653, 0654 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92844 Flu Y- G Nikkalite HI ULGH II	type IV type IV for permanent traffic signs ONLY	0649, 0271 approved 9 /10/2010
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	AP 1000 AR 1000	type V type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	0295, 3071 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Marathon Roll-up Super Bright Roll-up	type VI type VI For use in Emergency Traffic Control Construction Work Zones and Utility Work Areas.	0294, 0162 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Resilience Channelizer Tape Reflective Flag*	type IV type VI For use in construction work zones on drums, cones, tubes, posts, and vertical panels;	1275, 3070 approved 4 /6 /2011

726.03.04 MULCH

Vendor Name / Address	Product Name	Remarks	ID#:	
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	Second Nature Paper Fiber Mulch		0146 approved 6 /25/1998

726.03.04 MULCH**Vendor Name / Address****Product Name****Remarks**

Hamilton Manufacturing Inc Patrick Andrew 901 Russet Street Twin Falls ID 83301 info@hmi-mfg.com/patrick@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	Nature's Own	ID#: 0147 approved 6 /25/1998
--	--	--------------	---

North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	HydraCX2 Extreme Slope Matrix	ID#: 0715 approved 5 /28/2010
---	---	-------------------------------	---

Profile Products LLC Heather Rohde 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089 hrohde@profileproducts.com	Phone: (847) 215-3454 Cell: Fax: (847) 215-0577 www.profileproducts.com	Conweb 1000 Flexterra	ID#: 0145, 0244 approved 12/18/2008
---	--	-----------------------	---

Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 3064, 0318 approved 11/2 /2001
--	--	------------------------------------	--

726.03.05 TACKIFIER**Vendor Name / Address****Product Name****Remarks**

Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	TacPac GT	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0148 approved 6 /25/1998
--	--	-----------	---

Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	Driwater Hydro Mix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery ID#: 0277 approved 1 /5 /2001
---	---	--------------------	---

Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Hydropan	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0683 approved 3 /1 /2010
---	---	----------	---

GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmboxtoncompany.com	PX 300	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0433 approved 6 /10/2003
---	---	--------	---

726.03.05 TACKIFIER

Vendor Name / Address	Product Name	Remarks	ID#:
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsoolutions.com		1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	FI-1045 FI-1046 FI-3500 Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0689, 0680, 0681 approved 2 /3 /2010
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Fisch-Stick Terravest Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0152, 0153 approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	LandTack Guar Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com		1777 approved 2 /26/2011
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	EarthGuard EarthGuard Fiber Matrix Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	3064, 0318 approved 11/2 /2001

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Road Boss Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	application and dilution rates follow manufacturer's instructions	0498 approved 11/8 /2005
ENCAP LLC Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	PAM-12 PLUS Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.enceppro.com/index.php/products/	application and dilution rates follow manufacturer's instructions	1205 approved 3 /10/2008
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Earthbind 100 Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	0420 approved 3 /17/2003

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Hydropan Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	application and dilution rates follow manufacturer's instructions	0683 approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Road Oyl Soil Seal Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0323, 0324, 0325 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	application and dilution rates follow manufacturer's instructions	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hottle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions	0160, 0149, 0154 approved 5 /18/2004
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	FI-1045 FI-1046 FI-3500 Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	application and dilution rates follow manufacturer's instructions	0689, 0680, 0681 approved 2 /3 /2010
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247	application and dilution rates follow manufacturer's instructions; application and dilution rates follow manufacturer's instructions	0521 approved 1 /4 /2001
North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	HydraCX2 Extreme Slope Matrix Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	application and dilution rates follow manufacturer's instructions	0285 approved 5 /29/2009
NU Equipment Incorporated Julia Frehener 184 West Brooks Avenue Las Vegas NV 89030 julie@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 249-1900 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions	0275, 0230 approved 11/13/2000

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:	
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 391-1054 www.eaglehighmast.com	Topein S Emulsion	application and dilution rates follow manufacturer's instructions	0479 approved 2/28/2002
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Fisch-Stick Terravest	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	LandTack Guar		ID#: 1777 approved 2/26/2011
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	Plas-Tex Poly-Tex	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilber Road, Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	Soiltac®	application and dilution rates follow manufacturer's instructions	ID#: 0364 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2/2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	AirtrolTM Geobinder Enviro-Shield Bonded Fiber	application and dilution rates follow manufacturer's instructions	ID#: 0555, 0554 approved 8/28/2006

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	HS 200 Epoxy Adhesive Ultra Bond 1	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	0422, 0329 approved 11/21/2005

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address		Product Name	Remarks	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	Ultra Bond 1100 Ultra Bond 1300	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 0330, 0331 approved 11/21/2005
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 4/29/2004
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Anchor I J-51 Sure Film J-74 Evaporation	type I, II, IV and V; Grade 3; Class A	ID#: 0393, 0190 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Duralcrete	type I and type II	ID#: 0536 approved 11/8/2004
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (800) 950-6119 Cell: (800) 950-6610 Fax: (800) 950-6610 www.us.hilti.com	THE 50 HT RE 500 Epoxy Adhesive Anchor	type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	ID#: 0322, 0323 approved 7/6/2009
ITW Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	Phone: (630) 350-0370 Cell: (630) 694-4720 Fax: (630) 495-6204 www.itw-redhead.com	Ceramic 6 Epcon C6	type I & IV; Grade 3; classes B&C	ID#: 0341, 1006 approved 5/14/2002
Mapei Americas Headquarters Customer Service 1144 East Newport Center Drive Deerfield Beach FL 33442	Phone: (800) 426-2734 Cell: Fax: www.mapei.com	Planibond AE	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 6/14/2011
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy EP-420 Dynapoxy EP-450	type II, Grade 2; Classes B&C type I, II, IV & V; Grade 1; Classes B&C	ID#: 0737, 0738 approved 6/7/2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy Low Mod Epoxy Dynapoxy TM EP-430 Fast	type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C	ID#: 0334, 0740 approved 6/7/2010

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address	Product Name	Remarks
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	Power Fast Plus Standard Set T308 Plus type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C ID#: 0644, 0645, 0646 approved 11/25/2008
Sika Corporation David Bellinger 4847 Hopyard Road Suite 4-130 Pleasanton CA 94588-2778	Phone: (925) 208-2103 Cell: Fax: (925) 397-3081	Sikadur 35 Hi Mod ID#: 1313 approved 11/14/2002
Simpson Strong Tie Joe Le Bel 5151 South Airport Way Stockton CA 95206 jlebel@strongtie.com	Phone: (800) 999-5099 Cell: (916) 870-7863 Fax: (209) 234-3868 www.simpsonanchors.com	EDOT ET22 Epoxy-Tie Resin Adhesive type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C ID#: 0217, 0218 approved 1 /15/2009
Titan Construction Supply Inc Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	Pro-Poxy 100 type II, III, IV and V; Grade 3; Class A, B&C ID#: 0569 approved 4 /29/2008
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreesman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 200 Pro-Poxy 300 Pro-poxy 400 type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes B&C ID#: 0218, 0219, 0389 approved 1 /14/2003
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreesman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 50 Super LV Symons ResCon 304 type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes A ID#: 0247, 0248 approved 1 /14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 tgrevious@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (507) 364-8762 www.uspconnectors.com	CIA-GEL 7000 Adhesive type I & IV; Grade 3; Classes B, C&D ID#: 0265 approved 8 /9 /2000
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Rezi Weld 1000 type I, II, IV and V; Grade 2; Classes B&C ID#: 0478 approved 7 /17/2002

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Colorado Paint Company Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	RockHard 1180	White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B "Lead Free Yellow" contains organic yellow pigment.	0199 approved 3/23/2000
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-3	White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B "Lead Free Yellow" contains organic yellow pigment.	0436 approved 7/25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS50 Epoplex LS60	White: LS50 Part A White: LS60 Part A Yellow: LS50 Part A Yellow: LS60 Part A Hardener: LS50 Part B Hardener: LS60 Part B	0378, 0379 approved 2/6/2003
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.2 NV Mark 55.3 NV	White: Mark 55.2 Part A Mark 55.3 Part A Yellow: Mark 55.2 Part A Mark 55.3 Part B Hardener: Mark 55.2 Part B Mark 55.3 Part B	0109, 0110 approved 5/11/2004
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.4 NV	White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B "Lead Free Yellow" contains organic yellow pigment.	0111 approved 10/24/1997

729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS

Vendor Name / Address	Product Name	Remarks	ID#:	
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	UCAR TM DT 250 NA UCAR TM DT 400 NA	type I type II	0166, 1067 approved 7/19/2002
Dow Chemical / Rohm & Haas Susan Ridder 100 Independence Mall West Philadelphia PA 19106 sridder@dow.com	Phone: (800) 967-7704 Cell: (215) 592-3846 Fax: (800) 382-4008 www.dowchemical.com	Fastrack® Fastrack 3427 Fastrack® HD21A	type I; prev Rhoplex TM Fastrack 3427 type II; prev Rhoplex TM Fastrack HD21A	0318, 0319 approved 5/20/1999

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks	ID#:	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2	UCAR Latex DT 250 NA UCAR Latex DT 250 NA	0490, 0491 approved 12/11/2002

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1 Fastrack® 3427 Fastrack® 3427 ID#: 0345, 0346 approved 12/1 /2002

Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6000 Y: Pervo Plastics 6003 Fastrack® 3427 Fastrack® 3427 ID#: 0349, 0350 approved 7 /30/2002
--	---	---

729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)

Vendor Name / Address	Product Name	Remarks
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2 UCAR Latex DT 400 NA UCAR Latex DT 400 NA ID#: 0353, 0354 approved 12/11/2002

Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1 Fastrack® HD21A Fastrack® HD21A ID#: 0540, 0541 approved 12/11/2002
--	--	---

Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6050 Y: Pervo Plastics 6053 Fastrack® HD21A Fastrack® HD21A ID#: 0351, 0352 approved 7 /30/2002
--	---	---

Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	W: TM2398 Y: TM2399 Fastrack® HD-21A Fastrack® HD-21A ID#: 0423, 0424 approved 7 /9 /2003
--	--	---

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Liquid Pavement Markings White: Part A 1200; Beads must be approved by Materials separately. Yellow: Part A 1201 Cross Linker: Part B 1230 ID#: 0444 "Lead Free Yellow" contains organic yellow approved 8 /16/2000

Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-5 White: HPS-5 Part A; Beads must be approved by Materials separately. Yellow: HPS-5 Part A Cross Linker: HPS-5 Part B ID#: 0439 "Lead Free Yellow" contains organic yellow approved 7 /25/2002
--	--	--

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks	ID#:	
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS90	White: LS90 Part A; Beads must be approved by Materials seperately. Yellow: LS90 Part A Cross Linker: LS90 Part B "Lead Free Yellow" contains organic yellow	0440 approved 2 /6 /2003

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270	type I approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type I white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 Series 200 Series Delta-line TWR	type I approved 10/10/2007
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35 Series Director 60	type I type I approved 2 /17/2004

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

Vendor Name / Address	Product Name	Remarks	ID#:
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type II white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 900 Series Delta-line XRP	type II approved 6 /17/2008
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35	type II approved 2 /17/2004

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

Vendor Name / Address		Product Name	Remarks	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270 Series 380 Series 390	type IV type IV type IV IES is a standard high performance optic WR ES is a standard high performance, wet	ID#: 0460, 0461, 0533 approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 400	type IV	ID#: 0015 approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line XRP	type IV	ID#: 0673 approved 2 /2 /2010

732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)

Vendor Name / Address		Product Name	Remarks	
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 jeannie@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownthermo.com	Tuffline Alkyd	lead free	ID#: 0398 approved 10/14/2004
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 885555 Alkyd Y: 884685 Alkyd	lead free	ID#: 0656, 0674 approved 9 /30/2009

732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)

Vendor Name / Address		Product Name	Remarks	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	Flame Tape Thermaline		ID#: 0299, 0300 approved 5 /14/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	Hot Tape Premark® PLUS	replaced Premark 20/20 Flex Plus	ID#: 0168, 0169 approved 5 /3 /2001

QPL NOTES
December 10, 2010

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.



QUALIFIED PRODUCTS LIST (QPL)

Table of Contents

Spec #	Spec Description	Page #
496.02.01	AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	4
728.03.02a	ANCHORING SYSTEMS (EPOXY)	57-59
401.03.02	ASPHALT RELEASE AGENTS	2-3
625.03.04	BARRICADES	32-34
625.02.06	BARRIER RAIL (WATER FILLED)	28
625.02.07	BEACON (PORTABLE LIGHT SYSTEM)	29
610.02.01	CELLULAR EROSION CONTROL MATS	13
625.02.03a	CHANGEABLE MESSAGE SIGNS	25
625.02.03b	CHANGEABLE MESSAGE SIGNS (INTELLIGENT)	26-27
714.03.01	COATING SYSTEMS FOR BRIDGES	49-50
713.03.01	COATING SYSTEMS FOR BRIDGES	49-50
502.02.05a	COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)	5-6
505.02.01	COATINGS (EPOXY FOR STEEL REINFORCING BARS)	8-9
502.02.04b	CONCRETE PAINT	5
502.02.04a	CONCRETE STAIN	5
646.03.04	CRACK SEALANTS	46
702.03.04	CURING COMPOUND (BRIDGE DECK)	47-48
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	46
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	47
613.02.01	DETECTABLE WARNINGS (ADA TILE)	13-14
623.05.26	DETECTORS (RED LIGHT)	22
623.02.16	DUCT SEALING COMPOUND	20
637.02.01	DUST PALLIATIVE (OPTIONAL)	39-42
623.01.01	DYNAMIC MESSAGE SIGNS	18
409.03.10	EVAPORATIVE RETARDER	3-4
502.03.13k	EXPANSION JOINT (SPECIAL)	7
502.03.13l	EXPANSION JOINT SEALANT	7
502.03.13j	EXPANSION JOINTS (ASPHALTIC PLUG)	7
616.02.01	FABRIC (PLASTIC FENCE)	14
609.02.01a	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	9-11
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	8
618.02.01c	GUARDRAIL OFFSET BLOCKS	15
618.02.01a	GUARDRAIL TERMINAL (FLARED)	15

Spec #	Spec Description	Page #
618.02.01b	GUARDRAIL TERMINAL (TANGENTIAL)	15
625.02.01	GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)	23-24
619.02.01	GUIDEPOSTS (FLEXIBLE)	15-16
630.02.01	HEADLIGHT GLARE SCREENS MODULAR UNITS	34
401.02.03a	HERBICIDES	1-2
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	19
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	27
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	28
641.02.01	IMPACT ATTENUATORS	45
502.03.13i	JOINT FILLERS (PREFORMED)	6-7
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	8
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	49
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	37-38
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	22
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	24
640.02.03a	MSE WALL	43-44
640.02.03b	MSE WALL (LARGE SIZE 5' x 10' PANELS)	44
726.03.04	MULCH	52-53
619.02.01a	OBJECT MARKERS (FLEXIBLE, TYPE 2)	17-18
496.02.02a	OVERLAY SYSTEM (MULTILAYER)	4-5
729.03.04	PAINT MARKING MATERIAL (EPOXY)	59-60
729.03.06	PAINT MARKING MATERIAL (POLYUREA)	61
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	35-36
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	36
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	36-37
633.02.04	PAVEMENT MARKERS ADHESIVE	37
732.03.01	PAVEMENT MARKING TAPE (TYPE 1)	61-62
732.03.02	PAVEMENT MARKING TAPE (TYPE 2)	62
732.03.03	PAVEMENT MARKING TAPE (TYPE 4)	62-63
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	63
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	63
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	38-39
702.03.05	POZZOLANS	48
729.03.05a	RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS	60

Spec #	Spec Description	Page #
729.03.05c	RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)	60-61
729.03.05b	RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)	60
716.03.01	REFLECTIVE SHEETING	50-52
640.02.04	RETAINING WALL (MODULAR BLOCK)	45
632.03.05	RETROREFLECTOMETERS	34-35
637.02.05	ROADWAY INLET PROTECTION	42-43
623.02.08	SERVICE PEDESTALS	19
623.03.15	SIGN LIGHTING FIXTURES	22
625.03.03	SIGN SUPPORT SYSTEM	29-32
627.02.01a	SIGNS (POLYCARBONATE)	34
637.02.02	SILT FENCE	42
726.03.13	SOIL STABILIZER	54-56
640.02.03c	SOUNDWALL SYSTEMS	44
609.02.01b	STORMWATER TREATMENT VAULTS	11-12
509.03.09	SYNTHETIC DRILLING SLURRY	9
726.03.05	TACKIFIER	53-54
623.03.01	TRAFFIC SIGNALS	21-22
609.02.01c	TRENCH DRAINS	12-13
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	20-21
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	20



QUALIFIED PRODUCTS LIST (QPL)

Table of Contents

Spec #	Spec Description	Page #
496.02.01	AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	4
728.03.02a	ANCHORING SYSTEMS (EPOXY)	57-59
401.03.02	ASPHALT RELEASE AGENTS	2-3
213.02.16	BACKFLOW PREVENTER COVER	1
625.03.04	BARRICADES	32-34
625.02.06	BARRIER RAIL (WATER FILLED)	28
625.02.07	BEACON (PORTABLE LIGHT SYSTEM)	29
610.02.01	CELLULAR EROSION CONTROL MATS	13
625.02.03a	CHANGEABLE MESSAGE SIGNS	25
625.02.03b	CHANGEABLE MESSAGE SIGNS (INTELLIGENT)	26-27
714.03.01	COATING SYSTEMS FOR BRIDGES	49-50
713.03.01	COATING SYSTEMS FOR BRIDGES	49-50
502.02.05a	COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)	5-6
505.02.01	COATINGS (EPOXY FOR STEEL REINFORCING BARS)	8-9
502.02.04b	CONCRETE PAINT	5
502.02.04a	CONCRETE STAIN	5
646.03.04	CRACK SEALANTS	46
702.03.04	CURING COMPOUND (BRIDGE DECK)	47-48
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	46
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	47
613.02.01	DETECTABLE WARNINGS (ADA TILE)	13-14
623.05.26	DETECTORS (RED LIGHT)	22
623.02.16	DUCT SEALING COMPOUND	20
637.02.01	DUST PALLIATIVE (OPTIONAL)	39-42
623.01.01	DYNAMIC MESSAGE SIGNS	18
409.03.10	EVAPORATIVE RETARDER	3-4
502.03.13k	EXPANSION JOINT (SPECIAL)	7
502.03.13i	EXPANSION JOINT SEALANT	7
502.03.13j	EXPANSION JOINTS (ASPHALTIC PLUG)	7
616.02.01	FABRIC (PLASTIC FENCE)	14
609.02.01a	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	9-11
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	8
618.02.01c	GUARDRAIL OFFSET BLOCKS	15

Spec #	Spec Description	Page #
618.02.01a	GUARDRAIL TERMINAL (FLARED)	15
618.02.01b	GUARDRAIL TERMINAL (TANGENTIAL)	15
625.02.01	GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)	23-24
619.02.01	GUIDEPOSTS (FLEXIBLE)	15-16
630.02.01	HEADLIGHT GLARE SCREENS MODULAR UNITS	34
401.02.03a	HERBICIDES	1-2
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	19
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	27
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	28
641.02.01	IMPACT ATTENUATORS	45
502.03.13i	JOINT FILLERS (PREFORMED)	6-7
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	8
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	49
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	37-38
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	22
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	24
640.02.03a	MSE WALL	43-44
640.02.03b	MSE WALL (LARGE SIZE 5' x 10' PANELS)	44
726.03.04	MULCH	52-53
619.02.01a	OBJECT MARKERS (FLEXIBLE, TYPE 2)	17-18
496.02.02a	OVERLAY SYSTEM (MULTILAYER)	4-5
729.03.04	PAINT MARKING MATERIAL (EPOXY)	59-60
729.03.06	PAINT MARKING MATERIAL (POLYUREA)	61
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	35-36
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	36
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	36-37
633.02.04	PAVEMENT MARKERS ADHESIVE	37
732.03.01	PAVEMENT MARKING TAPE (TYPE 1)	61-62
732.03.02	PAVEMENT MARKING TAPE (TYPE 2)	62
732.03.03	PAVEMENT MARKING TAPE (TYPE 4)	62-63
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	63
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	63
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	38-39
702.03.05	POZZOLANS	48
729.03.05a	RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS	60

Spec #	Spec Description	Page #
729.03.05c	RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)	60-61
729.03.05b	RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)	60
716.03.01	REFLECTIVE SHEETING	50-52
640.02.04	RETAINING WALL (MODULAR BLOCK)	45
632.03.05	RETROREFLECTOMETERS	34-35
637.02.05	ROADWAY INLET PROTECTION	42-43
623.02.08	SERVICE PEDESTALS	19
623.03.15	SIGN LIGHTING FIXTURES	22
625.03.03	SIGN SUPPORT SYSTEM	29-32
627.02.01a	SIGNS (POLYCARBONATE)	34
637.02.02	SILT FENCE	42
726.03.13	SOIL STABILIZER	54-56
640.02.03c	SOUNDWALL SYSTEMS	44
609.02.01b	STORMWATER TREATMENT VAULTS	11-12
509.03.09	SYNTHETIC DRILLING SLURRY	9
726.03.05	TACKIFIER	53-54
623.03.01	TRAFFIC SIGNALS	21-22
609.02.01c	TRENCH DRAINS	12-13
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	20-21
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	20



NEVADA DEPARTMENT OF TRANSPORTATION

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

Vendor Name / Address	Product Name	Remarks
V I T Products Kim Goldenstein 2063 Wineridge Place Escondido CA 92029	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211	ALPHI 60 SBBC 50
		ID#: 3045, 3046 approved 6 /13/2006

213.03.05 JOINT COMPOUNDS FOR IRRIGATION PIPE

Vendor Name / Address	Product Name	Remarks
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (800) 441-0051 Cell: (713) 860-6717 Fax: (713) 263-7577 www.rectorseal.com	RectorSeal #5
		ID#: 0206 approved 8 /2 /1999

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Susan Keim PO Box 306 Commence City CO 80037 susan@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	NEX Mailbox Support System
		type C ID#: 0487 approved 3 /29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	V-LOC Mailbox Support System
		type C ID#: 0006 approved 11/4 /1997

401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated Howard Stoddard 5903 Genoa Red Bluff Road Pasadena TX 77507 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501 www.controlsolutionsinc.com	Pramitol 25E
		application rate: 38L/hectare 25 gal/acre ID#: 0007 approved 8 /1 /1993
Dow AgroSciences LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmiller@dow.com	Phone: (800) 313-7378 Cell: (317) 337-3000 Fax: (916) 525-2710 www.dowagro.com	Spike 80 DF Spike 80 W
		application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application ID#: 0008, 0480 approved 8 /2 /1993

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
-----------------------	--------------	---------

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address		Product Name	Remarks
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Slider Super Slick Bio	ID#: 0494, 0495 approved 7/12/2006
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	Black Magic "For Rubber" Black Magic "13"	ID#: 0261, 0260 approved 7/21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	GrenGuard Thermal Slide	ID#: 0597, 0262 approved 11/5/2009
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	2217-A 2217-B 6992	ID#: 0421, 0587, 0716 approved 12/20/2007
Compound Technologies Inc Chris Henke 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-5794 Fax: (770) 386-3391 www.piltec.com	No 1	dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 0263 approved 7/21/2000
Morning Star Solutions Inc Tammy Price 2750 East 4215 South Salt Lake City UT 84124 tamme-price@yahoo.com	Phone: (801) 548-2287 Cell: Fax: (801) 274-2425	Clean Slate Clean Slate 2	ID#: 0632, 0603 approved 6/12/2006
North American Chemical Rick Albers 161 West DiMaggio Drive Tooele UT 84074 greymojo@msn.com	Phone: (435) 840-2258 Cell: (800) 877-1201 Fax:	8 Super Slide	ID#: 0758 approved 9/10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	Enviro-Slide Ultra	ID#: 0259 approved 4/26/2000
Tec-Team Industries Karen Price P.O. Box 15128 Lynchburg VA 24502 tecteam2@gmail.com	Phone: (800) 700-2530 Cell: (434) 582-4503 Fax: (434) 582-4505 www.thetecteam.com	Teclon-Pro	ID#: 0562 approved 11/9/2006

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
ZEP Manufacturing Company Byran Castelloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Freeze Free ID#: 1451 approved 3/27/2006
ZEP Manufacturing Company Byran Castelloni 25224 South Schulte Road Tracy CA 30318 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep Pinnacle Zep R-5274 Zep R-6690 Zep XT-3199 n/a non solvent non solvent n/a ID#: 3105, 3106, 3107, 3108 approved 1/12/2010

408.02.05 ALL WEATHER COLD PATCH

Vendor Name / Address	Product Name	Remarks
No Vendors at this Time **	Phone: Cell: Fax:	No Vendors at this Time ID#: approved 6/14/2011

409.03.10 EVAPORATIVE RETARDER

Vendor Name / Address	Product Name	Remarks
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film ID#: 0419 approved 1/29/2003
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	Confilm application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 0203 approved 10/31/2010
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Film J-74 application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal ID#: 0242 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Eucobar ID#: 0044 approved 8/21/1997
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (800) 637-6372 Cell: (410) 354-8600 Fax: (410) 354-1122 www.kaufmanproducts.net	VaporAid 060 ID#: 0191 approved 8/2/1999

409.03.10 EVAPORATIVE RETARDER

Vendor Name / Address		Product Name	Remarks	
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (888) 839-2661 Cell: (215) 332-7709 Fax: (215) 332-9997 www.vexcon.com	Certi-Vex Envioassist	application rate: 4.9 m2/1 to 200 ft2/gal	ID#: 0193 approved 8/2/1999
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Sealtight Evapre	application rate: 1 gal to 9 gal water	ID#: 0194 approved 3/27/2006

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

Vendor Name / Address		Product Name	Remarks	
Cemex Michael Camello 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762 michael.camello@cemex.com	Phone: (925) 426-8787 Cell: Fax: (916) 939-7481 www.cemex.com	Aggregate		ID#: 0014 approved 1/26/1997

496.02.02a OVERLAY SYSTEM (MULTILAYER)

Vendor Name / Address		Product Name	Remarks	
E-Bond Epoxies Steve Frank 3491 Old Cobbler Court San Diego CA 92111 stevepolymerdek@aol.com	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	E-Bond 526 (aka E-Bond 34) w/Silica 6/8 Blend	Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290	ID#: 0755 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48	Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120	ID#: 0753 approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Poly-Carb Mark 163 Flexogrid/Flint Rock 65-8orGr8	Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737	ID#: 0743 approved 8/29/2009
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8	Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737	ID#: 0754 approved 8/29/2009

502.02.04a CONCRETE STAIN

Vendor Name / Address		Product Name	Remarks	
------------------------------	--	---------------------	----------------	--

502.02.04a CONCRETE STAIN

Vendor Name / Address	Product Name	Remarks	ID#:
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	Canyon Tone Stain	0519 approved 4/12/2005
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	Coverall 2800 AF Ext. Flat	0761 approved 5/20/2008

502.02.04b CONCRETE PAINT

Vendor Name / Address	Product Name	Remarks	ID#:
No Vendors at this Time **	Phone: Cell: Fax:	No Vendors at this Time	 approved 9/7/2010

502.02.05a COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123 www.americanpolymer.com	Clear VU High Solids (AP 307)	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202) 10/08 new product replaces GSS 10 0389 approved 7/6/2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	Fluorogrip® Anti Graffiti Film	for Signs ONLY 0763 approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	Monochem Permashield 5600 Premium System	company passed an additional metal field test 0679 approved 10/6/2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (801) 255-7123 Cell: Fax: (888) 273-4489 www.seichemical.com	GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer	flattening agent required 0680, 0725 approved 9/29/2009
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	2K Waterbased Urethane Anti Graffiti	Part A: B65T00194 and Part B: B65V190 0724 approved 9/21/2009

502.02.05a COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)

Vendor Name / Address	Product Name	Remarks
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	Graffiti-Gard "S" ID#: 0762 approved 11/12/2010

502.03.13i JOINT FILLERS (PREFORMED)

Vendor Name / Address	Product Name	Remarks
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239 www.wbacorp.com	JEENE® Structural & Sealing Jt Wabo® Evazote UV ID#: 0011, 0005 approved 8 /2 /2006
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	MetaZeal Phyzite 380 ID#: 0509, 0009 approved 7 /24/2007
Polysat Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 benz@polysat.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polysat.com	Ply-Seal Ply-Seal XE Beige ID#: 1862, 1863 approved 3 /28/2011
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	Silicoflex ID#: 0276 approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive #16 Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	Will Seal 600 ID#: 0347 approved 10/31/1995
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	W Seal ID#: 0131 approved 4 /19/1999

502.03.13j EXPANSION JOINTS (ASPHALTIC PLUG)

Vendor Name / Address	Product Name	Remarks
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	Matrix 502 Pave Tech ID#: 0198 approved 6 /5 /1997

502.03.13j EXPANSION JOINTS (ASPHALTIC PLUG)

Vendor Name / Address	Product Name	Remarks	ID#:
Dynamic Surface Application Ltd Tim Persing 373 Village Road Pennsdale PA 17756 tpersing@dsa-ltd.com	Phone: (800) 546-6041 Cell: (570) 337-3605 Fax: (570) 546-2415 www.dsa-ltd.com	BJS Thorma Joint System	0360 approved 9/19/2002

502.03.13k EXPANSION JOINT (SPECIAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Silicone Specialties Incorporated Dale Baker PO Box 50009 Tulsa OK 74150 dale.baker@ssicm.com	Phone: (800) 888-8909 Cell: (918) 698-6797 Fax: (918) 582-7510 www.ssicm.com	Dow 902 XJS Joint System	this is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. 0212 approved 4/22/2002

502.03.13l EXPANSION JOINT SEALANT

Vendor Name / Address	Product Name	Remarks	ID#:
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (716) 691-7566 Cell: (716) 553-7308 Fax: (716) 553-7308 www.wbacorp.com	Wabo® Silicone Seal	two part sealant 0340 approved 8/2/2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	902 RCS	0339 approved 4/22/2002

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Tammscoat Fine	0567 approved 7/18/2007
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	TexCote 300 Bridge Cote TexCote XL70 Bridge Cote	0595, 0596 approved 6/16/2008

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks	ID#:
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Crafco Asphalt Rubber	type 1, 2 or 4 depends on the climate zone 0020 approved 1/7/1998

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address	Product Name	Remarks	ID#:
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Calseal type 1, 2 or 4 depends on the climate zone	0025 approved 9 /8 /1998
Maxwell Products Incorporated Larry Allen 650 Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 44 Elastoflex 56 type 1, 2 or 4 depends on the climate zone	0022, 0023 approved 9 /30/1996

505.02.01 COATINGS (EPOXY FOR STEEL REINFORCING BARS)

Vendor Name / Address	Product Name	Remarks	ID#:
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fitz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (615) 983-4818 www.akzonobel.com	Resicoat RB600 HKF30R	0591 approved 4 /30/2008
Dupont Powder Coatings Inc Richard Pontes 9800 Genard Road Houston TX 77041 richard.pontes@usa.dupont.com	Phone: (800) 247-2598 Cell: (775) 527-1337 Fax: (614) 771-4139 www.hoovers.com/dupont-coatings	7-2719 Nap Guard	0281 approved 1 /22/2001
Valspar Corporation, The Michael Adams 1136 Fayette North Kansas City MO 64116 madams@valspar.com	Phone: (281) 370-6164 Cell: (281) 795-1461 Fax: (281) 370-6654 www.valspar.com	Lilly Greenbar #720A009	0028 approved 4 /4 /2000

509.03.09 SYNTHETIC DRILLING SLURRY

Vendor Name / Address	Product Name	Remarks	ID#:
CETCO Construction Drilling Products Randy Strickland 2870 Forbes Avenue Hoffman Estates IL 60192 randy.strickland@cetco.com	Phone: (800) 527-9948 Cell: (817) 584-6792 Fax: (847) 851-1332 www.cetco.com	Shore Pac	0559 approved 9 /25/2006
Geo-Tech Drilling Fluids Max Holmes 1781 Hawthorne Loop Driftwood TX 78619 mholmes@geotech.us	Phone: (210) 587-4758 Cell: (310) 923-4160 Fax: (210) 568-4567 www.pdscoin.com	Novagel Polymer	0558 approved 9 /25/2006
PDS Company Customer Service 8140 East Rosecrans Avenue Paramount CA 90723 sales@pdscoinc.com	Phone: (562) 634-8180 Cell: (870) 863-5707 Fax: (562) 634-1350 www.pdscoinc.com	Super Mud %Champion Equipment Co	0560 approved 9 /25/2006

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Atlas Pro-1 Patch Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0315 approved 5 /14/2009
BASF Corporation Pete Warren 889 Valley Park Drive Shakopee MN 55379 pete.warren@basf.com	Emaco S66 CI Rapid Mortar 10-60 Set 45 (CT) Phone: (800) 433-9517 Cell: (415) 577-8479 Fax: (800) 496-6067 www.buildingstystems.basf.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0385, 0386, 0387 approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	UltiGrout® Ulti Pave3® Phone: (610) 882-5013 Cell: Fax: (610) 868-8795 www.buzziunicemusa.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0745, 0746 approved 7 /12/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	RS Cement All RS Concret RS DOT Repair RS Motar Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. RS= Rapid Set	0039, 0712 0713, 0714 approved 1 /27/1994
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Dayton Superior HD-50 Edoco Fast Patch 928 Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0038, 0037 approved 9 /30/1996
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	EucoSpeed EucoSpeed MP Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0537, 0538 approved 9 /23/1998
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Express Repair Hi Flow Grout Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0539, 0047 approved 11/8 /2005
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Speed Crete® 2028 Rapid Speed Crete® Green Line Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0041, 0042 approved 1 /8 /2004
Five Star Products Incorporated Chris Piekos 750 Commerce Drive Fairfield CT 06825 piekosc@fivestarprouducts.com	Highway Patch Structural Concrete Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprouducts.com	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0034, 0040 approved 9 /30/1996

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com	Phone: (209) 830-7803 Cell: (209) 482-4488 Fax: (209) 830-7804 www.us.henkel.com	Loctite MagnaCrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 4 /10/2006
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr	Phone: (949) 677-8229 Cell: Fax: (714) 439-1001 www.concreterepair.com	High Performance Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 1 /3 /2002
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771 www.concreterepairmatierials.com	HP Cement	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 10/22/2004
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC STR Mortar	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 9 /29/2009
WR Meadows of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338	Phone: (623) 932-9383 Cell: Fax: (623) 932-1547 www.wrmeadows.com	Futura 15 Fast Setting Concrete	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. approved 9 /29/2009

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address	Product Name	Remarks	ID#:
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	Phone: (775) 831-4592 Cell: (800) 229-7283 Fax: (775) 831-4592 www.baysaver.com	BaySaver	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 2 /19/2001
Jensen Precast Ron Anderson 825 Steneri Way Sparks NV 89431-5803 randerson@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 352-6364 www.jensenprecast.com	JPHV Stormwater Interceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	Stormceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 4 /22/2001

609.02.01b STORMWATER TREATMENT VAULTS

Vendor Name / Address		Product Name	Remarks	
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	Inceptor	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0348 approved 4 /6 /2006
Tensar International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	CDS StormFilter StormFilter Vortechs	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0447, 0448, 0452 approved 7 /23/2003

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	A-67 Interceptor Polydrain XHD	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0394, 0395, 0767 approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	MHD 200 8" MHD 300	(8"/12" Trench Drain System) This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0561, 0765 approved 7 /5 /2006
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	FF300 Concrete FG200 Concrete TraffikDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0726, 0663, 0380 approved 1 /28/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	S100K Concrete S300K Concrete	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0396, 0397 approved 1 /28/2003
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	Polycast 700 Polycast 900R Polycast 3000	this is a general QPL ONLY; the unit will be selected based on the specific project requirements. R =Removeable	ID#: 0512, 0513, 0514 approved 3 /2 /2005
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	EconoDrain MultiDrain	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0492, 0493 approved 4 /6 /2004

609.02.01c TRENCH DRAINS

Vendor Name / Address		Product Name	Remarks	
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3i43@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	Z-882 (9.25" Wide) Z-886 (4" Wide)	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0441, 0442 approved 3/28/2003

610.02.01 CELLULAR EROSION CONTROL MATS

Vendor Name / Address		Product Name	Remarks	
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0685 approved 11/18/2009
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	Armorflex	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0326 approved 1/21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	Shorblock Shoretac	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0601, 0612 approved 3/23/2009
Tensor International Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	Armotec Cellular Petraflex	this is a general QPL ONLY; the unit will be selected based on the specific project requirements.	ID#: 0332, 0333 approved 10/23/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address		Product Name	Remarks	
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	ACO Detectable Warning Device	approved NV Red ONLY	ID#: 0630 approved 2/26/2009
Advanced Surface Systems LLC Karen "KC" Henry 3260 Northbend Circle Suite D Alcoa TN 37701 bumps@suredome.com	Phone: (865) 233-5680 Cell: (865) 206-4789 Fax: (865) 233-5681 www.suredome.com	SureDome	approved for NV Red and NV Green	ID#: 0598 approved 12/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	ADA Arcis Tactile	approved for NV Red and NV Green	ID#: 0608 approved 9/2/2008

613.02.01 DETECTABLE WARNINGS (ADA TILE)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Armorcast Products Company Sydney Chase 13230 Salicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Armorcast DWS	approved for NV Red and NV Green	ID#: 0848 approved 2/28/2011
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	TekWay Dome Tiles	approved for NV Red and NV Green	ID#: 0564 approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	Step-Safe DWS	approved for NV Red and NV Green	ID#: 0484 approved 3/26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	Cast-in-Tact 3	approved for NV Red and NV Green	ID#: 0666 approved 8/20/2009

616.02.01 FABRIC (PLASTIC FENCE)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	Safety Fence		ID#: 0202 approved 10/10/1999
Tensar International Robert Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.earthtech.com	Safety GeoGrid		ID#: 0345 approved 5/15/2002

618.02.01a GUARDRAIL TERMINAL (FLARED)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	Fleat 350 Fleat SP	TL-3	ID#: 0045, 0668 approved 9/29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	ET Plus SRT 350	TL-3; LET Soil Tubes (replaced with ET Plus)	ID#: 0499, 0768 approved 4/28/2000

618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)

Vendor Name / Address		Product Name	Remarks	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (303) 346-0722 www.roadsystems.com	SKT 350 SKT Lite SKT SP	TL-3	ID#: 0156, 0669, 0670 approved 1/12/1998
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	CAT 350 ET Plus	TL-3	ID#: 0046, 0499 approved 3/30/1997

618.02.01c GUARDRAIL OFFSET BLOCKS

Vendor Name / Address		Product Name	Remarks	
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	Glue Laminated Wood	used with w-beam and tri-beam guardrails	ID#: 0485 approved 3/10/2004
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	King-Block King-Sized	used with steel post tri-beam guardrails	ID#: 0524, 0523 approved 5/31/2005

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model EFX	type II; standard surface and soil/ground mount options available	ID#: 0684, 0692 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model PE FG 300 Model UR	type II; standard surface and soil/ground mount options available	ID#: 0686, 0687 approved 6/19/2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker SH Barrier Replaceable	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available.	ID#: 0606, 0510 approved 10/5/2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Tub RT 360 HD BD Tub	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0621, 0625 approved 10/5/2008

619.02.01 GUIDEPOSTS (FLEXIBLE)

Vendor Name / Address		Product Name	Remarks	
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post SH Tubular	type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0625, 0610 approved 10/5 /2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Driveable Del Socket Mt Del Surface Mt Del	standard surface and surface/soil mount options available and angled mounts	ID#: 0633, 0634, 0635 approved 4 /30/2009
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex Guardrail Clamp Shur-Tite Cable Barrier	standard surface and surface/soil mount options available and angled mounts	ID#: 0637, 0638 approved 4 /30/2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5500 Earthflex Delineator	standard surface and surface/soil mount options available	ID#: 0508 approved 12/3 /2002

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address		Product Name	Remarks	
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	Island Sentry K-Marker		ID#: 0050 approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	BD Marker Round HM Marker Round	type II; standard surface and surface/soil mount options available	ID#: 0052, 0056 approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	T1 Marker Round T2 Marker Round	type II; standard surface and surface/soil mount options available	ID#: 0049, 0051 approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model PE	type II; standard surface and surface/soil mount options available	ID#: 0684, 0686 approved 6 /19/2009

619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)

Vendor Name / Address		Product Name	Remarks	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 Turn Pike Curb	type II; standard surface and surface/soil mount options available	ID#: 0687, 0688 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Type K Island Marker	type II; standard surface and surface/soil mount options available	ID#: 0576 approved 9/13/2007
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD Bolt Down RT 360 HD Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0622, 0623 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post 36" SH Replaceable Barrier	type II; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0610, 0068 approved 10/5/2008
Safe Hit, A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 29916-0098 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH K-Marker Series SH Tubular	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0606, 0628 approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Driveable	type II; standard surface and surface/soil mount options available	ID#: 0676 approved 2/2/2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5215 K Marker	type II; standard surface and surface/soil mount options available	ID#: 0566 approved 12/3/2002

623.01.01 DYNAMIC MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700 www.daktronics.com	Light-Emitting Diode DMS	type I and type II	ID#: 0502 approved 1/7/2004

623.01.01 DYNAMIC MESSAGE SIGNS

Vendor Name / Address	Product Name	Remarks
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	2070 Light-Emitting Diode type I and type II DMS approved 4 / 4 / 2008

623.02.08 SERVICE PEDESTALS

Vendor Name / Address	Product Name	Remarks
Eaton Corporation Tony Barber 1000 Cherrington Parkway Moon Township PA 15108 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771 www.eaton.com	Service Pedestals approved 1 / 7 / 2011
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (949) 387-4863 Cell: (714) 743-0712 Fax: (949) 387-4895 www.milbankmfg.com	Metered Service Pedestals approved 1 / 15 / 2002
Myers Power Products Diana Grootonk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: Fax: (909) 923-1806 www.myerspowerproducts.com	Service Pedestals +UPS/BBS approved 9 / 5 / 2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	Service Pedestals approved 11 / 19 / 2002
Tesco Controls Incorporated Curt Vasey 3409 52nd Avenue Sacramento CA 95823 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 429-2817 www.tescocontrols.com	Tescoflex Service Pedestals approved 11 / 21 / 2002

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

Vendor Name / Address	Product Name	Remarks
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	Series 426 bottom latching approved 12 / 30 / 2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himastltg@aol.com	Phone: (847) 473-3800 Cell: (847) 217-1070 Fax: (847) 473-3870 www.eaglehighmast.com	High Mast Assembly bottom latching approved 1 / 2 / 2004

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

Vendor Name / Address	Product Name	Remarks	ID#:
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Series Holophane LD5 Lighting Lowering D	bottom latching approved 1 /2 /2004

623.02.16 DUCT SEALING COMPOUND

Vendor Name / Address	Product Name	Remarks	ID#:
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483 www.idealindustries.com	Duct Seal	 approved 10/7 /2009

Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	RectorSeal®	 approved 10/7 /2009
---	---	-------------	--

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

Vendor Name / Address	Product Name	Remarks	ID#:
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	Brass Linguine Class 1	 approved 1 /11/2001

Measurement Specialties Inco Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1	 approved 5 /26/1999
--	--	--	--

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	P/N 606 Detector Loop 5000 Rubberized Loop	rubberized asphalt material approved 6 /16/2000

Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	271 Loop Detector 272 Loop Detector	rubberized asphalt material approved 1 /9 /2007
---	---	--	---

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	Stat-a-Flex Polyester Loop polyester material	0061 approved 11/19/1996
Quikrete Company Darrell Brokofsky 7705 Wilbur Way Sacramento CA 95828 dbrokofsky@quikrete.com	Phone: (916) 689-8840 Cell: Fax: (916) 689-8857 www.quikrete.com	Commercial Grade Permanent Blacktop Repair #1701 asphaltic concrete material	0283 approved 1 /1 /2001
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	Perm Sealer 974 Nitrile Pro Seal 6006 Polyester sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material	0064, 0063 approved 12/19/1996
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	Overkote Loop Filler asphaltic emulsion material	0062 approved 8 /5 /1998

623.02.31 DRIVER FEEDBACK SIGNS

Vendor Name / Address	Product Name	Remarks	ID#:
MOR Manufacturing Linda Davis 5676 East Seltice Way Post Falls ID 83854	Phone: (208) 667-8799 Cell: Fax: www.mormanufacturing.com	Driver Feedback Signs	3150 approved 6 /14/2011
RadarSign Charlie Robeson 6845 Shiloh Road East Alpharetta GA 30005 crobeson@radarsign.com	Phone: (208) 667-8799 Cell: Fax: www.radarsign.com	Driver Feedback Signs	3152 approved 6 /14/2011
Traffic Logix Rico 3 Harriett Lane Spring Valley NY 10977	Phone: (866) 915-6449 Cell: Fax: www.trafficlogix.com	Driver Feedback Signs	3153 approved 6 /14/2011

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address	Product Name	Remarks	ID#:
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-5778 www.dialight.com	LED 12" Signal Heads (all) 16"x18" Ped Signal Hea must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications	0335, 0336 approved 3 /26/2002

623.03.01 TRAFFIC SIGNALS

Vendor Name / Address		Product Name	Remarks	
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cheryluang@eoibus.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoibus.com	LED Traffic Signal Pedestrian Traffic Signal	12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSE-LED specifications.	ID#: 0700, 0701 approved 6/17/2008
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	LED 12" Signal Heads (all) 16"x18" Tinted Ped	must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSE-LED specifications	ID#: 1122, 1215 approved 4/6/2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-CIL-9 16" Countdown LED FH/MP	must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSE-LED specifications	ID#: 1406 approved 4/6/2010
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	Phone: (408) 380-1788 Cell: (602) 538-7194 Fax: (408) 518-8128 www.leotek.com	TSL-PED-16-DIL 16" LED FH/MP Indication	must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSE-LED specifications	ID#: 1405 approved 4/6/2010
Phoenix Highway Products Lupa Cruz 2631 North 37th Drive Phoenix AZ 85009 lupa@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	LED 12" Signal Heads Pedestrian Signal Heads	must be intertek ETL verified to be compliant to the most current ITE VTCSE-LED or PTCSE-LED specifications	ID#: 0337, 0338 approved 3/26/2002

623.03.15 SIGN LIGHTING FIXTURES

Vendor Name / Address		Product Name	Remarks	
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	85 Watt Induction Versaflood III Induction	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004)	ID#: 0124, 0402 approved 1/17/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Panel Vue Series Model 85QLXXDG/QD/Door Prop		ID#: 0401 approved 1/17/2003

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

Vendor Name / Address		Product Name	Remarks	
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@lutrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	Lumi Trak		ID#: 0365 approved 10/11/2000

623.05.26 DETECTORS (RED LIGHT)

Vendor Name / Address	Product Name	Remarks
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	Red Light Detector ID#: 0446 approved 7/16/2003
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (760) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	Red Light Detector ID#: 0445 approved 7/16/2003

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	MF-180-36 Masterflex type 3; standard surface/soil mount options available ID#: 0065 approved 8/7/1996
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	SDCF SMDW type III; standard surface/soil mount options available ID#: 0067, 0066 approved 10/1/2008
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb FG 300 Model PE type III; standard surface/soil mount options available ID#: 0684, 0686 approved 6/19/2009
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 UR HD Flex type III; standard surface/soil mount options available ID#: 0687, 0723 approved 6/19/2009
Qwick Kurb® Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 mike@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856 www.quickkurb.com	Qwick Kurb type III; standard surface/soil mount options available ID#: 0627 approved 11/21/2008
RA Lucas Company Inc, The Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: Fax: (562) 799-6150	Enforcer 42" Channelizer ID#: 1003 approved 1/23/2001

625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)

Vendor Name / Address	Product Name	Remarks	ID#:
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	RT 360 HD BD Tub RT 360 HD Tubular	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) approved 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	SH Dura Post SH Replaceable Barrier	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) approved 10/5/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex® Surface/Soil Mt	type III; standard surface/soil mount options available approved 4/30/2009

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

Vendor Name / Address	Product Name	Remarks	ID#:
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktinc.com	FB 33 Flexible Barrier	 0004 approved 2/2/1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	FlexX 2020	w/75 mm X 75mm ID#: 0019 approved 12/17/1997
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com	DAPCO Straight Guardrail Reflector Plates	ID#: 0585 approved 1/9/1995
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	PCBM 12H High Impact PCBM T12H High Impact	ID#: 0017, 0018 approved 10/15/1999
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9300 Roadguide TD 9400 Roadguide	ID#: 0371, 0372 approved 12/3/2002

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.02.03a CHANGEABLE MESSAGE SIGNS

Vendor Name / Address		Product Name	Remarks	
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS	ID#: 0075, 0057, 0359 approved 7 / 1 / 2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP 465		ID#: 0077, 0078 approved 4 / 8 / 1997
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	CMS 80FM		ID#: 0505 approved 10/13/2004
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS	ID#: 0081, 0082 approved 4 / 10 / 2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380		ID#: 0079, 0080 approved 4 / 10 / 2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC HE 1000		ID#: 0084 approved 2 / 22 / 1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS		ID#: 0085 approved 2 / 22 / 1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	WTLMB-S-LL(A)		ID#: 0355 approved 8 / 5 / 2002

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address		Product Name	Remarks	
------------------------------	--	---------------------	----------------	--

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks	ID#:
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000	0073, 0074 approved 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T300* CMS T320* CMS T321*	* DISCONTINUING THESE PRODUCTS ID#: 0075, 0057, 0359 approved 7 /1 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T331 CMS GP465	ID#: 0077, 0078 approved 4 /10/1997
Display Solutions Roy Dexter 6301 Best Friend Road Norcross GA 30071	Phone: (800) 541-9593 Cell: (770) 263-8353 Fax: (770) 662-5400 www.displaysolutionsinc.com	Sunray Solar Model 340	ID#: 0080 approved 10/23/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340* Nighthawk 345*	* DISCONTINUING THESE PRODUCTS ID#: 0081, 0082 approved 4 /10/2000
National Sign & Signal Company Jeff Geoss 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380	ID#: 0079, 0080 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC SM 2000	ID#: 0071 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS	ID#: 0085 approved 2 /22/1998
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger II Silent Messenger III	ID#: 0664, 0665 approved 8 /14/2009

625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)

Vendor Name / Address	Product Name	Remarks
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechtechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechtechnology.com	Silent Messenger Solar Powered ID#: 0086 approved 2/22/1998

625.02.04 IMPACT ATTENUATOR (TEMPORARY)

Vendor Name / Address	Product Name	Remarks
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynegk@gmail.com	Phone: (775) 313-1402 Cell: (887) 274-5994 Fax: (775) 882-6538 www.barriersystemsinc.com	Absorb 350 Universal Tau II TL-3; Compliant; Use a nine-element design (min) with attachment/transition assembly; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0290, 0660 approved 10/30/2009
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Energite III Module N-E-A-T System Quadguard TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0089, 0090, 0091 approved 4/26/2006
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0545 approved 2/23/2007
Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 djones@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	Energite III Fitch Inertial React 350 TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0092, 0093, 0094 approved 4/14/1999
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Sandy 48247-SPI Temp Big Sandy Sand Barrel TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0095, 0096 approved 11/1/2002

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Safe-Stop 180 TMA TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0192 approved 11/3/1999
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	ScorPion C 10,000 TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. ID#: 0264 approved 7/26/2000

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address	Product Name	Remarks
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	MPS 350 III TL-3 Compliant; Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.
		ID#: 0097 approved 9/17/1997

625.02.06 BARRIER RAIL (WATER FILLED)

Vendor Name / Address	Product Name	Remarks
Armorcast Products Company Sydney Chase 13230 Satcoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	Guardian Barrier Water Filled w/350 Kit
		ID#: 0099 approved 6/23/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Triton Barrier use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).
		ID#: 0098 approved 3/30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	Rhino Safety Barrier w/350 kit use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)).
		ID#: 0482 approved 10/24/2007
Safety Barriers David Walker 10519 Lexington Drive Knoxville TN 37933	Phone: (865) 966-9123 Cell: (800) 966-2012 Fax: (865) 675-3622	Water Ballasted Barriers SB-1-TL
		ID#: 0711 approved 3/27/2006
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	Traffic Cntrl System 2001
		ID#: 0551 approved 11/27/2007

625.02.07 BEACON (PORTABLE LIGHT SYSTEM)

Vendor Name / Address	Product Name	Remarks
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-systems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-systems.com	Safety Beacon Light
		ID#: 0188 approved 1/6/1998

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks	ID#:	
Alcan Composites USA Inc Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	Phone: (270) 527-4200 Cell: (800) 434-3042 Fax: (270) 527-1552 www.alcancompositesusa.com	Dibond for Highway Work Zone Signage	must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance	0547, 0593 approved 5 /9 /2006
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	Bone Light 4MM ACM Aluminum Composite	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0616 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412 SZ-460 SZ-484	approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0617, 0618, 0619 approved 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	SZ-412-2S SZ-460-2S SZ-484-2S	approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	0620, 0657, 0658 approved 10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3000S Dynaflex DF3000WQ Dynaflex	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0220, 0221 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DF3003S Dynaflex DF3003W Dynaflex	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0222, 0223 approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	DL1003W Dynaflex UF2000 Uniflex Verticle Portable	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0224, 0225 approved 12/7 /1998
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C200 C202	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0227, 0228 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	C902 Superflex Compact Stand w/Fiberglass Leaf Spr	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0899 approved 5 /31/2000

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address	Product Name	Remarks	ID#:
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Superflex Compact Stand w/Fiberglass Leaf Spr must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0233 approved 5 /31/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X501 FS Coil Spring X550 FS Coil Spring must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0229, 0231 approved 4 /4 /2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	X551 FS Coil Spring X600 FS Coil Spring must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0232, 0233 approved 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS1 SS548 SS548A SS548AE must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0411, 0415, 0405, 0409 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548C SS548CA SS548CAE SS548CE must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0407, 0412, 0418, 0403 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548E SS548UC SS548UCA SS548UCR must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0413, 0406, 0408, 0404 approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560 must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0414, 0416, 0417 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster 4815RB 4818 must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0235, 0251, 0237, 0238 approved 1 /24/2003
Marketing Displays International Glenda Bleau 38271 West Twelve Mile Road Farmington Hills MI 48331 gbleau@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC 4884CS must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	0239, 0240, 0241 approved 1 /24/2003

625.03.03 SIGN SUPPORT SYSTEM

Vendor Name / Address		Product Name	Remarks	
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Buster Dual SF Little Buster Dual SF	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding	ID#: 0243, 0244 approved 5 /31/2000
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Zephyr Portable Stand	48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0248, 0272 approved 5 /31/2000

625.03.04 BARRICADES

Vendor Name / Address		Product Name	Remarks	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	All Plastic Universal Waffle & Steel Legged	type I and type II with or without lights	ID#: 0246 approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	Plywood Panel Barricade	type III with or without lights	ID#: 0245 approved 3 /10/2000
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460 www.hwy-tech.com	Barricade	type 3 with or without lights	ID#: 0435 approved 1 /10/2000
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Barricade O-Frame Barricade	type 3B with or without lights	ID#: 0250, 0613 approved 10/15/1999
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.plasticsafety.com	Anchor Barricade	type III with or without lights	ID#: 0483 approved 5 /5 /2010
Plasticade Industries Hery Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: Fax: (847) 955-8074 www.plasticade.com	Sentinel	type III with or without lights	ID#: 0001 approved 2 /21/2007

625.03.04 BARRICADES

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2100 Works Barricade TD2150 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested - 24"	ID#: 0171, 0374 approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2200 Works Barricade TD2250 Works Barricade	type I and type II type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 0375, 0376 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2300 Works Barricade TD2400 All Plastic	type I and type II type 3B cannot be used in configuration that is wider than was tested	ID#: 0526, 0527 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2500 Works Barricade TD2550 Works Barricade	type I type 3 cannot be used in configuration that is wider than was tested	ID#: 0525, 0529 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 2600 Works Barricade TD2650 Works Barricade	type I and type II type 3 cannot be used in configuration that is wider than was tested	ID#: 0530, 0531 approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 3000 A Frame Barricade	type I and type II cannot be used in configuration that is wider than was tested	ID#: 0532 approved 12/3 /2002
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Sand Fill Bag	type 3 with or without lights	ID#: 0248, 0249 approved 4 /3 /2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 jsmith@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	Lane Changer B500 LC Traffic Drum	type III with or without lights	ID#: 0745 approved 7 /12/2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (954) 931-5247 Fax: (570) 380-2859 www.yodock.com	200/M w/Temporary Signal Model # 2001	type III with or without lights	ID#: 0590 approved 3 /10/2004

627.02.01a SIGNS (POLYCARBONATE)

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
No Vendors at this Time	No Vendors at this Time	ID#:
**	Phone:	
	Cell:	
	Fax:	approved 11/4 /2008

630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940 www.carsonite.com	Modular Guidance System ID#: 0102 approved 10/1 /2008
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	Glare Screen System ID#: 0103 approved 7 /31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	Glare Screen System ID#: 0123 approved 7 /31/1996

632.03.05 RETROREFLECTOMETERS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	LTL-X 30 Meter Geometry LTL-2000 discontinuing 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies ID#: 0211, 0210 approved 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	Mirolux Ultra 30 ID#: 0213 approved 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux CEN 30 LaserLux CEN 30 Mobile 10/08 MX 30 Retroreflectometer was discontinued but still qualifies; both the mobile and portable units are approved. ID#: 0544, 0551 approved 5 /2 /2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series I StripeMaster Series II ID#: 0542, 0543 approved 5 /27/2010

633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	DDOT ABS 100 mm (4") round ID#: 0186 approved 6/2/1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	929 ABS 929 PP Ceramic duplicate ID#: 0172, 0173, 0678 approved 6/1/1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarkers.com	W: Type A/4" Y: Type AY/4" 100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective ID#: 0516, 0517 approved 3/7/2005
Hi-Way Safety Incorporated Kris Harris 13310 5th Street Chino CA 91710 kris@hiwaysafety.com	Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	NRPDRND-YEL 100 mm (4") round ID#: 0511 approved 6/1/1999
Hi-Way Safety Incorporated Kris Harris 13310 5th Street Chino CA 91710 kris@hiwaysafety.com	Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	W: NRPDRND Y: NRPDRND 100 mm (4") round ID#: 0188, 0511 approved 6/1/1999
Interstate Sales Mike Trentman 12600-200 Locksley Lane Auburn CA 95602 miket@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994 www.interstatesales.com	Diamond Back (ABS & Polypropylene) 100 mm (4") round (ABS & Polypropylene) ID#: 0170 approved 6/1/1999
Novabrite Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 926065106 norman@novabrite.com	Phone: (714) 656-3659 Cell: (925) 373-1751 Fax: (925) 215-2549 www.novabrite.com	W: ADOT Y: ADOT W: CDOT Y: CDOT 100 mm (4") round ID#: 0474, 0475, 0476, 0477 approved 3/20/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 10000 Series 100 mm (4") round ID#: 0373 approved 12/4/2002

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

Vendor Name / Address	Product Name	Remarks
------------------------------	---------------------	----------------

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	290 Durable Raised	89 mm x 100 mm (3.6"x4")	ID#: 0255 approved 6 / 1 / 1999
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	911 Ab 953 Ab C80 FH Raised C88 Ab	100 mm (4") round	ID#: 0180, 0181, 0182, 0183 approved 2 / 6 / 2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	AA ARC Round Shoulder ARC	100 mm x 100 mm (4"x4")	ID#: 0175, 0176, 0177 approved 6 / 1 / 1999

633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	944SB 948	58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4")	ID#: 0184, 0185 approved 2 / 6 / 2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	Arc 2002 Arc 2004	58 mm x 19 mm (2.3"x4.6")	ID#: 0178, 0179 approved 6 / 1 / 1999

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	34270 Hot Applied Flexible		ID#: 0105 approved 6 / 16 / 1998
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	836098 Bituminous		ID#: 0108 approved 2 / 6 / 2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Bundy 12 cm X 12 cm Pad; (5" X 5") Pad	white color on plantmix and back color on PCCP	ID#: 0106 approved 5 / 4 / 1998

633.02.04 PAVEMENT MARKERS ADHESIVE

Vendor Name / Address	Product Name	Remarks	ID#:
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077 www.henry.com	Dotstick Bituminous	100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective
			0464
			approved 9/29/2003

633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)

Vendor Name / Address	Product Name	Remarks	ID#:
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarkers.com	W: Type 932 (1-way) Y: Type 932 (2-way)	100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective
			0516, 0517
			approved 3/7/2005
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25 Halftrack Model 26 TOM TRPM	work zone pavement markers
			0257, 0258
			approved 10/15/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	710 WRR 780 WRR 1200 Stamark Liquid	WRR =Wet Reflective Removable White and Yellow
			0424, 0675, 0444
			approved 8/16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road / PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	200 Construction R	R =Removable White and Yellow
			1654
			approved 9/24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 R Series 200 R Series Deltaline TWR	R =Removeable TWR = Temporary Wet Removeable White and Yellow
			0032, 0033, 0672
			approved 3/17/2000
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III R	R =Removeable
			0119
			approved 2/23/1989
Swarco Industries / Traffic Mgt Jon Sproul 270 Rutherford Lane / PO Box 89 Columbia TN 38401 office.industries@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Director 2 - (DG) Director 2 (DG-WR)	DG =Detour Grade WR =Wet Reflective White and Yellow
			0120, 0648
			approved 4/26/1999

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

Vendor Name / Address	Product Name	Remarks	ID#:
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140	White and Yellow approved 8 /24/2001

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Road Boss	application and dilution rates follow manufacturer's instructions approved 11/8 /2005
Cypher Environmental Ltd Greg Martinez 701 North Ft. Vrain Street El Paso TX 75229 greg@eco-infrastructureolutions.com	Phone: (915) 276-0879 Cell: Fax: (915) 534-7207 www.cypherenvironmental.com	DustStop	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. approved 5 /6 /2010
Dallas Roadway Products Inc Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	Phone: (972) 803-6708 Cell: (702) 405-0351 Fax: (972) 596-8418 www.dallasroadway.com	Dust Control DC-22	application and dilution rates follow manufacturer's instructions approved 6 /19/2006
Earth Chem Incorporated Kevin Loucks PO Box 272627 Ft Collins CO 80527 EarthChem@aol.com	Phone: (970) 227-9661 Cell: Fax: www.earthchem.com	Earth Bound	 approved 2 /16/2011
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	Earthbind 100	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water approved 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	Phone: (800) 369-3878 Cell: (775) 852-3878 Fax: (970) 346-3959 www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5% approved 8 /26/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	HydroPam	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. approved 3 /1 /2010

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0328 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmboxtoncompany.com	application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules PAM Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0150 approved 5 /18/2004
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Soiloc-MQ-Dust Suppressant Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	0149 approved 5 /2 /1999
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.com	EnviroKleen Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247 www.midwestind.com	application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	0278, 0279 approved 1 /13/2000
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	TerraLOC Phone: (219) 762-3165 Cell: Fax: (219) 755-4062 www.terraloc.com	application and dilution rates follow manufacturer's instructions	0721 approved 11/17/2009
NU Equipment Incorporated David Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic	0274, 0275 approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Topein S Emulsion Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 399-1054 www.alonashalt.com	application and dilution rates follow manufacturer's instructions	0479 approved 2 /28/2002

637.02.01 DUST PALLIATIVE (OPTIONAL)

Vendor Name / Address	Product Name	Remarks	ID#:
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Fisch-Stick Terravest Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	0152, 0153 approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	LandTack Guar Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com		ID#: 1777 approved 2 /26/2011
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	Dust Away Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	application and dilution rates follow manufacturer's instructions	ID#: 0639 approved 6 /2 /2009
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	Plas-Tex Poly-Tex Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Soiltac® Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	application and dilution rates follow manufacturer's instructions	ID#: 0504 approved 9 /20/2004
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	EarthGuard EarthGuard Fiber Matrix Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2 /2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitcke@usg.com	Dust Armour Dustrol Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	application and dilution rates follow manufacturer's instructions	ID#: 0553, 0571 approved 8 /28/2006
Western Emulsions Incorporated Suzie Miller 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629 suzie@westernemulsions.com	Dust Control 50 Phone: (949) 248-8020 Cell: (520) 622-7203 Fax: (949) 248-8023 www.westernemulsions.com	application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%	ID#: 0449 approved 8 /26/2003

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks	ID#:
------------------------------	---------------------	----------------	-------------

637.02.02 SILT FENCE

Vendor Name / Address	Product Name	Remarks
Hanes Geo Components Ben Brough 5927 Balfour Court Suite 108 Carlsbad CA 92008 ben.brough@hanesindustries.com	Phone: (702) 341-0354 Cell: Fax: (702) 341-0355 www.hanesgeo.com	TerraTex SC ID#: 0143 approved 6/25/1998
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	Triangular Silt Dike ID#: 0142 approved 6/25/1998

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address	Product Name	Remarks
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	Siltsack ID#: 0144 approved 6/25/1998
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM ID#: 0685 approved 11/17/2009
Bowhead Environmental & Safety Jeff Guentzel PO Box 375 Preston WA 98050 jeffg@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 388-2267 Fax: (888) 234-3677 www.shopbowhead.com	StreamGuard Catch Basin Insert ID#: 0088 approved 4/9/1997
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Bag Drainage Cntl Dandy Curb ID#: 0438, 0638 approved 5/8/2009
Dandy Products Incorporated Tina Laemmler 1095 Harcourt Road Suite C Mt. Vernon OH 43050 tina@dandyproducts.com	Phone: (800) 591-2284 Cell: Fax: (740) 397-1946 www.dandyproducts.com	Dandy Curb Bag Dandy Pop ID#: 0252, 0637 approved 10/28/1996
Enviroscape ECM Ltd Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: Cell: (419) 594-3210 Fax: (419) 594-3213 www.strawblanket.com	Vertipro ID#: 0662 approved 3/1/2010

637.02.05 ROADWAY INLET PROTECTION

Vendor Name / Address		Product Name	Remarks	
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Combo Guard Curb Inlet Guard		ID#: 0720, 0693 approved 2 /25/2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Drop Guard GR-8 Guard		ID#: 0719, 0710 approved 2 /25/2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: (630) 355-3477 www.inletfilters.com	Flexstorm Inlet Filters		ID#: 0650 approved 3 /1 /2010
Silt-Saver Incorporated Jason Jones 1094 Culpepper Drive Conyers GA 30094 jason@siltsaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltsaver.com	SS-100A FFA SS-200A FFA	FFA=Frame & Filter Assembly	ID#: 0377, 0296 approved 11/4 /2002

640.02.03a MSE WALL

Vendor Name / Address		Product Name	Remarks	
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	Reinforced Soil Embankment Wall		ID#: 0122 approved 9 /8 /1998
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Earth MSE Plus	modified panels required; W24 longitudinal wire not permitted	ID#: 0189, 0195 approved 5 /6 /2002
Tensar International Bob Miller 34892 Calle Furtuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Ares Retaining Precast Wall	permitted only when specified in the contract documents as an acceptable product	ID#: 0342 approved 6 /11/1998

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address		Product Name	Remarks	
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Retained Earth Lrg Wall Reinforced Earth Lrg Wall		ID#: 0287, 0288 approved 2 /7 /2001

640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)

Vendor Name / Address	Product Name	Remarks	ID#:
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Large Wall Panel modified panels required; W24 longitudinal wire not permitted	0187 approved 5 /6 /2002

640.02.03c SOUNDWALL SYSTEMS

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Cyro LLC Stephen Costanzo 379 Interpace Parkway Parsppany NJ 07054-0677 acrylite-magic@evonik.com	Phone: (973) 541-8000 Cell: Fax: www.acrylite.net	Acrylite® Soundstop Paraglas Soundstop TL-4; system will be slected based on specific project requirements; it is not a complete wall system	0640, 0648 approved 11/25/2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	Port-O-Wall TL-4; system will be slected based on specific project requirements; it is not a complete wall system	0316 approved 10/24/2001
Quilite International LLC Richard Cooling 2549 Eastbluff Drive #434 Newport Beach CA 92660 info@quilite.com	Phone: (949) 644-1294 Cell: Fax: (949) 644-6770 www.quilite.com	Quilite Noise Barrier TL-4; system will be slected based on specific project requirements; it is not a complete wall system	0515 approved 2 /9 /2005

640.02.04 RETAINING WALL (MODULAR BLOCK)

Vendor Name / Address	Product Name	Remarks	ID#:
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	Redi-Rock permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	0605 approved 7 /23/2009
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	Pyramid permitted only when the contract documents specify a modular block retaining wall	0214 approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	Phone: (866) 758-3427 Cell: (702) 255-6364 Fax: www.keystonewalls.com	KeySteel SQFT MSE Panel permitted only when the contract documents specify a modular block retaining wall	0153 approved 5 /15/2002
Tensor International Bob Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	Mesa permitted only when the contract documents specify a modular block retaining wall	0343 approved 7 /17/2000

641.02.01 IMPACT ATTENUATORS

Vendor Name / Address	Product Name	Remarks	ID#:
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	Quad Guard Wide (69/90) React 350 (60/96/120)	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6/15/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	QuadGuard Elite 8 Bay Quad Guard Standard	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 6/30/2008
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	SCI100GM	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 2/23/2007
Trinity Highway Safety Mike Hooley 950 West 400 South/PO Box 99 Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (801) 631-2695 Fax: (801) 292-3263 www.trin.net	Adiem SRT350	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed required as directed in the Special Provisions. approved 3/21/1995

646.03.04 CRACK SEALANTS

Vendor Name / Address	Product Name	Remarks	ID#:
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Dural 50	 approved 8/29/2009
Liquid Concrete Kendra Barnhart 16915 SE 272 Street Suite 100-143 Covington WA 98042 kendra@liquidconcrete.com	Phone: (800) 201-9300 Cell: (253) 335-0155 Fax: (877) 349-1922 www.liquidconcrete.com	Ure-Kote R-60	 approved 7/11/2007
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Bridge Seal CA	 approved 8/29/2009

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D approved 9/2/2008

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address	Product Name	Remarks	ID#:
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Aqua Resin Clear Type 1D DSSCC Resin Cure & Dye	ASTM C309 Type 1D approved 1 / 8 / 2010
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Resin Clear	ASTM C309 Type 1D approved 2 / 6 / 2006
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	Resin Cure - Clear VOC	ASTM C309 Type 1D approved 9 / 4 / 2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1100 Clear 1300 Clear	ASTM C309 Type 1D approved 8 / 20 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address	Product Name	Remarks	ID#:
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A approved 9 / 2 / 2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	DSSCC Wax Cure White	PCCP ASTM C309, Type 2, Class A approved 8 / 29 / 2008
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 481-7072 www.euclidchemical.com	Kurez Vox White	 approved 8 / 21 / 1997
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	Pavecure WW	PCCP ASTM C309, Type 2, Class A approved 2 / 18 / 2008

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address		Product Name	Remarks	
Steel Engineers Keith Stumbauth 716 West Mesquite Las Vegas NV 89106 kstumbauth@steelengineers.com	Phone: (702) 386-0023 Cell: Fax: (702) 386-5799 www.steelengineers.com	UniWhite Cure Wax	PCCP ASTM C309, Type 2, Class A	ID#: 0577 approved 5/29/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC MaxCure Wax White	PCCP ASTM C309, Type 2, Class A	ID#: 3063 approved 7/2/2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	1600 White	PCCP ASTM C309, Type 2, Class A	ID#: 0575 approved 8/21/2008

702.03.04 CURING COMPOUND (BRIDGE DECK)

Vendor Name / Address		Product Name	Remarks	
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0579 approved 9/2/2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperior.com	DSSCC PAMS PAMS Cure White	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0578, 0581 approved 6/17/2008
US Mix Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	US SPEC AMS 3754 White	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0602 approved 7/2/2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	2245 Bridge Deck Cure	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0604 approved 8/21/2008

702.03.05 POZZOLANS

Vendor Name / Address		Product Name	Remarks	
Boral Material Technologies Craig Plunk 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 craig.plunk@boral.com	Phone: (210) 349-4069 Cell: Fax: www.boral.com	Boral Micron 3 Fly Ash Class F	Plant: Rockdale, TX Plant: Monticello, TX	ID#: 0570 approved 2/17/2010

702.03.05 POZZOLANS

Vendor Name / Address		Product Name	Remarks	
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 www.headwaters.com	Bridger Fly Ash Class F	Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY	ID#: 0572 approved 2 /17/2010
Nevada Cement Company Derek Taylor I-80 Exit 46 Fernley NV 89408 dtaylor@nevadacement.com	Phone: (775) 575-2281 Cell: Fax: (775) 575-4387 www.nevadacement.com	Pozzolan Class "N"	Class N	ID#: 3059 approved 4 /8 /2011
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	Pozzolan Type F	Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM Provisional approved until 2/4/2012	ID#: 0913 approved 2 /4 /2011
Whitemud Resources Incorporated Rick Ketcheson 3345 8th Street Southwest Suite 30J Calgary AB T2G 3A4 rketcheson@whitemudresources.com	Phone: (403) 517-0058 Cell: (602) 300-2123 Fax: (403) 517-0046 www.whitemudresources.com	Whitemud		ID#: 1443 approved 2 /4 /2011

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address		Product Name	Remarks	
Crafco Incorporated Bryan Darling 420 North Roosevelt Avenue Chandler AZ 85226 bryan.darling@crafco.com	Phone: (602) 276-0406 Cell: Fax: (480) 940-1425 www.crafco.com	Roadsaver Silicone SL		ID#: 0552 approved 6 /20/2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1789 www.dowcorning.com	890 SL (replaces 888-SL)		ID#: 0130 approved 3 /20/1997
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (800) 848-1730 Cell: (419) 396-4023 Fax: (419) 257-2200 www.dsbrown.com	DSB 900 SL Self Leveling Silicone		ID#: 0518 approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	Pecora 300		ID#: 0314 approved 9 /15/2001

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address	Product Name	Remarks
Sika Corporation Bruce Lakatosh 995 Towbin Avenue Lakewood NJ 08701 lakatosh.bruce@sika-corp.com	Phone: (800) 641-8242 Cell: Fax: (973) 473-4222 www.sika.com	Sika Sil 728 SL ID#: 0534 approved 4 /10/2006
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	Spectrum 900 SL Formula 974831 w/ 333 Cartridges ID#: 0362 approved 5 /31/2002

714.03.01 COATING SYSTEMS FOR BRIDGES

Vendor Name / Address	Product Name	Remarks
Carboline Protective Coatings Debbie Lanham 2150 Schuetz Road Maryland Heights MO 63146 dlanham@carboline.com	Phone: (888) 227-2654 Cell: (314) 644-1000 Fax: (314) 587-2699 www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: ID#: 0132 approved 12/30/1998
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	Shop Coat: Interzinc® 22HS Primer Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS ID#: 0430 approved 1 /10/2005
PPG Protective & Marine Coatings Nye Miller 18220 Watson Way Yorba Linda CA 92886 nyemiller@msm.com	Phone: (562) 691-9600 Cell: (714) 337-1953 Fax: (714) 777-3586 www.ppgpmc.com	Shop Coat: Dimetcote® 9 Inorganic Zinc Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi- Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure ID#: 0592 approved 5 /21/2008
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	Shop Coat: Zinc Clad® II Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150 ID#: 0424 approved 12/30/1998

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3300 Flex P 3340 Cone type III type III for Barricades and Cones ID#: 0642, 0291 approved 9 /10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	334 P 3990 VIP DG type IX type IX ID#: 0141, 0589 approved 9 /10/2010

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3900 3924S OP RS-24*	type IV type IV type IV for Barricades ONLY and Permanent Traffic; approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3910 FL DG 3914 FL DG	type VI type VI for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	444 DG3 B 446 DG3 B 4000 DG3 WZ	type XI type XI type XI B=Barricade; WZ=Work Zones approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OC T11500 OC T11511 OC T11513 OC T11514	type XI type XI type XI type XI OC=OmniCube approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OV T9500 OV T9511 OV T9513 OV T9514	type IX type IX type IX type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	S9000C Cone Collar	type VI for reboundable traffic cones ONLY approved 2 /2 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	T5500A HI T7000 F T7500 P	type III type IV type IV for Flagger Paddles ONLY; F=Florescent, P=Prismatic, HI=High Intensity approved 9 /15/2003
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	W6000 P T6500 P HI W7514 F	type III type VIII type VIII for temporary traffic control devices, delineators and permanent signs ONLY; approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	WR-7100 White R WR-7114 Orange FR	type IV type IV F= Florescent; R= Reboundable approved 3 /31/2011

716.03.01 REFLECTIVE SHEETING

Vendor Name / Address		Product Name	Remarks	
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	92847 Crystal Flu Orange* Nikkalite CRG 92802 W	type IV type IV for permanent traffic signs ONLY; *for Flagger Paddles ONLY	ID#: 0522, 0650 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92804 Y Nikkalite CRG 92805 R	type IV type IV for permanent traffic signs ONLY	ID#: 0651, 0652 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92806 B Nikkalite CRG 92808 G	type IV type IV for permanent traffic signs ONLY	ID#: 0653, 0654 approved 9 /10/2010
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (310) 428-8381 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 92844 Flu Y- G Nikkalite HI ULGH II	type IV type IV for permanent traffic signs ONLY	ID#: 0649, 0271 approved 9 /10/2010
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	AP 1000 AR 1000	type V type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	ID#: 0295, 3071 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Marathon Roll-up Super Bright Roll-up	type VI type VI For use in Emergency Traffic Control Construction Work Zones and Utility Work Areas.	ID#: 0294, 0162 approved 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Resilience Channelizer Tape Reflective Flag*	type IV type VI For use in construction work zones on drums, cones, tubes, posts, and vertical panels;	ID#: 1275, 3070 approved 4 /6 /2011

726.03.04 MULCH

Vendor Name / Address		Product Name	Remarks	
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	Second Nature Paper Fiber Mulch		ID#: 0146 approved 6 /25/1998

726.03.04 MULCH**Vendor Name / Address****Product Name****Remarks**

Hamilton Manufacturing Inc Patrick Andrew 901 Russet Street Twin Falls ID 83301 info@hmi-mfg.com/patrick@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	Nature's Own	ID#: 0147 approved 6/25/1998
--	--	--------------	--

North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	HydraCX2 Extreme Slope Matrix	ID#: 0715 approved 5/28/2010
---	---	-------------------------------	--

Profile Products LLC Heather Rohde 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089 hrohde@profileproducts.com	Phone: (847) 215-3454 Cell: Fax: (847) 215-0577 www.profileproducts.com	Conweb 1000 Flexterra	ID#: 0145, 0244 approved 12/18/2008
---	--	-----------------------	---

Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 3064, 0318 approved 11/2/2001
--	--	------------------------------------	---

726.03.05 TACKIFIER**Vendor Name / Address****Product Name****Remarks**

Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 jward@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 209-3272 Fax: (785) 883-4429 www.centralfiber.com	TacPac GT	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0148 approved 6/25/1998
--	--	-----------	--

Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	Driwater Hydro Mix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery ID#: 0277 approved 1/5/2001
---	---	--------------------	---

Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Hydropan	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0683 approved 3/1/2010
---	---	----------	---

GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	PX 300	Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0433 approved 6/10/2003
---	---	--------	--

726.03.05 TACKIFIER

Vendor Name / Address	Product Name	Remarks
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com	HydraPam ID#: 1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	FI-1045 FI-1046 FI-3500 Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0689, 0680, 0681 approved 2 /3 /2010
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackifierman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Fisch-Stick Terravest Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 0152, 0153 approved 9 /13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	LandTack Guar ID#: 1777 approved 2 /26/2011
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 3064, 0318 approved 11/2 /2001

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks
Arrow Magnolia International LP Patti Bonds 2646 Rodney Lane Dallas TX 75229 pbonds@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Road Boss application and dilution rates follow manufacturer's instructions ID#: 0498 approved 11/8 /2005
ENCAP LLC Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.encepro.com/index.php/products/	PAM-12 PLUS application and dilution rates follow manufacturer's instructions ID#: 1205 approved 3 /10/2008
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	Earthbind 100 application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water ID#: 0420 approved 3 /17/2003

726.03.13 SOIL STABILIZER

Vendor Name / Address	Product Name	Remarks	ID#:
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.royal@evonik.com	Hydropan Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	application and dilution rates follow manufacturer's instructions	0683 approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	Trans Seal I Road Oyl Soil Seal Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	application and dilution rates follow manufacturer's instructions	0323, 0324, 0325 approved 1 /3 /2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	PX 300 Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	application and dilution rates follow manufacturer's instructions	0433 approved 6 /10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	application and dilution rates follow manufacturer's instructions	0160, 0149, 0154 approved 5 /18/2004
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsolutions.com	HydraPam Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745 approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	FI-1045 FI-1046 FI-3500 Phone: (800) 962-8488 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	application and dilution rates follow manufacturer's instructions	0689, 0680, 0681 approved 2 /3 /2010
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	Soil Sement Phone: (330) 456-3121 Cell: Fax: (330) 456-3247	application and dilution rates follow manufacturer's instructions; application and dilution rates follow manufacturer's instructions	0521 approved 1 /4 /2001
North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	HydraCX2 Extreme Slope Matrix Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	application and dilution rates follow manufacturer's instructions	0285 approved 5 /29/2009
NU Equipment Incorporated Julia Frehener 184 West Brooks Avenue Las Vegas NV 89030 julie@nuequipment.com	Plas-Bond Soiltac Phone: (702) 649-8767 Cell: (702) 249-1900 Fax: (702) 649-8446 www.nuequipment.com	application and dilution rates follow manufacturer's instructions	0275, 0230 approved 11/13/2000

726.03.13 SOIL STABILIZER

Vendor Name / Address		Product Name	Remarks	
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (661) 391-1054 www.eaglehighmast.com	Topein S Emulsion	application and dilution rates follow manufacturer's instructions	ID#: 0479 approved 2/28/2002
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Fisch-Stick Terravest	application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	ID#: 0152, 0153 approved 9/13/2007
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	LandTack Guar		ID#: 1777 approved 2/26/2011
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	Plas-Tex Poly-Tex	application and dilution rates follow manufacturer's instructions	ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilber Road, Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	Soiltac®	application and dilution rates follow manufacturer's instructions	ID#: 0364 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	EarthGuard EarthGuard Fiber Matrix	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	ID#: 3064, 0318 approved 11/2/2001
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com	Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 417-5048 www.usg-erosioncontrol.com	AirtrolTM Geobinder Enviro-Shield Bonded Fiber	application and dilution rates follow manufacturer's instructions	ID#: 0555, 0554 approved 8/28/2006

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address		Product Name	Remarks	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	HS 200 Epoxy Adhesive Ultra Bond 1	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 0422, 0329 approved 11/21/2005

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address		Product Name	Remarks	
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	Ultra Bond 1100 Ultra Bond 1300	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 0330, 0331 approved 11/21/2005
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 4/29/2004
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Sure Anchor I J-51 Sure Film J-74 Evaporation	type I, II, IV and V; Grade 3; Class A	ID#: 0393, 0190 approved 1/14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 481-7072 Fax: (216) 531-9399 www.euclidchemical.com	Duralcrete	type I and type II	ID#: 0536 approved 11/8/2004
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (800) 950-6119 Cell: (800) 950-6610 Fax: (800) 950-6610 www.us.hilti.com	THE 50 HT RE 500 Epoxy Adhesive Anchor	type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	ID#: 0322, 0323 approved 7/6/2009
ITW Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	Phone: (630) 350-0370 Cell: (630) 694-4720 Fax: (630) 495-6204 www.itw-redhead.com	Ceramic 6 Epcon C6	type I & IV; Grade 3; classes B&C	ID#: 0341, 1006 approved 5/14/2002
Mapei Americas Headquarters Customer Service 1144 East Newport Center Drive Deerfield Beach FL 33442	Phone: (800) 426-2734 Cell: Fax: www.mapei.com	Planibond AE	type I, II, IV and V; Grade 2 Classes B&C	ID#: 0496, 0497 approved 6/14/2011
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy EP-420 Dynapoxy EP-450	type II, Grade 2; Classes B&C type I, II, IV & V; Grade 1; Classes B&C	ID#: 0737, 0738 approved 6/7/2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Dynapoxy Low Mod Epoxy Dynapoxy TM EP-430 Fast	type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C	ID#: 0334, 0740 approved 6/7/2010

728.03.02a ANCHORING SYSTEMS (EPOXY)

Vendor Name / Address		Product Name	Remarks	
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	Power Fast Plus Standard Set T308 Plus	type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C type I, II, IV and V; Grade 2; Classes B&C	ID#: 0644, 0645, 0646 approved 11/25/2008
Sika Corporation David Bellinger 4847 Hopyard Road Suite 4-130 Pleasanton CA 94588-2778	Phone: (925) 208-2103 Cell: Fax: (925) 397-3081	Sikadur 35 Hi Mod		ID#: 1313 approved 11/14/2002
Simpson Strong Tie Joe Le Bel 5151 South Airport Way Stockton CA 95206 jlebel@strongtie.com	Phone: (800) 999-5099 Cell: (916) 870-7863 Fax: (209) 234-3868 www.simpsonanchors.com	EDOT ET22 Epoxy-Tie Resin Adhesive	type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C	ID#: 0217, 0218 approved 1/15/2009
Titan Construction Supply Inc Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	Pro-Poxy 100	type II, III, IV and V; Grade 3; Class A, B&C	ID#: 0569 approved 4/29/2008
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 200 Pro-Poxy 300 Pro-poxy 400	type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes B&C	ID#: 0218, 0219, 0389 approved 1/14/2003
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	Pro-Poxy 50 Super LV Symons ResCon 304	type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 3; Classes A	ID#: 0247, 0248 approved 1/14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 tgrevious@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (507) 364-8762 www.uspconnectors.com	CIA-GEL 7000 Adhesive	type I & IV; Grade 3; Classes B, C&D	ID#: 0265 approved 8/9/2000
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Rezi Weld 1000	type I, II, IV and V; Grade 2; Classes B&C	ID#: 0478 approved 7/17/2002

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address		Product Name	Remarks	
------------------------------	--	---------------------	----------------	--

729.03.04 PAINT MARKING MATERIAL (EPOXY)

Vendor Name / Address	Product Name	Remarks	ID#:	
Colorado Paint Company Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	RockHard 1180	White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B "Lead Free Yellow" contains organic yellow pigment.	0199 approved 3/23/2000
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-3	White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B "Lead Free Yellow" contains organic yellow pigment.	0436 approved 7/25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS50 Epoplex LS60	White: LS50 Part A White: LS60 Part A Yellow: LS50 Part A Yellow: LS60 Part A Hardener: LS50 Part B Hardener: LS60 Part B	0378, 0379 approved 2/6/2003
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.2 NV Mark 55.3 NV	White: Mark 55.2 Part A Mark 55.3 Part A Yellow: Mark 55.2 Part A Mark 55.3 Part B Hardener: Mark 55.2 Part B Mark 55.3 Part B	0109, 0110 approved 5/11/2004
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	Mark 55.4 NV	White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B "Lead Free Yellow" contains organic yellow pigment.	0111 approved 10/24/1997

729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS

Vendor Name / Address	Product Name	Remarks	ID#:	
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	UCAR TM DT 250 NA UCAR TM DT 400 NA	type I type II	0166, 1067 approved 7/19/2002
Dow Chemical / Rohm & Haas Susan Ridder 100 Independence Mall West Philadelphia PA 19106 sridder@dow.com	Phone: (800) 967-7704 Cell: (215) 592-3846 Fax: (800) 382-4008 www.dowchemical.com	Fastrack® Fastrack 3427 Fastrack® HD21A	type I; prev Rhoplex TM Fastrack 3427 type II; prev Rhoplex TM Fastrack HD21A	0318, 0319 approved 5/20/1999

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks	ID#:	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2	UCAR Latex DT 250 NA UCAR Latex DT 250 NA	0490, 0491 approved 12/11/2002

729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)

Vendor Name / Address	Product Name	Remarks	ID#:
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1	Fastrack® 3427 Fastrack® 3427 approved 12/1 /2002
Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6000 Y: Pervo Plastics 6003	Fastrack® 3427 Fastrack® 3427 approved 7 /30/2002

729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)

Vendor Name / Address	Product Name	Remarks	ID#:
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2	UCAR Latex DT 400 NA UCAR Latex DT 400 NA approved 12/11/2002
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1	Fastrack® HD21A Fastrack® HD21A approved 12/11/2002
Ennis Paint Incorporated Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6050 Y: Pervo Plastics 6053	Fastrack® HD21A Fastrack® HD21A approved 7 /30/2002
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	W: TM2398 Y: TM2399	Fastrack® HD-21A Fastrack® HD-21A approved 7 /9 /2003

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Liquid Pavement Markings	White: Part A 1200; Beads must be approved by Materials separately. Yellow: Part A 1201 Cross Linker: Part B 1230 "Lead Free Yellow" contains organic yellow approved 8 /16/2000
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	HPS-5	White: HPS-5 Part A; Beads must be approved by Materials separately. Yellow: HPS-5 Part A Cross Linker: HPS-5 Part B "Lead Free Yellow" contains organic yellow approved 7 /25/2002

729.03.06 PAINT MARKING MATERIAL (POLYUREA)

Vendor Name / Address	Product Name	Remarks	ID#:	
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS90	White: LS90 Part A; Beads must be approved by Materials seperately. Yellow: LS90 Part A Cross Linker: LS90 Part B "Lead Free Yellow" contains organic yellow	0440 approved 2 /6 /2003

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

Vendor Name / Address	Product Name	Remarks	ID#:
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270	type I approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type I white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 100 Series 200 Series Delta-line TWR	type I approved 10/10/2007
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35 Series Director 60	type I type I approved 2 /17/2004

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

Vendor Name / Address	Product Name	Remarks	ID#:
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 300 Series 400	type II white and yellow approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series 900 Series Delta-line XRP	type II approved 6 /17/2008
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35	type II approved 2 /17/2004

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Series 270 Series 380 Series 390	type IV type IV type IV IES is a standard high performance optic WR ES is a standard high performance, wet	ID#: 0460, 0461, 0533 approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	Series 400	type IV	ID#: 0015 approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line XRP	type IV	ID#: 0673 approved 2 /2 /2010

732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 jeannie@crowthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crowthermo.com	Tuffline Alkyd	lead free	ID#: 0398 approved 10/14/2004
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 885555 Alkyd Y: 884685 Alkyd	lead free	ID#: 0656, 0674 approved 9 /30/2009

732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Ennis Paint Incorporated Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	Flame Tape Thermaline		ID#: 0299, 0300 approved 5 /14/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Hot Tape Premark® PLUS	replaced Premark 20/20 Flex Plus	ID#: 0168, 0169 approved 5 /3 /2001

409.01.01 PAVEMENT TREATMENTS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

409.01.01 PAVEMENT TREATMENTS

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	Tempo 3000 type II, Grade 2; Classes B&C type I, II, IV & V; Grade 1; Classes B&C
		ID#: 0737, 0738 approved 6/7/2010

QPL NOTES
December 10, 2010

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.