



# QUALIFIED PRODUCTS LIST (QPL)

## Table of Contents

| Spec #     | Spec Description  | Page # |
|------------|---|--------|
| 496.02.01  | AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)                   | 4      |
| 408.02.05  | ALL WEATHER COLD PATCH  | 3      |
| 728.03.02a | ANCHORING SYSTEMS (EPOXY)                                     | 51-53  |
| 401.03.02  | ASPHALT RELEASE AGENTS  | 1-2    |
| 625.03.04  | BARRICADES  | 29-30  |
| 625.02.06  | BARRIER RAIL (WATER FILLED)                                   | 25-26  |
| 625.02.07  | BEACON (PORTABLE LIGHT SYSTEM)                                | 26     |
| 610.02.01  | CELLULAR EROSION CONTROL MATS                                 | 11-12  |
| 625.02.03a | CHANGEABLE MESSAGE SIGNS                                      | 23     |
| 625.02.03b | CHANGEABLE MESSAGE SIGNS (INTELLIGENT)                        | 24-25  |
| 714.03.01  | COATING SYSTEMS FOR BRIDGES                                   | 45     |
| 714.03.01  | COATING SYSTEMS FOR BRIDGES                                   | 44-45  |
| 502.02.05a | COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)          | 5      |
| 505.02.01  | COATINGS (EPOXY FOR STEEL REINFORCING BARS)                   | 8      |
| 502.02.04b | CONCRETE PAINT  | 4      |
| 502.02.04a | CONCRETE STAIN  | 4      |
| 646.03.04  | CRACK SEALANTS  | 41     |
| 702.03.04  | CURING COMPOUND (BRIDGE DECK)                                 | 43     |
| 702.03.01c | CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE) | 41-42  |
| 702.03.01d | CURING COMPOUND (WHITE PIGMENTED, WAX BASE)                   | 42-43  |
| 613.02.01  | DETECTABLE WARNINGS (ADA TILE)                                | 12-13  |
| 623.05.26  | DETECTORS (RED LIGHT)   | 21     |
| 623.02.31  | DRIVER FEEDBACK SIGNS   | 19     |
| 623.02.16  | DUCT SEALING COMPOUND   | 18     |
| 637.02.01  | DUST PALLIATIVE (OPTIONAL)                                    | 35-37  |
| 623.01.01  | DYNAMIC MESSAGE SIGNS   | 16-17  |
| 409.03.10  | EVAPORATIVE RETARDER  | 3      |
| 502.03.13k | EXPANSION JOINT (SPECIAL)                                     | 6      |
| 502.03.13l | EXPANSION JOINT SEALANT                                       | 7      |
| 502.03.13j | EXPANSION JOINTS (ASPHALTIC PLUG)                             | 6      |
| 616.02.01  | FABRIC (PLASTIC FENCE)  | 13     |
| 609.02.01a | FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)               | 8-10   |
| 502.03.19  | FINE SURFACE FINISH (BONDED GROUT)                            | 7      |

| <b>Spec #</b> | <b>Spec Description</b>                             | <b>Page #</b> |
|---------------|---|---------------|
| 618.02.01c    | GUARDRAIL OFFSET BLOCKS                             | 14            |
| 618.02.01a    | GUARDRAIL TERMINAL (FLARED)                         | 13            |
| 618.02.01b    | GUARDRAIL TERMINAL (TANGENTIAL)                     | 13-14         |
| 625.02.01     | GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)                 | 21-22         |
| 619.02.01     | GUIDEPOSTS (FLEXIBLE)                               | 14-15         |
| 630.02.01     | HEADLIGHT GLARE SCREENS MODULAR UNITS               | 31            |
| 401.02.03a    | HERBICIDES  | 1             |
| 623.02.12c    | HIGH MAST HEAD FRAME ASSEMBLY                       | 17-18         |
| 625.02.04     | IMPACT ATTENUATOR (TEMPORARY)                       | 25            |
| 625.02.05     | IMPACT ATTENUATOR (TRUCK MOUNTED)                   | 25-26         |
| 641.02.01     | IMPACT ATTENUATORS                                  | 41            |
| 502.03.13i    | JOINT FILLERS (PREFORMED)                           | 5-6           |
| 502.03.22     | JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL) | 7             |
| 707.03.04     | JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)    | 44-45         |
| 633.02.05     | LANE LINE MARKERS (REFLECTIVE, TEMPORARY)           | 34            |
| 623.03.22     | LUMINAIRE RETRIEVAL SYSTEM                          | 20            |
| 214.02.01     | MAILBOX SUPPORT SYSTEMS (TYPE C)                    | 1             |
| 625.02.02     | MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)      | 22            |
| 640.02.03a    | MSE WALL  | 39            |
| 640.02.03b    | MSE WALL (LARGE SIZE 5' x 10' PANELS)               | 39-40         |
| 726.03.04     | MULCH   | 47-48         |
| 619.02.01a    | OBJECT MARKERS (FLEXIBLE, TYPE 2)                   | 15-16         |
| 496.02.02a    | OVERLAY SYSTEM (MULTILAYER)                         | 4             |
| 729.03.04     | PAINT MARKING MATERIAL (EPOXY)                      | 54            |
| 729.03.06     | PAINT MARKING MATERIAL (POLYUREA)                   | 55-56         |
| 633.02.01     | PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)        | 32            |
| 633.02.02     | PAVEMENT MARKERS (REFLECTIVE, PERMANENT)            | 33            |
| 633.02.03     | PAVEMENT MARKERS (REFLECTIVE, RECESSED)             | 33            |
| 633.02.04     | PAVEMENT MARKERS ADHESIVE                           | 33-34         |
| 732.03.01     | PAVEMENT MARKING TAPE (TYPE 1)                      | 56            |
| 732.03.02     | PAVEMENT MARKING TAPE (TYPE 2)                      | 56            |
| 732.03.03     | PAVEMENT MARKING TAPE (TYPE 4)                      | 57            |
| 732.03.04a    | PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)       | 57            |
| 732.03.04b    | PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)         | 57            |
| 635.02.01     | PAVEMENT STRIPING TAPE (TEMPORARY)                  | 34-35         |
| 702.03.05     | POZZOLANS   | 43-44         |

| <b>Spec #</b> | <b>Spec Description</b>  | <b>Page #</b> |
|---------------|--|---------------|
| 729.03.05a    | RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS                   | 54            |
| 729.03.05c    | RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II) | 55            |
| 729.03.05b    | RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)  | 54-55         |
| 716.03.01     | REFLECTIVE SHEETING  | 45-47         |
| 640.02.04     | RETAINING WALL (MODULAR BLOCK)   | 40            |
| 632.03.05     | RETROREFLECTOMETERS  | 31            |
| 637.02.05     | ROADWAY INLET PROTECTION   | 38-39         |
| 623.02.08     | SERVICE PEDESTALS  | 17            |
| 623.03.15     | SIGN LIGHTING FIXTURES   | 20            |
| 625.03.03     | SIGN SUPPORT SYSTEM  | 27-29         |
| 627.02.01a    | SIGNS (POLYCARBONATE)  | 31            |
| 637.02.02     | SILT FENCE   | 38            |
| 726.03.13     | SOIL STABILIZER  | 49-51         |
| 640.02.03c    | SOUNDWALL SYSTEMS  | 40            |
| 609.02.01b    | STORMWATER TREATMENT VAULTS  | 10            |
| 509.03.09     | SYNTHETIC DRILLING SLURRY  | 8             |
| 726.03.05     | TACKIFIER  | 48-49         |
| 623.03.01     | TRAFFIC SIGNALS  | 19-20         |
| 609.02.01c    | TRENCH DRAINS  | 11            |
| 623.02.30e    | VEHICLE DETECTOR SEALANTS (OPTIONAL)                                   | 18-19         |
| 623.02.30a    | VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)                              | 18            |



# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.03.05 JOINT COMPOUNDS FOR IRRIGATION PIPE

| Vendor Name / Address   | Product Name   | Remarks   |
|---|--|---|
| Rectorseal<br>Scott Kerns<br>2601 Spenwick Drive<br>Houston TX 77055<br>scottk@rectorseal.com | Phone: (800) 441-0051<br>Cell: (713) 860-6717<br>Fax: (713) 263-7577<br>www.rectorseal.com | <b>RectorSeal #5</b><br>ID#: 0206<br>approved<br>8/2/1999 |

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

| Vendor Name / Address   | Product Name  | Remarks   |
|---|---|---|
| S-Square Tube Products<br>Susan Keim<br>PO Box 306<br>Commence City CO 80037<br>susan@s-squartube.com                         | Phone: (303) 286-7051<br>Cell: (888) 267-6463<br>Fax: (866) 639-5717<br>www.s-squartube.com   | <b>NEX Mailbox Support System</b><br>type C<br>ID#: 0487<br>approved<br>3/29/2004   |
| Traffic & Parking Control Company<br>Bryan Everard<br>5100 West Brown Deer Road<br>Brown Deer WI 53223<br>bryane@tapconet.com | Phone: (262) 814-7000<br>Cell: (414) 793-2508<br>Fax: (800) 444-0331<br>www.tapconet.com/vloc | <b>V-LOC Mailbox Support System</b><br>type C<br>ID#: 0006<br>approved<br>11/4/1997 |

### 401.02.03a HERBICIDES

| Vendor Name / Address   | Product Name  | Remarks   |
|---|---|---|
| Control Solutions Incorporated<br>Howard Stoddard<br>5903 Genoa Red Bluff Road<br>Pasadena TX 77507<br>orders@controlsolutionsinc.com | Phone: (800) 242-5562<br>Cell: (281) 892-2500<br>Fax: (281) 892-2501<br>www.controlsolutionsinc.com | <b>Pramitol 25E</b><br>application rate: 38L/hectare 25 gal/acre<br>ID#: 0007<br>approved<br>8/1/1993   |
| Dow AgroSciences LLC<br>Beau Miller<br>9330 Zionsville Road<br>Indianapolis IN 46268<br>bjmillier@dow.com                             | Phone: (800) 313-7378<br>Cell: (317) 337-3000<br>Fax: (916) 525-2710<br>www.dowagro.com             | <b>Spike 80 DF<br/>Spike 80 W</b><br>application rate: 1.8 kg/hectare 10 lbs/acre;<br>DF is a dry formula with safer application<br>ID#: 0008, 0480<br>approved<br>8/2/1993 |

### 401.03.02 ASPHALT RELEASE AGENTS

| Vendor Name / Address   | Product Name  | Remarks  |
|---|---|--|
| Arrow Magnolia International LP<br>Patti Bonds<br>2646 Rodney Lane<br>Dallas TX 75229<br>pbonds@arrowmagnolia.com | Phone: (800) 527-2101<br>Cell: (214) 415-3984<br>Fax: (972) 484-2896<br>www.arrowmagnolia.com | <b>Slider<br/>Super Slick Bio</b><br>ID#: 0494, 0495<br>approved<br>7/12/2006                    |
| BG Chemical LP<br>Jeff Gunter<br>PO Box 720025<br>Dallas TX 75372<br>jgunter@bgchemical.com                       | Phone: (800) 725-8470<br>Cell: (214) 826-6822<br>Fax: (214) 826-7290<br>www.bgchemical.com    | <b>Black Magic "For Rubber"<br/>Black Magic "13"</b><br>ID#: 0261, 0260<br>approved<br>7/21/2000 |

**401.03.02 ASPHALT RELEASE AGENTS**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| BG Chemical LP<br>Jeff Gunter<br>PO Box 720025<br>Dallas TX 75372<br>jgunter@bgchemical.com                           | Phone: (800) 725-8470<br>Cell: (214) 826-6822<br>Fax: (214) 826-7290<br>www.bgchemical.com  | GrenGuard Thermal Slide<br>ID#: 0597, 0262<br>approved 11/5 /2009   |
| ChemStation<br>Katie Overton<br>3400 Encrete Lane<br>Dayton OH 45439<br>koverton@chemstation.com                      | Phone: (800) 554-8265<br>Cell: (623) 435-1945<br>Fax: (937) 534-0426<br>www.chemstation.com | 2217-A<br>2217-B<br>6992<br>ID#: 0421, 0587, 0716<br>approved 12/20/2007  |
| Compound Technologies Inc<br>Chris Henke<br>70 Riverside Drive<br>Cartersville GA 30120<br>synthetic@pipeline.com     | Phone: (888) 747-4101<br>Cell: (770) 891-5794<br>Fax: (770) 386-3391<br>www.piltec.com      | No 1<br>dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs<br>ID#: 0263<br>approved 7 /21/2000              |
| Morning Star Solutions Inc<br>Tammy Price<br>2750 East 4215 South<br>Salt Lake City UT 84124<br>tamme-price@yahoo.com | Phone: (801) 548-2287<br>Cell:<br>Fax: (801) 274-2425                                       | Clean Slate<br>Clean Slate 2<br>ID#: 0632,0603<br>approved 6 /12/2006   |
| North American Chemical<br>Rick Albers<br>161 West DiMaggio Drive<br>Tooele UT 84074<br>greymojo@msn.com              | Phone: (435) 840-2258<br>Cell: (800) 877-1201<br>Fax:<br>www.northamericanchemcial.com      | 8 Super Slide<br>ID#: 0758<br>approved 9 /10/2010   |
| Rhomar Industries<br>Bob Hamilton<br>2107 East Rockhurst<br>Springfield MO 65802<br>bhamilton@rhomar.com              | Phone: (800) 688-6221<br>Cell: (417) 866-5592<br>Fax: (417) 866-5593<br>www.rhomar.com      | Enviro-Slide Ultra<br>ID#: 0259<br>approved 4 /26/2000  |
| Tec-Team Industries<br>Karen Price<br>P.O. Box 15128<br>Lynchburg VA 24502<br>tecteam2@gmail.com                      | Phone: (800) 700-2530<br>Cell: (434) 582-4503<br>Fax: (434) 582-4505<br>www.thetecteam.com  | Teclon-Pro<br>ID#: 0562<br>approved 11/9 /2006  |
| ZEP Manufacturing Company<br>Byran Castelloni<br>25224 South Schulte Road<br>Tracy CA 95377<br>zepbc@yahoo.com        | Phone: (209) 830-5110<br>Cell: (775) 721-2821<br>Fax: (209) 830-5124<br>www.zep.com         | Zep Freeze Free<br>ID#: 1451<br>approved 3 /27/2006   |
| ZEP Manufacturing Company<br>Byran Castelloni<br>25224 South Schulte Road<br>Tracy CA 30318<br>zepbc@yahoo.com        | Phone: (209) 830-5110<br>Cell: (775) 721-2821<br>Fax: (209) 830-5124<br>www.zep.com         | Zep Pinnacle<br>Zep R-5274<br>Zep R-6690<br>Zep XT-3199<br>n/a<br>non solvent<br>non solvent<br>n/a<br>ID#: 3105, 3106, 3107, 3108<br>approved 1 /12/2010 |

**408.02.05 ALL WEATHER COLD PATCH**

| <b>Vendor Name / Address</b> | <b>Product Name</b>     | <b>Remarks</b>         |
|------------------------------|-------------------------|------------------------|
| No Vendors at this Time      | No Vendors at this Time | ID#:                   |
| **                           | Phone:                  |                        |
|                              | Cell:                   |                        |
|                              | Fax:                    |                        |
|                              |                         | approved<br>6 /14/2011 |

**409.03.10 EVAPORATIVE RETARDER**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   |
|---|---|--|
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com         | Phone: (702) 227-6800<br>Cell: (858) 277-2100<br>Fax: (702) 222-0488<br>www.atlasform.com       | Atlas Finish Film<br>ID#: 0419<br>approved<br>1 /29/2003   |
| BASF/Watson Bowman Acme Corp<br>Paul Biesinger<br>95 Pineview Drive<br>Amherst NY 14228<br>paul.biesinger@basf.com      | Phone: (800) 677-4922<br>Cell: (716) 553-7308<br>Fax: (716) 691-9239<br>www.wbacorp.com         | Confilm<br>application rate: 4.9 m2 / 1 to 200 ft2/gal<br>ID#: 0203<br>approved<br>10/31/2010                              |
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com | Phone: (877) 416-3439<br>Cell: (913) 279-0264<br>Fax: (913) 279-4806<br>www.daytonsuperior.com  | Sure Film J-74<br>application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal<br>ID#: 0242<br>approved<br>1 /14/2003 |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com | Phone: (800) 321-7628<br>Cell: (216) 481-7072<br>Fax: (216) 531-9399<br>www.euclidchemical.com  | Eucobar<br>ID#: 0044<br>approved<br>8 /21/1997   |
| Kaufman Products<br>Alex Kaufman<br>3811 Curtis Avenue<br>Baltimore MD 21226<br>akaufman@kaufmanproducts.net            | Phone: (800) 637-6372<br>Cell: (410) 354-8600<br>Fax: (410) 354-1122<br>www.kaufmanproducts.net | VaporAid 060<br>ID#: 0191<br>approved<br>8 /2 /1999  |
| Vexcon Chemical Incorporated<br>Darryl Manuel<br>7240 State Road<br>Philadelphia PA 19135<br>techservice@vexcon.com     | Phone: (888) 839-2661<br>Cell: (215) 332-7709<br>Fax: (215) 332-9997<br>www.vexcon.com          | Certi-Vex Envioassist<br>application rate: 4.9 m2/1 to 200 ft2/gal<br>ID#: 0193<br>approved<br>8 /2 /1999                  |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com          | Phone: (800) 342-5976<br>Cell: (707) 745-6666<br>Fax: (707) 747-6206<br>www.wrmeadows.com       | Sealtight Evapre<br>application rate: 1 gal to 9 gal water<br>ID#: 0194<br>approved<br>3 /27/2006                          |

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| Cemex<br>Michael Camello<br>5180 Golden Foothill Parkway Suite 200<br>El Dorado Hills CA 95762<br>michael.camello@cemex.com | Phone: (925) 426-8787<br>Cell:<br>Fax: (916) 939-7481<br>www.cemex.com | <b>Aggregate</b><br><br><br><br><br><br><br><br><br><br><b>ID#:</b><br>0014<br><br><br><br><br><br><br><b>approved</b><br>1/26/1997 |

**496.02.02a OVERLAY SYSTEM (MULTILAYER)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   |
|---|--|--|
| E-Bond Epoxies<br>Steve Frank<br>3491 Old Cobbler Court<br>San Diego CA 92111<br>stevopolymerdek@aol.com                              | Phone: (858) 571-5043<br>Cell: (858) 442-8185<br>Fax: (858) 571-5043<br>www.polymerdek.com       | <b>E-Bond 526 (aka E-Bond 34) w/Silica 6/8 Blend</b><br><br>Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290<br><br><br><br><br><br><br><b>ID#:</b><br>0755<br><br><br><br><br><br><br><b>approved</b><br>8/29/2009                       |
| Poly-Carb Incorporated<br>Mike Geist<br>33095 Bainbridge Road<br>Solon OH 44139<br>geist@dow.com                                      | Phone: (800) 225-5649<br>Cell: (719) 487-5558<br>Fax: (440) 248-1513<br>www.poly-carb.com        | <b>Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48</b><br><br>Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120<br><br><br><br><br><br><br><b>ID#:</b><br>0753<br><br><br><br><br><br><br><b>approved</b><br>8/29/2009                |
| Poly-Carb Incorporated<br>Mike Geist<br>33095 Bainbridge Road<br>Solon OH 44139<br>geist@dow.com                                      | Phone: (800) 225-5649<br>Cell: (719) 487-5558<br>Fax: (440) 248-1513<br>www.poly-carb.com        | <b>Poly-Carb Mark 163 Flexogrid/Flint Rock 65-8orGr8</b><br><br>Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737<br><br><br><br><br><br><br><b>ID#:</b><br>0743<br><br><br><br><br><br><br><b>approved</b><br>8/29/2009 |
| Unitex Chemicals / Dayton Superior<br>Gregg Freeman<br>3101 Gardner Avenue<br>Kansas City KS 64120<br>greggfreeman@daytonsuperior.com | Phone: (800) 821-5846<br>Cell: (303) 941-0123<br>Fax: (816) 483-3149<br>www.unitex-chemicals.com | <b>Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8</b><br><br>Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737<br><br><br><br><br><br><br><b>ID#:</b><br>0754<br><br><br><br><br><br><br><b>approved</b><br>8/29/2009     |

**502.02.04a CONCRETE STAIN**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   |
|--|--|--|
| Quest Construction Products<br>Shawn Carney<br>2810 South 18th Place<br>Phoenix AZ 85034<br>shawn@unitedcoatings.com | Phone: (800) 541-4383<br>Cell: (509) 998-6263<br>Fax: (480) 745-8939<br>www.unitedcoatings.com | <b>Canyon Tone Stain</b><br><br><br><br><br><br><br><b>ID#:</b><br>0519<br><br><br><br><br><br><br><b>approved</b><br>4/12/2005          |
| VistaPaint<br>Steve Tetreault<br>2020 East Orangethorpe Avenue<br>Fullerton CA 92831<br>stetreault@vistapaint.com    | Phone: (714) 680-3800<br>Cell: (702) 292-8316<br>Fax: (714) 459-4681<br>www.vistapaint.com     | <b>Coverall 2800 AF Ext. Flat</b><br><br><br><br><br><br><br><b>ID#:</b><br>0761<br><br><br><br><br><br><br><b>approved</b><br>5/20/2008 |

**502.02.04b CONCRETE PAINT**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

**502.02.04b CONCRETE PAINT****Vendor Name / Address****Product Name****Remarks**

No Vendors at this Time

Phone:

No Vendors at this Time

ID#:

\*\*

Cell:

Fax:

approved  
9 / 7 / 2010**502.02.05a COATINGS (ANTI-GRAFFITI, PERMANENT, NON-SACRIFICIAL)****Vendor Name / Address****Product Name****Remarks**American Polymer Corporation  
Gordon Daw  
9176 South 300 West Suite 4  
Sandy UT 84070  
gdaw@americanpolymer.com

Phone: (866) 366-1137

Clear VU High Solids (AP 307)

Cell: (801) 255-9505

Fax: (801) 255-7123

www.americanpolymer.com

Clear VU High Solids Base Coating (AP 307)  
Clear Top Coat (AP100, AP101, or AP102)  
Pigmented Top Coat (AP200, AP201, or AP202)ID#:  
0389

10/08 new product replaces GSS 10

approved  
7 / 6 / 2008Integument Technologies  
Jennifer Smyth  
72 Pearce Avenue  
Tonawanda NY 14150  
info@integument.com

Phone: (716) 873-1199

Fluorogrip® Anti Graffiti Film

Cell:

Fax: (716) 873-1303

www.integument.com

for Signs ONLY

ID#:  
0763approved  
11/12/2010Monopole Incorporated  
Tony Khalil  
4661 Alger Street  
Los Angeles CA 90039  
tony@monopoleinc.com

Phone: (800) 491-9977

Monochem Permashield 5600 Premium System

Cell:

Fax: (818) 502-0818

www.monopoleinc.com

company passed an additional metal field test

ID#:  
0679approved  
10/6 / 2009SEI Chemical Company  
Ross Sklar  
3430 Union Pacific Avenue  
Los Angeles CA 90023  
ross@seichemical.com

Phone: (801) 255-7123

GPA 200 Graffiti Proofer  
GPA 300 Graffiti Proofer

Cell:

Fax: (888) 273-4489

www.seichemical.com

flattening agent required

ID#:  
0680, 0725approved  
9 / 29 / 2009Sherwin-Williams Company, The  
Paul Trautman  
101 Prospect Avenue NW  
Cleveland OH 44115  
paul.trautmann@sherwin.com

Phone: (216) 566-1733

2K Waterbased Urethane Anti Graffiti

Cell: (210) 861-2286

Fax: (216) 830-7721

www.sherwin-williams.com

Part A: B65T00194 and Part B: B65V190

ID#:  
0724approved  
9 / 21 / 2009Textured Coatings of America  
Bill Borchert  
PO Box 3458  
San Leandro CA 94578  
specwestreps@aol.com

Phone: (510) 206-8030

Graffiti-Gard "S"

Cell:

Fax: (510) 346-2441

www.texcote.com

ID#:  
0762approved  
11/12/2010**502.03.13i JOINT FILLERS (PREFORMED)****Vendor Name / Address****Product Name****Remarks**BASF/Watson Bowman Acme Corp  
Paul Biesinger  
95 Pineview Drive  
Amherst NY 14228  
paul.biesinger@basf.com

Phone: (800) 677-4922

JEENE® Structural & Sealing Jt  
Wabo® Evazote UV

Cell: (716) 553-7308

Fax: (716) 691-9239

www.wbacorp.com

ID#:  
0011, 0005approved  
8 / 2 / 2006



**502.03.13i JOINT FILLERS (PREFORMED)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| Chase Construction Products<br>Terry Eck<br>191 Vanderzee Road<br>Ravena NY 12143<br>tech@chasecorp.com               | Phone: (518) 694-4171<br>Cell: (518) 505-5043<br>Fax: (518) 694-0955<br>www.chaseconstructionproducts.com | MetaZeal<br>Phyzite 380<br><br>ID#: 0509, 0009<br><br>approved<br>7/24/2007       |
| Polysat Company Incorporated<br>Benny Zlotnick<br>295 North Main Street<br>Mechanicville NY 12118<br>benz@polysat.com | Phone: (518) 664-6000<br>Cell:<br>Fax: (518) 664-6001<br>www.polysat.com                                  | Ply-Seal<br>Ply-Seal XE Beige<br><br>ID#: 1862, 1863<br><br>approved<br>3/28/2011 |
| RJ Watson Incorporated<br>Marc Stafford<br>78 John Glenn Drive<br>Amherst NY 14228<br>mdstafford@rjwatson.com         | Phone: (716) 691-3301<br>Cell:<br>Fax: (716) 691-3305<br>www.rjwatson.com                                 | Silicoflex<br><br><br>ID#: 0276<br><br>approved<br>12/7/2000                      |
| Schul International<br>Steven Robinson<br>1 Industrial Park Drive #16<br>Pelham NH 03076<br>info@schul.com            | Phone: (800) 848-1120<br>Cell: (603) 889-6872<br>Fax: (603) 899-6874<br>www.willsealusa.com               | Will Seal 600<br><br><br>ID#: 0347<br><br>approved<br>10/31/1995                  |
| TechStar Incorporated<br>Warren Brown<br>1219 West Main Cross Street<br>Findlay OH 45840<br>warren@techstar-inc.com   | Phone: (419) 424-0888<br>Cell: (419) 408-5469<br>Fax: (419) 424-5959<br>www.techstar-inc.com              | W Seal<br><br><br>ID#: 0131<br><br>approved<br>4/19/1999                          |

**502.03.13j EXPANSION JOINTS (ASPHALTIC PLUG)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>  |
|--|---|---|
| DS Brown Company, The<br>Larry Durain<br>300 East Cherry Street<br>North Baltimore OH 45872<br>ldurain@dsbrown.com | Phone: (800) 848-1730<br>Cell: (419) 396-4023<br>Fax: (419) 257-2200<br>www.dsbrown.com | Matrix 502 Pave Tech<br><br><br>ID#: 0198<br><br>approved<br>6/5/1997     |
| Dynamic Surface Application Ltd<br>Tim Persing<br>373 Village Road<br>Pennsdale PA 17756<br>tpersing@dsa-ltd.com   | Phone: (800) 546-6041<br>Cell: (570) 337-3605<br>Fax: (570) 546-2415<br>www.dsa-ltd.com | BJS Thorma Joint System<br><br><br>ID#: 0360<br><br>approved<br>9/19/2002 |

**502.03.13k EXPANSION JOINT (SPECIAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| Silicone Specialties Incorporated<br>Dale Baker<br>PO Box 50009<br>Tulsa OK 74150<br>dale.baker@ssicm.com | Phone: (800) 888-8909<br>Cell: (918) 698-6797<br>Fax: (918) 582-7510<br>www.ssicm.com | Dow 902 XJS Joint System<br>this is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product.<br><br>ID#: 0212<br><br>approved<br>4/22/2002 |

**502.03.131 EXPANSION JOINT SEALANT**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>                                 | <b>ID#:</b>                   |
|--|--|--|-------------------------------|
| BASF/Watson Bowman Acme Corp<br>Paul Biesinger<br>95 Pineview Drive<br>Amherst NY 14228<br>paul.biesinger@basf.com         | Phone: (716) 691-7566<br>Cell: (716) 553-7308<br>Fax: (716) 553-7308<br>www.wbacorp.com    | <b>Wabo® Silicone Seal</b><br>two part sealant | 8 / 2 / 2006<br><br>approved  |
| Dow Corning Corporation<br>Jason Sika<br>12081 West Alameda Parkway #421<br>Lakewood CO 80228<br>jason.sika@dowcorning.com | Phone: (303) 980-1780<br>Cell: (303) 880-9614<br>Fax: (303) 980-1789<br>www.dowcorning.com | <b>902 RCS</b>                                 | 4 / 22 / 2002<br><br>approved |

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  | <b>ID#:</b>                   |
|---|--|---|-------------------------------|
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com | Phone: (800) 321-7628<br>Cell: (216) 481-7072<br>Fax: (216) 531-9399<br>www.euclidchemical.com | <b>Tammscoat Fine</b>   | 7 / 18 / 2007<br><br>approved |
| Textured Coatings of America<br>Bill Borchert<br>PO Box 3458<br>San Leandro CA 94578<br>specwestreps@aol.com            | Phone: (510) 206-8030<br>Cell:<br>Fax: (510) 346-2441<br>www.texcote.com                       | <b>TexCote 300 Bridge Cote</b><br><b>TexCote XL70 Bridge Cote</b> | 6 / 16 / 2008<br><br>approved |

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   | <b>ID#:</b>                   |
|---|---|--|-------------------------------|
| Crafco Incorporated<br>Bryan Darling<br>420 North Roosevelt Avenue<br>Chandler AZ 85226<br>bryan.darling@crafco.com       | Phone: (602) 276-0406<br>Cell:<br>Fax: (480) 940-1425<br>www.crafco.com                         | <b>Crafco Asphalt Rubber</b><br>type 1, 2 or 4 depends on the climate zone                 | 1 / 7 / 1998<br><br>approved  |
| Henry Company<br>Randy Rozell<br>909 North Sepulveda Boulevard Suite 650<br>El Segundo CA 90245<br>rrozell@henry.com      | Phone: (916) 849-9908<br>Cell:<br>Fax: (858) 391-1077<br>www.henry.com                          | <b>Calseal</b><br>type 1, 2 or 4 depends on the climate zone                               | 9 / 8 / 1998<br><br>approved  |
| Maxwell Products Incorporated<br>Larry Allen<br>650 Delong Street<br>Salt Lake City UT 84104<br>larry@maxwellproducts.com | Phone: (801) 972-2090<br>Cell: (801) 918-8912<br>Fax: (801) 972-5536<br>www.maxwellproducts.com | <b>Elastoflex 44</b><br><b>Elastoflex 56</b><br>type 1, 2 or 4 depends on the climate zone | 9 / 30 / 1996<br><br>approved |

**505.02.01 COATINGS (EPOXY FOR STEEL REINFORCING BARS)**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

**505.02.01 COATINGS (EPOXY FOR STEEL REINFORCING BARS)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   |
|---|---|--|
| Akzo Nobel<br>Fritz Herrmann<br>20 Culvert Street<br>Nashville TN 37210<br>fritz.herrmann@akzonobel.com               | Phone: (800) 626-7891<br>Cell: (615) 995-5576<br>Fax: (615) 983-4818<br>www.akzonobel.com               | Resicoat RB600 HKF30R<br>ID#: 0591<br>approved<br>4 /30/2008   |
| Dupont Powder Coatings Inc<br>Richard Pontes<br>9800 Genard Road<br>Houston TX 77041<br>richard.pontes@usa.dupont.com | Phone: (800) 247-2598<br>Cell: (775) 527-1337<br>Fax: (614) 771-4139<br>www.hoovers.com/dupont-coatings | 7-2719 Nap Guard<br>ID#: 0281<br>approved<br>1 /22/2001        |
| Valspar Corporation, The<br>Michael Adams<br>1136 Fayette<br>North Kansas City MO 64116<br>madams@valspar.com         | Phone: (281) 370-6164<br>Cell: (281) 795-1461<br>Fax: (281) 370-6654<br>www.valspar.com                 | Lilly Greenbar #720A009<br>ID#: 0028<br>approved<br>4 /4 /2000 |

**509.03.09 SYNTHETIC DRILLING SLURRY**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   |
|--|--|--|
| CETCO Construction Drilling Products<br>Randy Strickland<br>2870 Forbes Avenue<br>Hoffman Estates IL 60192<br>randy.strickland@cetco.com | Phone: (800) 527-9948<br>Cell: (817) 584-6792<br>Fax: (847) 851-1332<br>www.cetco.com    | Shore Pac<br>ID#: 0559<br>approved<br>9 /25/2006                           |
| Geo-Tech Drilling Fluids<br>Max Holmes<br>1781 Hawthorne Loop<br>Driftwood TX 78619<br>mholmes@geotech.us                                | Phone: (210) 587-4758<br>Cell: (310) 923-4160<br>Fax: (210) 568-4567<br>www.pdscoin.com  | Novagel Polymer<br>ID#: 0558<br>approved<br>9 /25/2006                     |
| PDS Company<br>Customer Service<br>8140 East Rosecrans Avenue<br>Paramount CA 90723<br>sales@pdscoinc.com                                | Phone: (562) 634-8180<br>Cell: (870) 863-5707<br>Fax: (562) 634-1350<br>www.pdscoinc.com | Super Mud<br>%Champion Equipment Co<br>ID#: 0560<br>approved<br>9 /25/2006 |

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com | Phone: (702) 227-6800<br>Cell: (858) 277-2100<br>Fax: (702) 222-0488<br>www.atlasform.com            | Atlas Pro-1 Patch<br>the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br>ID#: 0315<br>approved<br>5 /14/2009   |
| BASF Corporation<br>Pete Warren<br>889 Valley Park Drive<br>Shakopee MN 55379<br>pete.warren@basf.com           | Phone: (800) 433-9517<br>Cell: (415) 577-8479<br>Fax: (800) 496-6067<br>www.buildingsystems.basf.com | Emaco S66 CI<br>Rapid Mortar 10-60<br>Set 45 (CT)<br>the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br>ID#: 0385, 0386, 0387<br>approved<br>1 /3 /2002 |

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>   |
|--|--|--|---|
| Buzzi Unicem USA Incorporated<br>William Krupa<br>100 Brodhead Road Suite 230<br>Bethlehem PA 18017<br>william.krupa@buzziunicemusa.com                      | <b>Phone:</b> (610) 882-5013<br><b>Cell:</b><br><b>Fax:</b> (610) 868-8795<br><br>www.buzziunicemusa.com                   | <b>UltiGrout®</b><br><b>Ulti Pave3®</b>  | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>7/12/2010               |
| CTS Cement Manufacturing Corp<br>Frank Senatore<br>11065 Knott Avenue Suite A<br>Cypress CA 90630<br>fsenatore@ctscement.com                                 | <b>Phone:</b> (800) 929-3030<br><b>Cell:</b> (714) 348-1946<br><b>Fax:</b> (714) 379-8270<br><br>www.rapidset.com          | <b>RS Cement All</b><br><b>RS Concret</b><br><b>RS DOT Repair</b><br><b>RS Motar</b> | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. RS= Rapid Set<br><br><b>approved</b><br>1/27/1994 |
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com                                      | <b>Phone:</b> (877) 416-3439<br><b>Cell:</b> (913) 279-0264<br><b>Fax:</b> (913) 279-4806<br><br>www.daytonsuperior.com    | <b>Dayton Superior HD-50</b><br><b>Edoco Fast Patch 928</b>                          | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>9/30/1996               |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com                                      | <b>Phone:</b> (800) 321-7628<br><b>Cell:</b> (216) 481-7072<br><b>Fax:</b> (216) 531-9399<br><br>www.euclidchemical.com    | <b>EucoSpeed</b><br><b>EucoSpeed MP</b>  | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>9/23/1998               |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com                                      | <b>Phone:</b> (800) 321-7628<br><b>Cell:</b> (216) 481-7072<br><b>Fax:</b> (216) 531-9399<br><br>www.euclidchemical.com    | <b>Express Repair</b><br><b>Hi Flow Grout</b>  | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>11/8/2005               |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com                                      | <b>Phone:</b> (800) 321-7628<br><b>Cell:</b> (216) 481-7072<br><b>Fax:</b> (216) 531-9399<br><br>www.euclidchemical.com    | <b>Speed Crete® 2028 Rapid</b><br><b>Speed Crete® Green Line</b>                     | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>1/8/2004                |
| Five Star Products Incorporated<br>Chris Piekos<br>750 Commerce Drive<br>Fairfield CT 06825<br>piekosc@fivestarprouducts.com                                 | <b>Phone:</b> (800) 243-2206<br><b>Cell:</b> (203) 336-7900<br><b>Fax:</b> (203) 336-7930<br><br>www.fivestarprouducts.com | <b>Highway Patch</b><br><b>Structural Concrete</b>                                   | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>9/30/1996               |
| Henkel Loctite<br>Bob Bacchetti<br>1416 Franklin Avenue<br>Tracy CA 95376<br>bob.bacchetti@us.henkel.com   | <b>Phone:</b> (209) 830-7803<br><b>Cell:</b> (209) 482-4488<br><b>Fax:</b> (209) 830-7804<br><br>www.us.henkel.com         | <b>Loctite MagnaCrete</b>  | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>4/10/2006               |
| HP Concrete Repair Materials Inc<br>John Collins<br>23411 Aliso Viejo Parkway Suite K126<br>Aliso Viejo CA 92656<br>johncollins@concreterepair.com/www.Concr | <b>Phone:</b> (949) 677-8229<br><b>Cell:</b><br><b>Fax:</b> (714) 439-1001<br><br>www.concreterepair.com                   | <b>High Performance</b><br><b>Concrete</b>   | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.<br><br><b>approved</b><br>1/3/2002                |

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>                        |
|---|---|---|------------------------------------|
| US Concrete Products<br>Ed Brennan<br>16 Greenmeadow Drive<br>Timonium MD 21093<br>info@uscproducts.com | <b>HP Cement</b><br>Phone: (866) 827-8727<br>Cell: (410) 561-8770<br>Fax: (410) 561-8771<br>www.concreterepairmaterials.com | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. | 0507<br><br>approved<br>10/22/2004 |
| US Mix Company<br>Bryan Smith<br>112 South Santa Fe Drive<br>Denver CO 30305<br>bsmith@usmix.com        | <b>US SPEC STR Mortar</b><br>Phone: (303) 778-7227<br>Cell: (702) 322-1700<br>Fax: (303) 722-8426<br>www.usmix.com          | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. | 0655<br><br>approved<br>9/29/2009  |
| WR Meadows of Arizona<br>Terry Kraus<br>4220 South Sarival Avenue<br>Goodyear AZ 85338                  | <b>Futura 15 Fast Setting Concrete</b><br>Phone: (623) 932-9383<br>Cell:<br>Fax: (623) 932-1547<br>www.wrmeadows.com        | the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. | 0599<br><br>approved<br>9/29/2009  |

**609.02.01b STORMWATER TREATMENT VAULTS**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  | <b>ID#:</b>                                   |
|--|--|---|---|
| BaySaver Technologies Inc<br>Ed Franklin<br>PO Box 8553<br>Incline Village NV 89452<br>edjfranklin@aol.com                   | <b>BaySaver</b><br>Phone: (775) 831-4592<br>Cell: (800) 229-7283<br>Fax: (775) 831-4592<br>www.baysaver.com                                | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | 0284<br><br>approved<br>2/19/2001             |
| Jensen Precast<br>Ron Anderson<br>825 Steneri Way<br>Sparks NV 89431-5803<br>randerson@jensenprecast.com                     | <b>JPHV Stormwater Interceptor</b><br>Phone: (800) 431-9308<br>Cell: (775) 352-6345<br>Fax: (775) 352-6364<br>www.jensenprecast.com        | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | 0548<br><br>approved<br>6/13/2006             |
| Rinker Materials, Concrete Pipe Div<br>Don Catterson<br>999 Marietta Way<br>Sparks NV 89431<br>dcatterson@rinker.com         | <b>Stormceptor</b><br>Phone: (775) 358-4430<br>Cell: (775) 745-0605<br>Fax: (775) 355-1982<br>www.rinkermaterials.com                      | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | 0286<br><br>approved<br>4/22/2001             |
| Stormdrain Solutions Incorporated<br>Robert Sharpless<br>333 Beaumont Road<br>Devon PA 19333-1703<br>stormdrains@verizon.net | <b>Inceptor</b><br>Phone: (877) 687-7473<br>Cell: (610) 316-0957<br>Fax: (610) 687-6327<br>www.stormdrains.com                             | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | 0348<br><br>approved<br>4/6/2006              |
| Tensor International<br>Neil Erickson<br>3498 Celar Court<br>Rancho Cordova CA 95670<br>ericksonn@contech-cpi.com            | <b>CDS StormFilter StormFilter Vortechs</b><br>Phone: (800) 338-1122<br>Cell: (916) 635-0760<br>Fax: (916) 635-0764<br>www.contech-cpi.com | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | 0447, 0448, 0452<br><br>approved<br>7/23/2003 |

**609.02.01c TRENCH DRAINS**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

**609.02.01c TRENCH DRAINS**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>                                       | <b>Remarks</b>  |   |
|---|---|---|---|---|
| ABT Incorporated<br>Brad Short<br>259 Murdock Road/PO Box 837<br>Troutman NC 28166<br>bshort@abtdrains.com                | Phone: (800) 438-6057<br>Cell: (949) 633-6111<br>Fax: (704) 528-5478<br>www.abtdrains.com         | <b>A-67 Interceptor<br/>Polydrain<br/>XHD</b>             | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.                                     | <b>ID#:</b><br>0394, 0395,<br>0767<br><br><b>approved</b><br>1 /17/2003 |
| ABT Incorporated<br>Brad Short<br>259 Murdock Road/PO Box 837<br>Troutman NC 28166<br>bshort@abtdrains.com                | Phone: (800) 438-6057<br>Cell: (949) 633-6111<br>Fax: (704) 528-5478<br>www.abtdrains.com         | <b>MHD 200 8"<br/>MHD 300</b>                             | (8"/12" Trench Drain System)<br><br>This is a general QPL ONLY. The unit will be selected based on the specific project requirements. | <b>ID#:</b><br>0561, 0765<br><br><b>approved</b><br>7 /5 /2006          |
| ACO Polymer Products Inc<br>Justin White<br>825 Beechcraft<br>Casa Grande AZ 85222<br>jwhite@aco-online.com               | Phone: (888) 490-9552<br>Cell: (209) 204-0988<br>Fax: (209) 574-1014<br>www.acousa.com            | <b>FF300 Concrete<br/>FG200 Concrete<br/>TraffikDrain</b> | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.                                     | <b>ID#:</b><br>0726, 0663,<br>0380<br><br><b>approved</b><br>1 /28/2003 |
| ACO Polymer Products Inc<br>Justin White<br>825 Beechcraft<br>Casa Grande AZ 85222<br>jwhite@aco-online.com               | Phone: (888) 490-9552<br>Cell: (209) 204-0988<br>Fax: (209) 574-1014<br>www.acousa.com            | <b>S100K Concrete<br/>S300K Concrete</b>                  | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.                                     | <b>ID#:</b><br>0396, 0397<br><br><b>approved</b><br>1 /28/2003          |
| Hubbell<br>Thomas Beattie<br>273 Willow Green Way<br>Vacaville CA 95687<br>tbeattie@hubbell.com                           | Phone: (800) 346-3061<br>Cell: (707) 291-6991<br>Fax: (865) 986-0585<br>www.polycastdrain.com     | <b>Polycast 700<br/>Polycast 900R<br/>Polycast 3000</b>   | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.<br><br>R =Removeable                | <b>ID#:</b><br>0512, 0513,<br>0514<br><br><b>approved</b><br>3 /2 /2005 |
| Multidrain Systems Incorporated<br>Steve Born<br>PO Box 88<br>Barium Springs NC 28010<br>steve.born@multidrainsystems.com | Phone: (800) 433-1119<br>Cell: (704) 881-4064<br>Fax: (704) 508-1011<br>www.multidrainsystems.com | <b>EconoDrain<br/>MultiDrain</b>                          | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.                                     | <b>ID#:</b><br>0492, 0493<br><br><b>approved</b><br>4 /6 /2004          |
| Zurn Industries Incorporated<br>Jim Delre<br>1801 Pittsburgh Avenue<br>Erie PA 16502<br>jim.e3143@zurn.com                | Phone: (814) 455-0921<br>Cell: (919) 332-5653<br>Fax: (814) 875-1402<br>www.zurn.com              | <b>Z-882 (9.25" Wide)<br/>Z-886 (4" Wide)</b>             | this is a general QPL ONLY; the unit will be selected based on the specific project requirements.                                     | <b>ID#:</b><br>0441, 0442<br><br><b>approved</b><br>3 /28/2003          |

**610.02.01 CELLULAR EROSION CONTROL MATS**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b> | <b>Remarks</b>  |  |
|---|--|---------------------|---|--|
| Basalite Concrete Products LLC<br>Damian Swain<br>335 Greg Street<br>Sparks NV 89431<br>damian.swain@paccoast.com | Phone: (775) 745-1286<br>Cell: (775) 358-1200<br>Fax: (775) 359-5997<br>www.submar.com | <b>UltraFlexTM</b>  | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | <b>ID#:</b><br>0685<br><br><b>approved</b><br>11/18/2009 |

**610.02.01 CELLULAR EROSION CONTROL MATS**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>                  | <b>Remarks</b>  |   |
|---|---|--------------------------------------|---|---|
| Hanes Geo Components<br>Ben Brough<br>5927 Balfour Court Suite 108<br>Carlsbad CA 92008<br>ben.brough@hanesindustries.com | Phone: (702) 341-0354<br>Cell:<br>Fax: (702) 341-0355<br>www.hanesgeo.com                   | <b>Armorflex</b>                     | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | ID#:<br>0326<br><br><b>approved</b><br>1/21/1998        |
| Shoretac<br>Patrick Bonorden<br>510 O'Neal Lane<br>Baton Rouge LA 70819<br>pbonorden@premierconcrete.com                  | Phone: (281) 450-3469<br>Cell: (225) 273-9888<br>Fax: (225) 273-3511<br>www.shoretac.com    | <b>Shorblock<br/>Shoretac</b>        | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | ID#:<br>0601, 0612<br><br><b>approved</b><br>3/23/2009  |
| Tensar International<br>Neil Erickson<br>3498 Celar Court<br>Rancho Cordova CA 95670<br>ericksonn@contech-cpi.com         | Phone: (800) 338-1122<br>Cell: (916) 635-0760<br>Fax: (916) 635-0764<br>www.contech-cpi.com | <b>Armotec Cellular<br/>Petralex</b> | this is a general QPL ONLY; the unit will be selected based on the specific project requirements. | ID#:<br>0332, 0333<br><br><b>approved</b><br>10/23/2008 |

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

| <b>Vendor Name / Address</b>   |   | <b>Product Name</b>                      | <b>Remarks</b>                   |   |
|--|---|--|----------------------------------|---|
| ACO Polymer Products Inc<br>Justin White<br>825 Beechcraft<br>Casa Grande AZ 85222<br>jwhite@aco-online.com                | Phone: (888) 490-9552<br>Cell: (209) 204-0988<br>Fax: (209) 574-1014<br>www.acousa.com        | <b>ACO Detectable Warning<br/>Device</b> | approved NV Red ONLY             | ID#:<br>0630<br><br><b>approved</b><br>2/26/2009  |
| Advanced Surface Systems LLC<br>Karen "KC" Hemry<br>3260 Northbend Circle Suite D<br>Alcoa TN 37701<br>bumps@suredome.com  | Phone: (865) 233-5680<br>Cell: (865) 206-4789<br>Fax: (865) 233-5681<br>www.suredome.com      | <b>SureDome</b>                          | approved for NV Red and NV Green | ID#:<br>0598<br><br><b>approved</b><br>12/10/2008 |
| Arcis Corporation<br>Daniel VanBrabant<br>10680 NW 289th Place/PO Box 1250<br>North Plains OR 97133<br>danv@arcis-corp.com | Phone: (503) 647-5042<br>Cell:<br>Fax: (503) 647-7731<br>www.arcis-corp.com                   | <b>ADA Arcis Tactile</b>                 | approved for NV Red and NV Green | ID#:<br>0608<br><br><b>approved</b><br>9/2/2008   |
| Armorcast Products Company<br>Sydney Chase<br>13230 Saticoy Street<br>North Hollywood CA 91605<br>info@armorcastprod.com   | Phone: (818) 982-3600<br>Cell: (909) 772-1424<br>Fax: (818) 982-7742<br>www.armorcastprod.com | <b>Armorcast DWS</b>                     | approved for NV Red and NV Green | ID#:<br>0848<br><br><b>approved</b><br>2/28/2011  |
| StrongGo LLC<br>Niranjan Vescio<br>3296 East Hemisphere Loop<br>Tucson AZ 85706<br>nvescio@stronggo.com                    | Phone: (866) 439-3216<br>Cell: (520) 305-1189<br>Fax: (520) 547-3515<br>www.stronggo.com      | <b>TekWay Dome Tiles</b>                 | approved for NV Red and NV Green | ID#:<br>0564<br><br><b>approved</b><br>11/27/2006 |

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

| <i>Vendor Name / Address</i>   |   | <i>Product Name</i> | <i>Remarks</i>                   |  |
|--|---|---------------------|----------------------------------|--|
| Transpo Industries Incorporated<br>Mike Stenko<br>20 Jones Street<br>New Rochelle NY 10801<br>mstenko@transpo.com                      | Phone: (800) 321-7870<br>Cell: (914) 636-1000<br>Fax: (914) 636-1282<br>www.transpo.com       | Step-Safe DWS       | approved for NV Red and NV Green | ID#: 0484<br><br>approved<br>3/26/2004 |
| United Diamond & Stone Inc<br>Darren Thomas<br>16788 Placer Hills Road Suite C<br>Meadow Vista CA 95722<br>darren_thomas@sbcglobal.net | Phone: (530) 878-2440<br>Cell: (530) 320-4180<br>Fax: (530) 878-8263<br>www.uniteddiamond.com | Cast-in-Tact 3      | approved for NV Red and NV Green | ID#: 0666<br><br>approved<br>8/20/2009 |

**616.02.01 FABRIC (PLASTIC FENCE)**

| <i>Vendor Name / Address</i>  |  | <i>Product Name</i> | <i>Remarks</i> |   |
|---|--|---------------------|----------------|---|
| Conwed Plastics<br>Customer Service<br>1300 Godward Avenue SE Suite 5000<br>Minneapolis MN 55413<br>customer.service@conwedplastics.com | Phone: (800) 426-6933<br>Cell: (612) 623-1700<br>Fax: (612) 623-2500<br>www.conwedplastics.com | Safety Fence        |                | ID#: 0202<br><br>approved<br>10/10/1999 |
| Tensor International<br>Robert Miller<br>34892 Calle Fortuna<br>Capistrano Beach CA 92624<br>bmiller@tensarcorp.com                     | Phone: (949) 488-7054<br>Cell: (949) 212-8454<br>Fax: (949) 488-7084<br>www.earthtech.com      | Safety GeoGrid      |                | ID#: 0345<br><br>approved<br>5/15/2002  |

**618.02.01a GUARDRAIL TERMINAL (FLARED)**

| <i>Vendor Name / Address</i>   |   | <i>Product Name</i>   | <i>Remarks</i>                               |  |
|--|---|-----------------------|--|--|
| Road Systems Incorporated<br>John Durkos<br>PO Box 2163<br>Big Spring TX 79721<br>jdurkos@roadsystems.com              | Phone: (330) 346-0721<br>Cell: (432) 263-2435<br>Fax: (330) 346-0722<br>www.roadsystems.com | Fleat 350<br>Fleat SP | TL-3   | ID#: 0045, 0668<br><br>approved<br>9/29/2009 |
| Trinity Highway Safety<br>Mike Hooley<br>950 West 400 South/PO Box 99<br>Centerville UT 84014<br>mikel.hooley@trin.net | Phone: (800) 772-7976<br>Cell: (801) 631-2695<br>Fax: (801) 292-3263<br>www.trin.net        | ET Plus<br>SRT 350    | TL-3; LET Soil Tubes (replaced with ET Plus) | ID#: 0499, 0768<br><br>approved<br>4/28/2000 |

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

| <i>Vendor Name / Address</i>  |   | <i>Product Name</i>           | <i>Remarks</i> |   |
|---|---|-------------------------------|----------------|---|
| Road Systems Incorporated<br>John Durkos<br>PO Box 2163<br>Big Spring TX 79721<br>jdurkos@roadsystems.com | Phone: (330) 346-0721<br>Cell: (432) 263-2435<br>Fax: (303) 346-0722<br>www.roadsystems.com | SKT 350<br>SKT Lite<br>SKT SP | TL-3           | ID#: 0156, 0669,<br>0670<br><br>approved<br>1/12/1998 |



**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b> | <b>Remarks</b> |  |
|--|--|---------------------|----------------|--|
| Trinity Highway Safety<br>Mike Hooley<br>950 West 400 South/PO Box 99<br>Centerville UT 84014<br>mikel.hooley@trin.net | Phone: (800) 772-7976<br>Cell: (801) 631-2695<br>Fax: (801) 292-3263<br>www.trin.net | CAT 350<br>ET Plus  | TL-3           | ID#:<br>0046, 0499<br><br>approved<br>3 /30/1997 |

**618.02.01c GUARDRAIL OFFSET BLOCKS**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b>      | <b>Remarks</b>                           |  |
|--|--|--------------------------|--|--|
| Arizona Structural Laminators<br>Ginger Wiltbank<br>PO Box 2008<br>Eagar AZ 85925<br>gwiltbank@azglulam.com            | Phone: (928) 333-5501<br>Cell:<br>Fax: (928) 333-4403<br>www.azglulam.com            | Glue Laminated Wood      | used with w-beam and tri-beam guardrails | ID#:<br>0485<br><br>approved<br>3 /10/2004       |
| Trinity Highway Safety<br>Mike Hooley<br>950 West 400 South/PO Box 99<br>Centerville UT 84014<br>mikel.hooley@trin.net | Phone: (800) 772-7976<br>Cell: (801) 631-2695<br>Fax: (801) 292-3263<br>www.trin.net | King-Block<br>King-Sized | used with steel post tri-beam guardrails | ID#:<br>0524, 0523<br><br>approved<br>5 /31/2005 |

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>                      | <b>Remarks</b>  |  |
|---|--|--|---|--|
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com                                    | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com    | FG 300 Complete Curb<br>FG 300 Model EFX | type II; standard surface and soil/ground<br>mount options available  | ID#:<br>0684, 0692<br><br>approved<br>6 /19/2009 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com                                    | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com    | FG 300 Model PE<br>FG 300 Model UR       | type II; standard surface and soil/ground<br>mount options available  | ID#:<br>0686, 0687<br><br>approved<br>6 /19/2009 |
| Safe Hit A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net            | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com | SH K-Marker<br>SH Barrier Replaceable    | minimum embedment depth: 430 mm (17<br>inches); standard surface and surface/soil<br>mount options available. | ID#:<br>0606, 0510<br><br>approved<br>10/5 /2008 |
| Safe Hit A Div of Energy Absorption<br>Systems<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com | RT 360 HD Tub<br>RT 360 HD BD Tub        | minimum embedment depth: 430 mm (17<br>inches); standard surface and surface/soil<br>mount options available  | ID#:<br>0621, 0625<br><br>approved<br>10/5 /2008 |

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b>                                  | <b>Remarks</b>  |   |
|--|--|--|---|---|
| Safe Hit A Div of Energy Absorption Systems<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com   | SH Dura Post<br>SH Tubular                           | type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available | ID#: 0625, 0610<br><br>approved<br>10/5 /2008       |
| SHUR-TITE® Products<br>Gary Champ<br>P.O. Box 2283<br>Round Rock TX 78680<br>gary@shur-tite.com  | Phone: (512) 218-9500<br>Cell:<br>Fax: (512) 388-0417<br>www.shur-tite.com                 | Driveable Del<br>Socket Mt Del<br>Surface Mt Del     | standard surface and surface/soil mount options available and angled mounts                                   | ID#: 0633, 0634, 0635<br><br>approved<br>4 /30/2009 |
| SHUR-TITE® Products<br>Gary Champ<br>P.O. Box 2283<br>Round Rock TX 78680<br>gary@shur-tite.com  | Phone: (512) 218-9500<br>Cell:<br>Fax: (512) 388-0417<br>www.shur-tite.com                 | Shur-Flex Guardrail Clamp<br>Shur-Tite Cable Barrier | standard surface and surface/soil mount options available and angled mounts                                   | ID#: 0637, 0638<br><br>approved<br>4 /30/2009       |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com | TD 5500 Earthflex<br>Delineator                      | standard surface and surface/soil mount options available   | ID#: 0508<br><br>approved<br>12/3 /2002             |

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>                     | <b>Remarks</b>   |   |
|---|---|---|--|---|
| Carsonite® Composites Int'l<br>Ernest Joyner III<br>19845 US Highway 76<br>Newberry SC 29108<br>ernest.joyner@philips.com | Phone: (800) 648-7916<br>Cell: (803) 940-3034<br>Fax: (803) 276-8940<br>www.carsonite.com | Island Sentry K-Marker                  |  | ID#: 0050<br><br>approved<br>8 /1 /1989       |
| Flexstake Incorporated<br>Jim Zadrozny<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912<br>jim@flexstake.com                  | Phone: (800) 348-9839<br>Cell:<br>Fax: (239) 482-3539<br>www.flexstake.com                | BD Marker Round<br>HM Marker Round      | type II; standard surface and surface/soil mount options available | ID#: 0052, 0056<br><br>approved<br>6 /1 /1994 |
| Flexstake Incorporated<br>Jim Zadrozny<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912<br>jim@flexstake.com                  | Phone: (800) 348-9839<br>Cell:<br>Fax: (239) 482-3539<br>www.flexstake.com                | T1 Marker Round<br>T2 Marker Round      | type II; standard surface and surface/soil mount options available | ID#: 0049, 0051<br><br>approved<br>6 /1 /1994 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com        | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com     | FG 300 Complete Curb<br>FG 300 Model PE | type II; standard surface and surface/soil mount options available | ID#: 0684, 0686<br><br>approved<br>6 /19/2009 |

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>                        | <b>Remarks</b>  |   |
|---|--|--|---|---|
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com                          | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com      | FG 300 Model UR<br>FG 300 Turn Pike Curb   | type II; standard surface and surface/soil mount options available  | ID#: 0687, 0688<br><br>approved 6/19/2009 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com                          | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com      | Type K Island Marker                       | type II; standard surface and surface/soil mount options available  | ID#: 0576<br><br>approved 9/13/2007       |
| Safe Hit, A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com   | RT 360 HD Bolt Down<br>RT 360 HD Tubular   | type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  | ID#: 0622, 0623<br><br>approved 10/5/2008 |
| Safe Hit, A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com   | SH Dura Post 36"<br>SH Replaceable Barrier | type II; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) | ID#: 0610, 0068<br><br>approved 10/5/2008 |
| Safe Hit, A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 29916-0098<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com   | SH K-Marker Series<br>SH Tubular           | type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  | ID#: 0606, 0628<br><br>approved 10/5/2008 |
| SHUR-TITE® Products<br>Gary Champ<br>P.O. Box 2283<br>Round Rock TX 78680<br>gary@shur-tite.com   | Phone: (512) 218-9500<br>Cell:<br>Fax: (512) 388-0417<br>www.shur-tite.com                 | Shur-Flex® Driveable                       | type II; standard surface and surface/soil mount options available  | ID#: 0676<br><br>approved 2/2/2010        |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                              | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com | TD 5215 K Marker                           | type II; standard surface and surface/soil mount options available  | ID#: 0566<br><br>approved 12/3/2002       |

**623.01.01 DYNAMIC MESSAGE SIGNS**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>      | <b>Remarks</b>     |                                    |
|---|--|--------------------------|--------------------|------------------------------------|
| Daktronics Incorporated<br>Casey Williamson<br>117 Prince Drive<br>Brookings SD 57006-0128<br>casey.williamson@daktronics.com | Phone: (605) 692-0200<br>Cell: (720) 413-2307<br>Fax: (605) 697-4700<br>www.daktronics.com | Light-Emitting Diode DMS | type I and type II | ID#: 0502<br><br>approved 1/7/2004 |

**623.01.01 DYNAMIC MESSAGE SIGNS**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   |
|---|---|--|
| Skyline Products Incorporated<br>Adam Lyons<br>2903 Delta Drive<br>Colorado Springs CO 80910<br>adamlyons@skylineproducts.com | Phone: (719) 392-9046<br>Cell: (719) 314-6883<br>Fax: (719) 392-2075<br>www.skylineproducts.com | 2070 Light-Emitting Diode type I and type II DMS<br><br><br><br><br>approved<br>4 /4 /2008 |

**623.02.08 SERVICE PEDESTALS**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| Eaton Corporation<br>Tony Barber<br>1000 Cherrington Parkway<br>Moon Township PA 15108<br>thomasebarber@eaton.com   | Phone: (702) 309-4088<br>Cell:<br>Fax: (702) 222-0771<br>www.eaton.com                        | Service Pedestals<br><br><br><br><br>approved<br>1 /7 /2011           |
| Milbank Manufacturing Company<br>Dave Stipe<br>4801 Deramus Avenue<br>Kansas City MO 64120<br>dstipe@milbankmfg.com | Phone: (949) 387-4863<br>Cell: (714) 743-0712<br>Fax: (949) 387-4895<br>www.milbankmfg.com    | Metered Service Pedestals<br><br><br><br><br>approved<br>1 /15/2002   |
| Myers Power Products<br>Diana Grootonk<br>2950 East Philadelphia Street<br>Ontario CA 91761<br>bids@myerspower.com  | Phone: (909) 923-1800<br>Cell:<br>Fax: (909) 923-1806<br>www.myerspowerproducts.com           | Service Pedestals +UPS/BBS<br><br><br><br><br>approved<br>9 /5 /2000  |
| Pacific Utilities Products<br>Bob Ford<br>2430 Railroad Street<br>Corona CA 92880<br>pupsales@pedestals.net         | Phone: (800) 860-6157<br>Cell: (951) 493-8394<br>Fax: (951) 279-3116<br>www.pedestals.net     | Service Pedestals<br><br><br><br><br>approved<br>11/19/2002           |
| Tesco Controls Incorporated<br>Curt Vasey<br>3409 52nd Avenue<br>Sacramento CA 95823<br>cvasey@tescocontrols.com    | Phone: (916) 395-8800<br>Cell: (916) 952-5088<br>Fax: (916) 429-2817<br>www.tescocontrols.com | Tescoflex Service Pedestals<br><br><br><br><br>approved<br>11/21/2002 |

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| Carolina High Mast<br>Scott Engberg<br>700 East McLeroy Boulevard Suite A<br>Saginaw TX 76179<br>sengberg@chmindustries.com   | Phone: (682) 286-0046<br>Cell: (817) 657-6973<br>Fax: (682) 286-0086<br>www.chmindustries.com | Series 426<br>bottom latching<br><br><br><br>approved<br>12/30/2003         |
| Eagle High Mast Lighting Company<br>Joseph Simons III<br>1070A Northpoint Boulevard<br>Waukegan IL 60085<br>himastltg@aol.com | Phone: (847) 473-3800<br>Cell: (847) 217-1070<br>Fax: (847) 473-3870<br>www.eaglehighmast.com | High Mast Assembly<br>bottom latching<br><br><br><br>approved<br>1 /2 /2004 |

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>                              | <b>ID#:</b>   |
|---|---|---|---|
| Holophane Corporation<br>James Highgate<br>9435 West Tropicana Avenue 102244<br>Las Vegas NV 89147<br>jameshighgate@gmail.com | Phone: (702) 367-3949<br>Cell: (866) 465-6742<br>Fax: (702) 367-4656<br>www.myholophane.com | Series Holophane LD5<br>Lighting Lowering D | bottom latching<br><br><br><br>approved<br>1 /2 /2004 |

**623.02.16 DUCT SEALING COMPOUND**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b> | <b>ID#:</b>                            |
|--|--|----------------|--|
| Ideal Industries Incorporated<br>Customer Service<br>Becker Place<br>Sycamore IL 60178<br>ideal_industries@idealindustries.com | Phone: (800) 435-0705<br>Cell:<br>Fax: (800) 533-4483<br>www.idealindustries.com | Duct Seal      | <br><br><br><br>approved<br>10/7 /2009 |

|   |   |             |  |
|---|---|-------------|--|
| Rectorseal<br>Scott Kerns<br>2601 Spenwick Drive<br>Houston TX 77055<br>scottk@rectorseal.com | Phone: (713) 860-6717<br>Cell:<br>Fax: (713) 263-7577<br>www.rectorseal.com | RectorSeal® | <br><br><br><br>approved<br>10/7 /2009 |
|---|---|-------------|--|

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>         | <b>ID#:</b>                            |
|---|---|------------------------|--|
| Diamond Traffic Products<br>Beth Ann Ritz<br>PO Box 1455<br>Oakridge OR 97463<br>sales@diamondtraffic.com | Phone: (541) 782-3903<br>Cell:<br>Fax: (541) 782-2053<br>www.diamondtraffic.com | Brass Linguine Class 1 | <br><br><br><br>approved<br>1 /11/2001 |

|  |  |  |  |
|--|--|--|--|
| Measurement Specialties Inco<br>Robin Wilson<br>1000 Lucas Way<br>Hampton VA 23666<br>robin.wilson@meas-spec.com | Phone: (757) 766-4496<br>Cell:<br>Fax: (757) 766-4297<br>www.meas-spec.com | Roadtrax BL Sensor<br>Brass Linguine Class 1 | <br><br><br><br>approved<br>5 /26/1999 |
|--|--|--|--|

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>                                | <b>ID#:</b>   |
|---|--|---|---|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3m.com/tcm | P/N 606 Detector Loop<br>5000 Rubberized Loop | rubberized asphalt material<br><br><br><br>approved<br>6 /16/2000 |

|   |   |  |   |
|---|---|--|---|
| Crafco Incorporated<br>Bryan Darling<br>420 North Roosevelt Avenue<br>Chandler AZ 85226<br>bryan.darling@crafco.com | Phone: (602) 276-0406<br>Cell:<br>Fax: (480) 940-1425<br>www.crafco.com | 271 Loop Detector<br>272 Loop Detector | rubberized asphalt material<br><br><br><br>approved<br>1 /9 /2007 |
|---|---|--|---|

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>                                     |
|---|---|---|---|
| Durant Performance Coating Inc<br>Al Losanno<br>112 Railroad Street<br>Revere MA 02151<br>alosanno@durantcorp.com | Phone: (800) 420-0021<br>Cell: (781) 289-1400<br>Fax: (781) 289-1405<br>www.durantcorp.com  | <b>Stat-a-Flex Polyester Loop</b> polyester material  | 0061<br><br><b>approved</b><br>11/19/1996       |
| Quikrete Company<br>Darrell Brokofsky<br>7705 Wilbur Way<br>Sacramento CA 95828<br>dbrokofsky@quikrete.com        | Phone: (916) 689-8840<br>Cell:<br>Fax: (916) 689-8857<br>www.quikrete.com                   | <b>Commercial Grade Permanent Blacktop Repair #1701</b> asphaltic concrete material   | 0283<br><br><b>approved</b><br>1 /1 /2001       |
| RAI Products Incorporated<br>John Rosenblatt Jr.<br>PO Box 240772<br>Charlotte NC 28224<br>john@raiproducts.com   | Phone: (704) 525-1852<br>Cell: (704) 904-1481<br>Fax: (704) 525-1859<br>www.raiproducts.com | <b>Perm Sealer 974 Nitrile Pro Seal 6006 Polyester</b> sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material | 0064, 0063<br><br><b>approved</b><br>12/19/1996 |
| Reed & Graham Company<br>Rick Besf<br>690 Sunol Street<br>San Jose CA 95126<br>rick@rginc.com                     | Phone: (408) 287-1400<br>Cell: (408) 640-6121<br>Fax: (408) 294-3696<br>www.rginc.com       | <b>Overkote Loop Filler</b> asphaltic emulsion material   | 0062<br><br><b>approved</b><br>8 /5 /1998       |

**623.02.31 DRIVER FEEDBACK SIGNS**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>               | <b>ID#:</b>                               |
|--|--|------------------------------|---|
| MOR Manufacturing<br>Linda Davis<br>5676 East Seltice Way<br>Post Falls ID 83854                       | Phone: (208) 667-8799<br>Cell:<br>Fax:<br>www.mormanufacturing.com | <b>Driver Feedback Signs</b> | 3150<br><br><b>approved</b><br>6 /14/2011 |
| RadarSign<br>Charlie Robeson<br>6845 Shiloh Road East<br>Alpharetta GA 30005<br>crobeson@radarsign.com | Phone: (208) 667-8799<br>Cell:<br>Fax:<br>www.radarsign.com        | <b>Driver Feedback Signs</b> | 3152<br><br><b>approved</b><br>6 /14/2011 |
| Traffic Logix<br>Rico<br>3 Harriett Lane<br>Spring Valley NY 10977                                     | Phone: (866) 915-6449<br>Cell:<br>Fax:<br>www.trafficlogix.com     | <b>Driver Feedback Signs</b> | 3153<br><br><b>approved</b><br>6 /14/2011 |

**623.03.01 TRAFFIC SIGNALS**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>                                     |
|---|--|--|---|
| Dialight Corporation<br>Matthew Sieglitz<br>1501 Route 34 South<br>Farmingdale NJ 07727<br>msieglitz@dialight.com | Phone: (732) 919-3119<br>Cell: (732) 751-5810<br>Fax: (732) 751-5778<br>www.dialight.com | <b>LED 12" Signal Heads (all) 16"x18" Ped Signal Hea</b> must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications | 0335, 0336<br><br><b>approved</b><br>3 /26/2002 |

**623.03.01 TRAFFIC SIGNALS**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>                                      | <b>Remarks</b>   |  |
|---|--|--|--|--|
| Excellence Opto Incorporated<br>Cheryl Huang<br>1663 West 2nd Street<br>Pomona CA 91766<br>cheryluang@eoius.com       | Phone: (909) 784-3333<br>Cell:<br>Fax: (909) 784-3330<br>www.eoius.com                     | <b>LED Traffic Signal<br/>Pedestrian Traffic Signal</b>  | 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green<br><br>must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications. | ID#: 0700, 0701<br><br><b>approved</b><br>6 /17/2008 |
| Leotek Electronics USA Corp<br>Kimberly Konte<br>726 South Hillview Drive<br>Milpitas CA 90744<br>kim@leotek.com      | Phone: (408) 380-1788<br>Cell: (602) 538-7194<br>Fax: (408) 518-8128<br>www.leotek.com     | <b>LED 12" Signal Heads (all)<br/>16"x18" Tinted Ped</b> | must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications  | ID#: 1122, 1215<br><br><b>approved</b><br>4 /6 /2010 |
| Leotek Electronics USA Corp<br>Kimberly Konte<br>726 South Hillview Drive<br>Milpitas CA 90744<br>kim@leotek.com      | Phone: (408) 380-1788<br>Cell: (602) 538-7194<br>Fax: (408) 518-8128<br>www.leotek.com     | <b>TSL-PED-16-CIL-9 16"<br/>Countdown LED FH/MP</b>      | must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications  | ID#: 1406<br><br><b>approved</b><br>4 /6 /2010       |
| Leotek Electronics USA Corp<br>Kimberly Konte<br>726 South Hillview Drive<br>Milpitas CA 90744<br>kim@leotek.com      | Phone: (408) 380-1788<br>Cell: (602) 538-7194<br>Fax: (408) 518-8128<br>www.leotek.com     | <b>TSL-PED-16-DIL 16" LED<br/>FH/MP Indication</b>       | must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications  | ID#: 1405<br><br><b>approved</b><br>4 /6 /2010       |
| Phoenix Highway Products<br>Lupa Cruz<br>2631 North 37th Drive<br>Phoenix AZ 85009<br>lupa@phoenixhighwayproducts.com | Phone: (602) 344-7770<br>Cell: (602) 326-5698<br>Fax: (602) 344-7771<br>www.lumination.com | <b>LED 12" Signal Heads<br/>Pedestrian Signal Heads</b>  | must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCOSI-LED specifications  | ID#: 0337, 0338<br><br><b>approved</b><br>3 /26/2002 |

**623.03.15 SIGN LIGHTING FIXTURES**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>                                     | <b>Remarks</b>   |  |
|---|---|---|--|--|
| GE Consumer & Industrial Lighting Syst<br>Pete Porte<br>4141 Bison<br>Lake Havasu AZ 86404<br>pete.porte@ge.com               | Phone: (928) 855-7223<br>Cell: (714) 323-2636<br>Fax: (928) 855-7237<br>www.gelightingssystem.com | <b>85 Watt Induction<br/>Versaflood III Induction</b>   | (MSR Series Sign)<br>Versaflood III Induction Signlighter<br>CSV3SL2004) | ID#: 0124, 0402<br><br><b>approved</b><br>1 /17/2003 |
| Holophane Corporation<br>James Highgate<br>9435 West Tropicana Avenue 102244<br>Las Vegas NV 89147<br>jameshighgate@gmail.com | Phone: (702) 367-3949<br>Cell: (866) 465-6742<br>Fax: (702) 367-4656<br>www.myholophane.com       | <b>Panel Vue Series Model<br/>85QLXXDG/QD/Door Prop</b> |  | ID#: 0401<br><br><b>approved</b><br>1 /17/2003       |

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b> | <b>Remarks</b> |  |
|--|--|---------------------|----------------|--|
| Lumi Trak Incorporated<br>George Townsend<br>PO Box 158<br>Shrewsbury PA 17361<br>george@luitrak.com | Phone: (717) 235-2863<br>Cell: (717) 818-8203<br>Fax: (717) 235-5076<br>www.lumitrak.com | <b>Lumi Trak</b>    |                | ID#: 0365<br><br><b>approved</b><br>10/11/2000 |

**623.05.26 DETECTORS (RED LIGHT)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   |
|--|--|--|
| BRG Supply<br>Monty Mountha<br>670 Coleman Avenue<br>San Jose CA 95110<br>monty.brgsupply@yahoo.com          | Phone: (408) 920-6319<br>Cell:<br>Fax: (408) 920-6103<br>www.brgsupply.com                 | Red Light Detector<br>ID#: 0446<br>approved<br>7/16/2003 |
| McCain Incorporated<br>Carol Jarvis-Murphy<br>2365 Oak Ridge Way<br>Vista CA 92081<br>cmurphy@mccain-inc.com | Phone: (760) 734-5027<br>Cell: (760) 727-8100<br>Fax: (760) 597-7108<br>www.mccain-inc.com | Red Light Detector<br>ID#: 0445<br>approved<br>7/16/2003 |

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>   |
|--|---|--|
| Bent Manufacturing Company<br>Sandy Gerbrick<br>17311 Nichols Street<br>Huntington Beach CA 92647<br>sandygerbrick@bentmfg.com   | Phone: (888) 842-0600<br>Cell: (714) 842-0600<br>Fax: (888) 842-2368<br>www.bentmfg.com   | MF-180-36 Masterflex<br>type 3; standard surface/soil mount options available<br>ID#: 0065<br>approved<br>8/7/1996                             |
| Carsonite® Composites Int'l<br>Ernest Joyner III<br>19845 US Highway 76<br>Newberry SC 29108<br>ernest.joyner@philips.com        | Phone: (800) 648-7916<br>Cell: (803) 940-3034<br>Fax: (803) 276-8940<br>www.carsonite.com | SDCF<br>SMDW<br>type III; standard surface/soil mount options available<br>ID#: 0067, 0066<br>approved<br>10/1/2008                            |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com               | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com     | FG 300 Complete Curb<br>FG 300 Model PE<br>type III; standard surface/soil mount options available<br>ID#: 0684, 0686<br>approved<br>6/19/2009 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com               | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com     | FG 300 Model UR<br>FG 300 UR HD Flex<br>type III; standard surface/soil mount options available<br>ID#: 0687, 0723<br>approved<br>6/19/2009    |
| Qwick Kurb® Incorporated<br>Micheal Hare<br>1916 US 41 South<br>Ruskin FL 33470<br>mike@qwickkurb.com                            | Phone: (813) 645-5072<br>Cell: (334) 538-2665<br>Fax: (813) 645-4856<br>www.quickkurb.com | Qwick Kurb<br>type III; standard surface/soil mount options available<br>ID#: 0627<br>approved<br>11/21/2008                                   |
| RA Lucas Company Inc, The<br>Raeleen Lucas<br>5182 Katella Avenue Suite #104-B<br>Los Alamitos CA 90720<br>lucasco@earthlink.net | Phone: (562) 799-6160<br>Cell:<br>Fax: (562) 799-6150                                     | Enforcer 42" Channelizer<br>ID#: 1003<br>approved<br>1/23/2001   |



**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>                                       | <b>ID#:</b>   |
|--|--|--|---|
| Safe Hit A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com | <b>RT 360 HD BD Tub</b><br><b>RT 360 HD Tubular</b>  | type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)<br><br><b>approved</b><br>11/21/2008 |
| Safe Hit A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com | <b>SH Dura Post</b><br><b>SH Replaceable Barrier</b> | type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)<br><br><b>approved</b><br>10/5/2008  |
| SHUR-TITE® Products<br>Gary Champ<br>P.O. Box 2283<br>Round Rock TX 78680<br>gary@shur-tite.com  | Phone: (512) 218-9500<br>Cell:<br>Fax: (512) 388-0417<br>www.shur-tite.com               | <b>Shur-Flex® Surface/Soil Mt</b>                    | type III; standard surface/soil mount options available<br><br><b>approved</b><br>4/30/2009   |

**625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  | <b>ID#:</b>   |
|---|--|---|---|
| Artuk<br>Sharon Marquardt<br>6318 West State Street<br>Wauwatosa WI 53213<br>tschoe2992@aol.com                               | Phone: (414) 475-5020<br>Cell:<br>Fax: (414) 476-3438<br>www.aktinc.com                    | <b>FB 33 Flexible Barrier</b>                               | <br><br><b>approved</b><br>2/2/1993                 |
| Hall Manufacturing Corporation<br>Kerry Clark<br>297 Margaret King Avenue<br>Ringwood NJ 07456<br>kerry@hallmanufacturing.com | Phone: (973) 962-7779<br>Cell:<br>Fax: (973) 962-7652<br>www.hallmanufacturing.com         | <b>FlexX 2020</b>   | w/75 mm X 75mm<br><br><b>approved</b><br>12/17/1997 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com            | Phone: (253) 284-8000<br>Cell: (253) 284-8000<br>Fax: (253) 284-8080<br>www.pexco.com      | <b>DAPCO Straight Guardrail Reflector Plates</b>            | <br><br><b>approved</b><br>1/9/1995                 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com            | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com      | <b>PCBM 12H High Impact</b><br><b>PCBM T12H High Impact</b> | <br><br><b>approved</b><br>10/15/1999               |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com | <b>TD 9300 Roadguide</b><br><b>TD 9400 Roadguide</b>        | <br><br><b>approved</b><br>12/3/2002                |

**625.02.03a CHANGEABLE MESSAGE SIGNS**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

**625.02.03a CHANGEABLE MESSAGE SIGNS**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>                  | <b>Remarks</b>                 |  |
|---|--|--------------------------------------|--------------------------------|--|
| American Signal Corporation (ASC)<br>Scott Covington<br>2755 Bankers Industrial Drive<br>Atlanta GA 30360<br>sales@amsig.com    | Phone: (770) 448-6650<br>Cell:<br>Fax: (770) 448-8970<br><br>www.amsign.com                                | CMS T300*<br>CMS T320*<br>CMS T321*  | * DISCONTINUING THESE PRODUCTS | ID#:<br>0075, 0057,<br>0359<br><br><b>approved</b><br>7 / 1 / 2002 |
| American Signal Corporation (ASC)<br>Scott Covington<br>2755 Bankers Industrial Drive<br>Atlanta GA 30360<br>sales@amsig.com    | Phone: (770) 448-6650<br>Cell:<br>Fax: (770) 448-8970<br><br>www.amsign.com                                | CMS T331<br>CMS GP 465               |                                | ID#:<br>0077, 0078<br><br><b>approved</b><br>4 / 8 / 1997          |
| Enduron Custom Incorporated<br>Chelsea Klassen<br>150 Cree Crescent<br>Winnipeg Mani R3J 3W1<br>toba<br>chelsea.k@enduron.net   | Phone: (204) 885-2580<br>Cell:<br>Fax: (204) 888-2912<br><br>www.enduron.net                               | CMS 80FM                             |                                | ID#:<br>0505<br><br><b>approved</b><br>10/13/2004                  |
| National Sign & Signal Company<br>Jeff Geoss<br>2440 Artesia Avenue<br>Fullerton CA 92833<br>jeff@nationalsignalinc.net         | Phone: (888) 994-0300<br>Cell:<br>Fax: (714) 441-7714<br><br>www.nationalsignal.com                        | Nighthawk 340*<br>Nighthawk 345*     | * DISCONTINUING THESE PRODUCTS | ID#:<br>0081, 0082<br><br><b>approved</b><br>4 / 10 / 2000         |
| National Sign & Signal Company<br>Jeff Geoss<br>2440 Artesia Avenue<br>Fullerton CA 92833<br>jeff@nationalsignalinc.net         | Phone: (888) 994-0300<br>Cell:<br>Fax: (714) 441-7714<br><br>www.nationalsignal.com                        | Sunray Solar 345<br>Sunray Solar 380 |                                | ID#:<br>0079, 0080<br><br><b>approved</b><br>4 / 10 / 2000         |
| Precision Solar Control Inc<br>Vickie Seymour<br>2985 Market Street<br>Garland TX 75041<br>vseymour@precisionsolarcontrols.com  | Phone: (972) 278-0553<br>Cell: (972) 278-8683<br>Fax: (972) 271-9583<br><br>www.precisionsolarcontrols.com | SMC HE 1000                          |                                | ID#:<br>0084<br><br><b>approved</b><br>2 / 22 / 1998               |
| Signalisation-Ver-Mac Incorporated<br>Kimberly Jack<br>1781 rue Bresse<br>Sainte-Foy Que G2G 2V2<br>bec<br>kim.jack@ver-mac.com | Phone: (888) 488-7446<br>Cell: (418) 654-1303<br>Fax: (418) 654-0517<br><br>www.ver-mac.com                | PCMS                                 |                                | ID#:<br>0085<br><br><b>approved</b><br>2 / 22 / 1998               |
| Wanco Incorporated<br>Dan Meyers<br>5870 Tennyson Street<br>Arvada CO 80003<br>dmeyers@wanco.com                                | Phone: (303) 427-5700<br>Cell: (800) 972-0755<br>Fax: (303) 427-5725<br><br>www.wanco.com                  | WTLMB-S-LL(A)                        |                                | ID#:<br>0355<br><br><b>approved</b><br>8 / 5 / 2002                |

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

| <b>Vendor Name / Address</b> |  | <b>Product Name</b> | <b>Remarks</b> |  |
|------------------------------|--|---------------------|----------------|--|
|------------------------------|--|---------------------|----------------|--|

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>  |
|--|--|--|--|
| Addco Mfg Co Inc dba Image No Am<br>Customer Service<br>240 Arlington Avenue<br>St Paul MN 55117<br>sales@addco.com                    | Phone: (800) 727-4409<br>Cell: (651) 558-3536<br>Fax: (651) 558-3600<br>www.addco.com                  | Guardian Solar Powered<br>PCMS<br>Sign Dot Sign DH1000 | 0073, 0074<br><br><b>approved</b><br>5 /28/1996  |
| American Signal Corporation (ASC)<br>Scott Covington<br>2755 Bankers Industrial Drive<br>Atlanta GA 30360<br>sales@amsig.com           | Phone: (770) 448-6650<br>Cell:<br>Fax: (770) 448-8970<br>www.amsig.com                                 | CMS T300*<br>CMS T320*<br>CMS T321*                    | * DISCONTINUING THESE PRODUCTS<br>ID#:<br>0075, 0057,<br>0359<br><b>approved</b><br>7 /1 /2002 |
| American Signal Corporation (ASC)<br>Scott Covington<br>2755 Bankers Industrial Drive<br>Atlanta GA 30360<br>sales@amsig.com           | Phone: (770) 448-6650<br>Cell:<br>Fax: (770) 448-8970<br>www.amsig.com                                 | CMS T331<br>CMS GP465                                  | ID#:<br>0077, 0078<br><b>approved</b><br>4 /10/1997  |
| Display Solutions<br>Roy Dexter<br>6301 Best Friend Road<br>Norcross GA 30071  | Phone: (800) 541-9593<br>Cell: (770) 263-8353<br>Fax: (770) 662-5400<br>www.displaysolutionsinc.com    | Sunray Solar Model 340                                 | ID#:<br>0080<br><b>approved</b><br>10/23/2000  |
| National Sign & Signal Company<br>Jeff Geoss<br>2440 Artesia Avenue<br>Fullerton CA 92833<br>jeff@nationalsignalinc.net                | Phone: (888) 994-0300<br>Cell:<br>Fax: (714) 441-7714<br>www.nationalsignal.com                        | Nighthawk 340*<br>Nighthawk 345*                       | * DISCONTINUING THESE PRODUCTS<br>ID#:<br>0081, 0082<br><b>approved</b><br>4 /10/2000          |
| National Sign & Signal Company<br>Jeff Geoss<br>2440 Artesia Avenue<br>Fullerton CA 92833<br>jeff@nationalsignalinc.net                | Phone: (888) 994-0300<br>Cell:<br>Fax: (714) 441-7714<br>www.nationalsignal.com                        | Sunray Solar 345<br>Sunray Solar 380                   | ID#:<br>0079, 0080<br><b>approved</b><br>4 /10/2000  |
| Precision Solar Control Inc<br>Vickie Seymour<br>2985 Market Street<br>Garland TX 75041<br>vseymour@precisionsolarcontrols.com         | Phone: (972) 278-0553<br>Cell: (972) 278-8683<br>Fax: (972) 271-9583<br>www.precisionsolarcontrols.com | SMC SM 2000  | ID#:<br>0071<br><b>approved</b><br>2 /22/1998  |
| Signalisation-Ver-Mac Incorporated<br>Kimberly Jack<br>1781 rue Bresse<br>Sainte-Foy Que G2G 2V2<br>bec<br>kim.jack@ver-mac.com        | Phone: (888) 488-7446<br>Cell: (418) 654-1303<br>Fax: (418) 654-0517<br>www.ver-mac.com                | PCMS   | ID#:<br>0085<br><b>approved</b><br>2 /22/1998  |
| Solar Technology Incorporated<br>Inside Sales Coordinator<br>7620 Cetronia Road<br>Allentown PA 18106<br>mkleckner@solartechnology.com | Phone: (610) 391-8600<br>Cell: (610) 391-8603<br>Fax: (610) 391-8601<br>www.solartechnology.com        | Silent Messenger II<br>Silent Messenger III            | ID#:<br>0664, 0665<br><b>approved</b><br>8 /14/2009  |

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>   |
|--|---|--|
| Solar Technology Incorporated<br>Inside Sales Coordinator<br>7620 Cetronia Road<br>Allentown PA 18106<br>mkleckner@solartech.com | Phone: (610) 391-8600<br>Cell: (610) 391-8603<br>Fax: (610) 391-8601<br>www.solartech.com | Silent Messenger Solar Powered<br>ID#: 0086<br><br>approved<br>2/22/1998 |

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  |
|--|--|---|
| Barrier Systems Incorporated<br>Wayne Kinder<br>1621 Bolero Drive<br>Carson City NV 89703<br>waynegk@gmail.com                       | Phone: (775) 313-1402<br>Cell: (887) 274-5994<br>Fax: (775) 882-6538<br>www.barriersystemsinc.com      | Absorb 350<br>Universal Tau II<br>TL-3; Compliant; Use a nine-element design (min) with attachment/transition assembly; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0290, 0660<br><br>approved<br>10/30/2009   |
| Energy Absorption Systems Inc<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.trin.net                   | Energite III Module<br>N-E-A-T System<br>Quadguard<br>TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0089, 0090, 0091<br><br>approved<br>4/26/2006 |
| SCI Products Incorporated<br>David Wilfong<br>2205 Hightower Drive<br>St. Charles IL 60174<br>dwilfong@sciproducts.com               | Phone: (800) 686-7414<br>Cell: (972) 278-0553<br>Fax: (972) 278-8563<br>www.precisionsolarcontrols.com | SCI100GM<br>TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0545<br><br>approved<br>2/23/2007   |
| Traffic Control Service Inc<br>Danny Jones<br>6680 Surrey Street<br>Las Vegas NV 89119<br>djones@tcsi.biz                            | Phone: (702) 252-3300<br>Cell: (702) 429-6915<br>Fax: (702) 252-3398<br>www.tcsi.biz                   | Energite III<br>Fitch Inertial<br>React 350<br>TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0092, 0093, 0094<br><br>approved<br>4/14/1999        |
| Traffix Devices Incorporated<br>Cary LeMonds<br>160 Avenida La Pata<br>San Clemente CA 92673<br>clemonds@traffixdevices.com          | Phone: (801) 979-7099<br>Cell:<br>Fax: (801) 446-1157<br>www.traffixdevices.com                        | Big Sandy 48247-SPI<br>Temp<br>Big Sandy Sand Barrel<br>TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0095, 0096<br><br>approved<br>11/1/2002     |

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  |
|--|--|---|
| Energy Absorption Systems Inc<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.trin.net | Safe-Stop 180 TMA<br>TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0192<br><br>approved<br>11/3/1999 |
| Traffix Devices Incorporated<br>Cary LeMonds<br>160 Avenida La Pata<br>San Clemente CA 92673<br>clemonds@traffixdevices.com          | Phone: (801) 979-7099<br>Cell:<br>Fax: (801) 446-1157<br>www.traffixdevices.com      | ScorPion C 10,000<br>TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.<br>ID#: 0264<br><br>approved<br>7/26/2000                     |

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  |
|--|--|---|
| Trinity Highway Safety<br>Mike Hooley<br>950 West 400 South/PO Box 99<br>Centerville UT 84014<br>mikel.hooley@trin.net | Phone: (800) 772-7976<br>Cell: (801) 631-2695<br>Fax: (801) 292-3263<br>www.trin.net | <b>MPS 350 III</b><br>TL-3 Compliant; Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. |
|  |  | ID#: 0097<br><br>approved<br>9/17/1997  |

**625.02.06 BARRIER RAIL (WATER FILLED)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>                                 |
|---|---|--|
| Armorcast Products Company<br>Sydney Chase<br>13230 Satcoy Street<br>North Hollywood CA 91605<br>info@armorcastprod.com | Phone: (818) 982-3600<br>Cell: (909) 772-1424<br>Fax: (818) 982-7742<br>www.armorcastprod.com | <b>Guardian Barrier Water Filled w/350 Kit</b> |
|   |   | ID#: 0099<br><br>approved<br>6/23/1998         |

|  |  |   |
|--|--|---|
| Energy Absorption Systems Inc<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.trin.net | <b>Triton Barrier</b><br>use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections). |
|  |  | ID#: 0098<br><br>approved<br>3/30/1997  |

|   |  |  |
|---|--|--|
| PolyJohn Enterprise<br>Steve Washburn<br>2500 Gaspar Avenue<br>Whiting IN 46394-2175<br>steve.washburn@polyjohn.com | Phone: (800) 292-1305<br>Cell:<br>Fax: (219) 659-0625<br>www.rhinobarriers.com | <b>Rhino Safety Barrier w/350 kit</b><br>use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)). |
|   |  | ID#: 0482<br><br>approved<br>10/24/2007  |

|  |  |   |
|--|--|---|
| Safety Barriers<br>David Walker<br>10519 Lexington Drive<br>Knoxville TN 37933 | Phone: (865) 966-9123<br>Cell: (800) 966-2012<br>Fax: (865) 675-3622 | <b>Water Ballasted Barriers SB-1-TL</b> |
|  |  | ID#: 0711<br><br>approved<br>3/27/2006  |

|  |  |   |
|--|--|---|
| Yodock Wall Company Incorporated<br>Kathleen Yodock<br>900 Patterson Drive<br>Bloomsburg PA 17815<br>kathleen@yodock.com | Phone: (570) 380-2856<br>Cell: (954) 931-5247<br>Fax: (570) 380-2859<br>www.yodock.com | <b>Traffic Cntrl System 2001</b>        |
|  |  | ID#: 0551<br><br>approved<br>11/27/2007 |

**625.02.07 BEACON (PORTABLE LIGHT SYSTEM)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>                        |
|--|---|---------------------------------------|
| K&K Systems Incorporated<br>Timothy Keith<br>687 Palmetto Road<br>Tupelo MS 38801<br>timothy@k-k-systems.com | Phone: (888) 414-3003<br>Cell: (662) 566-2025<br>Fax: (662) 566-7123<br>www.k-k-systems.com | <b>Safety Beacon Light</b>            |
|  |   | ID#: 0188<br><br>approved<br>1/6/1998 |

**625.03.03 SIGN SUPPORT SYSTEM**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|

## 625.03.03 SIGN SUPPORT SYSTEM

| Vendor Name / Address   | Product Name   | Remarks  | ID#:   |   |
|---|--|--|--|---|
| Alcan Composites USA Inc<br>Debbie Jett<br>208 West 5th Street<br>Benton KY 42025<br>debbie.jett@3acomposites.com | Phone: (270) 527-4200<br>Cell: (800) 434-3042<br>Fax: (270) 527-1552<br>www.alcancompositesusa.com | Dibond for Highway<br>Work Zone Signage                  | must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance    | 0547, 0593<br><br>approved<br>5 /9 /2006          |
| Bone Safety Sign<br>Chris Goode<br>6450 Industrial Way<br>Alpharetta GA 30004<br>chris@bonesafety.com             | Phone: (770) 333-1635<br>Cell: (352) 598-5308<br>Fax: (770) 333-1639<br>www.bonesafety.com         | Bone Light 4MM ACM<br>Aluminum Composite                 | approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716   | 0616<br><br>approved<br>10/16/2008                |
| Bone Safety Sign<br>Chris Goode<br>6450 Industrial Way<br>Alpharetta GA 30004<br>chris@bonesafety.com             | Phone: (770) 333-1635<br>Cell: (352) 598-5308<br>Fax: (770) 333-1639<br>www.bonesafety.com         | SZ-412<br>SZ-460<br>SZ-484                               | approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716   | 0617, 0618,<br>0619<br><br>approved<br>10/16/2008 |
| Bone Safety Sign<br>Chris Goode<br>6450 Industrial Way<br>Alpharetta GA 30004<br>chris@bonesafety.com             | Phone: (770) 333-1635<br>Cell: (352) 598-5308<br>Fax: (770) 333-1639<br>www.bonesafety.com         | SZ-412-2S<br>SZ-460-2S<br>SZ-484-2S                      | approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 | 0620, 0657,<br>0658<br><br>approved<br>10/16/2008 |
| Dicke Tool Company<br>Michael Burke<br>1845 Anunsen Street NE<br>Salem OR 97301<br>mike@dicketool.com             | Phone: (800) 333-5641<br>Cell: (206) 818-9277<br>Fax: (800) 695-6054<br>www.dicketool.com          | DF3000S Dynaflex<br>DF3000WQ Dynaflex                    | must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance         | 0220, 0221<br><br>approved<br>12/7 /1998          |
| Dicke Tool Company<br>Michael Burke<br>1845 Anunsen Street NE<br>Salem OR 97301<br>mike@dicketool.com             | Phone: (800) 333-5641<br>Cell: (206) 818-9277<br>Fax: (800) 695-6054<br>www.dicketool.com          | DF3003S Dynaflex<br>DF3003W Dynaflex                     | must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance         | 0222, 0223<br><br>approved<br>12/7 /1998          |
| Dicke Tool Company<br>Michael Burke<br>1845 Anunsen Street NE<br>Salem OR 97301<br>mike@dicketool.com             | Phone: (800) 333-5641<br>Cell: (206) 818-9277<br>Fax: (800) 695-6054<br>www.dicketool.com          | DL1003W Dynaflex<br>UF2000 Uniflex Verticle<br>Portable  | must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance         | 0224, 0225<br><br>approved<br>12/7 /1998          |
| Eastern Metals<br>Michlle Beiling<br>1430 Sullivan Street<br>Elmira NY 14901<br>mbeiling@usa-sign.com             | Phone: (800) 872-7446<br>Cell: (607) 734-2295<br>Fax: (607) 734-8783<br>www.usa-sign.com           | C200<br>C202   | must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance         | 0227, 0228<br><br>approved<br>5 /31/2000          |
| Eastern Metals<br>Michlle Beiling<br>1430 Sullivan Street<br>Elmira NY 14901<br>mbeiling@usa-sign.com             | Phone: (800) 872-7446<br>Cell: (607) 734-2295<br>Fax: (607) 734-8783<br>www.usa-sign.com           | C902 Superflex Compact<br>Stand w/Fiberglass Leaf<br>Spr | must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance         | 0899<br><br>approved<br>5 /31/2000                |

**625.03.03 SIGN SUPPORT SYSTEM**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>  |
|---|---|---|--|
| Eastern Metals<br>Michelle Beiling<br>1430 Sullivan Street<br>Elmira NY 14901<br>mbeiling@usa-sign.com                                  | Phone: (800) 872-7446<br>Cell: (607) 734-2295<br>Fax: (607) 734-8783<br>www.usa-sign.com    | <b>Superflex Compact Stand w/Fiberglass Leaf Spr</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance | 0233<br><br><b>approved</b><br>5 /31/2000                      |
| Eastern Metals<br>Michelle Beiling<br>1430 Sullivan Street<br>Elmira NY 14901<br>mbeiling@usa-sign.com                                  | Phone: (800) 872-7446<br>Cell: (607) 734-2295<br>Fax: (607) 734-8783<br>www.usa-sign.com    | <b>X501 FS Coil Spring<br/>X550 FS Coil Spring</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance   | 0229, 0231<br><br><b>approved</b><br>4 /4 /2000                |
| Eastern Metals<br>Michelle Beiling<br>1430 Sullivan Street<br>Elmira NY 14901<br>mbeiling@usa-sign.com                                  | Phone: (800) 872-7446<br>Cell: (607) 734-2295<br>Fax: (607) 734-8783<br>www.usa-sign.com    | <b>X551 FS Coil Spring<br/>X600 FS Coil Spring</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance   | 0232, 0233<br><br><b>approved</b><br>4 /4 /2000                |
| Korman Signs Incorporated<br>John Murray<br>3029 Lincoln Avenue<br>Richmond VA 23228-4295<br>jam@kormansigns.com                        | Phone: (800) 296-6050<br>Cell: (804) 262-6050<br>Fax: (804) 261-1040<br>www.kormansigns.com | <b>SS1<br/>SS548<br/>SS548A<br/>SS548AE</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance          | 0411, 0415,<br>0405, 0409<br><br><b>approved</b><br>1 /24/2003 |
| Korman Signs Incorporated<br>John Murray<br>3029 Lincoln Avenue<br>Richmond VA 23228-4295<br>jam@kormansigns.com                        | Phone: (800) 296-6050<br>Cell: (804) 262-6050<br>Fax: (804) 261-1040<br>www.kormansigns.com | <b>SS548C<br/>SS548CA<br/>SS548CAE<br/>SS548CE</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance   | 0407, 0412,<br>0418, 0403<br><br><b>approved</b><br>1 /24/2003 |
| Korman Signs Incorporated<br>John Murray<br>3029 Lincoln Avenue<br>Richmond VA 23228-4295<br>jam@kormansigns.com                        | Phone: (800) 296-6050<br>Cell: (804) 262-6050<br>Fax: (804) 261-1040<br>www.kormansigns.com | <b>SS548E<br/>SS548UC<br/>SS548UCA<br/>SS548UCR</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance  | 0413, 0406,<br>0408, 0404<br><br><b>approved</b><br>1 /24/2003 |
| Korman Signs Incorporated<br>John Murray<br>3029 Lincoln Avenue<br>Richmond VA 23228-4295<br>jam@kormansigns.com                        | Phone: (800) 296-6050<br>Cell: (804) 262-6050<br>Fax: (804) 261-1040<br>www.kormansigns.com | <b>SS548UCRA<br/>SS560A<br/>SS560</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance                | 0414, 0416,<br>0417<br><br><b>approved</b><br>1 /24/2003       |
| Marketing Displays International<br>Glenda Bleau<br>38271 West Twelve Mile Road<br>Farmington Hills MI 48331<br>gbleau@mdiworldwide.com | Phone: (800) 521-6776<br>Cell:<br>Fax: (248) 488-5700<br>www.mditraficcontrol.com           | <b>4812<br/>4814K Windmaster<br/>4815RB<br/>4818</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance | 0235, 0251,<br>0237, 0238<br><br><b>approved</b><br>1 /24/2003 |
| Marketing Displays International<br>Glenda Bleau<br>38271 West Twelve Mile Road<br>Farmington Hills MI 48331<br>gbleau@mdiworldwide.com | Phone: (800) 521-6776<br>Cell:<br>Fax: (248) 488-5700<br>www.mditraficcontrol.com           | <b>4850RB<br/>4860KC<br/>4884CS</b><br>must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance                  | 0239, 0240,<br>0241<br><br><b>approved</b><br>1 /24/2003       |

**625.03.03 SIGN SUPPORT SYSTEM**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>  | <b>Remarks</b>   |   |
|---|---|--|--|---|
| Traffix Devices Incorporated<br>Cary LeMonds<br>160 Avenida La Pata<br>San Clemente CA 92673<br>clemonds@traffixdevices.com | Phone: (801) 979-7099<br>Cell:<br>Fax: (801) 446-1157<br>www.traffixdevices.com | <b>Big Buster Dual SF</b><br><b>Little Buster Dual SF</b>          | must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding | ID#:<br>0243, 0244<br><br><b>approved</b><br>5 /31/2000 |
| Traffix Devices Incorporated<br>Cary LeMonds<br>160 Avenida La Pata<br>San Clemente CA 92673<br>clemonds@traffixdevices.com | Phone: (801) 979-7099<br>Cell:<br>Fax: (801) 446-1157<br>www.traffixdevices.com | <b>Economy Plastic Folding Bar</b><br><b>Zephyr Portable Stand</b> | 48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance | ID#:<br>0248, 0272<br><br><b>approved</b><br>5 /31/2000 |

**625.03.04 BARRICADES**

| <b>Vendor Name / Address</b>   |   | <b>Product Name</b>                                    | <b>Remarks</b>                            |   |
|--|---|--|---|---|
| Bent Manufacturing Company<br>Sandy Gerbrick<br>17311 Nichols Street<br>Huntington Beach CA 92647<br>sandygerbrick@bentmfg.com | Phone: (888) 842-0600<br>Cell: (714) 842-0600<br>Fax: (888) 842-2368<br>www.bentmfg.com       | <b>All Plastic Universal Waffle &amp; Steel Legged</b> | type I and type II with or without lights | ID#:<br>0246<br><br><b>approved</b><br>5 /2 /2006       |
| Bent Manufacturing Company<br>Sandy Gerbrick<br>17311 Nichols Street<br>Huntington Beach CA 92647<br>sandygerbrick@bentmfg.com | Phone: (888) 842-0600<br>Cell: (714) 842-0600<br>Fax: (888) 842-2368<br>www.bentmfg.com       | <b>Plywood Panel Barricade</b>                         | type III with or without lights           | ID#:<br>0245<br><br><b>approved</b><br>3 /10/2000       |
| Highway Technologies<br>David Johnson<br>4535 Copper Sage Street<br>Las Vegas NV 89115<br>david.johnson@hwy-tech.com           | Phone: (702) 453-1616<br>Cell:<br>Fax: (702) 438-3460<br>www.hwy-tech.com                     | <b>Barricade</b>                                       | type 3 with or without lights             | ID#:<br>0435<br><br><b>approved</b><br>1 /10/2000       |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com             | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com         | <b>Barricade</b><br><b>O-Frame Barricade</b>           | type 3B with or without lights            | ID#:<br>0250, 0613<br><br><b>approved</b><br>10/15/1999 |
| Plastic Safety Systems Inc<br>Bill Jamieson<br>2444 Baldwin Road<br>Cleveland OH 44104<br>wejamieson@plasticsafety.com         | Phone: (800) 662-6338<br>Cell: (216) 231-8590<br>Fax: (216) 231-2702<br>www.plasticsafety.com | <b>Anchor Barricade</b>                                | type III with or without lights           | ID#:<br>0483<br><br><b>approved</b><br>5 /5 /2010       |
| Plasticade Industries<br>Hery Ross<br>7700 North Austin Avenue<br>Skokie IL 60077<br>hross@plasticade.com                      | Phone: (800) 772-0355<br>Cell:<br>Fax: (847) 955-8074<br>www.plasticade.com                   | <b>Sentinel</b>  | type III with or without lights           | ID#:<br>0001<br><br><b>approved</b><br>2 /21/2007       |



**625.03.04 BARRICADES**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>   |   |
|--|--|--|---|---|
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 2100 Works Barricade</b><br><b>TD2150 Works Barricade</b>      | type I and type II<br>type 1 and type 2<br>cannot be used in configuration that is wider<br>than was tested - 24" | 0171, 0374<br><br><b>approved</b><br>10/31/2002 |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 2200 Works Barricade</b><br><b>TD2250 Works Barricade</b>      | type I and type II<br>type 1 and type 2<br>cannot be used in configuration that is wider<br>than was tested       | 0375, 0376<br><br><b>approved</b><br>10/14/2004 |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 2300 Works Barricade</b><br><b>TD2400 All Plastic</b>          | type I and type II<br>type 3B<br>cannot be used in configuration that is wider<br>than was tested                 | 0526, 0527<br><br><b>approved</b><br>10/14/2004 |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 2500 Works Barricade</b><br><b>TD2550 Works Barricade</b>      | type I<br>type 3<br>cannot be used in configuration that is wider<br>than was tested                              | 0525, 0529<br><br><b>approved</b><br>10/14/2004 |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 2600 Works Barricade</b><br><b>TD2650 Works Barricade</b>      | type I and type II<br>type 3<br>cannot be used in configuration that is wider<br>than was tested                  | 0530, 0531<br><br><b>approved</b><br>10/14/2004 |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                     | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com         | <b>TD 3000 A Frame</b><br><b>Barricade</b>                           | type I and type II<br>cannot be used in configuration that is wider<br>than was tested                            | 0532<br><br><b>approved</b><br>12/3 /2002       |
| Traffix Devices Incorporated<br>Cary LeMonds<br>160 Avenida La Pata<br>San Clemente CA 92673<br>clemonds@traffixdevices.com        | Phone: (801) 979-7099<br>Cell:<br>Fax: (801) 446-1157<br>www.traffixdevices.com                    | <b>Economy Plastic Folding</b><br><b>Bar</b><br><b>Sand Fill Bag</b> | type 3 with or without lights   | 0248, 0249<br><br><b>approved</b><br>4 /3 /2000 |
| Work Area Protection Corporation<br>Jeffery Smith<br>2500 Production Drive<br>St Charles IL 60174<br>jsmith@workareaprotection.com | Phone: (800) 327-4417<br>Cell: (630) 330-8063<br>Fax: (630) 377-9270<br>www.workareaprotection.com | <b>Lane Changer B500 LC</b><br><b>Traffic Drum</b>                   | type III with or without lights   | 0745<br><br><b>approved</b><br>7 /12/2010       |
| Yodock Wall Company Incorporated<br>Kathleen Yodock<br>900 Patterson Drive<br>Bloomsburg PA 17815<br>kathleen@yodock.com           | Phone: (570) 380-2856<br>Cell: (954) 931-5247<br>Fax: (570) 380-2859<br>www.yodock.com             | <b>200/M w/Temporary Signal</b><br><b>Model # 2001</b>               | type III with or without lights   | 0590<br><br><b>approved</b><br>3 /10/2004       |

**627.02.01a SIGNS (POLYCARBONATE)**

| <i>Vendor Name / Address</i> | <i>Product Name</i>     | <i>Remarks</i>         |
|------------------------------|-------------------------|------------------------|
| No Vendors at this Time      | No Vendors at this Time | ID#:                   |
| **                           | Phone:                  |                        |
|                              | Cell:                   |                        |
|                              | Fax:                    | approved<br>11/4 /2008 |

**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

| <i>Vendor Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   |
|--|---|--|
| Carsonite® Composites Int'l<br>Ernest Joyner III<br>19845 US Highway 76<br>Newberry SC 29108<br>ernest.joyner@philips.com                  | Phone: (800) 648-7916<br>Cell: (803) 940-3034<br>Fax: (803) 276-8940<br>www.carsonite.com | Modular Guidance System<br>ID#: 0102<br>approved<br>10/1 /2008 |
| Flexstake Incorporated<br>Jim Zadrozny<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912<br>jim@flexstake.com                                   | Phone: (800) 348-9839<br>Cell:<br>Fax: (239) 482-3539<br>www.flexstake.com                | Glare Screen System<br>ID#: 0103<br>approved<br>7 /31/1996     |
| Safe Hit A Div of Energy Absorption<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.safe-hit.com  | Glare Screen System<br>ID#: 0123<br>approved<br>7 /31/1996     |

**632.03.05 RETROREFLECTOMETERS**

| <i>Vendor Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  |
|--|---|---|
| Flint Trading Incorporated<br>Dennis Evangelista<br>115 Todd Court<br>Thomasville NC 27360<br>sales@flintrtrading.com    | Phone: (336) 475-6600<br>Cell:<br>Fax: (336) 475-7900<br>www.flintrtrading.com            | LTL-X 30 Meter Geometry<br>LTL-2000 discontinuing<br>10/08 LTL 2000 Geometry<br>Retroreflectometer was discontinued but still<br>qualifies<br>ID#: 0211, 0210<br>approved<br>6 /1 /1999                               |
| Mirolux Products Incorporated<br>William Kaiser<br>12621 Bridgewood Lane<br>Draper UT 84020<br>sales@miroluxproducts.com | Phone: (801) 718-7089<br>Cell:<br>Fax: (801) 571-3394<br>www.miroluxproducts.com          | Mirolux Ultra 30<br>ID#: 0213<br>approved<br>12/26/1999   |
| RoadVista<br>Eric Nelson<br>8581 Aero Drive<br>San Diego CA 92123<br>enelson@roadvista.com                               | Phone: (858) 279-6044<br>Cell: (888) 637-2758<br>Fax: (858) 576-9286<br>www.roadvista.com | LaserLux CEN 30<br>LaserLux CEN 30 Mobile<br>10/08 MX 30 Retroreflectometer was<br>discontinued but still qualifies; both the<br>mobile and portable units are approved.<br>ID#: 0544, 0551<br>approved<br>5 /2 /2006 |
| RoadVista<br>Eric Nelson<br>8581 Aero Drive<br>San Diego CA 92123<br>enelson@roadvista.com                               | Phone: (858) 279-6044<br>Cell: (888) 637-2758<br>Fax: (858) 576-9286<br>www.roadvista.com | StripeMaster Series I<br>StripeMaster Series II<br>ID#: 0542, 0543<br>approved<br>5 /27/2010  |

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>                                     | <b>ID#:</b>  |
|---|---|--|--|
| Alpine Products<br>Bart Farrar<br>550 3rd Street SW Building C<br>Auburn WA 98001<br>bart@alpinemarkings.com                      | Phone: (253) 351-9828<br>Cell:<br>Fax: (253) 735-6303<br>www.alpinemarkings.com                 | <b>DDOT ABS</b>                                    | 100 mm (4") round<br><br><br><br><br>approved<br>6/2/1999  |
| Apex Universal Incorporated<br>Steve Edsinga<br>11033 Forest Place<br>Santa Fe Springs CA 90670<br>sales@apexmarker.com           | Phone: (562) 944-8878<br>Cell: (562) 805-3839<br>Fax: (562) 944-2298<br>www.apexmarker.com      | <b>929 ABS<br/>929 PP<br/>Ceramic</b>              | duplicate<br><br><br><br><br>approved<br>6/1/1999  |
| Glowlite Incorporated<br>Edward and John Fei<br>1861 West La Habra Boulevard #230<br>La Habra CA 90631<br>info_glowlite@yahoo.com | Phone: (626) 336-6086<br>Cell: (562) 715-6597<br>Fax: (626) 336-6085<br>www.glowlitemarket.com  | <b>W: Type A/4"<br/>Y: Type AY/4"</b>              | 100 mm (4") round (ceramic and plastic/PP);<br>NR=Non Reflective<br><br><br><br><br>approved<br>3/7/2005 |
| Hi-Way Safety Incorporated<br>Kris Harris<br>13310 5th Street<br>Chino CA 91710<br>kris@hiwaysafety.com                           | Phone: (800) 228-1701<br>Cell: (951) 529-2666<br>Fax: (909) 627-0999<br>www.hi-waysafety.com    | <b>NRPDRND-YEL</b>                                 | 100 mm (4") round<br><br><br><br><br>approved<br>6/1/1999  |
| Hi-Way Safety Incorporated<br>Kris Harris<br>13310 5th Street<br>Chino CA 91710<br>kris@hiwaysafety.com                           | Phone: (800) 228-1701<br>Cell: (951) 529-2666<br>Fax: (909) 627-0999<br>www.hi-waysafety.com    | <b>W: NRPDRND<br/>Y: NRPDRND</b>                   | 100 mm (4") round<br><br><br><br><br>approved<br>6/1/1999  |
| Interstate Sales<br>Mike Trentman<br>12600-200 Locksley Lane<br>Auburn CA 95602<br>miket@interstatesales.com                      | Phone: (800) 237-7245<br>Cell: (530) 823-6070<br>Fax: (530) 823-0994<br>www.interstatesales.com | <b>Diamond Back (ABS &amp; Polypropylene)</b>      | 100 mm (4") round (ABS & Polypropylene)<br><br><br><br><br>approved<br>6/1/1999                          |
| Novabrite<br>Norman Yamaguchi<br>92 Corporate Park Suite C331<br>Irvine CA 926065106<br>norman@novabrite.com                      | Phone: (714) 656-3659<br>Cell: (925) 373-1751<br>Fax: (925) 215-2549<br>www.novabrite.com       | <b>W: ADOT<br/>Y: ADOT<br/>W: CDOT<br/>Y: CDOT</b> | 100 mm (4") round<br><br><br><br><br>approved<br>3/20/2002   |
| Three D Traffic Works<br>Frank Dvoracek<br>430 North Varney Street<br>Burbank CA 91502<br>sales@trafficwks.com                    | Phone: (877) 843-9757<br>Cell: (323) 849-1316<br>Fax: (818) 841-5096<br>www.trafficwks.com      | <b>TD 10000 Series</b>                             | 100 mm (4") round<br><br><br><br><br>approved<br>12/4/2002   |

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> | <b>ID#:</b> |
|------------------------------|---------------------|----------------|-------------|
|------------------------------|---------------------|----------------|-------------|

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

| <i>Vendor Name / Address</i>  |  | <i>Product Name</i>                                   | <i>Remarks</i>           |  |
|---|--|---|--------------------------|--|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com                             | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm       | <b>290 Durable Raised</b>                             | 89 mm x 100 mm (3.6"x4") | ID#: 0255<br><br>approved<br>6 / 1 / 1999                      |
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com                                | Phone: (800) 331-8118<br>Cell: (904) 806-4439<br>Fax: (800) 555-0217<br>www.ennistraffic.com | <b>911 Ab<br/>953 Ab<br/>C80 FH Raised<br/>C88 Ab</b> | 100 mm (4") round        | ID#: 0180, 0181,<br>0182, 0183<br><br>approved<br>2 / 6 / 2002 |
| Ray-O-Lite A Division of Pac-Tec Inc<br>Tina Contreras<br>4500 No Sam Houston Pkwy W Ste 120<br>Houston TX 77086<br>tcontreras@rayolite.com | Phone: (800) 848-7025<br>Cell: (281) 617-2240<br>Fax: (281) 583-1506<br>www.rayolite.com     | <b>AA<br/>ARC<br/>Round Shoulder ARC</b>              | 100 mm x 100 mm (4"x4")  | ID#: 0175, 0176,<br>0177<br><br>approved<br>6 / 1 / 1999       |

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

| <i>Vendor Name / Address</i>  |  | <i>Product Name</i>          | <i>Remarks</i>                                       |   |
|---|--|------------------------------|--|---|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com                                | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | <b>944SB<br/>948</b>         | 58 mm x 119 mm (2.3"x4.7")<br>51 mm x 119 mm (2"x4") | ID#: 0184, 0185<br><br>approved<br>2 / 6 / 2002 |
| Ray-O-Lite A Division of Pac-Tec Inc<br>Tina Contreras<br>4500 No Sam Houston Pkwy W Ste 120<br>Houston TX 77086<br>tcontreras@rayolite.com | Phone: (800) 848-7025<br>Cell: (281) 617-2240<br>Fax: (281) 583-1506<br>www.rayolite.com     | <b>Arc 2002<br/>Arc 2004</b> | 58 mm x 19 mm (2.3"x4.6")                            | ID#: 0178, 0179<br><br>approved<br>6 / 1 / 1999 |

**633.02.04 PAVEMENT MARKERS ADHESIVE**

| <i>Vendor Name / Address</i>  |  | <i>Product Name</i>                               | <i>Remarks</i>                                 |  |
|---|--|---|--|--|
| Crafco Incorporated<br>Bryan Darling<br>420 North Roosevelt Avenue<br>Chandler AZ 85226<br>bryan.darling@crafco.com   | Phone: (602) 276-0406<br>Cell:<br>Fax: (480) 940-1425<br>www.crafco.com                      | <b>34270 Hot Applied Flexible</b>                 |  | ID#: 0105<br><br>approved<br>6 / 16 / 1998 |
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com          | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | <b>836098 Bituminous</b>                          |  | ID#: 0108<br><br>approved<br>2 / 6 / 2002  |
| Flint Trading Incorporated<br>Dennis Evangelista<br>115 Todd Court<br>Thomasville NC 27360<br>sales@flintrtrading.com | Phone: (336) 475-6600<br>Cell:<br>Fax: (336) 475-7900<br>www.flintrtrading.com               | <b>Bundy 12 cm X 12 cm<br/>Pad; (5" X 5") Pad</b> | white color on plantmix and back color on PCCP | ID#: 0106<br><br>approved<br>5 / 4 / 1998  |

**633.02.04 PAVEMENT MARKERS ADHESIVE**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  |
|--|--|---|
| Henry Company<br>Randy Rozell<br>909 North Sepulveda Boulevard Suite 650<br>El Segundo CA 90245<br>rrozell@henry.com | Phone: (916) 849-9908<br>Cell:<br>Fax: (858) 391-1077<br>www.henry.com | Dotstick Bituminous<br><br><br>ID#: 0464<br><br>approved<br>9/29/2003 |

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  |
|---|---|---|
| Glowlite Incorporated<br>Edward and John Fei<br>1861 West La Habra Boulevard #230<br>La Habra CA 90631<br>info_glowlite@yahoo.com | Phone: (626) 336-6086<br>Cell: (562) 715-6597<br>Fax: (626) 336-6085<br>www.glowlitemarkers.com | W: Type 932 (1-way)<br>Y: Type 932 (2-way)<br>100 mm (4") round (ceramic and plastic/PP);<br>NR=Non Reflective<br><br>ID#: 0516, 0517<br><br>approved<br>3/7/2005 |
| Pexco LLC / Davidson Traffic Cntrl<br>Bill Daly<br>3110 70th Avenue East<br>Tacoma WA 98424<br>bill.daly@pexco.com                | Phone: (253) 284-8000<br>Cell: (408) 431-8689<br>Fax: (253) 284-8080<br>www.pexco.com           | Halftrack Model 25<br>Halftrack Model 26<br>TOM<br>TRPM<br>work zone pavement markers<br><br>ID#: 0257, 0258<br><br>approved<br>10/15/1999                        |

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   |
|--|--|--|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com                          | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm     | 710 WRR<br>780 WRR<br>1200 Stamark Liquid<br>WRR =Wet Reflective Removable<br>White and Yellow<br><br>ID#: 0424, 0675,<br>0444<br><br>approved<br>8/16/2006                              |
| Advance Traffic Markings<br>Brenda Robbins<br>100 Patch Rubber Road / PO Box H<br>Roanoke Rapids NC 27870<br>brobbins@trafficmarking.com | Phone: (252) 536-2574<br>Cell:<br>Fax: (252) 536-4940<br>www.trafficmarking.com            | 200 Construction R<br>R =Removable<br>White and Yellow<br><br>ID#: 1654<br><br>approved<br>9/24/2003   |
| Brite Line Technologies<br>Bill Jubak<br>3788 Trotters Ridge Drive<br>Las Vegas NV 89122<br>bjubak@cox.net                               | Phone: (702) 649-9223<br>Cell: (216) 924-6215<br>Fax: (702) 649-9237<br>www.brite-line.com | Series 100 R<br>Series 200 R<br>Series Deltaline TWR<br>R =Removeable<br>TWR = Temporary Wet Removeable<br>White and Yellow<br><br>ID#: 0032, 0033,<br>0672<br><br>approved<br>3/17/2000 |
| PB Laminations Incorporated<br>Lauretta Green<br>2940 Mary Avenue<br>Brentwood MO 63144<br>lgreen@pblaminations.com                      | Phone: (314) 968-2569<br>Cell:<br>Fax: (314) 968-0494<br>www.pblaminations.com             | Aztec III R<br>R =Removeable<br><br>ID#: 0119<br><br>approved<br>2/23/1989   |
| Swarco Industries / Traffic Mgt<br>Jon Sproul<br>270 Rutherford Lane / PO Box 89<br>Columbia TN 38401<br>office.industries@swarco.com    | Phone: (931) 560-4158<br>Cell: (931) 388-5900<br>Fax: (931) 388-4039<br>www.swarco.com     | Director 2 - (DG)<br>Director 2 (DG-WR)<br>DG =Detour Grade<br>WR =Wet Reflective<br>White and Yellow<br><br>ID#: 0120, 0648<br><br>approved<br>4/26/1999                                |

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>                                 | <b>ID#:</b>   |
|---|---|--|---|
| Trelleborg Industri AB<br>Teun Loontjens<br>23181 Trelleborg<br>Sweden<br>teunlootjens@trelleborg.com | Phone: (464) 105-1536<br>Cell: (467) 081-5366<br>Fax: (464) 105-1122<br>www.trelleborg.com/roadtape | Series R 140<br>Series RW 140<br>Series RY 140 | White and Yellow<br>0303, 0304,<br>0305<br><br>approved<br>8 /24/2001 |

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>                   | <b>ID#:</b>  |
|---|--|----------------------------------|--|
| Arrow Magnolia International LP<br>Patti Bonds<br>2646 Rodney Lane<br>Dallas TX 75229<br>pbonds@arrowmagnolia.com                   | Phone: (800) 527-2101<br>Cell: (214) 415-3984<br>Fax: (972) 484-2896<br>www.arrowmagnolia.com      | Road Boss                        | application and dilution rates follow manufacturer's instructions<br>0498<br><br>approved<br>11/8 /2005  |
| Cypher Environmental Ltd<br>Greg Martinez<br>701 North Ft. Vrain Street<br>El Paso TX 75229<br>greg@eco-infrastructuresolutions.com | Phone: (915) 276-0879<br>Cell:<br>Fax: (915) 534-7207<br>www.cypherenvironmental.com               | DustStop                         | application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.<br>0707<br><br>approved<br>5 /6 /2010 |
| Dallas Roadway Products Inc<br>Ellyn Neal-Favors<br>15305 Dallas Parkway Suite 300<br>Addison TX 75001<br>dallasroadway@yahoo.com   | Phone: (972) 803-6708<br>Cell: (702) 405-0351<br>Fax: (972) 596-8418<br>www.dallasroadway.com      | Dust Control DC-22               | application and dilution rates follow manufacturer's instructions<br>0549<br><br>approved<br>6 /19/2006  |
| Earth Chem Incorporated<br>Kevin Loucks<br>PO Box 272627<br>Ft Collins CO 80527<br>EarthChem@aol.com                                | Phone: (970) 227-9661<br>Cell:<br>Fax:<br>www.earthchem.com  | Earth Bound                      | 0822<br><br><br>approved<br>2 /16/2011   |
| Enviroad<br>Don Blackmon<br>2606 North Newark Street<br>Portland OR 97217<br>don@enviroad.com                                       | Phone: (800) 536-2650<br>Cell: (503) 701-7802<br>Fax: (503) 279-2633<br>www.enviroad.com           | Earthbind 100                    | application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water<br>0420<br><br>approved<br>3 /17/2003                      |
| EnviroTech Services Incorporated<br>Charles Sherven<br>3705 Lamay Lane<br>Reno NV 89511<br>csherven@envirotechservices.com          | Phone: (800) 369-3878<br>Cell: (775) 852-3878<br>Fax: (970) 346-3959<br>www.envirotechservices.com | Lignin (Ammonium Lignosulfonate) | application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%<br>0450<br><br>approved<br>8 /26/2003                                |
| Evonik Stockhausen LLC<br>Lynn Royal<br>2401 Doyle Street<br>Greensboro NC 27406<br>lynn.4oyql@evonik.com                           | Phone: (336) 335-3781<br>Cell:<br>Fax: (251) 443-4840<br>www.evonik.com                            | HydroPam                         | application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.<br>0722<br><br>approved<br>3 /1 /2010 |

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>                                     |
|--|---|---|---|
| Fluid Tech Incorporated<br>Scott Rowsell<br>2865 South Jones Boulevard Suite 200<br>Las Vegas NV 89146<br>srowsell@fluid-tech-inc.com  | <b>Trans Seal I</b><br>Phone: (702) 871-1884<br>Cell: (702) 871-7976<br>Fax: (702) 871-3629<br>www.fluid-tech-inc.com       | application and dilution rates follow manufacturer's instructions   | 0328<br><br><b>approved</b><br>1 /3 /2002       |
| GM Boston Co International LLC<br>Craig Hoad<br>PO Box 121<br>Sunset Beach CA 90742-0121<br>craighoad@gmbostoncompany.com              | <b>PX 300</b><br>Phone: (562) 592-0836<br>Cell: (949) 533-6799<br>Fax: (949) 722-6799<br>www.gmboxtoncompany.com            | application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area      | 0433<br><br><b>approved</b><br>6 /10/2003       |
| Hercules Environmental Inc<br>Rob Hotle<br>6596 New Peachtree Road<br>Doraville GA 30340<br>hercenv@herculesenvironmental.com          | <b>Hercules PAM</b><br>Phone: (770) 303-0878<br>Cell:<br>Fax: (770) 455-6531<br>www.HerculesEnvironmental.com               | application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)                                  | 0150<br><br><b>approved</b><br>5 /18/2004       |
| Hercules Environmental Inc<br>Rob Hotle<br>6596 New Peachtree Road<br>Doraville GA 30340<br>hercenv@herculesenvironmental.com          | <b>Soiloc-MQ-Dust Suppressant</b><br>Phone: (770) 303-0878<br>Cell:<br>Fax: (770) 455-6531<br>www.HerculesEnvironmental.com | application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)                                  | 0149<br><br><b>approved</b><br>5 /2 /1999       |
| Innovative Turf Solutions<br>Melissa Schrad<br>5132 Ballantrae Court<br>Cincinnati OH 45238<br>mrs@innovativeturfsolutions.com         | <b>HydraPam</b><br>Phone: (513) 317-8311<br>Cell:<br>Fax: (513) 672-9633<br>www.innovativeturfsolutions.com                 |   | 1745<br><br><b>approved</b><br>2 /16/2011       |
| Midwest Industrial Supply Inc<br>Kimberly Keith<br>1101 3rd Street SE<br>Canton OH 44701<br>kim@midwestind.com/custserv@midwestind.com | <b>EnviroKleen Soil Sement</b><br>Phone: (330) 456-3121<br>Cell:<br>Fax: (330) 456-3247<br>www.midwestind.com               | application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal | 0278, 0279<br><br><b>approved</b><br>1 /13/2000 |
| MonoSol LLC<br>Jon Gallagher<br>707 East 80th Place Suite 301<br>Merrillville IN 46410<br>jgallagher@monosol.com                       | <b>TerraLOC</b><br>Phone: (219) 762-3165<br>Cell:<br>Fax: (219) 755-4062<br>www.terraloc.com                                | application and dilution rates follow manufacturer's instructions   | 0721<br><br><b>approved</b><br>11/17/2009       |
| NU Equipment Incorporated<br>David Frehner<br>PO Box 750907<br>Las Vegas NV 89136<br>daniel@nuequipment.com                            | <b>Plas-Bond Soiltac</b><br>Phone: (702) 649-8767<br>Cell: (702) 325-2323<br>Fax: (702) 649-8446<br>www.nuequipment.com     | application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic                 | 0274, 0275<br><br><b>approved</b><br>11/13/2000 |
| Paramount Petroleum<br>Jim Ryan<br>1201 China Grade Loop<br>Bakersfield CA 93388<br>jim.ryan@alonusa.com                               | <b>Topein S Emulsion</b><br>Phone: (661) 392-3630<br>Cell: (661) 981-8555<br>Fax: (661) 399-1054<br>www.alonashalt.com      | application and dilution rates follow manufacturer's instructions   | 0479<br><br><b>approved</b><br>2 /28/2002       |

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>  |
|--|---|---|--|
| Prime One Products LLC<br>Robert Fischbach<br>PO Box 30816<br>Spokane WA 99223<br>tackiferman@yahoo.com                              | <b>Fisch-Stick<br/>Terravest</b><br>Phone: (509) 235-3800<br>Cell: (509) 981-8555<br>Fax: (509) 235-3803<br>www.primeoneproducts.com        | application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water  | 0152, 0153<br><br><b>approved</b><br>9 /13/2007                |
| R&R Turf<br>Rick Leslie<br>PO Box 87<br>Osterander OH 43061<br>rrturf@verizon.net  | <b>LandTack Guar</b><br>Phone: (790) 666-9050<br>Cell:<br>Fax: (740) 666-1339<br>www.landtack.com   |   | <b>ID#:</b><br>1777<br><br><b>approved</b><br>2 /26/2011       |
| Sherwin-Williams Company, The<br>Pat Walsh<br>101 Prospect Avenue NW<br>Cleveland OH 44115<br>pjwalsh@sherwin.com                    | <b>Dust Away</b><br>Phone: (216) 566-1733<br>Cell: (210) 861-2286<br>Fax: (216) 830-7721<br>www.sherwin-williams.com                        | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0639<br><br><b>approved</b><br>6 /2 /2009       |
| Soil Tech Company<br>Jeff Deason<br>6420 Cameron Drive Suite 207<br>Las Vegas NV 89118<br>jeff@soil-tech.com                         | <b>Plas-Tex<br/>Poly-Tex</b><br>Phone: (702) 873-2023<br>Cell:<br>Fax: (702) 873-0915<br>www.soil-tech.com                                  | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0467, 0468<br><br><b>approved</b><br>12/10/2003 |
| Soilworks LLC<br>Chad Falkenberg<br>2450 South Gilbert Road Suite 210<br>Chandler AZ 85286-1583<br>info@soilworks.com                | <b>Soiltac®</b><br>Phone: (800) 545-5420<br>Cell: (480) 545-5454<br>Fax: (480) 545-5456<br>www.soilworks.com                                | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0504<br><br><b>approved</b><br>9 /20/2004       |
| Terra Novo Incorporated<br>Andy Iturriria<br>2930 Patten Way<br>Bakersfield CA 93308<br>andy@terranovo.com                           | <b>EarthGuard<br/>EarthGuard Fiber Matrix</b><br>Phone: (888) 843-1029<br>Cell: (661) 747-5956<br>Fax: (661) 587-6806<br>www.EarthGuard.com | Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic | <b>ID#:</b><br>3064, 0318<br><br><b>approved</b><br>11/2 /2001 |
| US Gypsum Company<br>Kym Heitke<br>550 West Adams Street<br>Chicago IL 60661-3076<br>kheitcke@usg.com                                | <b>Dust Armour<br/>Dustrol</b><br>Phone: (916) 966-0639<br>Cell: (916) 417-5048<br>Fax: (916) 417-5048<br>www.usg-erosioncontrol.com        | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0553, 0571<br><br><b>approved</b><br>8 /28/2006 |
| Western Emulsions Incorporated<br>Suzie Miller<br>3 Monarch Bay Plaza Suite 210<br>Dana Point CA 92629<br>suzie@westernemulsions.com | <b>Dust Control 50</b><br>Phone: (949) 248-8020<br>Cell: (520) 622-7203<br>Fax: (949) 248-8023<br>www.westernemulsions.com                  | application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%   | <b>ID#:</b><br>0449<br><br><b>approved</b><br>8 /26/2003       |

**637.02.02 SILT FENCE**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> |
|------------------------------|---------------------|----------------|
|------------------------------|---------------------|----------------|



**637.02.02 SILT FENCE**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   |
|---|---|--|
| Hanes Geo Components<br>Ben Brough<br>5927 Balfour Court Suite 108<br>Carlsbad CA 92008<br>ben.brough@hanesindustries.com | Phone: (702) 341-0354<br>Cell:<br>Fax: (702) 341-0355<br>www.hanesgeo.com     | TerraTex SC<br>ID#: 0143<br>approved<br>6/25/1998          |
| Triangular Silt Dike Company<br>Gary Roach<br>18505 East Highway 66<br>Luther OK 73054<br>jroach@cox.net                  | Phone: (800) 290-8473<br>Cell:<br>Fax: (405) 277-2232<br>www.tri-silkdike.com | Triangular Silt Dike<br>ID#: 0142<br>approved<br>6/25/1998 |

**637.02.05 ROADWAY INLET PROTECTION**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   |
|---|--|--|
| ACF Environmental<br>David Kelley<br>2831 Cardwell Road<br>Richmond VA 23234<br>dkelley@acfenvironmental.com                | Phone: (800) 448-3636<br>Cell: (804) 246-9737<br>Fax: (800) 423-4567<br>www.acfenvironmental.com | Siltsack<br>ID#: 0144<br>approved<br>6/25/1998                                   |
| Basalite Concrete Products LLC<br>Damian Swain<br>335 Greg Street<br>Sparks NV 89431<br>damian.swain@paccoast.com           | Phone: (775) 745-1286<br>Cell: (775) 358-1200<br>Fax: (775) 359-5997<br>www.submar.com           | UltraFlexTM<br>ID#: 0685<br>approved<br>11/17/2009                               |
| Bowhead Environmental & Safety<br>Jeff Guentzel<br>PO Box 375<br>Preston WA 98050<br>jeffg@shopbowhead.com                  | Phone: (800) 909-3677<br>Cell: (206) 388-2267<br>Fax: (888) 234-3677<br>www.shopbowhead.com      | StreamGuard Catch Basin<br>Insert<br>ID#: 0088<br>approved<br>4/9/1997           |
| Dandy Products Incorporated<br>Tina Laemmler<br>1095 Harcourt Road Suite C<br>Mt. Vernon OH 43050<br>tina@dandyproducts.com | Phone: (800) 591-2284<br>Cell:<br>Fax: (740) 397-1946<br>www.dandyproducts.com                   | Dandy Bag Drainage Cntl<br>Dandy Curb<br>ID#: 0438, 0638<br>approved<br>5/8/2009 |
| Dandy Products Incorporated<br>Tina Laemmler<br>1095 Harcourt Road Suite C<br>Mt. Vernon OH 43050<br>tina@dandyproducts.com | Phone: (800) 591-2284<br>Cell:<br>Fax: (740) 397-1946<br>www.dandyproducts.com                   | Dandy Curb Bag<br>Dandy Pop<br>ID#: 0252, 0637<br>approved<br>10/28/1996         |
| Enviroscape ECM Ltd<br>Mark Deitering<br>22700 St. Route 613<br>Oakwood OH 45873<br>mark@strawblanket.com                   | Phone:<br>Cell: (419) 594-3210<br>Fax: (419) 594-3213<br>www.strawblanket.com                    | Vertipro<br>ID#: 0662<br>approved<br>3/1/2010                                    |

**637.02.05 ROADWAY INLET PROTECTION**

| <i>Vendor Name / Address</i>   |  | <i>Product Name</i>             | <i>Remarks</i>              |   |
|--|--|---------------------------------|-----------------------------|---|
| ERTEC Environmental Systems LLC<br>Rachel Landphere<br>1150 Ballena Boulevard Suite 250<br>Alameda CA 94501<br>rlandphere@ertecsystems.com | Phone: (510) 521-0724<br>Cell:<br>Fax: (510) 521-3972<br>www.ertecsystems.com                | Combo Guard<br>Curb Inlet Guard |                             | ID#: 0720, 0693<br><br>approved<br>2 /25/2010 |
| ERTEC Environmental Systems LLC<br>Rachel Landphere<br>1150 Ballena Boulevard Suite 250<br>Alameda CA 94501<br>rlandphere@ertecsystems.com | Phone: (510) 521-0724<br>Cell:<br>Fax: (510) 521-3972<br>www.ertecsystems.com                | Drop Guard<br>GR-8 Guard        |                             | ID#: 0719, 0710<br><br>approved<br>2 /25/2010 |
| Inlet & Pipe Protection Incorporated<br>Jamie Ringenbach<br>24137 West 111th Street Unit A<br>Naperville IL 60564<br>jr@inletfilters.net   | Phone: (866) 287-8655<br>Cell: (847) 722-0690<br>Fax: (630) 355-3477<br>www.inletfilters.com | Flexstorm Inlet Filters         |                             | ID#: 0650<br><br>approved<br>3 /1 /2010       |
| Silt-Saver Incorporated<br>Jason Jones<br>1094 Culpepper Drive<br>Conyers GA 30094<br>jason@siltsaver.com                                  | Phone: (888) 382-7458<br>Cell: (770) 388-7818<br>Fax: (770) 388-7640<br>www.siltsaver.com    | SS-100A FFA<br>SS-200A FFA      | FFA=Frame & Filter Assembly | ID#: 0377, 0296<br><br>approved<br>11/4 /2002 |

**640.02.03a MSE WALL**

| <i>Vendor Name / Address</i>   |  | <i>Product Name</i>                | <i>Remarks</i>   |   |
|--|--|------------------------------------|--|---|
| Hilfiker Retaining Wall<br>Suzanne Blackburn<br>1902 Hilfiker Lane<br>Eureka CA 95503<br>suzanne@hilfiker.com    | Phone: (800) 762-8962<br>Cell: (707) 443-5093<br>Fax: (707) 443-2891<br>www.hilfiker.com   | Reinforced Soil<br>Embankment Wall |  | ID#: 0122<br><br>approved<br>9 /8 /1998       |
| SSL LLC<br>Andrew Thompson<br>4740 Scotts Valley Drive Suite E<br>Scotts Valley CA 95066<br>andrewt@mseplus.com  | Phone: (831) 430-9300<br>Cell:<br>Fax: (831) 430-9340<br>www.mseplus.com                   | MSE Earth<br>MSE Plus              | modified panels required; W24 longitudinal wire not permitted                    | ID#: 0189, 0195<br><br>approved<br>5 /6 /2002 |
| Tensar International<br>Bob Miller<br>34892 Calle Furtuna<br>Capistrano Beach CA 92624<br>bmiller@tensarcorp.com | Phone: (949) 488-7054<br>Cell: (949) 212-8454<br>Fax: (949) 488-7084<br>www.tensarcorp.com | Ares Retaining Precast<br>Wall     | permitted only when specified in the contract documents as an acceptable product | ID#: 0342<br><br>approved<br>6 /11/1998       |

**640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)**

| <i>Vendor Name / Address</i>  |  | <i>Product Name</i>                                  | <i>Remarks</i> |   |
|---|--|--|----------------|---|
| Reinforced Earth Company, The<br>Michael Louis<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108<br>mlouis@reinforcedearth.com | Phone: (619) 688-2400<br>Cell:<br>Fax: (619) 688-2499<br>www.reinforcedearth.com | Retained Earth Lrg Wall<br>Reinforced Earth Lrg Wall |                | ID#: 0287, 0288<br><br>approved<br>2 /7 /2001 |

**640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)**

| <i>Vendor Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>   | <i>ID#:</i>                               |
|---|--|--|---|
| SSL LLC<br>Andrew Thompson<br>4740 Scotts Valley Drive Suite E<br>Scotts Valley CA 95066<br>andrewt@mseplus.com | Phone: (831) 430-9300<br>Cell:<br>Fax: (831) 430-9340<br>www.mseplus.com | <b>MSE Large Wall Panel</b><br>modified panels required; W24 longitudinal wire not permitted | 0187<br><br><b>approved</b><br>5 /6 /2002 |

**640.02.03c SOUNDWALL SYSTEMS**

| <i>Vendor Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>ID#:</i>                                     |
|---|--|---|---|
| Evonik Cyro LLC<br>Stephen Costanzo<br>379 Interpace Parkway<br>Parsppany NJ 07054-0677<br>acrylite-magic@evonik.com    | Phone: (973) 541-8000<br>Cell:<br>Fax:<br>www.acrylite.net                   | <b>Acrylite® Soundstop<br/>Paraglas Soundstop</b><br>TL-4; system will be selected based on specific project requirements; it is not a complete wall system | 0640, 0648<br><br><b>approved</b><br>11/25/2003 |
| Port-O-Wall Systems LLC<br>Rod Allen<br>19201 Sonoma Highway PMB 10<br>Sonoma CA 95476<br>rod_allen@port-o-wall.com     | Phone: (707) 938-4516<br>Cell:<br>Fax: (707) 996-5191<br>www.port-o-wall.com | <b>Port-O-Wall</b><br>TL-4; system will be selected based on specific project requirements; it is not a complete wall system                                | 0316<br><br><b>approved</b><br>10/24/2001       |
| Quilite International LLC<br>Richard Cooling<br>2549 Eastbluff Drive #434<br>Newport Beach CA 92660<br>info@quilite.com | Phone: (949) 644-1294<br>Cell:<br>Fax: (949) 644-6770<br>www.quilite.com     | <b>Quilite Noise Barrier</b><br>TL-4; system will be selected based on specific project requirements; it is not a complete wall system                      | 0515<br><br><b>approved</b><br>2 /9 /2005       |

**640.02.04 RETAINING WALL (MODULAR BLOCK)**

| <i>Vendor Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>   | <i>ID#:</i>                               |
|---|---|--|---|
| Jensen Precast<br>Derek Goins<br>625 Bergin Way<br>Sparks NV 89431<br>dgoins@jensenprecast.com  | Phone: (800) 431-9308<br>Cell: (775) 720-8167<br>Fax: (775) 359-1038<br>www.jensenprecast.com | <b>Redi-Rock</b><br>permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications | 0605<br><br><b>approved</b><br>7 /23/2009 |
| Reinforced Earth Company, The<br>Michael Louis<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108<br>mlouis@reinforcedearth.com | Phone: (619) 688-2400<br>Cell:<br>Fax: (619) 688-2499<br>www.reinforcedearth.com              | <b>Pyramid</b><br>permitted only when the contract documents specify a modular block retaining wall  | 0214<br><br><b>approved</b><br>9 /30/1994 |
| Super Lite Block<br>Estrella Cotto<br>3565 East Bost Road Suite 108<br>Las Vegas NV 89021<br>estrella.cotto@oldcastleapg.com            | Phone: (866) 758-3427<br>Cell: (702) 255-6364<br>Fax:<br>www.keystonewalls.com                | <b>KeySteel SQFT MSE Panel</b><br>permitted only when the contract documents specify a modular block retaining wall  | 0153<br><br><b>approved</b><br>5 /15/2002 |
| Tensor International<br>Bob Miller<br>34892 Calle Fortuna<br>Capistrano Beach CA 92624<br>bmiller@tensarcorp.com                        | Phone: (949) 488-7054<br>Cell: (949) 212-8454<br>Fax: (949) 488-7084<br>www.tensarcorp.com    | <b>Mesa</b><br>permitted only when the contract documents specify a modular block retaining wall   | 0343<br><br><b>approved</b><br>7 /17/2000 |

**641.02.01 IMPACT ATTENUATORS**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b>                                      | <b>Remarks</b>  |   |
|--|--|--|---|---|
| Energy Absorption Systems Inc<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.trin.net                   | <b>Quad Guard Wide (69/90)<br/>React 350 (60/96/120)</b> | TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. | ID#: 0128, 0129<br><br><b>approved</b><br>6/15/1998 |
| Energy Absorption Systems Inc<br>Diane Sanchez<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-2076<br>diane.sanchez@trin.net | Phone: (312) 705-8454<br>Cell: (888) 323-6374<br>Fax: (800) 770-6755<br>www.trin.net                   | <b>QuadGuard Elite 8 Bay<br/>Quad Guard Standard</b>     | TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. | ID#: 0125, 0126<br><br><b>approved</b><br>6/30/2008 |
| SCI Products Incorporated<br>David Wilfong<br>2205 Hightower Drive<br>St. Charles IL 60174<br>dwilfong@sciproducts.com               | Phone: (800) 686-7414<br>Cell: (972) 278-0553<br>Fax: (972) 278-8563<br>www.precisionsolarcontrols.com | <b>SCI100GM</b>  | TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. | ID#: 0545<br><br><b>approved</b><br>2/23/2007       |
| Trinity Highway Safety<br>Mike Hooley<br>950 West 400 South/PO Box 99<br>Centerville UT 84014<br>mikel.hooley@trin.net               | Phone: (800) 772-7976<br>Cell: (801) 631-2695<br>Fax: (801) 292-3263<br>www.trin.net                   | <b>Adiem<br/>SRT350</b>                                  | TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed required as directed in the Special Provisions.     | ID#: 0209, 0154<br><br><b>approved</b><br>3/21/1995 |

**646.03.04 CRACK SEALANTS**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>   | <b>Remarks</b> |   |
|---|--|-----------------------|----------------|---|
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com               | Phone: (800) 321-7628<br>Cell: (216) 481-7072<br>Fax: (216) 531-9399<br>www.euclidchemical.com   | <b>Dural 50</b>       |                | ID#: 0752<br><br><b>approved</b><br>8/29/2009 |
| Liquid Concrete<br>Kendra Barnhart<br>16915 SE 272 Street Suite 100-143<br>Covington WA 98042<br>kendra@liquidconcrete.com            | Phone: (800) 201-9300<br>Cell: (253) 335-0155<br>Fax: (877) 349-1922<br>www.liquidconcrete.com   | <b>Ure-Kote R-60</b>  |                | ID#: 0757<br><br><b>approved</b><br>7/11/2007 |
| Unitex Chemicals / Dayton Superior<br>Gregg Freeman<br>3101 Gardner Avenue<br>Kansas City KS 64120<br>greggfreeman@daytonsuperior.com | Phone: (800) 821-5846<br>Cell: (303) 941-0123<br>Fax: (816) 483-3149<br>www.unitex-chemicals.com | <b>Bridge Seal CA</b> |                | ID#: 0751<br><br><b>approved</b><br>8/29/2009 |

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>   | <b>Remarks</b>    |  |
|---|---|-----------------------|-------------------|--|
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com | Phone: (702) 227-6800<br>Cell: (858) 277-2100<br>Fax: (702) 222-0488<br>www.atlasform.com | <b>Atlas Res-Cure</b> | ASTM C309 Type 1D | ID#: 0573<br><br><b>approved</b><br>9/2/2008 |

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>   |
|---|--|--|---|
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com | Phone: (877) 416-3439<br>Cell: (913) 279-0264<br>Fax: (913) 279-4806<br>www.daytonsuperior.com | <b>Aqua Resin Clear Type 1D</b><br><b>DSSCC Resin Cure &amp; Dye</b> | ASTM C309 Type 1D<br><br><br><br><br>ID#: 0609, 0598<br><br><b>approved</b><br>1 /8 /2010 |
| US Mix Company<br>Bryan Smith<br>112 South Santa Fe Drive<br>Denver CO 30305<br>bsmith@usmix.com                        | Phone: (303) 778-7227<br>Cell: (702) 322-1700<br>Fax: (303) 722-8426<br>www.usmix.com          | <b>US SPEC MaxCure Resin</b><br><b>Clear</b>                         | ASTM C309 Type 1D<br><br><br><br><br>ID#: 0607<br><br><b>approved</b><br>2 /6 /2006       |
| White Cap<br>Bob Smith<br>1830 East Lincoln Way<br>Sparks NV 89434<br>bobsmith@whitecap.net                             | Phone: (775) 353-3333<br>Cell:<br>Fax: (775) 353-3300<br>www.whitecapdirect.com                | <b>Resin Cure - Clear VOC</b>  | ASTM C309 Type 1D<br><br><br><br><br>ID#: 0565<br><br><b>approved</b><br>9 /4 /2008       |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com          | Phone: (800) 342-5976<br>Cell: (707) 745-6666<br>Fax: (707) 747-6206<br>www.wrmeadows.com      | <b>1100 Clear</b><br><b>1300 Clear</b>                               | ASTM C309 Type 1D<br><br><br><br><br>ID#: 0574, 0480<br><br><b>approved</b><br>8 /20/2008 |

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>              | <b>ID#:</b>   |
|---|--|-----------------------------|---|
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com         | Phone: (702) 227-6800<br>Cell: (858) 277-2100<br>Fax: (702) 222-0488<br>www.atlasform.com      | <b>Atlas Whix Cure DOT</b>  | PCCP ASTM C309, Type 2, Class A<br><br><br><br><br>ID#: 0582<br><br><b>approved</b><br>9 /2 /2008 |
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com | Phone: (877) 416-3439<br>Cell: (913) 279-0264<br>Fax: (913) 279-4806<br>www.daytonsuperior.com | <b>DSSCC Wax Cure White</b> | PCCP ASTM C309, Type 2, Class A<br><br><br><br><br>ID#: 0611<br><br><b>approved</b><br>8 /29/2008 |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com | Phone: (800) 321-7628<br>Cell: (216) 481-7072<br>Fax: (216) 481-7072<br>www.euclidchemical.com | <b>Kurez Vox White</b>      | <br><br><br><br><br>ID#: 0047<br><br><b>approved</b><br>8 /21/1997                                |
| SpecChem LLC<br>Michael Lemark<br>700 West 47th Street<br>Kansas City KS 64112<br>mlemark@specchemllc.com               | Phone: (816) 968-5600<br>Cell: (913) 221-7957<br>Fax: (913) 371-8701<br>www.specchemllc.com    | <b>Pavecure WW</b>          | PCCP ASTM C309, Type 2, Class A<br><br><br><br><br>ID#: 0586<br><br><b>approved</b><br>2 /18/2008 |

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>               | <b>ID#:</b>  |
|--|---|------------------------------|--|
| Steel Engineers<br>Keith Stumbauth<br>716 West Mesquite<br>Las Vegas NV 89106<br>kstumbauth@steelengineers.com | Phone: (702) 386-0023<br>Cell:<br>Fax: (702) 386-5799<br>www.steelengineers.com           | UniWhite Cure Wax            | PCCP ASTM C309, Type 2, Class A<br><br><br><br>approved<br>5/29/2008 |
| US Mix Company<br>Bryan Smith<br>112 South Santa Fe Drive<br>Denver CO 30305<br>bsmith@usmix.com               | Phone: (303) 778-7227<br>Cell: (702) 322-1700<br>Fax: (303) 722-8426<br>www.usmix.com     | US SPEC MaxCure Wax<br>White | PCCP ASTM C309, Type 2, Class A<br><br><br><br>approved<br>7/2/2008  |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com | Phone: (800) 342-5976<br>Cell: (707) 745-6666<br>Fax: (707) 747-6206<br>www.wrmeadows.com | 1600 White                   | PCCP ASTM C309, Type 2, Class A<br><br><br><br>approved<br>8/21/2008 |

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>                                 | <b>ID#:</b>   |
|---|--|--|---|
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com         | Phone: (702) 227-6800<br>Cell: (858) 277-2100<br>Fax: (702) 222-0488<br>www.atlasform.com      | Atlas PAMS Cure                                | Bridge Decks ASTM C309, Type 2, Class B<br><br><br><br>approved<br>9/2/2008   |
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com | Phone: (877) 416-3439<br>Cell: (913) 279-0264<br>Fax: (913) 371-3330<br>www.daytonsuperior.com | DSSCC PAMS<br>PAMS Cure White                  | Bridge Decks ASTM C309, Type 2, Class B<br><br><br><br>approved<br>6/17/2008  |
| US Mix Company<br>Bryan Smith<br>112 South Santa Fe Drive<br>Denver CO 30305<br>bsmith@usmix.com                        | Phone: (303) 778-7227<br>Cell: (702) 322-1700<br>Fax: (303) 722-8426<br>www.usmix.com          | US SPEC AMS 3754 White                         | Bridge Decks ASTM C309, Type 2, Class B<br><br><br><br>approved<br>7/2/2008   |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com          | Phone: (800) 342-5976<br>Cell: (707) 745-6666<br>Fax: (707) 747-6206<br>www.wrmeadows.com      | 2245 Bridge Deck Cure<br>2250 Bridge Deck Cure | Bridge Decks ASTM C309, Type 2, Class B<br>Bridge Decks ASTM C309, Type 2, Class B<br><br><br>approved<br>8/21/2008 |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com          | Phone: (800) 342-5976<br>Cell: (707) 745-6666<br>Fax: (707) 747-6206<br>www.wrmeadows.com      | 2250 White                                     | Bridge Decks ASTM C309, Type 2, Class B<br><br><br><br>approved<br>8/20/2008  |

**702.03.05 POZZOLANS**

| <b>Vendor Name / Address</b> | <b>Product Name</b> | <b>Remarks</b> | <b>ID#:</b> |
|------------------------------|---------------------|----------------|-------------|
|------------------------------|---------------------|----------------|-------------|

**702.03.05 POZZOLANS**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   |
|---|--|--|
| Boral Material Technologies<br>Craig Plunk<br>45 Northeast Loop 410 Suite 700<br>San Antonio TX 78216<br>craig.plunk@boral.com                        | <b>Phone:</b> (210) 349-4069<br><b>Cell:</b><br><b>Fax:</b><br>www.boral.com   | <b>Boral Micron 3 Fly Ash Class F</b><br>Plant: Rockdale, TX<br>Plant: Monticello, TX<br><br><b>ID#:</b><br>0570<br><br><b>approved</b><br>2 /17/2010  |
| Headwaters Resource's Inc<br>Thomas Fox<br>16817 155th Place Southeast<br>Renton WA 98058<br>tfox@headwaters.com                                      | <b>Phone:</b> (425) 970-3155<br><b>Cell:</b> (206) 953-2942<br><b>Fax:</b> (425) 970-3156<br>www.headwaters.com        | <b>Bridger Fly Ash Class F</b><br>Plant: Delta Plant, UT<br>Plant: Navajo Plant, Page, AZ<br>Plant: Bridger Plant, WY<br><br><b>ID#:</b><br>0572<br><br><b>approved</b><br>2 /17/2010  |
| Nevada Cement Company<br>Derek Taylor<br>I-80 Exit 46<br>Fernley NV 89408<br>dtaylor@nevadacement.com   | <b>Phone:</b> (775) 575-2281<br><b>Cell:</b><br><b>Fax:</b> (775) 575-4387<br>www.nevadacement.com                     | <b>Pozzolan Class "N"</b><br>Class N<br><br><b>ID#:</b><br>3059<br><br><b>approved</b><br>4 /8 /2011   |
| Salt River Materials Group - Phoenix Cement Co<br>Jeff Hearne<br>8800 East Chaparral Road Suite 155<br>Scottsdale AZ 85250<br>jhearne@srmaterials.com | <b>Phone:</b> (480) 850-5757<br><b>Cell:</b> (602) 321-6040<br><b>Fax:</b> (480) 850-5758<br>www.srmaterials.com       | <b>Pozzolan Type F</b><br>Plant: Cholla Plant, Joseph City, AZ<br>Plant: Four Corners Plant, Fruitland, NM<br>Plant: Gallup Plant, Gallup, NM<br>Plant: San Juan Plant, Waterflow, NM<br><br>Provisional approved until 2/4/2012<br><br><b>ID#:</b><br>0913<br><br><b>approved</b><br>2 /4 /2011 |
| Whitemud Resources Incorporated<br>Rick Ketcheson<br>3345 8th Street Southwest Suite 30J<br>Calgary AB T2G 3A4<br>rketcheson@whitemudresources.com    | <b>Phone:</b> (403) 517-0058<br><b>Cell:</b> (602) 300-2123<br><b>Fax:</b> (403) 517-0046<br>www.whitemudresources.com | <b>Whitemud</b><br><br><b>ID#:</b><br>1443<br><br><b>approved</b><br>2 /4 /2011  |

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>   |
|--|---|--|
| Crafco Incorporated<br>Bryan Darling<br>420 North Roosevelt Avenue<br>Chandler AZ 85226<br>bryan.darling@crafco.com        | <b>Phone:</b> (602) 276-0406<br><b>Cell:</b><br><b>Fax:</b> (480) 940-1425<br>www.crafco.com                    | <b>Roadsaver Silicone SL</b><br><br><b>ID#:</b><br>0552<br><br><b>approved</b><br>6 /20/2006             |
| Dow Corning Corporation<br>Jason Sika<br>12081 West Alameda Parkway #421<br>Lakewood CO 80228<br>jason.sika@dowcorning.com | <b>Phone:</b> (303) 980-1780<br><b>Cell:</b> (303) 880-9614<br><b>Fax:</b> (303) 980-1789<br>www.dowcorning.com | <b>890 SL (replaces 888-SL)</b><br><br><b>ID#:</b><br>0130<br><br><b>approved</b><br>3 /20/1997          |
| DS Brown Company, The<br>Larry Durain<br>300 East Cherry Street<br>North Baltimore OH 45872<br>ldurain@dsbrown.com         | <b>Phone:</b> (800) 848-1730<br><b>Cell:</b> (419) 396-4023<br><b>Fax:</b> (419) 257-2200<br>www.dsbrown.com    | <b>DSB 900 SL Self Leveling Silicone</b><br><br><b>ID#:</b><br>0518<br><br><b>approved</b><br>4 /5 /2005 |

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   |
|--|--|--|
| Pecora Corporation<br>Glen Murphy<br>165 Wambold Road<br>Harleysville PA 19438<br>murphyg@pecora.com         | Phone: (215) 723-6051<br>Cell: (818) 519-7658<br>Fax: (215) 721-0286<br>www.pecora.com         | <b>Pecora 300</b><br><br><br><br><br><b>ID#:</b><br>0314<br><br><b>approved</b><br>9/15/2001   |
| Sika Corporation<br>Bruce Lakatosh<br>995 Towbin Avenue<br>Lakewood NJ 08701<br>lakatosh.bruce@sika-corp.com | Phone: (800) 641-8242<br>Cell:<br>Fax: (973) 473-4222<br>www.sika.com                          | <b>Sika Sil 728 SL</b><br><br><br><br><br><b>ID#:</b><br>0534<br><br><b>approved</b><br>4/10/2006                                      |
| Tremco Incorporated<br>Technical Services<br>3735 Green Road<br>Beachwood OH 44122<br>tscs@tremcoinc.com     | Phone: (866) 209-2404<br>Cell: (216) 292-5000<br>Fax: (216) 766-5535<br>www.tremcosealants.com | <b>Spectrum 900 SL Formula<br/>974831 w/ 333 Cartridges</b><br><br><br><br><br><b>ID#:</b><br>0362<br><br><b>approved</b><br>5/31/2002 |

**714.03.01 COATING SYSTEMS FOR BRIDGES**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| Carboline Protective Coatings<br>Debbie Lanham<br>2150 Schuetz Road<br>Maryland Heights MO 63146<br>dlanham@carboline.com         | Phone: (888) 227-2654<br>Cell: (314) 644-1000<br>Fax: (314) 587-2699<br>www.carboline.com        | <b>Shop Coat: Carbozinc®<br/>11 Solvent Based<br/>Inorganic</b><br><br>Shop Coat: Part A: Base Part B: Zinc Filler<br>1st Field Coat: Carboguard 893<br>Cycloaliphatic Amine Epoxy - Part A: Resin<br>Part B: Catalyst<br>Top Coat: Carbothane 134 HS Aliphatic<br>Acrylic Polyurethane - Part A: Resin Part B:<br><b>ID#:</b><br>0132<br><br><b>approved</b><br>12/30/1998 |
| International Paint LLC<br>Dan Griffin<br>5606 Raintree Ridge<br>Jeffersonville IN 47130<br>daniel.griffin@internationalpaint.com | Phone: (800) 525-6824<br>Cell: (281) 684-5203<br>Fax: (812) 256-6733<br>www.international-pc.com | <b>Shop Coat: Interzinc®<br/>22HS Primer</b><br><br>Shop Coat: Part A: QH5055H Part B:<br>QH5056H<br>1st Field Coat: Interguard 475HS - Part A:<br>EVA010 PartB: EVA046<br>Top Coat: Interthane® 990HS - Part A:<br>99010A Part B: 870HS/990HS<br><b>ID#:</b><br>0430<br><br><b>approved</b><br>1/10/2005   |
| PPG Protective & Marine Coatings<br>Nye Miller<br>18220 Watson Way<br>Yorba Linda CA 92886<br>nyemiller@msm.com                   | Phone: (562) 691-9600<br>Cell: (714) 337-1953<br>Fax: (714) 777-3586<br>www.ppgmcm.com           | <b>Shop Coat: Dimetcote® 9<br/>Inorganic Zinc</b><br><br>Shop Coat: Part A: Base Part B: Zinc Dust<br>1st Field Coat: Amercoat® 385 Multi-<br>Purpose Epoxy - PartA: Resin Part B: Cure<br>Top Coat: Amercoat 450 H Aliphatic<br>Polyurethane - Part A: Resin Part B: Cure<br><b>ID#:</b><br>0592<br><br><b>approved</b><br>5/21/2008                                       |
| Sherwin Williams Company, The<br>Paul Trautman<br>101 Prospect Avenue NW<br>Cleveland OH 44115<br>paul.trautmann@sherwin.com      | Phone: (216) 566-1733<br>Cell: (210) 861-2286<br>Fax: (216) 830-7721<br>www.sherwin-williams.com | <b>Shop Coat: Zinc Clad® II</b><br><br>Shop Coat: Part E: B69V3 Part F: B69D11<br>1st Field Coat: Recoatable Epoxy Primer -<br>Part G: B67R5 Part H: B67V5<br>Top Coat: Sherthane® 2K Urethane - Part A:<br>B65-150 Series Part B: B65V150<br><b>ID#:</b><br>0424<br><br><b>approved</b><br>12/30/1998  |

**716.03.01 REFLECTIVE SHEETING**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm | <b>3300 Flex P<br/>3340 Cone</b><br><br>type III<br>type III<br><br>for Barricades and Cones<br><b>ID#:</b><br>0642, 0291<br><br><b>approved</b><br>9/10/2010 |



**716.03.01 REFLECTIVE SHEETING**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>  |
|---|--|--|--|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com         | <b>Phone:</b> (800) 553-1380<br><b>Cell:</b> (702) 743-0012<br><b>Fax:</b> (651) 732-8435<br><br>www.3M.com/tcm                    | <b>334 P</b><br><b>3990 VIP DG</b>   | type IX<br>type IX<br><br><br><b>approved</b><br>9 /10/2010  |
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com         | <b>Phone:</b> (800) 553-1380<br><b>Cell:</b> (702) 743-0012<br><b>Fax:</b> (651) 732-8435<br><br>www.3M.com/tcm                    | <b>3900</b><br><b>3924S OP</b><br><b>RS-24*</b>                              | type IV<br>type IV<br>type IV<br><br>for Barricades ONLY and Permanent Traffic;<br><b>approved</b><br>12/1 /2004   |
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com         | <b>Phone:</b> (800) 553-1380<br><b>Cell:</b> (702) 743-0012<br><b>Fax:</b> (651) 732-8435<br><br>www.3M.com/tcm                    | <b>3910 FL DG</b><br><b>3914 FL DG</b>                                       | type VI<br>type VI<br><br>for permanent traffic signs;<br>FL=Florescent, DG=Diamond Grade<br><b>approved</b><br>8 /16/2000                                 |
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com         | <b>Phone:</b> (800) 553-1380<br><b>Cell:</b> (702) 743-0012<br><b>Fax:</b> (651) 732-8435<br><br>www.3M.com/tcm                    | <b>444 DG3 B</b><br><b>446 DG3 B</b><br><b>4000 DG3 WZ</b>                   | type XI<br>type XI<br>type XI<br><br>B=Barricade; WZ=Work Zones<br><b>approved</b><br>8 /16/2000   |
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | <b>Phone:</b> (847) 627-3111<br><b>Cell:</b> (847) 627-7688<br><b>Fax:</b> (847) 627-3111<br><br>www.reflectives.averydennison.com | <b>OC T11500</b><br><b>OC T11511</b><br><b>OC T11513</b><br><b>OC T11514</b> | type XI<br>type XI<br>type XI<br>type XI<br><br>OC=OmniCube<br><b>approved</b><br>7 /29/2010   |
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | <b>Phone:</b> (847) 627-3111<br><b>Cell:</b> (847) 627-7688<br><b>Fax:</b> (847) 627-3111<br><br>www.reflectives.averydennison.com | <b>OV T9500</b><br><b>OV T9511</b><br><b>OV T9513</b><br><b>OV T9514</b>     | type IX<br>type IX<br>type IX<br>type IX<br><br>OV=OmniView<br><b>approved</b><br>7 /10/2001   |
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | <b>Phone:</b> (847) 627-3111<br><b>Cell:</b> (847) 627-7688<br><b>Fax:</b> (847) 627-3111<br><br>www.reflectives.averydennison.com | <b>S9000C Cone Collar</b>  | type VI<br><br>for reboundable traffic cones ONLY<br><br><b>approved</b><br>2 /2 /2004   |
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | <b>Phone:</b> (847) 627-3111<br><b>Cell:</b> (847) 627-7688<br><b>Fax:</b> (847) 627-3111<br><br>www.reflectives.averydennison.com | <b>T5500A HI</b><br><b>T7000 F</b><br><b>T7500 P</b>                         | type III<br>type IV<br>type IV<br><br>for Flagger Paddles ONLY;<br>F=Florescent, P=Prismatic, HI=High Intensity<br><b>approved</b><br>9 /15/2003           |
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | <b>Phone:</b> (847) 627-3111<br><b>Cell:</b> (847) 627-7688<br><b>Fax:</b> (847) 627-3111<br><br>www.reflectives.averydennison.com | <b>W6000 P</b><br><b>T6500 P HI</b><br><b>W7514 F</b>                        | type III<br>type VIII<br>type VIII<br><br>for temporary traffic control devices,<br>delineators and permanent signs ONLY;<br><b>approved</b><br>7 /10/2001 |

**716.03.01 REFLECTIVE SHEETING**

| <b>Vendor Name / Address</b>  |   | <b>Product Name</b>                                     | <b>Remarks</b>   |   |
|---|---|---|--|---|
| Avery Dennison Corporation<br>Nipa Joshi<br>7542 North Natchez Avenue<br>Niles IL 60714<br>nipa.joshi@averydennison.com | Phone: (847) 627-3111<br>Cell: (847) 627-7688<br>Fax: (847) 627-3111<br>www.reflectives.averydennison.com | WR-7100 White R<br>WR-7114 Orange FR                    | type IV<br>type IV<br>F= Fluorescent; R= Reboundable   | ID#:<br>3055, 3056<br><br><b>approved</b><br>3 /31/2011 |
| Nippon Carbide Industries<br>James Hu<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90670<br>jhu@nikkalite.com   | Phone: (800) 821-4264<br>Cell: (310) 428-8381<br>Fax: (562) 777-1811<br>www.nikkalite.com                 | 92847 Crystal Flu Orange*<br>Nikkalite CRG 92802 W      | type IV<br>type IV<br>for permanent traffic signs ONLY;<br>*for Flagger Paddles ONLY                                 | ID#:<br>0522, 0650<br><br><b>approved</b><br>9 /10/2010 |
| Nippon Carbide Industries<br>James Hu<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90221<br>jhu@nikkalite.com   | Phone: (800) 821-4264<br>Cell: (310) 428-8381<br>Fax: (562) 777-1811<br>www.nikkalite.com                 | Nikkalite CRG 92804 Y<br>Nikkalite CRG 92805 R          | type IV<br>type IV<br>for permanent traffic signs ONLY   | ID#:<br>0651, 0652<br><br><b>approved</b><br>9 /10/2010 |
| Nippon Carbide Industries<br>James Hu<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90221<br>jhu@nikkalite.com   | Phone: (800) 821-4264<br>Cell: (310) 428-8381<br>Fax: (562) 777-1811<br>www.nikkalite.com                 | Nikkalite CRG 92806 B<br>Nikkalite CRG 92808 G          | type IV<br>type IV<br>for permanent traffic signs ONLY   | ID#:<br>0653, 0654<br><br><b>approved</b><br>9 /10/2010 |
| Nippon Carbide Industries<br>James Hu<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90670<br>jhu@nikkalite.com   | Phone: (800) 821-4264<br>Cell: (310) 428-8381<br>Fax: (562) 777-1811<br>www.nikkalite.com                 | Nikkalite CRG 92844 Flu Y-<br>G<br>Nikkalite HI ULGH II | type IV<br>type IV<br>for permanent traffic signs ONLY   | ID#:<br>0649, 0271<br><br><b>approved</b><br>9 /10/2010 |
| Reflexite Americas<br>Rebecca Cavazuti<br>315 South Street<br>New Britain CT 06051<br>customer.service@reflexite.com    | Phone: (800) 654-7570<br>Cell: (860) 223-9297<br>Fax: (860) 832-9267<br>www.reflexite.com                 | AP 1000<br>AR 1000                                      | type V<br>type V<br>For use in work zones on barrier and<br>guardrail delineation and roadside<br>delineation posts. | ID#:<br>0295, 3071<br><br><b>approved</b><br>4 /8 /1999 |
| Reflexite Americas<br>Rebecca Cavazuti<br>315 South Street<br>New Britain CT 06051<br>customer.service@reflexite.com    | Phone: (800) 654-7570<br>Cell: (860) 223-9297<br>Fax: (860) 832-9267<br>www.reflexite.com                 | Marathon Roll-up<br>Super Bright Roll-up                | type VI<br>type VI<br>For use in Emergency Traffic Control<br>Construction Work Zones and Utility Work<br>Areas.     | ID#:<br>0294, 0162<br><br><b>approved</b><br>4 /8 /1999 |
| Reflexite Americas<br>Rebecca Cavazuti<br>315 South Street<br>New Britain CT 06051<br>customer.service@reflexite.com    | Phone: (800) 654-7570<br>Cell: (860) 223-9297<br>Fax: (860) 832-9267<br>www.reflexite.com                 | Resilience Channelizer<br>Tape<br>Reflective Flag*      | type IV<br>type VI<br>For use in construction work zones on<br>drums, cones, tubes, posts, and vertical<br>panels;   | ID#:<br>1275, 3070<br><br><b>approved</b><br>4 /6 /2011 |

**726.03.04 MULCH**

| <b>Vendor Name / Address</b> |  | <b>Product Name</b> | <b>Remarks</b> |  |
|------------------------------|--|---------------------|----------------|--|
|------------------------------|--|---------------------|----------------|--|

**726.03.04 MULCH**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>  |
|--|--|---|
| Central Fiber Corporation<br>Jeff Ward<br>4814 Fiber Lane<br>Wellsville KS 66092<br>jward@centralfiber.com                       | Phone: (800) 654-6117<br>Cell: (330) 209-3272<br>Fax: (785) 883-4429<br>www.centralfiber.com | Second Nature Paper<br>Fiber Mulch<br><br>ID#: 0146<br><br>approved<br>6 /25/1998   |
| Hamilton Manufacturing Inc<br>Patrick Andrew<br>901 Russet Street<br>Twin Falls ID 83301<br>info@hmi-mfg.com/patrick@hmi-mfg.com | Phone: (208) 733-9689<br>Cell:<br>Fax: (208) 733-9447<br>www.hmi-mfg.com                     | Nature's Own<br><br>ID#: 0147<br><br>approved<br>6 /25/1998   |
| North American Green<br>Jill Pack<br>5401 St. Wendel - Cynthiana Road<br>Poseyville IN 47633<br>jpack@nagreen.com                | Phone: (800) 772-2040<br>Cell: (801) 977-0970<br>Fax: (812) 867-0247<br>www.nagreen.com      | HydraCX2 Extreme Slope<br>Matrix<br><br>ID#: 0715<br><br>approved<br>5 /28/2010   |
| Profile Products LLC<br>Heather Rohde<br>750 Lake Cook Road Suite 440<br>Buffalo Grove IL 60089<br>hrohde@profileproducts.com    | Phone: (847) 215-3454<br>Cell:<br>Fax: (847) 215-0577<br>www.profileproducts.com             | Conweb 1000<br>Flexterra<br><br>ID#: 0145, 0244<br><br>approved<br>12/18/2008   |
| Terra Novo Incorporated<br>Andy Iturriria<br>2930 Patten Way<br>Bakersfield CA 93308<br>andy@terranovo.com                       | Phone: (888) 843-1029<br>Cell: (661) 747-5956<br>Fax: (661) 587-6806<br>www.EarthGuard.com   | EarthGuard<br>EarthGuard Fiber Matrix<br>Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic<br>ID#: 3064, 0318<br><br>approved<br>11/2 /2001 |

**726.03.05 TACKIFIER**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| Central Fiber Corporation<br>Jeff Ward<br>4814 Fiber Lane<br>Wellsville KS 66092<br>jward@centralfiber.com  | Phone: (800) 654-6117<br>Cell: (330) 209-3272<br>Fax: (785) 883-4429<br>www.centralfiber.com | TacPac GT<br>Environmental Services Division, Water Quality Specialist must be contacted prior to usage<br>ID#: 0148<br><br>approved<br>6 /25/1998  |
| Driwater Incorporated<br>Mary Paternoster<br>1042 Hopper Avenue<br>Santa Rosa CA 95403<br>mary@driwater.com | Phone: (707) 588-1444<br>Cell:<br>Fax: (707) 588-1445<br>www.driwater.com                    | Driwater Hydro Mix<br>Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery<br>ID#: 0277<br><br>approved<br>1 /5 /2001 |
| Evonik Stockhausen LLC<br>Lynn Royal<br>2401 Doyle Street<br>Greensboro NC 27406<br>lynn.royal@evonik.com   | Phone: (336) 335-3781<br>Cell:<br>Fax: (251) 443-4840<br>www.evonik.com                      | Hydropan<br>Environmental Services Division, Water Quality Specialist must be contacted prior to usage<br>ID#: 0683<br><br>approved<br>3 /1 /2010   |

**726.03.05 TACKIFIER**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>   |
|---|---|---|---|
| GM Boston Co International LLC<br>Craig Hoad<br>PO Box 121<br>Sunset Beach CA 90742-0121<br>craighoad@gmbostoncompany.com       | <b>Phone:</b> (562) 592-0836<br><b>Cell:</b> (949) 533-6799<br><b>Fax:</b> (949) 722-6799<br>www.gmboxtoncompany.com  | <b>PX 300</b><br><br><br><br>                                   | Environmental Services Division, Water Quality Specialist must be contacted prior to usage<br><br><br><br><b>approved</b><br>6/10/2003  |
| Innovative Turf Solutions<br>Melissa Schrard<br>5132 Ballantrae Court<br>Cincinnati OH 45238<br>mrs@innovativeturfsolutions.com | <b>Phone:</b> (513) 317-8311<br><b>Cell:</b><br><b>Fax:</b> (513) 672-9633<br>www.innovativeturfsolutions.com         | <b>HydraPam</b><br><br><br><br>                                 | <b>ID#:</b><br>1745<br><br><b>approved</b><br>2/16/2011   |
| JRM Chemical<br>Scott Wiesler<br>4881 Neo Parkway<br>Cleveland OH 44128<br>jrm@en.com   | <b>Phone:</b> (800) 962-8488<br><b>Cell:</b> (216) 475-8488<br><b>Fax:</b> (216) 475-6517<br>www.soilmoist.com        | <b>FI-1045</b><br><b>FI-1046</b><br><b>FI-3500</b><br><br><br>  | Environmental Services Division, Water Quality Specialist must be contacted prior to usage<br><br><br><br><b>approved</b><br>2/3/2010   |
| Prime One Products LLC<br>Robert Fischbach<br>PO Box 30816<br>Spokane WA 99223<br>tackiferman@yahoo.com                         | <b>Phone:</b> (509) 235-3800<br><b>Cell:</b> (509) 981-8555<br><b>Fax:</b> (509) 235-3803<br>www.primeoneproducts.com | <b>Fisch-Stick</b><br><b>Terravest</b><br><br><br>              | Environmental Services Division, Water Quality Specialist must be contacted prior to usage<br><br><br><br><b>approved</b><br>9/13/2007  |
| R&R Turf<br>Rick Leslie<br>PO Box 87<br>Osterander OH 43061<br>rrturf@verizon.net   | <b>Phone:</b> (790) 666-9050<br><b>Cell:</b><br><b>Fax:</b> (740) 666-1339<br>www.landtack.com                        | <b>LandTack Guar</b><br><br><br><br>                            | <b>ID#:</b><br>1777<br><br><b>approved</b><br>2/26/2011   |
| Terra Novo Incorporated<br>Andy Iturriria<br>8000 Jill Jean Avenue<br>Bakersfield CA 93380<br>andy@terranovo.com                | <b>Phone:</b> (888) 843-1029<br><b>Cell:</b> (661) 747-5956<br><b>Fax:</b> (661) 587-6806<br>www.EarthGuard.com       | <b>EarthGuard</b><br><b>EarthGuard Fiber Matrix</b><br><br><br> | Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic<br><br><br><br><b>approved</b><br>11/2/2001 |

**726.03.13 SOIL STABILIZER**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>                     | <b>ID#:</b>   |
|---|--|------------------------------------|---|
| Arrow Magnolia International LP<br>Patti Bonds<br>2646 Rodney Lane<br>Dallas TX 75229<br>pbonds@arrowmagnolia.com | <b>Phone:</b> (800) 527-2101<br><b>Cell:</b> (214) 415-3984<br><b>Fax:</b> (972) 484-2896<br>www.arrowmagnolia.com               | <b>Road Boss</b><br><br><br><br>   | application and dilution rates follow manufacturer's instructions<br><br><br><br><b>approved</b><br>11/8/2005 |
| ENCAP LLC<br>Adrian Ramirez<br>3921 Algoma Road<br>Green Bay WI 54311<br>aramirez@encap.net                       | <b>Phone:</b> (877) 405-5050<br><b>Cell:</b> (920) 217-0281<br><b>Fax:</b> (920) 406-9740<br>www.encepro.com/index.php/products/ | <b>PAM-12 PLUS</b><br><br><br><br> | application and dilution rates follow manufacturer's instructions<br><br><br><br><b>approved</b><br>3/10/2008 |

**726.03.13 SOIL STABILIZER**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b>   | <b>Remarks</b>  |  |
|--|--|---|---|--|
| Enviroad<br>Don Blackmon<br>2606 North Newark Street<br>Portland OR 97217<br>don@enviroad.com  | <b>Phone:</b> (800) 536-2650<br><b>Cell:</b> (503) 701-7802<br><b>Fax:</b> (503) 279-2633<br><br>www.enviroad.com        | <b>Earthbind 100</b>  | application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water | <b>ID#:</b><br>0420<br><br><b>approved</b><br>3/17/2003                |
| Evonik Stockhausen LLC<br>Lynn Royal<br>2401 Doyle Street<br>Greensboro NC 27406<br>lynn.royal@evonik.com  | <b>Phone:</b> (336) 335-3781<br><b>Cell:</b><br><b>Fax:</b> (251) 443-4840<br><br>www.evonik.com                         | <b>Hydropan</b>   | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0683<br><br><b>approved</b><br>3/1/2010                 |
| Fluid Tech Incorporated<br>Scott Rowsell<br>2865 South Jones Boulevard Suite 200<br>Las Vegas NV 89146<br>srowsell@fluid-tech-inc.com                  | <b>Phone:</b> (702) 871-1884<br><b>Cell:</b> (702) 871-7976<br><b>Fax:</b> (702) 871-3629<br><br>www.fluid-tech-inc.com  | <b>Trans Seal I<br/>Road Oyl<br/>Soil Seal</b>              | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0323, 0324,<br>0325<br><br><b>approved</b><br>1/3/2002  |
| GM Boston Co International LLC<br>Craig Hoad<br>PO Box 121<br>Sunset Beach CA 90742-0121<br>craighoad@gmbostoncompany.com                              | <b>Phone:</b> (562) 592-0836<br><b>Cell:</b> (949) 533-6799<br><b>Fax:</b> (949) 722-6799<br><br>www.gmboxtoncompany.com | <b>PX 300</b>   | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0433<br><br><b>approved</b><br>6/10/2003                |
| Hercules Environmental Inc<br>Rob Hotle<br>6596 New Peachtree Road<br>Doraville GA 30340<br>hercenv@herculesenvironmental.com                          | <b>Phone:</b> (770) 303-0878<br><b>Cell:</b><br><b>Fax:</b> (770) 455-6531<br><br>www.HerculesEnvironmental.com          | <b>Hercules Pam<br/>Soiloc-MQ-Dust Suppr<br/>Soiloc-Pam</b> | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0160, 0149,<br>0154<br><br><b>approved</b><br>5/18/2004 |
| Innovative Turf Solutions<br>Melissa Schrad<br>5132 Ballantrae Court<br>Cincinnati OH 45238<br>mrs@innovativeturfsoolutions.com                        | <b>Phone:</b> (513) 317-8311<br><b>Cell:</b><br><b>Fax:</b> (513) 672-9633<br><br>www.innovativeturfsolutions.com        | <b>HydraPam</b>   |   | <b>ID#:</b><br>1745<br><br><b>approved</b><br>2/16/2011                |
| JRM Chemical<br>Scott Wiesler<br>4881 Neo Parkway<br>Cleveland OH 44128<br>jrm@en.com  | <b>Phone:</b> (800) 962-8488<br><b>Cell:</b> (216) 475-8488<br><b>Fax:</b> (216) 475-6517<br><br>www.soilmoist.com       | <b>FI-1045<br/>FI-1046<br/>FI-3500</b>                      | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0689, 0680,<br>0681<br><br><b>approved</b><br>2/3/2010  |
| Midwest Industrial Supply Inc<br>Kimberly Keith<br>1101 3rd Street SE<br>Canton OH 44701<br>kim@midwestind.com/custserv@midwestind. www.midwestind.com | <b>Phone:</b> (330) 456-3121<br><b>Cell:</b><br><b>Fax:</b> (330) 456-3247   | <b>Soil Sement</b>  | application and dilution rates follow manufacturer's instructions; application and dilution rates follow manufacturer's instructions  | <b>ID#:</b><br>0521<br><br><b>approved</b><br>1/4/2001                 |
| North American Green<br>Jill Pack<br>5401 St. Wendel - Cynthiana Road<br>Poseyville IN 47633<br>jpack@nagreen.com                                      | <b>Phone:</b> (800) 772-2040<br><b>Cell:</b> (801) 977-0970<br><b>Fax:</b> (812) 867-0247<br><br>www.nagreen.com         | <b>HydraCX2 Extreme Slope<br/>Matrix</b>                    | application and dilution rates follow manufacturer's instructions   | <b>ID#:</b><br>0285<br><br><b>approved</b><br>5/29/2009                |

**726.03.13 SOIL STABILIZER**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>   | <b>Remarks</b>  |  |
|---|--|---|---|--|
| NU Equipment Incorporated<br>Julia Frehener<br>184 West Brooks Avenue<br>Las Vegas NV 89030<br>julie@nuequipment.com  | Phone: (702) 649-8767<br>Cell: (702) 249-1900<br>Fax: (702) 649-8446<br>www.nuequipment.com        | <b>Plas-Bond<br/>Soiltac</b>                                  | application and dilution rates follow manufacturer's instructions   | ID#: 0275, 0230<br><br><b>approved</b><br>11/13/2000 |
| Paramount Petroleum<br>Jim Ryan<br>1201 China Grade Loop<br>Bakersfield CA 93388<br>jim.ryan@alonusa.com              | Phone: (661) 392-3630<br>Cell: (661) 981-8555<br>Fax: (661) 391-1054<br>www.eaglehighmast.com      | <b>Topein S Emulsion</b>                                      | application and dilution rates follow manufacturer's instructions   | ID#: 0479<br><br><b>approved</b><br>2/28/2002        |
| Prime One Products LLC<br>Robert Fischbach<br>PO Box 30816<br>Spokane WA 99223<br>tackiferman@yahoo.com               | Phone: (509) 235-3800<br>Cell: (509) 981-8555<br>Fax: (509) 235-3803<br>www.primeoneproducts.com   | <b>Fisch-Stick<br/>Terravest</b>                              | application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water  | ID#: 0152, 0153<br><br><b>approved</b><br>9/13/2007  |
| R&R Turf<br>Rick Leslie<br>PO Box 87<br>Osterander OH 43061<br>rrturf@verizon.net                                     | Phone: (790) 666-9050<br>Cell:<br>Fax: (740) 666-1339<br>www.landtack.com                          | <b>LandTack Guar</b>  |   | ID#: 1777<br><br><b>approved</b><br>2/26/2011        |
| Soil Tech Company<br>Jeff Deason<br>6420 Cameron Drive Suite 207<br>Las Vegas NV 89118<br>rue@soil-tech.com           | Phone: (702) 873-2023<br>Cell:<br>Fax: (702) 873-0915<br>www.soil-tech.com                         | <b>Plas-Tex<br/>Poly-Tex</b>                                  | application and dilution rates follow manufacturer's instructions   | ID#: 0467, 0468<br><br><b>approved</b><br>12/10/2003 |
| Soilworks LLC<br>Chad Falkenberg<br>2450 South Gilber Road, Suite 210<br>Chandler AZ 85286-1583<br>info@soilworks.com | Phone: (800) 545-5420<br>Cell: (480) 545-5454<br>Fax: (480) 545-5456<br>www.soilworks.com          | <b>Soiltac®</b>   | application and dilution rates follow manufacturer's instructions   | ID#: 0364<br><br><b>approved</b><br>9/20/2004        |
| Terra Novo Incorporated<br>Andy Iturriria<br>8000 Jill Jean Avenue<br>Bakersfield CA 93380<br>andy@terranovo.com      | Phone: (888) 843-1029<br>Cell: (661) 747-5956<br>Fax: (661) 587-6806<br>www.EarthGuard.com         | <b>EarthGuard<br/>EarthGuard Fiber Matrix</b>                 | Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic | ID#: 3064, 0318<br><br><b>approved</b><br>11/2/2001  |
| US Gypsum Company<br>Kym Heitke<br>550 West Adams Street<br>Chicago IL 60661-3076<br>kheitke@usg.com                  | Phone: (916) 966-0639<br>Cell: (916) 417-5048<br>Fax: (916) 417-5048<br>www.usg-erosioncontrol.com | <b>AirtrolTM Geobinder<br/>Enviro-Shield Bonded<br/>Fiber</b> | application and dilution rates follow manufacturer's instructions   | ID#: 0555, 0554<br><br><b>approved</b><br>8/28/2006  |

**728.03.02a ANCHORING SYSTEMS (EPOXY)**

| <b>Vendor Name / Address</b> |  | <b>Product Name</b> | <b>Remarks</b> |  |
|------------------------------|--|---------------------|----------------|--|
|------------------------------|--|---------------------|----------------|--|

**728.03.02a ANCHORING SYSTEMS (EPOXY)****Vendor Name / Address****Product Name****Remarks**

|   |   |  |  |  |
|---|---|--|--|--|
| Adhesives Technology Corporation<br>Susan Bogdan<br>450 East Copans Road<br>Pompano Beach FL 33064-5509<br>sbogdan@atc.ws | <b>Phone:</b> (800) 892-1880<br><b>Cell:</b> (954) 782-2221<br><b>Fax:</b> (954) 782-2499<br><br>www.atc.ws             | <b>HS 200 Epoxy Adhesive<br/>Ultra Bond 1</b>                | type I, II, IV and V; Grade 2; Class C & 1300<br>Class B&C                                       | <b>ID#:</b><br>0422, 0329<br><br><b>approved</b><br>11/21/2005 |
| Adhesives Technology Corporation<br>Susan Bogdan<br>450 East Copans Road<br>Pompano Beach FL 33064-5509<br>sbogdan@atc.ws | <b>Phone:</b> (800) 892-1880<br><b>Cell:</b> (954) 782-2221<br><b>Fax:</b> (954) 782-2499<br><br>www.atc.ws             | <b>Ultra Bond 1100<br/>Ultra Bond 1300</b>                   | type I, II, IV and V; Grade 2; Class C & 1300<br>Class B&C                                       | <b>ID#:</b><br>0330, 0331<br><br><b>approved</b><br>11/21/2005 |
| Atlas Tech Products<br>Ryan Quinn<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118<br>ryanquinn@atlasform.com           | <b>Phone:</b> (702) 227-6800<br><b>Cell:</b> (858) 277-2100<br><b>Fax:</b> (702) 222-0488<br><br>www.atlasform.com      | <b>Atlas Epoxy Bonder<br/>LPL Epoxy Bonder</b>               | type I, II, IV and V; Grade 2 Classes B&C  | <b>ID#:</b><br>0496, 0497<br><br><b>approved</b><br>4 /29/2004 |
| Dayton Superior Corporation<br>John Hukey<br>4226 Kansas Avenue<br>Kansas City KS 66106<br>johnhukey@daytonsuperior.com   | <b>Phone:</b> (877) 416-3439<br><b>Cell:</b> (913) 279-0264<br><b>Fax:</b> (913) 279-4806<br><br>www.daytonsuperior.com | <b>Sure Anchor I J-51<br/>Sure Film J-74<br/>Evaporation</b> | type I, II, IV and V; Grade 3; Class A   | <b>ID#:</b><br>0393, 0190<br><br><b>approved</b><br>1 /14/2003 |
| Euclid Chemical Company<br>Christopher Balsat<br>19320 Redwood Road<br>Cleveland OH 44110<br>cbalsat@euclidchemical.com   | <b>Phone:</b> (800) 321-7628<br><b>Cell:</b> (216) 481-7072<br><b>Fax:</b> (216) 531-9399<br><br>www.euclidchemical.com | <b>Duralcrete</b>  | type I and type II   | <b>ID#:</b><br>0536<br><br><b>approved</b><br>11/8 /2004       |
| Hilti Incorporated<br>Iris Peitz<br>5400 South 122nd East Avenue<br>Tulsa OK 74146-6007<br>government@hilti.com           | <b>Phone:</b> (800) 950-6119<br><b>Cell:</b> (800) 950-6610<br><b>Fax:</b> (800) 950-6610<br><br>www.us.hilti.com       | <b>THE 50<br/>HT RE 500 Epoxy<br/>Adhesive Anchor</b>        | type I, II, IV and V; Grade 2; Class C & 1300<br>Classes B&C<br>type IV; Grade 3; Classes A, B&C | <b>ID#:</b><br>0322, 0323<br><br><b>approved</b><br>7 /6 /2009 |
| ITW Red Head<br>Mark Timmerman<br>2171 Executive Drive Suite 100<br>Addison IL 60101<br>mark.timmerman@itw-redhead.com    | <b>Phone:</b> (630) 350-0370<br><b>Cell:</b> (630) 694-4720<br><b>Fax:</b> (630) 495-6204<br><br>www.itw-redhead.com    | <b>Ceramic 6<br/>Epcon C6</b>                                | type I & IV; Grade 3; classes B&C  | <b>ID#:</b><br>0341, 1006<br><br><b>approved</b><br>5 /14/2002 |
| Mapei Americas Headquarters<br>Customer Service<br>1144 East Newport Center Drive<br>Deerfield Beach FL 33442             | <b>Phone:</b> (800) 426-2734<br><b>Cell:</b><br><b>Fax:</b><br><br>www.mapei.com  | <b>Planibond AE</b>  | type I, II, IV and V; Grade 2 Classes B&C  | <b>ID#:</b><br>0496, 0497<br><br><b>approved</b><br>6 /14/2011 |
| Pecora Corporation<br>Glen Murphy<br>165 Wambold Road<br>Harleysville PA 19438<br>murphyg@pecora.com                      | <b>Phone:</b> (215) 799-7557<br><b>Cell:</b> (818) 519-7658<br><b>Fax:</b> (215) 799-2518<br><br>www.pecora.com         | <b>Dynapoxy EP-420<br/>Dynapoxy EP-450</b>                   | type II, Grade 2; Classes B&C<br>type I, II, IV & V; Grade 1; Classes B&C                        | <b>ID#:</b><br>0737, 0738<br><br><b>approved</b><br>6 /7 /2010 |

**728.03.02a ANCHORING SYSTEMS (EPOXY)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>  | <b>ID#:</b>  |
|---|---|---|--|
| Pecora Corporation<br>Glen Murphy<br>165 Wambold Road<br>Harleysville PA 19438<br>murphyg@pecora.com                                  | <b>Phone:</b> (215) 799-7557<br><b>Cell:</b> (818) 519-7658<br><b>Fax:</b> (215) 799-2518<br><br>www.pecora.com           | <b>Dynapoxy Low Mod Epoxy</b><br><b>Dynapoxy TM EP-430 Fast</b>   | type III, Grade 2; Classes B&C<br>type I, II, IV & V; Grade 3; Classes 1; B&C<br><br><b>approved</b><br>6/7/2010   |
| Powers Fasteners Incorporated<br>Brian Schutz<br>2 Powers Lane<br>Brewster NY 10509<br>schultz@powers.com                             | <b>Phone:</b> (914) 253-6300<br><b>Cell:</b> (714) 731-2500<br><b>Fax:</b> (914) 576-6483<br><br>www.powers.com           | <b>Power Fast Plus</b><br><b>Standard Set</b><br><b>T308 Plus</b> | type I, II, IV and V; Grade 2; Classes B&C<br>type I, II, IV and V; Grade 2; Classes B&C<br>type I, II, IV and V; Grade 2; Classes B&C<br><br><b>approved</b><br>11/25/2008                                |
| Sika Corporation<br>David Bellinger<br>4847 Hopyard Road Suite 4-130<br>Pleasanton CA 94588-2778                                      | <b>Phone:</b> (925) 208-2103<br><b>Cell:</b><br><b>Fax:</b> (925) 397-3081  | <b>Sikadur 35 Hi Mod</b>  | <b>ID#:</b><br>1313<br><br><b>approved</b><br>11/14/2002   |
| Simpson Strong Tie<br>Joe Le Bel<br>5151 South Airport Way<br>Stockton CA 95206<br>jlebel@strongtie.com                               | <b>Phone:</b> (800) 999-5099<br><b>Cell:</b> (916) 870-7863<br><b>Fax:</b> (209) 234-3868<br><br>www.simpsonanchors.com   | <b>EDOT</b><br><b>ET22 Epoxy-Tie Resin</b><br><b>Adhesive</b>     | type I, II, IV and V; Grade 3; Classes B&C<br>type I, II, IV and V; Grade 3; Classes B&C<br><br><b>approved</b><br>1/15/2009   |
| Titan Construction Supply Inc<br>Brian Wickham<br>250 Edison Way<br>Reno NV 89502<br>bwickham@titansupply.com                         | <b>Phone:</b> (888) 550-2201<br><b>Cell:</b> (775) 351-2201<br><b>Fax:</b> (775) 351-2205<br><br>www.titansupply.com      | <b>Pro-Poxy 100</b>   | type II, III, IV and V; Grade 3; Class A, B&C<br><br><b>ID#:</b><br>0569<br><br><b>approved</b><br>4/29/2008   |
| Unitex Chemicals / Dayton Superior<br>Gregg Freeman<br>3101 Gardner Avenue<br>Kansas City KS 64120<br>greggfreeman@daytonsuperior.com | <b>Phone:</b> (800) 821-5846<br><b>Cell:</b> (303) 941-0123<br><b>Fax:</b> (816) 483-3149<br><br>www.unitex-chemicals.com | <b>Pro-Poxy 200</b><br><b>Pro-Poxy 300</b><br><b>Pro-poxy 400</b> | type I, II, IV & V; Grade 2; Class B&C<br>type I, II, IV & V; Grade 2; Class B&C<br>type I, II, IV & V; Grade 3; Classes B&C<br><br><b>ID#:</b><br>0218, 0219,<br>0389<br><br><b>approved</b><br>1/14/2003 |
| Unitex Chemicals / Dayton Superior<br>Gregg Freeman<br>3101 Gardner Avenue<br>Kansas City KS 64120<br>greggfreeman@daytonsuperior.com | <b>Phone:</b> (800) 821-5846<br><b>Cell:</b> (303) 941-0123<br><b>Fax:</b> (816) 483-3149<br><br>www.unitex-chemicals.com | <b>Pro-Poxy 50 Super LV</b><br><b>Symons ResCon 304</b>           | type I, II, IV & V; Grade 2; Class B&C<br>type I, II, IV & V; Grade 3; Classes A<br><br><b>ID#:</b><br>0247, 0248<br><br><b>approved</b><br>1/14/2003  |
| USP Structural Connectors<br>Todd Grevious<br>14305 Southcross Drive Suite 200<br>Burnsville MN 55306<br>tgrevious@mii.com            | <b>Phone:</b> (800) 328-5934<br><b>Cell:</b> (952) 898-8772<br><b>Fax:</b> (507) 364-8762<br><br>www.uspconnectors.com    | <b>CIA-GEL 7000 Adhesive</b>                                      | type I & IV; Grade 3; Classes B, C&D<br><br><b>ID#:</b><br>0265<br><br><b>approved</b><br>8/9/2000   |
| WR Meadows Incorporated<br>Richard Spencer<br>652 Indiana Street<br>Benicia CA 94510<br>rspencer@wrmeadows.com                        | <b>Phone:</b> (800) 342-5976<br><b>Cell:</b> (707) 745-6666<br><b>Fax:</b> (707) 747-6206<br><br>www.wrmeadows.com        | <b>Rezi Weld 1000</b>   | type I, II, IV and V; Grade 2; Classes B&C<br><br><b>ID#:</b><br>0478<br><br><b>approved</b><br>7/17/2002  |



**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>                             | <b>ID#:</b>  |  |
|--|---|--|--|--|
| Colorado Paint Company<br>Mark Vasquez<br>4747 Holly Street<br>Denver CO 80216<br>markv@coloradopaint.com    | Phone: (303) 388-9265<br>Cell: (303) 941-5275<br>Fax: (303) 388-0881<br>www.coloradopaint.com | <b>RockHard 1180</b>                       | White: RockHard 1180 Part A<br>Yellow: RockHard 1186 Part A<br>Hardener: RockHard 1185 Part B<br><br>"Lead Free Yellow" contains organic yellow pigment. | 0199<br><br><b>approved</b><br>3/23/2000       |
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com  | <b>HPS-3</b>                               | White: HPS-3 Part A<br>Yellow: HPS-3 Part A<br>Hardener: HPS-3 Part B<br><br>"Lead Free Yellow" contains organic yellow pigment.                         | 0436<br><br><b>approved</b><br>7/25/2002       |
| Epoplex<br>Cindi Westlund<br>1000 East Park Avenue<br>Maple Shade NJ 08052<br>epoplex@epoplex.com            | Phone: (800) 822-6920<br>Cell: (801) 619-1442<br>Fax: (856) 779-2963<br>www.epoplex.com       | <b>Epoplex LS50</b><br><b>Epoplex LS60</b> | White: LS50 Part A   White: LS60 Part A<br>Yellow: LS50 Part A   Yellow: LS60 Part A<br>Hardener: LS50 Part B   Hardener: LS60 Part B                    | 0378, 0379<br><br><b>approved</b><br>2/6/2003  |
| Poly-Carb Incorporated<br>Mike Geist<br>33095 Bainbridge Road<br>Solon OH 44139<br>geist@dow.com             | Phone: (800) 225-5649<br>Cell: (719) 487-5558<br>Fax: (440) 248-1513<br>www.poly-carb.com     | <b>Mark 55.2 NV</b><br><b>Mark 55.3 NV</b> | White: Mark 55.2 Part A   Mark 55.3 Part A<br>Yellow: Mark 55.2 Part A   Mark 55.3 Part B<br>Hardener: Mark 55.2 Part B   Mark 55.3 Part B               | 0109, 0110<br><br><b>approved</b><br>5/11/2004 |
| Poly-Carb Incorporated<br>Mike Geist<br>33095 Bainbridge Road<br>Solon OH 44139<br>geist@dow.com             | Phone: (800) 225-5649<br>Cell: (719) 487-5558<br>Fax: (440) 248-1513<br>www.poly-carb.com     | <b>Mark 55.4 NV</b>                        | White: Mark 55.4 Part A<br>Yellow: Mark 55.4 Part A<br>Hardener: Mark 55.4 Part B<br><br>"Lead Free Yellow" contains organic yellow pigment.             | 0111<br><br><b>approved</b><br>10/24/1997      |

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>   | <b>Remarks</b>   | <b>ID#:</b>  |  |
|--|---|--|--|--|
| Arkema Incorporated<br>Gregory Shay<br>410 Greyson Drive<br>Cary NC 27511<br>gregory.shay@arkema.com                 | Phone: (919) 469-6789<br>Cell:<br>Fax: (919) 469-6797<br>www.arkema.com                     | <b>UCAR TM DT 250 NA</b><br><b>UCAR TM DT 400 NA</b>     | type I<br>type II  | 0166, 1067<br><br><b>approved</b><br>7/19/2002 |
| Dow Chemical / Rohm & Haas<br>Susan Ridder<br>100 Independence Mall West<br>Philadelphia PA 19106<br>sridder@dow.com | Phone: (800) 967-7704<br>Cell: (215) 592-3846<br>Fax: (800) 382-4008<br>www.dowchemical.com | <b>Fastrack® Fastrack 3427</b><br><b>Fastrack® HD21A</b> | type I; prev Rhoplex TM Fastrack 3427<br>type II; prev Rhoplex TM Fastrack HD21A | 0318, 0319<br><br><b>approved</b><br>5/20/1999 |

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>   | <b>ID#:</b>                                  |   |
|--|--|--|--|---|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | <b>W: 982801 NVW-21-M-2</b><br><b>Y: 982802 NVY-21-M-2</b> | UCAR Latex DT 250 NA<br>UCAR Latex DT 250 NA | 0490, 0491<br><br><b>approved</b><br>12/11/2002 |

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>                               | <b>ID#:</b>  |
|--|--|--|--|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | W: 982821 NVW-34-M-1<br>Y: 982822 NVY-34-M-1 | Fastrack® 3427<br>Fastrack® 3427<br><br>approved<br>12/1 /2002 |

|  |   |  |  |
|--|---|--|--|
| Ennis Paint Incorporated<br>Scott Shannon<br>6624 Stanford Avenue/PO Box 01496<br>Los Angeles CA 90001<br>scotts@pervo.com | Phone: (800) 892-3647<br>Cell: (323) 864-0908<br>Fax: (323) 778-9719<br>www.pervo.com | W: Pervo Plastics 6000<br>Y: Pervo Plastics 6003 | Fastrack® 3427<br>Fastrack® 3427<br><br>approved<br>7 /30/2002 |
|--|---|--|--|

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

| <b>Vendor Name / Address</b>   | <b>Product Name</b>  | <b>Remarks</b>                               | <b>ID#:</b>  |
|--|--|--|--|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | W: 982811 NVW-40-M-2<br>Y: 982812 NVY-40-M-2 | UCAR Latex DT 400 NA<br>UCAR Latex DT 400 NA<br><br>approved<br>12/11/2002 |

|  |  |  |  |
|--|--|--|--|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | W: 982831 NVW-HD-M-1<br>Y: 982832 NVY-HD-M-1 | Fastrack® HD21A<br>Fastrack® HD21A<br><br>approved<br>12/11/2002 |
|--|--|--|--|

|  |   |  |  |
|--|---|--|--|
| Ennis Paint Incorporated<br>Scott Shannon<br>6624 Stanford Avenue/PO Box 01496<br>Los Angeles CA 90001<br>scotts@pervo.com | Phone: (800) 892-3647<br>Cell: (323) 864-0908<br>Fax: (323) 778-9719<br>www.pervo.com | W: Pervo Plastics 6050<br>Y: Pervo Plastics 6053 | Fastrack® HD21A<br>Fastrack® HD21A<br><br>approved<br>7 /30/2002 |
|--|---|--|--|

|  |  |                        |  |
|--|--|------------------------|--|
| Sherwin Williams Company, The<br>Paul Trautman<br>101 Prospect Avenue NW<br>Cleveland OH 44115<br>paul.trautmann@sherwin.com | Phone: (216) 566-1733<br>Cell: (210) 861-2286<br>Fax: (216) 830-7721<br>www.sherwin-williams.com | W: TM2398<br>Y: TM2399 | Fastrack® HD-21A<br>Fastrack® HD-21A<br><br>approved<br>7 /9 /2003 |
|--|--|------------------------|--|

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>                        | <b>ID#:</b>   |
|---|--|---------------------------------------|---|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm | 3M Stamark Liquid<br>Pavement Marking | White: Part A 1200<br>Yellow: Part A 1201<br>Cross Linker: Part B 1230<br><br>Beads must be approved by Materials<br>seperately. RESTRICTIONS noted in pull<br>approved<br>8 /16/2000 |

|  |  |       |  |
|--|--|-------|--|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | HPS-5 | White: Part A HPS-5<br>Yellow: Part A HPS-5<br>Cross Linker: Part B HPS-5<br><br>Beads must be approved by Materials<br>seperately. RESTRICTIONS noted in pull<br>approved<br>7 /25/2002 |
|--|--|-------|--|

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>   | <b>Remarks</b>   |
|---|---|--|
| Epoplex<br>Cindi Westlund<br>1000 East Park Avenue<br>Maple Shade NJ 08052<br>epoplex@epoplex.com | Phone: (800) 822-6920<br>Cell: (801) 619-1442<br>Fax: (856) 779-2963<br>www.epoplex.com | <b>Epoplex LS90</b><br>White: Part A LS90<br>Yellow: Part A LS90<br>Cross Linker: Part B LS90<br><br>Beads must be approved by Materials<br>seperately. RESTRICTIONS noted in pull |
|   |   | ID#: 0440<br><br><b>approved</b><br>2 /6 /2003   |

**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>   |
|---|--|--|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com               | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm     | <b>Series 270</b><br>type I  |
|   |  | ID#: 0460<br><br><b>approved</b><br>5 /6 /2011                                   |
| Advance Traffic Markings<br>Brenda Robbins<br>100 Patch Rubber Road<br>Roanoke Rapids NC 27870<br>brobbins@trafficmarking.com | Phone: (252) 536-2574<br>Cell:<br>Fax: (252) 536-4940<br>www.trafficmarking.com            | <b>Series 300</b><br><b>Series 400</b><br>type I<br>white and yellow             |
|   |  | ID#: 0015, 0016<br><br><b>approved</b><br>4 /29/2008                             |
| Brite Line Technologies<br>Bill Jubak<br>3788 Trotters Ridge Drive<br>Las Vegas NV 89122<br>bjubak@cox.net                    | Phone: (702) 649-9223<br>Cell: (216) 924-6215<br>Fax: (702) 649-9237<br>www.brite-line.com | <b>Series 100</b><br><b>Series 200</b><br><b>Series Delta-line TWR</b><br>type I |
|   |  | ID#: 0165, 0546,<br>0672<br><br><b>approved</b><br>10/10/2007                    |
| Swarco Industries / Traffic Mgt<br>Jackie Monroe<br>270 Rutherford Lane<br>Columbia TN 38401<br>sales.stminc@swarco.com       | Phone: (931) 560-4158<br>Cell: (931) 388-5900<br>Fax: (931) 388-4039<br>www.swarco.com     | <b>Series Director 35</b><br><b>Series Director 60</b><br>type I<br>type I       |
|   |  | ID#: 0472, 0473<br><br><b>approved</b><br>2 /17/2004                             |

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

| <b>Vendor Name / Address</b>  | <b>Product Name</b>  | <b>Remarks</b>  |
|---|--|---|
| Advance Traffic Markings<br>Brenda Robbins<br>100 Patch Rubber Road<br>Roanoke Rapids NC 27870<br>brobbins@trafficmarking.com | Phone: (252) 536-2574<br>Cell:<br>Fax: (252) 536-4940<br>www.trafficmarking.com            | <b>Series 300</b><br><b>Series 400</b><br>type II<br>white and yellow |
|   |  | ID#: 0015, 0016<br><br><b>approved</b><br>4 /29/2008                  |
| Brite Line Technologies<br>Bill Jubak<br>3788 Trotters Ridge Drive<br>Las Vegas NV 89122<br>bjubak@cox.net                    | Phone: (702) 649-9223<br>Cell: (216) 924-6215<br>Fax: (702) 649-9237<br>www.brite-line.com | <b>Series 900</b><br><b>Series Delta-line XRP</b><br>type II          |
|   |  | ID#: 0673, 0674<br><br><b>approved</b><br>6 /17/2008                  |
| Swarco Industries / Traffic Mgt<br>Jackie Monroe<br>270 Rutherford Lane<br>Columbia TN 38401<br>sales.stminc@swarco.com       | Phone: (931) 560-4158<br>Cell: (931) 388-5900<br>Fax: (931) 388-4039<br>www.swarco.com     | <b>Series Director 35</b><br>type II                                  |
|   |  | ID#: 0473<br><br><b>approved</b><br>2 /17/2004                        |

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>                    | <b>Remarks</b>   |  |
|---|--|--|--|--|
| 3M Traffic Control Materials Division<br>Eric Dornak<br>PO Box 231393<br>Las Vegas NV 89123<br>ejdornak@mmm.com               | Phone: (800) 553-1380<br>Cell: (702) 743-0012<br>Fax: (651) 732-8435<br>www.3M.com/tcm     | Series 270<br>Series 380<br>Series 390 | type IV<br>type IV<br>type IV<br>IES is a standard high performance optic<br>WR ES is a standard high performance, wet | ID#:<br>0460, 0461,<br>0533<br><b>approved</b><br>5 /6 /2011 |
| Advance Traffic Markings<br>Brenda Robbins<br>100 Patch Rubber Road<br>Roanoke Rapids NC 27870<br>brobbins@trafficmarking.com | Phone: (252) 536-2574<br>Cell:<br>Fax: (252) 536-4940<br>www.trafficmarking.com            | Series 400                             | type IV  | ID#:<br>0015<br><b>approved</b><br>4 /29/2008                |
| Brite Line Technologies<br>Bill Jubak<br>3788 Trotters Ridge Drive<br>Las Vegas NV 89122<br>bjubak@cox.net                    | Phone: (702) 649-9223<br>Cell: (216) 924-6215<br>Fax: (702) 649-9237<br>www.brite-line.com | Series Delta-line XRP                  | type IV  | ID#:<br>0673<br><b>approved</b><br>2 /2 /2010                |

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

| <b>Vendor Name / Address</b>   |  | <b>Product Name</b>                | <b>Remarks</b> |   |
|--|--|------------------------------------|----------------|---|
| Crown Technology LLC<br>Jeannie Powell<br>35 Industrial Park Drive<br>Woodbury GA 30293<br>jeannie@crownthermo.com | Phone: (800) 457-6267<br>Cell: (706) 553-9500<br>Fax: (706) 553-9501<br>www.crownthermo.com  | Tuffline Alkyd                     | lead free      | ID#:<br>0398<br><b>approved</b><br>10/14/2004       |
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com       | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | W: 885555 Alkyd<br>Y: 884685 Alkyd | lead free      | ID#:<br>0656, 0674<br><b>approved</b><br>9 /30/2009 |

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

| <b>Vendor Name / Address</b>  |  | <b>Product Name</b>       | <b>Remarks</b>                   |   |
|---|--|---------------------------|----------------------------------|---|
| Ennis Paint Incorporated<br>Cynthia Peterson<br>P.O. Box 404<br>Ennis TX 75120<br>cpeterson@ennistraffic.com          | Phone: (800) 331-8118<br>Cell: (214) 874-7299<br>Fax: (800) 555-0217<br>www.ennistraffic.com | Flame Tape<br>Thermaline  |                                  | ID#:<br>0299, 0300<br><b>approved</b><br>5 /14/2001 |
| Flint Trading Incorporated<br>Dennis Evangelista<br>115 Todd Court<br>Thomasville NC 27360<br>sales@flintrtrading.com | Phone: (336) 475-6600<br>Cell:<br>Fax: (336) 475-7900<br>www.flintrtrading.com               | Hot Tape<br>Premark® PLUS | replaced Premark 20/20 Flex Plus | ID#:<br>0168, 0169<br><b>approved</b><br>5 /3 /2001 |

**QPL NOTES**  
**December 10, 2010**

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.