



# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.02.16 BACKFLOW PREVENTER COVERS

Vendor Name / Address	Product Name	Remarks
No Vendors at this Time	No Vendors at this Time	ID#:
**	Phone:	
	Cell:	
	Fax:	
		approved 5 /27/1998

### 213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

Vendor Name / Address	Product Name	Remarks
Rectorseal	RectorSeal #5	ID#:
Scott Kerns		206
2601 Spenwick Drive		
Houston TX 77055	Phone: (713) 860-6717	
scottk@rectorseal.com	Cell:	
	Fax: (713) 263-7577	
	www.rectorseal.com	approved 8 /2 /1999

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products	NEX Mailbox Support System	type C ID#:
Susan Keim		487
PO Box 306	Phone: (303) 286-7051	
Commence City CO 80037	Cell: (888) 267-6463	
susan@s-squartube.com	Fax: (866) 639-5717	
	www.s-squartube.com	approved 3 /29/2004
Traffic & Parking Control Company	V-LOC Mailbox Support System	type C ID#:
Bryan Everard		006
5100 West Brown Deer Road	Phone: (262) 814-7000	
Brown Deer WI 53223	Cell: (414) 793-2508	
bryane@tapconet.com	Fax: (800) 444-0331	
	www.tapconet.com/vloc	approved 11/4 /1997

### 401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated	Pramitol 25E	application rate: 38L/hectare 25 gal/acre ID#:
Howard Stoddard		007
5903 Genoa Red Bluff Road	Phone: (281) 892-2500	
Pasadena TX 77507	Cell: (800) 242-5562	
orders@controlsolutionsinc.com	Fax: (281) 892-2501	
	www.controlsolutionsinc.com	approved 8 /1 /1993
Dow AgroSciences LLC	Spike 80 DF	application rate: 1.8 kg/hectare 10 lbs/acre; ID#:
Beau Miller	Spike 80 W	008, 015
9330 Zionsville Road	Phone: (800) 313-7378	
Indianapolis IN 46268	Cell: (317) 337-3000	
bjmiller@dow.com	Fax: (916) 525-2710	
	www.dowagro.com	approved 8 /2 /1993

### 401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
-----------------------	--------------	---------

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	<b>Slider Super Slick Bio</b> ID#: 495, 494  approved 11/8 /2005
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>Black Magic "For Rubber" Black Magic "13"</b> ID#: 261, 260  approved 4 /26/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>GrenGuard Thermal Slide</b> ID#: 597, 262  approved 4 /26/2000
Brody Chemical Tammy Price 6125 W 4790 So Double Eagle Cir Salt Lake City UT 84118 tamme_price@yahoo.com	Phone: (800) 480-2436 Cell: (801) 548-2287 Fax: (801) 274-2425 www.brodychemical.com	<b>Clear Wizard Slippery Wizard</b> ID#: 632, 603  approved 6 /12/2006
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	<b>2217-A 2217-B 6992</b> ID#: 421, 587, 716  approved 12/20/2007
Compound Technologies Inc Paul Wilson 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-3307 Fax: (770) 386-3391	<b>No 1</b> dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 263  approved 10/17/2007
North American Chemical Rick Albers 161 West DiMaggio Drive Tooele UT 84074 greymojo@msn.com	Phone: (435) 840-2258 Cell: (800) 877-1201 Fax: www.northamericanchemcial.com	<b>8 Super Slide</b> ID#: 758  approved 9 /10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	<b>Enviro-Slide Ultra</b> ID#: 259  approved 4 /26/2000
Tec-Team Industries Karen Price 626 Brooks Rackley Road Dallas GA 30157 kptectm@bellsouth.net	Phone: (678) 383-8107 Cell: Fax: (770) 443-0810 www.thetecteam.com	<b>Teclon-Pro</b> ID#: 562  approved 11/17/2006

**401.03.02 ASPHALT RELEASE AGENTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep R-5274 Non Solvent Zep R-6690 Non Solvent	ID#: 368, 369  approved 5 /11/2006
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep X-509 Zep XT-3199	ID#: 269, 370  approved 1 /12/2010

**409.03.10 EVAPORATIVE RETARDER**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film	ID#: 419  approved 1 /29/2003
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperiorchemical.com	Dayton Superior Sure Film J-74	application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal ID#: 242  approved 1 /14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	Eucobar	ID#: 044  approved 3 /27/2006
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226-1131 akaufman@kaufmanproducts.net	Phone: (410) 354-8600 Cell: (800) 637-6372 Fax: (410) 354-1122 www.kaufmanproducts.net	VaporAid 060	ID#: 191  approved 8 /2 /1999
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (215) 332-7709 Cell: (888) 839-2661 Fax: (215) 332-9997 www.vexcon.com	Certi-Vex Envioassist	application rate: 4.9 m2/1 to 200 ft2/gal ID#: 193  approved 8 /2 /1999
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	Confilm	application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 759  approved 10/31/2010

**409.03.10 EVAPORATIVE RETARDER**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
WR Meadows of Northern California Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (707) 745-6666 Cell: (847) 214-2100 Fax: (707) 747-6206 www.wrmeadows.com	<b>Sealtight Evapre Evaporative Retarder</b> application rate: 1 gal to 9 gal water ID#: 194  approved 6/22/1994

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Cemex Michael Camello 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762 michaela.camello@cemex.com	Phone: (925) 426-8787 Cell: (916) 941-2906 Fax: (916) 939-7481 www.cemex.com	<b>Aggregate</b> ID#: 014  approved 1/26/1997

**496.03.01 CRACK SEALANTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Dural 50</b> ID#: 752  approved 8/29/2009
Liquid Concrete Kendra Barnhart PO Box 16782 Seattle WA 98116 kendra@liquidconcrete.com	Phone: (800) 201-9300 Cell: (253) 335-0155 Fax: (702) 975-0549 www.liquidconcrete.com	<b>Ure-Kote R-60</b> ID#: 757  approved 7/11/2007
Unitex Chemicals Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerry@unitex-chemicals.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Bridge Seal CA</b> ID#: 751  approved 8/29/2009

**496.03.02 MULTI LAYER OVERLAY SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Kwik Bond Polymers LLC Al Klail/Steve Frank 923 Teal Drive Benicia CA 94510 stevopolymerdek@aol.com	Phone: (510) 852-4381 Cell: (858) 571-5043 Fax: (707) 746-7981 www.polymerdek.com	<b>Two Step; Propoxy 2500 Atlas E Pro w/ Basalt</b> Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 756  approved 7/11/2007
Poly-Carb Incorporated Hemant Naik 33095 Bainbridge Road Solon OH 44139 hemant@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 248-1223 Fax: (440) 248-1413 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48</b> Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 753  approved 8/29/2009

**496.03.02 MULTI LAYER OVERLAY SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Poly-Carb Incorporated Hemant Naik 33095 Bainbridge Road Solon OH 44139 hemant@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 248-1223 Fax: (440) 248-1413 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Flint Rck 65-8 or Gr8</b>	Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737	ID#: 743  approved 8 /29/2009
Steve Franks & Associates Steve Frank 3491 Old Cobbler Court San Diego CA 92111 stevepolymerdek@aol.com	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	<b>E-Bond 526 (aka E-Bond 34) w/Silca 6/8 Blend</b>	Silica Resources Inc, Steve Mallory, 4553 Hammonon Road, Marysville, CA, 95901, (530) 741-0290	ID#: 755  approved 8 /29/2009
Unitex Chemicals Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerry@unitex-chemicals.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8</b>	Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737	ID#: 754  approved 8 /29/2009

**502.02.04a CONCRETE STAIN**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	<b>Canyon Tone Stain</b>		ID#: 519  approved 4 /12/2005
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	<b>Coverall 2800 AF Ext. Flat</b>		ID#: 761  approved 5 /20/2008

**502.02.04b CONCRETE PAINT**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
No Vendors at this Time  **	Phone: Cell: Fax:	No Vendors at this Time		ID#:   approved 9 /7 /2010

**502.02.05a ANTI-GRAFFITI COATING (PERMANENT, NON-SACRIFICIAL)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
American Polymer Corporation Greg Gohlinghorst 9176 South 300 West Suite 4 Sandy UT 84070 gregg@americanpolymer.com	Phone: (800) 676-5963 Cell: (801) 201-2826 Fax: (801) 255-7123 www.americanpolymer.com	<b>Clear VU High Solids (AP 307)</b>	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202)  10/08 new product replaces GSS 10	ID#: 389-391  approved 7 /6 /2008

**502.02.05a ANTI-GRAFFITI COATING (PERMANENT, NON-SACRIFICIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	Fluorogrip® Anti Graffiti Film for Signs ONLY ID#: 763  approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	Monochem Permashield 5600 Premium System company passed an additional metal field test ID#: 679  approved 10/6 /2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (323) 263-4575 Cell: (888) 273-4489 Fax: (801) 255-7123 www.seichemical.com	GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer flattening agent required ID#: 680, 725  approved 9 /29/2009
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	2K Waterbased Urethane Anti Graffiti Part A: B65T00194 and Part B: B65V190 ID#: 724  approved 9 /21/2009
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	Graffiti-Gard "S" ID#: 762  approved 11/12/2010

**502.03.13i PREFORMED JOINT FILLERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	MetaZeal Phyzite 380 ID#: 509, 009  approved 5 /3 /1999
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	Silicoflex ID#: 276  approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	Will Seal 600 ID#: 347  approved 10/13/1995

**502.03.13i PREFORMED JOINT FILLERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	<b>W Seal</b> ID#: 131 approved 6 /4 /2002
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	<b>JEENE® Structural &amp; Sealing Jt</b> <b>Wabo® Evazote UV</b> ID#: 011, 005 approved 8 /2 /2006

**502.03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (419) 424-3527 Cell: (800) 848-1730 Fax: (419) 257-2200 www.dsbrown.com	<b>Matrix 502 Pave Tech</b> ID#: 198 approved 6 /5 /1997
Dynamic Surface Application Ltd Tim Persing 373 Village Road Pennsdale PA 17756 tpersing@dsa-ltd.com	Phone: (800) 546-6041 Cell: (570) 337-3605 Fax: (570) 546-2415 www.dsa-ltd.com	<b>BJS Thorma Joint System</b> ID#: 360 approved 9 /19/2002

**502.03.13k EXPANSION JOINT (SPECIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Silicone Specialties Incorporated Scott Fowler PO Box 50009 Tulsa OK 74150 scott.fowler@ssicm.com	Phone: (800) 888-8909 Cell: (918) 230-3148 Fax: (918) 586-4912 www.ssicm.com	<b>Dow 902 XJS Joint System</b> This is a general QPL ONLY. Systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. ID#: 212 approved 4 /22/2002

**502.03.13l EXPANSION JOINT SEALANT**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1780 www.dowcorning.com	<b>902 RCS</b> ID#: 339 approved 4 /22/2002
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	<b>Wabo® Silicone Seal - Two Part Sealant</b> ID#: 340 approved 4 /22/2002

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Tammscoat Fine</b> ID#: 567 approved 3 /21/2006
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>Tex.Cote 300 Bridge Cote</b> <b>TexCote XL70 Bridge Cote</b> ID#: 595, 596 approved 9 /4 /2007

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>Crafco Asphalt Rubber</b> type 1, 2 or 4 depends on the climate zone ID#: 020 approved 1 /7 /1998
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 customerservice@henry.com	Phone: (310) 955-9200 Cell: (916) 849-9908 Fax: (858) 391-1077 www.henry.com	<b>Calseal</b> type 1, 2 or 4 depends on the climate zone ID#: 025 approved 9 /8 /1998
Maxwell Products Incorporated Dale Bergivin 650 Delong Street Salt Lake City UT 84104 dale@maxwellproducts.com	Phone: (801) 972-2090 Cell: Fax: (801) 972-5536 www.maxwellproducts.com	<b>Elastoflex 44</b> <b>Elastoflex 56</b> type 1, 2 or 4 depends on the climate zone ID#: 022, 023 approved 1 /6 /1998

**505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fritz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (216) 750-7575 www.akzonobel.com	<b>Resicoat RB600 HKF30R</b> ID#: 591 approved 4 /30/2008
Dupont Powder Coatings Inc Kuruvila Varughese 9800 Genard Road Houston TX 77041 kuruvila.varughese@usa.dupont.com	Phone: (713) 996-0669 Cell: (713) 969-4665 Fax: (713) 939-4028 www.hoovers.com/dupont-coatings	<b>7-2719 Nap Guard</b> ID#: 281 approved 1 /18/2001
Valspar Corporation, The Michael Adams 1136 Fayette North Kansas City MO 64116 madams@valspar.com	Phone: (281) 370-6164 Cell: (281) 630-9878 Fax: (281) 370-6654 www.valspar.com	<b>Lilly Greenbar #720A009</b> ID#: 028 approved 1 /1 /1996





**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperiorchemical.com	<b>Dayton Superior HD-50 Edoco Fast Patch 928</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Eucospeed Eucospeed MP</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Express Repair Hi-Flow Grout</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Speed Crete® 2028 Rapid Speed Crete® Green Line</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
Five Star Products Incorporated Chris Piekos 750 Commerce Drive Fairfield CT 06825 piekosc@fivestarpromts.com	Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarpromts.com	<b>Highway Patch Structural Concrete</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com	Phone: (209) 830-7803 Cell: (209) 482-4488 Fax: (209) 830-7804 www.us.henkel.com	<b>Loctite MagnaCrete</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr	Phone: (949) 677-8229 Cell: Fax: (714) 439-1001 www.concreterepair.com	<b>High Performance Concrete</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771 www.concreterepairmatierials.com	<b>HP Cement</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC STR Mortar</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
WR Meadows of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338 www.wrmeadows.com	Phone: (623) 932-9383 Cell: (702) 253-1100 Fax: (623) 932-1547 Futura15	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	599  approved 9 /29/2009

**609.02.01b STORMWATER TREATMENT VAULTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	Phone: (775) 831-4592 Cell: (800) 229-7283 Fax: (775) 831-4592 www.baysaver.com	BaySaver	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 2 /19/2001
Contech Stormwater Solutions Inc Neil Erickson 3498 Celar Court Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (916) 635-0760 Cell: Fax: (916) 635-0764 www.contech-cpi.com	CDS StormFilter StormFilter Vortechs	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 7 /23/2003
Jensen Precast Pam Hammonds 460 Dunn Circle Sparks NV 89431-5803 phammonds@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6363 Fax: (775) 352-6364 www.jensenprecast.com	JPHV Stormwater Interceptor	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	Stormceptor	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 4 /22/2001
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	Inceptor	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 7 /26/2002

**609.02.01c TRENCH DRAINS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (208) 887-8680 www.abtdrains.com	A-67 Interceptor Polydrain XHD	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  (8"/12"/18" Trench Drain System)  approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (208) 887-8680 www.abtdrains.com	MHD 200 MHD 300	(8"/12" Trench Drain System)  This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  approved 7 /5 /2006

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>FF300 Concrete</b> <b>FG200 Concrete</b> <b>TraffikDrain</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 726, 663, 380  <b>approved</b> 1 /28/2003
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>S100K Concrete</b> <b>S300K Concrete</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 396, 397  <b>approved</b> 1 /28/2003
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hps.hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: www.strongwell.com	<b>Series Polycast 3000</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 514  <b>approved</b> 1 /15/2005
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hps.hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: www.strongwell.com	<b>Series Polycast 700</b> <b>Series Polycast 900</b> <b>(removeab</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements. (Appl Load Class F)	ID#: 512  <b>approved</b> 1 /15/2005
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainssystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainssystems.com	<b>EconoDrain</b> <b>Multidrain</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 492  <b>approved</b> 4 /6 /2004
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3l43@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	<b>Z-882 (9.25" Wide)</b> <b>Z-886 (4" Wide)</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 441  <b>approved</b> 3 /28/2003

**610.02.01 CELLULAR EROSION CONTROL MATS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Basalite/Submar Incorporated Damian Swain 805 Dunn Street Houma LA 70360 dbuch@submar.com	Phone: (775) 358-1200 Cell: (414) 630-1012 Fax: (775) 359-5997 www.submar.com	<b>UltraFlexTM</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 685  <b>approved</b> 11/18/2009
Contech Construction Products Inc Neil Erickson 3498 Celar Court Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (916) 635-0760 Cell: (916) 878-5769 Fax: (916) 635-0764 www.contech-cpi.com	<b>Armotec Cellular</b> <b>Petraflex</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 332, 333  <b>approved</b> 10/23/2008

**610.02.01 CELLULAR EROSION CONTROL MATS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanesindustries.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (702) 341-0355 www.hanesgeo.com	<b>Armorflex</b> This is a general QPL ONLY. The unit will be selected based on the specific project requirements.
		ID#: 326 approved 1/21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	<b>Shorblock Shoretec</b> This is a general QPL ONLY. The unit will be selected based on the specific project requirements.
		ID#: 601, 612 approved 4/24/2009

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>ACO Detectable Warning Device</b> approved NV Red ONLY
		ID#: 630 approved 2/26/2009
Advanced Surface Systems LLC Karen "KC" Hemry 118 North Peters Road #250 Knoxville TN 37923 kchemry@hotmail.com	Phone: (865) 966-2079 Cell: (865) 206-4789 Fax: (865) 241-8046 www.suredome.com	<b>SureDome</b> approved for NV Red and NV Green
		ID#: 628 approved 12/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	<b>ADA Arcis Tactile</b> approved for NV Red and NV Green
		ID#: 608 approved 9/2/2008
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	<b>TekWay Dome Tiles</b> approved for NV Red and NV Green
		ID#: 564 approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	<b>Step-Safe</b> approved for NV Red and NV Green
		ID#: 484 approved 3/26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	<b>Cast-in-Tact 3</b> approved for NV Red and NV Green
		ID#: 666 approved 8/20/2009

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	<b>Safety Fence</b> ID#: 202 approved 10/10/1999
Tensor International Robert Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.earthtech.com	<b>Safety GeoGrid</b> ID#: 345 approved 5 /15/2002

**618.02.01a GUARDRAIL TERMINAL (FLARED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (330) 807-9857 Fax: (303) 346-0722 www.roadsystems.com	<b>Fleat 350</b> <b>Fleat SP</b> TL-3 ID#: 045, 668 approved 9 /29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>ET Plus</b> <b>SRT 350</b> TL-3; LET Soil Tubes (replaced with ET Plus) ID#: 499, 768 approved 6 /9 /2004

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (330) 807-9857 Fax: (303) 346-0722 www.roadsystems.com	<b>SKT 350</b> <b>SKT Lite</b> <b>SKT SP</b> TL-3 ID#: 156, 669, 670 approved 2 /8 /1998
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>CAT 350</b> <b>ET Plus</b> TL-3 ID#: 046, 499 approved 3 /30/1997

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.aslbeams.com	<b>Glue Laminated Wood</b> used with w-beam and tri-beam guardrails ID#: 485 approved 3 /10/2004

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>King-Block King-Sized</b>	used with steel post tri-beam guardrails	ID#: 524, 523  approved 5 /13/2005

**619.02.01 FLEXIBLE GUIDEPOSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	<b>TD5500 Earthflex</b>	standard surface and surface/soil mount options available	ID#: 508  approved 12/3 /2002
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb System FG 300 Model EFX</b>	type 2; standard surface and soil/ground mount options available	ID#: 684, 692  approved 10/15/1999
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model PE FG 300 Model UR</b>	type 2; standard surface and soil/ground mount options available	ID#: 686, 687  approved 11/3 /2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH K-Marker Series SH Replaceable Barrier Marker</b>	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 606, 510  approved 11/4 /1998
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD Bolt Down Tubular RT 360 HD Tubular</b>	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 621, 625  approved 11/21/2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post SH Tubular</b>	type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 625, 610  approved 5 /14/2009
SHUR-TITE® Products Gary Champ 105 Tradesmens Park Drive Hutto TX 78634 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0588 www.shur-tite.com	<b>Shur-Flex® Cable Shur-Flex® Driveable</b>	standard surface and surface/soil mount options available and angled mounts	ID#: 636, 633  approved 4 /30/2009

**619.02.01 FLEXIBLE GUIDEPOSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
SHUR-TITE® Products Gary Champ 105 Tradesmens Park Drive Hutto TX 78634 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0588 www.shur-tite.com	Shur-Flex® Guardrail Clamp Shur-Flex® Surface Mnt	standard surface and surface/soil mount options available and angled mounts	ID#: 635, 634  approved 4 /30/2009

**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD5215 K Marker	type 2; standard surface and surface/soil mount options available	ID#: 566, 528  approved 12/3 /2002
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	Island Sentry K-Marker		ID#: 050  approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	BD Marker Round HM Marker Round	type 2; standard surface and surface/soil mount options available	ID#: 052, 056  approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	T1 Marker Round T2 Marker Round	type 2; standard surface and surface/soil mount options available	ID#: 049, 051  approved 6 /1 /1994
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb System FG 300 Model PE	type 2; standard surface and surface/soil mount options available	ID#: 684, 686  approved 10/14/1999
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR FG 300 Turn Pike Curb	type 2; standard surface and surface/soil mount options available	ID#: 687, 688  approved 10/14/1999
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Type K Island Marker	type 2; standard surface and surface/soil mount options available	ID#: 576  approved 9 /13/2007



**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD Bolt Down RT 360 HD Tubular</b> type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  <b>ID#:</b> 622, 623  <b>approved</b> 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post SH Replaceable Barrier</b> type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  <b>ID#:</b> 610, 068  <b>approved</b> 5/14/2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 29916-0098 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH K-Marker Series SH Tubular</b> type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  <b>ID#:</b> 606, 628  <b>approved</b> 11/4/1998
SHUR-TITE® Products Gary Champ 105 Trademens Park Drive Hutto TX 78634 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0588 www.shur-tite.com	<b>Shur-Flex® Driveable</b> type 2; standard surface and surface/soil mount options available  <b>ID#:</b> 676  <b>approved</b> 2/2/2010

**619.03.01 REFLECTORS (PRISMATIC, ACRYLIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktcorp.com	<b>AKT #18 Center Mounted</b>  <b>ID#:</b> 054  <b>approved</b> 5/5/1998
Vega Molded Products Inc Doris Weid 122 Industrial Drive Gilberts IL 60136 vega7761@aol.com	Phone: (847) 428-7761 Cell: Fax: (847) 428-7764 www.vegamoldedproducts.com	<b>Center Mounted Delineator</b>  <b>ID#:</b> 055  <b>approved</b> 5/5/1998

**623.01.01 DYNAMIC MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Daktronics Incorporated Rick Weinacht 117 Prince Drive Brookings SD 57006-0128 rick.weinacht@daktronics.com	Phone: (605) 692-0200 Cell: (605) 695-5624 Fax: (605) 697-4700 www.daktronics.com	<b>Light-Emitting Diode DMS</b> type 1 and type 2  <b>ID#:</b> 502  <b>approved</b> 9/14/2004
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	<b>2070 Light-Emitting Diode DMS</b> type 1 and type 2  <b>ID#:</b> 540  <b>approved</b> 11/17/2006

**623.02.08 SERVICE PEDESTALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eaton Corporation Paul Croteau 1000 Cherrington Parkway Moon Township PA 15108 pcroteau@sbcglobal.net	Phone: (816) 478-4746 Cell: (702) 309-4088 Fax: (816) 478-4746 www.eaton.com	Service Pedestals ID#: 1307 approved
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (949) 387-4863 Cell: (714) 743-0712 Fax: (949) 387-4895 www.milbankmfg.com	Metered Service Pedestals ID#: 367 approved 11/19/2002
Myers Power Products Diana Grootonk 725 East Harrison Street Corona CA 92879 diana.grootonk@myerspower.com	Phone: (951) 520-1900 Cell: Fax: (951) 520-1961 www.myerspowerproducts.com	Service Pedestals +UPS/BBS ID#: 267 approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	Service Pedestals ID#: 366 approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 3409 52nd Avenue Sacramento CA 95823 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 429-2817 www.tescocontrols.com	Tescoflex Service Pedestals ID#: 266 approved 9 /5 /2000

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	Series 426 bottom latching ID#: 469 approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himastltg@aol.com	Phone: (847) 473-3800 Cell: (847) 217-1070 Fax: (847) 473-3870 www.eaglehighmast.com	High Mast Assembly bottom latching ID#: 470 approved 12/30/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Series Holophane LD5 Lighting Lowering D bottom latching ID#: 481 approved 12/30/2003

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: (800) 304-3578 Fax: (800) 533-4483 www.idealindustries.com	<b>Duct Seal</b> ID#: 661 approved 10/7 /2009
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	<b>RectorSeal®</b> ID#: 677 approved 10/7 /2009

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	<b>Brass Linguine Class 1</b> ID#: 317 approved 10/31/2001
Measurement Specialties Inco Robin Fletcher 1000 Lucas Way Hampton VA 23666 robin.fletcher@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	<b>Roadtrax BL Sensor Brass Linguine Class 1</b> ID#: 161 approved 5 /26/1999

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3m.com/tcm	<b>P/N 606 Detector Loop 5000 Rubberized Loop</b> rubberized material ID#: 465, 057 approved 6 /16/2000
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>271 Loop Detector 272 Loop Detector</b> rubberized asphalt material ID#: 072, 068 approved 8 /5 /1998
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	<b>Stat-a-Flex Polyester Loop</b> polyester material ID#: 061 approved 8 /5 /1998
Quikrete Company Darrell Brokofsky 7705 Wilbur Way Sacramento CA 95828 dbrokofsky@quikrete.com	Phone: (916) 689-8840 Cell: Fax: (916) 689-8857 www.quikrete.com	<b>Commercial Grade Permanent Blacktop Repair #1701</b> asphaltic concrete material ID#: 283 approved 1 /1 /2001

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Perm Sealer 974 Nitrile Pro Seal 6006 Polyester</b> sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material
		ID#: 064, 063  approved 8 / 5 / 1998
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	<b>Overkote Loop Filler</b> asphaltic emulsion material
		ID#: 062  approved 8 / 5 / 1998

**623.03.01 TRAFFIC SIGNALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-5778 www.dialight.com	<b>LED 12" Signal Heads (all) 16"x18" Ped Signal Hea</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications
		ID#: 335, 336  approved 3 / 26 / 2002
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cherylhuang@eoibus.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoibus.com	<b>LED Traffic Signal Pedestrian Traffic Signal</b> 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green  must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications.
		ID#: 700, 701  approved 6 / 17 / 2008
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>LED 12" Signal Heads (all) 16"x18" Tinted Ped</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications
		ID#: 1122, 1215  approved 4 / 6 / 2010
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>TSL-PED-16-CIL-9 16" Countdown LED FH/MP</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications
		ID#: 1405  approved 4 / 6 / 2010
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>TSL-PED-16-DIL 16" LED FH/MP Indication</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications
		ID#: 1406  approved 4 / 6 / 2010
Phoenix Highway Products Debra Lesan 2631 North 37th Drive Phoenix AZ 85009 debbie@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	<b>LED 12" Signal Heads Pedestrian Signal Heads</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications
		ID#: 337, 338  approved 3 / 26 / 2002

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	<b>85 Watt Induction Versaflood III Induction</b>	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004)	ID#: 124, 402  approved 1 /17/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	<b>Panel Vue Series Model 85QLXXDG/QD/Door Prop</b>		ID#: 401  approved 1 /17/2003

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@luitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	<b>Lumi Trak</b>		ID#: 365  approved 11/19/2002

**623.05.26 RED LIGHT DETECTORS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	<b>Red Light Detector</b>		ID#: 446  approved 7 /16/2003
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (760) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	<b>Red Light Detector</b>		ID#: 445  approved 7 /16/2003

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	<b>MF-180-36 Masterflex</b>	type 3; standard surface/soil mount options available	ID#: 065  approved 3 /10/2000
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	<b>SDCF SMDW</b>	type 3; standard surface/soil mount options available	ID#: 067, 066  approved 6 /15/1998

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb System</b> <b>FG 300 Model PE</b>	type 3; standard surface/soil mount options available	ID#: 684, 686  <b>approved</b> 10/15/1999
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model UR</b> <b>FG 300 UR HD Flex</b>	type 3; standard surface/soil mount options available	ID#: 687, 723  <b>approved</b> 10/15/1999
Qwick Kurb® Incorporated Mike Hare 1916 US 41 South Ruskin FL 33470 mike@quickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 454-4856 www.quickkurb.com	<b>Qwick Kurb</b>	type 3; standard surface/soil mount options available	ID#: 627  <b>approved</b> 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD Bolt Down Tubular</b> <b>RT 360 HD Tubular</b>	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 621, 622  <b>approved</b> 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post</b> <b>SH Replaceable Barrier</b>	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 610, 052  <b>approved</b> 11/21/2008
SHUR-TITE® Products Gary Champ 105 Tradesmens Park Drive Hutto TX 78634 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0588 www.shur-tite.com	<b>Shur-Flex® Surface Mount Delineator</b>	type 3; standard surface/soil mount options available	ID#: 634  <b>approved</b> 4 /30/2009
Western Highway Products Barbara 10680 Fern Avenue Stanton CA 90680 sales@westernhighway.com	Phone: (800) 854-3360 Cell: (714) 761-4811 Fax: (714) 952-2118 www.westernhighway.com	<b>Repo 300</b>	type 3; standard surface/soil mount options available	ID#: 175  <b>approved</b> 6 /15/1998

**625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAILS)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	<b>TD 9300 Roadguide</b> <b>TD 9400 Roadguide</b>		ID#: 371, 372  <b>approved</b> 12/3 /2002

**625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAILS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.astrooptics.com	<b>FB 33 Flexible Barrier</b>     ID#: 009  <b>approved</b> 2 / 2 / 1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	<b>FlexX 2020</b> w/75 mm X 75mm     ID#: 019  <b>approved</b> 12/17/1997
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com	<b>DAPCO Straight Guardrail Reflector Plates</b>     ID#: 585  <b>approved</b> 1 / 9 / 1995
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>PCBM 12H High Impact PCBM T12H High Impact</b>     ID#: 585, 017  <b>approved</b> 10/15/1999

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T300 discontinuing CMS T321 discontinuing</b>     ID#: 075  <b>approved</b> 8 / 5 / 2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T320 discontinuing</b>     ID#: 076  <b>approved</b> 8 / 5 / 2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T331 CMS GP 465</b>     ID#: 077, 078  <b>approved</b> 4 / 10 / 1997
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	<b>CMS 80FM</b>     ID#: 505  <b>approved</b> 10/13/2004

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.com	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	<b>Nighthawk 340</b> <b>discontinuing</b> <b>Nighthawk 345 discount</b>	the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	ID#:   <b>approved</b> 4 /10/2000
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.com	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	<b>Sunray Solar 345</b> <b>Sunray Solar 380</b>		ID#: 079, 080  <b>approved</b> 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	<b>SMC HE 1000</b>		ID#: 084  <b>approved</b> 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	<b>PCMS</b>		ID#: 085  <b>approved</b> 2 /22/1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	<b>WTLMB-S-LL(A)</b>		ID#: 355  <b>approved</b> 8 /5 /2002

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	<b>Guardian Solar Powered</b> <b>PCMS</b> <b>Sign Dot Sign DH1000</b>		ID#: 073, 074  <b>approved</b> 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T300 discontinuing</b> <b>CMS T321 discontinuing</b>		ID#: 075, 076  <b>approved</b> 8 /5 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T320 discontinuing</b>		ID#: 076  <b>approved</b> 8 /5 /2002



**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	CMS T331 CMS GP465		ID#: 077, 078  approved 4 /10/1997
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.com	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340 discontinuing Nighthawk 345 discount	the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	ID#:  approved 4 /10/2000
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.com	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380		ID#: 079, 080  approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC SM2000		ID#: 084  approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS		ID#: 085  approved 2 /22/1998
Solar Technology Incorporated Inside Service Manager 7620 Cetronia Road Allentown PA 18106 customerservice@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 393-4419 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger II Silent Messenger III		ID#: 664, 665  approved 8 /14/2009
Solar Technology Incorporated Inside Service Manager 7620 Cetronia Road Allentown PA 18106 customerservice@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 393-4419 Fax: (610) 391-8601 www.solartechnology.com	Silent Messenger Solar Powered		ID#: 086  approved 2 /22/1998

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Barrier Systems Incorporated Jaime Franco 3333 Vaca Valley Parkway Suite 800 Vacaville CA 95688 info@barriersystemsinc.com	Phone: (888) 800-3691 Cell: (707) 374-6800 Fax: (707) 374-6801 www.barriersystemsinc.com	Absorb 350 Universal Tau II	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; ONLY use a nine-element design (min) with attachment/transition assembly.	ID#: 290, 667  approved 4 /10/2001

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Engergite III Module N-E-A-T System</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 089, 090  approved 9/3/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Quadguard</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 091  approved 9/3/1998
SCI Products Incorporated Jeffery Smith PO Box 4314 St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	<b>SCI100GM</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	ID#: 545  approved 1/20/2006
Traffic Control Service Inc Tim Kniffen 372 Wolverine Way Sparks NV 89431-5728 tkniffen@tcsi.biz	Phone: (775) 358-6005 Cell: (775) 690-3037 Fax: (775) 358-9161 www.tcsi.biz	<b>Energite III Fitch Inertial</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 092, 094  approved 4/14/1999
Traffic Control Service Inc Tim Kniffen 372 Wolverine Way Sparks NV 89431-5728 tkniffen@tcsi.biz	Phone: (775) 358-6005 Cell: (775) 690-3037 Fax: (775) 358-9161 www.tcsi.biz	<b>React 350</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 093  approved 9/3/1998
Traffix Devices Incorporated Cary Lemonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 446-4450 Cell: (801) 979-7099 Fax: (801) 446-1157 www.traffixdevices.com	<b>Big Sandy 48247-SPI Temp Big Sandy Sand Barrel</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	ID#: 095, 096  approved 3/22/2000

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Safe-Stop 180 TMA</b>	TL-3; required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs)	ID#: 192  approved 10/14/1999
Traffix Devices Incorporated Cary Lemonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 446-4450 Cell: (801) 979-7099 Fax: (801) 446-1157 www.traffixdevices.com	<b>ScorPion C 10,000</b>	TL-3; required truck weight 9,000 kg (19,842 lb)	ID#: 264  approved 7/26/2000

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>MPS 350 III</b> TL-3: required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs)  <b>approved</b> 9/3/1998

**625.02.06 BARRIER RAILS (WATER FILLED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Armorcast Products Company Sydney Chase 13230 Satcoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	<b>Guardian Barrier Water Filled w/350 Kit</b> required minimum length of 50.4 m for speeds less than or equal to 45 mph (opaque ivory colored 1.8 m sections).  <b>approved</b> 9/3/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Triton Barrier</b> use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).  <b>approved</b> 3/30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	<b>Rhino Safety Barrier(use the 350 kit with install)</b> use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)).  <b>approved</b> 10/24/2007
Safety Barriers David Walker 10519 Lexington Drive Knoxville TN 37933	Phone: (865) 966-9123 Cell: (800) 966-2012 Fax: (865) 675-3622	<b>Water Ballasted Barriers SB-1-TL</b>  <b>approved</b> 3/27/2006
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (888) 496-3625 Fax: (570) 380-2859 www.yodock.com	<b>Traffic Cntrl Syst Model 2001 Type III Barricade</b>  <b>approved</b> 3/22/2002

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-systems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-systems.com	<b>Safety Beacon Light</b>  <b>approved</b> 6/1/1999

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Alcan Composites USA Inc Star Collins 208 West 5th Street Benton KY 42025 star.collins@alcan.com	Phone: (270) 527-4200 Cell: Fax: (270) 527-1552 www.alcancompositesusa.com	<b>Dibond for Highway Work Zone Signage</b> must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance	547, 593  <b>approved</b> 5 /9 /2006
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>Bone Light 4MM ACM Aluminum Composite</b> approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	620, 616  <b>approved</b> 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>SZ-412 SZ-460 SZ-484</b> approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	617, 618  <b>approved</b> 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>SZ-412-2S SZ-460-2S SZ-484-2S</b> approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	619, 614  <b>approved</b> 10/16/2008
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DF3000S Dynaflex DF3000WQ Dynaflex</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance	220, 223  <b>approved</b> 2 /27/2000
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DF3003S Dynaflex DF3003W Dynaflex</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance	221, 222  <b>approved</b> 2 /27/2000
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DL1003W Dynaflex UF2000 Uniflex Verticle Portable</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance	224, 225  <b>approved</b> 2 /27/2000
Eastern Metals Sarah Jordan 1430 Sullivan Street Elmira NY 14901 sjordan@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>C200 C202</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance	227, 228  <b>approved</b> 4 /4 /2000
Eastern Metals Sarah Jordan 1430 Sullivan Street Elmira NY 14901 sjordan@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>C902 Superflex Compact Stand w/Fiberglass Leaf Spr</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance	234  <b>approved</b> 4 /4 /2000

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Eastern Metals Sarah Jordan 1430 Sullivan Street Elmira NY 14901 sjordan@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>Superflex Compact Stand w/Fiberglass Leaf Spr</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	234  <b>approved</b> 4 /4 /2000
Eastern Metals Sarah Jordan 1430 Sullivan Street Elmira NY 14901 sjordan@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>X501 FS Coil Spring X550 FS Coil Spring</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	229, 231  <b>approved</b> 4 /4 /2000
Eastern Metals Sarah Jordan 1430 Sullivan Street Elmira NY 14901 sjordan@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>X551 FS Coil Spring X600 FS Coil Spring</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	232, 233  <b>approved</b> 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS1 SS548</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	411, 415  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548A SS548AE</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	405, 409  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548C SS548CA</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	407, 412  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548CAE SS548CE</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	418, 403  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548E SS548UC</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	413, 406  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548UCA SS548UCR</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	408, 404  <b>approved</b> 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 417, 416  approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS560UCA SS548UCRA SS560UCA	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 414, 410  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 235, 251  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4815RB 4818	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 238, 237  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 239, 240  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4884CS	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 241  approved 1 /24/2003
Traffix Devices Incorporated Cary Lemonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 446-4450 Cell: (801) 979-7099 Fax: (801) 446-1157 www.traffixdevices.com	Big Buster Dual SF Little Buster Dual SF	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding	ID#: 243, 244  approved 3 /22/2000
Traffix Devices Incorporated Cary Lemonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 446-4450 Cell: (801) 979-7099 Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Zephyr Portable Stand	48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 248, 272  approved 3 /22/2000

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
------------------------------	--	---------------------	----------------

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD2000 Works Barricade TD2150 Works Barricade	type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested - 24"	ID#: 171, 374  approved 12/3 /2002
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD2200 Works Barricade TD2250 Works Barricade	type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 375, 376  approved 12/3 /2002
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD2300 Works Barricade TD2400 All Plastic	type 1 and type 2 type 3B cannot be used in configuration that is wider than was tested	ID#: 526, 527  approved 12/3 /2002
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD2500 Works Barricade TD2550 Works Barricade	type 1 type 3 cannot be used in configuration that is wider than was tested	ID#: 525, 529  approved 10/13/2004
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD2600 Works Barricade TD2650 Works Barricade	type 1 and type 2 type 3 cannot be used in configuration that is wider than was tested	ID#: 530, 531  approved 12/3 /2002
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	TD3000 A Frame Barricade	type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 532  approved 12/3 /2002
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	All Plastic Universal Waffle & Steel Legged	type 1 and type 2 with or without lights	ID#: 247, 246  approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	Plywood Panel Barricade	type 3 with or without lights	ID#: 245  approved 3 /10/2000
Highway Technologies David Johnson 4533 Andrews Street North Las Vegas NV 89033 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460 www.hwy-tech.com	Barricade	type 3 with or without lights	ID#: 435  approved 1 /10/2000

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>Barricade</b> <b>O-Frame Barricade</b>	type 3B with or without lights	ID#: 250, 613  approved 10/15/1999
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	Phone: (216) 231-8590 Cell: (800) 880-1805 Fax: (216) 231-2702 www.plasticsafety.com	<b>Anchor Barricade</b>	type 3 with or without lights	ID#: 483  approved 3/19/2004
Plasticade Industries Donna Kelner 7700 North Austin Avenue Skokie IL 60077 dkelner@americanlouver.com	Phone: (847) 470-0400 Cell: Fax: (847) 470-0420 www.americanlouver.com	<b>Sentinel</b>	type 3 with or without lights	ID#: 001  approved 2/21/2007
Traffix Devices Incorporated Cary Lemonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 446-4450 Cell: (801) 979-7099 Fax: (801) 446-1157 www.traffixdevices.com	<b>Economy Plastic Folding</b> <b>Barricade</b> <b>Sand Fill Bag</b>	type 3 with or without lights	ID#: 248, 249  approved 4/3/2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 jsmith@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	<b>Lane Changer B500 LC</b> <b>Traffic Drum</b>	type 3 with or without lights	ID#: 744  approved 7/8/2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (888) 496-3625 Fax: (570) 380-2859 www.yodock.com	<b>200/M w/Temporary Signal</b> <b>Model # 2001</b>	type 3 with or without lights	ID#: 590, 551  approved 11/27/2007

**627.02.01a POLYCARBONATE SIGNS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
No Vendors at this Time	Phone:	No Vendors at this Time		ID#:
**	Cell:			
	Fax:			approved

**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	<b>Modular Guidance System</b>		ID#: 102  approved 10/20/1996



**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	<b>Glare Screen System</b> ID#: 103 approved 7/31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>Glare Screen System</b> ID#: 123 approved 7/31/1996

**632.03.05 RETROREFLECTOMETERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	<b>LTL-X 30 Meter Geometry</b> <b>LTL-2000 discontinuing</b> 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies ID#: 211, 210 approved 6/1/1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	<b>Mirolux Ultra 30</b> ID#: 213 approved 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>LaserLux Gamma</b> <b>MX 30 discontinuing</b> 10/08 MX 30 Retroreflectometer was discontinued but still qualifies ID#: 544 approved 5/2/2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>StripeMaster Series I</b> <b>StripeMaster Series II</b> ID#: 542, 543 approved 5/27/2010

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3D Traffic Works Incorporated Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (818) 841-5096 Fax: (323) 849-1316 www.trafficwks.com	<b>TD10000 Series</b> 100 mm (4") round ID#: 373 approved 12/3/2002
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	<b>DDOT ABS</b> 100 mm (4") round ID#: 186 approved 6/2/1999

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	929 ABS 929 PP Ceramic 100 mm (4") round ID#: 172, 678, 173 approved 6 /1 /1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 587-3534 Fax: (626) 336-6085 www.glowlitemarker.com	W: Type A/4" Round Ceramic & PP NR Y: Type AY/4" 100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective ID#: 516, 517 approved 3 /7 /2005
Hi-Way Safety Incorporated Bob Smith 13310 5th Street Chino CA 91710 bob@hiwaysafety.com	Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	W: NRPDRND Y: NRPDRND 100 mm (4") round ID#: 188, 511 approved 6 /1 /1999
Interstate Sales Mike Trentman 12600-200 Locksley Lane Auburn CA 95602 miket@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994 www.interstatesales.com	Diamond Back (ABS & Polypropylene) 100 mm (4") round (ABS & Polypropylene) ID#: 170 approved 6 /1 /1999
Novabrite Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 926065106 norman@novabrite.com	Phone: (714) 656-3659 Cell: (925) 373-1751 Fax: (925) 215-2549 www.novabrite.com	W: ADOT Y: ADOT W: CDOT Y: CDOT 100 mm (4") round ID#: 474-477 approved 3 /20/2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	290 Durable Raised 89 mm x 100 mm (3.6"x4") ID#: 182 approved 6 /1 /1999
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	911 Ab 953 Ab C80 FH Raised C88 Ab 100 mm (4") round ID#: 185, 180, 255, 181 approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	AA ARC Round Shoulder ARC 100 mm x 100 mm (4"x4") ID#: 174, 176, 177 approved 6 /1 /1999

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	<b>944SB 948</b>	58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4")	ID#: 184, 183  approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	<b>Arc 2002 Arc 2004</b>	58 mm x 19 mm (2.3"x4.6")	ID#: 178, 179  approved 6 /1 /1999

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>34270 Hot Applied Flexible</b>		ID#: 105  approved 6 /16/1998
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	<b>836098 Bituminous</b>		ID#: 108  approved 2 /6 /2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	<b>Bundy 12 cm X 12 cm Pad; (5" X 5") Pad</b>	white color on plantmix and back color on PCCP	ID#: 106  approved 6 /1 /1999
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 customerservice@henry.com	Phone: (310) 955-9200 Cell: (916) 849-9908 Fax: (858) 391-1077 www.henry.com	<b>Dotstick Bituminous</b>		ID#: 464  approved 9 /29/2003
Martin Asphalt Jack Nimmo 300 Christy Place / PO Box 508 South Houston TX 77587 jnimmo@martinmlp.com	Phone: (713) 350-6849 Cell: (281) 627-2077 Fax: (713) 350-2848 www.martinasphalt.com	<b>172542 Evergrip Bituminous</b>		ID#: 107  approved 6 /15/1998

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 587-3534 Fax: (626) 336-6085 www.glowlitemarkers.com	<b>W: Type 932 (1-way) Y: Type 932 (2-way)</b>	100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective	ID#: 516, 517  approved 3 /7 /2005

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25 Halftrack Model 26	work zone pavement markers ID#: 257, 258  approved 10/15/1999
Pexco LLC Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	TOM (Temporary Overlay) TRPM (Temporary Overlay)	work zone pavement markers ID#: 110, 111  approved 11/29/2000

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	710 WR Removable 780 WR Removable	WR=Wet Reflective ID#: 675, 424  approved 8/16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road / PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: 200 Construction Removable	ID#: 117  approved 9/24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 100 R W/Y: Series 200 R	R=Removeable ID#: 032  approved 6/15/1999
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III Removable	ID#: 119  approved 6/15/1999
Swarco Industries / Traffic Mgt Jon Sproul 270 Rutherford Lane / PO Box 89 Columbia TN 38401 office.industries@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Director 2 - Detour Grade W/Y: Director 2 (D2-WR)	ID#: 120, 648  approved 6/15/1999
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140	ID#: 303-305  approved 8/24/2001

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Refining Group Colin Kimball 77 North Kendell Avenue Bradford PA 16701 ckimball@amref.com	<b>Phone:</b> (814) 368-1200 <b>Cell:</b> (281) 770-0220 <b>Fax:</b> (814) 368-1335  www.amref.com	<b>PennzSuppress D Dust Suppressant</b> application and dilution rates follow manufacturer's instructions; application rate: 0.9 m2/L (36 sq ft / gal) (apply twice); can be used in travel-ways ONLY; application is restricted from within 50 years of any body of water.
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	<b>Phone:</b> (800) 527-2101 <b>Cell:</b> (214) 415-3984 <b>Fax:</b> (972) 484-2896  www.arrowmagnolia.com	<b>Road Boss</b> application and dilution rates follow manufacturer's instructions
Cypher Environmental Ltd Greg Martinez 701 North Vrain Street El Paso TX 75229 gregg@eco-infrastructureresolutions.com	<b>Phone:</b> (915) 276-0879 <b>Cell:</b> (204) 489-1214 <b>Fax:</b> (915) 534-7207  www.cypherenvironmental.com	<b>DustStop</b> application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.
Dallas Roadway Products Inc Ellyn Neal-Favors 18916 Fortson Avenue Dallas TX 75252 dallasroadway@yahoo.com	<b>Phone:</b> (972) 758-7454 <b>Cell:</b> (702) 405-0351 <b>Fax:</b> (972) 596-8418  www.dallasroadway.com	<b>Dust Control DC-22</b> application and dilution rates follow manufacturer's instructions
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	<b>Phone:</b> (800) 536-2650 <b>Cell:</b> (503) 701-7802 <b>Fax:</b> (503) 279-2633  www.enviroad.com	<b>Earthbind 100</b> application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (800) 369-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959  www.envirotechservices.com	<b>Lignin (Ammonium Lignosulfonate)</b> application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.4oyql@evonik.com	<b>Phone:</b> (336) 335-3781 <b>Cell:</b> (513) 317-8311 <b>Fax:</b> (513) 672-9633  www.evonik.com	<b>HydroPam</b> application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Phone:</b> (702) 871-1884 <b>Cell:</b> (702) 871-7976 <b>Fax:</b> (702) 871-3629  www.fluid-tech-inc.com	<b>Trans Seal I</b> application and dilution rates follow manufacturer's instructions
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799  www.gmbostoncompany.com	<b>PX 300</b> application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	<b>Hercules PAM</b> application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	150  <b>approved</b> 5 /18/2004
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	<b>Soiloc-Pam Soiloc-MQ-Dust Suppressant</b> application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	154, 149  <b>approved</b> 5 /2 /1999
Midland Asphalt Materials Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.	Phone: (330) 456-3121 Cell: Fax: (330) 456-3247 www.midwestind.com	<b>EnviroKleen Soil Sement</b> application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	278, 279  <b>approved</b> 1 /4 /2001
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	Phone: (219) 762-3165 Cell: Fax: (219) 755-4062 www.terraloc.com	<b>TerraLoc</b> application and dilution rates follow manufacturer's instructions	721  <b>approved</b> 11/17/2009
NU Equipment Incorporated David Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Plas-Bond Soiltac</b> application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic	275, 274  <b>approved</b> 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	Phone: (661) 392-3630 Cell: (661) 981-8555 Fax: (509) 235-3803 www.alonashalt.com	<b>Topein S Emulsion</b> application and dilution rates follow manufacturer's instructions	479  <b>approved</b> 2 /28/2002
Prime/Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.prime/products.com	<b>Fisch-Stick Terravest</b> application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water	152, 153  <b>approved</b> 6 /25/1998
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>Dust Away</b> application and dilution rates follow manufacturer's instructions	639  <b>approved</b> 6 /2 /2009
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex Poly-Tex</b> application and dilution rates follow manufacturer's instructions	467, 468  <b>approved</b>

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Soil Works LLC Chad Falkenberg 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	<b>Soiltac®</b> application and dilution rates follow manufacturer's instructions ID#: 504 approved 9 /20/2004
Terra Novo Incorporated Andy Iturria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	<b>EarthGuard Fiber Matrix</b> application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 318 approved 11/2 /2001
US Gypsum Company John Breen 550 West Adams Street Chicago IL 60661-3076 jbreen@usg.com	Phone: (713) 983-8829 Cell: (281) 615-0163 Fax: (312) 214-6606 www.usg-erosioncontrol.com	<b>Dust Armour Dustrol</b> application and dilution rates follow manufacturer's instructions ID#: 553, 571 approved 8 /28/2006
Western Emulsions Incorporated Lain Jack 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629 ian@westernmemulsions.com	Phone: (520) 622-7203 Cell: (520) 820-8943 Fax: (520) 798-3914 www.westernemulsions.com	<b>Dust Control 50</b> application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5% ID#: 449 approved 8 /26/2003

**637.02.02 SILT FENCE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Enviroscape ECM Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: (419) 594-3210 Cell: Fax: (419) 594-3213 www.strawblanket.com	<b>Vertipro</b> ID#: 662 approved 3 /1 /2010
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanesindustries.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (702) 341-0355 www.hanesgeo.com	<b>TerraTex SC</b> ID#: 143 approved 6 /25/1998
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	<b>Triangular Silt Dike</b> ID#: 142 approved 6 /25/1998

**637.02.05 ROADWAY INLET PROTECTION**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	<b>Siltsack</b> ID#: 144 approved 6 /25/1998

**637.02.05 ROADWAY INLET PROTECTION**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>
Basalite/Submar Incorporated Damian Swain 805 Dunn Street Houma LA 70360 damian.swain@paccoast.com	Phone: (414) 630-1012 Cell: (414) 423-6531 Fax: (775) 358-1200 www.submar.com	<b>UltraFlex</b>	ID#: 685  approved 11/17/2009
Bowhead Manufacturing Jeff Bird PO Box 375 Preston WA 98050 jeffb@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 957-0672 Fax: (888) 234-3677 www.shopbowhead.com	<b>StreamGuard Catch Basin Insert</b>	ID#: 088  approved 6/25/1998
Dandy Products Incorporated Dan Cleveland Jr. 1095 Harcourt Road Suite C Mt. Vernon OH 43050 dlc@dandyproducts.com	Phone: (800) 591-2284 Cell: (614) 580-5683 Fax: (740) 881-2791 www.dandyproducts.com	<b>Dandy Bag Drainage Control Dandy Curb</b>	ID#: 438, 638  approved 10/28/1996
Dandy Products Incorporated Dan Cleveland Jr. 1095 Harcourt Road Suite C Mt. Vernon OH 43050 dlc@dandyproducts.com	Phone: (800) 591-2284 Cell: (614) 580-5683 Fax: (740) 881-2791 www.dandyproducts.com	<b>Dandy Curb Bag Dandy Pop</b>	ID#: 252, 637  approved 5/8/2009
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	<b>Combo Guard Curb Inlet Guard</b>	ID#: 720, 693  approved 3/1/2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	<b>Drop Guard GR-8 Guard</b>	ID#: 719, 710  approved 3/1/2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: (630) 355-3477 www.inletfilters.com	<b>Flexstorm Inlet Filters</b>	ID#: 682  approved 3/1/2010
Silt-Saver Incorporated Todd Christian 1094 Culpepper Drive Conyers GA 30094 todd@siltssaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltssaver.com	<b>SS-100A FFA SS-200A FFA</b>	FFA=Frame & Filter Assembly ID#: 377, 296  approved 12/6/2002

**640.02.03a MSE WALL**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>
------------------------------	--	---------------------	----------------



**640.02.03a MSE WALL**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Earth Tech Incorporated Gary Wood Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328 bmillertensarcorp.com	Phone: (949) 212-8454 Cell: (404) 250-1290 Fax: (404) 250-9077 www.earthtech.com	<b>ARES Retaining Precast Wall</b>		ID#: 013  approved 6/14/1999
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503-5711 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	<b>Reinforced Soil Embankment Wall</b>		ID#: 122  approved 9/8/1998
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrew_mse@pacbell.net	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	<b>MSE Earth MSE Plus</b>	modified panels required; W24 longitudinal wire not permitted	ID#: 189, 195  approved 2/9/2000
Tensar International Bob Miller 34892 Calle Furtuna Capistrano Beach CA 92624 bmillertensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	<b>Ares Retaining Wall</b>	permitted only when specified in the contract documents as an acceptable product	ID#: 342  approved 6/11/1998

**640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	<b>Retained Earth Lrg Wall Reinforced Earth Lrg Wall</b>		ID#: 287, 288  approved 8/26/2002
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrew_mse@pacbell.net	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	<b>MSE Large Wall Panel</b>	modified panels required; W24 longitudinal wire not permitted	ID#: 187  approved 2/9/2000

**640.02.03c SOUNDWALL SYSTEMS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Evonik Cyro LLC Nathan Binette 1796 Main Street Sanford ME 04073 nathan.binette@evonik.com	Phone: (207) 490-4313 Cell: (207) 459-8382 Fax: (207) 490-4284 www.cyro.com	<b>Paraglas Soundstop Ready Fit Paraglas Soundstop</b>	TL4; system will be selected based on specific project requirements; it is not a complete wall system	ID#: 640, 648  approved 11/25/2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	<b>Port-O-Wall</b>	TL-4; system will be selected based on specific project requirements; it is not a complete wall system	ID#: 316  approved 10/24/2001

**640.02.03c SOUNDWALL SYSTEMS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Quilite International LLC Richard Cooling 2503 Eastbluff Drive #205 Newport Beach CA 92660 info@quilite.com	<b>Quilite Noise Barrier</b> Phone: (949) 644-1294 Cell: Fax: (949) 644-6770 www.quilite.com	TL-4; system will be selected based on specific project requirements; it is not a complete wall system ID#: 515 approved 2/9/2005

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	<b>Redi-Rock</b> Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications ID#: 605 approved 10/16/2009
Keystone Retaining Wall System Customer Service 13453 County Road #1 Fairhope AL 36532 keystone@keystonewalls.com	<b>KeySteel SQFT MSE Panel</b> Phone: (251) 990-5761 Cell: Fax: (251) 990-5761 www.keystonewalls.com	permitted only when the contract documents specify a modular block retaining wall ID#: 153 approved 5/15/2002
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	<b>Pyramid</b> Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	permitted only when the contract documents specify a modular block retaining wall ID#: 214 approved 5/15/2002
Tensar International Bob Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	<b>Mesa</b> Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	permitted only when the contract documents specify a modular block retaining wall ID#: 343 approved 5/15/2002

**641.02.01 IMPACT ATTENUATORS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Barrier Systems Incorporated Jaime Franco 3333 Vaca Valley Parkway Suite 800 Vacaville CA 95688 info@barriersystemsinc.com	<b>Universal Tau II</b> Phone: (888) 800-3691 Cell: (707) 374-6800 Fax: (707) 374-6801 www.barriersystemsinc.com	TL-3, must be mounted on a concrete or asphalt slab ID#: 667 approved 5/26/2006
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	<b>Quad Guard Wide (69/90) React 350(60", 96", 120")</b> Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	TL-3, must be mounted on a concrete or asphalt slab ID#: 127,129 approved 6/15/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	<b>QuadGuard Elite 8 Bay Quad Guard Standard</b> Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	TL-3, must be mounted on a concrete or asphalt slab ID#: 125, 126 approved 6/30/2008

**641.02.01 IMPACT ATTENUATORS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
SCI Products Incorporated Jeffery Smith PO Box 4314 St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	<b>SCI100GM Impact Attenuator</b>	TL-3, must be mounted on a concrete or asphalt slab	ID#: 545  approved 1 /20/2006
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>Adiem Attenuating Device</b>	TL-3, must be mounted on a concrete or asphalt slab	ID#: 209  approved 4 /28/2000

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Res-Cure</b>	ASTM C309 Type 1D	ID#: 573  approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperiorchemical.com	<b>Aqua Resin Clear Type 1D DSSCC Resin Cure &amp; Dye</b>	ASTM C309 Type 1D	ID#: 609, 598  approved 1 /8 /2010
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC MaxCure Resin Clear</b>	ASTM C309 Type 1D	ID#: 607  approved 8 /29/2008
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@wrmeadows.com	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	<b>Resin Cure - Clear VOC</b>	ASTM C309 Type 1D	ID#: 565  approved 3 /10/2008
WR Meadows of Northern California Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (707) 745-6666 Cell: (847) 214-2100 Fax: (707) 747-6206 www.wrmeadows.com	<b>1100 Clear 1300 Clear</b>	ASTM C309 Type 1D	ID#: 574, 480  approved 6 /13/2007

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Whix Cure DOT</b>	PCCP ASTM C309, Type 2, Class A	ID#: 582  approved 9 /2 /2008

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperiorchemical.com	<b>W: DSSCC Wax Cure</b> PCCP ASTM C309, Type 2, Class A ID#: 611  approved 6/13/2007
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>W: Kurez Vox</b> PCCP ASTM C309, Type 2, Class A ID#: 040  approved 9/30/1996
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	<b>Pavecure WW</b> PCCP ASTM C309, Type 2, Class A ID#: 586  approved 10/9/2007
Steel Engineers Bratt Bilkington 716 West Mesquite Las Vegas NV 89106 bbilkington@steelengineers.com	Phone: (702) 386-0023 Cell: (530) 348-6809 Fax: (702) 386-5799 www.steelengineers.com	<b>UniWhite Cure Wax</b> PCCP ASTM C309, Type 2, Class A ID#: 577  approved 5/29/2008
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>W: US SPEC AMS 3754</b> PCCP ASTM C309, Type 2, Class A ID#: 602  approved 6/17/2008
WR Meadows of Northern California Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (707) 745-6666 Cell: (847) 214-2100 Fax: (707) 747-6206 www.wrmeadows.com	<b>Series 1600 White</b> PCCP ASTM C309, Type 2, Class A ID#: 575  approved 6/13/2007

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B ID#: 579  approved 9/2/2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperiorchemical.com	<b>DSSCC PAMS W: PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B ID#: 578, 581  approved 6/13/2007

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com www.usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 W: US SPEC AMS 3754	Bridge Decks ASTM C309, Type 2, Class B ID#: 602 approved 7 / 2 / 2008
WR Meadowsof Northern California Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com www.wrmeadows.com	Phone: (707) 745-6666 Cell: (847) 214-2100 Fax: (707) 747-6206 2245 Bridge Deck Cure	Bridge Decks ASTM C309, Type 2, Class B ID#: 604 approved 8 / 5 / 2008

**702.03.05 POZZOLANS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Boral Material Technologies Pamela Flynn 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 pamela.flynn@boral.com www.boral.com	Phone: (210) 349-4069 Cell: Fax: Boral Micron Fly Ash Class F	Plant: Rockdale, TX Plant: Monticello, TX ID#: 570 approved
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com www.headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 Bridger Fly Ash Class F	Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY ID#: 572 approved

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Bondaflex Technologies Bruce Lakatosh 995 Towbin Avenue Lakewood NJ 08701 brucel@maynational.com www.bondaflex.com	Phone: (800) 641-8242 Cell: Fax: (973) 473-4222 Bondaflex Sil 728SL	ID#: 534 approved 4 / 10 / 2006
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com www.crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 Roadsaver Silicone SL	ID#: 552 approved 8 / 5 / 1998
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com www.dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1780 890 SL (replaces 888-SL)	ID#: 130 approved 3 / 20 / 1997
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com www.dsbrown.com	Phone: (419) 424-3527 Cell: (800) 848-1730 Fax: (419) 257-2200 DSB 900 SL Self Leveling Silicone	ID#: 518 approved 4 / 5 / 2005

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Pecora Corporation Nick Burns 165 Wambold Road Harleysville PA 19438 burnsn@pecora.com	Phone: (215) 723-6051 Cell: Fax: (215) 721-0286 www.pecora.com	<b>Pecora 300</b>     ID#: 314     approved 9/15/2001
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	<b>Spectrum 900 SL Formula 974831 w/ 333 Cartridges</b>     ID#: 362     approved 5/31/2002

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carboline Protective Coatings Bill Eggers 2150 Schuetz Road Maryland Heights MO 63146 carbolineUSA@carboline.com	Phone: (314) 644-1000 Cell: (925) 382-4142 Fax: (314) 587-2699 www.carboline.com	<b>Shop Coat: Carbozinc 11 Solvent Based Inorganic</b>  Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard4 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HG Aliphatic Acrylic Polyurethane - Part A: Resin Part B:  ID#: 604-606     approved 12/30/1998
Carboline Protective Coatings Bill Eggers 2150 Schuetz Road Maryland Heights MO 63146 carbolineUSA@carboline.com	Phone: (314) 644-1000 Cell: (925) 382-4142 Fax: (314) 587-2699 www.carboline.com	<b>Shop Coat: Carbozinc® 11 Solvent Based Inorganic</b>  Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B:  ID#: 132-134     approved 12/30/1998
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	<b>Shop Coat: Interzinc® 22HS Primer</b>  Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS  ID#: 430     approved 1/10/2005
PPG Protective & Marine Coatings Nye Miller 1583 San Juan Drive Brea CA 92821 nyemiller@msm.com	Phone: (714) 337-1953 Cell: (562) 691-9600 Fax: (562) 691-3550 www.ppgamercoatus.ppgpmc.com	<b>Shop Coat: Dimetcote® 9 Inorganic Zinc</b>  Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi- Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure  ID#: 592     approved 5/21/2008
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>Shop Coat: Zinc Clad® II</b>  Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150  ID#: 425     approved 12/30/1998

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3300 Flex P 3340 Cone 3810 HI 3870 VIP DG</b>  type IV type IX type IX  for Barricades ONLY and Permanent Traffic Signs; P=Prismatic, HI=High Intensity,  ID#: 642, 291, 550     approved 8/16/2000

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>334 P</b> <b>336 P</b> <b>3930</b> <b>3983 DF</b> type IV type IV type IV type IV for Barricades ONLY and Permanent Traffic <b>approved</b> 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3900</b> <b>3930</b> <b>3981</b> <b>3990 VIP DG</b> type IX type IV type IX type IX DG=Diamond Grade <b>approved</b> 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3910 FL DG</b> <b>3914 FL DG</b> <b>3924 FL DG</b> <b>3924S O P*</b> type IV type IV type IV type IV for Barricades ONLY and Permanent Traffic <b>approved</b> 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>444 DG3 B</b> <b>446 DG3 B</b> <b>Series 4084 DG3</b> type XI type XI type XI B=Barricade <b>approved</b> 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	<b>OC T11500</b> <b>OC T11511</b> <b>OC T11513</b> <b>OC T11514</b> type XI type XI type XI type XI OC=OmniCube <b>approved</b> 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	<b>OV T9500</b> <b>OV T9511</b> <b>OV T9513</b> <b>OV T9514</b> type IX type IX type IX type IX OV=OmniView <b>approved</b> 3 /2 /2009
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	<b>S9000C Cone Collar</b> type VI for reboundable traffic cones ONLY <b>approved</b> 2 /2 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	<b>T5500A HI</b> <b>T7000 F</b> <b>T7500 P</b> type IV type IV type IV for Flagger Paddles ONLY; F=Florescent, P=Prismatic, HI=High Intensity <b>approved</b> 9 /15/2003
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	<b>W6000 P</b> <b>T6500 P HI</b> <b>W7514 F</b> type IV type IV type IV for temporary traffic control devices, delineators and permanent signs ONLY; <b>approved</b> 8 /21/2000

**716.03.01 REFLECTIVE SHEETING**

<i>Vendor Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>	
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	92847 Crystal Flu Orange* W: Nikkalite CRG 92802	type IV type IV	for permanent traffic signs ONLY; *for Flagger Paddles ONLY	ID#: 522, 650  <b>approved</b> 4 /29/2005
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	B: Nikkalite CRG 92806 G: Nikkalite CRG 92808	type IV type IV	for permanent traffic signs ONLY	ID#: 653, 654  <b>approved</b> 7 /29/2009
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	Y: Nikkalite CRG 92804 R: Nikkalite CRG 92805	type IV type IV	for permanent traffic signs ONLY	ID#: 651, 652  <b>approved</b> 7 /29/2009
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	Y-G: Nikkalite CRG 92844 Flu Nikkalite HI ULGH II	type IV type IV	for permanent traffic signs ONLY	ID#: 649, 271  <b>approved</b> 7 /29/2009
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	AP 1000	type V	for delineators, safety fencing, and glare screens ONLY *10/09 discontinuing but still available for usage	ID#: 295  <b>approved</b> 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Conformalight Marathon	type IV type IV	for roll-up signs ONLY; (same as HP Marathon)	ID#: 293, 294  <b>approved</b> 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	Reflexite Fluorescent Orange Super Bright Rollup	type IV	for flagger Poles ONLY	ID#: 162  <b>approved</b> 4 /8 /1999

**726.03.04 MULCH**

<i>Vendor Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>	
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 sales@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 452-2630 Fax: (785) 883-4429 www.centralfiber.com	Second Nature Paper Fiber Mulch			ID#: 146  <b>approved</b> 6 /25/1998



**726.03.04 MULCH**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Hamilton Manufacturing Inc Patrick Andrew 901 Russet Street Twin Falls ID 83301 info@hmi-mfg.com/patrick@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	<b>Nature's Own</b>     ID#: 147  <b>approved</b> 6/25/1998
North American Green Jill Pack 5401 St, Wendel-Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	<b>HydraCX2 Extreme Slope Matrix</b>     ID#: 715  <b>approved</b> 5/28/2010
Profile Products LLC Becky Gauthier 20422 30th Street South Lakebay WA 98349 bgauthier@profileproducts.com	Phone: (253) 884-0747 Cell: (253) 208-9777 Fax: (253) 884-0730 www.profileproducts.com	<b>Conweb 1000 Flexterra</b>     ID#: 145, 244  <b>approved</b> 12/18/2008

**726.03.05 TACKIFIER**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092	Phone: (800) 654-6117 Cell: (330) 432-2630 Fax: (785) 883-4429	<b>TacPac GT</b>     Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 148  <b>approved</b> 6/25/1998
Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	<b>Driwater Hydro Mix</b>     Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery ID#: 277  <b>approved</b> 1/5/2001
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: (513) 317-8311 Fax: (513) 672-9633 www.evonik.com	<b>Hydropan</b>     Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 683  <b>approved</b> 3/1/2010
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	<b>PX 300</b>     Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 433  <b>approved</b> 6/10/2003
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	Phone: (216) 475-8488 Cell: Fax: (216) 475-6517 www.soilmoist.com	<b>FI-1045 FI-1046 FI-3500</b>     Environmental Services Division, Water Quality Specialist must be contacted prior to usage ID#: 689, 680, 681  <b>approved</b> 3/1/2010

**726.03.05 TACKIFIER**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Prime/Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.prime/products.com	<b>Fisch-Stick Terravest</b>	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	ID#: 152, 153  approved 7/24/1996
Terra Novo Incorporated Andy Iturrria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	<b>EarthGuard Fiber Matrix</b>	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions. Shuld be only used in areas that will not be disturbed by vehicle or foot traffic	ID#: 318  approved 11/2 /2001

**726.03.13 SOIL STABILIZER**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
American Refining Group Colin Kimball 77 North Kendell Avenue Bradford PA 16701 ckimball@amref.com	Phone: (814) 368-1200 Cell: (281) 770-0220 Fax: (814) 368-1335 www.amref.com	<b>PennzSuppress D Dust Suppressant</b>	application and dilution rates follow manufacturer's instructions	ID#: 121  approved 5/19/2004
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	<b>Road Boss</b>	application and dilution rates follow manufacturer's instructions	ID#: 498  approved 11/8 /2005
ENCAP LLP Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	Phone: (877) 405-5050 Cell: Fax: (920) 406-9740	<b>PAM-12 PLUS</b>	application and dilution rates follow manufacturer's instructions	ID#: 1205  approved 8/17/2007
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	<b>Earthbind 100</b>	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	ID#: 420  approved 3/17/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: (513) 317-8311 Fax: (513) 672-9633 www.evonik.com	<b>Hydropan</b>	application and dilution rates follow manufacturer's instructions	ID#: 683  approved 3/1 /2010
Fluid Tech Incorporated Stan True 6450 Spring Mountian Road Suite 9 Las Vegas NV 89146 strue@fluid-tech-inc.com	Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	<b>Trans Seal I Road Oyl Soil Seal</b>	application and dilution rates follow manufacturer's instructions	ID#: 323-325  approved 1/3 /2002

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799 www.gmboxtoncompany.com	<b>PX 300</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 433  <b>approved</b> 6 /10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531 www.HerculesEnvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 160, 149, 154  <b>approved</b>
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (216) 475-8488 <b>Cell:</b> <b>Fax:</b> (216) 475-6517 www.soilmoist.com	<b>FI-1045 FI-1046 FI-3500</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 689, 690  <b>approved</b> 3 /1 /2010
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.com	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247 www.midwestind.com	<b>Soil Sement</b> application and dilution rates follow manufacturer's instructions application and dilution rates follow manufacturer's instructions <b>ID#:</b> 521  <b>approved</b> 1 /4 /2001
North American Green Jill Pack 14649 Highway 41 North Evansville IN 47711 jpack@nagreen.com	<b>Phone:</b> (800) 772-2040 <b>Cell:</b> (801) 731-5757 <b>Fax:</b> (812) 867-0247 www.nagreen.com	<b>HydraCX2 Cotton Reinforced Matrix</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 285  <b>approved</b> 8 /7 /2008
NU Equipment Incorporated Julia Frehener 184 West Brooks Avenue Las Vegas NV 89030 julie@nuequipment.com	<b>Phone:</b> (702) 649-8767 <b>Cell:</b> (702) 249-1900 <b>Fax:</b> (702) 649-8446 www.nuequipment.com	<b>Plas-Bond Soiltac</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 275, 230  <b>approved</b> 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 www.eaglehighmast.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 978-9357 <b>Fax:</b> (661) 391-1054 www.eaglehighmast.com	<b>Topein S Emulsion</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 479  <b>approved</b> 2 /28/2002
Prime/Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Phone:</b> (509) 235-3800 <b>Cell:</b> (509) 981-8555 <b>Fax:</b> (509) 235-3803 www.prime/products.com	<b>Fisch-Stick Terravest</b> application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water <b>ID#:</b> 152, 153  <b>approved</b> 6 /25/1998
Sequoia Pacific Research Company Terry Holmes 1192 East Draper Parkway Suite 604 Draper UT 84020 terry@telnetz.com	<b>Phone:</b> (888) 465-8801 <b>Cell:</b> (801) 303-2558 <b>Fax:</b> (801) 303-2551 www.sequoiaprc.com	<b>SoilBIND</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 436  <b>approved</b> 6 /23/2003

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex Poly-Tex</b>	application and dilution rates follow manufacturer's instructions	ID#: 467, 468  approved 12/10/2003
Soil Works LLC Chad Falkenberg 681 North Monterey Street #101 Gilbert AZ 85233 chad@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5456 Fax: (602) 758-6465 www.soilworks.com	<b>Soiltac®</b>	application and dilution rates follow manufacturer's instructions	ID#: 364  approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	<b>EarthGuard Fiber Matrix</b>	application and dilution rates follow manufacturer's instructions	ID#: 318  approved 11/2/2001
US Gypsum Company John Breen 550 West Adams Street Chicago IL 60661-3076 jbreem@usg.com	Phone: (713) 983-8829 Cell: (281) 615-0163 Fax: (312) 214-6606 www.usg-erosioncontrol.com	<b>AirtrolTM Geobinder Enviro-Shield Bonded Fiber</b>	application and dilution rates follow manufacturer's instructions	ID#: 555, 554  approved 8/28/2006

**728.03.02 EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Adhesives Technology Corporation Richard Boland 450 East Copans Road Pompano Beach FL 33064-5509 rboland@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2776 www.atc.ws	<b>HS 200 Epoxy Adhesive Ultra Bond 1</b>	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 422, 329  approved 11/21/2005
Adhesives Technology Corporation Richard Boland 450 East Copans Road Pompano Beach FL 33064-5509 rboland@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2776 www.atc.ws	<b>Ultra Bond 1100 Ultra Bond 1300</b>	type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	ID#: 330, 331  approved 11/21/2005
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Epoxy Bonder LPL Epoxy Bonder</b>	type I, II, IV and V; Grade 2 Classes B&C	ID#: 496, 497  approved 1/29/2003
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperiorchemical.com	<b>Sure Anchor I J-51 Sure Film J-74 Evaporation</b>	type I, II, IV and V; Grade 3; Class A	ID#: 393, 190  approved 1/14/2003

**728.03.02 EPOXY ANCHORING SYSTEMS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8381 Fax: (216) 481-7072 www.euclidchemical.com	<b>Duralcrete</b>	type 1 and type 2	ID#: 536  approved 11/8 /2004
Hilti Incorporated Jennifer Cornejo 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (866) 463-4577 Cell: (800) 950-6610 Fax: (800) 879-8000 www.us.hilti.com	<b>THE 50 HT RE 500 Epoxy Adhesive Anchor</b>	type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	ID#: 323, 321  approved 7 /24/2001
ITW Ramset/Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	Phone: (630) 350-0370 Cell: (530) 748-8879 Fax: (630) 495-6204 www.itw-redhead.com	<b>Ceramic 6 Epcon C6</b>	type I & IV; Grade 3; classes B&C	ID#: 341  approved 5 /14/2002
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	<b>Dynapoxy Low Mod Epoxy Dynapoxy TM EP-430 Fast</b>	type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C	ID#: 334, 740  approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (215) 799-7557 Cell: (818) 519-7658 Fax: (215) 799-2518 www.pecora.com	<b>Pecora Dynapoxy EP-420 Dynapoxy EP-450</b>	type II, Grade 2; Classes B&C Type I, II, IV & V; Grade 1; Classes B&C	ID#: 737, 738  approved 6 /7 /2010
Powers Fasteners Incorporated Patrick Buckley 2 Powers Lane Brewster NY 10509 buckley@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	<b>Power Fast Plus Standard Set</b>	type I, II, IV and V; Grade 2; Classes B&C Type I, II, IV and V; Grade 2; Classes B&C	ID#: 644, 645  approved 11/25/2008
Powers Fasteners Incorporated Patrick Buckley 2 Powers Lane Brewster NY 10509 buckley@powers.com	Phone: (914) 253-6300 Cell: (714) 731-2500 Fax: (914) 576-6483 www.powers.com	<b>T308 Plus</b>	type I, II, IV and V; Grade 2; Classes B&C	ID#: 646  approved 7 /9 /2009
Simpson Strong Tie/Meeks Lumber Joe Le Bel 5151 South Airport Way Stockton CA 95206 jlebel@strongtie.com	Phone: (800) 999-5099 Cell: Fax: (209) 234-3868 www.simpsonanchors.com	<b>EDOT ET22 Epoxy-Tie Resin Adhesive</b>	type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C	ID#: 217, 216  approved 12/30/2000
Tital Supply Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	<b>Pro-Poxy 100</b>	type II, III, IV and V; Grade 3; Class A, B&C	ID#: 590  approved 4 /29/2008

**728.03.02 EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Unitex Chemicals Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerry@unitex-chemicals.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-poxy 200</b> <b>Pro-poxy 300</b>	type I, II, IV & V; Grade 2; Class B&C type I, II, IV & V; Grade 2; Class B&C	ID#: 218c 219  approved 9 /23/1998
Unitex Chemicals Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerry@unitex-chemicals.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-poxy 300 Type III</b> <b>Epoxy</b> <b>Pro-poxy 50 Super LV</b>	type I, II, IV & V; Grade 3; Classes B&C type I, II, IV & V; Grade 2; Class B&C	ID#: 254, 427  approved 9 /23/1998
Unitex Chemicals Jerry Byrne 3101 Gardner Avenue Kansas City KS 64120 jerry@unitex-chemicals.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Symons ResCon 304</b>	type I, II, IV & V; Grade 3; Classes A	ID#: 389  approved 1 /14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 jtunek@gibraltar1.com/uspconnectors.com	Phone: (952) 898-8772 Cell: (800) 328-5934 Fax: (507) 364-8762 www.uspconnectors.com	<b>CIA-GEL 7000 Adhesive</b>	type I & IV; Grade 3; Classes B, C&D	ID#: 265  approved 8 /9 /2000
WR Meadowsof Northern California Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (707) 745-6666 Cell: (847) 214-2100 Fax: (707) 747-6206 www.wrmeadows.com	<b>Rezi Weld 1000</b>	type I, II, IV and V; Grade 2; Classes B&C	ID#: 478  approved 2 /19/2004

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Colorado Paint Company Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	<b>RockHard 1180</b>	White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 199-201  approved 3 /23/2000
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	<b>HPS-3</b>	White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 436-438  approved 7 /25/2002
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS50</b>	White: LS50 Part A Yellow: LS50 Part A Hardener: LS50 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 379  approved 12/19/2005

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS60</b> White: LS60 Part A Yellow: LS60 Part A Hardener: LS60 Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 381-383 <b>approved</b> 12/19/2005
Poly-Carb Incorporated Hemant Naik 33095 Bainbridge Road Solon OH 44139 hemant@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 248-1223 Fax: (440) 248-1413 www.poly-carb.com	<b>Mark 55.2 NV</b> White: Mark 55.2 NV Part A Yellow: Mark 55.2 NV Part A "Lead Free Yellow" contains organic yellow pigment.
		ID#: 109-111 <b>approved</b> 10/24/1997
Poly-Carb Incorporated Hemant Naik 33095 Bainbridge Road Solon OH 44139 hemant@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 248-1223 Fax: (440) 248-1413 www.poly-carb.com	<b>Mark 55.3</b> White: Mark 55.3 NV Part A Yellow: Mark 55.3 NV Part A Hardener: Mark 55.3 NV Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 112-114 <b>approved</b> 10/24/1997
Poly-Carb Incorporated Hemant Naik 33095 Bainbridge Road Solon OH 44139 hemant@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 248-1223 Fax: (440) 248-1413 www.poly-carb.com	<b>Mark 55.4</b> White: Mark 55.4 NV Part A Yellow: Mark 55.4 NV Part A Hardener: Mark 55.4 NV Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 115-117 <b>approved</b> 10/24/1997

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	<b>UCAR TM DT 250 NA</b> <b>UCAR TM DT 400 NA</b> type 1 type 2
		ID#: 166, 167 <b>approved</b> 7/19/2002
Rohm & Haas Susan Ridder 100 Independence Mall West Philadelphia PA 19106 sridder@rohnass.com	Phone: (800) 967-7704 Cell: (215) 592-3846 Fax: (800) 382-4008 www.rohnass.com	<b>Fastrack® HD21A</b> <b>Fastrack® 3427</b> type 2; prev Rhoplex TM Fastrack HD21A type 1; prev Rhoplex TM Fastrack 3427
		ID#: 319 <b>approved</b> 5/20/1999

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	<b>W: 982801 NVW-21-M-2</b> <b>Y: 982802 NVY-21-M-2</b> UCAR Latex DT 250 NA UCAR Latex DT 250 NA
		ID#: 490, 491 <b>approved</b> 7/30/2002
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	<b>W: 982821 NVW-34-M-1</b> <b>Y: 982822 NVY-34-M-1</b> Fastrack® 3427 Fastrack® 3427
		ID#: 345, 346 <b>approved</b> 12/11/2002

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Pervo Paint Company Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scottsp@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6000 Y: Pervo Plastics 6003	Fastrack® 3427 Fastrack® 3427	ID#: 349, 350  approved 7 /30/2002
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	B65 Series Corthane TM II B65V150 Sherthane 2K	UCAR Latex DT 250 NA UCAR Latex DT 250 NA	ID#: 429, 140  approved

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2	UCAR Latex DT 400 NA UCAR Latex DT 400 NA	ID#: 353, 354  approved 12/11/2002
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1	Fastrack® HD-21A Fastrack® HD-21A	ID#: 540, 541  approved 12/11/2002
Pervo Paint Company Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scottsp@pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719 www.pervo.com	W: Pervo Plastics 6050 Y: Pervo Plastics 5053	Fastrack® HD-21A Fastrack® HD-21A	ID#: 351, 352  approved 7 /30/2002
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	W: BP19421 (TM2398) Y: BP19422 (TM2399)	Fastrack® HD-21A Fastrack® HD-21A	ID#: 425, 426  approved 7 /9 /2003

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 1200 Stamark Liquid	White: Part A 1200 Yellow: Part A 1201 Cross Linker: Part B 1230  "Lead Free Yellow" contains organic yellow pigment.	ID#: 444  approved 8 /16/2000
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	HPS-5	White: HPS-5 Part A Yellow: HPS-5 Part A Cross Linker: HPS-5 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 439-441  approved 7 /25/2002



**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS90</b> White: LS90 Part A Yellow: LS90 Part A Cross Linker: LS90 Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 440  approved 12/19/2005

**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>Series 270 ES Stamark</b> <b>Series 420 Stamark</b> type 1 type 1 The 420 Stamark is being phased out
		ID#: 035, 458  approved 2/23/2009
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>Series 5730 Stamark</b> type 1
		ID#: 457  approved 8/16/2000
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	<b>W/Y: Series 300</b> <b>W/Y: Series 400</b> type 1 type 2
		ID#: 016, 480  approved 4/29/2008
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	<b>W/Y: Series 400</b> type 1
		ID#: 015  approved 5/10/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	<b>Series Delta-line HDX</b> <b>Series Delta-line XRP</b> type 1 type 1
		ID#: 671, 672  approved 2/2/2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	<b>W/Y: Series 100</b> <b>W/Y: Series 200</b> type 1 type 1
		ID#: 165, 546  approved 10/10/2007
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	<b>Series Director 35</b> <b>Series Director 60</b> type 1 type 1
		ID#: 473, 472  approved 2/17/2004

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<i>Vendor Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 270 ES Stamark Series 420 Stamark	type 2 type 2	ID#: 035, 458  approved 2 /18/2009
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: Series 300 W/Y: Series 400	type 2 type 2	ID#: 016, 480  approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 100 Series Delta-line HDX	type 2 type 2	ID#: 207, 671  approved 2 /2 /2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 900 W/Y: Series 1000	type 2 type 2	ID#: 488, 546  approved 2 /25/2008
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35	type 2	ID#: 473  approved 2 /17/2004

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Vendor Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231392 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 270ES Stamark Series 390 Stamark	type 4 type 4	ID#: 709, 533  approved 3 /12/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 380 IES Stamark Series 381 WR-ES Stamark	type 4 type 4 WR-ES is a high performance, wet reflective tape	ID#: 460, 461  approved 8 /16/2000
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: Series 400	type 4	ID#: 015  approved 5 /10/2008

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Deltaline TWR Deltaline XRP type 4 ID#: 672, 673 approved 2 / 2 / 2010

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 sales@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownthermo.com	Tuffline Alkyd ID#: 398 approved 1 / 17 / 2003
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	W: 885555 Alkyd Y: 884685 Alkyd lead free ID#: 656, 674 approved 5 / 29 / 2009

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Paint Incorporated Susan Wacha 5910 No Central Expressway Ste 1050 Dallas TX 75206 susanw@ennistraffic.com	Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (214) 666-8922 www.ennistraffic.com	Flame Tape Thermaline ID#: 299, 300 approved 6 / 13 / 2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Hot Tape Premark® PLUS replaced Premark 20/20 Flex Plus ID#: 168, 169 approved 6 / 1 / 1999

**QPL NOTES**  
**December 10, 2010**

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.