



# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.02.16 BACKFLOW PREVENTER COVERS

Vendor Name / Address	Product Name	Remarks
No Vendors at this Time	No Vendors at this Time	ID#: 2062
**	Phone:	Cell:
	Cell:	Fax:
		approved 5/27/1998

### 213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

Vendor Name / Address	Product Name	Remarks
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	RectorSeal #5 ID#: 0206 approved 8/2/1999

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Susan Keim PO Box 306 Commence City CO 80037 susan@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	NEX Mailbox Support System type C ID#: 0487 approved 3/29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	V-LOC Mailbox Support System type C ID#: 0006 approved 11/4/1997

### 401.02.03a HERBICIDES

Vendor Name / Address	Product Name	Remarks
Control Solutions Incorporated Howard Stoddard 5903 Genoa Red Bluff Road Pasadena TX 77507 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (800) 242-5562 Fax: (281) 892-2501 www.controlsolutionsinc.com	Pramitol 25E application rate: 38L/hectare 25 gal/acre ID#: 0007 approved 8/1/1993
Dow AgroSciences LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmiller@dow.com	Phone: (800) 313-7378 Cell: (317) 337-3000 Fax: (916) 525-2710 www.dowagro.com	Spike 80 DF Spike 80 W application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application ID#: 0008, 0480 approved 8/2/1993

### 401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
-----------------------	--------------	---------

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Slider Super Slick Bio ID#: 0495, 0494 approved 11/8 /2005
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	Black Magic "For Rubber" Black Magic "13" ID#: 0261, 0260 approved 4 /26/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	GrenGuard Thermal Slide ID#: 0597, 0262 approved 4 /26/2000
Brody Chemical Tammy Price 6125 W 4790 So Double Eagle Cir Salt Lake City UT 84118 tamme_price@yahoo.com	Phone: (800) 480-2436 Cell: (801) 548-2287 Fax: (801) 274-2425 www.brodychemical.com	Clear Wizard Slippery Wizard ID#: 0632,0603 approved 6 /12/2006
ChemStation Katie Overton 3400 Encrete Lane Dayton OH 45439 koverton@chemstation.com	Phone: (800) 554-8265 Cell: (623) 435-1945 Fax: (937) 534-0426 www.chemstation.com	2217-A 2217-B 6992 ID#: 0421, 0587, 0716 approved 12/20/2007
Compound Technologies Inc Paul Wilson 70 Riverside Drive Cartersville GA 30120 synthetic@pipeline.com	Phone: (888) 747-4101 Cell: (770) 891-3307 Fax: (770) 386-3391	No 1 dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs ID#: 0263 approved 10/17/2007
North American Chemical Rick Albers 161 West DiMaggio Drive Tooele UT 84074 greymojo@msn.com	Phone: (435) 840-2258 Cell: (800) 877-1201 Fax: www.northamericanchemcial.com	8 Super Slide ID#: 0758 approved 9 /10/2010
Rhomar Industries Bob Hamilton 2107 East Rockhurst Springfield MO 65802 bhamilton@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593 www.rhomar.com	Enviro-Slide Ultra ID#: 0259 approved 4 /26/2000
Tec-Team Industries Karen Price P.O. Box 15128 Lynchburg VA 24502 tecteam2@gmail.com	Phone: (800) 700-2530 Cell: (434) 592-4503 Fax: (434) 592-4505 www.thetecteam.com	Teclon-Pro ID#: 0562 approved 11/17/2006

**401.03.02 ASPHALT RELEASE AGENTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep R-5274 Non Solvent Zep R-6690 Non Solvent	ID#: 0368, 0369  approved 5 /11/2006
ZEP Manufacturing Company Byran Castalloni 25224 South Schulte Road Tracy CA 95377 zepbc@yahoo.com	Phone: (209) 830-5110 Cell: (775) 721-2821 Fax: (209) 830-5124 www.zep.com	Zep X-509 Zep XT-3199	ID#: 0269, 0370  approved 1 /12/2010

**409.03.10 EVAPORATIVE RETARDER**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Finish Film	ID#: 0419  approved 1 /29/2003
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	Dayton Superior Sure Film J-74	application rate: 4.9 m2/l (200 ft2/gal) to 9.8 m2/l) 400 ft2/gal ID#: 0242  approved 1 /14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072 www.euclidchemical.com	Eucobar	ID#: 0044  approved 3 /27/2006
Kaufman Products Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226-1131 akaufman@kaufmanproducts.net	Phone: (410) 354-8600 Cell: (800) 637-6372 Fax: (410) 354-1122 www.kaufmanproducts.net	VaporAid 060	ID#: 0191  approved 8 /2 /1999
Vexcon Chemical Incorporated Darryl Manuel 7240 State Road Philadelphia PA 19135 techservice@vexcon.com	Phone: (215) 332-7709 Cell: (888) 839-2661 Fax: (215) 332-9997 www.vexcon.com	Certi-Vex Envioassist	application rate: 4.9 m2/1 to 200 ft2/gal ID#: 0193  approved 8 /2 /1999
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	Confilm	application rate: 4.9 m2 / 1 to 200 ft2/gal ID#: 0203  approved 10/31/2010

**409.03.10 EVAPORATIVE RETARDER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>Sealtight Evapre Evaporative Retarder</b> application rate: 1 gal to 9 gal water ID#: 0194  approved 6/22/1994

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Cemex Michael Camello 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762 michaela.camello@cemex.com	Phone: (925) 426-8787 Cell: (916) 941-2906 Fax: (916) 939-7481 www.cemex.com	<b>Aggregate</b> ID#: 0014  approved 1/26/1997

**496.02.02 MULTI LAYER OVERLAY SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Kwik Bond Polymers LLC Al Klail/Steve Frank 923 Teal Drive Benicia CA 94510 stevepolymerdek@aol.com	Phone: (510) 852-4381 Cell: (858) 571-5043 Fax: (707) 746-7981 www.polymerdek.com	<b>Two Step; Propoxy 2500 Atlas E Pro w/ Basalt</b> Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 0756  approved 7/11/2007
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Basalt BT 6X10orBT48</b> Manufacturers Mineral Company, Mike Adderson, 1215 Monster Road, Renton, WA, 98055, (425) 228-2120 ID#: 0753  approved 8/29/2009
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid/Flint Rck 65-8 or Gr8</b> Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0743  approved 8/29/2009
Steve Franks & Associates Steve Frank 3491 Old Cobbler Court San Diego CA 92111 stevepolymerdek@aol.com	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043 www.polymerdek.com	<b>E-Bond 526 (aka E-Bond 34) w/Silca 6/8 Blend</b> Silica Resources Inc, Steve Mallory, 4553 Hammonton Road, Marysville, CA, 95901, (530) 741-0290 ID#: 0755  approved 8/29/2009
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-Poxy III DOT w/Flint Rock 65-8 or Grade 8</b> Flint Rock Products, Richard Adams or Tammy Epperson, 800 South College Street, Picher, OK, 74360, (918) 673-1737 ID#: 0754  approved 8/29/2009

**502.02.04a CONCRETE STAIN**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**502.02.04a CONCRETE STAIN**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Quest Construction Products Shawn Carney 2810 South 18th Place Phoenix AZ 85034 shawn@unitedcoatings.com	Phone: (800) 541-4383 Cell: (509) 998-6263 Fax: (480) 745-8939 www.unitedcoatings.com	<b>Canyon Tone Stain</b>     ID#: 0519  <b>approved</b> 4 /12/2005
VistaPaint Steve Tetreault 2020 East Orangethorpe Avenue Fullerton CA 92831 stetreault@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4681 www.vistapaint.com	<b>Coverall 2800 AF Ext. Flat</b>     ID#: 0761  <b>approved</b> 5 /20/2008

**502.02.04b CONCRETE PAINT**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
No Vendors at this Time  **	Phone: Cell: Fax:	<b>No Vendors at this Time</b>     ID#: 2063  <b>approved</b> 9 /7 /2010

**502.02.05a ANTI-GRAFFITI COATING (PERMANENT, NON-SACRIFICIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1139 Cell: (801) 255-9505 Fax: (801) 255-7123 www.americanpolymer.com	<b>Clear VU High Solids (AP 307)</b> Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202)  10/08 new product replaces GSS 10 ID#: 0389-0391  <b>approved</b> 7 /6 /2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303 www.integument.com	<b>Fluorogrip® Anti Graffiti Film</b> for Signs ONLY ID#: 0763  <b>approved</b> 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: Fax: (818) 502-0818 www.monopoleinc.com	<b>Monochem Permashield 5600 Premium System</b> company passed an additional metal field test ID#: 0679  <b>approved</b> 10/6 /2009
SEI Chemical Company Ross Sklar 3430 Union Pacific Avenue Los Angeles CA 90023 ross@seichemical.com	Phone: (323) 263-4575 Cell: (888) 273-4489 Fax: (801) 255-7123 www.seichemical.com	<b>GPA 200 Graffiti Proofer GPA 300 Graffiti Proofer</b> flattening agent required ID#: 0680, 0725  <b>approved</b> 9 /29/2009
Sherwin-Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>2K Waterbased Urethane Anti Graffiti</b> Part A: B65T00194 and Part B: B65V190 ID#: 0724  <b>approved</b> 9 /21/2009

**502.02.05a ANTI-GRAFFITI COATING (PERMANENT, NON-SACRIFICIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	Graffiti-Gard "S" ID#: 0762 approved 11/12/2010

**502.03.13i PREFORMED JOINT FILLERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Chase Construction Products Terry Eck 191 Vanderzee Road Ravena NY 12143 tech@chasecorp.com	Phone: (518) 694-4171 Cell: (518) 505-5043 Fax: (518) 694-0955 www.chaseconstructionproducts.com	MetaZeal Phyzite 380 ID#: 0509, 0009 approved 5 /3 /1999
Polyset Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 benz@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polyset.com	Ply-Seal FG ID#: 1863 approved 3 /28/2011
Polyset Company Incorporated Benny Zlotnick 295 North Main Street Mechanicville NY 12118 benz@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001 www.polyset.com	Ply-Seal XE ID#: 1864 approved 3 /28/2011
RJ Watson Incorporated Marc Stafford 78 John Glenn Drive Amherst NY 14228 mdstafford@rjwatson.com	Phone: (716) 691-3301 Cell: Fax: (716) 691-3305 www.rjwatson.com	Silicoflex ID#: 0276 approved 12/7 /2000
Schul International Steven Robinson 1 Industrial Park Drive #16 Pelham NH 03076 info@schul.com	Phone: (800) 848-1120 Cell: (603) 889-6872 Fax: (603) 899-6874 www.willsealusa.com	Will Seal 600 ID#: 0347 approved 10/13/1995
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	W Seal ID#: 0131 approved 6 /4 /2002
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	JEENE® Structural & Sealing Jt Wabo® Evazote UV ID#: 0011, 0005 approved 8 /2 /2006

**502.03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**502.03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (419) 424-3527 Cell: (800) 848-1730 Fax: (419) 257-2200 www.dsbrown.com	<b>Matrix 502 Pave Tech</b> ID#: 0198 approved 6 /5 /1997
Dynamic Surface Application Ltd Tim Persing 373 Village Road Pennsdale PA 17756 tpersing@dsa-ltd.com	Phone: (800) 546-6041 Cell: (570) 337-3605 Fax: (570) 546-2415 www.dsa-ltd.com	<b>BJS Thorma Joint System</b> ID#: 0360 approved 9 /19/2002

**502.03.13k EXPANSION JOINT (SPECIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Silicone Specialties Incorporated Scott Fowler PO Box 50009 Tulsa OK 74150 scott.fowler@ssicm.com	Phone: (800) 888-8909 Cell: (918) 230-3148 Fax: (918) 586-4912 www.ssicm.com	<b>Dow 902 XJS Joint System</b> This is a general QPL ONLY. Systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. ID#: 0212 approved 4 /22/2002

**502.03.13l EXPANSION JOINT SEALANT**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1780 www.dowcorning.com	<b>902 RCS</b> ID#: 0339 approved 4 /22/2002
Watson Bowman Acme Corp/BASF Chris Overby 95 Pineview Drive Amherst NY 14228 christopher.overby@basf.com	Phone: (800) 677-4922 Cell: (417) 425-1942 Fax: (716) 691-9239 www.wbacorp.com	<b>Wabo® Silicone Seal - Two Part Sealant</b> ID#: 0340 approved 4 /22/2002

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072 www.euclidchemical.com	<b>Tammscoat Fine</b> ID#: 0567 approved 3 /21/2006
Textured Coatings of America Bill Borchert PO Box 3458 San Leandro CA 94578 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>Tex.Cote 300 Bridge Cote TexCote XL70 Bridge Cote</b> ID#: 0595, 0596 approved 9 /4 /2007

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>Crafco Asphalt Rubber</b> type 1, 2 or 4 depends on the climate zone ID#: 0020  approved 1 / 7 / 1998
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 customerservice@henry.com	Phone: (310) 955-9200 Cell: (916) 849-9908 Fax: (858) 391-1077 www.henry.com	<b>Calseal</b> type 1, 2 or 4 depends on the climate zone ID#: 0025  approved 9 / 8 / 1998
Maxwell Products Incorporated Dale Bergivin 650 Delong Street Salt Lake City UT 84104 dale@maxwellproducts.com	Phone: (801) 972-2090 Cell: Fax: (801) 972-5536 www.maxwellproducts.com	<b>Elastoflex 44</b> <b>Elastoflex 56</b> type 1, 2 or 4 depends on the climate zone ID#: 0022, 0023  approved 1 / 6 / 1998

**505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Akzo Nobel Fritz Herrmann 20 Culvert Street Nashville TN 37210 fritz.herrmann@akzonobel.com	Phone: (800) 626-7891 Cell: (615) 995-5576 Fax: (615) 983-4818 www.akzonobel.com	<b>Resicoat RB600 HKF30R</b> ID#: 0591  approved 4 / 30 / 2008
Dupont Powder Coatings Inc Kuruvila Varughese 9800 Genard Road Houston TX 77041 kuruvila.varughese@usa.dupont.com	Phone: (713) 996-0669 Cell: (713) 969-4665 Fax: (713) 939-4028 www.hoovers.com/dupont-coatings	<b>7-2719 Nap Guard</b> ID#: 0281  approved 1 / 18 / 2001
Valspar Corporation, The Michael Adams 1136 Fayette North Kansas City MO 64116 madams@valspar.com	Phone: (281) 370-6164 Cell: (281) 630-9878 Fax: (281) 370-6654 www.valspar.com	<b>Lilly Greenbar #720A009</b> ID#: 0028  approved 1 / 1 / 1996

**509.03.09 SYNTHETIC DRILLING SLURRY**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
CETCO Construction Drilling Products Randy Strickland 2870 Forbes Avenue Hoffman Estates IL 60192 randy.strickland@cetco.com	Phone: (800) 527-9948 Cell: (817) 584-6792 Fax: (847) 851-1332 www.cetco.com	<b>Shore Pac</b> ID#: 0559  approved 9 / 25 / 2006
Geo-Tech Drilling Fluids Max Holmes 1781 Hawthorne Loop Driftwood TX 78619 mholmes@geotech.us	Phone: (210) 587-4758 Cell: (310) 923-4160 Fax: (210) 568-4567 www.pdscoin.com	<b>Novagel Polymer</b> ID#: 0558  approved 9 / 25 / 2006



**509.03.09 SYNTHETIC DRILLING SLURRY**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
PDS Company Customer Service 8140 East Rosecrans Avenue Paramount CA 90723 sales@pdscoinc.com	Phone: (562) 634-8180 Cell: (870) 863-5707 Fax: (562) 634-1350 www.pdscoinc.com	<b>Super Mud</b> %Champion Equipment Co ID#: 0560  approved 9 /25/2006

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Pro-1 Patch</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0315  approved 5 /14/2009
BASF Corporation Paul Abramson 889 Valley Park Drive Shakopee MN 55379 basfbcst@basf.com	Phone: (800) 433-9517 Cell: (702) 277-2081 Fax: (800) 496-6067 www.buildingstystems.basf.com	<b>Emaco S66 CI Rapid Mortar 10-60 Set 45 (CT)</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0385-0387  approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	Phone: (610) 882-5013 Cell: Fax: (610) 868-8795 www.buzziunicemusa.com	<b>Ulti Grout® Ulti Pave3®</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0745, 0746  approved 6 /28/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	<b>Rapid Set Cement All Rapid Set Concrete Mix</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0712, 0713  approved 5 /28/2010
CTS Cement Manufacturing Corp Frank Senatore 11065 Knott Avenue Suite A Cypress CA 90630 fsenatore@ctscement.com	Phone: (800) 929-3030 Cell: (714) 348-1946 Fax: (714) 379-8270 www.rapidset.com	<b>Rapid Set DOT Repair Mix Rapid Set Motar Mix</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0039, 0714  approved 1 /27/1994
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	<b>Dayton Superior HD-50 Edoco Fast Patch 928</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0038, 0037  approved 9 /30/1996
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072 www.euclidchemical.com	<b>Euco-speed Eucospeed MP</b> The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications. ID#: 0537, 0538  approved 9 /23/1998

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com www.euclidchemical.com	<b>Express Repair Hi-Flow Grout</b> Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0539, 0047  approved 9 /23/1998
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com www.euclidchemical.com	<b>Speed Crete® 2028 Rapid Speed Crete® Green Line</b> Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0041, 0042  approved 9 /23/1998
Five Star Products Incorporated Chris Piekos 750 Commerce Drive Fairfield CT 06825 piekosc@fivestarpromts.com www.fivestarpromts.com	<b>Highway Patch Structural Concrete</b> Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0034, 0040  approved 9 /30/1996
Henkel Loctite Bob Bacchetti 1416 Franklin Avenue Tracy CA 95376 bob.bacchetti@us.henkel.com www.us.henkel.com	<b>Loctite MagnaCrete</b> Phone: (209) 830-7803 Cell: (209) 482-4488 Fax: (209) 830-7804	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0615  approved 10/17/2008
HP Concrete Repair Materials Inc John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com/www.Concr www.concreterepair.com	<b>High Performance Concrete</b> Phone: (949) 677-8229 Cell: Fax: (714) 439-1001	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0327  approved 1 /3 /2002
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com www.concreterepairmatierials.com	<b>HP Cement</b> Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0507  approved 10/22/2004
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com www.usmix.com	<b>US SPEC STR Mortar</b> Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0655  approved 9 /29/2009
WR Meadows of Arizona Terry Kraus 4220 South Sarival Avenue Goodyear AZ 85338 www.wrmeadows.com	<b>Futura 15 Fast Setting Concrete</b> Phone: (623) 932-9383 Cell: (702) 253-1100 Fax: (623) 932-1547	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etcl, unless pre-approved through Materials Division for other applications.	0599  approved 9 /29/2009

**609.02.01b STORMWATER TREATMENT VAULTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
------------------------------	---------------------	----------------	-------------

**609.02.01b STORMWATER TREATMENT VAULTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
BaySaver Technologies Inc Ed Franklin PO Box 8553 Incline Village NV 89452 edjfranklin@aol.com	Phone: (775) 831-4592 Cell: (800) 229-7283 Fax: (775) 831-4592 www.baysaver.com	<b>BaySaver</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0284  approved 2 /19/2001
Contech Construction Products Inc Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	<b>CDS StormFilter StormFilter Vortechs</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0447, 0448, 0452  approved 7 /23/2003
Jensen Precast Ron Anderson 825 Steneri Way Sparks NV 89431-5803 randerson@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 352-6364 www.jensenprecast.com	<b>JPHV Stormwater Interceptor</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0548  approved 6 /13/2006
Rinker Materials, Concrete Pipe Div Don Catterson 999 Marietta Way Sparks NV 89431 dcatterson@rinker.com	Phone: (775) 358-4430 Cell: (775) 745-0605 Fax: (775) 355-1982 www.rinkermaterials.com	<b>Stormceptor</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0286  approved 4 /22/2001
Stormdrain Solutions Incorporated Robert Sharpless 333 Beaumont Road Devon PA 19333-1703 stormdrains@verizon.net	Phone: (877) 687-7473 Cell: (610) 316-0957 Fax: (610) 687-6327 www.stormdrains.com	<b>Inceptor</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0348  approved 7 /26/2002

**609.02.01c TRENCH DRAINS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (208) 887-8680 www.abtdrains.com	<b>A-67 Interceptor Polydrain XHD</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.  (8"/12"/18" Trench Drain System)	ID#: 0394, 0395, 0767  approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (208) 887-8680 www.abtdrains.com	<b>MHD 200 MHD 300</b>	(8"/12" Trench Drain System)  This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0561, 0765  approved 7 /5 /2006
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>FF300 Concrete FG200 Concrete TraffikDrain</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0726, 0663, 0380  approved 1 /28/2003

**609.02.01c TRENCH DRAINS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>S100K Concrete</b> <b>S300K Concrete</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0396, 0397  approved 1 /28/2003
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hps.hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: www.strongwell.com	<b>Series Polycast 3000</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0514  approved 1 /15/2005
Hubbell Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hps.hubbell.com	Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: www.strongwell.com	<b>Series Polycast 700</b> <b>Series Polycast 900</b> <b>(removeab</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements. (Appl Load Class F)	ID#: 0512  approved 1 /15/2005
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	<b>EconoDrain</b> <b>MultiDrain</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0492  approved 4 /6 /2004
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.e3143@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	<b>Z-882 (9.25" Wide)</b> <b>Z-886 (4" Wide)</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0441  approved 3 /28/2003

**610.02.01 CELLULAR EROSION CONTROL MATS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	<b>UltraFlexTM</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0685  approved 11/18/2009
Contech Construction Products Inc Neil Erickson 3498 Celar Court Rancho Cordova CA 95670 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: (916) 635-0764 www.contech-cpi.com	<b>Armotec Cellular</b> <b>Petraflex</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0332, 0333  approved 10/23/2008
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanesindustries.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (702) 341-0355 www.hanesgeo.com	<b>Armorflex</b>	This is a general QPL ONLY. The unit will be selected based on the specific project requirements.	ID#: 0326  approved 1 /21/1998

**610.02.01 CELLULAR EROSION CONTROL MATS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	<b>Shorblock Shoretec</b> This is a general QPL ONLY. The unit will be selected based on the specific project requirements.
		ID#: 0601, 0612  approved 4 /24/2009

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
ACO Polymer Products Inc Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	<b>ACO Detectable Warning Device</b> approved NV Red ONLY
		ID#: 0630  approved 2 /26/2009
Advanced Surface Systems LLC Karen "KC" Hemry 3260 Northbend Circle Suite D Alcoa TN 37701 bumps@suredome.com	Phone: (865) 233-5680 Cell: (865) 206-4789 Fax: (865) 233-5681 www.suredome.com	<b>SureDome</b> approved for NV Red and NV Green
		ID#: 0598  approved 12/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731 www.arcis-corp.com	<b>ADA Arcis Tactile</b> approved for NV Red and NV Green
		ID#: 0608  approved 9 /2 /2008
Armorcast Products Company Sydney Chase 13230 Saticoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	<b>Armorcast DWS</b>
		ID#: 0848  approved 2 /28/2011
StrongGo LLC Niranjan Vescio 3296 East Hemisphere Loop Tucson AZ 85706 nvescio@stronggo.com	Phone: (866) 439-3216 Cell: (520) 305-1189 Fax: (520) 547-3515 www.stronggo.com	<b>TekWay Dome Tiles</b> approved for NV Red and NV Green
		ID#: 0564  approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282 www.transpo.com	<b>Step-Safe DWS</b> approved for NV Red and NV Green
		ID#: 0484  approved 3 /26/2004
United Diamond & Stone Inc Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	<b>Cast-in-Tact 3</b> approved for NV Red and NV Green
		ID#: 0666  approved 8 /20/2009

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	<b>Safety Fence</b>     ID#: 0202     approved 10/10/1999
Tensor International Robert Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.earthtech.com	<b>Safety GeoGrid</b>     ID#: 0345     approved 5 /15/2002

**618.02.01a GUARDRAIL TERMINAL (FLARED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>Fleat 350</b> <b>Fleat SP</b>    TL-3     ID#: 0045, 0668     approved 9 /29/2009
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>ET Plus</b> <b>SRT 350</b>    TL-3; LET Soil Tubes (replaced with ET Plus)     ID#: 0499, 0768     approved 6 /9 /2004

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (303) 346-0722 www.roadsystems.com	<b>SKT 350</b> <b>SKT Lite</b> <b>SKT SP</b>   TL-3     ID#: 0156, 0669, 0670     approved 2 /8 /1998
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>CAT 350</b> <b>ET Plus</b>    TL-3     ID#: 0046, 0499     approved 3 /30/1997

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	<b>Glue Laminated Wood</b>     used with w-beam and tri-beam guardrails     ID#: 0485     approved 3 /10/2004

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>King-Block King-Sized</b>	used with steel post tri-beam guardrails	ID#: 0524, 0523  approved 5 /13/2005

**619.02.01 FLEXIBLE GUIDEPOSTS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb System FG 300 Model EFX</b>	type 2; standard surface and soil/ground mount options available	ID#: 0684, 0692  approved 10/15/1999
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model PE FG 300 Model UR</b>	type 2; standard surface and soil/ground mount options available	ID#: 0686, 0687  approved 11/3 /2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH K-Marker Series SH Replaceable Barrier Marker</b>	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0606, 0510  approved 11/4 /1998
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD BD Tub RT 360 HD Tubular</b>	minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0621, 0625  approved 11/21/2008
Safe Hit A Div of Energy Absorption Systems Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post SH Tubular</b>	type 2 minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	ID#: 0625, 0610  approved 5 /14/2009
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	<b>Shur-Flex® Guardrail Clamp Shur-Flex® Surface Mnt</b>	standard surface and surface/soil mount options available and angled mounts	ID#: 0635, 0634  approved 4 /30/2009
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	<b>Shur-tite® Cable Barrier Delineator</b>	standard surface and surface/soil mount options available and angled mounts	ID#: 0636, 0633  approved 4 /30/2009

**619.02.01 FLEXIBLE GUIDEPOSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD5500 Earthflex Delineator</b>	standard surface and surface/soil mount options available	ID#: 0508  approved 12/3 /2002

**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	<b>Island Sentry K-Marker</b>		ID#: 0050  approved 8 /1 /1989
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	<b>BD Marker Round HM Marker Round</b>	type 2; standard surface and surface/soil mount options available	ID#: 0052, 0056  approved 6 /1 /1994
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	<b>T1 Marker Round T2 Marker Round</b>	type 2; standard surface and surface/soil mount options available	ID#: 0049, 0051  approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb System FG 300 Model PE</b>	type 2; standard surface and surface/soil mount options available	ID#: 0684, 0686  approved 10/14/1999
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model UR FG 300 Turn Pike Curb</b>	type 2; standard surface and surface/soil mount options available	ID#: 0687, 0688  approved 10/14/1999
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>Type K Island Marker</b>	type 2; standard surface and surface/soil mount options available	ID#: 0576  approved 9 /13/2007
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD Bolt Down RT 360 HD Tubular</b>	type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0622, 0623  approved 11/21/2008



**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post</b> <b>SH Replaceable Barrier</b> type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  <b>ID#:</b> 0610, 0068  <b>approved</b> 5 /14/2009
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 29916-0098 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH K-Marker Series</b> <b>SH Tububular</b> type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  <b>ID#:</b> 0606, 0628  <b>approved</b> 11/4 /1998
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	<b>Shur-Flex® Driveable</b> type 2; standard surface and surface/soil mount options available  <b>ID#:</b> 0676  <b>approved</b> 2 /2 /2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD5215 K Marker</b> type 2; standard surface and surface/soil mount options available  <b>ID#:</b> 0566, 0528  <b>approved</b> 12/3 /2002

**619.03.01 REFLECTORS (PRISMATIC, ACRYLIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
AKT Corporation Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 aktinc.com	<b>AKT #18 Center Mounted</b>  <b>ID#:</b> 0054  <b>approved</b> 5 /5 /1998
Vega Molded Products Inc Doris Weid 122 Industrial Drive Gilberts IL 60136 vega7761@aol.com	Phone: (847) 428-7761 Cell: Fax: (847) 428-7764 www.vegamoldedproducts.com	<b>Center Mounted</b> <b>Delineator</b>  <b>ID#:</b> 0055  <b>approved</b> 5 /5 /1998

**623.01.01 DYNAMIC MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Daktronics Incorporated Rick Weinacht 117 Prince Drive Brookings SD 57006-0128 rick.weinacht@daktronics.com	Phone: (605) 692-0200 Cell: (605) 695-5624 Fax: (605) 697-4700 www.daktronics.com	<b>Light-Emitting Diode DMS</b> type 1 and type 2  <b>ID#:</b> 0502  <b>approved</b> 9 /14/2004
Skyline Products Incorporated Adam Lyons 2903 Delta Drive Colorado Springs CO 80910 adamlyons@skylineproducts.com	Phone: (719) 392-9046 Cell: (719) 314-6883 Fax: (719) 392-2075 www.skylineproducts.com	<b>2070 Light-Emitting Diode</b> <b>DMS</b> type 1 and type 2  <b>ID#:</b> 0510  <b>approved</b> 11/17/2006

**623.02.08 SERVICE PEDESTALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eaton Corporation Tony Barber 1000 Cherrington Parkway Moon Township PA 15108 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771 www.eaton.com	Service Pedestals ID#: 1307 approved
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (949) 387-4863 Cell: (714) 743-0712 Fax: (949) 387-4895 www.milbankmfg.com	Metered Service Pedestals ID#: 0367 approved 11/19/2002
Myers Power Products Diana Grootenk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: Fax: (909) 923-1806 www.myerspowerproducts.com	Service Pedestals +UPS/BBS ID#: 0267 approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	Service Pedestals ID#: 0366 approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 3409 52nd Avenue Sacramento CA 95823 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 429-2817 www.tescocontrols.com	Tescoflex Service Pedestals ID#: 0266 approved 9 /5 /2000

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	Series 426 bottom latching ID#: 0469 approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 1070A Northpoint Boulevard Waukegan IL 60085 himastltg@aol.com	Phone: (847) 473-3800 Cell: (847) 217-1070 Fax: (847) 473-3870 www.eaglehighmast.com	High Mast Assembly bottom latching ID#: 0470 approved 12/30/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	Series Holophane LD5 Lighting Lowering D bottom latching ID#: 0481 approved 12/30/2003

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: (800) 304-3578 Fax: (800) 533-4483 www.idealindustries.com	<b>Duct Seal</b> ID#: 0661 approved 10/7 /2009
Rectorseal Scott Kerns 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 860-6717 Cell: Fax: (713) 263-7577 www.rectorseal.com	<b>RectorSeal®</b> ID#: 0677 approved 10/7 /2009

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Diamond Traffic Products Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	<b>Brass Linguine Class 1</b> ID#: 0317 approved 10/31/2001
Measurement Specialties Inco Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	<b>Roadtrax BL Sensor Brass Linguine Class 1</b> ID#: 0161 approved 5 /26/1999

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3m.com/tcm	<b>P/N 606 Detector Loop 5000 Rubberized Loop</b> rubberized material ID#: 0465, 0057 approved 6 /16/2000
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>271 Loop Detector 272 Loop Detector</b> rubberized asphalt material ID#: 0072, 0068 approved 8 /5 /1998
Durant Performance Coating Inc Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	<b>Stat-a-Flex Polyester Loop</b> polyester material ID#: 0061 approved 8 /5 /1998
Quikrete Company Darrell Brokofsky 7705 Wilbur Way Sacramento CA 95828 dbrokofsky@quikrete.com	Phone: (916) 689-8840 Cell: Fax: (916) 689-8857 www.quikrete.com	<b>Commercial Grade Permanent Blacktop Repair #1701</b> asphaltic concrete material ID#: 0283 approved 1 /1 /2001

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Perm Sealer 974 Nitrile Pro Seal 6006 Polyester</b> sealer 974 = nitrile rubber material; pro-seal 6006 = polyester material  <b>ID#:</b> 0064, 0063  <b>approved</b> 8 / 5 / 1998
Reed & Graham Company Rick Besf 690 Sunol Street San Jose CA 95126 rick@rginc.com	Phone: (408) 287-1400 Cell: (408) 640-6121 Fax: (408) 294-3696 www.rginc.com	<b>Overkote Loop Filler</b> asphaltic emulsion material  <b>ID#:</b> 0062  <b>approved</b> 8 / 5 / 1998

**623.03.01 TRAFFIC SIGNALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-5778 www.dialight.com	<b>LED 12" Signal Heads (all) 16"x18" Ped Signal Hea</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications  <b>ID#:</b> 0335, 0336  <b>approved</b> 3 / 26 / 2002
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 cherylhuang@eoibus.com	Phone: (909) 784-3333 Cell: Fax: (909) 784-3330 www.eoibus.com	<b>LED Traffic Signal Pedestrian Traffic Signal</b> 12" TRV-R12SG-D2T Red, TRV-Y12SG- D2T Yellow, and TRV-G12SG-D2T Green  must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications.  <b>ID#:</b> 0700, 0701  <b>approved</b> 6 / 17 / 2008
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>LED 12" Signal Heads (all) 16"x18" Tinted Ped</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications  <b>ID#:</b> 1122, 1215  <b>approved</b> 4 / 6 / 2010
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>TSL-PED-16-CIL-9 16" Countdown LED FH/MP</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications  <b>ID#:</b> 1405  <b>approved</b> 4 / 6 / 2010
Leotek Electronics USA Corp Kimberly Konte 1330 Memorex Drive Santa Clara CA 95050 kim@leotek.com	Phone: (408) 988-4668 Cell: (602) 538-7194 Fax: (408) 505-3803 www.leotek.com	<b>TSL-PED-16-DIL 16" LED FH/MP Indication</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications  <b>ID#:</b> 1406  <b>approved</b> 4 / 6 / 2010
Phoenix Highway Products Lupa Cruz 2631 North 37th Drive Phoenix AZ 85009 lupa@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771 www.lumination.com	<b>LED 12" Signal Heads Pedestrian Signal Heads</b> must be intertek ETL verified to be compliant to the most current ITE VTCOSH-LED or PTCSI-LED specifications  <b>ID#:</b> 0337, 0338  <b>approved</b> 3 / 26 / 2002

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237 www.gelightingssystem.com	<b>85 Watt Induction Versaflood III Induction</b>	(MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004)	ID#: 0124, 0402  approved 1 /17/2003
Holophane Corporation James Highgate 9435 West Tropicana Avenue 102244 Las Vegas NV 89147 jameshighgate@gmail.com	Phone: (702) 367-3949 Cell: (866) 465-6742 Fax: (702) 367-4656 www.myholophane.com	<b>Panel Vue Series Model 85QLXXDG/QD/Door Prop</b>		ID#: 0401  approved 1 /17/2003

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@luitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076 www.lumitrak.com	<b>Lumi Trak</b>		ID#: 0365  approved 11/19/2002

**623.05.26 RED LIGHT DETECTORS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
BRG Supply Monty Mountha 670 Coleman Avenue San Jose CA 95110 monty.brgsupply@yahoo.com	Phone: (408) 920-6319 Cell: Fax: (408) 920-6103 www.brgsupply.com	<b>Red Light Detector</b>		ID#: 0446  approved 7 /16/2003
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (760) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	<b>Red Light Detector</b>		ID#: 0445  approved 7 /16/2003

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368 www.bentmfg.com	<b>MF-180-36 Masterflex</b>	type 3; standard surface/soil mount options available	ID#: 0065  approved 3 /10/2000
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	<b>SDCF SMDW</b>	type 3; standard surface/soil mount options available	ID#: 0067, 0066  approved 6 /15/1998

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Complete Curb System</b> <b>FG 300 Model PE</b>	type 3; standard surface/soil mount options available	ID#: 0684, 0686  <b>approved</b> 10/15/1999
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>FG 300 Model UR</b> <b>FG 300 UR HD Flex</b>	type 3; standard surface/soil mount options available	ID#: 0687, 0723  <b>approved</b> 10/15/1999
Qwick Kurb® Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 mike@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856 www.quickkurb.com	<b>Qwick Kurb</b>	type 3; standard surface/soil mount options available	ID#: 0627  <b>approved</b> 11/21/2008
RA Lucas Company Inc, The Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: Fax: (562) 799-6150	<b>Enforcer 42" Channelizer</b>		ID#: 1003  <b>approved</b> 1/23/2001
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>RT 360 HD BD Tub</b> <b>RT 360 HD Tubular</b>	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0621, 0622  <b>approved</b> 11/21/2008
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	<b>SH Dura Post</b> <b>SH Replaceable Barrier</b>	type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)	ID#: 0610, 0052  <b>approved</b> 11/21/2008
SHUR-TITE® Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	<b>Shur-Flex® Surface Mount Delineator</b>	type 3; standard surface/soil mount options available	ID#: 0634  <b>approved</b> 4/30/2009
Western Highway Products Barbara 10680 Fern Avenue Stanton CA 90680 sales@westernhighway.com	Phone: (800) 854-3360 Cell: (714) 761-4811 Fax: (714) 952-2118 www.westernhighway.com	<b>Repo 300</b>	type 3; standard surface/soil mount options available	ID#: 0175  <b>approved</b> 6/15/1998

**625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAILS)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
------------------------------	--	---------------------	----------------	--

**625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAILS)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Artuk Sharon Marquardt 6318 West State Street Wauwatosa WI 53213 tschoe2992@aol.com	Phone: (414) 475-5020 Cell: Fax: (414) 476-3438 www.aktinc.com	<b>FB 33 Flexible Barrier</b>    ID#: 0004  <b>approved</b> 2 / 2 / 1993
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652 www.hallmanufacturing.com	<b>FlexX 2020</b> w/75 mm X 75mm    ID#: 0019  <b>approved</b> 12/17/1997
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com	<b>DAPCO Straight Guardrail Reflector Plates</b>    ID#: 0585  <b>approved</b> 1 / 9 / 1995
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	<b>PCBM 12H High Impact PCBM T12H High Impact</b>    ID#: 0017, 0585  <b>approved</b> 10/15/1999
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 9300 Roadguide TD 9400 Roadguide</b>    ID#: 0371, 0372  <b>approved</b> 12/3 / 2002

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T300 discontinuing CMS T321 discontinuing</b>    ID#: 0075, 0359  <b>approved</b> 8 / 5 / 2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T320 discontinuing</b>    ID#: 0057  <b>approved</b> 8 / 5 / 2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T331 CMS GP 465</b>    ID#: 0077, 0078  <b>approved</b> 4 / 10 / 1997

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Enduron Custom Incorporated Chelsea Klassen 150 Cree Crescent Winnipeg Mani R3J 3W1 toba chelsea.k@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912 www.enduron.net	CMS 80FM ID#: 0505 approved 10/13/2004
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Nighthawk 340 discontinuing Nighthawk 345 discount the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available ID#: 0082 approved 4 /10/2000
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	Sunray Solar 345 Sunray Solar 380 ID#: 0079, 0081 approved 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	SMC HE 1000 ID#: 0084 approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	PCMS ID#: 0085 approved 2 /22/1998
Wanco Incorporated Dan Meyers 5870 Tennyson Street Arvada CO 80003 dmeyers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	WTLMB-S-LL(A) ID#: 0355 approved 8 /5 /2002

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Addco Mfg Co Inc dba Image No Am Customer Service 240 Arlington Avenue St Paul MN 55117 sales@addco.com	Phone: (800) 727-4409 Cell: (651) 558-3536 Fax: (651) 558-3600 www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000 ID#: 0073, 0074 approved 5 /28/1996
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsig.com	CMS T300 discontinuing CMS T321 discontinuing ID#: 0075, 0359 approved 8 /5 /2002



**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T320 discontinuing</b>    ID#: 0057  <b>approved</b> 8 /5 /2002
American Signal Corporation (ASC) Scott Covington 2755 Bankers Industrial Drive Atlanta GA 30360 sales@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970 www.amsign.com	<b>CMS T331 CMS GP465</b>    ID#: 0077, 0078  <b>approved</b> 4 /10/1997
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	<b>Nighthawk 340 discontinuing Nighthawk 345 discount</b> the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available    ID#: 0082  <b>approved</b> 4 /10/2000
National Sign & Signal Company Mark Fernandez 2440 Artesia Avenue Fullerton CA 92833 mark@nationalsignalinc.net	Phone: (888) 994-0300 Cell: Fax: (714) 441-7714 www.nationalsignal.com	<b>Sunray Solar 345 Sunray Solar 380</b>    ID#: 0079, 0081  <b>approved</b> 4 /10/2000
Precision Solar Control Inc Vickie Seymour 2985 Market Street Garland TX 75041 vseymour@precisionsolarcontrols.com	Phone: (972) 278-0553 Cell: (972) 278-8683 Fax: (972) 271-9583 www.precisionsolarcontrols.com	<b>SMC SM2000</b>    ID#: 0071  <b>approved</b> 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy Que G2G 2V2 bec kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	<b>PCMS</b>    ID#: 0085  <b>approved</b> 2 /22/1998
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	<b>Silent Messenger II Silent Messenger III</b>    ID#: 0664, 0665  <b>approved</b> 8 /14/2009
Solar Technology Incorporated Inside Sales Coordinator 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601 www.solartechnology.com	<b>Silent Messenger Solar Powered</b>    ID#: 0086  <b>approved</b> 2 /22/1998

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynejk@gmail.com	Phone: (775) 313-1402 Cell: (887) 274-5994 Fax: (775) 882-6538 www.barriersystemsinc.com	<b>Absorb 350 Universal Tau II</b>	TL-3; ONLY use a nine-element design (min) with attachment/transition assembly.	ID#: 0290, 0660  approved 4 /10/2001
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Engergite III Module N-E-A-T System</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 0089, 0090  approved 9 /3 /1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Quadguard</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 0091  approved 9 /3 /1998
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	<b>SCI100GM</b>	TL-3; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	ID#: 0545  approved 1 /20/2006
Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 djones@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	<b>Energite III Fitch Inertial</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 0092, 0094  approved 4 /14/1999
Traffic Control Service Inc Danny Jones 6680 Surrey Street Las Vegas NV 89119 tkniffen@tcsi.biz	Phone: (702) 252-3300 Cell: (702) 429-6915 Fax: (702) 252-3398 www.tcsi.biz	<b>React 350</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	ID#: 0093  approved 9 /3 /1998
Traffic Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	<b>Big Sandy 48247-SPI Temp Big Sandy Sand Barrel</b>	TL-3 ONLY; Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	ID#: 0095, 0096  approved 3 /22/2000

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Safe-Stop 180 TMA</b>	TL-3; required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs)	ID#: 0192  approved 10/14/1999

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	<b>ScorPion C 10,000</b> TL-3: required truck weight 9,000 kg (19,842 lb) ID#: 0264  approved 7/26/2000
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>MPS 350 III</b> TL-3: required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs) ID#: 0097  approved 9/3/1998

**625.02.06 BARRIER RAILS (WATER FILLED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Armorcast Products Company Sydney Chase 13230 Satlicoy Street North Hollywood CA 91605 info@armorcastprod.com	Phone: (818) 982-3600 Cell: (909) 772-1424 Fax: (818) 982-7742 www.armorcastprod.com	<b>Guardian Barrier Water Filled w/350 Kit</b> required minimum length of 50.4 m for speeds less than or equal to 45 mph (opaque ivory colored 1.8 m sections). ID#: 0099  approved 9/3/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Triton Barrier</b> use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections). ID#: 0098  approved 3/30/1997
PolyJohn Enterprise Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625 www.rhinobarriers.com	<b>Rhino Safety Barrier(use the 350 kit with install)</b> use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)). ID#: 0482  approved 10/24/2007
Safety Barriers David Walker 10519 Lexington Drive Knoxville TN 37933	Phone: (865) 966-9123 Cell: (800) 966-2012 Fax: (865) 675-3622	<b>Water Ballasted Barriers SB-1-TL</b> ID#: 0711  approved 3/27/2006
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (888) 496-3625 Fax: (570) 380-2859 www.yodock.com	<b>Traffic Cntrl Syst Model 2001 Type III Barricade</b> ID#: 0551, 0660  approved 3/22/2002

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-systems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123 www.k-systems.com	<b>Safety Beacon Light</b> ID#: 0188  approved 6/1/1999

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Alcan Composites USA Inc Star Collins 208 West 5th Street Benton KY 42025 star.collins@alcan.com	Phone: (270) 527-4200 Cell: Fax: (270) 527-1552 www.alcancompositesusa.com	<b>Dibond for Highway Work Zone Signage</b> must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0547, 0593  <b>approved</b> 5 /9 /2006
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>Bone Light 4MM ACM Aluminum Composite</b> approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 <b>ID#:</b> 0620, 0616  <b>approved</b> 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>SZ-412 SZ-460 SZ-484</b> approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 <b>ID#:</b> 0617, 0618  <b>approved</b> 10/16/2008
Bone Safety Sign Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639 www.bonesafety.com	<b>SZ-412-2S SZ-460-2S SZ-484-2S</b> approved for ROLL-UP SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716 <b>ID#:</b> 0619, 0614  <b>approved</b> 10/16/2008
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DF3000S Dynaflex DF3000WQ Dynaflex</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0220, 0222  <b>approved</b> 2 /27/2000
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DF3003S Dynaflex DF3003W Dynaflex</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0221, 0222  <b>approved</b> 2 /27/2000
Dicke Tool Company Michael Burke 1845 AnunsenStreet NE Salem OR 97303 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054 www.dicketool.com	<b>DL1003W Dynaflex UF2000 Uniflex Verticle Portable</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0224, 0225  <b>approved</b> 2 /27/2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>C200 C202</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0227, 0228  <b>approved</b> 4 /4 /2000
Eastern Metals Michlle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>C902 Superflex Compact Stand w/Fiberglass Leaf Spr</b> must conform to section 716. Dibond subsubstrate is allowed only with stands specified by the FHWA letters of acceptance <b>ID#:</b> 0234  <b>approved</b> 4 /4 /2000

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>Superflex Compact Stand w/Fiberglass Leaf Spr</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0234  <b>approved</b> 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>X501 FS Coil Spring X550 FS Coil Spring</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0229, 0231  <b>approved</b> 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	<b>X551 FS Coil Spring X600 FS Coil Spring</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0232, 0233  <b>approved</b> 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS1 SS548</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0411-0415  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548A SS548AE</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0405, 0409  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548C SS548CA</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0407, 0412  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548CAE SS548CE</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0418, 0403  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548E SS548UC</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0413, 0406  <b>approved</b> 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	<b>SS548UCA SS548UCR</b> must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	0408, 0404  <b>approved</b> 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS548UCRA SS560A SS560	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0417, 0416  approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	SS560UCA SS548UCRA SS560UCA	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0414, 0410  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4812 4814K Windmaster	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0235, 0251  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4815RB 4818	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0238, 0237  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4850RB 4860KC	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0239, 0240  approved 1 /24/2003
Marketing Displays International Karen Jackson 38271 West Twelve Mile Road Farmington Hills MI 48331 kjackson@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditraficcontrol.com	4884CS	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0241  approved 1 /24/2003
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Big Buster Dual SF Little Buster Dual SF	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance; SF=Spring Folding	ID#: 0243, 0244  approved 3 /22/2000
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Zephyr Portable Stand	48" ONLY APPROVED: must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	ID#: 0248, 0272  approved 3 /22/2000

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>
------------------------------	--	---------------------	----------------

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	<b>Phone:</b> (888) 842-0600 <b>Cell:</b> (714) 842-0600 <b>Fax:</b> (888) 842-2368 www.bentmfg.com	<b>All Plastic Universal Waffle &amp; Steel Legged</b> type 1 and type 2 with or without lights ID#: 0247, 0246  approved 5 /2 /2006
Bent Manufacturing Company Sandy Gerbrick 17311 Nichols Street Huntington Beach CA 92647 sandygerbrick@bentmfg.com	<b>Phone:</b> (888) 842-0600 <b>Cell:</b> (714) 842-0600 <b>Fax:</b> (888) 842-2368 www.bentmfg.com	<b>Plywood Panel Barricade</b> type 3 with or without lights ID#: 0245  approved 3 /10/2000
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	<b>Phone:</b> (702) 453-1616 <b>Cell:</b> <b>Fax:</b> (702) 438-3460 www.hwy-tech.com	<b>Barricade</b> type 3 with or without lights ID#: 0435  approved 1 /10/2000
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	<b>Phone:</b> (253) 284-8000 <b>Cell:</b> (408) 431-8689 <b>Fax:</b> (253) 284-8080 www.pexco.com	<b>Barricade O-Frame Barricade</b> type 3B with or without lights ID#: 0250, 0613  approved 10/15/1999
Plastic Safety Systems Inc Bill Jamieson 2444 Baldwin Road Cleveland OH 44104 wejamieson@plasticsafety.com	<b>Phone:</b> (800) 662-6338 <b>Cell:</b> (216) 231-8590 <b>Fax:</b> (216) 231-2702 www.plasticsafety.com	<b>Anchor Barricade</b> type 3 with or without lights ID#: 0483  approved 3 /19/2004
Plasticade Industries Hery Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	<b>Phone:</b> (800) 772-0355 <b>Cell:</b> <b>Fax:</b> (847) 955-8074 www.plasticade.com	<b>Sentinel</b> type 3 with or without lights ID#: 0001  approved 2 /21/2007
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>Phone:</b> (877) 843-9757 <b>Cell:</b> (323) 849-1316 <b>Fax:</b> (818) 841-5096 www.trafficwks.com	<b>TD 2200 Works Barricade TD2250 Works Barricade</b> type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested ID#: 0375, 0376  approved 12/3 /2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>Phone:</b> (877) 843-9757 <b>Cell:</b> (323) 849-1316 <b>Fax:</b> (818) 841-5096 www.trafficwks.com	<b>TD2000 Works Barricade TD2150 Works Barricade</b> type 1 and type 2 type 1 and type 2 cannot be used in configuration that is wider than was tested - 24" ID#: 0171, 0374  approved 12/3 /2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>Phone:</b> (877) 843-9757 <b>Cell:</b> (323) 849-1316 <b>Fax:</b> (818) 841-5096 www.trafficwks.com	<b>TD2300 Works Barricade TD2400 All Plastic</b> type 1 and type 2 type 3B cannot be used in configuration that is wider than was tested ID#: 0526, 0527  approved 12/3 /2002

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD2500 Works Barricade TD2550 Works Barricade	type 1 type 3 cannot be used in configuration that is wider than was tested	ID#: 0525, 0529  approved 10/13/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD2600 Works Barricade TD2650 Works Barricade	type 1 and type 2 type 3 cannot be used in configuration that is wider than was tested	ID#: 0530, 0531  approved 12/3 /2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD3000 A Frame Barricade	type 1 and type 2 cannot be used in configuration that is wider than was tested	ID#: 0532  approved 12/3 /2002
Traffix Devices Incorporated Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (801) 446-1157 www.traffixdevices.com	Economy Plastic Folding Bar Sand Fill Bag	type 3 with or without lights	ID#: 0248, 0249  approved 4 /3 /2000
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 jsmith@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270 www.workareaprotection.com	Lane Changer B500 LC Traffic Drum	type 3 with or without lights	ID#: 0745  approved 7 /8 /2010
Yodock Wall Company Incorporated Kathleen Yodock 900 Patterson Drive Bloomsburg PA 17815 kathleen@yodock.com	Phone: (570) 380-2856 Cell: (888) 496-3625 Fax: (570) 380-2859 www.yodock.com	200/M w/Temporary Signal Model # 2001	type 3 with or without lights	ID#: 0590, 0551  approved 11/27/2007

**627.02.01a POLYCARBONATE SIGNS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
No Vendors at this Time	Phone:	No Vendors at this Time		ID#: 2067
**	Cell:			approved
	Fax:			

**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Carsonite® Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 sales@carsonite.com	Phone: (800) 648-7916 Cell: (803) 943-9115 Fax: (803) 276-8940 www.carsonite.com	Modular Guidance System		ID#: 0102  approved 10/20/1996



**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flexstake Incorporated Jim Zadrozny 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: Fax: (239) 482-3539 www.flexstake.com	Glare Screen System ID#: 0103 approved 7 /31/1996
Safe Hit A Div of Energy Absorption Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.safe-hit.com	Glare Screen System ID#: 0123 approved 7 /31/1996

**632.03.05 RETROREFLECTOMETERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	LTL-X 30 Meter Geometry LTL-2000 discontinuing 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies ID#: 0211, 0210 approved 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12621 Bridgewood Lane Draper UT 84020 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	Mirolux Ultra 30 ID#: 0213 approved 12/26/1999
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux Gamma MX 30 discontinuing 10/08 MX 30 Retroreflectometer was discontinued but still qualifies ID#: 0544 approved 5 /2 /2006
RoadVista Eric Nelson 8581 Aero Drive San Diego CA 92123 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series I StripeMaster Series II ID#: 0542, 0543 approved 5 /27/2010

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	DDOT ABS 100 mm (4") round ID#: 0186 approved 6 /2 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	929 ABS 929 PP Ceramic 100 mm (4") round ID#: 0172, 0678, 0173 approved 6 /1 /1999

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarker.com	<b>W: Type A/4" Round            Ceramic &amp; PP NR            Y: Type AY/4"</b>	100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective <b>ID#:</b> 0516, 0517  <b>approved</b> 3 /7 /2005
Hi-Way Safety Incorporated Bob Smith 13310 5th Street Chino CA 91710 bob@hiwaysafety.com Phone: (800) 228-1701 Cell: (951) 529-2666 Fax: (909) 627-0999 www.hi-waysafety.com	<b>W: NRPDRND            Y: NRPDRND</b>	100 mm (4") round <b>ID#:</b> 0188, 0511  <b>approved</b> 6 /1 /1999
Interstate Sales Mike Trentman 12600-200 Locksley Lane Auburn CA 95602 miket@interstatesales.com Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994 www.interstatesales.com	<b>Diamond Back (ABS &amp;            Polypropylene)</b>	100 mm (4") round (ABS & Polypropylene) <b>ID#:</b> 0170  <b>approved</b> 6 /1 /1999
Novabrite Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 926065106 norman@novabrite.com Phone: (714) 656-3659 Cell: (925) 373-1751 Fax: (925) 215-2549 www.novabrite.com	<b>W: ADOT            Y: ADOT            W: CDOT            Y: CDOT</b>	100 mm (4") round <b>ID#:</b> 0474-0477  <b>approved</b> 3 /20/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 10000 Series</b>	100 mm (4") round <b>ID#:</b> 0373  <b>approved</b> 12/3 /2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>290 Durable Raised</b>	89 mm x 100 mm (3.6"x4") <b>ID#:</b> 0182  <b>approved</b> 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298 www.apexmarker.com	<b>929 ABS            929 PP            Ceramic</b>	100 mm (4") round <b>ID#:</b> 0172, 0678, 0173  <b>approved</b> 6 /1 /1999
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com Phone: (800) 331-8118 Cell: (904) 806-4439 Fax: (800) 555-0217 www.ennistraffic.com	<b>911 Ab            953 Ab            C80 FH Raised            C88 Ab</b>	100 mm (4") round <b>ID#:</b> 0185, 0180, 0255, 0181  <b>approved</b> 2 /6 /2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	<b>AA ARC Round Shoulder ARC</b> 100 mm x 100 mm (4"x4") ID#: 0174, 0176, 0177 approved 6 / 1 / 1999

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	<b>944SB 948</b> 58 mm x 119 mm (2.3"x4.7") 51 mm x 119 mm (2"x4") ID#: 0184, 0183 approved 2 / 6 / 2002
Ray-O-Lite A Division of Pac-Tec Inc Tina Contreras 4500 No Sam Houston Pkwy W Ste 120 Houston TX 77086 tcontreras@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	<b>Arc 2002 Arc 2004</b> 58 mm x 19 mm (2.3"x4.6") ID#: 0178, 0179 approved 6 / 1 / 1999

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>34270 Hot Applied Flexible</b> ID#: 0105 approved 6 / 16 / 1998
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	<b>836098 Bituminous</b> ID#: 0108 approved 2 / 6 / 2002
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrading.com	<b>Bundy 12 cm X 12 cm Pad; (5" X 5") Pad</b> white color on plantmix and back color on PCCP ID#: 0106 approved 6 / 1 / 1999
Henry Company Randy Rozell 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245 customerservice@henry.com	Phone: (310) 955-9200 Cell: (916) 849-9908 Fax: (858) 391-1077 www.henry.com	<b>Dotstick Bituminous</b> ID#: 0464 approved 9 / 29 / 2003
Martin Asphalt Jack Nimmo 300 Christy Place / PO Box 508 South Houston TX 77587 jnimmo@martinmlp.com	Phone: (713) 350-6849 Cell: (281) 627-2077 Fax: (713) 350-2848 www.martinasphalt.com	<b>172542 Evergrip Bituminous</b> ID#: 0107 approved 6 / 15 / 1998

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: (562) 715-6597 Fax: (626) 336-6085 www.glowlitemarker.com	W: Type 932 (1-way) Y: Type 932 (2-way)	100 mm (4") round (ceramic and plastic/PP); NR=Non Reflective	ID#: 0516, 0517  approved 3 /7 /2005
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25 Halftrack Model 26	work zone pavement markers	ID#: 0257, 0258  approved 10/15/1999
Pexco LLC / Davidson Traffic Cntrl Bill Daly 3110 70th Avenue East Tacoma WA 98424 bill.daly@pexco.com	Phone: (253) 284-8000 Cell: (408) 431-8689 Fax: (253) 284-8080 www.pexco.com	TOM (Temporary Overlay) TRPM (Temporary Overlay)	work zone pavement markers	ID#: 1651, 1652  approved 11/29/2000

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	710 WR Removable 780 WR Removable	WR=Wet Reflective	ID#: 0675, 0424  approved 8 /16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road / PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: 200 Construction Removable		ID#: 1654  approved 9 /24/2003
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line TWR	type 1	ID#: 0672, 0673  approved 2 /2 /2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 100 R W/Y: Series 200 R	R=Removeable	ID#: 0032  approved 6 /15/1999
PB Laminations Incorporated Lauretta Green 2940 Mary Avenue Brentwood MO 63144 lgreen@pblaminations.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494 www.pblaminations.com	Aztec III Removable		ID#: 0119  approved 6 /15/1999

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Swarco Industries / Traffic Mgt Jon Sproul 270 Rutherford Lane / PO Box 89 Columbia TN 38401 office.industries@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Director 2 - Detour Grade W/Y: Director 2 (D2-WR)		ID#: 0120, 0648  approved 6 /15/1999
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122 www.trelleborg.com/roadtape	Series R 140 Series RW 140 Series RY 140		ID#: 0303-0305  approved 8 /24/2001

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
American Refining Group Colin Kimball 77 North Kendell Avenue Bradford PA 16701 ckimball@amref.com	Phone: (814) 368-1200 Cell: (281) 770-0220 Fax: (814) 368-1335 www.amref.com	PennzSuppress D Dust Suppressant	application and dilution rates follow manufacturer's instructions; application rate: 0.9 m2/L (36 sq ft / gal) (apply twice); can be used in travel-ways ONLY; application is restricted from within 50 years of any body of water.	ID#: 0121  approved 5 /2 /1999
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	Road Boss	application and dilution rates follow manufacturer's instructions	ID#: 0498  approved 11/8 /2005
Cypher Environmental Ltd Greg Martinez 701 North Vrain Street El Paso TX 75229 gregg@eco-infrastructure-resolutions.com	Phone: (915) 276-0879 Cell: (204) 489-1214 Fax: (915) 534-7207 www.cypherenvironmental.com	DustStop	application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance.	ID#: 0707  approved 5 /6 /2010
Dallas Roadway Products Inc Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	Phone: (972) 803-6708 Cell: (702) 405-0351 Fax: (972) 596-8418 www.dallasroadway.com	Dust Control DC-22	application and dilution rates follow manufacturer's instructions	ID#: 0549  approved 12/28/2005
Earth Chem Incorporated Kevin Loucks PO Box 272627 Ft Collins CO 80527 EarthChem@aol.com	Phone: (970) 227-9661 Cell: Fax: www.earthchem.com	Earth Bound		ID#: 0822  approved 2 /16/2011
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	Earthbind 100	application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 years of any body of water	ID#: 0420  approved 3 /17/2003

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (800) 369-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959 www.envirotechservices.com	<b>Lignin (Ammonium Lignosulfonate)</b> application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5% ID#: 0450 approved 8/26/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.4oyql@evonik.com	<b>Phone:</b> (336) 335-3781 <b>Cell:</b> (513) 317-8311 <b>Fax:</b> (513) 672-9633 www.evonik.com	<b>HydroPam</b> application and dilution rates follow manufacturer's instructions; prior to usage contact Environmental Services Division's Water Quality Specialist (775) 888-7889. This product is considered new technology so the Division will monitor its performance. ID#: 0722 approved 3/1/2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Phone:</b> (702) 871-1884 <b>Cell:</b> (702) 871-7976 <b>Fax:</b> (702) 871-3629 www.fluid-tech-inc.com	<b>Trans Seal I</b> application and dilution rates follow manufacturer's instructions ID#: 0328 approved 1/3/2002
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799 www.gmbostoncompany.com	<b>PX 300</b> application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area ID#: 0433 approved 6/10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531 www.HerculesEnvironmental.com	<b>Hercules PAM</b> application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.) ID#: 0150 approved 5/18/2004
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531 www.HerculesEnvironmental.com	<b>Soiloc-Pam Soiloc-MQ-Dust Suppressant</b> application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.) ID#: 0154, 0149 approved 5/2/1999
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633 www.innovativeturfsolutions.com	<b>HydraPam</b> ID#: 1745 approved 2/16/2011
Midland Asphalt Materials Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247 www.midwestind.com	<b>EnviroKleen Soil Sement</b> application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal ID#: 0278, 0279 approved 1/4/2001
MonoSol LLC Jon Gallagher 707 East 80th Place Suite 301 Merrillville IN 46410 jgallagher@monosol.com	<b>Phone:</b> (219) 762-3165 <b>Cell:</b> <b>Fax:</b> (219) 755-4062 www.terraloc.com	<b>TerraLOC</b> application and dilution rates follow manufacturer's instructions ID#: 0721 approved 11/17/2009

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
NU Equipment Incorporated David Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com	<b>Phone:</b> (702) 649-8767 <b>Cell:</b> (702) 325-2323 <b>Fax:</b> (702) 649-8446 www.nuequipment.com	<b>Plas-Bond Soiltac</b> application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic ID#: 0275, 0274 approved 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 981-8555 <b>Fax:</b> (661) 399-1054 www.alonashalt.com	<b>Topein S Emulsion</b> application and dilution rates follow manufacturer's instructions ID#: 0479 approved 2/28/2002
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Phone:</b> (509) 235-3800 <b>Cell:</b> (509) 981-8555 <b>Fax:</b> (509) 235-3803 www.primeoneproducts.com	<b>Fisch-Stick Terravest</b> application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water ID#: 0152, 0153 approved 6/25/1998
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	<b>Phone:</b> (790) 666-9050 <b>Cell:</b> <b>Fax:</b> (740) 666-1339 www.landtack.com	<b>LandTack Guar</b> ID#: 1777 approved 2/16/2011
Sherwin-Williams Company, The Pat Walsh 101 Prospect Avenue NW Cleveland OH 44115 pjwalsh@sherwin.com	<b>Phone:</b> (216) 566-1733 <b>Cell:</b> (210) 861-2286 <b>Fax:</b> (216) 830-7721 www.sherwin-williams.com	<b>Dust Away</b> application and dilution rates follow manufacturer's instructions ID#: 0639 approved 6/2/2009
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 jeff@soil-tech.com	<b>Phone:</b> (702) 873-2023 <b>Cell:</b> <b>Fax:</b> (702) 873-0915 www.soil-tech.com	<b>Plas-Tex Poly-Tex</b> application and dilution rates follow manufacturer's instructions ID#: 0467, 0468 approved
Soilworks LLC Chad Falkenberg 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 info@soilworks.com	<b>Phone:</b> (800) 545-5420 <b>Cell:</b> (480) 545-5454 <b>Fax:</b> (480) 545-5456 www.soilworks.com	<b>Soiltac®</b> application and dilution rates follow manufacturer's instructions ID#: 0504 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	<b>Phone:</b> (888) 843-1029 <b>Cell:</b> (661) 747-5956 <b>Fax:</b> (661) 587-6806 www.EarthGuard.com	<b>EarthGuard EarthGuard Fiber Matrix</b> application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic ID#: 3063, 0318 approved 11/2/2001
US Gypsum Company John Breen 550 West Adams Street Chicago IL 60661-3076 jbreen@usg.com	<b>Phone:</b> (713) 983-8829 <b>Cell:</b> (281) 615-0163 <b>Fax:</b> (312) 214-6606 www.usg-erosioncontrol.com	<b>Dust Armour Dustrol</b> application and dilution rates follow manufacturer's instructions ID#: 0553, 0571 approved 8/28/2006

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Western Emulsions Incorporated Lain Jack 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629 ian@westernemulsions.com	Phone: (520) 622-7203 Cell: (520) 820-8943 Fax: (520) 798-3914 www.westernemulsions.com	Dust Control 50 application and dilution rates follow manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%
		ID#: 0449  approved 8 /26/2003

**637.02.02 SILT FENCE**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanesindustries.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (702) 341-0355 www.hanesgeo.com	TerraTex SC     approved 6 /25/1998
Triangular Silt Dike Company Gary Roach 18505 East Highway 66 Luther OK 73054 jroach@cox.net	Phone: (800) 290-8473 Cell: Fax: (405) 277-2232 www.tri-silkdike.com	Triangular Silt Dike     approved 6 /25/1998

**637.02.05 ROADWAY INLET PROTECTION**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
ACF Environmental David Kelley 2831 Cardwell Road Richmond VA 23234 dkelley@acfenvironmental.com	Phone: (800) 448-3636 Cell: (804) 246-9737 Fax: (800) 423-4567 www.acfenvironmental.com	Siltsack     approved 6 /25/1998
Basalite Concrete Products LLC Damian Swain 335 Greg Street Sparks NV 89431 damian.swain@paccoast.com	Phone: (775) 745-1286 Cell: (775) 358-1200 Fax: (775) 359-5997 www.submar.com	UltraFlexTM     approved 11/17/2009
Bowhead Environmental & Safety Jeff Guentzel PO Box 375 Preston WA 98050 jeffg@shopbowhead.com	Phone: (800) 909-3677 Cell: (206) 388-2267 Fax: (888) 234-3677 www.shopbowhead.com	StreamGuard Catch Basin Insert    approved 6 /25/1998
Dandy Products Incorporated Dan Cleveland Jr. 1095 Harcourt Road Suite C Mt. Vernon OH 43050 dlc@dandyproducts.com	Phone: (800) 591-2284 Cell: (614) 580-5683 Fax: (740) 881-2791 www.dandyproducts.com	Dandy Bag Drainage Control Dandy Curb   approved 10/28/1996
Dandy Products Incorporated Dan Cleveland Jr. 1095 Harcourt Road Suite C Mt. Vernon OH 43050 dlc@dandyproducts.com	Phone: (800) 591-2284 Cell: (614) 580-5683 Fax: (740) 881-2791 www.dandyproducts.com	Dandy Curb Bag Dandy Pop   approved 5 /8 /2009



**637.02.05 ROADWAY INLET PROTECTION**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>
Enviroscape ECM Mark Deitering 22700 St. Route 613 Oakwood OH 45873 mark@strawblanket.com	Phone: (419) 594-3210 Cell: (419) 594-3210 Fax: (419) 594-3213 www.strawblanket.com	Vertipro	ID#: 0662  approved 3 /1 /2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Combo Guard Curb Inlet Guard	ID#: 0720, 0693  approved 3 /1 /2010
ERTEC Environmental Systems LLC Rachel Landphere 1150 Ballena Boulevard Suite 250 Alameda CA 94501 rlandphere@ertecsystems.com	Phone: (510) 521-0724 Cell: Fax: (510) 521-3972 www.ertecsystems.com	Drop Guard GR-8 Guard	ID#: 0719, 0710  approved 3 /1 /2010
Inlet & Pipe Protection Incorporated Jamie Ringenbach 24137 West 111th Street Unit A Naperville IL 60564 jr@inletfilters.net	Phone: (866) 287-8655 Cell: (847) 722-0690 Fax: (630) 355-3477 www.inletfilters.com	Flexstorm Inlet Filters	ID#: 0650  approved 3 /1 /2010
Silt-Saver Incorporated Todd Christian 1094 Culpepper Drive Conyers GA 30094 todd@siltsaver.com	Phone: (888) 382-7458 Cell: (770) 388-7818 Fax: (770) 388-7640 www.siltsaver.com	SS-100A FFA SS-200A FFA	FFA=Frame & Filter Assembly ID#: 0377, 0296  approved 12/6 /2002

**640.02.03a MSE WALL**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>
Earth Tech Incorporated Gary Wood Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328 bmiller@tensarcorp.com	Phone: (949) 212-8454 Cell: (404) 250-1290 Fax: (404) 250-9077 www.earthtech.com	Ares Retaining Precast Wall	ID#: 0013  approved 6 /14/1999
Hilfiker Retaining Wall Suzanne Blackburn 1902 Hilfiker Lane Eureka CA 95503-5711 suzanne@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891 www.hilfiker.com	Reinforced Soil Embankment Wall	ID#: 0122  approved 9 /8 /1998
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	MSE Earth MSE Plus	modified panels required; W24 longitudinal wire not permitted ID#: 0189, 0195  approved 2 /9 /2000

**640.02.03a MSE WALL**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Tensor International Bob Miller 34892 Calle Furtuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	<b>Ares Retaining Precast Wall</b>	permitted only when specified in the contract documents as an acceptable product	ID#: 0342  approved 6 /11/1998

**640.02.03b MSE WALL (LARGE SIZE 5' x 10' PANELS)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	<b>Retained Earth Lrg Wall Reinforced Earth Lrg Wall</b>		ID#: 0287, 0288  approved 8 /26/2002
SSL LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: Fax: (831) 430-9340 www.mseplus.com	<b>MSE Large Wall Panel</b>	modified panels required; W24 longitudinal wire not permitted	ID#: 0187  approved 2 /9 /2000

**640.02.03c SOUNDWALL SYSTEMS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Evonik Cyro LLC Nathan Binette 1796 Main Street Sanford ME 04073 nathan.binette@evonik.com	Phone: (207) 490-4313 Cell: (207) 459-8382 Fax: (207) 490-4284 www.cyro.com	<b>Paraglas Soundstop Ready Fit Paraglas Soundstop</b>	TL4; system will be selected based on specific project requirements; it is not a complete wall system	ID#: 0640, 0648  approved 11/25/2003
Port-O-Wall Systems LLC Rod Allen 19201 Sonoma Highway PMB 10 Sonoma CA 95476 rod_allen@port-o-wall.com	Phone: (707) 938-4516 Cell: Fax: (707) 996-5191 www.port-o-wall.com	<b>Port-O-Wall</b>	TL-4; system will be selected based on specific project requirements; it is not a complete wall system	ID#: 0316  approved 10/24/2001
Quilite International LLC Richard Cooling 2503 Eastbluff Drive #205 Newport Beach CA 92660 info@quilite.com	Phone: (949) 644-1294 Cell: Fax: (949) 644-6770 www.quilite.com	<b>Quilite Noise Barrier</b>	TL-4; system will be selected based on specific project requirements; it is not a complete wall system	ID#: 0515  approved 2 /9 /2005

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Jensen Precast Derek Goins 625 Bergin Way Sparks NV 89431 dgoins@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 720-8167 Fax: (775) 359-1038 www.jensenprecast.com	<b>Redi-Rock</b>	permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications	ID#: 0605  approved 10/16/2009

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Keystone Retaining Wall System Customer Service 13453 County Road #1 Fairhope AL 36532 keystone@keystonewalls.com	Phone: (251) 990-5761 Cell: Fax: (251) 990-5761 www.keystonewalls.com	<b>KeySteel SQFT MSE Panel</b> permitted only when the contract documents specify a modular block retaining wall	5 /15/2002  <b>approved</b>
Reinforced Earth Company, The Michael Louis 1660 Hotel Circle North Suite 304 San Diego CA 92108 mlouis@reinforcedearth.com	Phone: (619) 688-2400 Cell: Fax: (619) 688-2499 www.reinforcedearth.com	<b>Pyramid</b> permitted only when the contract documents specify a modular block retaining wall	0214  <b>approved</b> 5 /15/2002
Tensor International Bob Miller 34892 Calle Fortuna Capistrano Beach CA 92624 bmiller@tensarcorp.com	Phone: (949) 488-7054 Cell: (949) 212-8454 Fax: (949) 488-7084 www.tensarcorp.com	<b>Mesa</b> permitted only when the contract documents specify a modular block retaining wall	0343  <b>approved</b> 5 /15/2002

**641.02.01 IMPACT ATTENUATORS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Barrier Systems Incorporated Wayne Kinder 1621 Bolero Drive Carson City NV 89703 waynekg@gmail.com	Phone: (775) 313-1402 Cell: (887) 274-5994 Fax: (775) 882-6538 www.barriersystemsinc.com	<b>Universal Tau II</b> TL-3	0667  <b>approved</b> 5 /26/2006
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>Quad Guard Wide (69/90) React 350(60", 96", 120")</b> TL-3	0127, 0129  <b>approved</b> 6 /15/1998
Energy Absorption Systems Inc Diane Sanchez 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 diane.sanchez@trin.net	Phone: (312) 705-8454 Cell: (888) 323-6374 Fax: (800) 770-6755 www.trin.net	<b>QuadGuard Elite 8 Bay Quad Guard Standard</b> TL-3	0125, 0126  <b>approved</b> 6 /30/2008
SCI Products Incorporated David Wilfong 2205 Hightower Drive St. Charles IL 60174 dwilfong@sciproducts.com	Phone: (800) 686-7414 Cell: (972) 278-0553 Fax: (972) 278-8563 www.precisionsolarcontrols.com	<b>SCI100GM</b> TL-3: Must be mounted on a concrete or asphalt slab. May be used for all speed ratings; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	0545  <b>approved</b> 1 /20/2006
Trinity Highway Safety Mike Hooley 950 West 400 South Centerville UT 84014 mikel.hooley@trin.net	Phone: (800) 772-7976 Cell: (860) 943-9559 Fax: (801) 292-3263 www.trin.net	<b>Adiem Attenuating Device</b> TL-3	0209  <b>approved</b> 4 /28/2000

**646.03.04 CRACK SEALANTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
------------------------------	---------------------	----------------	-------------

**646.03.04 CRACK SEALANTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072 www.euclidchemical.com	<b>Dural 50</b> ID#: 0752 approved 8 /29/2009
Liquid Concrete Kendra Barnhart PO Box 16782 Seattle WA 98116 kendra@liquidconcrete.com	Phone: (800) 201-9300 Cell: (253) 335-0155 Fax: (702) 975-0549 www.liquidconcrete.com	<b>Ure-Kote R-60</b> ID#: 0757 approved 7 /11/2007
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Bridge Seal CA</b> ID#: 0751 approved 8 /29/2009

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Res-Cure</b> ASTM C309 Type 1D ID#: 0573 approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	<b>Aqua Resin Clear Type 1D</b> ASTM C309 Type 1D <b>DSSCC Resin Cure &amp; Dye</b> ID#: 0609, 0598 approved 1 /8 /2010
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>US SPEC MaxCure Resin</b> ASTM C309 Type 1D <b>Clear</b> ID#: 0607 approved 8 /29/2008
White Cap Bob Smith 1830 East Lincoln Way Sparks NV 89434 bobsmith@wrmeadows.com	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	<b>Resin Cure - Clear VOC</b> ASTM C309 Type 1D ID#: 0565 approved 3 /10/2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1100 Clear</b> ASTM C309 Type 1D <b>1300 Clear</b> ID#: 0574, 0480 approved 6 /13/2007

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Whix Cure DOT PCCP ASTM C309, Type 2, Class A ID#: 0582 approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 279-4806 www.daytonsuperior.com	W: DSSCC Wax Cure PCCP ASTM C309, Type 2, Class A ID#: 0611 approved 6 /13/2007
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 531-9399 Fax: (216) 481-7072 www.euclidchemical.com	Kurez W Vox PCCP ASTM C309, Type 2, Class A ID#: 0047 approved 9 /30/1996
SpecChem LLC Michael Lemark 700 West 47th Street Kansas City KS 64112 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 221-7957 Fax: (913) 371-8701 www.specchemllc.com	Pavecure WW PCCP ASTM C309, Type 2, Class A ID#: 0586 approved 10/9 /2007
Steel Engineers Bratt Bilkington 716 West Mesquite Las Vegas NV 89106 bbilkington@steelengineers.com	Phone: (702) 386-0023 Cell: (530) 348-6809 Fax: (702) 386-5799 www.steelengineers.com	UniWhite Cure Wax PCCP ASTM C309, Type 2, Class A ID#: 0577 approved 5 /29/2008
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	Maxcure Wax White PCCP ASTM C309, Type 2, Class A ID#: 3062 approved 1 /9 /2001
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	W: US SPEC AMS 3754 PCCP ASTM C309, Type 2, Class A ID#: 0602 approved 6 /17/2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	Series 1600 White PCCP ASTM C309, Type 2, Class A ID#: 0575 approved 6 /13/2007

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas PAMS Cure</b>	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0579  approved 9 /2 /2008
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	Phone: (877) 416-3439 Cell: (913) 279-0264 Fax: (913) 371-3330 www.daytonsuperior.com	<b>DSSCC PAMS W: PAMS Cure</b>	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0578, 0581  approved 6 /13/2007
US Mix Products Company Bryan Smith 112 South Santa Fe Drive Denver CO 30305 bsmith@usmix.com	Phone: (303) 778-7227 Cell: (702) 322-1700 Fax: (303) 722-8426 www.usmix.com	<b>W: US SPEC AMS 3754</b>	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0602  approved 7 /2 /2008
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>2245 Bridge Deck Cure</b>	Bridge Decks ASTM C309, Type 2, Class B	ID#: 0604  approved 8 /5 /2008

**702.03.05 POZZOLANS**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Boral Material Technologies Craig Plunk 45 Northeast Loop 410 Suite 700 San Antonio TX 78216 craig.plunk@boral.com	Phone: (210) 349-4069 Cell: Fax: www.boral.com	<b>Boral Micron 3 Fly Ash Class F</b>	Plant: Rockdale, TX Plant: Monticello, TX	ID#: 0570  approved
Headwaters Resource's Inc Thomas Fox 16817 155th Place Southeast Renton WA 98058 tfox@headwaters.com	Phone: (425) 970-3155 Cell: (206) 953-2942 Fax: (425) 970-3156 www.headwaters.com	<b>Bridger Fly Ash Class F</b>	Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY	ID#: 0572  approved
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	<b>Pozzolan Type F</b>	Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM  Provisional approved until 2/4/2012	ID#: 0913  approved 2 /4 /2011
Whitemud Resources Incorporated Rick Ketcheson 3345 8th Street Southwest Suite 30J Calgary AB T2G 3A4 rketcheson@whitemudresources.com	Phone: (403) 517-0058 Cell: (602) 300-2123 Fax: (403) 517-0046 www.whitemudresources.com	<b>Whitemud</b>		ID#: 1443  approved 2 /4 /2011

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Bondaflex Technologies Bruce Lakatosh 995 Towbin Avenue Lakewood NJ 08701 brucel@maynational.com	Phone: (800) 641-8242 Cell: Fax: (973) 473-4222 www.bondaflex.com	<b>Bondaflex Sil 728 SL</b> ID#: 0534  approved 4 /10/2006
Crafco Incorporated Lowell Parkinson 420 North Roosevelt Avenue Chandler AZ 85226 lowell.parkinson@crafco.com	Phone: (602) 276-0406 Cell: (480) 236-8262 Fax: (480) 961-4772 www.crafco.com	<b>Roadsaver Silicone SL</b> ID#: 0552  approved 8 /5 /1998
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (303) 980-1780 Cell: (303) 880-9614 Fax: (303) 980-1780 www.dowcorning.com	<b>890 SL (replaces 888-SL)</b> ID#: 0130  approved 3 /20/1997
DS Brown Company, The Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (419) 424-3527 Cell: (800) 848-1730 Fax: (419) 257-2200 www.dsbrown.com	<b>DSB 900 SL Self Leveling Silicone</b> ID#: 0518  approved 4 /5 /2005
Pecora Corporation Nick Burns 165 Wambold Road Harleysville PA 19438 burnsn@pecora.com	Phone: (215) 723-6051 Cell: Fax: (215) 721-0286 www.pecora.com	<b>Pecora 300</b> ID#: 0314  approved 9 /15/2001
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	<b>Spectrum 900 SL Formula 974831 w/ 333 Cartridges</b> ID#: 0362  approved 5 /31/2002

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carboline Protective Coatings Bill Eggers 2150 Schuetz Road Maryland Heights MO 63146 carbolineUSA@carboline.com	Phone: (314) 644-1000 Cell: (925) 382-4142 Fax: (314) 587-2699 www.carboline.com	<b>Shop Coat: Carbozinc 11 Solvent Based Inorganic</b> Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard4 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HG Aliphatic Acrylic Polyurethane - Part A: Resin Part B: ID#: 0604-0606  approved 12/30/1998
Carboline Protective Coatings Bill Eggers 2150 Schuetz Road Maryland Heights MO 63146 carbolineUSA@carboline.com	Phone: (314) 644-1000 Cell: (925) 382-4142 Fax: (314) 587-2699 www.carboline.com	<b>Shop Coat: Carbozinc® 11 Solvent Based Inorganic</b> Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: ID#: 0132-0134  approved 12/30/1998

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
International Paint LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733 www.international-pc.com	<b>Shop Coat: Interzinc® 22HS Primer</b>	Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS ID#: 0430  approved 1 /10/2005
PPG Protective & Marine Coatings Nye Miller 1583 San Juan Drive Brea CA 92821 nyemiller@msm.com Phone: (714) 337-1953 Cell: (562) 691-9600 Fax: (562) 691-3550 www.ppgamercoatus.ppgpmc.com	<b>Shop Coat: Dimetcote® 9 Inorganic Zinc</b>	Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi-Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure ID#: 0592  approved 5 /21/2008
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>B65 Series Corthane TM II B65V150 Sherthane 2K</b>	UCAR Latex DT 250 NA UCAR Latex DT 250 NA ID#: 0429, 0140  approved
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721 www.sherwin-williams.com	<b>Shop Coat: Zinc Clad® II</b>	Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150 ID#: 0424  approved 12/30/1998

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3300 Flex P 3340 Cone 3810 HI 3870 VIP DG</b>	type IV type IX type IX for Barricades ONLY and Permanent Traffic Signs; P=Prismatic, HI=High Intensity, ID#: 0642, 0291, 0550, 0631  approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>334 P 336 P 3930 3983 DF</b>	type IV type IV type IV type IV for Barricades ONLY and Permanent Traffic ID#: 0141, 0059  approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3900 3930 3981 3990 VIP DG</b>	type IX type IV type IX type IX DG=Diamond Grade ID#: 0163, 0508, 0301, 0302  approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>3910 FL DG 3914 FL DG 3924 FL DG 3924S O P*</b>	type IV type IV type IV type IV for Barricades ONLY and Permanent Traffic ID#: 0289, 0155  approved 8 /16/2000



**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>		<b>Product Name</b>		<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	444 DG3 B 446 DG3 B Series 4084 DG3	type XI type XI type XI	B=Barricade	ID#: 0457  approved 8/16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OC T11500 OC T11511 OC T11513 OC T11514	type XI type XI type XI type XI	OC=OmniCube	ID#: 1833  approved 7/29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	OV T9500 OV T9511 OV T9513 OV T9514	type IX type IX type IX type IX	OV=OmniView	ID#: 1837  approved 3/2/2009
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	S9000C Cone Collar	type VI	for reboundable traffic cones ONLY	ID#: 0471  approved 2/2/2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	T5500A HI T7000 F T7500 P	type IV type IV type IV	for Flagger Paddles ONLY; F=Florescent, P=Prismatic, HI=High Intensity	ID#: 0455, 0456, 0344  approved 9/15/2003
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 588-7717 Cell: (847) 627-7688 Fax: (847) 627-3111 www.reflectives.averydennison.com	W6000 P T6500 P HI W7514 F	type IV type IV type IV	for temporary traffic control devices, delineators and permanent signs ONLY;	ID#: 0298, 0164, 0297  approved 8/21/2000
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	92847 Crystal Flu Orange* W: Nikkalite CRG 92802	type IV type IV	for permanent traffic signs ONLY; *for Flagger Paddles ONLY	ID#: 0522, 0650  approved 4/29/2005
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	B: Nikkalite CRG 92806 G: Nikkalite CRG 92808	type IV type IV	for permanent traffic signs ONLY	ID#: 0653, 0654  approved 7/29/2009
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90221 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	Y: Nikkalite CRG 92804 R: Nikkalite CRG 92805	type IV type IV	for permanent traffic signs ONLY	ID#: 0651, 0652  approved 7/29/2009

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Nippon Carbide Industries James Hu 12981 East Florence Avenue Santa Fe Springs CA 90670 jhu@nikkalite.com	Phone: (800) 821-4264 Cell: (949) 460-9604 Fax: (310) 632-1959 www.nikkalite.com	<b>Y-G: Nikkalite CRG 92844</b> <b>Flu</b> <b>Nikkalite HI ULGH II</b> type IV type IV for permanent traffic signs ONLY  <b>ID#:</b> 0649, 0271  <b>approved</b> 7 /29/2009
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	<b>AP 1000</b> type V for delineators, safety fencing, and glare screens ONLY *10/09 discontinuing but still available for usage  <b>ID#:</b> 0295  <b>approved</b> 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	<b>Conformalight</b> <b>Marathon</b> type IV type IV for roll-up signs ONLY; (same as HP Marathon)  <b>ID#:</b> 0293, 0294  <b>approved</b> 4 /8 /1999
Reflexite Americas Rebecca Cavazuti 315 South Street New Britain CT 06051 customer.service@reflexite.com	Phone: (800) 654-7570 Cell: (860) 223-9297 Fax: (860) 832-9267 www.reflexite.com	<b>Reflexite Fluorescent</b> <b>Orange Super Bright</b> <b>Rollup</b> type IV for flagger Poles ONLY  <b>ID#:</b> 0162  <b>approved</b> 4 /8 /1999

**726.03.04 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092 sales@centralfiber.com	Phone: (800) 654-6117 Cell: (330) 452-2630 Fax: (785) 883-4429 www.centralfiber.com	<b>Second Nature Paper</b> <b>Fiber Mulch</b>  <b>ID#:</b> 0146  <b>approved</b> 6 /25/1998
Hamilton Manufacturing Inc Patrick Andrew 901 Russet Street Twin Falls ID 83301 info@hmi-mfg.com/patrick@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	<b>Nature's Own</b>   <b>ID#:</b> 0147  <b>approved</b> 6 /25/1998
North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	<b>HydraCX2 Extreme Slope</b> <b>Matrix</b>  <b>ID#:</b> 0715  <b>approved</b> 5 /28/2010
Profile Products LLC Becky Gauthier 20422 30th Street South Lakebay WA 98349 bgauthier@profileproducts.com	Phone: (253) 884-0747 Cell: (253) 208-9777 Fax: (253) 884-0730 www.profileproducts.com	<b>Conweb 1000</b> <b>Flexterra</b>  <b>ID#:</b> 0145, 0244  <b>approved</b> 12/18/2008

**726.03.04 MULCH**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Terra Novo Incorporated Andy Iturrria 2930 Patten Way Bakersfield CA 93308 andy@terranovo.com	<b>EarthGuard Fiber Matrix</b> Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	application and dilution rates follow manufacturer's instructions; should ONLY be used in areas that will not be disturbed by vehicle or foot traffic	0318  approved 11/2 /2001

**726.03.05 TACKIFIER**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>ID#:</i>
Central Fiber Corporation Jeff Ward 4814 Fiber Lane Wellsville KS 66092	<b>TacPac GT</b> Phone: (800) 654-6117 Cell: (330) 432-2630 Fax: (785) 883-4429	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0148  approved 6 /25/1998
Driwater Incorporated Mary Paternoster 1042 Hopper Avenue Santa Rosa CA 95403 mary@driwater.com	<b>Driwater Hydro Mix</b> Phone: (707) 588-1444 Cell: Fax: (707) 588-1445 www.driwater.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage; NOTE: surfaces subject to spill; can be slippery	0277  approved 1 /5 /2001
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.royal@evonik.com	<b>Hydropan</b> Phone: (336) 335-3781 Cell: (513) 317-8311 Fax: (513) 672-9633 www.evonik.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0683  approved 3 /1 /2010
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>PX 300</b> Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 www.gmbostoncompany.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0433  approved 6 /10/2003
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	<b>HydraPam</b> Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com		1745  approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-1045 FI-1046 FI-3500</b> Phone: (216) 475-8488 Cell: Fax: (216) 475-6517 www.soilmoist.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0689, 0680, 0681  approved 3 /1 /2010
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Fisch-Stick Terravest</b> Phone: (509) 235-3800 Cell: (509) 981-8555 Fax: (509) 235-3803 www.primeoneproducts.com	Environmental Services Division, Water Quality Specialist must be contacted prior to usage	0152, 0153  approved 7 /24/1996

**726.03.05 TACKIFIER**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	<b>LandTack Guar</b> ID#: 1777  approved 2/16/2011
Terra Novo Incorporated Andy Iturrria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	<b>EarthGuard Fiber Matrix</b> Environmental Services Division, Water Quality Specialist must be contacted prior to usage; application and dilution rates follow manufacturer's instructions. Shuld be only used in areas that will not be disturbed by vehicle or foot traffic ID#: 0318  approved 11/2 /2001

**726.03.13 SOIL STABILIZER**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
American Refining Group Colin Kimball 77 North Kendell Avenue Bradford PA 16701 ckimball@amref.com	Phone: (814) 368-1200 Cell: (281) 770-0220 Fax: (814) 368-1335 www.amref.com	<b>PennzSuppress D Dust Suppressant</b> application and dilution rates follow manufacturer's instructions ID#: 0121  approved 5/19/2004
Arrow Magnolia International LP Eunice Kemp 2646 Rodney Lane Dallas TX 75229 ekemp@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 484-2896 www.arrowmagnolia.com	<b>Road Boss</b> application and dilution rates follow manufacturer's instructions ID#: 0498  approved 11/8 /2005
ENCAP LLC Adrian Ramirez 3921 Algoma Road Green Bay WI 54311 aramirez@encap.net	Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.encepro.com/index.php/products/	<b>PAM-12 PLUS</b> application and dilution rates follow manufacturer's instructions ID#: 1205  approved 8/17/2007
Enviroad Don Blackmon 2606 North Newark Street Portland OR 97217 don@enviroad.com	Phone: (800) 536-2650 Cell: (503) 701-7802 Fax: (503) 279-2633 www.enviroad.com	<b>Earthbind 100</b> application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water ID#: 0420  approved 3/17/2003
Evonik Stockhausen LLC Lynn Royal 2401 Doyle Street Greensboro GA 27406 lynn.royal@evonik.com	Phone: (336) 335-3781 Cell: (513) 317-8311 Fax: (513) 672-9633 www.evonik.com	<b>Hydropan</b> application and dilution rates follow manufacturer's instructions ID#: 0683  approved 3/1 /2010
Fluid Tech Incorporated Stan True 6450 Spring Mountian Road Suite 9 Las Vegas NV 89146 strue@fluid-tech-inc.com	Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	<b>Trans Seal I Road Oyl Soil Seal</b> application and dilution rates follow manufacturer's instructions ID#: 0323-0325  approved 1/3 /2002

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
GM Boston Co International LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799 www.gmboxtoncompany.com	<b>PX 300</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0433  <b>approved</b> 6 /10/2003
Hercules Environmental Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531 www.HerculesEnvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppr Soiloc-Pam</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0160, 0149, 0154  <b>approved</b>
Innovative Turf Solutions Melissa Schrad 5132 Ballantrae Court Cincinnati OH 45238 mrs@innovativeturfsoolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633 www.innovativeturfsolutions.com	<b>HydraPam</b> <b>ID#:</b> 1745  <b>approved</b> 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (216) 475-8488 <b>Cell:</b> <b>Fax:</b> (216) 475-6517 www.soilmoist.com	<b>FI-1045 FI-1046 FI-3500</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0689, 0690  <b>approved</b> 3 /1 /2010
Midwest industrial Supply Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind. www.midwestind.com	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247	<b>Soil Sement</b> application and dilution rates follow manufacturer's instructions application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0521  <b>approved</b> 1 /4 /2001
North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	<b>Phone:</b> (800) 772-2040 <b>Cell:</b> (801) 977-0970 <b>Fax:</b> (812) 867-0247 www.nagreen.com	<b>HydraCX2 Extreme Slope Matrix</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0285  <b>approved</b> 8 /7 /2008
NU Equipment Incorporated Julia Frehener 184 West Brooks Avenue Las Vegas NV 89030 julie@nuequipment.com	<b>Phone:</b> (702) 649-8767 <b>Cell:</b> (702) 249-1900 <b>Fax:</b> (702) 649-8446 www.nuequipment.com	<b>Plas-Bond Soiltac</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0275, 0230  <b>approved</b> 11/13/2000
Paramount Petroleum Jim Ryan 1201 China Grade Loop Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 981-8555 <b>Fax:</b> (661) 391-1054 www.eaglehighmast.com	<b>Topein S Emulsion</b> application and dilution rates follow manufacturer's instructions <b>ID#:</b> 0479  <b>approved</b> 2 /28/2002
Prime One Products LLC Robert Fischbach PO Box 30816 Spokane WA 99223 tackiferman@yahoo.com	<b>Phone:</b> (509) 235-3800 <b>Cell:</b> (509) 981-8555 <b>Fax:</b> (509) 235-3803 www.primeoneproducts.com	<b>Fisch-Stick Terravest</b> application and dilution rate follow manufacturer's instructions; 10-20 gal / acre; mix 1 gal to 20 gal minimum of water <b>ID#:</b> 0152, 0153  <b>approved</b> 6 /25/1998

**726.03.13 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
R&R Turf Rick Leslie PO Box 87 Osterander OH 43061 rrturf@verizon.net	Phone: (790) 666-9050 Cell: Fax: (740) 666-1339 www.landtack.com	<b>LandTack Guar</b> ID#: 1777 approved 2/16/2011
Sequoia Pacific Research Company Terry Holmes 1192 East Draper Parkway Suite 604 Draper UT 84020 terry@telnetz.com	Phone: (888) 465-8801 Cell: (801) 303-2558 Fax: (801) 303-2551 www.sequoiaprc.com	application and dilution rates follow manufacturer's instructions ID#: 0436 approved 6/23/2003
Soil Tech Company Jeff Deason 6420 Cameron Drive Suite 207 Las Vegas NV 89118 rue@soil-tech.com	Phone: (702) 873-2023 Cell: Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex Poly-Tex</b> application and dilution rates follow manufacturer's instructions ID#: 0467, 0468 approved 12/10/2003
Soilworks LLC Chad Falkenberg 2450 South Gilber Road, Suite 210 Chandler AZ 85286-1583 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	<b>Soiltac®</b> application and dilution rates follow manufacturer's instructions ID#: 0364 approved 9/20/2004
Terra Novo Incorporated Andy Iturriria 8000 Jill Jean Avenue Bakersfield CA 93380 andy@terranovo.com	Phone: (888) 843-1029 Cell: (661) 747-5956 Fax: (661) 587-6806 www.EarthGuard.com	<b>EarthGuard Fiber Matrix</b> application and dilution rates follow manufacturer's instructions ID#: 0318 approved 11/2/2001
US Gypsum Company John Breen 550 West Adams Street Chicago IL 60661-3076 jbreen@usg.com	Phone: (713) 983-8829 Cell: (281) 615-0163 Fax: (312) 214-6606 www.usg-erosioncontrol.com	<b>AirtrolTM Geobinder Enviro-Shield Bonded Fiber</b> application and dilution rates follow manufacturer's instructions ID#: 0555, 0554 approved 8/28/2006

**728.03.02 EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	<b>HS 200 Epoxy Adhesive Ultra Bond 1</b> type I, II, IV and V; Grade 2; Class C & 1300 Class B&C ID#: 0422, 0329 approved 11/21/2005
Adhesives Technology Corporation Susan Bogdan 450 East Copans Road Pompano Beach FL 33064-5509 sbogdan@atc.ws	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atc.ws	<b>Ultra Bond 1100 Ultra Bond 1300</b> type I, II, IV and V; Grade 2; Class C & 1300 Class B&C ID#: 0330, 0331 approved 11/21/2005

**728.03.02 EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	<b>ID#:</b>
Atlas Tech Products Ryan Quinn 4840 West Hacienda Avenue Las Vegas NV 89118 ryanquinn@atlasform.com	<b>Atlas Epoxy Bonder</b> <b>LPL Epoxy Bonder</b>	type I, II, IV and V; Grade 2 Classes B&C	0496, 0497
	<b>Phone:</b> (702) 227-6800 <b>Cell:</b> (858) 277-2100 <b>Fax:</b> (702) 222-0488		<b>approved</b> 1 /29/2003
Dayton Superior Corporation John Hukey 4226 Kansas Avenue Kansas City KS 66106 johnhukey@daytonsuperior.com	<b>Sure Anchor I J-51</b> <b>Sure Film J-74</b> <b>Evaporation</b>	type I, II, IV and V; Grade 3; Class A	0393, 0090
	<b>Phone:</b> (877) 416-3439 <b>Cell:</b> (913) 279-0264 <b>Fax:</b> (913) 279-4806		<b>approved</b> 1 /14/2003
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	<b>Duralcrete</b>	type 1 and type 2	0536
	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 531-9399 <b>Fax:</b> (216) 481-7072		<b>approved</b> 11/8 /2004
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	<b>THE 50</b> <b>HT RE 500 Epoxy</b> <b>Adhesive Anchor</b>	type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C type IV; Grade 3; Classes A, B&C	0323, 0321
	<b>Phone:</b> (800) 950-6119 <b>Cell:</b> (800) 950-6610 <b>Fax:</b> (800) 950-6610		<b>approved</b> 7 /24/2001
ITW Red Head Mark Timmerman 2171 Executive Drive Suite 100 Addison IL 60101 mark.timmerman@itw-redhead.com	<b>Ceramic 6</b> <b>Epcon C6</b>	type I & IV; Grade 3; classes B&C	0341
	<b>Phone:</b> (630) 350-0370 <b>Cell:</b> (630) 694-4720 <b>Fax:</b> (630) 495-6204		<b>approved</b> 5 /14/2002
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	<b>Dynapoxy Low Mod Epoxy</b> <b>Dynapoxy TM EP-430 Fast</b>	type III, Grade 2; Classes B&C type I, II, IV & V; Grade 3; Classes 1; B&C	0334, 0740
	<b>Phone:</b> (215) 799-7557 <b>Cell:</b> (818) 519-7658 <b>Fax:</b> (215) 799-2518		<b>approved</b> 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	<b>Pecora Dynapoxy EP-420</b> <b>Dynapoxy EP-450</b>	type II, Grade 2; Classes B&C Type I, II, IV & V; Grade 1; Classes B&C	0737, 0738
	<b>Phone:</b> (215) 799-7557 <b>Cell:</b> (818) 519-7658 <b>Fax:</b> (215) 799-2518		<b>approved</b> 6 /7 /2010
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	<b>Power Fast Plus</b> <b>Standard Set</b>	type I, II, IV and V; Grade 2; Classes B&C Type I, II, IV and V; Grade 2; Classes B&C	0644, 0645
	<b>Phone:</b> (914) 253-6300 <b>Cell:</b> (714) 731-2500 <b>Fax:</b> (914) 576-6483		<b>approved</b> 11/25/2008
Powers Fasteners Incorporated Brian Schutz 2 Powers Lane Brewster NY 10509 schultz@powers.com	<b>T308 Plus</b>	type I, II, IV and V; Grade 2; Classes B&C	0646
	<b>Phone:</b> (914) 253-6300 <b>Cell:</b> (714) 731-2500 <b>Fax:</b> (914) 576-6483		<b>approved</b> 7 /9 /2009

**728.03.02 EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Simpson Strong Tie/Meeks Lumber Joe Le Bel 5151 South Airport Way Stockton CA 95206 jlebel@strongtie.com	Phone: (800) 999-5099 Cell: Fax: (209) 234-3868 www.simpsonanchors.com	<b>EDOT ET22 Epoxy-Tie Resin Adhesive</b>	type I, II, IV and V; Grade 3; Classes B&C type I, II, IV and V; Grade 3; Classes B&C	ID#: 0217, 0218  <b>approved</b> 12/30/2000
Titan Construction Supply Inc Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	<b>Pro-Poxy 100</b>	type II, III, IV and V; Grade 3; Class A, B&C	ID#: 0569  <b>approved</b> 4/29/2008
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-poxy 200 Pro-poxy 300</b>	type I, II, IV & V; Grade 2; Class B&C	ID#: 0218, 0219  <b>approved</b> 9/23/1998
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Pro-poxy 300 Type III Epoxy Pro-poxy 50 Super LV</b>	type I, II, IV & V; Grade 3; Classes B&C type I, II, IV & V; Grade 2; Class B&C	ID#: 0254, 0247  <b>approved</b> 9/23/1998
Unitex Chemicals / Dayton Superior Gregg Freeman 3101 Gardner Avenue Kansas City KS 64120 greggfreeman@daytonsuperior.com	Phone: (800) 821-5846 Cell: (303) 941-0123 Fax: (816) 483-3149 www.unitex-chemicals.com	<b>Symons ResCon 304</b>	type I, II, IV & V; Grade 3; Classes A	ID#: 0389  <b>approved</b> 1/14/2003
USP Structural Connectors Todd Grevious 14305 Southcross Drive Suite 200 Burnsville MN 55306 jtunek@gibraltar1.com/uspconnectors.com	Phone: (952) 898-8772 Cell: (800) 328-5934 Fax: (507) 364-8762 www.uspconnectors.com	<b>CIA-GEL 7000 Adhesive</b>	type I & IV; Grade 3; Classes B, C&D	ID#: 0265  <b>approved</b> 8/9/2000
WR Meadows Incorporated Richard Spencer 652 Indiana Street Benicia CA 94510 rspencer@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>Rezi Weld 1000</b>	type I, II, IV and V; Grade 2; Classes B&C	ID#: 0478  <b>approved</b> 2/19/2004

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Colorado Paint Company Mark Vasquez 4747 Holly Street Denver CO 80216 markv@coloradopaint.com	Phone: (303) 388-9265 Cell: (303) 941-5275 Fax: (303) 388-0881 www.coloradopaint.com	<b>RockHard 1180</b>	White: RockHard 1180 Part A Yellow: RockHard 1186 Part A Hardener: RockHard 1185 Part B  "Lead Free Yellow" contains organic yellow pigment.	ID#: 0199-0201  <b>approved</b> 3/23/2000



**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	<b>HPS-3</b> White: HPS-3 Part A Yellow: HPS-3 Part A Hardener: HPS-3 Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0436-0438 <b>approved</b> 7/25/2002
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS50</b> White: LS50 Part A Yellow: LS50 Part A Hardener: LS50 Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0379 <b>approved</b> 12/19/2005
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS60</b> White: LS60 Part A Yellow: LS60 Part A Hardener: LS60 Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0381-0383 <b>approved</b> 12/19/2005
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	<b>Mark 55.2 NV</b> White: Mark 55.2 NV Part A Yellow: Mark 55.2 NV Part A "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0109-0111 <b>approved</b> 10/24/1997
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	<b>Mark 55.3</b> White: Mark 55.3 NV Part A Yellow: Mark 55.3 NV Part A Hardener: Mark 55.3 NV Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0112-0114 <b>approved</b> 10/24/1997
Poly-Carb Incorporated Mike Geist 33095 Bainbridge Road Solon OH 44139 geist@dow.com	Phone: (800) 225-5649 Cell: (719) 487-5558 Fax: (440) 248-1513 www.poly-carb.com	<b>Mark 55.4</b> White: Mark 55.4 NV Part A Yellow: Mark 55.4 NV Part A Hardener: Mark 55.4 NV Part B "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0115-0117 <b>approved</b> 10/24/1997

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arkema Incorporated Gregory Shay 410 Greyson Drive Cary NC 27511 gregory.shay@arkema.com	Phone: (919) 469-6789 Cell: Fax: (919) 469-6797 www.arkema.com	<b>UCAR TM DT 250 NA</b> <b>UCAR TM DT 400 NA</b> type 1 type 2
		ID#: 0166, 1067 <b>approved</b> 7/19/2002
Rohm & Haas Susan Ridder 100 Independence Mall West Philadelphia PA 19106 sridder@rohnass.com	Phone: (800) 967-7704 Cell: (215) 592-3846 Fax: (800) 382-4008 www.rohnass.com	<b>Fastrack® HD21A</b> <b>Fastrack® 3427</b> type 2; prev Rhoplex TM Fastrack HD21A type 1; prev Rhoplex TM Fastrack 3427
		ID#: 0319 <b>approved</b> 5/20/1999

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com www.ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217	W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2 UCAR Latex DT 250 NA UCAR Latex DT 250 NA ID#: 0490, 0491  approved 7 /30/2002
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com www.ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217	W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1 Fastrack® 3427 Fastrack® 3427 ID#: 0345, 0346  approved 12/11/2002
Pervo Paint Company Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com www.pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719	W: Pervo Plastics 6000 Y: Pervo Plastics 6003 Fastrack® 3427 Fastrack® 3427 ID#: 0349, 0350  approved 7 /30/2002

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com www.ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217	W: 982811 NVW-40-M-2 Y: 982812 NVY-40-M-2 UCAR Latex DT 400 NA UCAR Latex DT 400 NA ID#: 0353, 0354  approved 12/11/2002
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com www.ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1 Fastrack® HD-21A Fastrack® HD-21A ID#: 0540, 0541  approved 12/11/2002
Pervo Paint Company Scott Shannon 6624 Stanford Avenue/PO Box 01496 Los Angeles CA 90001 scotts@pervo.com www.pervo.com	Phone: (800) 892-3647 Cell: (323) 864-0908 Fax: (323) 778-9719	W: Pervo Plastics 6050 Y: Pervo Plastics 5053 Fastrack® HD-21A Fastrack® HD-21A ID#: 0351, 0352  approved 7 /30/2002
Sherwin Williams Company, The Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com www.sherwin-williams.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721	W: BP19421 (TM2398) Y: BP19422 (TM2399) Fastrack® HD-21A Fastrack® HD-21A ID#: 0423-0425  approved 7 /9 /2003

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com www.3M.com/tcm	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016	Series 1200 Stamark Liquid White: Part A 1200 Yellow: Part A 1201 Cross Linker: Part B 1230 ID#: 0444  "Lead Free Yellow" contains organic yellow pigment. approved 8 /16/2000

**729.03.06 PAINT MARKING MATERIAL (POLYUREA)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	<b>HPS-5</b> White: HPS-5 Part A Yellow: HPS-5 Part A Cross Linker: HPS-5 Part B  "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0439-0441  <b>approved</b> 7 /25/2002
Epoplex Cindi Westlund 1 Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (801) 619-1442 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS90</b> White: LS90 Part A Yellow: LS90 Part A Cross Linker: LS90 Part B  "Lead Free Yellow" contains organic yellow pigment.
		ID#: 0440  <b>approved</b> 12/19/2005

**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>Series 270 ES Stamark</b> <b>Series 420 Stamark</b> type 1 type 1  The 420 Stamark is being phased out
		ID#: 0035, 0458  <b>approved</b> 2 /23/2009
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	<b>Series 5730 Stamark</b> type 1
		ID#: 0457  <b>approved</b> 8 /16/2000
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	<b>W/Y: Series 300</b> <b>W/Y: Series 400</b> type 1 type 1
		ID#: 0016, 0015  <b>approved</b> 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	<b>Series Delta-line TWR</b> type 1
		ID#: 0672, 0673  <b>approved</b> 2 /2 /2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	<b>W/Y: Series 100</b> <b>W/Y: Series 200</b> type 1 type 1
		ID#: 0165, 0546  <b>approved</b> 10/10/2007
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	<b>Series Director 35</b> <b>Series Director 60</b> type 1 type 1
		ID#: 0473, 0472  <b>approved</b> 2 /17/2004

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<b>Vendor Name / Address</b>		<b>Product Name</b>		<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 270 ES Stamark Series 420 Stamark	type 2 type 2	ID#: 0035, 0458  approved 2 /18/2009
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: Series 300 W/Y: Series 400	type 2 type 2	ID#: 0016, 015  approved 4 /29/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line HDX Series Delta-line XRP	type 2 type 2	ID#: 0671, 0673  approved 2 /2 /2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 100	type 2	ID#: 0207  approved 2 /2 /2010
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	W/Y: Series 900 W/Y: Series 1000	type 2 type 2	ID#: 0488, 0546  approved 2 /25/2008
Swarco Industries / Traffic Mgt Jackie Monroe 270 Rutherford Lane Columbia TN 38401 sales.stmnc@swarco.com	Phone: (931) 560-4158 Cell: (931) 388-5900 Fax: (931) 388-4039 www.swarco.com	Series Director 35	type 2	ID#: 0473  approved 2 /17/2004

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<b>Vendor Name / Address</b>		<b>Product Name</b>		<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231392 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 270ES Stamark Series 390 Stamark	type 4 type 4	ID#: 0709, 0533  approved 3 /12/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89123 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (702) 914-6016 www.3M.com/tcm	Series 380 IES Stamark Series 381 WR-ES Stamark	type 4 type 4 WR-ES is a high performance, wet reflective tape	ID#: 0460, 0461  approved 8 /16/2000

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: Fax: (252) 536-4940 www.trafficmarking.com	W/Y: Series 400 type 4 ID#: 0015 approved 5 /10/2008
Brite Line Technologies Bill Jubak 3788 Trotters Ridge Drive Las Vegas NV 89122 bjubak@cox.net	Phone: (702) 649-9223 Cell: (216) 924-6215 Fax: (702) 649-9237 www.brite-line.com	Series Delta-line HDX Series Delta-line XRP type 4 ID#: 0673 approved 2 /2 /2010

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crown Technology LLC Jeannie Powell 35 Industrial Park Drive Woodbury GA 30293 jeannie@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownthermo.com	Tuffline Alkyd ID#: 0398 approved 1 /17/2003
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	W: 885555 Alkyd Thermoplastic Y: 884685 Alkyd lead free ID#: 0656, 0674 approved 5 /29/2009

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Traffic Safety Solutions Cynthia Peterson P.O. Box 404 Ennis TX 75120 cpeterson@ennistraffic.com	Phone: (800) 331-8118 Cell: (214) 874-7299 Fax: (800) 555-0217 www.ennistraffic.com	Flame Tape Thermaline ID#: 0299, 0300 approved 6 /13/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900 www.flintrtrading.com	Hot Tape Premark® PLUS replaced Premark 20/20 Flex Plus ID#: 0168, 0169 approved 6 /1 /1999

**QPL NOTES**  
**December 10, 2010**

Contractors are required to use actual dated Qualified Products List (QPL) specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The Product Evaluation Coordinator, NDOT Research, must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via e-mail at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.