

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|------------------------------|--------------------------------------|-----------------------------------|
| VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- | SBBC-xx-AL SBBC-xx-ALI SBBC-xx-ALPH SBBC-xx-ALHPI | | 5/26/1998 | R002, R003 R004, R005 |
| <i>Contact:</i> Kim Goldensten | | | | |
| <i>Mfg #:</i> (800) 729-1314 | <i>Cell #:</i> | <i>Fax #:</i> (888) 310-3946 | <i>Web Site:</i> www.vitproducts.com | <i>Email:</i> kim@vitproducts.com |

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|------------------------------|-------------------------------------|-------------------------------------|
| RectorSeal 2601 Spenwick Drive Houston TX 77055- | RectorSeal #5 | | 8/2/1999 | R189 |
| <i>Contact:</i> Scott Kerns | | | | |
| <i>Mfg #:</i> (713) 860-6717 | <i>Cell #:</i> | <i>Fax #:</i> (713) 263-7577 | <i>Web Site:</i> www.rectorseal.com | <i>Email:</i> scottk@rectorseal.com |

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|-------------------------------|--|--------------------------------------|
| S-Square Tube Products PO Box 306 Commerce City CO 80037- | NEX Mailbox Support System | Type C Mailbox Support System | 3/29/2004 | R487 |
| <i>Contact:</i> Susan Keim | | | | |
| <i>Mfg #:</i> (303) 286-7051 | <i>Cell #:</i> (888) 267-6463 | <i>Fax #:</i> (866) 639-5717 | <i>Web Site:</i> www.s-squaretube.com | <i>Email:</i> susan@s-squaretube.com |
| Traffic & Parking Control Company 5100 West Brown Deer Road Brown Deer WI 53223- | V-LOC Mailbox Support System | | 11/4/1997 | R006 |
| <i>Contact:</i> Bryan Everard | | | | |
| <i>Mfg #:</i> (262) 814-7000 | <i>Cell #:</i> (414) 793-2508 | <i>Fax #:</i> (800) 444-0331 | <i>Web Site:</i> www.tapconet.com/vloc | <i>Email:</i> bryane@tapconet.com |

401.02.03 HERBICIDES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|--|--|--|
| Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- | Pramitol 25E | Application rate: 38L/hectare 25gal/acre | 8/1/1993 | R007 |
| <i>Contact:</i> Howard Stoddard | | | | |
| <i>Mfg #:</i> (281) 892-2500 | <i>Cell #:</i> (800) 242-5562 | <i>Fax #:</i> (281) 892-2501 | <i>Web Site:</i> www.controlsolutionsinc.com | <i>Email:</i> orders@controlsolutionsinc.com |

401.02.03 HERBICIDES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|---------------------------------|------------------|
| Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (800) 313-7378 <i>Cell #:</i> (317) 337-3000 <i>Fax #:</i> (916) 525-2710 <i>Web Site:</i> www.dowagro.com | Spike 80 W Spike 80 DF (dry formula with safer application) | Application rate: 1.8 kg/hectare 10 lbs/acre | 8/1/1993 | R008, R015 |
| | | | <i>Contact:</i> Beau Miller | |
| | | | <i>Email:</i> bjmillier@dow.com | |

401.02.03b WEED CONTROL FABRIC

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---------------------------------|---------------------|----------------|------------------|------------------|
| NO VENDOR LISTINGS AT THIS TIME | | | | |
| | | | <i>Contact:</i> | |
| <i>Mfg #:</i> | <i>Cell #:</i> | <i>Fax #:</i> | <i>Web Site:</i> | <i>Email:</i> |

401.03.02 ASPHALT RELEASE AGENTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|--|--------------------------|
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com | Super Slick Bio Slider | 10/26/05 Company Name change: Chemco to Arrow Magnolia | 4/22/2004 | R494, R495 |
| | | | <i>Contact:</i> Eunice Kemp | |
| | | | <i>Email:</i> ekemp@arrowmagnolia.com | |
| BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 <i>Cell #:</i> (214) 826-6822 <i>Fax #:</i> (214) 826-7290 <i>Web Site:</i> www.bgchemical.com | Black Magic 13 Black Magic "For Rubber" Thermal Slide GreenGuard | | 5/8/2000 | R260, R261 R262, R648 |
| | | | <i>Contact:</i> Jeff Gunter | |
| | | | <i>Email:</i> jgunter@bgchemical.com | |
| Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- <i>Mfg #:</i> (800) 480-2436 <i>Cell #:</i> (801) 548-2287 <i>Fax #:</i> (801) 274-2425 <i>Web Site:</i> www.brodychemical.com | Slippery Wizard Clear Wizard | | 7/15/2008 | R603, R632 |
| | | | <i>Contact:</i> Tammy Price | |
| | | | <i>Email:</i> tamme_price@yahoo.com | |
| ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 <i>Cell #:</i> (623) 435-1945 <i>Fax #:</i> (937) 534-0426 <i>Web Site:</i> www.chemstation.com | 2217-A 2217-B 6992 | | 12/20/2007 | R392, R584 R716 |
| | | | <i>Contact:</i> Katie Overton | |
| | | | <i>Email:</i> koverton@chemstation.com | |

401.03.02 ASPHALT RELEASE AGENTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------------|---|---|--------------------------|
| Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 <i>Cell #:</i> (770) 891-3307 <i>Fax #:</i> (770) 386-3391 <i>Web Site:</i> | No 1 | Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. | 4/27/2000 <i>Contact:</i> Paul Wilson | R263 |
| Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 <i>Cell #:</i> (417) 866-5592 <i>Fax #:</i> (417) 866-5593 <i>Web Site:</i> www.rhomar.com | Enviro-Slide Ultra | | 4/26/2000 <i>Contact:</i> Bob Hamilton | R259 |
| Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Cell #:</i> <i>Fax #:</i> (770) 443-0810 <i>Web Site:</i> www.thetecteam.com | Teclon-Pro | | 11/7/2006 <i>Contact:</i> Karen Price | R562 |
| ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 <i>Cell #:</i> (775) 721-2821 <i>Fax #:</i> (209) 830-5124 <i>Web Site:</i> www.zep.com | R-5274 R-6690 XT-3199 X-509 | | 5/11/2006 <i>Contact:</i> Byran Castelloni | R368, R369 R370, R263 |

409.03.10 EVAPORATIVE RETARDER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|---|---|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com | Atlas Finish Film | | 1/29/2003 <i>Contact:</i> Ryan Quinn | R419 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com | Dayton Superior SureFilm J-74 | Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal | 8/2/1999 <i>Contact:</i> John Hukey | R190 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Eucoabar | | 9/30/1996 <i>Contact:</i> Christopher Balsat | R044 |

409.03.10 EVAPORATIVE RETARDER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|------------------|
| Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 | VaporAid 060 | | 8/2/1999 | R191 |
| <i>Contact:</i> Alex Kaufman | | | | |
| <i>Mfg #:</i> (410) 354-8600 <i>Cell #:</i> (800) 637-6372 <i>Fax #:</i> (410) 354-1122 <i>Web Site:</i> www.kaufmanproducts.net <i>Email:</i> akaufman@kaufmanproducts.net | | | | |
| Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- | Certi-Vex Envioassist Evaporative Retarder | Application rate:4.9 m2/1 to 200 ft2/gal | 8/2/1999 | R193 |
| <i>Contact:</i> Darryl Manuel | | | | |
| <i>Mfg #:</i> (215) 332-7709 <i>Cell #:</i> (888) 839-2661 <i>Fax #:</i> (215) 332-9997 <i>Web Site:</i> www.vexcon.com <i>Email:</i> techservice@vexcon.com | | | | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- | Sealtight Evapre Evaporative Retarder | Application rate: 1gal/to 9gal water | 8/1/1999 | R194 |
| <i>Contact:</i> Richard Spencer | | | | |
| <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> rspencer@wrmeadows.com | | | | |

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---------------------|----------------|---------------|------------------|
| Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- | Aggregate | | 1/26/1997 | R014 |
| <i>Contact:</i> Michael Camello | | | | |
| <i>Mfg #:</i> (925) 426-8787 <i>Cell #:</i> (916) 941-2906 <i>Fax #:</i> (916) 939-7481 <i>Web Site:</i> www.cemex.com <i>Email:</i> michaela.camello@cemex.com | | | | |

502.02.04 CONCRETE STAIN

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------|----------------|---------------|------------------|
| Quest Construction Products 2810 South 18th Place Phoenix AZ 85034- | Canyon Tone Stain | | 4/12/2005 | R519 |
| <i>Contact:</i> Shawn Carney | | | | |
| <i>Mfg #:</i> (800) 541-4383 <i>Cell #:</i> (509) 998-6263 <i>Fax #:</i> (480) 745-8939 <i>Web Site:</i> www.unitedcoatings.com <i>Email:</i> shawn@unitedcoatings.com | | | | |
| Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- | Coverall 2800 AF Ext. Flat | | 5/20/2008 | R614 |
| <i>Contact:</i> Steven Tetreault | | | | |
| <i>Mfg #:</i> (714) 680-3800 <i>Cell #:</i> (702) 292-8316 <i>Fax #:</i> (714) 459-4681 <i>Web Site:</i> www.vistapaint.com <i>Email:</i> stetreault@vistapaint.com | | | | |

502.02.05a**ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|---|
| American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- <i>Mfg #:</i> (800) 676-5963 <i>Cell #:</i> (801) 201-2826 <i>Fax #:</i> (801) 255-7123 <i>Web Site:</i> www.americanpolymer.com <i>Email:</i> gregg@americanpolymer.com | Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202) | 10/08 New product replaces GSS10 Anti Graffiti Coating | 9/3/2008 | R389, R390 R391 <i>Contact:</i> Greg Gohlinghorst x.1 |
| Monopole Incorporated 4661 Alger Street Los Angeles CA 90039- <i>Mfg #:</i> (800) 491-9977 <i>Cell #:</i> <i>Fax #:</i> (818) 502-0818 <i>Web Site:</i> www.monopoleinc.com <i>Email:</i> tony@monopoleinc.com | Monochem Permashield Premium Graffiti 5600 | | 10/5/2009 | R679 <i>Contact:</i> Tony Khalil |
| SEI Chemical Incorporated 3430 Union Pacific Avenue Los Angeles CA 90023- <i>Mfg #:</i> (323) 263-4575 <i>Cell #:</i> (888) 273-4489 <i>Fax #:</i> (801) 255-7123 <i>Web Site:</i> www.seichemical.com <i>Email:</i> ross@seichemical.com | GPA 200 Graffiti Proofer® Anti-Stick GPA 300 Graffiti Proofer® | Flattening Agent Required | 5/6/2010 | R709, R710 <i>Contact:</i> Ross Sklar |
| Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115- <i>Mfg #:</i> (216) 566-1733 <i>Cell #:</i> <i>Fax #:</i> (216) 830-7721 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> paul.trautmann@sherwin.com | Anti-Graffiti 2K Waterbased urethane Coating | Part A: B65T00194 and Part B: B65V190 | 5/27/2010 | R711 <i>Contact:</i> Paul Trautmann |

502.03.13i**PREFORMED JOINT FILLERS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|---------------|--|
| BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com <i>Email:</i> christopher.overby@basf.com | JEENE® Structural & Sealing Joint Wabo® Evazote UV | | 8/2/2006 | R011, R016 <i>Contact:</i> Chris Overby |
| Chase Construction Products 191 Vanderzee Road Ravena NY 12143- <i>Mfg #:</i> (518) 694-4171 <i>Cell #:</i> (518) 505-5043 <i>Fax #:</i> (518) 694-0955 <i>Web Site:</i> www.chaseconstructionproducts.com <i>Email:</i> teck@chasecorp.com | MetaZeal Phyzite 380 | | 5/3/1999 | R009, R024 <i>Contact:</i> Terry Eck |
| RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301 <i>Cell #:</i> <i>Fax #:</i> (716) 691-3305 <i>Web Site:</i> www.rjwatson.com <i>Email:</i> mdstafford@rjwatson.com | Silicoflex | | 12/7/2000 | R276 <i>Contact:</i> Marc Stafford |

502.03.13i PREFORMED JOINT FILLERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 <i>Cell #:</i> (603) 889-6872 <i>Fax #:</i> (603) 889-6874 <i>Web Site:</i> www.willsealusa.com <i>Email:</i> info@schul.com | Will Seal 600 | | 6/4/2002 | R347 |
| <i>Contact:</i> Steven Robinson | | | | |
| TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 <i>Cell #:</i> (419) 408-5469 <i>Fax #:</i> (419) 424-5959 <i>Web Site:</i> www.techstar-inc.com <i>Email:</i> warren@techstar-inc.com | W Seal | | 5/3/1999 | R131 |
| <i>Contact:</i> Warren Brown | | | | |

502.03.13j ASPHALTIC PLUG EXPANSION JOINTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------|----------------|---------------|------------------|
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com <i>Email:</i> ldurain@dsbrown.com | Matrix 502 Pave Tech | | 6/5/1997 | R198 |
| <i>Contact:</i> Larry Durain | | | | |
| Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 <i>Cell #:</i> (570) 337-3605 <i>Fax #:</i> (570) 546-2415 <i>Web Site:</i> www.DSA-Ltd.com <i>Email:</i> tpersing@dsa-ltd.com | BJS Thorma Joint Systems | | 9/19/2002 | R360 |
| <i>Contact:</i> Tim Persing | | | | |

502.03.13k EXPANSION JOINT (SPECIAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------|--|---------------|------------------|
| Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- <i>Mfg #:</i> (800) 888-8909 <i>Cell #:</i> (918) 230-3148 <i>Fax #:</i> (918) 586-4912 <i>Web Site:</i> www.ssicm.com <i>Email:</i> scott.fowler@ssicm.com | Dow 902 XJS Joint System | This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an acceptable product. | 4/22/2002 | R212 |
| <i>Contact:</i> Scott Fowler | | | | |

502.03.13l EXPANSION JOINT SEALANT

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------|----------------|---------------|------------------|
| BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com <i>Email:</i> christopher.overby@basf.com | Wabo® SiliconSeal - 2 Part | | 4/22/2002 | R340 |
| <i>Contact:</i> Chris Overby | | | | |

502.03.131**EXPANSION JOINT SEALANT**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-------------------------------------|---|
| Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- | 902 RCS | | 4/22/2002 | R339 |
| <i>Contact:</i> Jason Sika | | | | |
| <i>Mfg #:</i> (303) 980-1780 | <i>Cell #:</i> (303) 880-9614 | <i>Fax #:</i> (303) 980-1780 | <i>Web Site:</i> www.dowcorning.com | <i>Email:</i> jason.sika@dowcorning.com |

502.03.19**FINE SURFACE FINISH (BONDED GROUT)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|------------------------------|---|--|
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- | Tammscoat Fine | | 9/4/2007 | R567 |
| <i>Contact:</i> Christopher Balsat | | | | |
| <i>Mfg #:</i> (216) 692-8381 | <i>Cell #:</i> (800) 321-7628 | <i>Fax #:</i> (216) 481-7072 | <i>Web Site:</i> www.euclidchemical.com | <i>Email:</i> cbalsat@euclidchemical.com |
| Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- | Tex.Cote® XL 70 Bridge Cote® 300 Bridge Cote | | 9/4/2007 | R595, R596 |
| <i>Contact:</i> James Servais | | | | |
| <i>Mfg #:</i> (323) 855-1242 | <i>Cell #:</i> (310) 780-1983 | <i>Fax #:</i> (805) 523-8737 | <i>Web Site:</i> www.texcote.com | <i>Email:</i> j.servais@texcote.com |

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------|---|--|--|
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- | Crafco Asphalt Rubber | Type 1, 2 or 4; Depends on Climate Zone | 1/7/1998 | R020 |
| <i>Contact:</i> Lowell Parkison | | | | |
| <i>Mfg #:</i> (602) 276-0406 | <i>Cell #:</i> (480) 236-8262 | <i>Fax #:</i> (480) 961-4772 | <i>Web Site:</i> www.crafco.com | <i>Email:</i> lowell.parkison@crafco.com |
| Henry Company 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245- | Calseal | | 9/8/1998 | R025 |
| <i>Contact:</i> Randy Rozell | | | | |
| <i>Mfg #:</i> (310) 955-9200 | <i>Cell #:</i> (916) 849-9908 | <i>Fax #:</i> (858) 391-1077 | <i>Web Site:</i> www.henry.com | <i>Email:</i> customerservice@henry.com |
| Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104- | Elastoflex 44 Elastoflex 56 | | 1/6/1998 | R022, R023 |
| <i>Contact:</i> Dale Bergivin | | | | |
| <i>Mfg #:</i> (801) 972-2090 | <i>Cell #:</i> | <i>Fax #:</i> (801) 972-5536 | <i>Web Site:</i> www.maxwellproducts.com | <i>Email:</i> dale@maxwellproducts.com |

505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------|----------------|---------------|------------------|
| Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- <i>Mfg #:</i> (800) 626-7891 <i>Cell #:</i> (615) 995-5576 <i>Fax #:</i> (216) 750-7575 <i>Web Site:</i> www.akzonobel.com <i>Email:</i> fritz.herrmann@akzonobel.com | Resicoat RB-600 HKF30R | | 4/30/2008 | R591 |
| Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041- <i>Mfg #:</i> (713) 996-0669 <i>Cell #:</i> (713) 996-4665 <i>Fax #:</i> (713) 939-4028 <i>Web Site:</i> www.hoovers.com/dupont-coatings <i>Email:</i> kuruvila.varughese@usa.dupont.com | 7-2719 Nap Guard Epoxy Coating | | 1/18/2001 | R281 |
| Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- <i>Mfg #:</i> (281) 370-6164 <i>Cell #:</i> (281) 630-9878 <i>Fax #:</i> (281) 370-6654 <i>Web Site:</i> www.valspar.com <i>Email:</i> madams@valspar.com | Greenbar #720A009 | | 1/1/1996 | R028 |

509.03.09 SYNTHETIC DRILLING SLURRY

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| CETCO Construction Drilling Products 2870 Forbs Avenue Hoffman Estates IL 60192- <i>Mfg #:</i> (847) 851-1810 <i>Cell #:</i> (847) 910-4334 <i>Fax #:</i> (847) 851-1367 <i>Web Site:</i> www.constructiondrilling.com <i>Email:</i> john.berry@cetco.com | Shore Pac | | 9/25/2006 | R559 |
| Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- <i>Mfg #:</i> (210) 587-4758 <i>Cell #:</i> (310) 923-4160 <i>Fax #:</i> (210) 568-4567 <i>Web Site:</i> www.geotech.us <i>Email:</i> mholmes@geotech.us | Novagel Polymer | | 9/25/2006 | R558 |
| PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Cell #:</i> <i>Fax #:</i> (562) 634-1350 <i>Web Site:</i> www.pdscoinc.com <i>Email:</i> sales@pdscoinc.com | Super Mud | | 9/25/2006 | R560 |

609.02.01a

FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---|--------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Pro-1 Patch | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 5/14/2009 <i>Contact:</i> Ryan Quinn | R312 |
| BASF Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.buildingsystems.basf.com <i>Email:</i> basfbcsct@basf.com | Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. Name Change: ThorRoc 10-60 Rapid Mortar to 10-60 Rapid Mortar | 1/3/2002 <i>Contact:</i> Customer Service | R385, R386 R387 |
| Buzzi Unicem USA Incorporated 100 Brodhead Road Suite 230 Bethlehem PA 18017- <i>Mfg #:</i> (610) 882-5013 <i>Cell #:</i> <i>Fax #:</i> (610) 868-8795 <i>Web Site:</i> www.buzziunicemusa.com <i>Email:</i> william.krupa@buzziunicemusa.com | Ulli-Grout® Ulli-Pave3t® | | 6/28/2010 <i>Contact:</i> William Krupa | R745, R746 |
| CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (714) 348-1946 <i>Fax #:</i> (714) 379-8270 <i>Web Site:</i> www.ctscement.com <i>Email:</i> fsenatore@ctscement.com | Rapid Set DOT Repair Mix | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 1/27/1994 <i>Contact:</i> Frank Senatore | R039 |
| CTS Cement Manufacturing Corporation 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (702) 736-5888 <i>Fax #:</i> (702) 269-2069 <i>Web Site:</i> www.rapidset.com <i>Email:</i> jlariz@ctscement.com | Rapid Set Cement All Rapid Set Concrete Mix Rapid Set Motar Mix | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 5/28/2010 <i>Contact:</i> Jeremy Lariz | R712, R713 R714 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | Dayton Superior HD50 Edoco Fast Patch 928 | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 <i>Contact:</i> John Hukey | R037, R038 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com | Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 11/8/2005 <i>Contact:</i> Christopher Balsat | R537, R538 R539 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com | Hi-Flow Grout Euco-Speed MP Euco-Speed | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 <i>Contact:</i> Christopher Balsat | R041, R042 R043 |

609.02.01a**FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------------|---|---------------|------------------|
| Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- <i>Mfg #:</i> (800) 243-2206 <i>Cell #:</i> (203) 336-7900 <i>Fax #:</i> (203) 336-7930 <i>Web Site:</i> www.fivestarpromts.com <i>Email:</i> piekosc@fivestarpromts.com | Highway Patch Structural Concrete | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 | R034, R035 |
| Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <i>Mfg #:</i> (209) 830-7803 <i>Cell #:</i> (209) 482-4488 <i>Fax #:</i> (209) 830-7804 <i>Web Site:</i> www.us.henkel.com <i>Email:</i> bob.bacchetti@us.henkel.com | Loctite MagnaCrete | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 10/17/2008 | R615 |
| High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <i>Mfg #:</i> (949) 677-8229 <i>Cell #:</i> <i>Fax #:</i> (714) 439-1001 <i>Web Site:</i> www.ConcreteRepair.com <i>Email:</i> johncollins@concreterepair.com | High Performance Concrete Mix | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 1/3/2002 | R322 |
| US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <i>Mfg #:</i> (866) 827-8727 <i>Cell #:</i> (410) 561-8770 <i>Fax #:</i> (410) 561-8771 <i>Web Site:</i> www.concreterepairmaterials.com <i>Email:</i> info@uscproducts.com | HP Cement | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 10/22/2004 | R507 |
| US Mix Company 112 South Sante Fe Drive Denver CO 80223- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> (702) 322-1700 <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usspec.com <i>Email:</i> bsmith@usmix.com | SPEC STR Mortar | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/29/2009 | R672 |
| W.R. Meadows of Arizona 4220 South Sarival Avenue Goodyear AZ 85338- <i>Mfg #:</i> (623) 932-9383 <i>Cell #:</i> (702) 253-1100 <i>Fax #:</i> (623) 932-1547 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> | Futura 15 | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/29/2009 | R671 |

609.02.01b**STORMWATER TREATMENT VAULTS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|---|---------------|------------------|
| BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <i>Mfg #:</i> (775) 831-4592 <i>Cell #:</i> (800) 229-7283 <i>Fax #:</i> (775) 831-4592 <i>Web Site:</i> www.baysaver.com <i>Email:</i> edjfranklin@aol.com | BaySaver | This is the general QPL only. The unit will be selected based on the specific project requirements. | 2/19/2001 | R284 |

609.02.01b**STORMWATER TREATMENT VAULTS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|--------------------|
| CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com <i>Email:</i> ericksonn@contech-cpi.com | CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System | This is the general QPL only. The unit will be selected based on the specific project requirements. | 7/23/2003 | R447, R448 R449 |
| Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <i>Mfg #:</i> (775) 352-6363 <i>Cell #:</i> <i>Fax #:</i> (775) 352-6364 <i>Web Site:</i> www.jensenprecast.com <i>Email:</i> phammonds@jensenprecast.com | JPHV Stormwater Interceptor | This is the general QPL only. The unit will be selected based on the specific project requirements. | 6/13/2006 | R548 |
| Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <i>Mfg #:</i> (775) 358-4430 <i>Cell #:</i> (775) 745-0605 <i>Fax #:</i> (775) 355-1982 <i>Web Site:</i> www.rinkermaterials.com/www.stormceptor.com <i>Email:</i> dcatterson@rinker.com | Stormceptor | This is the general QPL only. The unit will be selected based on the specific project requirements. | 4/22/2001 | R286 |
| Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <i>Mfg #:</i> (877) 687-7473 <i>Cell #:</i> (610) 316-0957 <i>Fax #:</i> (610) 687-6327 <i>Web Site:</i> www.stormdrains.com <i>Email:</i> stormdrains@verizon.net | Inceptor | This is the general QPL only. System will be selected based on project-specific requirements. | 7/26/2002 | R348 |

609.03.01c**TRENCH DRAINS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|------------------|
| ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com <i>Email:</i> bshort@abtdrains.com | XHD 8" / 12" / 18" Trench Drain System MHD 200/300 8" / 12" Trench Drain System | This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200 | 8/28/2006 | R556, R557 |
| ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com <i>Email:</i> bshort@abtdrains.com | A-67 Interceptor Trench Drain System Polydrain Trench Drain System | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R394, R395 |
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com <i>Email:</i> jwhite@aco-online.com | TraffikDrain | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R384 |

609.03.01c**TRENCH DRAINS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---------------|--------------------------|
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 | S100K Concrete FF300 Concrete FG200 Concrete S300K Concrete Surface Drainage <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> jwhite@aco-online.com | 1/17/2003 | R396, R397 R398, R400 |
| Hubbell 273 Willow Green Way Vacaville CA 95687- <i>Mfg #:</i> (800) 346-3061 <i>Cell #:</i> (707) 291-6991 | Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F) <i>Fax #:</i> <i>Web Site:</i> www.polycastdrain.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> tbeattie@hps.hubbell.com | 1/13/2005 | R512, R513 R514 |
| Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- <i>Mfg #:</i> (800) 433-1119 <i>Cell #:</i> (704) 881-4064 | EconoDrain Systems MultiDrain Surface Drainage Systems <i>Fax #:</i> (704) 508-1011 <i>Web Site:</i> www.multidrainsystems.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> steve.born@multidrainsystems.com | 4/6/2004 | R492, R493 |
| Zurn Industries / Flo-Thru 1801 Pittsburgh Avenue Erie PA 16502- <i>Mfg #:</i> (814) 455-0921 <i>Cell #:</i> (919) 332-5653 | Z-886 (4" Wide) Z-882 (9.25" Wide) <i>Fax #:</i> (814) 875-1402 <i>Web Site:</i> www.zurn.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> jim.delre@zurn.com | 3/28/2003 | R421, R422 |

610.02.01**CELLULAR EROSION CONTROL MATS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|------------------|
| Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- <i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 | UltraFlexTM <i>Fax #:</i> (775) 359-5997 <i>Web Site:</i> www.submar.com | | 11/18/2009 | R684 |
| CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> | Armotec Cellular Erosion Control Mat Petraflex <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> ericksonn@contech-cpi.com | 10/23/2008 | R332, R333 |
| Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 | Armorflex <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com | This is the general QPL only. System will be selected based on project-specific requirements. <i>Email:</i> quinn.brown@hanesindustries.com | 1/28/2002 | R326 |

610.02.01 CELLULAR EROSION CONTROL MATS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-----------------------------------|---|
| Shoretac 510 O'Neal Lane Baton Rouge LA 70819- | Shoreblock Shoretac | | 4/24/2009 | R601, R622 |
| <i>Mfg #:</i> (281) 450-3469 | <i>Cell #:</i> (225) 273-9888 | <i>Fax #:</i> (225) 273-3511 | <i>Web Site:</i> www.shoretac.com | <i>Email:</i> pbonorden@premierconcrete.com |
| | | | <i>Contact:</i> Patrick Bonorden | |

613.02.01 DETECTABLE WARNINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------------|----------------------------------|-------------------------------------|--|
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- | ACO Detectible Warning Device | Approved for NV Red Only | 2/26/2009 | R630 |
| <i>Mfg #:</i> (888) 490-9552 | <i>Cell #:</i> (209) 204-0988 | <i>Fax #:</i> (209) 574-1014 | <i>Web Site:</i> www.acousa.com | <i>Email:</i> jwhite@aco-online.com |
| | | | <i>Contact:</i> Justin White | |
| Advanced Surface Systems LLC (ASSI) 118 North Peters Road #250 Knoxville TN 37923- | SureDome | Approved for NV Red and NV Green | 12/10/2008 | R628 |
| <i>Mfg #:</i> (865) 966-2079 | <i>Cell #:</i> (865) 206-4789 | <i>Fax #:</i> (865) 241-8046 | <i>Web Site:</i> www.suredome.com | <i>Email:</i> kchemry@hotmail.com/bumps@suredome.com |
| | | | <i>Contact:</i> Karen Hemry | |
| Arcis Corporation PO Box 1250 North Plains OR 97133- | ADA Arcis Tactiles | Approved for NV Red and NV Green | 9/2/2008 | R608 |
| <i>Mfg #:</i> (503) 647-5042 | <i>Cell #:</i> | <i>Fax #:</i> (503) 647-7731 | <i>Web Site:</i> www.arciscorp.com | <i>Email:</i> danv@arcis-corp.com |
| | | | <i>Contact:</i> Dan VanBrabant | |
| StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- | TekWay Dome Tile | Approved for NV Red and NV Green | 11/27/2006 | R564 |
| <i>Mfg #:</i> (866) 439-3216 | <i>Cell #:</i> (520) 305-1189 | <i>Fax #:</i> (520) 547-3515 | <i>Web Site:</i> www.stronggo.com | <i>Email:</i> nvescio@stronggo.com |
| | | | <i>Contact:</i> Niranjan Vescio | |
| Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- | Safe Step - Detectable Warning Tile | Approved for NV Red and NV Green | 3/26/2004 | R484 |
| <i>Mfg #:</i> (914) 636-1000 | <i>Cell #:</i> (800) 321-7870 | <i>Fax #:</i> (914) 636-1282 | <i>Web Site:</i> www.transpo.com | <i>Email:</i> mstenko@transpo.com |
| | | | <i>Contact:</i> Mike Stenko | |
| United Diamond & Stone Incorporated 16788 Placer Hills Road Suite C Meadow Vista CA 95722- | Cast-in-Tact 3 | Approved for NV Red and NV Green | 8/20/2009 | R666 |
| <i>Mfg #:</i> (530) 878-2440 | <i>Cell #:</i> (530) 320-4180 | <i>Fax #:</i> (530) 878-8263 | <i>Web Site:</i> www.castintact.com | <i>Email:</i> darren_thomas@sbcglobal.net |
| | | | <i>Contact:</i> Darren Thomas | |

616.02.01 PLASTIC FENCE FABRIC MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---------------------|----------------|---------------|------------------|
| Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- | Safety Fence | | 10/10/1999 | R202 |
| <i>Contact:</i> Customer Services | | | | |
| <i>Mfg #:</i> (800) 426-6933 <i>Cell #:</i> (612) 623-1700 <i>Fax #:</i> (612) 623-2500 <i>Web Site:</i> www.conwedplastics.com <i>Email:</i> customer.service@conwedplastics.com | | | | |
| Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- | Safety GeoGrid | | 5/15/2002 | R342 |
| <i>Contact:</i> Bob Miller | | | | |
| <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com <i>Email:</i> bmiller@tensarcorp.com | | | | |

618.02.01 FLARED GUARDRAIL TERMINAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------------|----------------|---------------|------------------|
| Road Systems Incorporated PO Box 2163 Big Spring TX 79721- | Fleat 350 Fleat SP | TL-3 | 9/29/2009 | R045, R668 |
| <i>Contact:</i> John Durkos | | | | |
| <i>Mfg #:</i> (330) 346-0721 <i>Cell #:</i> (330) 807-9857 <i>Fax #:</i> (330) 346-0722 <i>Web Site:</i> www.roadsystems.com <i>Email:</i> jdurkos@roadsystems.com | | | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | Let Soil Tubes SRT 350 | TL-3 | 6/9/2004 | R500, R501 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net <i>Email:</i> mikel.hooley@trin.net | | | | |

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|---|---------------|--------------------|
| Road Systems Incorporated PO Box 2163 Big Spring TX 79721- | SKT 350 SKT Lite SKT SP | TL-3 | 2/8/1998 | R156, R669 R670 |
| <i>Contact:</i> John Durkos | | | | |
| <i>Mfg #:</i> (330) 346-0721 <i>Cell #:</i> (330) 807-9857 <i>Fax #:</i> (330) 346-0722 <i>Web Site:</i> www.roadsystems.com <i>Email:</i> jdurkos@roadsystems.com | | | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | CAT 350 ET Plus | Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. | 3/30/1997 | R046, R499 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net <i>Email:</i> mikel.hooley@trin.net | | | | |

618.02.01b**GUARDRAIL OFFSET BLOCKS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|--|-----------------------------------|--------------------------------------|
| Arizona Structural Laminators PO Box 2008 Eagar AZ 85925- | Glue Laminated Offset Block | Used with W-beam and Tri-beam Guardrails | 3/10/2004 | R485 |
| <i>Mfg #:</i> (928) 333-5501 | <i>Cell #:</i> | <i>Fax #:</i> (928) 333-4403 | <i>Web Site:</i> www.azglulam.com | <i>Email:</i> gwiltbank@azglulam.com |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | King-Size King Block | Used with steel post Tri-beam Guardrails | 5/13/2005 | R523, R524 |
| <i>Mfg #:</i> (800) 772-7976 | <i>Cell #:</i> (360) 943-9559 | <i>Fax #:</i> (801) 292-3263 | <i>Web Site:</i> www.trin.net | <i>Email:</i> mikel.hooley@trin.net |

Contact: Ginger Wiltbank*Contact:* Mike Hooley**619.02.01****FLEXIBLE GUIDE POSTS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|------------------------------------|--------------------------------------|
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | 654 Ground Mount | Type 2 | 6/1/1994 | R171, R283 |
| <i>Mfg #:</i> (800) 348-9839 | <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 | <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Model EFX FG 300 Model PE FG 300 Model UR FG 300 Complete Curb System | Standard Surface and Soil/Ground Mount options available | 10/14/1999 | R685, R686, R688, R315 |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | Safe Hit Soil Mount Delineator Surface Mount Tubular Delineator | Type 2 | 11/21/2008 | R623, R624 |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.safe-hit.com | <i>Email:</i> diane.sanchez@trin.net |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator | Type 2 | 11/21/2008 | R625, R626 |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.safe-hit.com | <i>Email:</i> diane.sanchez@trin.net |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | RT 360 HD Tub Delineator Soil/Surface Mount SH Dura Post K Marker | | 5/14/2009 | R633, R634 R600, R636, R635 |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.safe-hit.com | <i>Email:</i> diane.sanchez@trin.net |

Contact: Diane Sanchez*Contact:* Diane Sanchez*Contact:* Diane Sanchez

619.02.01 FLEXIBLE GUIDE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|-------------------------------------|--------------------------------------|
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | SH Replaceable Barrier Marker SH Dura Post K Marker | Type 2 Minimum Embedment Depth: 430 mm (17 inches) | 11/4/1998 | R068, R053 R052 |
| <i>Contact:</i> Diane Sanchez | | | | |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.safe-hit.com | <i>Email:</i> diane.sanchez@trin.net |
| Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- | Shur-Flex® Driveable Delineator Shur-Flex® Surface Mount Delineator Shur-Tite® Cable Barrier Delineator Shur-Tite® Guardrail Clamp Post Mount Del | | 4/30/2009 | R633, R634 R636, R635 |
| <i>Contact:</i> Gary Champ | | | | |
| <i>Mfg #:</i> (512) 218-9500 | <i>Cell #:</i> | <i>Fax #:</i> (512) 388-0588 | <i>Web Site:</i> www.shur-tite.com | <i>Email:</i> gary@shur-tite.com |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD5500 Earthflex Delineator | Type 2 | 10/13/2004 | R506 |
| <i>Contact:</i> Frank Dvoracek | | | | |
| <i>Mfg #:</i> (877) 843-9757 | <i>Cell #:</i> | <i>Fax #:</i> (818) 841-5096 | <i>Web Site:</i> www.trafficwks.com | <i>Email:</i> sales@trafficwks.com |

619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|------------------------------------|-----------------------------------|
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- | Island Sentry K-Marker | Type 2 | 8/1/1989 | R050 |
| <i>Contact:</i> Ernest Joyner III | | | | |
| <i>Mfg #:</i> (800) 648-7916 | <i>Cell #:</i> | <i>Fax #:</i> (803) 276-8940 | <i>Web Site:</i> www.carsonite.com | <i>Email:</i> sales@carsonite.com |
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | T1 Marker Round T2 Marker Round BD Marker Round HM Marker Round | Type 2 | 6/1/1994 | R049, R048 R051, R056 |
| <i>Contact:</i> Jim Zadrozny | | | | |
| <i>Mfg #:</i> (800) 348-9839 | <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 | <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | Type K Island Marker | Type 2 | 9/13/2007 | R576 |
| <i>Contact:</i> Bill Daly | | | | |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Complete Curb System FG 300 Turn Pike Curb FG 300 Model PE FG 300 Model UR | Standard Surface and Soil/Ground Mount options available | 10/14/1999 | R315, R686 R687, R688 |
| <i>Contact:</i> Bill Daly | | | | |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |

619.02.01a**FLEXIBLE OBJECT MARKERS (TYPE 2)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|----------------|---------------|--------------------|
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> diane.sanchez@trin.net | RubberTough 360 HD Bolt Down Soil Mount Tubular Delineator | Type 2 | 11/21/2008 | R625, R626 |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> diane.sanchez@trin.net | Safe Hit Soil Mount Surface Mount Tubular Delineator RT 360 HD Tubular Delineator Soil/Surface Mount | Type 2 | 11/21/2008 | R623, R624 R600 |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> diane.sanchez@trin.net | SH Replaceable Barrier Marker SH Dura Post K Marker | Type 2 | 11/4/1998 | R052, R053 R068 |
| Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-tite.com <i>Email:</i> gary@shur-tite.com | Shur-Flex® Driveable Object Marker | | 2/2/2010 | R676 |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD 5215 K Marker | Type 2 | 9/4/2007 | R566 |

619.03.01**PRISMATIC ACRYLIC REFLECTORS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------------|----------------|---------------|------------------|
| Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i> <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktinc.com <i>Email:</i> tschoe2992@aol.com | AKT #18 Center Mounted Reflector | | 5/5/1998 | R054 |
| Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- <i>Mfg #:</i> (847) 428-7761 <i>Cell #:</i> <i>Fax #:</i> (847) 428-7764 <i>Web Site:</i> www.vegamoldedproducts.com <i>Email:</i> vega7761@aol.com | Center-Mounted Delineator Reflector | | 5/5/1998 | R055 |

623.01.01 DYNAMIC MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|-------------------|-------------------------------|------------------|
| Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <i>Mfg #:</i> (605) 692-0200 <i>Cell #:</i> (605) 695-5624 <i>Fax #:</i> (605) 697-4700 <i>Web Site:</i> www.daktronics.com | Light-Emitting Diode Dynamic Message Sign Assembly | Type 1 and Type 2 | 9/14/2004 | R503 |
| | | | <i>Contact:</i> Rick Weinacht | |
| <i>Email:</i> rick.weinacht@daktronics.com | | | | |
| Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- <i>Mfg #:</i> (719) 392-9046 <i>Cell #:</i> (719) 314-6883 <i>Fax #:</i> (719) 392-2075 <i>Web Site:</i> www.skylineproducts.com | 2070 Light Emitting Diode Dynamic Message Sign | Type 1 and Type 2 | 4/4/2008 | R587 |
| | | | <i>Contact:</i> Adam Lyons | |
| <i>Email:</i> adamlyons@skylineproducts.com | | | | |

623.02.08 SERVICE PEDESTALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-----------------------------|----------------|--------------------------------|------------------|
| Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <i>Mfg #:</i> (949) 387-4863 <i>Cell #:</i> (714) 743-0712 <i>Fax #:</i> (949) 387-4895 <i>Web Site:</i> www.milbankmfg.com | Metered Service Pedestals | | 11/19/2002 | R367 |
| | | | <i>Contact:</i> Dave Stipe | |
| <i>Email:</i> dstipe@milbankmfg.com | | | | |
| Myers Power Products 725 East Harrison Street Corona CA 92879- <i>Mfg #:</i> (951) 520-1900 <i>Cell #:</i> <i>Fax #:</i> (951) 520-1961 <i>Web Site:</i> www.myerspowerproducts.com | Service Pedestals | +UPS/BBS | 9/5/2000 | R267 |
| | | | <i>Contact:</i> Diana Grootonk | |
| <i>Email:</i> diana.grootonk@myerspower.com | | | | |
| Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 <i>Cell #:</i> (951) 493-8394 <i>Fax #:</i> (951) 279-3116 <i>Web Site:</i> www.pedestals.net | Service Pedestals | | 11/19/2002 | R366 |
| | | | <i>Contact:</i> Bob Ford | |
| <i>Email:</i> pupsales@pedestals.net | | | | |
| Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 <i>Cell #:</i> (916) 952-5088 <i>Fax #:</i> (916) 429-2817 <i>Web Site:</i> www.tescocontrols.com | Tescoflex Service Pedestals | | 9/5/2000 | R266 |
| | | | <i>Contact:</i> Curt Vasey | |
| <i>Email:</i> cvasey@tescocontrols.com | | | | |

623.02.12c**HIGH MAST HEAD FRAME ASSEMBLIES**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|-----------------|---------------|------------------|
| Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 <i>Cell #:</i> (817) 657-6973 <i>Fax #:</i> (682) 286-0086 <i>Web Site:</i> www.chmindustries.com <i>Email:</i> sengberg@chmindustries.com | 426 Series High Mast Head Frame Assembly | Bottom Latching | 12/30/2003 | R469 |
| Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 <i>Cell #:</i> (847) 217-1070 <i>Fax #:</i> (847) 473-3870 <i>Web Site:</i> www.eaglehighmast.com <i>Email:</i> himastltg@aol.com | High Mast Assembly | Bottom Latching | 12/30/2003 | R470 |
| Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com <i>Email:</i> jameshighgate@gmail.com | Holophane LD07 Series High Mast Lighting Lowering D | Bottom Latching | 12/30/2003 | R468 |

623.02.16**DUCT SEALING COMPOUND**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------|----------------|---------------|------------------|
| Ideal Industries Incorporated Becker Place Sycamore IL 60178- <i>Mfg #:</i> (800) 435-0705 <i>Cell #:</i> (800) 304-3578 <i>Fax #:</i> (800) 533-4483 <i>Web Site:</i> www.idealindustries.com <i>Email:</i> Ideal_Industries@idealindustries.com | Duct Seal | | 10/7/2009 | R676 |
| RectorSeal 2601 Spenwick Drive Houston TX 77055- <i>Mfg #:</i> (800) 231-3345 <i>Cell #:</i> (713) 263-8001 <i>Fax #:</i> (800) 441-0051 <i>Web Site:</i> www.rectorseal.com <i>Email:</i> | Rectorseal® Duct Seal Compound | | 10/7/2009 | R677 |

623.02.30a**VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|------------------------|----------------|---------------|------------------|
| Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903 <i>Cell #:</i> <i>Fax #:</i> (541) 782-2053 <i>Web Site:</i> www.diamondtraffic.com <i>Email:</i> sales@diamondtraffic.com | Brass Linguine Class 1 | | 10/31/2001 | R317 |

623.02.30a**VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|--|------------------|
| Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496 <i>Cell #:</i> | Roadtrax BL Sensor Brass Linguine Class 1 | | 5/26/1999 | R161 |
| | | | <i>Contact:</i> Robin Fletcher | |
| | | <i>Fax #:</i> (757) 766-4297 <i>Web Site:</i> www.meas-spec.com | <i>Email:</i> robin.fletcher@meas-spec.com | |

623.02.30e**VEHICLE DETECTOR SEALANTS (OPTIONAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--|------------------|
| 3M Company 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 <i>Cell #:</i> (404) 661-1875 | P/N 606 Detector Loop Sealant | | 12/2/2003 | R465 |
| | | | <i>Contact:</i> R. Keith Moore | |
| | | <i>Fax #:</i> (770) 983-9642 <i>Web Site:</i> www.Bondo.com | <i>Email:</i> rkmoore@mmm.com | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | 5000 Rubberized Loop Detector Sealant | Rubberized Material | 8/5/1998 | R057, R058 |
| | | | <i>Contact:</i> Eric Dornak | |
| | | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | |
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (480) 236-8262 | 271 Loop Detector Sealant 272 Loop Detector Sealant | Rubberized Asphalt Material | 8/5/1998 | R059, R060 |
| | | | <i>Contact:</i> Lowell Parkison | |
| | | <i>Fax #:</i> (480) 961-4772 <i>Web Site:</i> www.crafco.com | <i>Email:</i> lowell.parkison@crafco.com | |
| Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 <i>Cell #:</i> (781) 289-1400 | Stat-a-Flex Polyester Loop Sealant | Polyester Material | 8/5/1998 | R061 |
| | | | <i>Contact:</i> Al Losanno | |
| | | <i>Fax #:</i> (781) 289-1405 <i>Web Site:</i> www.durantcorp.com | <i>Email:</i> alosanno@durantcorp.com | |
| Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840 <i>Cell #:</i> | Quikrete Commerical Grade Permanent Blacktop Repair #1701 | Asphaltic Concrete | 1/1/2001 | R280 |
| | | | <i>Contact:</i> Darrell Brokofsky | |
| | | <i>Fax #:</i> (916) 689-8857 <i>Web Site:</i> www.quikrete.com | <i>Email:</i> dbrokofsky@quikrete.com | |
| RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 525-1852 <i>Cell #:</i> (704) 904-1481 | Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material | Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material | 8/5/1998 | R063, R064 |
| | | | <i>Contact:</i> John Rosenblatt Jr. | |
| | | <i>Fax #:</i> (704) 525-1859 <i>Web Site:</i> www.raiproducts.com | <i>Email:</i> john@raiproducts.com | |

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|--------------------------------|------------------------------|
| Reed & Graham Company 690 Sunol Street San Jose CA 95126- | Overkote Loop Filler | Asphaltic Emulsion Material | 8/5/1998 | R062 |
| <i>Contact:</i> Rick Besf | | | | |
| <i>Mfg #:</i> (408) 287-1400 | <i>Cell #:</i> (408) 640-6121 | <i>Fax #:</i> (408) 294-3696 | <i>Web Site:</i> www.rginc.com | <i>Email:</i> rick@rginc.com |

623.03.01 TRAFFIC SIGNALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|-------------------------------------|---|
| Dialight Corporation 1501 Route 34 South South Farmingdale NJ 07727- | 12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (430-6479-001X) | Must be Intertek ETL verified to be compliant to the most current ITE VTC SH-LED or PTCSI-LED Specifications. | 3/26/2002 | R335, R336 |
| <i>Contact:</i> Matthew Sieglitz | | | | |
| <i>Mfg #:</i> (732) 919-3119 | <i>Cell #:</i> (732) 751-5810 | <i>Fax #:</i> (732) 751-5778 | <i>Web Site:</i> www.dialight.com | <i>Email:</i> msieglitz@dialight.com |
| Excellence Opto Incorporated 1663 West 2nd Street Pomona CA 91766- | LED Traffic Signal Pedestrian Signals | 12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T. Must be Intertek ETL verified to be compliant to the most current ITE VTC SH-LED or PTCSI-LED Specifications. | 6/17/2008 | R598, R599 |
| <i>Contact:</i> Cheryl Huang | | | | |
| <i>Mfg #:</i> (909) 784-3333 | <i>Cell #:</i> | <i>Fax #:</i> (909) 784-3330 | <i>Web Site:</i> www.eoius.com | <i>Email:</i> cheryllhuang@eoius.com |
| Leotek Electronics USA Corporation 1330 Memorex Drive Santa Clara CA 95050-2813 | 12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (TSL-PED-16-CIL-9) | Must be Intertek ETL verified to be compliant to the most current ITE VTC SH-LED or PTCSI-LED Specifications. | 4/6/2010 | R689, R690 R691 |
| <i>Contact:</i> Kim Konte | | | | |
| <i>Mfg #:</i> (408) 988-4668 | <i>Cell #:</i> (602) 538-7194 | <i>Fax #:</i> (408) 505-3803 | <i>Web Site:</i> www.leotek.com | <i>Email:</i> kim@leotek.com |
| Phoenix Highway Products 2631 North 37th Drive Phoenix AZ 85009- | 12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (PS&-CFF1-26A) | Must be Intertek ETL verified to be compliant to the most current ITE VTC SH-LED or PTCSI-LED Specifications. | 3/26/2002 | R337, R338 |
| <i>Contact:</i> Debra Lesan | | | | |
| <i>Mfg #:</i> (602) 344-7770 | <i>Cell #:</i> (602) 326-5698 | <i>Fax #:</i> (602) 344-7771 | <i>Web Site:</i> www.lumination.com | <i>Email:</i> debbie@phoenixhighwayproducts.com |

623.03.15 SIGN LIGHTING FIXTURES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|------------------------------|--|---------------------------------|
| GE Consumer & Industrial Lighting System 4141 Bison Lake Havasu AZ 86404- | 85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004 | | 1/17/2003 | R402 |
| <i>Contact:</i> Pete Porte | | | | |
| <i>Mfg #:</i> (928) 855-7223 | <i>Cell #:</i> (714) 323-2636 | <i>Fax #:</i> (928) 855-7237 | <i>Web Site:</i> www.gelightingssystem.com | <i>Email:</i> pete.porte@ge.com |

623.03.15 SIGN LIGHTING FIXTURES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|--------------------------------------|---------------------------------------|
| Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- | Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop | | 1/17/2003 | R401 |
| | | | <i>Contact:</i> James Highgate | |
| <i>Mfg #:</i> (702) 367-3949 | <i>Cell #:</i> (866) 465-6742 | <i>Fax #:</i> (702) 367-4656 | <i>Web Site:</i> www.myholophane.com | <i>Email:</i> jameshighgate@gmail.com |

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-----------------------------------|-----------------------------------|
| Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- | Lumi Trak | | 11/19/2002 | R365 |
| | | | <i>Contact:</i> George Townsend | |
| <i>Mfg #:</i> (717) 235-2863 | <i>Cell #:</i> (717) 818-8203 | <i>Fax #:</i> (717) 235-5076 | <i>Web Site:</i> www.lumitrak.com | <i>Email:</i> george@lumitrak.com |

623.03.26 RED LIGHT DETECTORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-------------------------------------|---|
| BRG Supply 670 Coleman Avenue San Jose CA 95110- | Red Light Detector | | 7/16/2003 | R446 |
| | | | <i>Contact:</i> Monty Mountha | |
| <i>Mfg #:</i> (408) 920-6319 | <i>Cell #:</i> | <i>Fax #:</i> (408) 920-6103 | <i>Web Site:</i> www.brgsupply.com | <i>Email:</i> monty.brgsupply@yahoo.com |
| McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- | Red Light Detector | | 7/16/2003 | R445 |
| | | | <i>Contact:</i> Carol Jarvis-Murphy | |
| <i>Mfg #:</i> (760) 734-5027 | <i>Cell #:</i> (760) 727-8100 | <i>Fax #:</i> (760) 597-7108 | <i>Web Site:</i> www.mccain-inc.com | <i>Email:</i> cmurphy@mccain-inc.com |

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--|--|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3924S Reflective Sheeting | *discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved | 4/8/1999 | R163, R550 |
| | | | <i>Contact:</i> Eric Dornak | |
| <i>Mfg #:</i> (800) 553-1380 | <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 | <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T6500 Prismatic High Intensity Reflective Sheeting | | 4/8/1999 | R164 |
| | | | <i>Contact:</i> Nipa Joshi | |
| <i>Mfg #:</i> (847) 647-7717 | <i>Cell #:</i> (847) 627-3111 | <i>Fax #:</i> (847) 588-7688 | <i>Web Site:</i> www.averydennison.com | <i>Email:</i> nipa.joshi@averydennison.com |

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|------------------------------|--|--|
| Reflexite Americas 315 South Street New Britain CT 06051- | Reflexite Fluorescent Orange Super Bright Roll Up | | 4/8/1999 | R162 |
| <i>Contact:</i> Rebecca Cavazuti | | | | |
| <i>Mfg #:</i> (800) 654-7570 | <i>Cell #:</i> | <i>Fax #:</i> (800) 895-0951 | <i>Web Site:</i> www.reflexiteamericas.com | <i>Email:</i> customer.service@reflexite.com |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|------------------------------------|---|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- | MF-180-36 Masterflex | | 6/15/1998 | R065 |
| <i>Contact:</i> Sandy Gerbrick | | | | |
| <i>Mfg #:</i> (888) 842-0600 | <i>Cell #:</i> (714) 842-0600 | <i>Fax #:</i> (888) 842-2368 | <i>Web Site:</i> www.bentmfg.com | <i>Email:</i> sandygerbrick@bentmfg.com |
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- | SDCF SMDW | | 6/15/1998 | R066, R067 |
| <i>Contact:</i> Ernest Joyner III | | | | |
| <i>Mfg #:</i> (800) 648-7916 | <i>Cell #:</i> | <i>Fax #:</i> (803) 276-8940 | <i>Web Site:</i> www.carsonite.com | <i>Email:</i> sales@carsonite.com |
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | 754 Surface Mount | Type 2 | 6/1/1994 | R032 |
| <i>Contact:</i> Jim Zadrozny | | | | |
| <i>Mfg #:</i> (800) 348-9839 | <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 | <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Complete Curb System FG 300 Model UR FG 300 Model PE | Standard Surface and Soil/Ground Mount options available | 10/14/1999 | R315, R687 R688 |
| <i>Contact:</i> Bill Daly | | | | |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |
| Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570- | Qwick Kurb | | 11/21/2008 | R627 |
| <i>Contact:</i> Mike Hair | | | | |
| <i>Mfg #:</i> (813) 645-5072 | <i>Cell #:</i> | <i>Fax #:</i> (813) 454-4856 | <i>Web Site:</i> www.qwickkurb.com | <i>Email:</i> mike@qwickkurb.com |
| Qwik Kurb Incorporated 3661 Hawks Landing Auburn AL 36830- | Qwick Kurb | | 11/21/2008 | R627 |
| <i>Contact:</i> Mike Hare | | | | |
| <i>Mfg #:</i> (334) 538-2665 | <i>Cell #:</i> | <i>Fax #:</i> (334) 826-0579 | <i>Web Site:</i> | <i>Email:</i> mhare@mindspring.com |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|----------------|-------------------------------|--------------------|
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | SH Dura Post SH Replaceable Barrier Marker RT 360 HD Tubular Delineator Soil/Surface Mount | | 6/15/1998 | R053, R068 R600 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> diane.sanchez@trin.net | | | <i>Contact:</i> Diane Sanchez | |
| Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- | Shur-Flex® Surface Mount Delineator | | 4/30/2009 | R634 |
| <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-tite.com <i>Email:</i> gary@shur-tite.com | | | <i>Contact:</i> Gary Champ | |
| Western Highway Products 10680 Fern Avenue Stanton CA 90680- | Repo 300 | | 6/15/1998 | R081 |
| <i>Mfg #:</i> (800) 854-3360 <i>Cell #:</i> (714) 761-4811 <i>Fax #:</i> (714) 952-2118 <i>Web Site:</i> www.westernhighway.com <i>Email:</i> sales@westernhighway.com | | | <i>Contact:</i> Barbara | |

625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------------|----------------------------------|--------------------|
| Artuk 6318 West State Street Wauwatosa WI 53213- | FB33 Flexible Barrier Marker | | 2/2/1993 | R013 |
| <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i> <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktinc.com <i>Email:</i> tschoe2992@aol.com | | | <i>Contact:</i> Sharon Marquardt | |
| Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- | Flexx 2020 | W/75 mm X 75mm Reflective Sheeting | 12/17/1997 | R019 |
| <i>Mfg #:</i> (973) 962-7779 <i>Cell #:</i> <i>Fax #:</i> (973) 962-7652 <i>Web Site:</i> www.hallmanufacturing.com <i>Email:</i> kerry@hallmanufacturing.com | | | <i>Contact:</i> Kerry Clark | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | PCBM 12 Marker PCBM T12 High Impact Dapco Straight Guardrail Reflective Plates | | 12/17/1997 | R017, R018 R427 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com <i>Email:</i> bill.daly@pexco.com | | | <i>Contact:</i> Bill Daly | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD9300 Roadguide TD9400 Roadguide | | 12/3/2002 | R371, R372 |
| <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | | | <i>Contact:</i> Frank Dvoracek | |

625.02.03a

CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------------------------|--------------------------|
| American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- | CMS T331 CMS GP465 CMS T320 (discontinued) CMS T321 (discontinued) CMS T300 (discontinued) | | 2/22/1998 | R075, R077 R076, R078 |
| <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i> | <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com | <i>Email:</i> sales@amsig.com | <i>Contact:</i> Scott Covington | |
| Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 | CMS 80FM | Solar Powered- Full Matrix Portable Changeable Message Sign | 10/13/2004 | R505 |
| <i>Mfg #:</i> (204) 885-2580 <i>Cell #:</i> | <i>Fax #:</i> (204) 888-2912 <i>Web Site:</i> www.enduron.net | <i>Email:</i> chelsea.k@enduron.net | <i>Contact:</i> Chelsea Klassen | |
| National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- | Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Discontinued) Nighthawk 345 (Discontinued) | Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available | 2/22/1998 | R079, R080 |
| <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> | <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com | <i>Email:</i> mark@nationalsignalinc.com | <i>Contact:</i> Mark Fernandez | |
| Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- | SMC HE1000 | | 2/22/1998 | R084 |
| <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683 | <i>Fax #:</i> (972) 271-9583 <i>Web Site:</i> www.precisionsolarcontrols.com | <i>Email:</i> vseymour@precisionsolarcontrols.com | <i>Contact:</i> Vickie Seymour | |
| Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 | PCMS | | 2/22/1998 | R085 |
| <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303 | <i>Fax #:</i> (418) 654-0517 <i>Web Site:</i> www.ver-mac.com | <i>Email:</i> kim.jack@ver-mac.com | <i>Contact:</i> Kimberly Jack | |
| Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- | WTLMB-S-LL(A) | | 8/5/2002 | R355 |
| <i>Mfg #:</i> (303) 427-5700 <i>Cell #:</i> (800) 972-0755 | <i>Fax #:</i> (303) 427-5725 <i>Web Site:</i> www.wanco.com | <i>Email:</i> dmyers@wanco.com | <i>Contact:</i> Dan Myers | |

625.02.03b

INTELLIGENT CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|-------------------------------|------------------------------------|------------------|
| Addco Mfg Co Inc / Imago No America 240 Arlington Avenue St Paul MN 55117- | Guardian Solar Powered PCMS Sign Dot Sign DH1000 | | 2/22/1998 | R073, R074 |
| <i>Mfg #:</i> (800) 616-4409 <i>Cell #:</i> (651) 558-3536 | <i>Fax #:</i> (651) 558-3600 <i>Web Site:</i> www.addco.com | <i>Email:</i> sales@addco.com | <i>Contact:</i> Danielle Nicholson | |

625.02.03b

INTELLIGENT CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--|--------------------------|
| American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- | CMS T331 CMS GP465 CMS T320 (discontinued) CMS T321 (discontinued) CMS T300 (discontinued) | | 2/22/1998 | R075, R077 R076, R078 |
| <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i> | <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com | <i>Email:</i> sales@amsig.com | <i>Contact:</i> Scott Covington | |
| National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- | Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Discontinued) Nighthawk 345 (Discontinued) | Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available | 2/22/1998 | R079, R080 |
| <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> | <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com | <i>Email:</i> mark@nationalsignalinc.com | <i>Contact:</i> Mark Fernandez | |
| Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- | SMC SM2000 | | 2/22/1998 | R084 |
| <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683 | <i>Fax #:</i> (972) 271-9583 <i>Web Site:</i> www.precisionsolarcontrols.com | <i>Email:</i> vseymour@precisionsolarcontrols.com | <i>Contact:</i> Vickie Seymour | |
| Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 | PCMS | | 2/22/1998 | R085 |
| <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303 | <i>Fax #:</i> (418) 654-0517 <i>Web Site:</i> www.ver-mac.com | <i>Email:</i> kim.jack@ver-mac.com | <i>Contact:</i> Kimberly Jack | |
| Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- | Silent Messenger Solar Powered Silent Messenger II Silent Messenger III | Standard or Lift & Rotate Trailer | 2/22/1998 | R086, R664 R665 |
| <i>Mfg #:</i> (610) 391-8600 <i>Cell #:</i> (610) 393-4419 | <i>Fax #:</i> (610) 391-8601 <i>Web Site:</i> www.solartechnology.com | <i>Email:</i> customerservice@solartechnology.com | <i>Contact:</i> Inside Service Manager | |

625.02.04

TEMPORARY IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|------------------------------|------------------|
| Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- | Absorb 350 | TL-3 only; Only use a nine-element design (min) with attachment/transition assembly. | 4/10/2001 | R285, R667 |
| <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 | <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com | <i>Email:</i> jaime.franco@barriersystemsinc.com | <i>Contact:</i> Jaime Franco | |
| Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- | Universal Tau II System | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 4/10/2001 | R285 |
| <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 | <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com | <i>Email:</i> jaime.franco@barriersystemsinc.com | <i>Contact:</i> Jaime Franco | |

625.02.04 TEMPORARY IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|--------------------|
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@trin.net | Engergite III Module N-E-A-T System Quadguard | | 9/3/1998 | R089, R090 R091 |
| SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com <i>Email:</i> workarea@workareaprotection.com | SCI100GM Impact Attenuator | TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces. | 1/20/2006 | R545 |
| Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (775) 357-6005 <i>Cell #:</i> (775) 690-3037 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz <i>Email:</i> tniffen@tcsi.biz | Energite III Fitch Inertial Barrier System React 350 Crash Cushion | | 9/3/1998 | R092, R093 R094 |
| TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com <i>Email:</i> clemonds@traffixdevices.com | Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel | Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry. | 3/22/2000 | R095, R096 |

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|--------------------|
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@trin.net | Safe-Stop 180 TMA | Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.) | 10/14/1999 | R192 |
| Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz <i>Email:</i> tniffen@tcsi.biz | Energite III Fitch Inertial Barrier System React 350 Crash Cushion | | 9/3/1998 | R092, R093 R094 |
| TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com <i>Email:</i> clemonds@traffixdevices.com | ScorPion C 10,000 | TL-3, Required truck weight 9,000 kg (19,842 lb) | 7/26/2000 | R264 |

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|---|-------------------------------|-------------------------------------|
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | MPS 350 III | Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.) | 9/3/1998 | R097 |
| <i>Contact:</i> Mikel Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 | <i>Cell #:</i> (360) 943-9559 | <i>Fax #:</i> (801) 292-3263 | <i>Web Site:</i> www.trin.net | <i>Email:</i> mikel.hooley@trin.net |

625.02.06 WATER FILLED BARRIER RAILS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|---|---|
| Armorcast Products Company Inc 13230 Satcoy Street North Hollywood CA 91605- | Guardian Barrier Water Filled with 350 kit | Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections). | 9/3/1998 | R099 |
| <i>Contact:</i> Sydney Chase | | | | |
| <i>Mfg #:</i> (818) 982-3600 | <i>Cell #:</i> (909) 772-1424 | <i>Fax #:</i> (818) 982-7742 | <i>Web Site:</i> www.armorcastprod.com | <i>Email:</i> info@armorcastprod.com |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | Triton Barrier | use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections). | 3/30/1997 | R098 |
| <i>Contact:</i> Diane Sanchez | | | | |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.energyabsorption.com | <i>Email:</i> diane.sanchez@trin.net |
| PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 | Rhino Safety Barrier (use the 350 kit with install) | Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L). | 3/10/2004 | R482 |
| <i>Contact:</i> Steve Washburn | | | | |
| <i>Mfg #:</i> (800) 292-1305 | <i>Cell #:</i> | <i>Fax #:</i> (219) 659-0625 | <i>Web Site:</i> www.rhinobarriers.com | <i>Email:</i> steve.washburn@polyjohn.com |
| Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- | Traffic Control Model 2001 Type III Barricade | | 8/3/2006 | R551, R561 |
| <i>Contact:</i> Kathleen Yodock | | | | |
| <i>Mfg #:</i> (570) 380-2856 | <i>Cell #:</i> (888) 495-3625 | <i>Fax #:</i> (570) 380-2859 | <i>Web Site:</i> www.yodock.com | <i>Email:</i> kathleen@yodock.com |

625.02.07 PORTABLE BEACON LIGHT SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|------------------------------------|-------------------------------------|
| K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- | Safety Beacon Light | | 6/1/1999 | R188 |
| <i>Contact:</i> Timothy Keith | | | | |
| <i>Mfg #:</i> (888) 414-3003 | <i>Cell #:</i> (662) 566-2025 | <i>Fax #:</i> (662) 566-7123 | <i>Web Site:</i> www.k-systems.com | <i>Email:</i> timothy@k-systems.com |

625.03.03

SIGN SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---------------|--|
| Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- <i>Mfg #:</i> (270) 527-4200 <i>Cell #:</i> <i>Fax #:</i> (270) 527-1552 <i>Web Site:</i> www.alcancompositesusa.com <i>Email:</i> star.collins@alcan.com | Dibond for Highway Work Zone Signage | Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 5/9/2006 | R547, R533 <i>Contact:</i> Star Collins |
| Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> (352) 598-5308 <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com | SZ-460-2S SZ-484-2S SZ-412-2S | | 10/17/2008 | R657, R658 R659 <i>Contact:</i> Chris Goode |
| Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> (352) 598-5308 <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com | SZ-412 Sign Support System SZ-412S Sign Support System SZ-460 Sign Support System SZ-484 Sign Support System | Roll-up Fabric Only | 10/17/2008 | R616, R617 R618, R619 <i>Contact:</i> Chris Goode |
| Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> (352) 598-5308 <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com | SZ-412-2S Sign Support System SZ-460-2S Sign Support System SZ-484-2S Sign Support System | Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716. | 10/17/2008 | R657, R658 R659 <i>Contact:</i> Chris Goode |
| Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> (352) 598-5308 <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com | Bone Light 4MM ACM SZ-412-2S Big Dog Rigid Sign | Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716. | 10/17/2008 | R620, R621 <i>Contact:</i> Chris Goode |
| Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com | DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Verticle Portable Sign Stand | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 2/27/2000 | R223, R224 R225 <i>Contact:</i> Michael Burke |
| Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com | DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 2/27/2000 | R220, R221 R222 <i>Contact:</i> Michael Burke |
| Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com <i>Email:</i> sjordan@usa-sign.com | X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R231, R232 R233, R234 <i>Contact:</i> Sarah Jordan |

625.03.03

SIGN SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|--------------------------|
| Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com <i>Email:</i> sjordan@usa-sign.com | C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R227, R228 R229, R230 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System | Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R403, R404 R405, R406 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System | Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R415, R416 R417, R418 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System | Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R411, R412 R413, R414 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System | Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R407, R408 R409, R410 |
| Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditrafficcontrol.com <i>Email:</i> kjackson@mdiworldwide.com | 4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R239, R240 R241 |
| Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditrafficcontrol.com <i>Email:</i> kjackson@mdiworldwide.com | 4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R235, R236 R237, R238 |
| TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com <i>Email:</i> clemonds@traffixdevices.com | Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand | Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/3/2000 | R242, R243 |

625.03.03**SIGN SUPPORT SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|---|------------------|
| Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com | Economy Plastic Folding Barricade Zephyr Portable Sign Support 48" | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/3/2000 | R248, R244 |
| | | | <i>Contact:</i> Cary Lemonds | |
| | | | <i>Email:</i> clemonds@traffixdevices.com | |

625.03.04**BARRICADES**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--|--------------------|
| 3D Traffic Works 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> (818) 841-5096 <i>Fax #:</i> (323) 849-1316 <i>Web Site:</i> www.trafficworks.com | TD2500 Type III Barricades TD2550 Barricade Type III TD2650 Works Barricade Type III | Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. | 7/14/2000 | R250, R251 R252 |
| | | | <i>Contact:</i> Frank Dvoracek | |
| | | | <i>Email:</i> sales@trafficworks.com | |
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal | Type II w/ or w/out lights | 3/9/2000 | R272, R273 |
| | | | <i>Contact:</i> Sandy Gerbrick | |
| | | | <i>Email:</i> sandygerbrick@bentmfg.com | |
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal | Type I w/ or w/out lights | 3/9/2000 | R246, R247 |
| | | | <i>Contact:</i> Sandy Gerbrick | |
| | | | <i>Email:</i> sandygerbrick@bentmfg.com | |
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | Barricades Type III Plywood Panel | Type III w/ or w/out lights | 3/9/2000 | R245 |
| | | | <i>Contact:</i> Sandy Gerbrick | |
| | | | <i>Email:</i> sandygerbrick@bentmfg.com | |
| Highway Technologies 4533 Andres Street North Las Vegas NV 89081- <i>Mfg #:</i> (702) 453-1616 <i>Cell #:</i> <i>Fax #:</i> (702) 438-3460 <i>Web Site:</i> www.hwy-tech.com | Type 3D Barricades | | 1/10/2000 | R435 |
| | | | <i>Contact:</i> David Johnson | |
| | | | <i>Email:</i> david.johnson@hwy-tech.com | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (408) 431-6869 <i>Cell #:</i> (253) 284-8000 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com | Barricade Type IIIB | Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. | 7/14/2000 | R250, R521 |
| | | | <i>Contact:</i> Bill Daly | |
| | | | <i>Email:</i> bill.daly@pexco.com | |

625.03.04

BARRICADES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|------------------------------|---|--------------------------|
| Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590 <i>Cell #:</i> | Anchor Type III Barricade | Type III | 3/19/2004 | R250 |
| | | | <i>Contact:</i> Bill Jamieson | |
| | | | <i>Email:</i> wejamieson@plasticsafety.com | |
| Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400 <i>Cell #:</i> | Sentinel Type III | Type III | 2/21/2007 | R001 |
| | | | <i>Contact:</i> Donna Kelner | |
| | | | <i>Email:</i> dkelner@americanlouver.com | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> | TD2300 Barricade TD2500 Barricade TD2600 Works Barricade | Barricade Type I and Type II | 7/5/2005 | R530, R531 R532 |
| | | | <i>Contact:</i> Frank Dvoracek | |
| | | | <i>Email:</i> sales@trafficwks.com | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> | TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I | Type I and Type III B | 12/3/2002 | R374, R375 |
| | | | <i>Contact:</i> Frank Dvoracek | |
| | | | <i>Email:</i> sales@trafficwks.com | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> | TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade | Barricade Type I and Type II | 7/5/2005 | R526, R527 R528, R529 |
| | | | <i>Contact:</i> Frank Dvoracek | |
| | | | <i>Email:</i> sales@trafficwks.com | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> | TD2550 Work Barricade Type III | Type III | 7/5/2005 | R525 |
| | | | <i>Contact:</i> Frank Dvoracek | |
| | | | <i>Email:</i> sales@trafficwks.com | |
| TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 | Economy Plastic Folding Barricade Sand-Filled Bag | | 4/3/2000 | R248, R249 |
| | | | <i>Contact:</i> Cary Lemonds | |
| | | | <i>Email:</i> clemonds@traffixdevices.com | |
| Work Area Protection Corporation 2500 Production Drive St. Charles IL 60174-9081 <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 | Lane Changer B500 LC Traffic Drum | | 7/8/2010 | R744 |
| | | | <i>Contact:</i> Jeffrey Smith | |
| | | | <i>Email:</i> jsmith@workareaprotection.com | |

625.03.04 BARRICADES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|------------------------------|---------------------------------|-----------------------------------|
| Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- | Yodock Model 2001 200 M with Type III Temporary Sign Support | Type III | 11/27/2007 | R583, R588 |
| | | | <i>Contact:</i> Kathleen Yodock | |
| <i>Mfg #:</i> (570) 380-2856 | <i>Cell #:</i> (888) 495-3625 | <i>Fax #:</i> (570) 380-2859 | <i>Web Site:</i> www.yodock.com | <i>Email:</i> kathleen@yodock.com |

627.02.01a POLYCARBONATE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---------------------------------|---------------------|----------------|------------------|------------------|
| NO VENDOR LISTINGS AT THIS TIME | | | | |
| | | | <i>Contact:</i> | |
| <i>Mfg #:</i> | <i>Cell #:</i> | <i>Fax #:</i> | <i>Web Site:</i> | <i>Email:</i> |

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|------------------------------------|--------------------------------------|
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- | Modular Guidance System | | 10/20/1996 | R102 |
| | | | <i>Contact:</i> Ernest Joyner III | |
| <i>Mfg #:</i> (800) 648-7916 | <i>Cell #:</i> | <i>Fax #:</i> (803) 276-8940 | <i>Web Site:</i> www.carsonite.com | <i>Email:</i> sales@carsonite.com |
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | Glare Screen System | | 7/31/1996 | R103 |
| | | | <i>Contact:</i> Jim Zadrozny | |
| <i>Mfg #:</i> (800) 348-9839 | <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 | <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | Glare Screen System | | 7/31/1996 | R104 |
| | | | <i>Contact:</i> Diane Sanchez | |
| <i>Mfg #:</i> (312) 705-8454 | <i>Cell #:</i> (888) 323-6374 | <i>Fax #:</i> (800) 770-6755 | <i>Web Site:</i> www.safe-hit.com | <i>Email:</i> diane.sanchez@trin.net |

632.03.05 RETROREFLECTOMETERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--------------------------------------|-------------------------------------|
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- | LTL-X 30-Meter Geometry Retroreflector | 10/08 LTX Geometry Retroreflector was discontinued | 12/26/1999 | R211 |
| | | | <i>Contact:</i> Dennis Evangelista | |
| <i>Mfg #:</i> (336) 475-6600 | <i>Cell #:</i> | <i>Fax #:</i> (336) 475-7900 | <i>Web Site:</i> www.flintrading.com | <i>Email:</i> sales@flintrading.com |

632.03.05 RETROREFLECTOMETERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---------------------------------------|--------------------------------|--------------------------|
| Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020- <i>Mfg #:</i> (801) 718-7089 <i>Cell #:</i> (801) 571-3394 <i>Fax #:</i> (801) 571-3394 <i>Web Site:</i> www.miroluxproducts.com <i>Email:</i> sales@miroluxproducts.com | Mirolux Ultra 30 | | 12/26/1999 | R213 |
| | | | <i>Contact:</i> William Kaiser | |
| RoadVista 8581 Aero Drive San Diego CA 92123- <i>Mfg #:</i> (858) 279-6044 <i>Cell #:</i> (888) 637-2758 <i>Fax #:</i> (858) 576-9286 <i>Web Site:</i> www.roadvista.com <i>Email:</i> enelson@rodvista.com | MX 30 LaserLuxGamma Scientific Stripe Master 2 StipeMaster I StripeMaster II | MX 30 still qualified but phasing out | 5/2/2006 | R542, R543 R735, R736 |
| | | | <i>Contact:</i> Eric Nelson | |

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|-------------------------------|------------------|
| Alpine Products 550 3rd Street SW Building C Auburn WA 98001- <i>Mfg #:</i> (253) 351-9828 <i>Cell #:</i> <i>Fax #:</i> (253) 735-6303 <i>Web Site:</i> www.alpinemarkings.com <i>Email:</i> bart@alpinemarkings.com | DDOT ABS | 100mm (4") Round | 6/2/1999 | R184 |
| | | | <i>Contact:</i> Bart Farrar | |
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com <i>Email:</i> sales@apexmarker.com | 929 ABS 929 PP Ceramic | 100mm (4") Round | 6/1/1999 | R172, R678, R173 |
| | | | <i>Contact:</i> Steve Edsinga | |
| Glowlite Incorporated 1861 West Beach Boulevard #B-230 La Habra CA 90631- <i>Mfg #:</i> (626) 336-6086 <i>Cell #:</i> <i>Fax #:</i> (626) 336-6086 <i>Web Site:</i> www.glowlitemarkers.com <i>Email:</i> info_glowlite@yahoo.com | Type A/4" White Non Reflective Type AY/4" Yellow Non Reflective | 100mm (4") Round (Ceramic and Plastic/PP) | 3/7/2005 | R516, R517 |
| | | | <i>Contact:</i> Edward Fei | |
| Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 <i>Cell #:</i> (951) 529-2666 <i>Fax #:</i> (909) 627-0999 <i>Web Site:</i> www.hi-waysafety.com <i>Email:</i> kris@hiwaysafety.com | NRPDRND-WHT NRPDRND-YEL | 100mm (4") Round | 6/1/1999 | R185, R186 |
| | | | <i>Contact:</i> Bob Smith | |
| Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 <i>Cell #:</i> (530) 823-6070 <i>Fax #:</i> (530) 823-0994 <i>Web Site:</i> www.interstatesales.com <i>Email:</i> miket@interstatesales.com | Diamond Back | 100mm (4") Round (ABS & Polyproplene) | 6/1/1999 | R170 |
| | | | <i>Contact:</i> Mike Trentman | |

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------|---------------|--|
| Novabrite 92 Corporate Park Suite C331 Irvine CA 92606-5106 <i>Mfg #:</i> (714) 656-3659 <i>Cell #:</i> <i>Fax #:</i> (925) 215-2549 <i>Web Site:</i> www.novabrite.com <i>Email:</i> norman@novabrite.com | ADOT - W White ADOT - Y Yellow CDOT - W White CDOT - Y Yellow | 100mm (4") Round | 2/17/2004 | R474, R475 R476, R477 <i>Contact:</i> Norman Yamaguchi |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD10000 Series | 100mm (4") Round | 12/3/2002 | R373 <i>Contact:</i> Frank Dvoracek |

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--------------------------|---------------|--|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | Series 290 Durable Raised Pavement Marker | 89mm x 100mm (3.6" x 4") | 6/1/1999 | R182 <i>Contact:</i> Eric Dornak |
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com <i>Email:</i> sales@apexmarker.com | 921 AR | 100mm x 100mm (4" x 4") | 3/25/2001 | R282 <i>Contact:</i> Steve Edsinga |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | 911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker | 100mm x 100mm (4" x 4") | 6/1/1999 | R179, R180, R181, R255 <i>Contact:</i> Susan Wacha |
| Ray-O-Lite/Hallen Products 4500 North Sam Houston Parkway West Suite 120 Houston TX 77086- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (281) 617-2240 <i>Fax #:</i> (281) 583-1506 <i>Web Site:</i> www.rayolite.com <i>Email:</i> tcontreras@rayolite.com | AA Reflective Pavement Markers ARC Reflective Pavement Markers Round Shoulder ARC | 100mm x 100mm (4" x 4") | 6/1/1999 | R174, R175 R743 <i>Contact:</i> Tina Contreras |

633.02.03**RECESSED REFLECTIVE PAVEMENT MARKERS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------------------|---------------|------------------|
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Ennis TX 75206- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | 948 Recessed Reflective Pavement Markers | 58mm x 119mm (2.3" x 4.7") | 6/1/1999 | R183 |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | 944SB Recessed Reflective Pavement Markers | 51mm x 100mm (2" x 4") | 6/1/1999 | R178 |
| Ray-O-Lite/Hallen Products 4500 North Sam Houston Parkway West Suite 120 Houston TX 77086- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (281) 617-2240 <i>Fax #:</i> (281) 583-1506 <i>Web Site:</i> www.rayolite.com <i>Email:</i> tcontreras@rayolite.com | ARC 2002 ARC 2004 | 58mm x 117mm (2.3" x 4.6") | 6/1/1999 | R176, R177 |

633.02.04**ADHESIVE (FOR PAVEMENT MARKERS)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---------------|------------------|
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (480) 236-8262 <i>Fax #:</i> (480) 961-4772 <i>Web Site:</i> www.crafco.com <i>Email:</i> lowell.parkison@crafco.com | Hot Applied Flexible Pavement Marker Adhesive part 34270 | | 6/16/1998 | R105 |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | 836098 Bituminous Adhesive for Pavement Markers | | 6/15/1998 | R108 |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i> <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com <i>Email:</i> sales@flintrading.com | Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad | White Color on Plantmix & Black Color on PCCP | 6/15/1998 | R106 |
| Henry Company 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245- <i>Mfg #:</i> (310) 955-9200 <i>Cell #:</i> (916) 849-9908 <i>Fax #:</i> (858) 391-1077 <i>Web Site:</i> www.henry.com <i>Email:</i> customerservice@henry.com | Dotstick Bituminous Marker Adhesive | | 9/29/2003 | R464 |

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|---|------------------------------------|
| Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 | 172542 Evergrip Bituminous Marker Adhesive | | 6/15/1998 | R107 |
| <i>Contact:</i> Jack Nimmo | | | | |
| <i>Mfg #:</i> (713) 350-6849 | <i>Cell #:</i> (281) 627-2077 | <i>Fax #:</i> (713) 350-2848 | <i>Web Site:</i> www.martinaspphalt.com | <i>Email:</i> jnimmo@martinmlp.com |

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|--------------------------------|-----------------------------------|
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | Halftrack Model 25 Halftrack Model 26; TOM TRPM | Work Zone Pavement Markers | 2/20/2000 | R253, R254 R256, R257 |
| <i>Contact:</i> Bill Daly | | | | |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---|---|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 780 Wet Reflective Removable Tape Series 710 Wet Reflective Removable Tape | 10/08 Discontinued manufacturing 750, but still carried by vendors and still approved | 5/21/2003 | R423, R424, R675 |
| <i>Contact:</i> Eric Dornak | | | | |
| <i>Mfg #:</i> (800) 553-1380 | <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 | <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- | Series 200 Construction Removable Tape White & Yellow | | 6/15/1999 | R101 |
| <i>Contact:</i> Brenda Robbins | | | | |
| <i>Mfg #:</i> (252) 536-2574 | <i>Cell #:</i> | <i>Fax #:</i> (252) 536-4940 | <i>Web Site:</i> www.trafficmarking.com | <i>Email:</i> brobbins@trafficmarking.com |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Series 100 White & Yellow Series 200 White & Yellow Removable Delta Line TWR | | 6/15/1999 | R157, R158 R673 |
| <i>Contact:</i> Bill Jubak | | | | |
| <i>Mfg #:</i> (702) 649-9223 | <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 | <i>Web Site:</i> www.britelinetchnologies.com | <i>Email:</i> bjubak@brite-line.com |
| PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- | Aztec III Removable | | 6/15/1999 | R119 |
| <i>Contact:</i> Laretta Green | | | | |
| <i>Mfg #:</i> (314) 968-2569 | <i>Cell #:</i> | <i>Fax #:</i> (314) 968-0494 | <i>Web Site:</i> www.pblaminations.com | <i>Email:</i> lgreen@pblaminations.com |

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|---------------|--------------------|
| Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com <i>Email:</i> office.industries@swarco.com | Director 2 Detour Grade Director 2 - Wet Reflective (D2-WR) Yellow & White | | 6/15/1999 | R120, R655 R656 |
| Trelleborg Industri AB 23181 Trelleborg Sweden <i>Mfg #:</i> (464) 105-1536 <i>Cell #:</i> (467) 081-5366 <i>Fax #:</i> (464) 105-1122 <i>Web Site:</i> www.trelleborg.com/roadtape <i>Email:</i> teunlootjens@trelleborg.com | RW 140 Series RY 140 Series R 140 Series | | 8/24/2001 | R303, R304 R305 |

637.02.01 DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------------------|--|---------------|------------------|
| American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com <i>Email:</i> ckimball@amref.com | PennzSuppress D Dust Suppressant | Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body. | 5/2/1999 | R121 |
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com <i>Email:</i> ekemp@arrowmagnolia.com | Road Boss | Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss) | 10/26/2005 | R498 |
| Cypher Environmental Ltd 701 North Street Vrain Street El Paso TX 79902- <i>Mfg #:</i> (915) 276-0879 <i>Cell #:</i> (204) 489-1214 <i>Fax #:</i> (915) 534-7207 <i>Web Site:</i> www.cypherenvironmental.com <i>Email:</i> gregg@eco-infrastructureolutions.com | DustStop | Prior to usage contact Environmental Svcs Div's Water Quality Specialist. This product is considered new technology so the Division will monitor its performance. Application and dilution rates follow manufacturer's instructions. | 5/5/2010 | R707 |
| Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <i>Mfg #:</i> (972) 758-7454 <i>Cell #:</i> (702) 405-0351 <i>Fax #:</i> (972) 596-8418 <i>Web Site:</i> www.dallasroadway.com <i>Email:</i> dallasroadway@yahoo.com | Dust Control DC-22 | Application and dilution rates follow manufacturer's instructions. | 6/19/2006 | R549 |
| Enviroad 2606 North Newark Street Portland OR 75206- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com <i>Email:</i> don@enviroad.com | Earthbind 100 | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 | R420 |

637.02.01

DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|--|------------------|
| EnviroTech Services Incorporated 3705 Lamay Lane Reno NV 89511- <i>Mfg #:</i> (775) 852-3878 <i>Cell #:</i> (800) 369-3878 <i>Fax #:</i> (970) 346-3959 <i>Web Site:</i> www.envirotechservices.com <i>Email:</i> csherven@envirotechservices.com | Lignin (Ammonium Lignosulfonate) | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%. | 8/26/2003 <i>Contact:</i> Charles Sherven | R450 |
| Evonik Stockhausen LLC 2401 Doyle Street Greensboro GA 27406- <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com <i>Email:</i> lynn.royal@evonik.com | HydroPam | Prior to usage contact Environmental Svcs Div's Water Quality Specialist. This product is considered new technology so the Division will monitor its performance. Application and dilution rates follow manufacturer's instructions. | 3/1/2010 <i>Contact:</i> Lynn Royal | R683 |
| Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com <i>Email:</i> srowsell@fluid-tech-inc.com | Trans Seal I | Application and dilution rates follow manufacturer's instructions. | 1/3/2002 <i>Contact:</i> Scott Rowsell | R323 |
| GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com <i>Email:</i> craighoad@gmbostoncompany.com | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control | Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area | 6/10/2003 <i>Contact:</i> Craig Hoad | R433 |
| Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com <i>Email:</i> hercenv@herculesenvironmental.com | SOILOC-MQ Dust Suppressant Hercules PAM | Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.) | 5/2/1999 <i>Contact:</i> Rob Hotle | R149, R150 |
| Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com | EnviroKleen Soil Sement | Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal | 1/4/2001 <i>Contact:</i> Kimberly Keith | R278, R279 |
| MonoSol LLC 707 East 80th Place Suite 301 Merrillville IN 46410- <i>Mfg #:</i> (219) 762-3165 <i>Cell #:</i> <i>Fax #:</i> (219) 755-4062 <i>Web Site:</i> www.terraloc.com <i>Email:</i> jgallagher@monosol.com | TerraLoc | Application and dilution rates follow manufacturer's instructions. | 11/18/2009 <i>Contact:</i> Jon Gallagher | R683 |
| NU Equipment Incorporated PO Box 750907 Las Vegas NV 89136- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 325-2323 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> daniel@nuequipment.com | Plas-Bond Solitac | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 11/13/2000 <i>Contact:</i> Daniel Frehner | R274, R275 |

637.02.01 DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------|--|---------------|------------------|
| Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> jim.ryan@alonusa.com | Topein S Emulsion | Application and dilution rates follow manufacturer's instructions. | 2/28/2002 | R479 |
| Prime/Products LLC PO Box 30816 Spokane WA 99223- <i>Mfg #:</i> (509) 235-3800 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.prime/products.com <i>Email:</i> tackiferman@yahoo.com | Fisch-Stik Terravest | Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water. | 6/25/1998 | R152, R153 |
| Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115- <i>Mfg #:</i> (216) 566-1733 <i>Cell #:</i> <i>Fax #:</i> (216) 830-7721 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> pjwalsh@sherwin.com | Dust Away | Application and dilution rates follow manufacturer's instructions. | 6/2/2009 | R639 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> (702) 210-9585 <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> jeff@soil-tech.com | Plas-Tex Poly-Tex | Application and dilution rates follow manufacturer's instructions; vacant land application only. | 12/10/2003 | R466, R467 |
| Soilworks LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 545-5454 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> info@soilworks.com | Soiltac® | Application and dilution rates follow manufacturer's instructions. | 9/20/2004 | R504 |
| Terra Novo 2930 Patten Way Bakersfield CA 93308- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 | R318 |
| US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (713) 983-8829 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com | Dust Armour | Application and dilution rates follow manufacturer's instructions. | 8/28/2006 | R553 |
| Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (520) 622-7203 <i>Cell #:</i> (520) 820-8943 <i>Fax #:</i> (520) 798-3914 <i>Web Site:</i> www.westernemulsions.com <i>Email:</i> ian@westernemulsions.com | Dust Control 50 | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%. | 8/26/2003 | R434 |

637.02.02 SILT FENCE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------|--|--|------------------|
| Enviroscape ECM 22700 State Route 613 Oakwood OH 45873- <i>Mfg #:</i> (419) 594-3210 <i>Cell #:</i> (419) 594-3210 <i>Fax #:</i> (419) 594-3213 <i>Web Site:</i> www.strawblanket.com <i>Email:</i> mark@strawblanket.com | Vertipro | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 3/1/2010 <i>Contact:</i> Mark Deitering | R678 |
| Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com <i>Email:</i> quinn.brown@hanesindustries.com | TerraTex SC | | 6/25/1998 <i>Contact:</i> Quinn Brown | R143 |
| Triangular Silt Dike Company Inc 18505 East Highway 66 Luther OK 73054- <i>Mfg #:</i> (800) 290-8473 <i>Cell #:</i> <i>Fax #:</i> (405) 277-2232 <i>Web Site:</i> www.tri-silkdike.com <i>Email:</i> jroach@cox.net | Triangular Silt Dike | | 6/25/1998 <i>Contact:</i> Gary Roach | R142 |

637.02.05 ROADWAY INLET PROTECTION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|--|--------------------------|
| ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 <i>Cell #:</i> (800) 423-4567 <i>Fax #:</i> (804) 246-9737 <i>Web Site:</i> www.acfenvironmental.com <i>Email:</i> dkelley@acfenvironmental.com | Siltsack | | 6/25/1998 <i>Contact:</i> David Kelley | R144 |
| Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- <i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 <i>Fax #:</i> (775) 359-5997 <i>Web Site:</i> www.submar.com <i>Email:</i> damian.swain@paccoast.com | UltraFlexTM | | 11/18/2009 <i>Contact:</i> Damian Swain | R684 |
| Bowhead Environmental & Safety P.O. Box 375 Preston WA 98050- <i>Mfg #:</i> (800) 909-3677 <i>Cell #:</i> <i>Fax #:</i> (888) 234-3677 <i>Web Site:</i> www.shopbowhead.com <i>Email:</i> jeffb@shopbowhead.com | StreamGuard Catch Basin Insert | | 6/25/1998 <i>Contact:</i> Jeff Bird | R088 |
| Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683 <i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com <i>Email:</i> dlc@dandyproducts.com | Dandy Curb Dandy Pop Dandy Curb Bag® Dandy Bag® Drainage Control | | 6/25/1998 <i>Contact:</i> Dan Cleveland Jr. | R637, R638 R083, R087 |

637.02.05 ROADWAY INLET PROTECTION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|---|
| ERTEC Environmental Systems LLC 1150 Ballena Boulevard Suite 250 Alameda CA 94501- <i>Mfg #:</i> (510) 521-0724 <i>Cell #:</i> <i>Fax #:</i> (510) 521-3972 <i>Web Site:</i> www.ertecsystems.com <i>Email:</i> info@ertecsystems.com | Curb Inlet Guard Combo Guard Drop Guard GR-8 Guard | | 3/1/2010 | R684, R685, R686, R687 <i>Contact:</i> Rachel Landphere |
| Inlet & Pipe Protection Incorporated 24137 West 111th Street Unit A Naperville IL 60564- <i>Mfg #:</i> (866) 287-8655 <i>Cell #:</i> (847) 722-0690 <i>Fax #:</i> (630) 355-3477 <i>Web Site:</i> www.inletfilters.com <i>Email:</i> jr@inletfilters.net | Flexstorm Inlet Filters | | 3/1/2010 | R682 <i>Contact:</i> Jamie Ringenbach |
| Silt-Saver Incorporated 1094 Culppeper Drive Conyers GA 30094- <i>Mfg #:</i> (888) 382-7458 <i>Cell #:</i> (770) 388-7818 <i>Fax #:</i> (770) 388-7640 <i>Web Site:</i> www.siltsaver.com <i>Email:</i> todd@siltsaver.com | SS-100A Frame & Filter Assembly SS-200A Frame & Filter Assembly | | 12/6/2002 | R376, R377 <i>Contact:</i> Todd Christian |

640.02.03a MSE WALLS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---------------|---|
| Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 <i>Mfg #:</i> (800) 762-8962 <i>Cell #:</i> (707) 443-5093 <i>Fax #:</i> (707) 443-2891 <i>Web Site:</i> www.hilfiker.com <i>Email:</i> suzanne@hilfiker.com | Reinforced Soil Embankment Wall | | 9/8/1998 | R122 <i>Contact:</i> Suzanne Blackburn |
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls | | 9/8/1998 | R287, R288 <i>Contact:</i> Michael Louis |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com <i>Email:</i> andrewt@mseplus.com | MSE Earth MSE Plus™ | Modified panels required. W24 longitudinal wire not permitted. | 2/9/2000 | R187, R195 <i>Contact:</i> Andrew Thompson |
| Tensor International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensorcorp.com <i>Email:</i> bmiller@tensorcorp.com | ARES Retaining Precast Wall System | Permitted only when specified in the contract documents as an acceptable product. | 6/14/1999 | R165 <i>Contact:</i> Bob Miller |

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|------------------|
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls | Large panels allowed only when noted on the plans. | 2/28/2001 | R287, R288 |
| <i>Contact:</i> Michael Louis | | | | |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com <i>Email:</i> andrewt@mseplus.com | MSE Large Wall Panel | Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans. | 8/26/2002 | R356 |
| <i>Contact:</i> Andrew Thompson | | | | |

640.02.03c SOUNDWALL SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|------------------|
| Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313 <i>Cell #:</i> (207) 459-8382 <i>Fax #:</i> (207) 490-4284 <i>Web Site:</i> www.cyro.com <i>Email:</i> nathan.binette@evonik.com | Paraglas Soundstop TL4 System | The system will be selected based on specific project requirements. It is not a complete wall system. | 6/3/2009 | R640 |
| <i>Contact:</i> Nathan Binette | | | | |
| Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313 <i>Cell #:</i> (207) 459-8382 <i>Fax #:</i> (207) 490-4284 <i>Web Site:</i> www.cyro.com <i>Email:</i> nathan.binette@evonik.com | Paraglas Soundtop® Ready Fit Panels | The system will be selected based on specific project requirements. It is not a complete wall system. | 8/27/2004 | R502 |
| <i>Contact:</i> Nathan Binette | | | | |
| Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313 <i>Cell #:</i> (207) 459-8382 <i>Fax #:</i> (207) 490-4284 <i>Web Site:</i> www.cyro.com <i>Email:</i> nathan.binette@evonik.com | Paraglas Soundstop® TL4 Noise Barrier System | The system will be selected based on specific project requirements. It is not a complete wall system. | 8/4/2009 | R648 |
| <i>Contact:</i> Nathan Binette | | | | |
| Port-O-Wall Systems LLC 19201 Sonoma Highway PMB 10 Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516 <i>Cell #:</i> <i>Fax #:</i> (707) 996-5191 <i>Web Site:</i> www.port-o-wall.com <i>Email:</i> rod_allen@port-o-wall.com | Port-O-Wall Soundwall System | The system will be selected based on specific project requirements. | 10/24/2001 | R316 |
| <i>Contact:</i> Rod Allen | | | | |
| QUILITE International LLC 2503 Eastbluff Drive #205 Newport Beach CA 92660- <i>Mfg #:</i> (949) 644-1294 <i>Cell #:</i> <i>Fax #:</i> (949) 644-6770 <i>Web Site:</i> www.quilite.com <i>Email:</i> info@quilite.com | Quilite Noise Barrier | The system will be selected based on specific project requirements. | 2/9/2005 | R515 |
| <i>Contact:</i> Richard Cooling | | | | |

640.02.04 MODULAR BLOCK RETAINING WALL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------------|--|---------------|------------------|
| Jensen Precast 625 Bergin Way Sparks NV 89431- <i>Mfg #:</i> (775) 720-8167 <i>Cell #:</i> <i>Fax #:</i> (775) 359-1038 <i>Web Site:</i> www.jensenprecast.com <i>Email:</i> DGoins@jensenprecast.com | Redi-Rock | Permitted on a project-by-project basis with approvals from NDOT Bridge and NDOT Geotechnical and in accordance with 640.02.03 NDOT Specs. | 7/23/2009 | R647 |
| Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761 <i>Cell #:</i> <i>Fax #:</i> (251) 990-5461 <i>Web Site:</i> www.keystonewalls.com <i>Email:</i> keystone@keystonewalls.com | KeySteel SOFT MSE Panel System | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R145 |
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | Pyramid Modular Block Retaining Wall | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R214 |
| Tensor International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com <i>Email:</i> bmiller@tensarcorp.com | Mesa Retaining Wall | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R343 |

641.02.01 IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|--------------------------|
| Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com <i>Email:</i> jaime.franco@barriersystemsinc.com | Universal Tau II System | TL-3, Must be mounted on a concrete or asphalt slab. | 9/5/2009 | R285 |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 75119- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | React 350 (60" wide) React 350 (96" wide) React 350 (120" wide) | TL-3, Must be mounted on a concrete or asphalt slab. | 7/31/2009 | R662, R661 R660 |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@trin.net | Quad-Guard Standard Quad-Guard Wide (69/90) Quad-Guard Elite React 350 | TL-3, Must be mounted on a concrete or asphalt slab. | 4/27/1998 | R126, R127 R128, R129 |

641.02.01 IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------------|--|---------------|------------------|
| SCI Products Incorporated PO Box 4314 St Charles IL 60174- | SCI100GM Impact Attenuator | TL-3, Must be mounted on a concrete or asphalt slab. | 1/20/2006 | R545 |
| <i>Contact:</i> Jeffery Smith | | | | |
| <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com <i>Email:</i> workarea@workareaprotection.com | | | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | Adiem Attenuating Device | TL-3, Must be mounted on a concrete or asphalt slab. | 9/9/2003 | R209 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net <i>Email:</i> mikel.hooley@trin.net | | | | |

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|-------------------|---------------|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- | Atlas Res-Cure | ASTM C309 Type 1D | 9/4/2007 | R573 |
| <i>Contact:</i> Ryan Quinn | | | | |
| <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | | | | |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- | DSSCC Resin Cure & Dye Aqua Resin Clear Type 1D | ASTM C309 Type 1D | 8/29/2008 | R609; R670 |
| <i>Contact:</i> John Hukey | | | | |
| <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | | | | |
| US Mix 112 South Santa Fe Drive Denver CO 80305- | US SPEC Maxcure Resin Clear | ASTM C309 Type 1D | 8/29/2008 | R607 |
| <i>Contact:</i> Bryan Smith | | | | |
| <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com <i>Email:</i> bsmith@usmix.com | | | | |
| White Cap 1830 East Lincoln Way Sparks NV 89434- | Resin Cure-Clear VOC | ASTM C309 Type 1D | 9/4/2007 | R565 |
| <i>Contact:</i> Bob Smith | | | | |
| <i>Mfg #:</i> (775) 353-3333 <i>Cell #:</i> <i>Fax #:</i> (775) 353-3300 <i>Web Site:</i> www.whitecapdirect.com <i>Email:</i> bobsmith@whitecap.net | | | | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- | 1100 Clear 1300 Clear | ASTM C309 Type 1D | 9/4/2007 | R574, R475 |
| <i>Contact:</i> Richard Spencer | | | | |
| <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> rspencer@wrmeadows.com | | | | |

702.03.01d

CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------------|---------------------------------|---|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Whix Cure DOT | PCCP ASTM C309, Type 2, Class A | 9/4/2007 <i>Contact:</i> Ryan Quinn | R582 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | DSSCC White Wax | PCCP ASTM C309, Type 2, Class A | 8/29/2008 <i>Contact:</i> John Hukey | R611 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com | Kurez VOX White Pigmented | PCCP ASTM C309, Type 2, Class A | 9/30/1996 <i>Contact:</i> Christopher Balsat | R040 |
| SpecChem LLC 700 West 47th Street Kansas City KS 64112- <i>Mfg #:</i> (816) 968-5600 <i>Cell #:</i> (913) 221-7957 <i>Fax #:</i> (913) 371-8701 <i>Web Site:</i> www.specchemllc.com <i>Email:</i> mlemark@specchemllc.com | PaveCure WW | PCCP ASTM C309, Type 2, Class A | 2/12/2008 <i>Contact:</i> Michael Lemark | R585 |
| Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 <i>Cell #:</i> (530) 348-6809 <i>Fax #:</i> (702) 386-5799 <i>Web Site:</i> www.steelengineers.com <i>Email:</i> bbilkington@steelengineers.com | UniWhite Cure Wax | PCCP ASTM C309, Type 2, Class A | 6/2/2008 <i>Contact:</i> Bratt Bilkington | R577 |
| US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com <i>Email:</i> bsmith@usmix.com | US SPEC AMS 3754 | PCCP ASTM C309, Type 2, Class A | 7/2/2008 <i>Contact:</i> Bryan Smith | R602 |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> rspencer@wrmeadows.com | 1600 White | PCCP ASTM C309, Type 2, Class A | 9/4/2007 <i>Contact:</i> Richard Spencer | R575 |

702.03.04 BRIDGE DECK CURING COMPOUND

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------------|---|---------------|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas PAMS Cure | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R579 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | DSSCC PAMS White Pams Cure | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R610, R578 |
| US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com <i>Email:</i> bsmith@usmix.com | US SPEC AMS 3754 | Bridge Decks ASTM C309, Type 2, Class B | 7/2/2008 | R602 |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> rspencer@wrmeadows.com | 2245 Bridge Deck Curing Compound | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R604 |

702.03.05 POZZOLANS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-----------------------------------|----------------|---------------|------------------|
| Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> <i>Web Site:</i> www.boral.com <i>Email:</i> pamela.flynn@boral.com | Fly Ash Plant: Rockdale, TX | Class F | 9/4/2007 | R571 |
| Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> <i>Web Site:</i> www.boral.com <i>Email:</i> pamela.flynn@boral.com | Fly Ash Plant: Monticello, TX | Class F | 9/4/2007 | R571 |
| Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | Fly Ash Plant: Delta Plant, UT | Class F | 9/4/2007 | R572 |

702.03.05 POZZOLANS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|------------------|
| Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- | Fly Ash Plant: Navajo Plant Page, AZ | Class F | 9/4/2007 | R572 |
| <i>Contact:</i> Thomas Fox | | | | |
| <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | | | | |
| Headwaters Resource's Incorporated 16817 155th PI SE Rento WA 98058- | Fly Ash Plant: Bridger Plant, WY | Class F | 9/4/2007 | R572 |
| <i>Contact:</i> Thomas Fox | | | | |
| <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | | | | |

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-----------------------------------|----------------|---------------|------------------|
| Bondaflex Technologies 995 Towbin Avenue Lakewood NJ 08701- | Bondaflex Sil 728SL | | 8/5/2005 | R534 |
| <i>Contact:</i> Bruce Lakatosh | | | | |
| <i>Mfg #:</i> (800) 641-8242 <i>Cell #:</i> <i>Fax #:</i> (973) 473-4222 <i>Web Site:</i> www.bondaflex.com <i>Email:</i> brucel@maynational.com | | | | |
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- | Roadsaver Silicone SL Sealant | | 10/7/1993 | R552 |
| <i>Contact:</i> Lowell Parkison | | | | |
| <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (480) 236-8262 <i>Fax #:</i> (480) 961-4772 <i>Web Site:</i> www.crafco.com <i>Email:</i> lowell.parkison@crafco.com | | | | |
| Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- | 890 SL | | 3/20/1997 | R130 |
| <i>Contact:</i> Jason Sika | | | | |
| <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com <i>Email:</i> jason.sika@dowcorning.com | | | | |
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- | DSB 900 SL Self Leveling Silicone | | 4/5/2005 | R518 |
| <i>Contact:</i> Larry Durain | | | | |
| <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com <i>Email:</i> ldurain@dsbrown.com | | | | |
| Pecora Corporation 165 Wambold Road Harleysville PA 19438- | Pecora 300 | | 9/14/2001 | R311 |
| <i>Contact:</i> Nick Burns | | | | |
| <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com <i>Email:</i> burnsn@pecora.com | | | | |

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|---|----------------------------------|
| Tremco Incorporated 3735 Green Road Beachwood OH 44122- | Spectrum 900 SL Formula 974831 333 Cartridges | | 5/31/2002 | R358, R357 |
| <i>Contact:</i> Technical Services | | | | |
| <i>Mfg #:</i> (866) 209-2404 | <i>Cell #:</i> (216) 292-5000 | <i>Fax #:</i> (216) 766-5535 | <i>Web Site:</i> www.tremcosealants.com | <i>Email:</i> tscs@tremcoinc.com |

714.03.01 COATING SYSTEMS FOR BRIDGES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---|--|
| Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- | Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane | Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900 | 8/20/1997 | R132, R133 R134 |
| <i>Contact:</i> Bill Eggers | | | | |
| <i>Mfg #:</i> (314) 644-1000 | <i>Cell #:</i> (925) 382-4142 | <i>Fax #:</i> (314) 587-2699 | <i>Web Site:</i> www.carboline.com | <i>Email:</i> carbolineUSA@carboline.com |
| Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- | Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane | Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811 | 8/20/1997 | R604, R605 R606 |
| <i>Contact:</i> Bill Eggers | | | | |
| <i>Mfg #:</i> (314) 644-1000 | <i>Cell #:</i> (925) 382-4142 | <i>Fax #:</i> (314) 587-2699 | <i>Web Site:</i> www.carboline.com | <i>Email:</i> carbolineUSA@carboline.com |
| International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- | Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS | Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS | 6/4/2003 | R430, R431 R432 |
| <i>Contact:</i> Dan Griffin | | | | |
| <i>Mfg #:</i> (281) 684-5203 | <i>Cell #:</i> (281) 684-5203 | <i>Fax #:</i> (812) 256-6733 | <i>Web Site:</i> www.international-pc.com | <i>Email:</i> daniel.griffin@akzonobel.com |
| PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821- | Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Amercoat 450 H Aliphatic Polyurethane | Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure | 5/21/2008 | R592, R593 R594 |
| <i>Contact:</i> Nye Miller | | | | |
| <i>Mfg #:</i> (714) 337-1953 | <i>Cell #:</i> (562) 691-9600 | <i>Fax #:</i> (562) 691-3550 | <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com | <i>Email:</i> nyemiller@msm.com |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II | Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-400 Series Part B: B60V2 | 8/20/1997 | R135, R136 R137 |
| <i>Contact:</i> Dee McNeill | | | | |
| <i>Mfg #:</i> (210) 861-2286 | <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 | <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.l.mcneill@sherwin.com |

714.03.01 COATING SYSTEMS FOR BRIDGES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|-----------------------------|--------------------|
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216- | Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane | Part E: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150 | 6/2/2003 | R138, R139 R140 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.lmcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane | Part E: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150 | 6/2/2003 | R123, R124 R125 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.lmcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |

716.03.01 REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|-----------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 3300 Flexible Prismatic Sheeting | | 8/21/2000 | R642 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out) | For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved. | 8/21/2000 | R289, R163 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 3800 High Intensity Series | For Reboundable Plastic Drums Only (Type III) | 8/21/2000 | R291 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 3990 VIP Diamond Grade Type IX | Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved. | 8/16/2000 | R159, R271 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 3980 Diamond Fluorescent 3983 Diamond Fluorescent VIP (for perm traffic); | For Permanent Traffic Signs (NDOT Type X) | 7/23/2001 | R301, R302 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |

716.03.01

REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|-----------------------------|--------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 334 Barricade Type IV Series 336 Barricade Type IV | For Barricades Only (Type IV) | 12/1/2004 | R510, R511 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 3930 Permanent Traffic Signs & Temporary Traffic Series 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out) | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); 10/08 Discontinued 3870. | 12/1/2004 | R508, R509 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T9500 Omni View T7500 Prismatic Grade Sheeting | NDOT Type IX | 5/30/2002 | R021, R344 |
| <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | | | <i>Contact:</i> Nipa Joshi | |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T6500 Fluorescent Reflective Sheeting W7514 Fluorescent Reflective Sheeting W6100 Prismatic Reflective Sheeting | For Delineators and Permanent Signs Only (Type III) | 8/21/2000 | R164, R298 R297 |
| <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | | | <i>Contact:</i> Nipa Joshi | |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | S9000C Cone Collar | For Reboundable Traffic Cones Only, Type III | 2/2/2004 | R471 |
| <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | | | <i>Contact:</i> Nipa Joshi | |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T5500A Series High Intensity T7000 Fluorescent Reflective Sheeting | For Permanent and Temporary Traffic Control Devices (Type III) | 9/15/2003 | R455, R456 |
| <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | | | <i>Contact:</i> Nipa Joshi | |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- | Nikkalite CRG 92805 Red Nikkalite CRG 92806 Blue Nikkalite CRG 92808 Green | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV) | 8/16/2000 | R652, R653 R654 |
| <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | | | <i>Contact:</i> James Hu | |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- | 92847 Nikkalite Crystal Fluorescent Orange Nikkalite CRG 92844 | NDOT Type X | 4/29/2005 | R522, R649 |
| <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | | | <i>Contact:</i> James Hu | |

716.03.01 REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|--------------------|
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | High Intensity ULG II Nikkalite CRG 92802 White Nikkalite CRG 92804 Yellow | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV) | 8/16/2000 | R226, R650 R651 |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | 92844 Nikkalite Fluorescent Yellow 92844 Nikkalite Fluorescent Green | NDOT Type X | 4/29/2005 | R649, R663 |
| Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com <i>Email:</i> customer.service@reflexite.com | Conformalight Marathon Type VI | For Roll-up Signs Only (NDOT Type VI) | 9/19/2000 | R293, R294 |
| Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com <i>Email:</i> customer.service@reflexite.com | AP1000 Reflective Sheeting | For Delineators, Safety Fencing and Glare Screens Only (Type V) | 8/21/2000 | R295 |

726.03.04 MULCH

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|------------------|
| Central Fiber LLC 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (330) 452-2630 <i>Fax #:</i> (785) 883-4429 <i>Web Site:</i> www.centralfiber.com <i>Email:</i> sales@centralfiber.com | Second Nature Paper Fiber Hydroseeding Mulch | | 6/25/1998 | R146 |
| Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <i>Mfg #:</i> (208) 733-9689 <i>Cell #:</i> <i>Fax #:</i> (208) 733-9447 <i>Web Site:</i> www.hmi-mfg.com <i>Email:</i> christy@hmi-mfg.com | Nature's Own | | 6/25/1998 | R147 |
| North American Green 5401 St. Wendel-Cynthiana Road Poseyville IN 47633- <i>Mfg #:</i> (800) 772-2040 <i>Cell #:</i> (801) 977-0970 <i>Fax #:</i> (812) 867-0247 <i>Web Site:</i> www.nagreen.com <i>Email:</i> jpack@nagreen.com | HydraCX2 Extreme Slope Matrix | | 12/18/2008 | R715 |

726.03.04 MULCH

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------|----------------|---|------------------|
| Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- | Conwed 1000 Flexterra | | 12/18/2008 | R629, R631 |
| <i>Mfg #:</i> (253) 884-0747 <i>Cell #:</i> (253) 208-9777 <i>Fax #:</i> (253) 884-0730 <i>Web Site:</i> www.profileproducts.com | | | <i>Contact:</i> Becky Gauthier | |
| | | | <i>Email:</i> bgauthier@profileproducts.com | |

726.03.05 TACKIFIER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|--------------------------------------|------------------|
| Central Fiber LLC 4814 Fiber Lane Wellsville KS 66092- | TacPac GT | | 6/25/1998 | R148 |
| <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (330) 452-2630 <i>Fax #:</i> (785) 883-4429 <i>Web Site:</i> www.centralfiber.com | | | <i>Contact:</i> Jeff Ward | |
| | | | <i>Email:</i> sales@centralfiber.com | |
| Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- | Driwater Hydro Mix | Note: Surfaces subject to spill; can be slippery. | 1/3/2001 | R277 |
| <i>Mfg #:</i> (707) 588-1444 <i>Cell #:</i> <i>Fax #:</i> (707) 588-1445 <i>Web Site:</i> www.driwater.com | | | <i>Contact:</i> Mary Paternoster | |
| | | | <i>Email:</i> mary@driwater.com | |
| Enviroad 2606 North Newark Street Portland OR 75206- | Earthbind 100 | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 | R420 |
| <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com | | | <i>Contact:</i> Don Blackmon | |
| | | | <i>Email:</i> don@enviroad.com | |
| Evonik Stockhausen LLC 2401 Doyle Street Greensboro GA 27406- | HydroPam | Environmental Services Division Water Quality Specialist must be contacted prior to usage. | 3/1/2010 | R683 |
| <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com | | | <i>Contact:</i> Lynn Royal | |
| | | | <i>Email:</i> lynn.royal@evonik.com | |
| JRM Chemical 4881 Neo Parkway Cleveland OH 44128- | FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets | Environmental Services Division Water Quality Specialist must be contacted prior to usage. | 3/1/2010 | R679, R680, R681 |
| <i>Mfg #:</i> (216) 475-8488 <i>Cell #:</i> <i>Fax #:</i> (216) 475-6517 <i>Web Site:</i> www.soilmoist.com | | | <i>Contact:</i> Scott Wiesler | |
| | | | <i>Email:</i> jrm@en.com | |
| Prime/Products LLC PO Box 30816 Spokane WA 99223- | Fisch-Stik Terravest | | 6/25/1998 | R152, R153 |
| <i>Mfg #:</i> (509) 235-3800 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.prime/products.com | | | <i>Contact:</i> Robert Fischbach | |
| | | | <i>Email:</i> tackiferman@yahoo.com | |

726.03.05 TACKIFIER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------|---|---|------------------|
| Terra Novo 2930 Patten Way Bakersfield CA 93308- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 <i>Contact:</i> Andy Iturriria | R318 |

726.03.13 SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------------------------|---|---|--------------------|
| American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com <i>Email:</i> ckimball@amref.com | PennzSuppress D Dust Suppressant | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 <i>Contact:</i> Colin Kimball | R121 |
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com <i>Email:</i> ekemp@arrowmagnolia.com | Road Boss | Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss). | 10/26/2005 <i>Contact:</i> Eunice Kemp | R498 |
| ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 <i>Cell #:</i> (920) 217-0281 <i>Fax #:</i> (920) 406-9740 <i>Web Site:</i> www.encap.com <i>Email:</i> aramirez@encap.net | PAM 12 PLUS | Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS. | 3/10/2008 <i>Contact:</i> Adrian Ramirez | R586 |
| Enviroad 2606 North Newark Street Portland OR 75206- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com <i>Email:</i> don@enviroad.com | Earthbind 100 | Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 <i>Contact:</i> Don Blackmon | R420 |
| Evonik Stockhausen LLC 2401 Doyle Street Greensboro GA 27406- <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com <i>Email:</i> lynn.royal@evonik.com | HydroPam | Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions. | 3/1/2010 <i>Contact:</i> Lynn Royal | R683 |
| Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com <i>Email:</i> srowsell@fluid-tech-inc.com | Road Oyl Soil Seal Trans Seal I | Application and dilution rates follow manufacturer's instructions. | 1/3/2002 <i>Contact:</i> Scott Rowsell | R324, R325 R323 |

726.03.13

SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|----------------------------------|--------------------|
| GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control | Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area | 6/10/2003 | R433 |
| <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com <i>Email:</i> craighoad@gmbostoncompany.com | | | <i>Contact:</i> Craig Hoad | |
| Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- | Hercules PAM SOILOC-MQ Dust Suppressant SOILOC-PAM | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 | R160, R149 R328 |
| <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com <i>Email:</i> hercenv@herculesenvironmental.com | | | <i>Contact:</i> Rob Hotle | |
| JRM Chemical 4881 Neo Parkway Cleveland OH 44128- | FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets | Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions. | 3/1/2010 | R679, R680, R681 |
| <i>Mfg #:</i> (216) 475-8488 <i>Cell #:</i> <i>Fax #:</i> (216) 475-6517 <i>Web Site:</i> www.soilmoist.com <i>Email:</i> jrm@en.com | | | <i>Contact:</i> Scott Wiesler | |
| Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- | Soil Sement | Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water body. | 4/18/2005 | R279 |
| <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com | | | <i>Contact:</i> Kimberly Keith | |
| North American Green 5401 St. Wndel-Cynthiana Road Poseyville IN 47633- | Hydra CX2 Cotton Reinforced Matrix | Application and dilution rates follow manufacturer's instructions. | 5/29/2009 | R334 |
| <i>Mfg #:</i> (800) 772-2040 <i>Cell #:</i> (801) 731-5757 <i>Fax #:</i> (812) 867-0247 <i>Web Site:</i> www.nagreen.com <i>Email:</i> jpack@nagreen.com | | | <i>Contact:</i> Jill Pack | |
| NU Equipment Incorporated PO Box 750907 Las Vegas NV 89136- | Plas-Bond Solitac | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 11/13/2000 | R274, R275 |
| <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 325-2323 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> daniel@nuequipment.com | | | <i>Contact:</i> Daniel Frehner | |
| Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- | Topein S Emulsion | Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization. | 2/24/2004 | R479 |
| <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> Jryan@ppcla.com | | | <i>Contact:</i> Jim Ryan | |
| Prime/Products LLC PO Box 30816 Spokane WA 99223- | Fisch-Stik Terravest | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 | R152, R153 |
| <i>Mfg #:</i> (509) 235-3800 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.prime/products.com <i>Email:</i> tackiferman@yahoo.com | | | <i>Contact:</i> Robert Fischbach | |

726.03.13**SOIL STABILIZER**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|------------------|
| Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Cell #:</i> <i>Fax #:</i> (801) 303-2551 <i>Web Site:</i> www.sequoiaprc.com <i>Email:</i> terry@telnetz.com | SoilBIND | Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic. | 6/23/2003 | R118 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> jeff@soil-tech.com | Plas-Tex Poly-Tex | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 6/25/1998 | R466, R467 |
| Soilworks LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 545-5454 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> info@soilworks.com | Soiltac® | Application and dilution rates follow manufacturer's instructions. | 9/20/2004 | R504 |
| Terra Novo 2930 Patton Way Bakersfield CA 93308- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 | R318 |
| US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (713) 483-8829 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com | AirtrolTM Geobinder Enviro-ShieldTM Bonded Fiber Matrix | Application and dilution rates follow manufacturer's instructions. | 8/28/2006 | R554, R555 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|--------------------------|
| Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 <i>Cell #:</i> (954) 782-2221 <i>Fax #:</i> (954) 782-2776 <i>Web Site:</i> www.atc.ws <i>Email:</i> rboland@atc.ws | Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200 | Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C | 1/10/2002 | R329, R330 R331, R327 |
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Epoxy Bonder LPL Epoxy Bonder | Type I, II, IV and V; Grade 2; Classes B & C | 4/29/2004 | R496, R497 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnkukey@daytonsuperior.com | Dayton Superior Sure Anchor I J-51 | Type I, II, IV and V; Grade 3; Glass A | 1/14/2003 | R393 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com | Duralcrete | Type I and Type II | 11/8/2005 | R536 |
| Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-6000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (918) 294-2856 <i>Web Site:</i> www.us.hilti.com <i>Email:</i> ruben.rivadeneira@hilti.com | HTE 50 | Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C | 1/10/2002 | R641 |
| Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-6000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (918) 294-2856 <i>Web Site:</i> www.us.hilti.com <i>Email:</i> ruben.rivadeneira@hilti.com | HIT RE 500 THE 50 | Type IV; Grade 3; Classes A, B & C | 1/2/2002 | R321, R641 |
| ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370 <i>Cell #:</i> (630) 694-4720 <i>Fax #:</i> (630) 495-6204 <i>Web Site:</i> www.itw-redhead.com <i>Email:</i> mark.timmerman@itw-redhead.com | Epcon C6 (Ceramic 6) | Type I & IV; Grade 3; Classes B & C | 5/14/2002 | R341 |
| Pecora Corporation 165 Wambold Road Harleysville PA 19438- <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com <i>Email:</i> burnsn@pecora.com | Dynapoxy Low-Mod Epoxy Dynapoxy EP-450 Dynapoxy EP-420 Dynapoxy EP-430 Fast* | Type III, Grade 2, Classes B&C Type I, II, IV & V, Grade 1, Clases B&C Type II, Grade 2, Classes B&C Type I, II, IV & V, Grade 3, Classes A, B&C | 7/9/2009 | R644, R645 R646 |
| Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- <i>Mfg #:</i> (914) 235-6300 <i>Cell #:</i> (702) 364-2606 <i>Fax #:</i> (914) 576-6483 <i>Web Site:</i> www.powers.com <i>Email:</i> buckley@powers.com | Power Fast Plus Standard Set T308 Plus | Type I, II, IV and V; Grade 2; Classes B & C | 7/9/2009 | R644, R645 R646 |
| Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 <i>Cell #:</i> (916) 870-7863 <i>Fax #:</i> (209) 234-3868 <i>Web Site:</i> www.simpsonanchors.com <i>Email:</i> jlebel@strongtie.com | EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive | Type I, II, IV and V; Grade 3; Classes B & C | 1/4/1998 | R216, R217 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---------------|------------------|
| Titan Supply 250 Edison Way Reno NV 89502- <i>Mfg #:</i> (775) 351-2201 <i>Cell #:</i> (888) 550-2201 <i>Fax #:</i> (775) 351-2205 <i>Web Site:</i> www.titansupply.com <i>Email:</i> bwickham@titansupply.com | Pro-Poxy 100 | Type II, III, IV and V; Grade 3; Class A, B & C | 4/29/2008 | R590 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com | Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400 | Type I, II, IV & V, Grade 3, Class B & C | 1/4/1998 | R215, R219 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com | Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives | Type I, II, IV & V, Grade 2, Class B & C | 1/4/1998 | R520, R581 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com | Symons Res-Con 304 | Type I, II, IV & V, Grade 3, Class B & C | 1/14/2003 | R388 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com | Pro-Poxy Type III DOT Epoxy Binder | Type III, Grade 1, Class B & C | 1/4/1998 | R218, R219 |
| USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 <i>Cell #:</i> (800) 328-5934 <i>Fax #:</i> (507) 364-8762 <i>Web Site:</i> www.uspconnectors.com <i>Email:</i> tgrevious@gibraltar1.com | CIA-GEL 7000 Adhesive Anchors | Type I and IV; Grade 3; Classes B, C, & D | 8/8/2000 | R265 |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> rspencer@wrmeadows.com | Rezi Weld 1000 | Type I, II, IV and V; Grade 2; Classes B & C | 2/19/2004 | R478 |

729.03.04

EPOXY PAINT MARKING MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| Colorado Paint Company 4747 Holly Street Denver CO 80216- | White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 3/20/2000 | R199, R200 R201 |
| <i>Mfg #:</i> (303) 388-9265 <i>Cell #:</i> (720) 346-5152 <i>Fax #:</i> (303) 388-0881 <i>Web Site:</i> www.coloradopaint.com <i>Email:</i> davidk@coloradopaint.com | <i>Contact:</i> David Katt | | | |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R436, R437 R438 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | <i>Contact:</i> Susan Wacha | | | |
| Epoplex 1000 East Park Avenue Maple Shade NJ 08052- | White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 12/11/2002 | R378, R379 R380 |
| <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | <i>Contact:</i> Cindi Westlund | | | |
| Epoplex 1000 East Park Avenue Maple Shade NJ 08052- | White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 12/11/2002 | R381, R382 R383 |
| <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | <i>Contact:</i> Cindi Westlund | | | |
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R109, R110 R111 |
| <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com | <i>Contact:</i> Hemant Naik | | | |
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R112, R113 R114 |
| <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com | <i>Contact:</i> Hemant Naik | | | |
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R115, R116 R117 |
| <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com | <i>Contact:</i> Hemant Naik | | | |

729.03.05a**RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---------------------------------------|---------------|------------------|
| Arkema Incorporated 410 Greyson Drive Cary NC 27511- | UCAR™ Latex DT 250 UCAR™ Latex DT 400 | Type I Type II | 7/19/2002 | R166, R167 |
| <i>Contact:</i> Greg Shay | | | | |
| <i>Mfg #:</i> (919) 469-6789 <i>Cell #:</i> | <i>Fax #:</i> (919) 469-6797 <i>Web Site:</i> www.arkema-inc.com | <i>Email:</i> gregory.shay@arkema.com | | |
| Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- | Fastrack® 3427 | Type I | 11/30/2001 | R319 |
| <i>Contact:</i> Susan Ridder | | | | |
| <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i> (215) 592-3846 | <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com | <i>Email:</i> sridder@rohmhaas.com | | |
| Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- | Fastrack® HD-21A | Type II | 11/30/2001 | R320 |
| <i>Contact:</i> Susan Ridder | | | | |
| <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i> (215) 592-3846 | <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com | <i>Email:</i> sridder@rohmhaas.com | | |

729.03.05b**RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---------------------------------------|---------------|------------------|
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: 982821 NW-34-M-1 Yellow: 982822 NVY-34-M-1 | Fastrack® 3427 | 4/1/2004 | R345, R346 |
| <i>Contact:</i> Susan Wacha | | | | |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 | <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com | <i>Email:</i> susanw@ennistraffic.com | | |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: 982801 NW-21-M-2 Yellow: 982802 NVY-21-M-2 | UCAR™ Latex DT 250 NA | 4/1/2004 | R490, R491 |
| <i>Contact:</i> Susan Wacha | | | | |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 | <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com | <i>Email:</i> susanw@ennistraffic.com | | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 | White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003 | Fastrack® 3427 | 7/30/2002 | R349, R350 |
| <i>Contact:</i> Scott Shannon | | | | |
| <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 | <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com | <i>Email:</i> scotts@pervo.com | | |

729.03.05c

RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|-----------------------|---------------|------------------|
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: 982811 NVW-40-M-2 Yellow: 982812 NVY-40-M-2 | UCAR™ Latex DT 400 NA | 7/30/2002 | R353, R354 |
| <i>Contact:</i> Susan Wacha | | | | |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | | | | |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1 | Fastrack® HD-21A | 7/30/2002 | R540, R541 |
| <i>Contact:</i> Susan Wacha | | | | |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | | | | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 | White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053 | Fastrack® HD-21A | 7/30/2002 | R351, R352 |
| <i>Contact:</i> Scott Shannon | | | | |
| <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com <i>Email:</i> scott@s.pervo.com | | | | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422 | Fastrack® HD-21A | 7/9/2003 | R425, R426 |
| <i>Contact:</i> Dee McNeill | | | | |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> dee.l.mcneill@sherwin.com | | | | |

729.03.06

POLYUREA PAINT MARKING MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R442, R443 R444 |
| <i>Contact:</i> Eric Dornak | | | | |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | | |
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R439, R440 R441 |
| <i>Contact:</i> Susan Wacha | | | | |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> (904) 806-4439 <i>Fax #:</i> (214) 666-8922 <i>Web Site:</i> www.ennistraffic.com <i>Email:</i> susanw@ennistraffic.com | | | | |
| Epoplex 1000 East Park Avenue Maple Shade NJ 08052- | White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R452, R453 R454 |
| <i>Contact:</i> Cindi Westlund | | | | |
| <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | | | | |

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|--------------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | Series 270-ES Stamark Tape Series 420 Stamark Intersection Grade (Phasing Out) 5730 Stamark Tape (Phasing Out) | Type I | 9/19/2003 | R458, R552 R457 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | Series 300 Tape White Series 300 Tape Yellow Series 400 Tape White Series 400 Tape Yellow | Type I | 9/19/2003 | R462, R463 R480, R481 |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com <i>Email:</i> bjubak@brite-line.com | Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent | Type I | 5/9/2006 | R546 |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com <i>Email:</i> bjubak@brite-line.com | Delta-Line HDX Delta-Line XRP | Type I | 2/2/2010 | R671, R672 |
| Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com <i>Email:</i> office.industries@swarco.com | Director 35 Pavement Marking Tape Director 60 Permanent Marking Tape | Type I | 2/17/2004 | R473, R472 |

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|--------------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | Series 270-ES Stamark Tape | Type II | 9/19/2003 | R458 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | Series 300 Tape White Series 300 Tape Yellow Series 400 Tape White Series 400 Tape Yellow | Type II | 4/29/2008 | R462, R463 R480, R481 |

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|-------------------------------------|----------------------------|--------------------|
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Series 100 White Permanent Series 100 Yellow Permanent Delta-Line HDX | Type II | 6/15/1999 | R207, R208 R672 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent | Type II | 5/9/2006 | R546, R488 R489 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|--------------------------------|--------------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | Series 270ES StamarkSeries 380 IES Stamark Tape Series 381 WRES Stamark Tape Series 390 Stamark | Type IV | 9/19/2003 | R688, R460 R461, R535 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (651) 732-8435 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- | Series 400 Tape White Series 400 Tape Yellow | Type IV | 7/29/2008 | R480, R481 |
| <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> | <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com | <i>Email:</i> brobbins@trafficmarking.com | <i>Contact:</i> Brenda Robbins | |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Delta-Line XRP | Type IV | 2/2/2010 | R674 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |

732.03.04a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|--------------------------------|------------------|
| Crown Technology LLC PO Box 789 Woodbury GA 30293- | Tuffline Alkyd | | 1/17/2003 | R290 |
| <i>Mfg #:</i> (706) 553-9500 <i>Cell #:</i> (800) 457-6267 | <i>Fax #:</i> (706) 553-9501 <i>Web Site:</i> www.crownthermo.com | <i>Email:</i> jeannie1@crownthermo.com | <i>Contact:</i> Jeannie Powell | |

732.03.04a**HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|------------------------------|---------------------------------------|---------------------------------------|
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | 885555 Alkyd White 884685 Alkyd Yellow | Lead Free | 10/1/2009 | R673, R674 |
| | | | <i>Contact:</i> Susan Wacha | |
| <i>Mfg #:</i> (800) 331-8118 | <i>Cell #:</i> (904) 806-4439 | <i>Fax #:</i> (214) 666-8922 | <i>Web Site:</i> www.ennistraffic.com | <i>Email:</i> susanw@ennistraffic.com |

732.03.04b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|---------------------------------------|---------------------------------------|
| Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- | Flame Tape ThermaLine | | 6/13/2001 | R299, R300 |
| | | | <i>Contact:</i> Susan Wacha | |
| <i>Mfg #:</i> (800) 331-8118 | <i>Cell #:</i> (904) 806-4439 | <i>Fax #:</i> (214) 666-8922 | <i>Web Site:</i> www.ennistraffic.com | <i>Email:</i> susanw@ennistraffic.com |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- | Hot TapeTM Premark® PLUS | | 2/24/2004 | R168, R169 |
| | | | <i>Contact:</i> Dennis Evangelista | |
| <i>Mfg #:</i> (336) 475-6600 | <i>Cell #:</i> | <i>Fax #:</i> (336) 475-7900 | <i>Web Site:</i> www.flintrading.com | <i>Email:</i> sales@flintrading.com |

QPL DB1 NOTES
September 17, 2009

Contractors are required to use actual dated Qualified Products List (QPL) products specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.