

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL SBBC-xx-ALI SBBC-xx-ALPH SBBC-xx-ALHPI		5/26/1998 Contact: Kim Goldensten	R002, R003 R004, R005
Mfg #: (800) 729-1314 Cell #:	Fax #: (888) 310-3946	Web Site: www.vitproducts.com	Email: kim@vitproducts.com	

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999 Contact: Scott Kerns	R189
Mfg #: (713) 860-6717 Cell #:	Fax #: (713) 263-7577	Web Site: www.rectorseal.com	Email: scottk@rectorseal.com	

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
S-Square Tube Products 221 North Kuner Road Brighton CO 80601-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004 Contact: Susan Keim	R487
Mfg #: (303) 286-7051 Cell #: (888) 267-6463	Fax #: (866) 639-5717	Web Site: www.s-squaretube.com	Email: susan@s-squaretube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997 Contact: Bryan Everard	R006
Mfg #: (262) 814-7000 Cell #: (800) 444-0331	Fax #: (262) 814-7017	Web Site: www.tapconet.com/vloc	Email: bryane@tapconet.com	

401.02.03 HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507-	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993 Contact: Howard Stoddard	R007
Mfg #: (281) 892-2500 Cell #: (800) 242-5562	Fax #: (281) 892-2501	Web Site: www.controlsolutionsinc.com	Email: orders@controlsolutionsinc.com	

401.02.03**HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268-	Spike 80 W Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993 Contact: Beau Miller	R008, R015
Mfg #: (916) 525-2633	Cell #: (916) 296-2811	Fax #: (916) 525-2710	Web Site: www.dowagro.com	Email: bjmillier@dow.com

401.02.03b**WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
Contact:				
Mfg #:	Cell #:	Fax #:	Web Site:	Email:

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229-	Super Slick Bio Slider	10/26/05 Company Name change: Chemco to Arrow Magnolia	4/22/2004 Contact: Eunice Kemp	R494, R495
Mfg #: (800) 527-2101	Cell #: (214) 415-3984	Fax #: (972) 484-2896	Web Site: www.arrowmagnolia.com	Email: ekemp@arrowmagnolia.com
BG Chemical LP PO Box 720025 Dallas TX 75372-	Black Magic 13 Black Magic "For Rubber" Thermal Slide GreenGuard		5/8/2000 Contact: Jeff Gunter	R260, R261 R660, R661
Mfg #: (800) 725-8470	Cell #: (214) 826-6822	Fax #: (214) 826-7290	Web Site: www.bgchemical.com	Email: jgunter@bgchemical.com
Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118-	Slippery Wizard Clear Wizard		7/15/2008 Contact: Tammy Price	R603, R632
Mfg #: (800) 480-2436	Cell #: (801) 548-2287	Fax #: (801) 274-2425	Web Site: www.brodychemical.com	Email: tamme_price@yahoo.com
ChemStation 3400 Encrete Lane Dayton OH 45439-	2217-A 2217-B		12/20/2007 Contact: Katie Overton	R392, R584
Mfg #: (800) 554-8265	Cell #: (623) 435-1945	Fax #: (937) 534-0426	Web Site: www.chemstation.com	Email: koverton@chemstation.com

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- Mfg #: (888) 747-4101 Cell #: (770) 891-3307 Fax #: (770) 386-3391 Web Site:	SPX-7, No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000 Contact: Paul Wilson Email: synthetic@pipeline.com	R263
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- Mfg #: (800) 688-6221 Cell #: (417) 866-5592 Fax #: (417) 866-5593 Web Site: www.rhomar.com	Enviro-Slide Ultra		4/26/2000 Contact: Bob Hamilton Email: bhamilton@rhomar.com	R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- Mfg #: (678) 383-8107 Cell #: Fax #: (770) 443-0810 Web Site: www.thetecteam.com	Teclon-Pro		11/7/2006 Contact: Karen Price Email: kptectm@bellsouth.net	R562
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- Mfg #: (209) 830-5110 Cell #: (775) 721-2821 Fax #: (209) 830-5124 Web Site: www.zep.com	R-5274 R-6690 XT-3199 X-509		5/11/2006 Contact: Byran Castalloni Email: zepbc@yahoo.com	R368, R369 R270 R262

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com	Atlas Finish Film		1/29/2003 Contact: Ryan Quinn Email: ryanquinn@atlasform.com	R419
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com	Dayton Superior SureFilm J-74	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999 Contact: John Hukey Email: johnhukey@daytonsuperior.com	R190
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com	Eucoabar		9/30/1996 Contact: Christopher Balsat / Brian Lewis Email: cbalsat@euclidchemical.com	R044

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 Mfg #: (410) 354-8600 Cell #: (800) 637-6372 Fax #: (410) 354-1122 Web Site: www.kaufmanproducts.net	VaporAid 060		8/2/1999 Contact: Alex Kaufman Email: akaufman@kaufmanproducts.net	R191
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- Mfg #: (215) 332-7709 Cell #: (888) 839-2661 Fax #: (215) 332-9997 Web Site: www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999 Contact: Darryl Manuel Email: techservice@vexcon.com	R193
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- Mfg #: (707) 745-6666 Cell #: (847) 214-2100 Fax #: (707) 747-6206 Web Site: www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999 Contact: Lyne Ball Email: lball@wrmeadows.com	R194

496.02.01**AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- Mfg #: (925) 426-8787 Cell #: Fax #: (916) 939-7481 Web Site: www.cemex.com	Aggregate		1/26/1997 Contact: Darla Allen Email: darlaa.allen@cemex.com	R014
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- Mfg #: (425) 228-2120 Cell #: Fax #: (425) 228-2199 Web Site: www.mineralco.com	Aggregate Sand		1/26/1997 Contact: Jim Adderson Email: mineralco@aol.com	R012, R313

502.02.04**CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
United Coatings 19011 East Cataldo Spokane Valley WA 99016- Mfg #: (800) 541-4383 Cell #: (509) 926-7143 Fax #: (509) 928-1116 Web Site: www.unitedcoatings.com	Canyon Tone Stain		4/12/2005 Contact: Shawn Carney Email: shawn@unitedcoatings.com	R519

502.02.04**CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- Mfg #: (714) 680-3800 Cell #: (702) 292-8316 Fax #: (702) 597-5222 Web Site: www.vistapaint.com	Coverall 2800 AF Ext. Flat		5/20/2008 Contact: Steven Tetreault Email: stetreault@vistapaint.com	R614

502.02.05a**ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- Mfg #: (800) 676-5963 Cell #: (801) 201-2826 Fax #: (801) 255-7123 Web Site: www.americanpolymer.com	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202)	10/08 New product replaces GSS10 Anti Graffiti Coating	9/3/2008 Contact: Greg Gohlinghorst x.1 Email: gregg@americanpolymer.com	R389, R390 D201
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Monopole Incorporated 4661 Alger Street Los Angeles CA 90039- Mfg #: (800) 491-9977 Cell #: Fax #: (818) 502-0818 Web Site: www.monopoleinc.com	Monochem Permashield Premium Graffiti 5600		10/5/2009 Contact: Tony Khalil Email: tony@monopoleinc.com	R679

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- Mfg #: (800) 677-4922 Cell #: (417) 425-1942 Fax #: (716) 691-9239 Web Site: www.wbacorp.com	JEENE® Structural & Sealing Joint Wabo® Evazote UV		8/2/2006 Contact: Chris Overby Email: christopher.overby@basf.com	R011, R016
Chase Construction Products 401 New Karner Road Albany NY 12205- Mfg #: (800) 356-6007 Cell #: (508) 505-5043 Fax #: (518) 356-1110 Web Site: www.chaseconstructionproducts.com	MetaZeal Phyzite 380		5/3/1999 Contact: Terry Eck Email: teck@chasecorp.com	R009, R024
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.dayton superiorchemical.com	Polytite N		5/3/1999 Contact: John Hukey Email: johnhukey@daytonsuperior.com	R010

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- Mfg #: (716) 691-3301 Cell #: Fax #: (716) 691-3305 Web Site: www.rjwatson.com	Silicoflex		12/7/2000 Contact: Marc Stafford Email: mdstafford@rjwatson.com	R276
Schul International 1 Industrial Park Drive Pelham NH 03076- Mfg #: (800) 848-1120 Cell #: (603) 889-6872 Fax #: (603) 889-6874 Web Site: www.willsealusa.com	Will Seal 600		6/4/2002 Contact: Steven Robinson Email: info@schul.com	R347
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- Mfg #: (419) 424-0888 Cell #: (419) 408-5469 Fax #: (419) 424-5959 Web Site: www.techstar-inc.com	W Seal		5/3/1999 Contact: Warren Brown Email: warren@techstar-inc.com	R131

502.03.13j**ASPHALTIC PLUG EXPANSION JOINTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- Mfg #: (419) 424-3527 Cell #: (800) 848-1730 Fax #: (419) 257-2200 Web Site: www.dsbrown.com	Matrix 502 Pave Tech		6/5/1997 Contact: Larry Durain Email: ldurain@dsbrown.com	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- Mfg #: (570) 546-6041 Cell #: (440) 552-2489 Fax #: (570) 546-2415 Web Site: www.DSA-Ltd.com	BJS Thorma Joint Systems		9/19/2002 Contact: Tim Persing Email: tpersing@dsa-ltd.com	R360

502.03.13k**EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- Mfg #: (800) 888-8909 Cell #: (918) 230-3148 Fax #: (918) 586-4912 Web Site: www.ssicm.com	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an acceptable product.	4/22/2002 Contact: Scott Fowler Email: scott.fowler@ssicm.com	R212

502.03.131**EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- Mfg #: (800) 677-4922 Cell #: (417) 425-1942 Fax #: (716) 691-9239 Web Site: www.wbacorp.com	Wabo® SiliconSeal - 2 Part		4/22/2002 Contact: Chris Overby Email: christopher.overby@basf.com	R340
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- Mfg #: (303) 980-1780 Cell #: (303) 880-9614 Fax #: (303) 980-1780 Web Site: www.dowcorning.com	902 RCS		4/22/2002 Contact: Jason Sika Email: jason.sika@dowcorning.com	R339

502.03.19**FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com	Tammscoat Fine		9/4/2007 Contact: Christopher Balsat / Brian Lewis Email: cbalsat@euclidchemical.com	R567
Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- Mfg #: (323) 855-1242 Cell #: (310) 780-1983 Fax #: (805) 523-8737 Web Site: www.texcote.com	Tex.Cote ® XL 70 Bridge Cote ® 300 Bridge Cote		9/4/2007 Contact: James Servais Email: j.servais@texcote.com	R595, R596

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- Mfg #: (602) 276-0406 Cell #: (602) 418-9902 Fax #: (602) 940-0313 Web Site: www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998 Contact: Lowell Parkison Email: lowell.parkison@crafco.com	R020
Henry Company 10144 Waterman Road Elk Grove CA 95624- Mfg #: (800) 523-0268 Cell #: (800) 669-6940 Fax #: (916) 714-4582 Web Site: www.henry.com	Calseal		9/8/1998 Contact: Randy Rozell Email: customerservice@henry.com	R025

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104-	Elastoflex 44 Elastoflex 56		1/6/1998 Contact: Dale Bergivin	R022, R023
Mfg #: (801) 972-2090	Cell #:	Fax #: (801) 972-5536	Web Site: www.maxwellproducts.com	Email: dale@maxwellproducts.com

505.02.01**EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210-	Resicoat RB-600		4/30/2008 Contact: Fritz Herrmann	R591
Mfg #: (800) 626-7891	Cell #: (615) 995-5576	Fax #: (216) 750-7575	Web Site: www.akzonobel.com	Email: fritz.herrmann@akzonobel.com
Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041-	7-2719 Nap Guard Epoxy Coating		1/18/2001 Contact: Kuruvila Varughese/Greg Bietz	R281
Mfg #: (713) 996-0669	Cell #: (713) 996-4665	Fax #: (713) 939-4028	Web Site: www.hoovers.com/dupont-coatings	Email: kuruvila.varughese@usa.dupont.com
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-	HD33 Interpon HD34 Fusion Bond		1/1/1996 Contact: Dan Griffin	R026, R027
Mfg #: (281) 684-5203	Cell #: (281) 684-5203	Fax #: (812) 256-6733	Web Site: www.international-pc.com	Email: daniel.griffin@akzonobel.com
Seibert Powder Coatings USA Inc 11110 Berea Road Cleveland OH 44102-	1295 E-90 Pow Dax Scotch Kote 413		1/1/1996 Contact: Nancy Rizzardi	R029, R030
Mfg #: (216) 631-2002	Cell #: (800) 231-2002	Fax #: (216) 631-6211	Web Site: n/a	Email: nrizzardi@npacoatings.com
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116-	Greenbar #720A009		1/1/1996 Contact: Michael Adams	R028
Mfg #: (281) 370-6164	Cell #: (281) 630-9878	Fax #: (281) 370-6654	Web Site: www.valspar.com	Email: madams@valspar.com

509.03.09**SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
CETCO Drilling Products Group 2870 Forbs Avenue Hoffman Estates IL 60192- Mfg #: (847) 851-1810 Cell #: (847) 910-4334 Fax #: (847) 851-1367 Web Site: www.constructiondrilling.com Email: john.berry@cetco.com	Shore Pac GCV		9/25/2006 Contact: John Berry	R559
Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- Mfg #: (210) 587-4758 Cell #: Fax #: (210) 568-4567 Web Site: www.geotech.us Email: mholmes@geotech.us	Novagel Polymer		9/25/2006 Contact: Max Holmes	R558
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- Mfg #: (562) 634-8180 Cell #: Fax #: (562) 634-1350 Web Site: www.pdscoinc.com Email: sales@pdscoinc.com	Super Mud		9/25/2006 Contact: Customer Service	R560

609.02.01a**FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- Mfg #: (541) 689-3133 Cell #: Fax #: (541) 689-3808 Web Site: americanhighwaytechnologies.com Email: terryedmundson@daytonsuperior.com	American Highway Patch II	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 Contact: Terry Edmundson	R036
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com Email: ryanquinn@atlasform.com	Atlas Pro-1 Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	5/14/2009 Contact: Ryan Quinn	R312
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- Mfg #: (800) 433-9517 Cell #: (800) 433-9517 Fax #: (800) 496-6067 Web Site: www.basfbcst.com Email: basfbcst@basf.com	Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. Name Change: ThorRoc 10-	1/3/2002 Contact: Customer Service	R385, R386 D287
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- Mfg #: (800) 929-3030 Cell #: (714) 348-1946 Fax #: (714) 379-8270 Web Site: www.ctscement.com Email: fsenatore@ctscement.com	Rapid Set DOT Repair Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/27/1994 Contact: Frank Senatore	R039

609.02.01a

FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com	Dayton Superior HD50 Edoco Fast Patch 928	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 Contact: John Hukey Email: johnhukey@daytonsuperior.com	R037, R038
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com	Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	11/8/2005 Contact: Christopher Balsat / Brian Lewis Email: cbalsat@euclidchemical.com	R537, R538 D E 20
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com	Hi-Flow Grout Euco-Speed MP Euco-Speed	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 Contact: Christopher Balsat / Brian Lewis Email: cbalsat@euclidchemical.com	R041, R042 D E 22
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- Mfg #: (800) 243-2206 Cell #: (203) 336-7900 Fax #: (203) 336-7930 Web Site: www.fivestarprouducts.com	Highway Patch Structural Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 Contact: Lou Federico Email: federicol@fivestarprouducts.com	R034, R035
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- Mfg #: (209) 830-7803 Cell #: (209) 482-4488 Fax #: (209) 830-7804 Web Site: www.us.henkel.com	Loctite MagnaCrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/17/2008 Contact: Bob Bacchetti Email: bob.bacchetti@us.henkel.com	R615
High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- Mfg #: (888) 400-7600 Cell #: (949) 677-8229 Fax #: (714) 439-1001 Web Site: www.ConcreteRepair.com	High Performance Concrete Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/3/2002 Contact: John & Tom Collins Email: johncollins@concreterepair.com	R322
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- Mfg #: (866) 827-8727 Cell #: (410) 821-1503 Fax #: (410) 561-8771 Web Site: www.concreterepairmaterials.com	HP Cement	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/22/2004 Contact: Laura Clabaugh Email: laura@uscproducts.com	R507
US Mix Company 112 South Sante Fe Drive Denver CO 80223- Mfg #: (303) 778-7227 Cell #: (702) 322-1700 Fax #: (303) 722-8426 Web Site: www.usspec.com	SPEC STR Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009 Contact: Bryan Smith Email: bsmith@usmix.com	R672

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
W.R. Meadows of Arizona 4220 South Sarival Avenue Goodyear AZ 85338- Mfg #: (623) 932-9383 Cell #: (702) 253-1100 Fax #: (623) 932-1547 Web Site: www.wrmeadows.com Email:	Futura 15	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009 Contact: Terry Kraus	R671

609.02.01b STORMWATER TREATMENT VAULTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- Mfg #: (775) 831-4592 Cell #: (800) 229-7283 Fax #: (775) 831-4592 Web Site: www.baysaver.com Email: edjfranklin@aol.com	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001 Contact: Ed Franklin	R284
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- Mfg #: (916) 635-0760 Cell #: Fax #: (916) 635-0764 Web Site: www.contech-cpi.com Email: ericksonn@contech-cpi.com	CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003 Contact: Neil Erickson	R447, R448 D440
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 Mfg #: (775) 352-6363 Cell #: Fax #: (775) 352-6364 Web Site: www.jensenprecast.com Email: phammonds@jensenprecast.com	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006 Contact: Pam Hammonds	R548
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- Mfg #: (775) 358-4430 Cell #: (707) 396-6268 Fax #: (775) 355-1982 Web Site: www.rinkermaterials.com/www.stormceptor.com Email: dcatterson@rinker.com/snifloroushar@cemexusa.co	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001 Contact: Don Catterson/Steve Nilforoushar	R286
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 Mfg #: (877) 687-7473 Cell #: (610) 316-0957 Fax #: (610) 687-6327 Web Site: www.stormdrains.com Email: stormdrains@verizon.net	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002 Contact: Robert Sharpless	R348

609.03.01c

TRENCH DRAINS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- Mfg #: (800) 438-6057 Cell #: (949) 633-6111 Fax #: (208) 887-8680 Web Site: www.abtdrains.com Email: bshort@abtdrains.com	A-67 Interceptor Trench Drain System Polydrain Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 Contact: Brad Short	R394, R395
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- Mfg #: (800) 438-6057 Cell #: (949) 633-6111 Fax #: (208) 887-8680 Web Site: www.abtdrains.com Email: bshort@abtdrains.com	ZHD 200 Trench Drain System MHD 200 Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200	8/28/2006 Contact: Brad Short	R556, R557
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- Mfg #: (888) 490-9552 Cell #: (209) 204-0988 Fax #: (209) 574-1014 Web Site: www.acousa.com Email: jwhite@aco-online.com	TrafficDrain	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 Contact: Justin White	R384
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- Mfg #: (888) 490-9552 Cell #: (209) 204-0988 Fax #: (209) 574-1014 Web Site: www.acousa.com Email: jwhite@aco-online.com	S100K Concrete FF300 Concrete FG200 Concrete S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 Contact: Justin White	R396, R397 D308 D309
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- Mfg #: (800) 346-3061 Cell #: (707) 452-9920 Fax #: (707) 452-9923 Web Site: www.polycastdrain.com Email: tbeattie@hps.hubbell.com	Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005 Contact: Thomas Beattie	R512, R513 D514
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- Mfg #: (800) 433-1119 Cell #: (704) 881-4064 Fax #: (704) 508-1011 Web Site: www.multidrainsystems.com Email: steve.born@multidrainsystems.com	EconoDrain Systems MultiDrain Surface Drainage Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004 Contact: Steve Born	R492, R493
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 Mfg #: (716) 665-1132 Cell #: (916) 332-5653 Fax #: (716) 665-1135 Web Site: www.zurn.com Email: bill.ousley@zurn.com	Z-886 (4" Wide) Z-882 (9.25" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003 Contact: Bill Ousley	R421, R422

610.02.01 CELLULAR EROSION CONTROL MATS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- Mfg #: (775) 358-1200 Cell #: (414) 630-1012 Fax #: (775) 359-5997 Web Site: www.submar.com	UltraFlexTM		11/18/2009 Contact: Damian Swain Email: damian.swain@paccoast.com	R684
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- Mfg #: (916) 635-0760 Cell #: Fax #: (916) 635-0764 Web Site: www.contech-cpi.com	Armotec Cellular Erosion Control Mat Petraflex	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008 Contact: Neil Erickson Email: ericksonn@contech-cpi.com	R332, R333
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- Mfg #: (702) 341-0354 Cell #: (702) 493-3713 Fax #: (702) 341-0355 Web Site: www.hanesgeo.com	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002 Contact: Quinn Brown Email: quinn.brown@hanesindustries.com	R326
Shoretac 510 O'Neal Lane Baton Rouge LA 70819- Mfg #: (281) 450-3469 Cell #: (225) 273-9888 Fax #: (225) 273-3511 Web Site: www.shoretac.com	Shoreblock Shoretac		4/24/2009 Contact: Patrick Bonorden Email: pbonorden@premierconcrete.com	R601, R622

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- Mfg #: (888) 490-9552 Cell #: (209) 204-0988 Fax #: (209) 574-1014 Web Site: www.acousa.com	ACO Detectible Warning Device	Approved for NV Red Only	2/26/2009 Contact: Justin White Email: jwhite@aco-online.com	R630
Advanced Surface Systems LLC (ASSI) 118 North Peters Road #250 Knoxville TN 37923- Mfg #: (865) 966-2079 Cell #: (865) 206-4789 Fax #: (865) 241-8046 Web Site: www.suredome.com	SureDome	Approved for NV Red and NV Green	12/10/2008 Contact: Karen Hemy Email: kchemry@hotmail.com/bumps@suredome.com	R628
Arcis Corporation PO Box 1250 North Plains OR 97133- Mfg #: (503) 647-5042 Cell #: Fax #: (503) 647-7731 Web Site: www.arciscorp.com	ADA Arcis Tactiles	Approved for NV Red Only	9/2/2008 Contact: Dan VanBrabant Email: info@arcis-corp.com	R608

613.02.01**DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- Mfg #: (866) 439-3216 Cell #: (877) 254-1259 Fax #: (520) 547-3515 Web Site: www.stronggo.com	TekWay Dome Tile	Approved for NV Red and NV Green	11/27/2006 Contact: Georgina Margan Email: gmargan@stronggo.com	R564
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- Mfg #: (914) 636-1000 Cell #: (800) 321-7870 Fax #: (914) 636-1282 Web Site: www.transpo.com	Safe Step - Detectable Warning Tile	Approved for NV Red and NV Green	3/26/2004 Contact: Mike Stenko Email: mstenko@transpo.com	R484
United Diamond & Stone Incorporated 16788 Placer Hills Road Suite C Meadow Vista CA 95722- Mfg #: (530) 878-2440 Cell #: Fax #: (530) 320-4180 Web Site: www.uniteddiamond.com	Cast-in-Tact	Approved for NV Red	8/20/2009 Contact: Darren Thomas Email: darren_thomas@sbcglobal.net	R666

616.02.01**PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- Mfg #: (800) 426-6933 Cell #: (612) 623-1700 Fax #: (612) 623-2500 Web Site: www.conwedplastics.com	Safety Fence		10/10/1999 Contact: Customer Services Email: customer.service@conwedplastics.com	R202
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- Mfg #: (949) 488-7054 Cell #: (949) 212-8454 Fax #: (949) 488-7084 Web Site: www.tensarcorp.com	Safety GeoGrid		5/15/2002 Contact: Bob Miller Email: bmiller@tensarcorp.com	R342

618.02.01**FLARED GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated 3616 Howard County Airport Road Big Spring TX 79720- Mfg #: (330) 346-0721 Cell #: (801) 785-0505 Fax #: (330) 346-0722 Web Site: www.roadsystems.com	Fleat SP	TL-3	9/29/2009 Contact: John Durkos Email: jdurkos@roadsystems.com	R668

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	Let Soil Tubes SRT 350	TL-3	6/9/2004 Contact: Mike Hooley	R500, R501
Mfg #: (800) 772-7976	Cell #: (360) 943-9559	Fax #: (801) 292-3263	Web Site: www.trin.net	Email: mikel.hooley@trin.net

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721-	SKT 350 SKT Lite SKT SP	TL-3	2/8/1998 Contact: Kaddo Kothmann	R156, R669 R670
Mfg #: (432) 263-2435	Cell #: (432) 517-0697	Fax #: (432) 267-4039	Web Site: www.roadsystems.com	Email: Kaddo@basin-net.net
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	CAT 350 ET Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997 Contact: Mike Hooley	R046, R499
Mfg #: (800) 772-7976	Cell #: (360) 943-9559	Fax #: (801) 292-3263	Web Site: www.trin.net	Email: mikel.hooley@trin.net

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925-	Glue Laminated Offset Block	Used with W-beam and Tri-beam Guardrails	3/10/2004 Contact: Ginger Wiltbank	R485
Mfg #: (928) 333-5501	Cell #:	Fax #: (928) 333-4403	Web Site: www.glulam.com	Email: gwiltbank@azglulam.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	King-Size King Block	Used with steel post Tri-beam Guardrails	5/13/2005 Contact: Mike Hooley	R523, R524
Mfg #: (800) 772-7976	Cell #: (360) 943-9559	Fax #: (801) 292-3263	Web Site: www.trin.net	Email: mike.hooley@trin.net

619.02.01 FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	654 Ground Mount Easy Drive Round	Type 2	6/1/1994 Contact: Jim Zadrozny/Robert Hughes Jr.	R171, R283
Mfg #: (800) 348-9839	Cell #:	Fax #: (239) 482-3539	Web Site: www.flexstake.com	Email: jim@flexstake.com/rkjhughes24@yahoo.com

619.02.01

FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com	FG 300 HD UR		10/14/1999 Contact: Bill Daly Email: bill.daly@pexco.com	R688
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com	FG 300 Model EFX FG 300 Model PE FG 300 Complete Curb System		10/14/1999 Contact: Bill Daly Email: bill.daly@pexco.com	R685, R686 D215
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com	RT 360 HD Tubular Delineator Soil/Surface Mount SH Dura Post K Marker		5/14/2009 Contact: Diane Sanchez Email: diane.sanchez@quixotecorp.com	R600
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- Mfg #: (312) 705-8454 Cell #: (714) 526-9562 Fax #: (312) 467-0201 Web Site: www.safe-hit.com	Safe Hit Soil Mount Delineator Surface Mount Tubular Delineator	Type 2	11/21/2008 Contact: Diane Sanchez Email:	R623, R624
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com	SH Replaceable Barrier Marker SH Dura Post K Marker	Type 2 Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998 Contact: Diane Sanchez Email: diane.sanchez@quixotecorp.com	R068, R053 D052
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- Mfg #: (312) 705-8454 Cell #: (714) 526-9562 Fax #: (312) 467-0201 Web Site: www.safe-hit.com	RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator	Type 2	11/21/2008 Contact: Diane Sanchez Email:	R625, R626
Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- Mfg #: (512) 218-9500 Cell #: Fax #: (512) 388-0588 Web Site: www.shur-tite.com	Shur-Flex® Driveable Delineator Shur-Flex® Surface Mount Delineator Shur-Tite® Cable Barrier Delineator Shur-Tite® Guardrail Clamp Post Mount Del		4/30/2009 Contact: Gary Champ Email: gary@shur-tite.com	R633, R634 D226 D225
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com	TD5500 Earthflex Delineator	Type 2	10/13/2004 Contact: Frank Dvoracek Email: sales@trafficwks.com	R506

619.02.01a

FLEXIBLE OBJECT MARKERS (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108-	Island Sentry K-Marker	Type 2	8/1/1989 Contact: Ernest Joyner III	R050
Mfg #: (800) 648-7916 Cell #: Fax #: (803) 276-8940 Web Site: www.carsonite.com			Email: sales@carsonite.com	
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	T1 Marker Round T2 Marker Round BD Marker Round HM Marker Round	Type 2	6/1/1994 Contact: Jim Zadrozny/Robert Hughes Jr.	R049, R048 D051 D052
Mfg #: (800) 348-9839 Cell #: Fax #: (239) 482-3539 Web Site: www.flexstake.com			Email: jim@flexstake.com/rkjhughes24@yahoo.com	
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Complete Curb System FG 300 Turn Pike Curb FG 300 Model PE FG 300 HD UR		10/14/1999 Contact: Bill Daly	R315, R686 D097 D098
Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com			Email: bill.daly@pexco.com	
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Type K Island Marker	Type 2	9/13/2007 Contact: Bill Daly	R576
Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com			Email: bill.daly@pexco.com	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Replaceable Barrier Marker SH Dura Post K Marker	Type 2	11/4/1998 Contact: Diane Sanchez	R052, R053 D069
Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com			Email: diane.sanchez@quixotecorp.com	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-	RubberTough 360 HD Bolt Down Soil Mount Tubular Delineator	Type 2	11/21/2008 Contact: Diane Sanchez	R625, R626
Mfg #: (312) 705-8454 Cell #: (714) 526-9562 Fax #: (312) 467-0201 Web Site: www.safe-hit.com			Email:	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-	Safe Hit Soil Mount Surface Mount Tubular Delineator RT 360 HD Tubular Delineator Soil/Surface Mount	Type 2	11/21/2008 Contact: Diane Sanchez	R623, R624 D060
Mfg #: (312) 705-8454 Cell #: (714) 526-9562 Fax #: (312) 467-0201 Web Site: www.safe-hit.com			Email:	
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634-	Shur-Flex® Driveable Object Marker		2/2/2010 Contact: Gary Champ	R676
Mfg #: (512) 218-9500 Cell #: Fax #: (512) 388-0588 Web Site: www.shur-tite.com			Email: gary@shur-tite.com	

619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD 5215 K Marker	Type 2	9/4/2007 Contact: Frank Dvoracek	R566
Mfg #: (877) 843-9757 Cell #:	Fax #: (818) 841-5096	Web Site: www.trafficwks.com	Email: sales@trafficwks.com	

619.03.01 PRISMATIC ACRYLIC REFLECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213-	AKT #18 Center Mounted Reflector		5/5/1998 Contact: Sharon Marquardt	R054
Mfg #: (414) 475-5020 Cell #:	Fax #: (414) 476-3438	Web Site: www.aktcorp.com	Email: tschoe2992@aol.com	
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136-	Center-Mounted Delineator Reflector		5/5/1998 Contact: Doris Weid	R055
Mfg #: (847) 428-7761 Cell #:	Fax #: (847) 428-7764	Web Site: www.vegamoldedproducts.com	Email: vega7761@aol.com	

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004 Contact: Darcie Van Ede	R503
Mfg #: (605) 692-0200 Cell #: (605) 695-5624	Fax #: (605) 697-4700	Web Site: www.daktronicsinc.com	Email: nrwinac@daktronics.com	
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910-	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008 Contact: Adam Lyons	R587
Mfg #: (719) 392-9046 Cell #: (719) 314-6883	Fax #: (719) 392-2075	Web Site: www.skylineproducts.com	Email: adamlyons@skylineproducts.com	

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120-	Metered Service Pedestals		11/19/2002 Contact: Dave Stipe	R367
Mfg #: (949) 387-4863 Cell #: (714) 743-0712	Fax #: (949) 387-4895	Web Site: www.milbankmfg.com	Email: dstipe@milbankmfg.com	

623.02.08**SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Myers Power Products 725 East Harrison Street Corona CA 92879- Mfg #: (951) 520-1900 Cell #: Fax #: (951) 520-1961 Web Site: www.myerspowerproducts.com	Service Pedestals		9/5/2000 Contact: Diana Grootonk Email: dianagrootonk@myerspower.com	R267
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- Mfg #: (800) 860-6157 Cell #: (951) 493-8394 Fax #: (951) 279-3116 Web Site: www.pedestals.net	Service Pedestals		11/19/2002 Contact: Bob Ford Email: pupsales@pedestals.net	R366
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- Mfg #: (916) 395-8800 Cell #: (916) 952-5088 Fax #: (916) 429-2817 Web Site: www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000 Contact: Curt Vasey Email: cvasey@tescocontrols.com	R266

623.02.12c**HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- Mfg #: (682) 286-0046 Cell #: (817) 657-6973 Fax #: (682) 286-0086 Web Site: www.chmindustries.com	426 Series High Mast Head Frame Assembly	Bottom Latching	12/30/2003 Contact: Scott Engberg Email: sengberg@chmindustries.com	R469
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- Mfg #: (847) 473-3800 Cell #: (847) 217-1070 Fax #: (847) 473-3870 Web Site: www.eaglehighmast.com	High Mast Assembly	Bottom Latching	12/30/2003 Contact: Joseph Simons III Email: himastltg@aol.com	R470
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- Mfg #: (702) 367-3949 Cell #: (866) 465-6742 Fax #: (702) 367-4656 Web Site: www.myholophane.com	Holophane LD07 Series High Mast Lighting Lowering D	Bottom Latching	12/30/2003 Contact: James Highgate Email: jameshighgate@gmail.com	R468

623.02.16**DUCT SEALING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ideal Industries Incorporated Becker Place Sycamore IL 60178- Mfg #: (800) 435-0705 Cell #: (800) 304-3578 Fax #: (800) 533-4483 Web Site: www.idealindustries.com	Duct Seal		10/7/2009 Contact: Customer Service Email: Ideal_Industries@idealindustries.com	R676
RectorSeal 2601 Spenwick Drive Houston TX 77055- Mfg #: (800) 231-3345 Cell #: (713) 263-8001 Fax #: (800) 441-0051 Web Site: www.rectorseal.com	Rectorseal® Duct Seal Compound		10/7/2009 Contact: Customer Service Email:	R677

623.02.29**EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 Mfg #: (800) 224-2085 Cell #: (480) 221-5716 Fax #: (651) 789-7334 Web Site: www.gtt.com	560 Chassis Discimonator Opticom Priority Control	Do not mix components, it must be a complete system.	9/19/2003 Contact: Mike Lemon/Gary Stephenson Email: mike.lemon@gtt.com/gary.stephenson@gtt.com	R459
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 Mfg #: (800) 224-2085 Cell #: (480) 221-5716 Fax #: (651) 789-7334 Web Site: www.gtt.com	452 Discimonator Opticom Priority Control Systems 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001 Contact: Mike Lemon/Gary Stephenson Email: mike.lemon@gtt.com/gary.stephenson@gtt.com	R306, R307
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 Mfg #: (800) 224-2085 Cell #: (480) 221-5716 Fax #: (651) 789-7334 Web Site: www.gtt.com	711 Priority Control Syst Optical Detector Model 722 Priority Control Syst Optical Detector Model 721 Priority Control Syst Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001 Contact: Mike Lemon/Gary Stephenson Email: mike.lemon@gtt.com/gary.stephenson@gtt.com	R308, R309 R210
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- Mfg #: (800) 338-3133 Cell #: (951) 699-1784 Fax #: (951) 699-2725 Web Site: www.tomar.com	3140 Emergency Veh Optical Detector 3080 Emergency Veh Optical Detector Strobecom II System Card Racks Strobecom II Optical Preemption Detector	Do not mix components, it must be a complete system.	9/27/2001 Contact: Bill Taylor Email: sales@tomar.com	R203, R204 R205, R206

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- Mfg #: (541) 782-3903 Cell #: Fax #: (541) 782-2053 Web Site: www.diamondtraffic.com	Brass Linguine Class 1		10/31/2001 Contact: Beth Ann Ritz Email: sales@diamondtraffic.com	R317
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- Mfg #: (757) 766-4496 Cell #: Fax #: (757) 766-4297 Web Site: www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1		5/26/1999 Contact: Robin Fletcher Email: robin.fletcher@meas-spec.com	R161

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- Mfg #: (770) 983-9826 Cell #: (404) 661-1875 Fax #: (770) 983-9642 Web Site: www.Bondo.com	P/N 606 Detector Loop Sealant		12/2/2003 Contact: Lowell Parkison Email: lowell.parkinson@crafco.com	R465
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- Mfg #: (602) 276-0406 Cell #: (602) 418-9902 Fax #: (602) 940-0313 Web Site: www.crafco.com	271 Loop Detector Sealant 272 Loop Detector Sealant	Rubberized Asphalt Material	8/5/1998 Contact: Lowell Parkison Email: lowell.parkinson@crafco.com	R059, R060
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- Mfg #: (800) 420-0021 Cell #: (781) 289-1400 Fax #: (781) 289-1405 Web Site: www.durantcorp.com	Stat-a-Flex Polyester Loop Sealant	Polyester Material	8/5/1998 Contact: Al Losanno Email: alosanno@durantcorp.com	R061
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 Mfg #: (800) 224-2085 Cell #: (480) 221-5716 Fax #: (651) 789-7334 Web Site: www.gtt.com	3M Discimonator Opticom Priortiy Control System 5000 Rubberized Loop Detector Sealant	Rubberized Material	8/5/1998 Contact: Mike Lemon/Gary Stephenson Email: mike.lemon@gtt.com/gary.stephenson@gtt.com	R057, R058
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- Mfg #: (916) 689-8840 Cell #: Fax #: (916) 689-8857 Web Site: www.quikrete.com	Quikrete Commerical Grade Permanent Blacktop Repair #1701	Asphaltic Concrete	1/1/2001 Contact: Norman Wong Email: nwong@quikrete.com	R280

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- Mfg #: (704) 525-1852 Cell #: (704) 904-1481 Fax #: (704) 525-1859 Web Site: www.raiproducts.com	Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998 Contact: John Rosenblatt Jr. Email: john@raiproducts.com	R063, R064
Reed & Graham Company 690 Sunol Street San Jose CA 95126- Mfg #: (408) 287-1400 Cell #: (408) 640-6121 Fax #: (408) 294-3696 Web Site: www.rginc.com	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998 Contact: Rick Email: rick@rginc.com	R062

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- Mfg #: (732) 919-3119 Cell #: (732) 751-5810 Fax #: (732) 751-5778 Web Site: www.dialight.com	LED 12" Signal Heads Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002 Contact: Matthew Sieglitz Email: msieglitz@dialight.com	R335, R336
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- Mfg #: (562) 694-1246 Cell #: Fax #: (562) 691-3087 Web Site: www.eoi-us.com	LED Traffic Signal Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV- Y12SG-D2T, TRV-G12sG-D2T	6/17/2008 Contact: Cheryl Huang Email: cheryluang@eoi-us.com	R598, R599
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- Mfg #: (602) 344-7770 Cell #: (602) 326-5698 Fax #: (602) 344-7771 Web Site: www.phoenixhighwayproducts.com	LED 12" Signal Heads Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002 Contact: Tara Cummings Email: tara@phoenixhighwayproducts.com	R337, R338

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- Mfg #: (928) 855-7223 Cell #: (714) 323-2636 Fax #: (928) 855-7237 Web Site: www.gelightingssystem.com	85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004		1/17/2003 Contact: Pete Porte Email: pete.porte@ge.com	R402

623.03.15**SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147-	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop		1/17/2003 Contact: James Highgate	R401
Mfg #: (702) 367-3949	Cell #: (866) 465-6742	Fax #: (702) 367-4656	Web Site: www.myholophane.com	Email: jameshighgate@gmail.com

623.03.22**LUMINAIRE RETRIEVAL SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361-	Lumi Trak		11/19/2002 Contact: George Townsend	R365
Mfg #: (717) 235-2863	Cell #: (717) 818-8203	Fax #: (717) 235-5076	Web Site: www.lumitrak.com	Email: george@lumitrak.com

623.03.26**RED LIGHT DETECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110-	Red Light Detector		7/16/2003 Contact: Monty Mountha	R446
Mfg #: (408) 920-6319	Cell #:	Fax #: (408) 920-6103	Web Site: www.brgsupply.com	Email: monty.brgsupply@yahoo.com
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081-	Red Light Detector		7/16/2003 Contact: Carol Jarvis-Murphy	R445
Mfg #: (760) 734-5027	Cell #: (760) 727-8100	Fax #: (760) 597-7108	Web Site: www.mccain-inc.com	Email: cmurphy@mccain-inc.com

624.03.03**REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Reflective Sheeting 3970 DG Reflective Sheeting (Phasing Out)	*discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved	4/8/1999 Contact: Eric Dornak	R163, R550
Mfg #: (800) 553-1380	Cell #: (702) 743-0012	Fax #: (702) 914-6016	Web Site: www.3M.com/tcm	Email: ejdornak@mmm.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999 Contact: Nipa Joshi	R164
Mfg #: (847) 647-7717	Cell #: (847) 627-3111	Fax #: (847) 588-7688	Web Site: www.averydennison.com	Email: nipa.joshi@averydennison.com

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reflexite Americas 315 South Street New Britain CT 06051-	Reflexite Fluorescent Orange Super Bright Roll Up		4/8/1999	R162
Mfg #: (800) 654-7570	Cell #:	Fax #: (800) 895-0951	Web Site: www.reflexiteamericas.com	Email: customer.service@reflexite.com

625.02.01 CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	MF-180-36 Masterflex		6/15/1998	R065
Mfg #: (888) 842-0600	Cell #: (714) 842-0600	Fax #: (888) 842-2368	Web Site: www.bentmfg.com	Email: sandygerbrick@bentmfg.com
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108-	SDCF SMDW		6/15/1998	R066, R067
Mfg #: (800) 648-7916	Cell #:	Fax #: (803) 276-8940	Web Site: www.carsonite.com	Email: sales@carsonite.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	754 Ground Mount E-Base Round	Type 2	6/1/1994	R032, R296
Mfg #: (800) 348-9839	Cell #:	Fax #: (239) 482-3539	Web Site: www.flexstake.com	Email: jim@flexstake.com/rkj Hughes24@yahoo.com
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Complete Curb System FG 300 HD UR FG 300 Model PE		10/14/1999	R315, R687 DARR
Mfg #: (253) 284-8000	Cell #: (408) 431-8689	Fax #: (253) 284-8080	Web Site: www.pexco.com	Email: bill.daly@pexco.com
Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570-	Qwick Kurb		11/21/2008	R627
Mfg #: (813) 645-5072	Cell #:	Fax #: (813) 454-4856	Web Site: www.qwickkurb.com	Email: mike@qwickkurb.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Dura Post SH Replaceable Barrier Marker RT 360 HD Tubular Delineator Soil/Surface Mount		6/15/1998	R053, R068 DARR
Mfg #: (312) 705-8454	Cell #:	Fax #: (800) 770-6755	Web Site: www.energyabsorption.com	Email: diane.sanchez@quixotecorp.com

625.02.01 CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634- Mfg #: (512) 218-9500 Cell #: Fax #: (512) 388-0588 Web Site: www.shur-tite.com	Shur-Flex® Surface Mount Delineator		4/30/2009 Contact: Gary Champ Email: gary@shur-tite.com	R634
Western Highway Products 10680 Fern Avenue Stanton CA 90680- Mfg #: (800) 854-3360 Cell #: (714) 761-4811 Fax #: (714) 952-2118 Web Site: www.westernhighway.com	Repo 300		6/15/1998 Contact: Barbara / Annie Email: western.highway@yahoo.com	R081

625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- Mfg #: (414) 475-5020 Cell #: Fax #: (414) 476-3438 Web Site: www.aktcorp.com	FB33 Flexible Barrier Marker		2/2/1993 Contact: Sharon Marquardt Email: tschoe2992@aol.com	R013
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- Mfg #: (973) 962-7779 Cell #: Fax #: (973) 962-7652 Web Site: n/a	FlexX 2020	W/75 mm X 75mm Reflective Sheeting	12/17/1997 Contact: Kerry Email: kerry@hallmanufacturing.com	R019
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com	PCBM 12 Marker PCBM T12 High Impact Dapco Straight Guardrail Reflective Plates		12/17/1997 Contact: Bill Daly Email: bill.daly@pexco.com	R017, R018 D127
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com	TD9300 Roadguide TD9400 Roadguide		12/3/2002 Contact: Frank Dvoracek Email: sales@trafficwks.com	R371, R372

625.02.03

CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Addco Manufacturing Company Inc 240 Arlington Avenue St Paul MN 55117- Mfg #: (800) 616-4409 Cell #: (651) 558-3536 Fax #: (651) 558-3600 Web Site: www.addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000		2/22/1998 Contact: Danielle Nicholson Email: sales@addco.com	R073, R074
American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- Mfg #: (770) 448-6650 Cell #: Fax #: (770) 448-8970 Web Site: www.amsig.com	CMS T300 Changeable Message Signs CMS T331 Changeable Message Signs CMS T320 Changeable Message Signs CMS GP465 Changeable Message Signs		2/22/1998 Contact: Scott Covington Email: sales@amsig.com	R075, R076 D077 D078
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 Mfg #: (204) 885-2580 Cell #: Fax #: (204) 888-2912 Web Site: www.enduron.net	CMS 80FM	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004 Contact: Chelsea Klassen Email: chelsea.k@enduron.net	R505
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- Mfg #: (888) 994-0300 Cell #: Fax #: (714) 441-7714 Web Site: www.nationalsignalinc.com	Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Phasing Out) Nighthawk 345 (Phasing Out)	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998 Contact: Mark Fernandez Email: mark@nationalsignalinc.com	R079, R080 D081
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- Mfg #: (888) 994-0300 Cell #: Fax #: (714) 441-7714 Web Site: www.nationalsignalinc.com	ER200 ER200T CMS330 ER20054		4/10/2000 Contact: Mark Fernandez Email: mark@nationalsignalinc.com	R069, R070 D071 D072
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- Mfg #: (972) 278-0553 Cell #: (972) 278-8683 Fax #: (972) 271-9583 Web Site: www.precisionsolarcontrols.com	Solar Powered Message Board Center		2/22/1998 Contact: Vickie Seymour Email: vseymour@precisionsolarcontrols.com	R084
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 Mfg #: (888) 488-7446 Cell #: (418) 654-1303 Fax #: (418) 654-0517 Web Site: www.ver-mac.com	PCMS		2/22/1998 Contact: Kimberly Jack Email: kim.jack@ver-mac.com	R085
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- Mfg #: (610) 391-8600 Cell #: (610) 393-4419 Fax #: (610) 391-8601 Web Site: www.solartechnology.com	Silent Messenger Solar Powered Silent Messenger II Silent Messenger III	Standard or Lift & Rotate Trailer	2/22/1998 Contact: Inside Service Manager Email: customerservice@solartechnology.com	R086, R664 D665

625.02.03**CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003-	WTLMB-S-LL(A)		8/5/2002 Contact: Jim McLemore	R355
Mfg #: (303) 427-5700 Cell #: (800) 972-0755 Fax #: (303) 427-5725 Web Site: www.wanco.com Email: jim@wanco.com				

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688-	Absorb 350	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001 Contact: Ron Keener	R285, R667
Mfg #: (707) 374-6800 Cell #: (888) 800-3691 Fax #: (707) 374-6801 Web Site: www.barriersystemsinc.com Email: ron.keener@barriersystemsinc.com				
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Energite III Module N-E-A-T System Quadguard		9/3/1998 Contact: Diane Sanchez	R089, R090 D001
Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com Email: diane.sanchez@quixotecorp.com				
SCI Products Incorporated PO Box 4314 St Charles IL 60174-	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006 Contact: Jeffery Smith	R545
Mfg #: (800) 327-4417 Cell #: (630) 330-8063 Fax #: (630) 377-9270 Web Site: www.workareaprotection.com Email: workarea@workareaprotection.com				
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728	Energite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998 Contact: Tim Kniffen	R092, R093 D001
Mfg #: (775) 357-6005 Cell #: (775) 690-3037 Fax #: (775) 358-9161 Web Site: www.tcsi.biz Email: tniffen@tcsi.biz				
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673-	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	3/22/2000 Contact: Cary Lemonds	R095, R096
Mfg #: (801) 446-4450 Cell #: (801) 979-7099 Fax #: (801) 446-1157 Web Site: www.traffixdevices.com Email: clemonds@traffixdevices.com				

625.02.05

TRUCK MOUNTED IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com Email: diane.sanchez@quixotecorp.com	Safe-Stop 180 TMA	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999 Contact: Diane Sanchez	R192
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 Mfg #: (262) 814-7000 Cell #: (800) 444-0331 Fax #: (775) 358-9161 Web Site: www.tcsi.biz Email: tniffen@tcsi.biz	Energite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998 Contact: Tim Kniffen	R092, R093 D001
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- Mfg #: (801) 446-4450 Cell #: (801) 979-7099 Fax #: (801) 446-1157 Web Site: www.traffixdevices.com Email: clemonds@traffixdevices.com	ScorPion C 10,000	TL-3, Required truck weight 9,000 kg (19,842 lb)	7/26/2000 Contact: Cary Lemonds	R264
Trinity Highway Safety 950 West 400 South Centerville UT 84014- Mfg #: (800) 772-7976 Cell #: (360) 943-9559 Fax #: (801) 292-3263 Web Site: www.trin.net Email: mikel.hooley@trin.net	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998 Contact: Mikel Hooley	R097

625.02.06

WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Armorcast Products Company Inc 13230 Saticoy Street North Hollywood CA 91605- Mfg #: (818) 982-3600 Cell #: (909) 772-1424 Fax #: (818) 982-7742 Web Site: www.armorcastprod.com Email: info@armorcastprod.com	Guardian Barrier Water Filled with 350 kit	Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections).	9/3/1998 Contact: Sydney Chase	R099
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 Mfg #: (800) 292-1305 Cell #: Fax #: (219) 659-0625 Web Site: www.rhinobarriers.com Email: steve.washburn@polyjohn.com	Rhino Safety Barrier (use the 350 kit with install)	Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/- 1Gal(3.8L).	3/10/2004 Contact: Steve Washburn	R482
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com Email: diane.sanchez@quixotecorp.com	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections).	3/30/1997 Contact: Diane Sanchez	R098

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815-	Traffic Control Model 2001 Type III Barricade		8/3/2006 Contact: Kathleen Yodock	R551, R561
Mfg #: (570) 380-2856 Cell #: (888) 495-3625 Fax #: (570) 380-2859	Web Site: www.yodock.com	Email: kathleen@yodock.com		

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801-	Safety Beacon Light		6/1/1999 Contact: Timothy Keith	R188
Mfg #: (888) 414-3003 Cell #: (662) 566-2025 Fax #: (662) 566-7123	Web Site: www.k-ksystems.com	Email: timothy@k-ksystems.com		

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025-	Dibond for Highway Work Zone Signage	Must conform to section 716. Alpolc sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006 Contact: Star Collins	R547, R533
Mfg #: (270) 527-4200 Cell #: Fax #: (270) 527-1552	Web Site: www.alcancompositesusa.com	Email: star.collins@alcan.com		
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067-	SZ-412 Sign Support System SZ-412S Sign Support System SZ-460 Sign Support System SZ-484 Sign Support System	Roll-up Fabric Only	10/17/2008 Contact: Chris Goode	R616, R617 R618, R619
Mfg #: (770) 333-1635 Cell #: Fax #: (770) 333-1639	Web Site: www.bonesafety.com	Email: chris@bonesafety.com		
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067-	BoneLight ACM Big Dog Rigid Sign	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008 Contact: Chris Goode	R620, R621
Mfg #: (770) 333-1635 Cell #: Fax #: (770) 333-1639	Web Site: www.bonesafety.com	Email: chris@bonesafety.com		
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067-	SZ-412-2S Sign Support System SZ-460-2S Sign Support System SZ-484-2S Sign Support System	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008 Contact: Chris Goode	R657, R658 R659
Mfg #: (770) 333-1635 Cell #: Fax #: (770) 333-1639	Web Site: www.bonesafety.com	Email: chris@bonesafety.com		

625.03.03

SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067-	SZ-460-2S SZ-484-2S SZ-412-2S		10/17/2008 Contact: Chris Goode	R657, R658 D650
Mfg #: (770) 333-1635 Cell #: Fax #: (770) 333-1639 Web Site: www.bonesafety.com Email: chris@bonesafety.com				
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303-	DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000 Contact: Michael Burke	R220, R221 D222
Mfg #: (800) 333-5641 Cell #: (206) 818-9277 Fax #: (800) 695-6054 Web Site: www.dicketool.com Email: mike@dicketool.com				
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303-	DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Verticle Portable Sign Stand	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000 Contact: Michael Burke	R223, R224 D225
Mfg #: (800) 333-5641 Cell #: (206) 818-9277 Fax #: (800) 695-6054 Web Site: www.dicketool.com Email: mike@dicketool.com				
Eastern Metals 1430 Sullivan Street Elmira NY 14901-	C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 Contact: Kim McLean	R227, R228 D229 D230
Mfg #: (800) 872-7446 Cell #: (607) 734-2295 Fax #: (607) 734-8783 Web Site: www.usa-sign.com Email: kmclean@usa-sign.com				
Eastern Metals 1430 Sullivan Street Elmira NY 14901-	X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 Contact: Kim McLean	R231, R232 D233 D234
Mfg #: (800) 872-7446 Cell #: (607) 734-2295 Fax #: (607) 734-8783 Web Site: www.usa-sign.com Email: kmclean@usa-sign.com				
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228-	SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 Contact: John Murray	R415, R416 D417 D418
Mfg #: (800) 296-6050 Cell #: (804) 262-6050 Fax #: (804) 261-1040 Web Site: www.kormansigns.com Email: jam@kormansigns.com				
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228-	SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 Contact: John Murray	R403, R404 D405 D406
Mfg #: (800) 296-6050 Cell #: (804) 262-6050 Fax #: (804) 261-1040 Web Site: www.kormansigns.com Email: jam@kormansigns.com				
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228-	SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 Contact: John Murray	R407, R408 D409 D410
Mfg #: (800) 296-6050 Cell #: (804) 262-6050 Fax #: (804) 261-1040 Web Site: www.kormansigns.com Email: jam@kormansigns.com				

625.03.03

SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- Mfg #: (800) 296-6050 Cell #: (804) 262-6050 Fax #: (804) 261-1040 Web Site: www.kormansigns.com Email: jam@kormansigns.com	SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 Contact: John Murray	R411, R412 D412 D414
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- Mfg #: (800) 521-6776 Cell #: Fax #: (248) 488-5700 Web Site: www.mditraficcontrol.com Email: kjackson@mdiworldwide.com	4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 Contact: Karen Jackson	R239, R240 D241
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- Mfg #: (800) 521-6776 Cell #: Fax #: (248) 488-5700 Web Site: www.mditraficcontrol.com Email: kjackson@mdiworldwide.com	4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 Contact: Karen Jackson	R235, R236 D237 D238
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- Mfg #: (801) 446-4450 Cell #: (801) 979-7099 Fax #: (801) 446-1157 Web Site: www.traffixdevices.com Email: clemonds@traffixdevices.com	Economy Plastic Folding Barricade Zephyr Portable Sign Support 48"	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000 Contact: Cary Lemonds	R248, R244
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- Mfg #: (801) 446-4450 Cell #: (801) 979-7099 Fax #: (801) 446-1157 Web Site: www.traffixdevices.com Email: clemonds@traffixdevices.com	Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000 Contact: Cary Lemonds	R242, R243

625.03.04

BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- Mfg #: (888) 842-0600 Cell #: (714) 842-0600 Fax #: (888) 842-2368 Web Site: www.bentmfg.com Email: sandygerbrick@bentmfg.com	Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal	Type I w/ or w/out lights	3/9/2000 Contact: Sandy Gerbrick	R246, R247
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- Mfg #: (888) 842-0600 Cell #: (714) 842-0600 Fax #: (888) 842-2368 Web Site: www.bentmfg.com Email: sandygerbrick@bentmfg.com	Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal	Type II w/ or w/out lights	3/9/2000 Contact: Sandy Gerbrick	R272, R273

625.03.04

BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type III Plywood Panel	Type III w/ or w/out lights	3/9/2000 Contact: Sandy Gerbrick	R245
Mfg #: (888) 842-0600 Cell #: (714) 842-0600 Fax #: (888) 842-2368 Web Site: www.bentmfg.com Email: sandygerbrick@bentmfg.com				
Highway Technologies 4533 Andres Street North Las Vegas NV 89081-	Type 3D Barricades		1/10/2000 Contact: David Johnson	R435
Mfg #: (702) 453-1616 Cell #: Fax #: (702) 438-3460 Web Site: www.hwy-tech.com Email: david.johnson@hwy-tech.com				
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	TD2500 Type III Barricades TD2550 Barricade Type III TD2650 Works Barricade Type III	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000 Contact: Bill Daly	R250, R251 R252
Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com Email: bill.daly@pexco.com				
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Anchor Barricade Barricade Type IIIB	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000 Contact: Bill Daly	R250, R521
Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com Email: bill.daly@pexco.com				
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104-	PST-III (Type III barricade)	Type III	3/19/2004 Contact: Bill Jamieson	R483
Mfg #: (216) 231-8590 Cell #: Fax #: (216) 231-2702 Web Site: www.plasticsafety.com Email: wejamieson@plasticsafety.com				
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077-	Sentinel Type III	Type III	2/21/2007 Contact: Marshall Shapiro	R001
Mfg #: (847) 470-0400 Cell #: Fax #: (847) 470-0420 Web Site: www.americanlouver.com Email:				
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I	Type I and Type III B	12/3/2002 Contact: Frank Dvoracek	R374, R375
Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com Email: sales@trafficwks.com				
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade	Barricade Type I and Type II	7/5/2005 Contact: Frank Dvoracek	R526, R527 R528 R529
Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com Email: sales@trafficwks.com				

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com	TD2300 Barricade TD2500 Barricade TD2600 Works Barricade	Barricade Type I and Type II	7/5/2005 Contact: Frank Dvoracek Email: sales@trafficwks.com	R530, R531 R532
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com	TD2550 Work Barricade Type III	Type III	7/5/2005 Contact: Frank Dvoracek Email: sales@trafficwks.com	R525
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- Mfg #: (801) 446-4450 Cell #: (801) 979-7099 Fax #: (801) 446-1157 Web Site: www.traffixdevices.com	Economy Plastic Folding Barricade Sand-Filled Bag		4/3/2000 Contact: Cary Lemonds Email: clemonds@traffixdevices.com	R248, R249
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- Mfg #: (570) 380-2856 Cell #: (888) 495-3625 Fax #: (570) 380-2859 Web Site: www.yodock.com	Yodock Model 2001 200 M with Type III Temporary Sign Support	Type III	11/27/2007 Contact: Kathleen Yodock Email: kathleen@yodock.com	R583, R588

627.02.01a**POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
Mfg #:	Cell #:	Fax #:	Web Site:	Email:

630.02.01**HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- Mfg #: (800) 648-7916 Cell #: Fax #: (803) 276-8940 Web Site: www.carsonite.com	Modular Guidance System		10/20/1996 Contact: Ernest Joyner III Email: sales@carsonite.com	R102

630.02.01**HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	Glare Screen System		7/31/1996 Contact: Jim Zadrozny/Robert Hughes Jr.	R103
Mfg #: (800) 348-9839 Cell #:	Fax #: (239) 482-3539	Web Site: www.flexstake.com	Email: jim@flexstake.com/rkjhughes24@yahoo.com	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Glare Screen System		7/31/1996 Contact: Diane Sanchez	R104
Mfg #: (312) 705-8454 Cell #:	Fax #: (800) 770-6755	Web Site: www.energyabsorption.com	Email: diane.sanchez@quixotecorp.com	

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	LTL-X 30-Meter Geometry Retroreflector	10/08 LTX Geometry Retroreflector was discontinued	12/26/1999 Contact: Tim Montgomery	R211
Mfg #: (336) 475-6600 Cell #:	Fax #: (336) 475-7900	Web Site: www.flintrading.com	Email: sales@flintrading.com	
Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020-	MP 30		12/26/1999 Contact: William Kaiser	R213
Mfg #: (801) 718-7089 Cell #: (801) 571-3394	Fax #: (801) 571-3394	Web Site: www.miroluxproducts.com	Email: sales@miroluxproducts.com	
RoadVista 8581 Aero Drive San Diego CA 92123-	MX 30 LaserLuxGamma Scientific Stripe Master 2 Series	MX 30 still qualified but phasing out	5/2/2006 Contact: Keith Breeding	R542, R543
Mfg #: (925) 552-5922 Cell #: (510) 453-7004	Fax #: (925) 886-8833	Web Site: www.roadvista.com	Email: kbreeding@keoselectronics.com	

633.02.01**NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999 Contact: Bart Farrar	R184
Mfg #: (253) 351-9828 Cell #:	Fax #: (253) 735-6303	Web Site: www.alpinemarkings.com	Email: bart@alpinemarkings.com	

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- Mfg #: (562) 944-8878 Cell #: (562) 805-3839 Fax #: (562) 944-2298 Web Site: www.apexmarker.com Email: sales@apexmarker.com	929 ABS 929 PP Ceramic	100mm (4") Round	6/1/1999 Contact: Steve Edsinga	R172, R678, R173
Glowlite Incorporated 1360 Beach Boulevard #B-230 La Habra CA 90631- Mfg #: (626) 336-6086 Cell #: Fax #: (626) 336-6085 Web Site: www.glowlitemarker.com Email: edwardfei_glowlite@yahoo.com	Type A/4" White Non Reflective Type AY/4" Yellow Non Reflective	100mm (4") Round (Ceramic and Plastic/PP)	3/7/2005 Contact: Edward Fei or Richard Fei	R516, R517
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- Mfg #: (800) 228-1701 Cell #: (909) 591-1781 Fax #: (909) 627-0999 Web Site: www.hi-waysafety.com Email: hiwaysafety@linkline.com	Model P20-2000W ABS Model P20-2001Y ABS	100mm (4") Round	6/1/1999 Contact: Bob Smith	R185, R186
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- Mfg #: (800) 237-7245 Cell #: (530) 823-6070 Fax #: (530) 823-0994 Web Site: www.interstatesales.com Email: miket@interstatesales.com	Diamond Back	100mm (4") Round (ABS & Polyproplene)	6/1/1999 Contact: Mike Trentman	R170
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 Mfg #: (714) 656-3659 Cell #: Fax #: (925) 215-2549 Web Site: www.novabrite.com Email: norman@novabrite.com	ADOT - W White ADOT - Y Yellow CDOT - W White CDOT - Y Yellow	100mm (4") Round	2/17/2004 Contact: Norman Yamaguchi	R474, R475 R476, R477
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Cell #: Fax #: (818) 841-5096 Web Site: www.trafficwks.com Email: sales@trafficwks.com	TD10000 Series	100mm (4") Round	12/3/2002 Contact: Frank Dvoracek	R373

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com	290 Durable Raised Pavement Marker	89mm x 100mm (3.6" x 4")	6/1/1999 Contact: Eric Dornak	R182

633.02.02**REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- Mfg #: (562) 944-8878 Cell #: (562) 805-3839 Fax #: (562) 944-2298 Web Site: www.apexmarker.com	921 AR	100mm x 100mm (4" x 4")	3/25/2001 Contact: Steve Edsinga Email: sales@apexmarker.com	R282
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker	100mm x 100mm (4" x 4")	6/1/1999 Contact: Klyne McCarty Email: klyne@ennispaint.net	R179, R180, R181, R255
Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- Mfg #: (800) 848-7025 Cell #: (281) 617-2240 Fax #: (281) 583-1506 Web Site: www.rayolite.com	AA Reflective Pavement Markers ARC Reflective Pavement Markers	100mm x 100mm (4" x 4")	6/1/1999 Contact: Tina Contreras Email: tcontreras@rayolite.com	R174, R175

633.02.03**RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	948 Recessed Reflective Pavement Markers	58mm x 119mm (2.3" x 4.7")	6/1/1999 Contact: Klyne McCarty Email: klyne@ennispaint.net	R183
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	944SB Recessed Reflective Pavement Markers	51mm x 100mm (2 " x 4 ")	6/1/1999 Contact: Klyne McCarty Email: klyne@ennispaint.net	R178
Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- Mfg #: (800) 848-7025 Cell #: (281) 617-2240 Fax #: (281) 583-1506 Web Site: www.rayolite.com	ARC 2002 ARC 2004	58mm x 117mm (2.3" x 4.6")	6/1/1999 Contact: Tina Contreras Email: tcontreras@rayolite.com	R176, R177

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- Mfg #: (602) 276-0406 Cell #: (602) 418-9902 Fax #: (602) 940-0313 Web Site: www.crafco.com	Hot Applied Flexible Pavement Marker Adhesive part 34270		6/16/1998 Contact: Lowell Parkison Email: lowell.parkison@crafco.com	R105
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	836098 Bituminous Adhesive for Pavement Markers		6/15/1998 Contact: Klyne McCarty Email: klyne@ennispaint.net	R108
Flintrading Incorporated 115 Todd Court Thomasville NC 27360- Mfg #: (336) 475-6600 Cell #: Fax #: (336) 475-7900 Web Site: www.flintrading.com	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad	White Color on Plantmix & Black Color on PCCP	6/15/1998 Contact: Tim Montgomery Email: sales@flintrading.com	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- Mfg #: (800) 523-0268 Cell #: (800) 669-6940 Fax #: (916) 714-4582 Web Site: www.henry.com	Dotstick Bituminous Marker Adhesive		9/29/2003 Contact: Randy Rozell Email: customerservice@henry.com	R464
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 Mfg #: (713) 941-4410 Cell #: (713) 350-6849 Fax #: (713) 947-4949 Web Site: www.martinaspalt.com	172542 Evergrip Bituminous Marker Adhesive		6/15/1998 Contact: Jack Nimmo Email: jnimmo@martinmlp.com	R107

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- Mfg #: (253) 284-8000 Cell #: (408) 431-8689 Fax #: (253) 284-8080 Web Site: www.pexco.com	Halftrack Model 25 Halftrack Model 26; TOM TRPM	Work Zone Pavement Markers	2/20/2000 Contact: Bill Daly Email: bill.daly@pexco.com	R253, R254 D256 D257

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm	780 Wet Reflective Removable Tape 750 Wet Reflective Removable Tape (Phasing Out) 710 Wet Reflective Removable Tape	10/08 Discontinued manufacturing 750, but still carried by vendors and still approved	5/21/2003 Contact: Eric Dornak Email: ejdornak@mmm.com	R423, R424, R675
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574 Cell #: Fax #: (252) 536-4940 Web Site: www.trafficmarking.com	Series 200 Construction Removable Tape		6/15/1999 Contact: Brenda Robbins Email: brobbins@trafficmarking.com	R101
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetehnolgies.com	Series 100 White & Yellow Series 200 White & Yellow Removable		6/15/1999 Contact: Bill Jubak Email: bjubak@brite-line.com	R154, R155 D157 D158
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- Mfg #: (314) 968-2569 Cell #: Fax #: (314) 968-0494 Web Site: www.pblaminations.com	Aztec III Removable		6/15/1999 Contact: Lauretta Green Email: lgreen@pblaminations.com	R119
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900 Cell #: Fax #: (931) 388-4039 Web Site: www.swarco.com	Director 2 Detour Grade Director 2 - Wet Reflective (D2-WR) Yellow & White		6/15/1999 Contact: Jon Sproul Email: office.industries@swarco.com	R120, R655 D656
Trelleborg Industri AB 23181 Trelleborg Sweden Mfg #: (464) 105-1536 Cell #: (467) 081-5366 Fax #: (464) 105-1122 Web Site: www.trelleborg.com/roadtape	RW 140 Series RY 140 Series R 140 Series		8/24/2001 Contact: Tevin Loontjens Email: tevnlootjens@trelleborg.com	R303, R304 D305

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- Mfg #: (814) 368-1200 Cell #: (281) 770-0220 Fax #: (814) 368-1335 Web Site: www.pennsuppress.com	PennSuppress D Dust Suppressant	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body.	5/2/1999 Contact: Colin Kimball Email: ckimball@amref.com	R121

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- Mfg #: (800) 527-2101 Cell #: (214) 415-3984 Fax #: (972) 484-2896 Web Site: www.arrowmagnolia.com Email: ekemp@arrowmagnolia.com	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005 Contact: Eunice Kemp	R498
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- Mfg #: (972) 758-7454 Cell #: (702) 405-0351 Fax #: (972) 596-8418 Web Site: www.dallasroadway.com Email: dallasroadway@yahoo.com	Dust Control DC-22	Application and dilution rates follow manufacturer's instructions.	6/19/2006 Contact: Ellyn Neal-Favors	R549
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 Cell #: (503) 701-7802 Fax #: (503) 279-2633 Web Site: www.enviroad.com Email: don@enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003 Contact: Don Blackmon	R420
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- Mfg #: (775) 852-3878 Cell #: (800) 369-3878 Fax #: (970) 346-3959 Web Site: www.envirotechservices.com Email: csherven@envirotechservices.com	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 Contact: Charles Sherven	R450
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 Cell #: (509) 981-8555 Fax #: (509) 235-3803 Web Site: www.fischbachandmore.com Email: tackiferman@yahoo.com	Fisch-Stik Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998 Contact: Robert Fischbach	R152, R153
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- Mfg #: (702) 871-1884 Cell #: Fax #: (702) 871-3629 Web Site: www.fluid-tech-inc.com Email: srowsell@fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 Contact: Stan True	R323
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 Cell #: (949) 533-6799 Fax #: (949) 722-6799 Web Site: www.gmbostoncompany.com Email: craighoad@gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003 Contact: Craig Hoad	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- Mfg #: (770) 303-0878 Cell #: Fax #: (770) 455-6531 Web Site: www.HerculesEnvironmental.com Email: hercenv@herculesenvironmental.com	SOILOC-MQ Dust Suppressant Hercules PAM	Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.)	5/2/1999 Contact: Rob Hotle	R149, R150

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- Mfg #: (330) 456-3121 Cell #: Fax #: (330) 456-3247 Web Site: www.midwestind.com Email: kim@midwestind.com/custserv@midwestind.com	EnviroKleen Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001 Contact: Kimberly Keith	R278, R279
MonoSol LLC 707 East 80th Place Suite 301 Merrillville IN 46410- Mfg #: (219) 762-3165 Cell #: Fax #: (219) 755-4062 Web Site: www.terraloc.com Email: jgallagher@monosol.com	TerraLoc		11/18/2009 Contact: Jon Gallagher	R683
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- Mfg #: (702) 649-8767 Cell #: (702) 249-1900 Fax #: (702) 649-8446 Web Site: www.nuequipment.com Email: dennis@nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 Contact: Dennis Frehner	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- Mfg #: (661) 392-3630 Cell #: (661) 978-9357 Fax #: (661) 391-1054 Web Site: www.alonsashalt.com Email: jim.ryan@alonusa.com	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002 Contact: Jim Ryan	R479
Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115- Mfg #: (216) 566-1733 Cell #: Fax #: (216) 830-7721 Web Site: www.sherwinwilliams.com Email: pjwalsh@sherwin.com	Dust Away		6/2/2009 Contact: Pat Walsh	R639
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- Mfg #: (702) 873-2023 Cell #: Fax #: (702) 873-0915 Web Site: www.soil-tech.com Email: crista@soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003 Contact: Crista Napoli	R466, R467
Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 Mfg #: (480) 289-3232 Cell #: (602) 758-6465 Fax #: (480) 545-5456 Web Site: www.soilworks.com Email: chad@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 Contact: Chad Falkenberg	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- Mfg #: (888) 843-1029 Cell #: (661) 747-5956 Fax #: (661) 587-6806 Web Site: www.EarthGuard.com Email: andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 Contact: Andy Iturriria	R318

637.02.01**DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 Mfg #: (281) 855-2598 Cell #: (281) 615-0163 Fax #: (312) 214-6606 Web Site: www.usg-erosioncontrol.com	Dust Armour	Application and dilution rates follow manufacturer's instructions.	8/28/2006 Contact: John Breen Email: jbreen@usg.com	R553
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- Mfg #: (520) 622-7203 Cell #: (520) 820-8943 Fax #: (520) 798-3914 Web Site: www.westernemulsions.com	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 Contact: Lain Jack Email: ian@westernemulsions.com	R434

637.02.02**SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- Mfg #: (702) 341-0354 Cell #: (702) 493-3713 Fax #: (702) 341-0355 Web Site: www.hanesgeo.com	TerraTex SC		6/25/1998 Contact: Quinn Brown Email: quinn.brown@hanesindustries.com	R143
Triangular Silt Dike Company Inc 8505 East Highway 66 Luther OK 73054- Mfg #: (800) 290-8473 Cell #: Fax #: (405) 277-2232 Web Site: www.tri-silkdike.com	Triangular Silt Dike		6/25/1998 Contact: Gary Roach Email: groach@cox.net	R142

637.02.05**ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ACF Environmental 2831 Cardwell Road Richmond VA 23234- Mfg #: (800) 448-3636 Cell #: (800) 423-4567 Fax #: (804) 246-9737 Web Site: www.acfenvironmental.com	Siltsack		6/25/1998 Contact: David Kelley Email: dkelley@acfenvironmental.com	R144
Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- Mfg #: (775) 358-1200 Cell #: (414) 630-1012 Fax #: (775) 359-5997 Web Site: www.submar.com	UltraFlexTM		11/18/2009 Contact: Damian Swain Email: damian.swain@paccoast.com	R684

637.02.05**ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027-	StreamGuard Catch Basin Insert		6/25/1998 Contact: Jeff Bird	R088
Mfg #: (800) 909-3677 Cell #:	Fax #: (888) 234-3677	Web Site: www.shopbowhead.com	Email: jeffb@shopbowhead.com	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050-	Dandy Curb Dandy Pop		6/25/1998 Contact: Dan Cleveland Jr.	R637, R638
Mfg #: (800) 591-2284 Cell #: (614) 580-5683	Fax #: (740) 881-2791	Web Site: www.dandyproducts.com	Email: dlc@dandyproducts.com	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050-	Beaver Dam Bag Dandy Curb Bag® Dandy Bag® Drainage Control		6/25/1998 Contact: Dan Cleveland Jr.	R082, R083 D087
Mfg #: (800) 591-2284 Cell #: (614) 580-5683	Fax #: (740) 881-2791	Web Site: www.dandyproducts.com	Email: dlc@dandyproducts.com	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094-	SS-100A Frame & Filter Assembly SS-200A Frame & Filter Assembly		12/6/2002 Contact: Todd Christian	R376, R377
Mfg #: (888) 382-7458 Cell #: (770) 388-7818	Fax #: (770) 388-7640	Web Site: www.siltsaver.com	Email: todd@siltsaver.com	

640.02.03a**MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711	Reinforced Soil Embankment Wall		9/8/1998 Contact: Suzanne Blackburn	R122
Mfg #: (800) 762-8962 Cell #: (707) 443-5093	Fax #: (707) 443-2891	Web Site: www.hilfiker.com	Email: suzanne@hilfiker.com	
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108-	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls		9/8/1998 Contact: Michael Louis	R287, R288
Mfg #: (619) 688-2400 Cell #:	Fax #: (619) 688-2499	Web Site: www.reinforcedearth.com	Email: mlouis@reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Earth MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000 Contact: Andrew Thompson	R187, R195
Mfg #: (831) 430-9300 Cell #:	Fax #: (831) 430-9340	Web Site: www.mseplus.com	Email: andrewt@mseplus.com	

640.02.03a**MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- Mfg #: (949) 488-7054 Cell #: (949) 212-8454 Fax #: (949) 488-7084 Web Site: www.tensarcorp.com	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999 Contact: Bob Miller Email: bmiller@tensarcorp.com	R165

640.02.03b**MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- Mfg #: (619) 688-2400 Cell #: Fax #: (619) 688-2499 Web Site: www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001 Contact: Michael Louis Email: mlouis@reinforcedearth.com	R287, R288
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- Mfg #: (831) 430-9300 Cell #: Fax #: (831) 430-9340 Web Site: www.mseplus.com	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002 Contact: Andrew Thompson Email: andrewt@mseplus.com	R356

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- Mfg #: (207) 490-4313 Cell #: Fax #: (207) 490-4284 Web Site: www.cyro.com	Paraglas Soundstop® TL4 Nosie Barrier System	The system will be selected based on specific project requirements. It is not a complete wall system.	8/4/2009 Contact: Nathan Binette Email: paraglas@evonik.com	R648
Evonik Cyro LLC 1796 Main Street Sanford ME 04073- Mfg #: (207) 324-6000 Cell #: (207) 490-4313 Fax #: (207) 490-4248 Web Site: www.paraglassoundstop.com	Paraglas Soundstop TL4 System	The system will be selected based on specific project requirements. It is not a complete wall system.	6/3/2009 Contact: Nathan Binette Email: nathan.binette@evonik.com	R640
Evonik Cyro LLC 379 Interpace Parkway Parsippany NJ 07054- Mfg #: (207) 490-4384 Cell #: Fax #: (973) 541-8441 Web Site: www.paraglassoundstop.com	Paraglas Soundstop® Ready Fit Panels	The system will be selected based on specific project requirements. It is not a complete wall system.	8/27/2004 Contact: Eric Humphries Email: eric.humphries@evonik.com	R502

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Port-O-Wall Systems LLC 585 5th Street West/PMB 182 Sonoma CA 95476- Mfg #: (707) 938-4516 Cell #: Fax #: (707) 996-5191 Web Site: www.port-o-wall.com Email: rod_allen@port-o-wall.com	Port-O-Wall Soundwall System	The system will be selected based on specific project requirements.	10/24/2001 Contact: Rod Allen	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- Mfg #: (626) 638-7130 Cell #: (702) 354-3974 Fax #: (702) 464-3080 Web Site: www.quilite.com Email: morgan@quilite.com	Quilite Noise Barrier	The system will be selected based on specific project requirements.	2/9/2005 Contact: Morgan Fisher	R515

640.02.04**MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Jensen Precast 625 Bergin Way Sparks NV 89431- Mfg #: (775) 720-8167 Cell #: Fax #: (775) 359-1038 Web Site: www.jensenprecast.com Email: DGoins@jensenprecast.com	Redi-Rock	Permitted on a project-by-project basis with approvals from NDOT Bridge and NDOT Geotechnical and in accordance with 640.02.03 NDOT Specs.	7/23/2009 Contact: Derek Goins	R647
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- Mfg #: (251) 990-5761 Cell #: Fax #: (251) 990-5461 Web Site: www.keystonewalls.com Email: keystone@keystonewalls.com	Keysystem 1 Modular Block Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002 Contact: Customer Service	R145
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- Mfg #: (619) 688-2400 Cell #: Fax #: (619) 688-2499 Web Site: www.reinforcedearth.com Email: mlouis@reinforcedearth.com	Pyramid Modular Block Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002 Contact: Michael Louis	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- Mfg #: (949) 488-7054 Cell #: (949) 212-8454 Fax #: (949) 488-7084 Web Site: www.tensarcorp.com Email: bmiller@tensarcorp.com	Mesa Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002 Contact: Bob Miller	R343

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- Mfg #: (707) 374-6800 Cell #: (888) 800-3691 Fax #: (707) 374-6801 Web Site: www.barriersystemsinc.com Email: ron.keener@barriersystemsinc.com	Universal Tau II System	TL-3	4/10/2001 Contact: Ron Keener	R285
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601- Mfg #: (312) 705-8454 Cell #: (888) 323-6374 Fax #: (800) 770-6755 Web Site: www.energyabsorption.com Email: diane.sanchez@quixotecorp.com	React 350 (60" wide) React 350 (96" wide) React 350 (120" wide)	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	7/31/2009 Contact: Diane Sanchez	R662, R661 D660
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 705-8454 Cell #: Fax #: (800) 770-6755 Web Site: www.energyabsorption.com Email: diane.sanchez@quixotecorp.com	Quad-Guard Standard Quad-Guard Wide (69/90) Quad-Guard Elite React 350	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998 Contact: Diane Sanchez	R126, R127 D128 D129
SCI Products Incorporated PO Box 4314 St Charles IL 60174- Mfg #: (800) 327-4417 Cell #: (630) 330-8063 Fax #: (630) 377-9270 Web Site: www.workareaprotection.com Email: workarea@workareaprotection.com	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006 Contact: Jeffery Smith	R545
Trinity Highway Safety 950 West 400 South Centerville UT 84014- Mfg #: (800) 772-7976 Cell #: (360) 943-9559 Fax #: (801) 292-3263 Web Site: www.trin.net Email: mikel.hooley@trin.net	Adiem Attenuating Device	TL-3, "Concrete Foundation Required". May be used for all speed ratings	9/9/2003 Contact: Mike Hooley	R209

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com Email: ryanquinn@atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D	9/4/2007 Contact: Ryan Quinn	R573
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com Email: johnhukey@daytonsuperior.com	DSSCC Clear Wax Cure DSSCC Resin Cure & Dye Aqua Resin Clear Type ID	PCCP ASTM C309, Type 2, Class A	8/29/2008 Contact: John Hukey	R580; R609

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227 Cell #: Fax #: (303) 722-8426 Web Site: www.usmix.com	US SPEC Maxcure Resin Clear		8/29/2008 Contact: Bryan Smith Email: bsmith@usmix.com	R607
White Cap 1830 East Lincoln Way Sparks NV 89434- Mfg #: (775) 353-3333 Cell #: Fax #: (775) 353-3300 Web Site: www.whitecapdirect.com	Resin Cure-Clear VOC	ASTM C309 Type 1D	9/4/2007 Contact: Bob Smith Email: bobsmith@white.net	R565
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- Mfg #: (707) 745-6666 Cell #: (847) 214-2100 Fax #: (707) 747-6206 Web Site: www.wrmeadows.com	1100 Clear 1600 Clear	ASTM C309 Type 1D	9/4/2007 Contact: Lyne Ball Email: lball@wrmeadows.com	R574, R575

702.03.01d**CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007 Contact: Ryan Quinn Email: ryanquinn@atlasform.com	R582
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com	DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	8/29/2008 Contact: John Hukey Email: johnhukey@daytonsuperior.com	R611
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com	Kurez VOX White Pigmented		9/30/1996 Contact: Christopher Balsat / Brian Lewis Email: cbalsat@euclidchemical.com	R040
SpecChem LLC 700 West 47th Street Kansas City KS 64112- Mfg #: (816) 968-5600 Cell #: (913) 221-7957 Fax #: (913) 371-8701 Web Site: www.specchemllc.com	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008 Contact: Bryan Meyer Email: bmeyer@specchemllc.com	R585

702.03.01d CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Steel Engineers 716 West Mesquite Las Vegas NV 89106- Mfg #: (702) 386-0023 Cell #: (530) 348-6809 Fax #: (702) 386-5799 Web Site: www.steelengineers.com	UniWhite Cure Wax		6/2/2008 Contact: Bratt Bilkington Email: bbilkington@steelengineers.com	R577
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227 Cell #: Fax #: (303) 722-8426 Web Site: www.usmix.com	US SPEC AMS 3754		7/2/2008 Contact: Bryan Smith Email: bsmith@usmix.com	R602

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007 Contact: Ryan Quinn Email: ryanquinn@atlasform.com	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com	DSSCC PAMS White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007 Contact: John Hukey Email: johnhukey@daytonsuperior.com	R610, R578
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227 Cell #: Fax #: (303) 722-8426 Web Site: www.usmix.com	US SPEC AMS 3754		7/2/2008 Contact: Bryan Smith Email: bsmith@usmix.com	R602
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- Mfg #: (707) 745-6666 Cell #: (847) 214-2100 Fax #: (707) 747-6206 Web Site: www.wrmeadows.com	2245 Bridge Deck Curing Compound		9/4/2007 Contact: Lyne Ball Email: lball@wrmeadows.com	R604

702.03.05**FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- Mfg #: (210) 349-4069 Cell #: Fax #: (210) 349-8512 Web Site: www.boral.com	Fly Ash Plant: Monticello, TX	Type F	9/4/2007 Contact: Pamela Flynn Email: pamela.flynn@boral.com	R571
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- Mfg #: (210) 349-4069 Cell #: Fax #: (210) 349-8512 Web Site: www.boral.com	Fly Ash Plant: Rockdale, TX	Type F	9/4/2007 Contact: Pamela Flynn Email: pamela.flynn@boral.com	R571
Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- Mfg #: (425) 970-3155 Cell #: (206) 953-2942 Fax #: (425) 970-3156 Web Site: www.headwaters.com	Fly Ash Plant: Navajo Plant Page, AZ	Type F	9/4/2007 Contact: Thomas Fox Email: tfox@headwaters.com	R572
Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- Mfg #: (425) 970-3155 Cell #: (206) 953-2942 Fax #: (425) 970-3156 Web Site: www.headwaters.com	Fly Ash Plant: Delta Plant, UT	Type F	9/4/2007 Contact: Thomas Fox Email: tfox@headwaters.com	R572
Headwaters Resource's Incorporated 16817 155th PI SE Rento WA 98058- Mfg #: (425) 970-3155 Cell #: (206) 953-2942 Fax #: (425) 970-3156 Web Site: www.headwaters.com	Fly Ash Plant: Bridger Plant, WY	Type F	9/4/2007 Contact: Thomas Fox Email: tfox@headwaters.com	R572

707.03.04**JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bondaflex Technologies 995 Towbin Avenue Lakewood NJ 08701- Mfg #: (800) 641-8242 Cell #: Fax #: (973) 473-4222 Web Site: www.bondaflex.com	Bondaflex Sil 728SL		8/5/2005 Contact: Bruce Lakatos Email: brucel@maynational.com	R534
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- Mfg #: (602) 276-0406 Cell #: (602) 418-9902 Fax #: (602) 940-0313 Web Site: www.crafco.com	Roadsaver Silicone SL Sealant		10/7/1993 Contact: Lowell Parkison Email: lowell.parkison@crafco.com	R552

707.03.04**JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- Mfg #: (303) 980-1780 Cell #: (303) 880-9614 Fax #: (303) 980-1780 Web Site: www.dowcorning.com	890 SL		3/20/1997 Contact: Jason Sika Email: jason.sika@dowcorning.com	R130
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- Mfg #: (419) 424-3527 Cell #: (800) 848-1730 Fax #: (419) 257-2200 Web Site: www.dsbrown.com	DSB 900 SL Self Leveling Silicone		4/5/2005 Contact: Larry Durain Email: ldurain@dsbrown.com	R518
Pecora Corporation 165 Wambold Road Harleysville PA 19438- Mfg #: (215) 723-6051 Cell #: Fax #: (215) 721-0286 Web Site: www.pecora.com	Pecora 300		9/14/2001 Contact: Nick Burns Email: burnsn@pecora.com	R311
Tremco Incorporated 3735 Green Road Beachwood OH 44122- Mfg #: (866) 209-5015 Cell #: (216) 292-5036 Fax #: (216) 766-5535 Web Site: www.tremcosealants.com	Spectrum 900 SL Formula 974831 333 Cartridges		5/31/2002 Contact: Technical Services Email: tscs@tremcoinc.com	R358, R357

714.03.01**COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- Mfg #: (314) 644-1000 Cell #: Fax #: (314) 587-2699 Web Site: www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997 Contact: Joanne Dawson Email: carbolineUSA@carboline.com	R132, R133 D124
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- Mfg #: (314) 644-1000 Cell #: Fax #: (314) 587-2699 Web Site: www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811	8/20/1997 Contact: Joanne Dawson Email: carbolineUSA@carboline.com	R604, R605 D126

714.03.01

COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003 Contact: Dan Griffin	R430, R431 D122
Mfg #: (281) 684-5203 Cell #: (281) 684-5203 Fax #: (812) 256-6733 Web Site: www.international-pc.com Email: daniel.griffin@akzonobel.com				
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821-	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 H Aliphatic Polyurethane	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008 Contact: Nye Miller	R592, R593 D504
Mfg #: (714) 337-1953 Cell #: (562) 691-9600 Fax #: (562) 691-3550 Web Site: www.ppgamercoatus.ppgpmc.com Email: nyemiller@msm.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-400 Series Part B: B60V2	8/20/1997 Contact: Dee McNeill	R135, R136 D127
Mfg #: (210) 861-2286 Cell #: Fax #: (210) 340-1650 Web Site: www.sherwinwilliams.com Email: dee.l.mcneill@sherwin.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003 Contact: Dee McNeill	R123, R124 D125
Mfg #: (210) 861-2286 Cell #: Fax #: (210) 340-1650 Web Site: www.sherwinwilliams.com Email: dee.l.mcneill@sherwin.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003 Contact: Dee McNeill	R138, R139 D120
Mfg #: (210) 861-2286 Cell #: Fax #: (210) 340-1650 Web Site: www.sherwinwilliams.com Email: dee.l.mcneill@sherwin.com				

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000 Contact: Eric Dornak	R291
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3930 Permanent Traffic Signs & Temporary Traffic 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out)	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); 10/08 Discontinued 3870.	12/1/2004 Contact: Eric Dornak	R508, R509
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out)	For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved.	8/21/2000 Contact: Eric Dornak	R289, R163
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	334 Barricade Type IV 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004 Contact: Eric Dornak	R510, R511
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3300 Flexible Prismatic Sheeting		8/21/2000 Contact: Eric Dornak	R642
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3981 Diamond Fluorescent 3983 Diamond Fluorescent VIP (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001 Contact: Eric Dornak	R301, R302
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3990 VIP Diamond Grade Type IX 3970 (Phasing Out)	Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved.	8/16/2000 Contact: Eric Dornak	R159, R271
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm Email: ejdornak@mmm.com				
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T9500 Omni View T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002 Contact: Nipa Joshi	R021, R344
Mfg #: (847) 647-7717 Cell #: (847) 627-3111 Fax #: (847) 588-7688 Web Site: www.averydennison.com Email: nipa.joshi@averydennison.com				
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500 Fluorescent Reflective Sheeting W7514 Fluorescent Reflective Sheeting W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type III)	8/21/2000 Contact: Nipa Joshi	R164, R298 D207
Mfg #: (847) 647-7717 Cell #: (847) 627-3111 Fax #: (847) 588-7688 Web Site: www.averydennison.com Email: nipa.joshi@averydennison.com				
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004 Contact: Nipa Joshi	R471
Mfg #: (847) 647-7717 Cell #: (847) 627-3111 Fax #: (847) 588-7688 Web Site: www.averydennison.com Email: nipa.joshi@averydennison.com				

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 647-7717 Cell #: (847) 627-3111 Fax #: (847) 588-7688 Web Site: www.averydennison.com	T5500A Series High Intensity T7000 Fluorescent Reflective Sheeting	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003 Contact: Nipa Joshi Email: nipa.joshi@averydennison.com	R455, R456
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 Cell #: (310) 532-7500 Fax #: (888) 330-7119 Web Site: www.nikkalite.com	Nikkalite CRG 92805 Red Nikkalite CRG 92806 Blue Nikkalite CRG 92808 Green	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000 Contact: James Hu Email: jhu@nikkalite.com	R652, R653 DEF1
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 Cell #: (310) 532-7500 Fax #: (888) 330-7119 Web Site: www.nikkalite.com	92847 Nikkalite Crystal Fluorescent Orange Nikkalite CRG 92844	NDOT Type X	4/29/2005 Contact: James Hu Email: jhu@nikkalite.com	R522, R649
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 Cell #: (310) 532-7500 Fax #: (888) 330-7119 Web Site: www.nikkalite.com	92844 Nikkalite Fluorescent Yellow 92844 Nikkalite Fluorescent Green	NDOT Type X	4/29/2005 Contact: James Hu Email: jhu@nikkalite.com	R649, R663
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 Cell #: (310) 532-7500 Fax #: (888) 330-7119 Web Site: www.nikkalite.com	High Intensity ULG II Nikkalite CRG 92802 White Nikkalite CRG 92804 Yellow	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000 Contact: James Hu Email: jhu@nikkalite.com	R226, R650 DEF1
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570 Cell #: Fax #: (800) 895-0951 Web Site: www.reflexiteamericas.com	AP1000 Reflective Sheeting	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000 Contact: Rebecca Cavazuti Email: customer.service@reflexite.com	R295
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570 Cell #: Fax #: (800) 895-0951 Web Site: www.reflexiteamericas.com	Conformalight Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000 Contact: Rebecca Cavazuti Email: customer.service@reflexite.com	R293, R294

726.03.04**MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- Mfg #: (800) 654-6117 Cell #: (785) 883-4600 Fax #: (785) 883-4429 Web Site: www.centralfiber.com	Second Nature Paper Fiber Hydroseeding Mulch		6/25/1998 Contact: Craig Hoad Email: sales@centralfiber.com	R146
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- Mfg #: (208) 733-9689 Cell #: Fax #: (208) 733-9447 Web Site: www.hmi-mfg.com	Nature's Own		6/25/1998 Contact: Patrick Andrew Email: patrick@hmi-mfg.com/info@hmi-mfg.com	R147
Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- Mfg #: (253) 884-0747 Cell #: (253) 208-9777 Fax #: (253) 884-0730 Web Site: www.profileproducts.com	Conwed 1000 Flexterra		12/18/2008 Contact: Becky Gauthier Email: bgauthier@profileproducts.com	R629, R631

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- Mfg #: (800) 654-6117 Cell #: (785) 883-4600 Fax #: (785) 883-4429 Web Site: www.centralfiber.com	TacPac GT		6/25/1998 Contact: Craig Hoad Email: sales@centralfiber.com	R148
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- Mfg #: (707) 588-1444 Cell #: Fax #: (707) 588-1445 Web Site: www.driwater.com	Driwater Hydro Mix	Note: Surfaces subject to spill; can be slippery.	1/3/2001 Contact: Mary Paternoster Email: mary@driwater.com	R277
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- Mfg #: (401) 331-9000 Cell #: (401) 766-0400 Fax #: (401) 331-2155 Web Site: www.easterncolor.net	Ecotak OP Moisture Retainer		6/25/1998 Contact: George Dubois Email: tech@easterncolor.net	R151
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 Cell #: (503) 701-7802 Fax #: (503) 279-2633 Web Site: www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003 Contact: Don Blackmon Email: don@enviroad.com	R420

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 Cell #: (509) 981-8555 Fax #: (509) 235-3803 Web Site: www.fischbachandmore.com Email: tackiferman@yahoo.com	Fisch-Stik Terravest		6/25/1998 Contact: Robert Fischbach	R152, R153
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- Mfg #: (888) 843-1029 Cell #: (661) 747-5956 Fax #: (661) 587-6806 Web Site: www.EarthGuard.com Email: andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 Contact: Andy Iturriria	R318

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- Mfg #: (814) 368-1200 Cell #: (281) 770-0220 Fax #: (814) 368-1335 Web Site: www.pennsuppress.com Email: ckimball@amref.com	PennSuppress D Dust Suppressant	Application and dilution rates follow manufacturer's instructions.	6/25/1998 Contact: Colin Kimball	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- Mfg #: (800) 527-2101 Cell #: (214) 415-3984 Fax #: (972) 484-2896 Web Site: www.arrowmagnolia.com Email: ekemp@arrowmagnolia.com	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss).	10/26/2005 Contact: Eunice Kemp	R498
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- Mfg #: (877) 405-5050 Cell #: (920) 217-0281 Fax #: (920) 406-9740 Web Site: www.encap.com Email: aramirez@encap.net	PAM 12 PLUS	Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008 Contact: Adrian Ramirez	R586
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 Cell #: (503) 701-7802 Fax #: (503) 279-2633 Web Site: www.enviroad.com Email: don@enviroad.com	Earthbind 100	Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards	3/17/2003 Contact: Don Blackmon	R420
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- Mfg #: (509) 325-2882 Cell #: (509) 981-8555 Fax #: (509) 235-3803 Web Site: www.fischbachandmore.com Email: tackiferman@yahoo.com	Fisch-Stik Terravest K	Application and dilution rates follow manufacturer's instructions.	6/25/1998 Contact: Robert Fischbach	R152, R153

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- Mfg #: (702) 871-1884 Cell #: Fax #: (702) 871-3629 Web Site: www.fluid-tech-inc.com Email: srowsell@fluid-tech-inc.com	Road Oyl Soil Seal Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 Contact: Stan True	R324, R325 0222
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 Cell #: (949) 533-6799 Fax #: (949) 722-6799 Web Site: www.gmbostoncompany.com Email: craighoad@gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003 Contact: Craig Hoad	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- Mfg #: (770) 303-0878 Cell #: Fax #: (770) 455-6531 Web Site: www.HerculesEnvironmental.com Email: hercenv@herculesenvironmental.com	Hercules PAM SOILOC-MQ Dust Suppressant SOILOC-PAM	Application and dilution rates follow manufacturer's instructions.	6/25/1998 Contact: Rob Hotle	R160, R149 0222
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- Mfg #: (330) 456-3121 Cell #: Fax #: (330) 456-3247 Web Site: www.midwestind.com Email: kim@midwestind.com/custserv@midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water body.	4/18/2005 Contact: Kimberly Keith	R279
North American Green 14649 Highway 41 North Evansville IN 47725- Mfg #: (800) 772-2040 Cell #: (801) 731-5757 Fax #: (812) 867-0247 Web Site: Email:	Hydra CX2 Cotton Reinforced Matrix		5/29/2009 Contact: Jill Pack	R334
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- Mfg #: (702) 649-8767 Cell #: (702) 249-1900 Fax #: (702) 649-8446 Web Site: www.nuequipment.com Email: dennis@nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 Contact: Dennis Frehner	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- Mfg #: (661) 392-3630 Cell #: (661) 978-9357 Fax #: (661) 391-1054 Web Site: www.alonsashalt.com Email: Jryan@ppcla.com	Topein S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004 Contact: Jim Ryan	R479
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- Mfg #: (888) 465-8801 Cell #: Fax #: (801) 303-2551 Web Site: www.sequoiaprc.com Email: terry@telnetz.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003 Contact: Terry Holmes	R118

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- Mfg #: (702) 873-2023 Cell #: Fax #: (702) 873-0915 Web Site: www.soil-tech.com Email: crista@soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998 Contact: Crista Napoli	R466, R467
Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 Mfg #: (480) 289-3232 Cell #: (602) 758-6465 Fax #: (480) 545-5456 Web Site: www.soilworks.com Email: chad@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 Contact: Chad Falkenberg	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- Mfg #: (888) 843-1029 Cell #: (661) 747-5956 Fax #: (661) 587-6806 Web Site: www.EarthGuard.com Email: andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 Contact: Andy Iturriria	R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 Mfg #: (281) 855-2598 Cell #: (281) 615-0163 Fax #: (312) 214-6606 Web Site: www.usg-erosioncontrol.com Email: jbreen@usg.com	Airtrol™ Geobinder Enviro-Shield™ Bonded Fiber Matrix	Application and dilution rates follow manufacturer's instructions.	8/28/2006 Contact: John Breen	R554, R555

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 Mfg #: (800) 892-1880 Cell #: (954) 782-2221 Fax #: (954) 782-2776 Web Site: www.atc.ws Email: rboland@atc.ws	Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Hilti Inc's HTE 50)	1/10/2002 Contact: Richard Boland	R329, R330 D321, D327
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 Cell #: (858) 277-2100 Fax #: (702) 222-0488 Web Site: www.atlasform.com Email: ryanquinn@atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004 Contact: Ryan Quinn	R496, R497
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (913) 279-0264 Cell #: (877) 416-3439 Fax #: (913) 279-4806 Web Site: www.daytonsuperior.com Email: johnkukey@daytonsuperior.com	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Glass A	1/14/2003 Contact: John Hukey	R393

728.03.02

EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- Mfg #: (216) 692-8381 Cell #: (800) 321-7628 Fax #: (216) 481-7072 Web Site: www.euclidchemical.com Email: cbalsat@euclidchemical.com	Duralcrete	Type I and Type II	11/8/2005 Contact: Christopher Balsat / Brian Lewis	R536
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- Mfg #: (800) 879-8000 Cell #: (916) 844-4905 Fax #: (800) 879-7000 Web Site: www.us.hilti.com Email: ruben.rivadeneira@hilti.com	HTE 50	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Adhesive Technologies' HS200)	1/10/2002 Contact: Ruben Rivadeneira	R641
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- Mfg #: (800) 879-8000 Cell #: (916) 844-4905 Fax #: (800) 879-7000 Web Site: www.us.hilti.com Email: ruben.rivadeneira@hilti.com	HT RE 500 HTE 50	Type IV; Grade 3; Classes A, B & C	1/2/2002 Contact: Ruben Rivadeneira	R321, R641
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- Mfg #: (630) 350-0370 Cell #: Fax #: (630) 495-6204 Web Site: www.itw-redhead.com Email:	Ceramic 6	Type IV; Grade 3; Classes B & C	5/14/2002 Contact: Don Burger (CC) / James Shupp (LV)	R341
Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- Mfg #: (914) 235-6300 Cell #: (702) 364-2606 Fax #: (914) 576-6483 Web Site: www.powers.com Email: buckley@powers.com	Power Fast Plus Standard Set T308 Plus	Type I, II, IV and V; Grade 2; Classes B & C	7/9/2009 Contact: Patrick Buckley	R644, R645 R646
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- Mfg #: (800) 999-5099 Cell #: (916) 870-7863 Fax #: (209) 234-3868 Web Site: www.simpsonanchors.com Email: jlebel@strongtie.com	EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998 Contact: Joe Le Bel	R216, R217
Titan Supply 250 Edison Way Reno NV 89502- Mfg #: (775) 351-2201 Cell #: (888) 550-2201 Fax #: (775) 351-2205 Web Site: www.titansupply.com Email: bwickham@titansupply.com	Pro-Poxy 100	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008 Contact: Brian Wickham	R590
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 Cell #: (816) 231-7700 Fax #: (816) 483-3149 Web Site: www.unitex-chemicals.com Email: jerry@unitex-chemicals.com	Pro-Poxy Type III DOT Epoxy Binder	Type III, Grade 1, Class B & C	1/4/1998 Contact: Jerry Byrne	R218, R219

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 Cell #: (816) 231-7700 Fax #: (816) 483-3149 Web Site: www.unitex-chemicals.com	Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400	Type I, II, IV & V, Grade 3, Class B & C	1/4/1998 Contact: Jerry Byrne Email: jerry@unitex-chemicals.com	R215, R219
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 Cell #: (816) 231-7700 Fax #: (816) 483-3149 Web Site: www.unitex-chemicals.com	Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives	Type I, II, IV & V, Grade 2, Class B & C	1/4/1998 Contact: Jerry Byrne Email: jerry@unitex-chemicals.com	R520, R581
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 Cell #: (816) 231-7700 Fax #: (816) 483-3149 Web Site: www.unitex-chemicals.com	Symons Res-Con 304	Type I, II, IV & V, Grade 3, Class B & C	1/14/2003 Contact: Jerry Byrne Email: jerry@unitex-chemicals.com	R388
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- Mfg #: (952) 898-8772 Cell #: (800) 328-5934 Fax #: (507) 364-8762 Web Site: www.uspconnectors.com	CIA-GEL 7000 Adhesive Anchors	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000 Contact: Jennifer Turek Email: jtunek@gibraltar1.com	R265
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- Mfg #: (707) 745-6666 Cell #: (847) 214-2100 Fax #: (707) 747-6206 Web Site: www.wrmeadows.com	Rezi Weld 1000	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004 Contact: Lyne Ball Email: lball@wrmeadows.com	R478

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- Mfg #: (303) 388-9265 Cell #: (303) 941-5275 Fax #: (303) 388-0881 Web Site: www.coloradopaint.com	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000 Contact: Mark Vasquez Email: markv@coloradopaint.com	R199, R200 D201
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 Contact: Klyne McCarty Email: klyne@ennispaint.net	R436, R437 D438

729.03.04

EPOXY PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Epoplex 1 Park Avenue Maple Shade NJ 08052- Mfg #: (800) 822-6920 Cell #:	White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B) Fax #: (856) 779-2963 Web Site: www.epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 Contact: Cindi Westlund Email: epoplex@epoplex.com	R378, R379 D390
Epoplex 1 Park Avenue Maple Shade NJ 08052- Mfg #: (800) 822-6920 Cell #:	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) Fax #: (856) 779-2963 Web Site: www.epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 Contact: Cindi Westlund Email: epoplex@epoplex.com	R381, R382 D392
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- Mfg #: (440) 248-1223 Cell #: (216) 577-6723	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) Fax #: (440) 248-1513 Web Site: www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 Contact: Hemant Naik Email: hemant@poly-carb.com	R115, R116 D117
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- Mfg #: (440) 248-1223 Cell #: (216) 577-6723	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) Fax #: (440) 248-1513 Web Site: www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 Contact: Hemant Naik Email: hemant@poly-carb.com	R112, R113 D114
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- Mfg #: (440) 248-1223 Cell #: (216) 577-6723	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) Fax #: (440) 248-1513 Web Site: www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 Contact: Hemant Naik Email: hemant@poly-carb.com	R109, R110 D114

729.03.05a

RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- Mfg #: (800) 232-2436 Cell #: (800) 447-4369	UCAR™ Latex DT 400 NA Fax #: (989) 832-1465 Web Site: www.dowanswercenter.com	Type II	7/19/2002 Contact: Peter Doty Email:	R167
Dow Chemical Company 2040 Dow Center Midland MI 48674- Mfg #: (800) 232-2436 Cell #: (800) 447-4369	UCAR™ Latex DT 250 NA Fax #: (989) 832-1465 Web Site: www.dowanswercenter.com	Type I	7/19/2002 Contact: Peter Doty Email:	R166

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® HD-21A	Type II	11/30/2001 Contact: Customer Service	R320
Mfg #: (800) 967-7704 Cell #:	Fax #: (800) 382-4008	Web Site: www.rohmhaas.com	Email:	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® 3427	Type I	11/30/2001 Contact: Customer Service	R319
Mfg #: (800) 967-7704 Cell #:	Fax #: (800) 382-4008	Web Site: www.rohmhaas.com	Email:	

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004 Contact: Klyne McCarty	R490, R491
Mfg #: (800) 331-8118 Cell #:	Fax #: (800) 555-0217	Web Site: www.ennispaint.com	Email: klyne@ennispaint.net	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982821 NVW-34-M-1 Yellow: 982822 NVY-34-M-1	Fastrack® 3427	4/1/2004 Contact: Klyne McCarty	R345, R346
Mfg #: (800) 331-8118 Cell #:	Fax #: (800) 555-0217	Web Site: www.ennispaint.com	Email: klyne@ennispaint.net	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002 Contact: Scott Shannon	R349, R350
Mfg #: (800) 892-3647 Cell #: (323) 864-0908	Fax #: (323) 778-9719	Web Site: www.pervo.com	Email: scott@s@pervo.com	

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1	Fastrack® HD-21A	7/30/2002 Contact: Klyne McCarty	R540, R541
Mfg #: (800) 331-8118 Cell #:	Fax #: (800) 555-0217	Web Site: www.ennispaint.com	Email: klyne@ennispaint.net	

729.03.05c**RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	White: 982811 NVW-40-M-2 Yellow: 982812 NVY-40-M-2	UCAR™ Latex DT 400 NA	7/30/2002 Contact: Klyne McCarty Email: klyne@ennispaint.net	R353, R354
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 Mfg #: (800) 892-3647 Cell #: (323) 864-0908 Fax #: (323) 778-9719 Web Site: www.pervo.com	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053	Fastrack® HD-21A	7/30/2002 Contact: Scott Shannon Email: scott@s.pervo.com	R351, R352
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- Mfg #: (210) 861-2286 Cell #: Fax #: (210) 340-1650 Web Site: www.sherwinwilliams.com	White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422	Fastrack® HD-21A	7/9/2003 Contact: Dee McNeill Email: dee.l.mcneill@sherwin.com	R425, R426

729.03.06**POLYUREA PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 Contact: Eric Dornak Email: ejdornak@mmm.com	R442, R443 DAAA
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 Contact: Klyne McCarty Email: klyne@ennispaint.net	R439, R440 DAAA
Epoplex 1 Park Avenue Maple Shade NJ 08052- Mfg #: (800) 822-6920 Cell #: Fax #: (856) 779-2963 Web Site: www.epoplex.com	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 Contact: Cindi Westlund Email: epoplex@epoplex.com	R452, R453 DAAA

732.03.01

PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm	270-ES Stamark Tape 420 Stamark Intersection Grade Tape	Type I	9/19/2003 Contact: Eric Dornak Email: ejdornak@mmm.com	R458, R552
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm	5730 Stamark Tape (Phasing Out)	Type I; *discontinued manufacturing, but still carried by vendors and still approved	9/19/2003 Contact: Eric Dornak Email: ejdornak@mmm.com	R457
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574 Cell #: Fax #: (252) 526-4940 Web Site: www.trafficmarking.com	Series 400 Tape White Series 400 Tape Yellow	Type I	9/19/2003 Contact: Brenda Robbins Email: brobbins@trafficmarking.com	R480, R481
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574 Cell #: Fax #: (252) 526-4940 Web Site: www.trafficmarking.com	Series 300 Tape White Series 300 Tape Yellow	Type I	9/19/2003 Contact: Brenda Robbins Email: brobbins@trafficmarking.com	R462, R463
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetehnolgies.com	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type I	5/9/2006 Contact: Bill Jubak Email: bjubak@brite-line.com	R546
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetehnolgies.com	Delta-Line HDX Delta-Line XRP	Type I	2/2/2010 Contact: Bill Jubak Email: bjubak@brite-line.com	R671, R672
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900 Cell #: Fax #: (931) 388-4039 Web Site: www.swarco.com	Director 35 Pavement Marking Tape	Type I	2/17/2004 Contact: Jon Sproul Email: office.industries@swarco.com	R473
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900 Cell #: Fax #: (931) 388-4039 Web Site: www.swarco.com	Director 60 Permanent Marking Tape	Type I	2/17/2004 Contact: Jon Sproul Email: office.industries@swarco.com	R472

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	270-ES Stamark Tape	Type II	9/19/2003 Contact: Eric Dornak	R458
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm			Email: ejdornak@mmm.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 400 Tape White Series 400 Tape Yellow	Type II	9/19/2003 Contact: Brenda Robbins	R480, R481
Mfg #: (252) 536-2574 Cell #: Fax #: (252) 526-4940 Web Site: www.trafficmarking.com			Email: brobbins@trafficmarking.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 300 Tape White Series 300 Tape Yellow	Type II	4/29/2008 Contact: Brenda Robbins	R462, R463
Mfg #: (252) 536-2574 Cell #: Fax #: (252) 526-4940 Web Site: www.trafficmarking.com			Email: brobbins@trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Delta-Line HDX	Type II	2/2/2010 Contact: Bill Jubak	R672
Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetchnologies.com			Email: bjubak@brite-line.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type II	5/9/2006 Contact: Bill Jubak	R546, R488 D190
Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetchnologies.com			Email: bjubak@brite-line.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 100 White Permanent Series 100 Yellow Permanent	Type II	6/15/1999 Contact: Bill Jubak	R207, R208
Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetchnologies.com			Email: bjubak@brite-line.com	

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	390 Stamark 420 Stamark Intersection Grade Tape	Type IV	4/13/2009 Contact: Eric Dornak	R535
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm			Email: ejdornak@mmm.com	

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	A380IES (white) Stamark Tape 381WR-ES (yellow) Stamark Tape	Type IV	9/19/2003 Contact: Eric Dornak	R460, R461
Mfg #: (800) 553-1380 Cell #: (702) 743-0012 Fax #: (702) 914-6016 Web Site: www.3M.com/tcm			Email: ejdornak@mmm.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 400 Tape White Series 400 Tape Yellow	Type IV	7/29/2008 Contact: Brenda Robbins	R480, R481
Mfg #: (252) 536-2574 Cell #: Fax #: (252) 526-4940 Web Site: www.trafficmarking.com			Email: brobbins@trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Delta-Line XRP	Type II	2/2/2010 Contact: Bill Jubak	R674
Mfg #: (702) 649-9223 Cell #: Fax #: (702) 649-9237 Web Site: www.britelinetchnolgies.com			Email: bjubak@brite-line.com	

732.03.04a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crown Technology LLC PO Box 789 Woodbury GA 30293-	Tuffline Alkyd		1/17/2003 Contact: Jeannie Powell	R290
Mfg #: (706) 553-9500 Cell #: (706) 575-0423 Fax #: (706) 553-9501 Web Site: www.crownthermo.com			Email: jeannie@crownthermo.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	885555 Alkyd White 884685 Alkyd Yellow	Lead Free	10/1/2009 Contact: Klyne McCarty	R673, R674
Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com			Email: klyne@ennispaint.net	

732.03.04b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	Flame Tape ThermaLine		6/13/2001 Contact: Klyne McCarty	R299, R300
Mfg #: (800) 331-8118 Cell #: Fax #: (800) 555-0217 Web Site: www.ennispaint.com			Email: klyne@ennispaint.net	

732.03.04b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	Hot TapeTM Premark@ PLUS		2/24/2004 Contact: Tim Montgomery	R168, R169
Mfg #: (336) 475-6600	Cell #:	Fax #: (336) 475-7900	Web Site: www.flintrading.com	Email: sales@flintrading.com

QPL DB1 NOTES

September 17, 2009

Contractors are required to use actual dated Qualified Products List (QPL) products specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.