



# Table of Contents

Product Types	Spec Number *	Page Number
ADHESIVE (FOR PAVEMENT MARKERS)	633.02.04	36
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	4
ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)	502.02.05a	5
ASPHALT RELEASE AGENTS	401.03.02	2-3
ASPHALTIC PLUG EXPANSION JOINTS	502.03.13j	6
BACKFLOW PREVENTER COVER	213.02.16	1
BARRICADES	625.03.04	30-32
BRIDGE DECK CURING COMPOUND	702.03.04	46-47
CELLULAR EROSION CONTROL MATS	610.02.01	12
CHANGEABLE MESSAGE SIGNS	625.02.03a	25
COATING SYSTEMS FOR BRIDGES	714.03.01	48-49
CONCRETE STAIN	502.02.04	4
CONSTRUCTION FLEXIBLE POSTS	625.02.01	23-24
CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)	702.03.01c	45
CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)	702.03.01d	45-46
DETECTABLE WARNINGS	613.02.01	13
DUCT SEALING COMPOUND	623.02.16	19
DUST PALLIATIVE (OPTIONAL)	637.02.01	37-40
DYNAMIC MESSAGE SIGNS	623.01.01	18
EPOXY ANCHORING SYSTEMS	728.03.02	56-58
EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	8
EPOXY PAINT MARKING MATERIAL	729.03.04	58-59

Product Types			Spec Number *	Page Number
EVAPORATIVE RETARDER			409.03.10	3-4
EXPANSION JOINT (SPECIAL)			502.03.13k	6
EXPANSION JOINT SEALANT			502.03.13l	6-7
FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)			609.02.01a	9-10
FINE SURFACE FINISH (BONDED GROUT)			502.03.19	7
FLARED GUARDRAIL TERMINAL			618.02.01	14
FLEXIBLE GUIDE POSTS			619.02.01	15-16
FLEXIBLE OBJECT MARKERS (TYPE 2)			619.02.01a	16-17
FLY ASH (TYPE F ONLY)			702.03.05	47
GUARDRAIL OFFSET BLOCKS			618.02.01b	14-15
HEADLIGHT GLARE SCREEN MODULAR UNITS			630.02.01	32-33
HERBICIDES			401.02.03	1-2
HIGH MAST HEAD FRAME ASSEMBLIES			623.02.12c	19
HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS			732.03.04a	63
IMPACT ATTENUATORS			641.02.01	44
INTELLIGENT CHANGEABLE MESSAGE SIGNS			625.02.03b	26
IRRIGATION PIPE JOINT COMPOUNDS			213.03.05	1
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)			502.03.22	7
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)			707.03.04	48
LUMINAIRE RETRIEVAL SYSTEM			623.03.22	22
MAILBOX SUPPORT SYSTEMS (TYPE C)			214.02.01	1
MODULAR BLOCK RETAINING WALL			640.02.04	43-44
MSE WALLS			640.02.03a	42
MSE WALLS (LARGE SIZE 5' x 10' PANELS)			640.02.03b	42
MULCH			726.03.04	52

Product Types		Spec Number *	Page Number
NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)		633.02.01	33-34
PAVEMENT MARKING TAPE (TYPE 1)		732.03.01	61
PAVEMENT MARKING TAPE (TYPE 2)		732.03.02	62
PAVEMENT MARKING TAPE (TYPE 4)		732.03.03	62
PLASTIC FENCE FABRIC MATERIAL		616.02.01	13-14
POLYCARBONATE SIGNS		627.02.01a	32
POLYUREA PAINT MARKING MATERIAL		729.03.06	60-61
PORTABLE BEACON LIGHT SYSTEM		625.02.07	28
PERFORMED JOINT FILLERS		502.03.13i	5-6
PERFORMED THERMOPLASTIC PAVEMENT MARKINGS		732.03.04b	63
PRISMATIC ACRYLIC REFLECTORS		619.03.01	17
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS		729.03.05a	59
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)		729.03.05c	60
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)		729.03.05b	59-60
RECESSED REFLECTIVE PAVEMENT MARKERS		633.02.03	35
RED LIGHT DETECTORS		623.03.26	22
REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)		625.02.02	24
REFLECTIVE PAVEMENT MARKERS (PERMANENT)		633.02.02	34-35
REFLECTIVE SHEETING		716.03.01	49-51
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)		624.03.03	22-23
RETRO REFLECTOMETERS		632.03.05	33
ROADWAY INLET PROTECTION		637.02.05	41
SERVICE PEDESTALS		623.02.08	18
SIGN LIGHTING FIXTURES		623.03.15	21-22
SIGN SUPPORT SYSTEMS		625.03.03	28-30

Product Types	Spec Number *	Page Number
SILT FENCE	637.02.02	40
SOIL STABILIZER	726.03.13	53-55
SOUNDWALL SYSTEMS	640.02.03c	43
STORMWATER TREATMENT VAULTS	609.02.01b	10-11
SYNTHETIC DRILLING SLURRY	509.03.09	8
TACKIFIER	726.03.05	52-53
TANGENTIAL GUARDRAIL TERMINAL	618.02.01a	14
TEMPORARY IMPACT ATTENUATORS	625.02.04	26
TEMPORARY PAVEMENT STRIPING TAPE	635.02.01	37
TEMPORARY REFLECTIVE LANE LINE MARKERS	633.02.05	36
TRAFFIC SIGNALS	623.03.01	21
TRENCH DRAINS	609.03.01c	11-12
TRUCK MOUNTED IMPACT ATTENUATORS	625.02.05	27
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	20-21
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	19-20
WATER FILLED BARRIER RAILS	625.02.06	27-28
WEED CONTROL FABRIC	401.02.03b	2

# QUALIFIED PRODUCTS LIST (QPL)

## 213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- <b>Mfg #:</b> (800) 729-1314 <b>Cell #:</b>	SBBC-xx-AL SBBC-xx-ALI SBBC-xx-ALPH SBBC-xx-ALHPI <b>Fax #:</b> (888) 310-3946 <b>Web Site:</b> www.vitproducts.com		5/26/1998	R002, R003 R004, R005 <b>Contact:</b> Kim Goldensten <b>Email:</b> kim@vitproducts.com

## 213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055- <b>Mfg #:</b> (713) 860-6717 <b>Cell #:</b>	RectorSeal #5 <b>Fax #:</b> (713) 263-7577 <b>Web Site:</b> www.rectorseal.com		8/2/1999	R189 <b>Contact:</b> Scott Kerns <b>Email:</b> scottk@rectorseal.com

## 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
S-Square Tube Products PO Box 306 Commerce City CO 80037- <b>Mfg #:</b> (303) 286-7051 <b>Cell #:</b> (888) 267-6463	NEX Mailbox Support System <b>Fax #:</b> (866) 639-5717 <b>Web Site:</b> www.s-squaretube.com	Type C Mailbox Support System	3/29/2004	R487 <b>Contact:</b> Susan Keim <b>Email:</b> susan@s-squaretube.com
Traffic & Parking Control Company 5100 West Brown Deer Road Brown Deer WI 53223- <b>Mfg #:</b> (262) 814-7000 <b>Cell #:</b> (414) 793-2508	V-LOC Mailbox Support System <b>Fax #:</b> (800) 444-0331 <b>Web Site:</b> www.tapconet.com/vloc		11/4/1997	R006 <b>Contact:</b> Bryan Everard <b>Email:</b> bryane@tapconet.com

## 401.02.03 HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- <b>Mfg #:</b> (281) 892-2500 <b>Cell #:</b> (800) 242-5562	Pramitol 25E <b>Fax #:</b> (281) 892-2501 <b>Web Site:</b> www.controlsolutionsinc.com	Application rate: 38L/hectare 25gallacre	8/1/1993	R007 <b>Contact:</b> Howard Stoddard <b>Email:</b> orders@controlsolutionsinc.com

**401.02.03 HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268-	Spike 80 W Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R015
<b>Mfg #:</b> (800) 313-7378	<b>Cell #:</b> (317) 337-3000	<b>Fax #:</b> (916) 525-2710	<b>Web Site:</b> www.dowagro.com	<b>Email:</b> bjmillier@dow.com
			<b>Contact:</b> Beau Miller	

**401.02.03b WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

NO VENDOR LISTINGS AT THIS TIME

**Contact:****Email:****Web Site:****Fax #:****Cell #:****401.03.02 ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229-	Super Slick Bio Slider	10/26/05 Company Name change: Chemco to Arrow Magnolia	4/22/2004	R494, R495
<b>Mfg #:</b> (800) 527-2101	<b>Cell #:</b> (214) 415-3984	<b>Fax #:</b> (972) 484-2896	<b>Web Site:</b> www.arrowmagnolia.com	<b>Email:</b> ekemp@arrowmagnolia.com
			<b>Contact:</b> Eunice Kemp	

BG Chemical LP PO Box 720025 Dallas TX 75372-	Black Magic 13 Black Magic "For Rubber" Thermal Slide GreenGuard		5/8/2000	R260, R261 R262, R648
<b>Mfg #:</b> (800) 725-8470	<b>Cell #:</b> (214) 826-6822	<b>Fax #:</b> (214) 826-7290	<b>Web Site:</b> www.bgchemical.com	<b>Email:</b> jgunter@bgchemical.com
			<b>Contact:</b> Jeff Gunter	

Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118-	Slippery Wizard Clear Wizard		7/15/2008	R603, R632
<b>Mfg #:</b> (800) 480-2436	<b>Cell #:</b> (801) 548-2287	<b>Fax #:</b> (801) 274-2425	<b>Web Site:</b> www.brodychemical.com	<b>Email:</b> tamme_price@yahoo.com
			<b>Contact:</b> Tammy Price	

ChemStation 3400 Encrete Lane Dayton OH 45439-	2217-A 2217-B 6992		12/20/2007	R392, R584 R716
<b>Mfg #:</b> (800) 554-8265	<b>Cell #:</b> (623) 435-1945	<b>Fax #:</b> (937) 534-0426	<b>Web Site:</b> www.chemstation.com	<b>Email:</b> koverton@chemstation.com
			<b>Contact:</b> Katie Overton	

**401-03.02 ASPHALT RELEASE AGENTS**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120-	No 1	Dilution rates: 1.5 (water) for superpave mix designs; 1.20 (water) for conventional mix designs.	4/27/2000	R263
<b>Mfg #:</b> (888) 747-4101 <b>Cell #:</b> (770) 891-3307 <b>Fax #:</b> (770) 386-3391 <b>Web Site:</b>	Enviro-Slide Ultra			
Rhomar Industries 2107 East Rockhurst Springfield MO 65802-			4/26/2000	R259
<b>Mfg #:</b> (800) 688-6221 <b>Cell #:</b> (417) 866-5592 <b>Fax #:</b> (417) 866-5593 <b>Web Site:</b> www.rhomar.com	Tedon-Pro			
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157-			11/7/2006	R562
<b>Mfg #:</b> (678) 383-8107 <b>Cell #:</b>				
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377-	R-5274 R-6690 XT-3199 X-509		5/11/2006	R368, R369 R370, R263
<b>Mfg #:</b> (209) 830-5110 <b>Cell #:</b> (775) 721-2821 <b>Fax #:</b> (209) 830-5124 <b>Web Site:</b> www.zep.com				

**409-03.10 EVAPORATIVE RETARDER**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118-	Atlas Finish Film		1/29/2003	R419
<b>Mfg #:</b> (702) 227-6800 <b>Cell #:</b> (858) 277-2100 <b>Fax #:</b> (702) 222-0488 <b>Web Site:</b> www.atlasform.com	Dayton Superior SureFilm J-74			
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-		Finishing Aid: 4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R190
<b>Mfg #:</b> (913) 279-0264 <b>Cell #:</b> (877) 416-3439 <b>Fax #:</b> (913) 279-4806 <b>Web Site:</b> www.daytonsuperior.com	Euco-bar			
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110-			9/30/1996	R044
<b>Mfg #:</b> (216) 692-8381 <b>Cell #:</b> (800) 321-7628 <b>Fax #:</b> (216) 481-7072 <b>Web Site:</b> www.euclidchemical.com				

**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <b>Mfg #:</b> (410) 354-8600 <b>Cell #:</b> (800) 637-6372 <b>Fax #:</b> (410) 354-1122 <b>Web Site:</b> www.kaufmanproducts.net <b>Email:</b> akaufman@kaufmanproducts.net	VaporAid 060		8/2/1999	R191 <b>Contact:</b> Alex Kaufman
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <b>Mfg #:</b> (215) 332-7709 <b>Cell #:</b> (888) 839-2661 <b>Fax #:</b> (215) 332-9997 <b>Web Site:</b> www.vexcon.com	Certi-Vex Enviroassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R193 <b>Contact:</b> Darryl Manuel
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <b>Mfg #:</b> (707) 745-6666 <b>Cell #:</b> (847) 214-2100 <b>Fax #:</b> (707) 747-6206 <b>Web Site:</b> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/10 9gal water	8/1/1999	R194 <b>Contact:</b> Richard Spencer

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <b>Mfg #:</b> (925) 426-8787 <b>Cell #:</b> (916) 941-2906 <b>Fax #:</b> (916) 939-7481 <b>Web Site:</b> www.cemex.com	Aggregate		1/26/1997	R014 <b>Contact:</b> Michael Camello
--	-----------	--	-----------	---

**502.02.04 CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Quest Construction Products 2810 South 18th Place Phoenix AZ 85034- <b>Mfg #:</b> (800) 541-4383 <b>Cell #:</b> (509) 998-6263 <b>Fax #:</b> (480) 745-8939 <b>Web Site:</b> www.unitedcoatings.com	Canyon Tone Stain		4/12/2005	R519 <b>Contact:</b> Shawn Carney
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- <b>Mfg #:</b> (714) 680-3800 <b>Cell #:</b> (702) 292-8316 <b>Fax #:</b> (714) 459-4681 <b>Web Site:</b> www.vistapaint.com	Coverall 2800 AF Ext. Flat		5/20/2008	R614 <b>Contact:</b> Steven Tetreault



**502.02.05a ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

American Polymer Corporation 9176 South 300 West Suite 4 Sandy	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202)	10/08 New product replaces GSS10 Anti Graffiti Coating	9/3/2008	R389, R390 R391
UT 84070-				Contact: Greg Gohlinghorst x.1
<b>Mfg #:</b> (800) 676-5963	<b>Cell #:</b> (801) 201-2826	<b>Fax #:</b> (801) 255-7123	<b>Web Site:</b> www.americanpolymer.com	<b>Email:</b> gregg@americanpolymer.com
Monopole Incorporated 4661 Alger Street Los Angeles	Monochem PermaShield Premium Graffiti 5600	Approved for metal surfaces only.	10/5/2009	R679
<b>Mfg #:</b> (800) 491-9977	<b>Cell #:</b> CA 90039-	<b>Fax #:</b> (818) 502-0818	<b>Web Site:</b> www.monopoleinc.com	<b>Email:</b> tony@monopoleinc.com
SEI Chemical Incorporated 3430 Union Pacific Avenue Los Angeles	GPA 200 Graffiti Proofer® Anti-Stick GPA 300 Graffiti Proofer®	Flattening Agent Required	5/6/2010	R709, R710
<b>Mfg #:</b> (323) 263-4575	<b>Cell #:</b> (888) 273-4489	<b>Fax #:</b> (801) 255-7123	<b>Web Site:</b> www.seichemical.com	<b>Email:</b> ross@seichemical.com
Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland	Anti-Graffiti 2K Waterbased urethane Coating	Part A: B65T00194 and Part B: B65V190	5/27/2010	R711
<b>Mfg #:</b> (216) 566-1733	<b>Cell #:</b> OH 44115-	<b>Fax #:</b> (216) 830-7721	<b>Web Site:</b> www.sherwinwilliams.com	<b>Email:</b> paul.trautmann@sherwin.com

**502.03.13i PREFORMED JOINT FILLERS**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst	JEENE® Structural & Sealing Joint Waboo® Evazote UV		8/2/2006	R011, R016
NY 14228-				Contact: Chris Overby
<b>Mfg #:</b> (800) 677-4922	<b>Cell #:</b> (417) 425-1942	<b>Fax #:</b> (716) 691-9239	<b>Web Site:</b> www.wbacorp.com	<b>Email:</b> christopher.overby@basf.com
Chase Construction Products 191 Vanderzee Road Ravenna	MetaZeal Physite 380		5/3/1999	R009, R024
<b>Mfg #:</b> (518) 694-4171	<b>Cell #:</b> (518) 505-5043	<b>Fax #:</b> (518) 694-0955	<b>Web Site:</b> www.chaseconstructionproducts.com	<b>Email:</b> teck@chasecorp.com
RJ Watson Incorporated 78 John Glenn Drive Amherst	Silicoflex		12/7/2000	R276
<b>Mfg #:</b> (716) 691-3301	<b>Cell #:</b> NY 14228-	<b>Fax #:</b> (716) 691-3305	<b>Web Site:</b> www.rjwatson.com	<b>Email:</b> mdstiaford@rjwatson.com
				Contact: Marc Stafford

**502-03.13i PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Schul International 1 Industrial Park Drive Pelham	Will Seal 600		6/4/2002	R347
<b>Mfg #:</b> (800) 848-1120	<b>Cell #:</b> (603) 889-6872	<b>Fax #:</b> (603) 889-6874	<b>Web Site:</b> www.willsealusa.com	<b>Contact:</b> Steven Robinson
TechStar Incorporated 1219 West Main Cross Street Findlay	W Seal		5/3/1999	R131
<b>Mfg #:</b> (419) 424-0888	<b>Cell #:</b> (419) 408-5469	<b>Fax #:</b> (419) 424-5959	<b>Web Site:</b> www.techstar-inc.com	<b>Contact:</b> Warren Brown
			<b>Email:</b> info@schul.com	
			<b>Email:</b> warren@techstar-inc.com	

**502-03.13j ASPHALTIC PLUG EXPANSION JOINTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore	Matrix 502 Pavé Tech		6/5/1997	R198
<b>Mfg #:</b> (419) 424-3527	<b>Cell #:</b> (800) 848-1730	<b>Fax #:</b> (419) 257-2200	<b>Web Site:</b> www.dsbrown.com	<b>Contact:</b> Larry Durain
Dynamic Surface Applications Ltd 373 Village Road Pennsdale	BJJ Thorma Joint Systems		9/19/2002	R360
<b>Mfg #:</b> (570) 546-6041	<b>Cell #:</b> (570) 337-3605	<b>Fax #:</b> (570) 546-2415	<b>Web Site:</b> www.DSA-Ltd.com	<b>Contact:</b> Tim Persing
			<b>Email:</b> lpersing@dsa-ltd.com	
			<b>Email:</b> ldurain@dsbrown.com	

**502-03.13k EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an acceptable product.	4/22/2002	R212
<b>Mfg #:</b> (800) 888-8909	<b>Cell #:</b> (918) 230-3148	<b>Fax #:</b> (918) 586-4912	<b>Web Site:</b> www.ssicm.com	<b>Contact:</b> Scott Fowler
			<b>Email:</b> scott.fowler@ssicm.com	

**502-03.13l EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst	Wabo® SiliconSeal - 2 Part		4/22/2002	R340
<b>Mfg #:</b> (800) 677-4922	<b>Cell #:</b> (417) 425-1942	<b>Fax #:</b> (716) 691-9239	<b>Web Site:</b> www.wbacorp.com	<b>Contact:</b> Chris Overby
			<b>Email:</b> christopher.overby@basf.com	

**502-03.131 EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	902 RCS		4/22/2002	R339
<b>Mfg #:</b> (303) 980-1780 <b>Cell #:</b> (303) 880-9614 <b>Fax #:</b> (303) 980-1780 <b>Web Site:</b> www.dowcorning.com			<b>Contact:</b> Jason Sika	
			<b>Email:</b> jason.sika@dowcorning.com	

**502-03.19 FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110-	Tammscoat Fine		9/4/2007	R567
<b>Mfg #:</b> (216) 692-8381 <b>Cell #:</b> (800) 321-7628 <b>Fax #:</b> (216) 481-7072 <b>Web Site:</b> www.euclidchemical.com			<b>Contact:</b> Christopher Balsat	
			<b>Email:</b> cbalsat@euclidchemical.com	
Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003-	Tex.Cote @ XL 70 Bridge Cote @ 300 Bridge Cote		9/4/2007	R595, R596
<b>Mfg #:</b> (323) 855-1242 <b>Cell #:</b> (310) 780-1983 <b>Fax #:</b> (805) 523-8737 <b>Web Site:</b> www.texcote.com			<b>Contact:</b> James Servais	
			<b>Email:</b> jservais@texcote.com	

**502-03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020
<b>Mfg #:</b> (602) 276-0406 <b>Cell #:</b> (480) 236-8262 <b>Fax #:</b> (480) 961-4772 <b>Web Site:</b> www.crafco.com			<b>Contact:</b> Lowell Parkison	
			<b>Email:</b> lowell.parkison@crafco.com	
Henry Company 909 North Sepulveda Boulevard Suite 650 El Segundo CA 90245-	Calseal		9/8/1998	R025
<b>Mfg #:</b> (310) 955-9200 <b>Cell #:</b> (916) 849-9908 <b>Fax #:</b> (858) 391-1077 <b>Web Site:</b> www.henry.com			<b>Contact:</b> Randy Rozell	
			<b>Email:</b> customerservice@henry.com	
Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104-	Elastoflex 44 Elastoflex 56		1/6/1998	R022, R023
<b>Mfg #:</b> (801) 972-2090 <b>Cell #:</b> (801) 972-5536 <b>Web Site:</b> www.maxwellproducts.com			<b>Contact:</b> Dale Bergivin	
			<b>Email:</b> dale@maxwellproducts.com	

**505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alkzo Nobel Coatings 20 Culvert Street Nashville TN 37210-	Resicoat RB-600 HKF30R		4/30/2008	R591
<b>Mfg #:</b> (800) 626-7891 <b>Cell #:</b> (615) 995-5576	<b>Fax #:</b> (216) 750-7575 <b>Web Site:</b> www.alkzonobel.com		<b>Contact:</b> Fritz Herrmann <b>Email:</b> fritz.herrmann@alkzonobel.com	
Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041-	7-2719 Nap Guard Epoxy Coating		1/18/2001	R281
<b>Mfg #:</b> (713) 996-0669 <b>Cell #:</b> (713) 996-4665	<b>Fax #:</b> (713) 939-4028 <b>Web Site:</b> www.hoovers.com/duPont-coatings		<b>Contact:</b> Kuruvila Varughese/Grea Dietz <b>Email:</b> kuruvila.varughese@usa.dupont.com	
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116-	Greenbar #720A009		1/1/1996	R028
<b>Mfg #:</b> (281) 370-6164 <b>Cell #:</b> (281) 630-9878	<b>Fax #:</b> (281) 370-6654 <b>Web Site:</b> www.valspar.com		<b>Contact:</b> Michael Adams <b>Email:</b> madams@valspar.com	

**509.03.09 SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
CETCO Construction Drilling Products 2870 Fortbs Avenue Hoffman Estates IL 60192-	Shore Pac		9/25/2006	R559
<b>Mfg #:</b> (847) 851-1810 <b>Cell #:</b> (847) 910-4334	<b>Fax #:</b> (847) 851-1367 <b>Web Site:</b> www.constructiondrilling.com		<b>Contact:</b> John Berry <b>Email:</b> john.berry@ceitco.com	
Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619-	Novagel Polymer		9/25/2006	R558
<b>Mfg #:</b> (210) 587-4758 <b>Cell #:</b> (310) 923-4160	<b>Fax #:</b> (210) 568-4567 <b>Web Site:</b> www.geotech.us		<b>Contact:</b> Max Holmes <b>Email:</b> mholmes@geotech.us	
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723-	Super Mud		9/25/2006	R560
<b>Mfg #:</b> (562) 634-8180 <b>Cell #:</b>	<b>Fax #:</b> (562) 634-1350 <b>Web Site:</b> www.pdscoinc.com		<b>Contact:</b> Customer Service <b>Email:</b> sales@pdscoinc.com	

**609-02-01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118-	Atlas Pro-1 Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	5/14/2009	R312
<b>Mfg #:</b> (702) 227-6800	<b>Cell #:</b> (858) 277-2100	<b>Fax #:</b> (702) 222-0488	<b>Web Site:</b> www.atlasform.com	<b>Contact:</b> Ryan Quinn
BASF Corporation 889 Valley Park Drive Shakopee MN 55379-	Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. Name Change: ThorRoc 10-60 Rapid Mortar to 10-60 Rapid Mortar	1/3/2002	R385, R386 R387
<b>Mfg #:</b> (800) 433-9517	<b>Cell #:</b> (800) 433-9517	<b>Fax #:</b> (800) 496-6067	<b>Web Site:</b> www.buildingsystems.basf.com	<b>Contact:</b> Customer Service
CTS Cement Manufacturing Company 11065 Krott Avenue Suite A Cypress CA 90630-	Rapid Set DOT Repair Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/27/1994	R039
<b>Mfg #:</b> (800) 929-3030	<b>Cell #:</b> (714) 348-1946	<b>Fax #:</b> (714) 379-8270	<b>Web Site:</b> www.ctscement.com	<b>Contact:</b> Frank Senatore
CTS Cement Manufacturing Corporation 11065 Krott Avenue Suite A Cypress CA 90630-	Rapid Set Cement All Rapid Set Concrete Mix Rapid Set Motar Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	5/28/2010	R712, R713 R714
<b>Mfg #:</b> (800) 929-3030	<b>Cell #:</b> (702) 736-5888	<b>Fax #:</b> (702) 269-2069	<b>Web Site:</b> www.rapidset.com	<b>Contact:</b> Jeremy Lariz
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	Dayton Superior HD50 Edoco Fast Patch 928	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996	R037, R038
<b>Mfg #:</b> (913) 279-0264	<b>Cell #:</b> (877) 416-3439	<b>Fax #:</b> (913) 279-4806	<b>Web Site:</b> www.daytonsuperior.com	<b>Contact:</b> John Hukey
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110-	Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	11/8/2005	R537, R538 R539
<b>Mfg #:</b> (216) 692-8381	<b>Cell #:</b> (800) 321-7628	<b>Fax #:</b> (216) 481-7072	<b>Web Site:</b> www.euclidchemical.com	<b>Contact:</b> Christopher Balsat
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110-	Hi-Flow Grout Euco-Speed MP Euco-Speed	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996	R041, R042 R043
<b>Mfg #:</b> (216) 692-8381	<b>Cell #:</b> (800) 321-7628	<b>Fax #:</b> (216) 481-7072	<b>Web Site:</b> www.euclidchemical.com	<b>Contact:</b> Christopher Balsat
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825-	Highway Patch Structural Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996	R034, R035
<b>Mfg #:</b> (800) 243-2206	<b>Cell #:</b> (203) 336-7900	<b>Fax #:</b> (203) 336-7930	<b>Web Site:</b> www.fivestarprouducts.com	<b>Contact:</b> Chris Plekos

**609-02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <b>Mfg #:</b> (209) 830-7803 <b>Cell #:</b> (209) 482-4488 <b>Fax #:</b> (209) 830-7804 <b>Web Site:</b> www.us.henkel.com	Loctite MagnaCrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/17/2008	R615
High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <b>Mfg #:</b> (949) 677-8229 <b>Cell #:</b> (714) 439-1001 <b>Fax #:</b> (714) 439-1001 <b>Web Site:</b> www.ConcreteRepair.com	High Performance Concrete Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/3/2002	R322
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <b>Mfg #:</b> (866) 827-8727 <b>Cell #:</b> (410) 561-8770 <b>Fax #:</b> (410) 561-8771 <b>Web Site:</b> www.concreterepairmaterials.com	HP Cement	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/22/2004	R507
US Mix Company 112 South Sante Fe Drive Denver CO 80223- <b>Mfg #:</b> (303) 778-7227 <b>Cell #:</b> (702) 322-1700 <b>Fax #:</b> (303) 722-8426 <b>Web Site:</b> www.usspec.com	SPEC STR Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009	R672
W.R. Meadows of Arizona 4220 South Sanival Avenue Goodyear AZ 85338- <b>Mfg #:</b> (623) 932-9383 <b>Cell #:</b> (702) 253-1100 <b>Fax #:</b> (623) 932-1547 <b>Web Site:</b> www.wrmeadows.com	Futura 15	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009	R671

**609-02.01b STORMWATER TREATMENT VAULTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <b>Mfg #:</b> (775) 831-4592 <b>Cell #:</b> (800) 229-7283 <b>Fax #:</b> (775) 831-4592 <b>Web Site:</b> www.baysaver.com	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <b>Mfg #:</b> (916) 635-0760 <b>Cell #:</b> (916) 635-0764 <b>Fax #:</b> (916) 635-0764 <b>Web Site:</b> www.contech-cpi.com	CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448 R449

**609.02.01b STORMWATER TREATMENT VAULTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <b>Mfg #:</b> (775) 352-6363 <b>Cell #:</b> (775) 352-6364 <b>Web Site:</b> www.jensenprecast.com <b>Fax #:</b> (775) 352-6364	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548  <b>Contact:</b> Pam Hammonds  <b>Email:</b> phammonds@jensenprecast.com
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <b>Mfg #:</b> (775) 358-4430 <b>Cell #:</b> (775) 745-0605 <b>Web Site:</b> www.rinkermaterials.com/www.stormceptor.com <b>Fax #:</b> (775) 355-1982	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286  <b>Contact:</b> Don Catterson  <b>Email:</b> dcatterson@rinker.com
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <b>Mfg #:</b> (877) 687-7473 <b>Cell #:</b> (610) 316-0957 <b>Web Site:</b> www.stormdrains.com <b>Fax #:</b> (610) 687-6327	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348  <b>Contact:</b> Robert Sharpless  <b>Email:</b> stormdrains@verizon.net

**609.03.01c TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <b>Mfg #:</b> (800) 438-6057 <b>Cell #:</b> (949) 633-6111 <b>Web Site:</b> www.abtdrains.com <b>Fax #:</b> (208) 887-8680	A-67 Interceptor Trench Drain System Polydrain Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395  <b>Contact:</b> Brad Short  <b>Email:</b> bshort@abtdrains.com
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <b>Mfg #:</b> (800) 438-6057 <b>Cell #:</b> (949) 633-6111 <b>Web Site:</b> www.abtdrains.com <b>Fax #:</b> (208) 887-8680	XHD 8" / 12" / 18" Trench Drain System MHD 200/300 8" / 12" Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200	8/28/2006	R556, R557  <b>Contact:</b> Brad Short  <b>Email:</b> bshort@abtdrains.com
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <b>Mfg #:</b> (888) 490-9552 <b>Cell #:</b> (209) 204-0988 <b>Web Site:</b> www.acousa.com <b>Fax #:</b> (209) 574-1014	TrafficDrain	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R384  <b>Contact:</b> Justin White  <b>Email:</b> jwhite@aco-online.com
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <b>Mfg #:</b> (888) 490-9552 <b>Cell #:</b> (209) 204-0988 <b>Web Site:</b> www.acousa.com <b>Fax #:</b> (209) 574-1014	S100K Concrete FF300 Concrete FG200 Concrete S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397 R398, R400  <b>Contact:</b> Justin White  <b>Email:</b> jwhite@aco-online.com

**609.03.01c TRENCH DRAINS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Hubbell 273 Willow Green Way Vacaville CA 95687-	Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513 R514
<b>Mfg #:</b> (800) 346-3061 <b>Cell #:</b> (707) 291-6991	<b>Fax #:</b> (707) 291-6991 <b>Web Site:</b> www.polycasttrain.com	<b>Email:</b> tbeattie@hps.hubbell.com	<b>Contact:</b> Thomas Beattie	
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010-	EconoDrain Systems MultiDrain Surface Drainage Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493
<b>Mfg #:</b> (800) 433-1119 <b>Cell #:</b> (704) 881-4064	<b>Fax #:</b> (704) 508-1011 <b>Web Site:</b> www.multidrain.com	<b>Email:</b> steve.born@multidrain.com	<b>Contact:</b> Steve Born	
Zurn Industries / Flo-Thru 1801 Pittsburgh Avenue Erie PA 16502-	Z-886 (4" Wide) Z-882 (9.25" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422
<b>Mfg #:</b> (814) 455-0921 <b>Cell #:</b> (919) 332-5653	<b>Fax #:</b> (814) 875-1402 <b>Web Site:</b> www.zurn.com	<b>Email:</b> jim.deire@zum.com	<b>Contact:</b> Jim Deire	

**610.02.01 CELLULAR EROSION CONTROL MATS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Basaltie/Submar Incorporated 805 Dunn Street Houma LA 70360-	UltraFlexTM		11/18/2009	R684
<b>Mfg #:</b> (775) 358-1200 <b>Cell #:</b> (414) 630-1012	<b>Fax #:</b> (775) 359-5997 <b>Web Site:</b> www.submar.com	<b>Email:</b> damian.swain@paccoast.com	<b>Contact:</b> Damian Swain	
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670-	Armotec Cellular Erosion Control Mat Petralflex	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008	R332, R333
<b>Mfg #:</b> (916) 635-0760 <b>Cell #:</b> (916) 635-0764	<b>Fax #:</b> (916) 635-0764 <b>Web Site:</b> www.contech-cpi.com	<b>Email:</b> enicksomn@contech-cpi.com	<b>Contact:</b> Neil Erickson	
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008-	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R326
<b>Mfg #:</b> (702) 341-0354 <b>Cell #:</b> (702) 493-3713	<b>Fax #:</b> (702) 341-0355 <b>Web Site:</b> www.hanesgeo.com	<b>Email:</b> quinn.brown@hanesindustries.com	<b>Contact:</b> Quinn Brown	
Shoretac 510 O'Neal Lane Baton Rouge LA 70819-	Shoreblock Shoretac		4/24/2009	R601, R622
<b>Mfg #:</b> (251) 450-3469 <b>Cell #:</b> (225) 273-9888	<b>Fax #:</b> (225) 273-3511 <b>Web Site:</b> www.shoretac.com	<b>Email:</b> pbonorden@premierconcrete.com	<b>Contact:</b> Patrick Bonorden	



**613.02.01 DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <b>Mfg #:</b> (888) 490-9552 <b>Cell #:</b> (209) 204-0988 <b>Fax #:</b> (209) 574-1014 <b>Web Site:</b> www.acousa.com	ACO Detectible Warning Device	Approved for NV Red Only	2/26/2009	R630 <b>Contact:</b> Justin White <b>Email:</b> jwhite@aco-online.com
Advanced Surface Systems LLC (ASSI) 118 North Peters Road #250 Knoxville TN 37923- <b>Mfg #:</b> (865) 966-2079 <b>Cell #:</b> (865) 206-4789 <b>Fax #:</b> (865) 241-8046 <b>Web Site:</b> www.suredome.com	SureDome	Approved for NV Red and NV Green	12/10/2008	R628 <b>Contact:</b> Karen Hemry <b>Email:</b> khemry@hotmail.com/bumpms@suredome.com
Arcis Corporation PO Box 1250 North Plains OR 97133- <b>Mfg #:</b> (503) 647-5042 <b>Cell #:</b> (503) 647-7731 <b>Web Site:</b> www.arciscorp.com	ADA Arcis Taciles	Approved for NV Red and NV Green	9/2/2008	R608 <b>Contact:</b> Dan VanBrabant <b>Email:</b> danv@arcis-corp.com
StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- <b>Mfg #:</b> (866) 439-3216 <b>Cell #:</b> (520) 305-1189 <b>Fax #:</b> (520) 547-3515 <b>Web Site:</b> www.stronggo.com	TekWay Dome Tile	Approved for NV Red and NV Green	11/27/2006	R564 <b>Contact:</b> Niranjan Vescio <b>Email:</b> nvescio@stronggo.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <b>Mfg #:</b> (914) 636-1000 <b>Cell #:</b> (800) 321-7870 <b>Fax #:</b> (914) 636-1282 <b>Web Site:</b> www.transpo.com	Safe Step - Detectable Warning Tile	Approved for NV Red and NV Green	3/26/2004	R484 <b>Contact:</b> Mike Stenko <b>Email:</b> mstenko@transpo.com
United Diamond & Stone Incorporated 16788 Placer Hills Road Suite C Meadow Vista CA 95722- <b>Mfg #:</b> (530) 878-2440 <b>Cell #:</b> (530) 320-4180 <b>Fax #:</b> (530) 878-8263 <b>Web Site:</b> www.casintact.com	Cast-in-Tact 3	Approved for NV Red and NV Green	8/20/2009	R666 <b>Contact:</b> Darren Thomas <b>Email:</b> darren_thomas@sbglobai.net

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- <b>Mfg #:</b> (800) 426-6933 <b>Cell #:</b> (612) 623-1700 <b>Fax #:</b> (612) 623-2500 <b>Web Site:</b> www.conwedplastics.com	Safety Fence		10/10/1999	R202 <b>Contact:</b> Customer Services <b>Email:</b> customer.service@conwedplastics.com

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624-	Safety GeoGrid		5/15/2002	R342
<b>Mfg #:</b> (949) 488-7054 <b>Cell #:</b> (949) 212-8454 <b>Fax #:</b> (949) 488-7084 <b>Web Site:</b> www.tensarcorp.com			<b>Contact:</b> Bob Miller <b>Email:</b> bmillier@tensarcorp.com	

**618.02.01 FLARED GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721-	Fleat 350 Fleat SP	TL-3	9/29/2009	R045, R668
<b>Mfg #:</b> (330) 346-0721 <b>Cell #:</b> (330) 807-9857 <b>Fax #:</b> (330) 346-0722 <b>Web Site:</b> www.roadsystems.com			<b>Contact:</b> John Durkos <b>Email:</b> jdurkos@roadsystems.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	Let Soil Tubes SRT 350	TL-3	6/9/2004	R500, R501
<b>Mfg #:</b> (800) 772-7976 <b>Cell #:</b> (360) 943-9559 <b>Fax #:</b> (801) 292-3263 <b>Web Site:</b> www.trin.net			<b>Contact:</b> Mike Hooley <b>Email:</b> mikel.hooley@trin.net	

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721-	SKT 350 SKT Lite SKT SP	TL-3	2/8/1998	R156, R669 R670
<b>Mfg #:</b> (330) 346-0721 <b>Cell #:</b> (330) 807-9857 <b>Fax #:</b> (330) 346-0722 <b>Web Site:</b> www.roadsystems.com			<b>Contact:</b> John Durkos <b>Email:</b> jdurkos@roadsystems.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	CAT 350 ET Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997	R046, R499
<b>Mfg #:</b> (800) 772-7976 <b>Cell #:</b> (360) 943-9559 <b>Fax #:</b> (801) 292-3263 <b>Web Site:</b> www.trin.net			<b>Contact:</b> Mike Hooley <b>Email:</b> mikel.hooley@trin.net	

**618.02.01b GUARDRAIL OFFSET BLOCKS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arizona Structural Laminators PO Box 2008 Eagar AZ 85925-	Glue Laminated Offset Block	Used with W-beam and Tri-beam Guardrails	3/10/2004	R485
<b>Mfg #:</b> (928) 333-5501 <b>Cell #:</b> (928) 333-4403 <b>Fax #:</b> (928) 333-4403 <b>Web Site:</b> www.azglulam.com			<b>Contact:</b> Ginger Witbank <b>Email:</b> gwitbank@azglulam.com	

**618.02.01b GUARDRAIL OFFSET BLOCKS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Trinity Highway Safety 950 West 400 South Centerville UT 84014-	King-Size King Block	Used with steel post Tri-beam Guardrails	5/13/2005	R523, R524
<b>Mfg #:</b> (800) 772-7976	<b>Cell #:</b> (360) 943-9559	<b>Fax #:</b> (801) 292-3263	<b>Web Site:</b> www.trin.net	<b>Email:</b> mikel.hooley@trin.net
<b>Contact:</b> Mike Hooley				

**619.02.01 FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	654 Ground Mount	Type 2	6/1/1994	R171, R283
<b>Mfg #:</b> (800) 348-9839	<b>Cell #:</b>	<b>Fax #:</b> (239) 482-3539	<b>Web Site:</b> www.flexstake.com	<b>Email:</b> jim@flexstake.com
<b>Contact:</b> Jim Zadrozny				

Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Model EFX FG 300 Model PE FG 300 Model UR FG 300 Complete Curb System		10/14/1999	R685, R686, R688, R315
<b>Mfg #:</b> (253) 284-8000	<b>Cell #:</b> (408) 431-8689	<b>Fax #:</b> (253) 284-8080	<b>Web Site:</b> www.pexco.com	<b>Email:</b> bill.daly@pexco.com
<b>Contact:</b> Bill Daly				

Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator	Type 2	11/21/2008	R625, R626
<b>Mfg #:</b> (312) 705-8454	<b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755	<b>Web Site:</b> www.safe-hit.com	<b>Email:</b> diane.sanchez@trin.net
<b>Contact:</b> Diane Sanchez				

Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Safe Hit Soil Mount Delineator Surface Mount Tubular Delineator	Type 2	11/21/2008	R623, R624
<b>Mfg #:</b> (312) 705-8454	<b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755	<b>Web Site:</b> www.safe-hit.com	<b>Email:</b> diane.sanchez@trin.net
<b>Contact:</b> Diane Sanchez				

Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Replaceable Barrier Marker SH Dura Post K Marker	Type 2 Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R068, R053 R052
<b>Mfg #:</b> (312) 705-8454	<b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755	<b>Web Site:</b> www.safe-hit.com	<b>Email:</b> diane.sanchez@trin.net
<b>Contact:</b> Diane Sanchez				

Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	RT 360 HD Tub Delineator Soil/Surface Mount SH Dura Post K Marker		5/14/2009	R633, R634 R600, R636, R635
<b>Mfg #:</b> (312) 705-8454	<b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755	<b>Web Site:</b> www.safe-hit.com	<b>Email:</b> diane.sanchez@trin.net
<b>Contact:</b> Diane Sanchez				

**619-02.01 FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634-	Shur-Flex® Driveable Delineator Shur-Flex® Surface Mount Delineator Shur-Tite® Cable Barrier Delineator Shur-Tite® Guardrail Clamp Post Mount Del	www.shur-tite.com	4/30/2009	R633, R634 R636, R635
<b>Mfg #:</b> (512) 218-9500 <b>Cell #:</b>	<b>Fax #:</b> (512) 388-0588 <b>Web Site:</b> www.shur-tite.com		<b>Email:</b> gary@shur-tite.com	<b>Contact:</b> Gary Champ
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD5500 Earthflex Delineator	Type 2 www.trafficwks.com	10/13/2004	R506
<b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b>	<b>Fax #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficwks.com		<b>Email:</b> sales@trafficwks.com	<b>Contact:</b> Frank Dvoracek

**619-02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108-	Island Sentry K-Marker	Type 2 www.carsonite.com	8/1/1989	R050
<b>Mfg #:</b> (800) 648-7916 <b>Cell #:</b>	<b>Fax #:</b> (803) 276-8940 <b>Web Site:</b> www.carsonite.com		<b>Email:</b> sales@carsonite.com	<b>Contact:</b> Ernest Joyner III
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	T1 Marker Round T2 Marker Round BD Marker Round HM Marker Round	Type 2 www.flexstake.com	6/1/1994	R049, R048 R051, R056
<b>Mfg #:</b> (800) 348-9839 <b>Cell #:</b>	<b>Fax #:</b> (239) 482-3539 <b>Web Site:</b> www.flexstake.com		<b>Email:</b> jim@flexstake.com	<b>Contact:</b> Jim Zadrozny
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Type K Island Marker	Type 2 www.pexco.com	9/13/2007	R576
<b>Mfg #:</b> (253) 284-8000 <b>Cell #:</b> (408) 431-8689	<b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com		<b>Email:</b> bill.daly@pexco.com	<b>Contact:</b> Bill Daly
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Complete Curb System FG 300 Turn Pike Curb FG 300 Model PE FG 300 Model UR	www.pexco.com	10/14/1999	R315, R686 R687, R688
<b>Mfg #:</b> (253) 284-8000 <b>Cell #:</b> (408) 431-8689	<b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com		<b>Email:</b> bill.daly@pexco.com	<b>Contact:</b> Bill Daly
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Replaceable Barrier Marker SH Dura Post K Marker	Type 2 www.safe-hit.com	11/4/1998	R052, R053 R068
<b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.safe-hit.com		<b>Email:</b> diane.sanchez@trin.net	<b>Contact:</b> Diane Sanchez

**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374 <b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.safe-hit.com	RubberTough 360 HD Bolt Down Soil Mount Tubular Delineator	Type 2	11/21/2008	R625, R626
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374 <b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.safe-hit.com	Safe Hit Soil Mount Surface Mount Tubular Delineator RT 360 HD Tubular Delineator Soil/Surface Mount	Type 2	11/21/2008	R623, R624 R600
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634- <b>Mfg #:</b> (512) 218-9500 <b>Cell #:</b> (877) 843-9757 <b>Fax #:</b> (512) 388-0588 <b>Web Site:</b> www.shur-tite.com	Shur-Flex® Driveable Object Marker		2/2/2010	R676
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b> (877) 841-5096 <b>Fax #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficwks.com	TD 5215 K Marker	Type 2	9/4/2007	R566

**619.03.01 PRISMATIC ACRYLIC REFLECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <b>Mfg #:</b> (414) 475-5020 <b>Cell #:</b> (414) 476-3438 <b>Fax #:</b> (414) 476-3438 <b>Web Site:</b> www.aktinc.com	AKT #18 Center Mounted Reflector		5/5/1998	R054
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilbert IL 60136- <b>Mfg #:</b> (847) 428-7761 <b>Cell #:</b> (847) 428-7764 <b>Fax #:</b> (847) 428-7764 <b>Web Site:</b> www.vegamoldedproducts.com	Center-Mounted Delineator Reflector		5/5/1998	R055

**623-01.01 DYNAMIC MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <b>Mfg #:</b> (605) 692-0200 <b>Cell #:</b> (605) 695-5624 <b>Fax #:</b> (605) 697-4700 <b>Web Site:</b> www.daktronics.com	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503
Skyline Products Incorporated 2903 Delta Drive Colorado Springs CO 80910- <b>Mfg #:</b> (719) 392-9046 <b>Cell #:</b> (719) 314-6883 <b>Fax #:</b> (719) 392-2075 <b>Web Site:</b> www.skylineproducts.com	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008	R587

**Contact:** Rick Weinacht  
**Email:** rick.weinacht@daktronics.com

**Contact:** Adam Lyons  
**Email:** adamlyons@skylineproducts.com

**623-02.08 SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <b>Mfg #:</b> (949) 387-4863 <b>Cell #:</b> (714) 743-0712 <b>Fax #:</b> (949) 387-4895 <b>Web Site:</b> www.milbankmfg.com	Metered Service Pedestals		11/19/2002	R367
Myers Power Products 725 East Harrison Street Corona CA 92879- <b>Mfg #:</b> (800) 860-6157 <b>Cell #:</b> (951) 520-1900	Service Pedestals	+UPS/BBS	9/5/2000	R267
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <b>Mfg #:</b> (800) 860-6157 <b>Cell #:</b> (951) 493-8394 <b>Fax #:</b> (951) 279-3116 <b>Web Site:</b> www.pedestals.net	Service Pedestals		11/19/2002	R366
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <b>Mfg #:</b> (916) 395-8800 <b>Cell #:</b> (916) 952-5088 <b>Fax #:</b> (916) 429-2817 <b>Web Site:</b> www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000	R266

**Contact:** Dave Stipe  
**Email:** dstipe@milbankmfg.com

**Contact:** Diana Grootenk  
**Email:** diana.grootenk@myerspower.com

**Contact:** Bob Ford  
**Email:** pupsales@pedestals.net

**Contact:** Curt Vasey  
**Email:** cvasey@tescocontrols.com

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179-	426 Series High Mast Head Frame Assembly	Bottom Latching	12/30/2003	R469
<b>Mfg #:</b> (682) 286-0046 <b>Cell #:</b> (817) 657-6973	<b>Fax #:</b> (682) 286-0086 <b>Web Site:</b> www.chmindustries.com		<b>Email:</b> sengberg@chmindustries.com	<b>Contact:</b> Scott Engberg
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085-	High Mast Assembly	Bottom Latching	12/30/2003	R470
<b>Mfg #:</b> (847) 473-3800 <b>Cell #:</b> (847) 217-1070	<b>Fax #:</b> (847) 473-3870 <b>Web Site:</b> www.eaglehighmast.com		<b>Email:</b> himasltg@aol.com	<b>Contact:</b> Joseph Simons III
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147-	Holophane LD07 Series High Mast Lighting Lowering D Bottom Latching		12/30/2003	R468
<b>Mfg #:</b> (702) 367-3949 <b>Cell #:</b> (866) 465-6742	<b>Fax #:</b> (702) 367-4656 <b>Web Site:</b> www.myholophane.com		<b>Email:</b> jameshighgate@gmail.com	<b>Contact:</b> James Highgate

**623.02.16 DUCT SEALING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ideal Industries Incorporated Becker Place Sycamore IL 60178-	Duct Seal		10/7/2009	R676
<b>Mfg #:</b> (800) 435-0705 <b>Cell #:</b> (800) 304-3578	<b>Fax #:</b> (800) 533-4483 <b>Web Site:</b> www.idealindustries.com		<b>Email:</b> Ideal_Industries@idealindustries.com	<b>Contact:</b> Customer Service
RectorSeal 2601 Spenwick Drive Houston TX 77055-	Rectorseal® Duct Seal Compound		10/7/2009	R677
<b>Mfg #:</b> (800) 231-3345 <b>Cell #:</b> (713) 263-8001	<b>Fax #:</b> (800) 441-0051 <b>Web Site:</b> www.rectorseal.com		<b>Email:</b>	<b>Contact:</b> Customer Service

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463-	Brass Linguine Class 1		10/31/2001	R317
<b>Mfg #:</b> (541) 782-3903 <b>Cell #:</b>	<b>Fax #:</b> (541) 782-2053 <b>Web Site:</b> www.diamondtraffic.com		<b>Email:</b> sales@diamondtraffic.com	<b>Contact:</b> Beth Ann Ritz

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666-	Roadtrax BL Sensor Brass Linguine Class 1		5/26/1999	R161
<b>Mfg #:</b> (757) 766-4496	<b>Cell #:</b>	<b>Fax #:</b> (757) 766-4297	<b>Web Site:</b> www.meas-spec.com	<b>Contact:</b> Robin Fletcher <b>Email:</b> robin.fletcher@meas-spec.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Company 3700 Atlanta Industrial Parkway NW Atlanta GA 30331-	PIN 606 Detector Loop Sealant		12/2/2003	R465
<b>Mfg #:</b> (770) 983-9826	<b>Cell #:</b> (404) 661-1875	<b>Fax #:</b> (770) 983-9642	<b>Web Site:</b> www.Bondo.com	<b>Contact:</b> R. Keith Moore <b>Email:</b> rkmoore@mmm.com

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	5000 Rubberized Loop Detector Sealant	Rubberized Material	8/5/1998	R057, R058
<b>Mfg #:</b> (800) 553-1380	<b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435	<b>Web Site:</b> www.3M.com/tcm	<b>Contact:</b> Eric Domak <b>Email:</b> ejdomak@mmm.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	271 Loop Detector Sealant 272 Loop Detector Sealant	Rubberized Asphalt Material	8/5/1998	R059, R060
<b>Mfg #:</b> (602) 276-0406	<b>Cell #:</b> (480) 236-8262	<b>Fax #:</b> (480) 961-4772	<b>Web Site:</b> www.crafco.com	<b>Contact:</b> Lowell Parkison <b>Email:</b> lowell.parkison@crafco.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151-	Stat-a-Flex Polyester Loop Sealant	Polyester Material	8/5/1998	R061
<b>Mfg #:</b> (800) 420-0021	<b>Cell #:</b> (781) 289-1400	<b>Fax #:</b> (781) 289-1405	<b>Web Site:</b> www.durantcorp.com	<b>Contact:</b> Al Losanno <b>Email:</b> absanno@durantcorp.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Quikrete Company 7705 Wilbur Way Sacramento CA 95828-	Quikrete Commercial Grade Permanent Blacktop Repair #1701	Asphaltic Concrete	1/1/2001	R280
<b>Mfg #:</b> (916) 689-8840	<b>Cell #:</b>	<b>Fax #:</b> (916) 689-8857	<b>Web Site:</b> www.quikrete.com	<b>Contact:</b> Darrell Brokofsky <b>Email:</b> dbrokofsky@quikrete.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RAI Products Incorporated PO Box 240772 Charlotte NC 28224-	Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material	Sealer-974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R063, R064
<b>Mfg #:</b> (704) 525-1852	<b>Cell #:</b> (704) 904-1481	<b>Fax #:</b> (704) 525-1859	<b>Web Site:</b> www.raiproducs.com	<b>Contact:</b> John Rosenblatt Jr. <b>Email:</b> john@raiproducs.com



**623-02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reed & Graham Company 690 Sundl Street San Jose CA 95126- <b>Cell #:</b> (408) 287-1400 <b>Fax #:</b> (408) 640-6121 <b>Web Site:</b> www.rginc.com	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998	R062
<b>Mfg #:</b> (408) 287-1400	<b>Cell #:</b> (408) 640-6121	<b>Fax #:</b> (408) 294-3696	<b>Web Site:</b> www.rginc.com	<b>Contact:</b> Rick Best <b>Email:</b> rick@rginc.com

**623-03.01 TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South South Farmingdale NJ 07727- <b>Cell #:</b> (732) 919-3119 <b>Fax #:</b> (732) 751-5810 <b>Web Site:</b> www.dialight.com	12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (430-6479-001X)	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSH-LED Specifications.	3/26/2002	R335, R336
<b>Mfg #:</b> (732) 919-3119	<b>Cell #:</b> (732) 751-5810	<b>Fax #:</b> (732) 751-5778	<b>Web Site:</b> www.dialight.com	<b>Contact:</b> Matthew Sieglitz <b>Email:</b> msieglitz@dialight.com
Excellence Opto Incorporated 1663 West 2nd Street Pomona CA 91766- <b>Cell #:</b> (909) 784-3333	LED Traffic Signal Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T. Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSH-LED Specifications.	6/17/2008	R598, R599
<b>Mfg #:</b> (909) 784-3333	<b>Cell #:</b> (909) 784-3330	<b>Web Site:</b> www.eotus.com		<b>Contact:</b> Cheryl Huang <b>Email:</b> cheryluang@eotus.com
Leotek Electronics USA Corporation 1330 Menorex Drive Santa Clara CA 95050-2813 <b>Cell #:</b> (408) 988-4668	12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (TSL-PED-16-CIL-9)	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSH-LED Specifications.	4/6/2010	R689, R690 R691
<b>Mfg #:</b> (408) 988-4668	<b>Cell #:</b> (602) 538-7194	<b>Web Site:</b> www.leotek.com		<b>Contact:</b> Kim Konte <b>Email:</b> kim@leotek.com
Phoenix Highway Products 2631 North 37th Drive Phoenix AZ 85009- <b>Cell #:</b> (602) 344-7770	12" LED Tinted Traffic Signal Modules 12" LED Tinted Omni-Directional Arrow Modules 16"x18" LED Pedestrian Hand/Person Overlay Countdown Modules (PS&-CFF-1-26A)	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSH-LED Specifications.	3/26/2002	R337, R338
<b>Mfg #:</b> (602) 344-7770	<b>Cell #:</b> (602) 326-5698	<b>Web Site:</b> www.lumination.com		<b>Contact:</b> Debra Lesan <b>Email:</b> debbie@phoenixhighwayproducts.com

**623-03.15 SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
GE Consumer & Industrial Lighting System 4141 Bison Lake Havasu AZ 86404- <b>Cell #:</b> (928) 855-7223	85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSY3SL2004		1/17/2003	R402
<b>Mfg #:</b> (928) 855-7223	<b>Cell #:</b> (714) 323-2636	<b>Fax #:</b> (928) 855-7237	<b>Web Site:</b> www.gelighting.com	<b>Contact:</b> Pete Porte <b>Email:</b> pete.porte@gge.com

**623-03.15 SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147-	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop		1/17/2003	R401
<b>Mfg #:</b> (702) 367-3949	<b>Cell #:</b> (866) 465-6742	<b>Fax #:</b> (702) 367-4656	<b>Web Site:</b> www.myholophane.com	<b>Contact:</b> James Highgate
			<b>Email:</b> jameshighgate@gmail.com	

**623-03.22 LUMINAIRE RETRIEVAL SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361-	Lumi Trak		11/19/2002	R365
<b>Mfg #:</b> (717) 235-2863	<b>Cell #:</b> (717) 818-8203	<b>Fax #:</b> (717) 235-5076	<b>Web Site:</b> www.lumitrak.com	<b>Contact:</b> George Townsend
			<b>Email:</b> george@lumitrak.com	

**623-03.26 RED LIGHT DETECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110-	Red Light Detector		7/16/2003	R446
<b>Mfg #:</b> (408) 920-6319	<b>Cell #:</b> (408) 920-6103	<b>Web Site:</b> www.brgsupply.com	<b>Contact:</b> Monty Mountha	
			<b>Email:</b> monty.brgsupply@yahoo.com	
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081-	Red Light Detector		7/16/2003	R445
<b>Mfg #:</b> (760) 734-5027	<b>Cell #:</b> (760) 727-8100	<b>Fax #:</b> (760) 597-7108	<b>Web Site:</b> www.mccain-inc.com	<b>Contact:</b> Carol Jarvis-Murphy
			<b>Email:</b> cmurphy@mccain-inc.com	

**624-03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Reflective Sheeting	*discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved	4/8/1999	R163, R550
<b>Mfg #:</b> (800) 553-1380	<b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435	<b>Web Site:</b> www.3M.com/tcm	<b>Contact:</b> Eric Domak
			<b>Email:</b> ejdomak@mmm.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999	R164
<b>Mfg #:</b> (847) 647-7717	<b>Cell #:</b> (847) 627-3111	<b>Fax #:</b> (847) 588-7688	<b>Web Site:</b> www.averydennison.com	<b>Contact:</b> Nipa Joshi
			<b>Email:</b> nipa.joshi@averydennison.com	

**624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reflexite Americas 315 South Street New Britain CT 06051-	Reflexite Fluorescent Orange Super Bright Roll Up		4/8/1999	R162
<b>Mfg #:</b> (800) 654-7570 <b>Cell #:</b> (800) 895-0951	<b>Web Site:</b> www.reflexiteamericas.com	<b>Email:</b> customer.service@reflexite.com	<b>Contact:</b> Rebecca Cavazuti	

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	MF-180-36 Masterflex		6/15/1998	R065
<b>Mfg #:</b> (888) 842-0600 <b>Cell #:</b> (714) 842-0600	<b>Fax #:</b> (888) 842-2368 <b>Web Site:</b> www.bentmfg.com	<b>Email:</b> sandygerbrick@bentmfg.com	<b>Contact:</b> Sandy Gerbrick	
Carsonite@Composites 19845 US Highway 76 Newberry SC 29108-	SDCF SMDW		6/15/1998	R066, R067
<b>Mfg #:</b> (800) 648-7916 <b>Cell #:</b>	<b>Fax #:</b> (803) 276-8940 <b>Web Site:</b> www.carsonite.com	<b>Email:</b> sales@carsonite.com	<b>Contact:</b> Ernest Joyner III	
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	754 Surface Mount	Type 2	6/11/1994	R032
<b>Mfg #:</b> (800) 348-9839 <b>Cell #:</b>	<b>Fax #:</b> (239) 482-3539 <b>Web Site:</b> www.flexstake.com	<b>Email:</b> jim@flexstake.com	<b>Contact:</b> Jim Zadrozny	
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Complete Curb System FG 300 Model UR FG 300 Model PE		10/14/1999	R315, R687 R688
<b>Mfg #:</b> (253) 284-8000 <b>Cell #:</b> (408) 431-8689	<b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com	<b>Email:</b> bill.daly@pexco.com	<b>Contact:</b> Bill Daly	
Quick Kurb @ Incorporated 1916 US 41 South Ruskin FL 33570-	Quick Kurb		11/21/2008	R627
<b>Mfg #:</b> (813) 645-5072 <b>Cell #:</b>	<b>Fax #:</b> (813) 454-4856 <b>Web Site:</b> www.quickkurb.com	<b>Email:</b> mike@quickkurb.com	<b>Contact:</b> Mike Hair	
Qwik Kurb Incorporated 3661 Hawks Landing Auburn AL 36830-	Qwik Kurb		11/21/2008	R627
<b>Mfg #:</b> (334) 538-2665 <b>Cell #:</b>	<b>Fax #:</b> (334) 826-0579 <b>Web Site:</b>	<b>Email:</b> mhare@mindspring.com	<b>Contact:</b> Mike Hare	

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Dura Post SH Replaceable Barrier Marker RT 360 HD Tubular Delineator Soil/Surface Mount		6/15/1998	R053, R068 R600
<b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374 <b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.safe-hit.com		<b>Email:</b> diane.sanchez@trin.net		<b>Contact:</b> Diane Sanchez
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634-	Shur-Flex® Surface Mount Delineator		4/30/2009	R634
<b>Mfg #:</b> (512) 218-9500 <b>Cell #:</b> (512) 388-0588 <b>Web Site:</b> www.shur-tite.com		<b>Email:</b> gary@shur-tite.com		<b>Contact:</b> Gary Champ
Western Highway Products 10680 Fern Avenue Stanton CA 90680-	Repo 300		6/15/1998	R081
<b>Mfg #:</b> (800) 854-3360 <b>Cell #:</b> (714) 761-4811 <b>Fax #:</b> (714) 952-2118 <b>Web Site:</b> www.westernhighway.com		<b>Email:</b> sales@westernhighway.com		<b>Contact:</b> Barbara

**625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213-	FB33 Flexible Barrier Marker		2/2/1993	R013
<b>Mfg #:</b> (414) 475-5020 <b>Cell #:</b> (414) 476-3438 <b>Web Site:</b> www.aktinc.com		<b>Email:</b> tschoe2992@aol.com		<b>Contact:</b> Sharon Marquardt
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456-	Flexx 2020	W/75 mm X 75mm Reflective Sheeting	12/17/1997	R019
<b>Mfg #:</b> (973) 962-7779 <b>Cell #:</b> (973) 962-7652 <b>Web Site:</b> www.hallmanufacturing.com		<b>Email:</b> kerry@hallmanufacturing.com		<b>Contact:</b> Kerry Clark
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	PCBM 12 Marker PCBM T12 High Impact Dapco Straight Guardrail Reflective Plates		12/17/1997	R017, R018 R427
<b>Mfg #:</b> (253) 284-8000 <b>Cell #:</b> (408) 431-8689 <b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com		<b>Email:</b> bill.daly@pexco.com		<b>Contact:</b> Bill Daly
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD9300 Roadguide TD9400 Roadguide		12/3/2002	R371, R372
<b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficwks.com		<b>Email:</b> sales@trafficwks.com		<b>Contact:</b> Frank Dvoracek

## 625.02.03a CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Addco Mfg Co Inc / Imego No America 240 Arlington Avenue St Paul MN 55117-	Guardian Solar Powered PCMS Sign Dot Sign DH1000		2/22/1998	R073, R074
<b>Mfg #:</b> (800) 616-4409 <b>Cell #:</b> (651) 558-3536	<b>Fax #:</b> (651) 558-3600 <b>Web Site:</b> www.addco.com	<b>Email:</b> sales@addco.com		<b>Contact:</b> Danielle Nicholson
American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360-	CMS T331 CMS GP465 CMS T320 (discontinued) CMS T321 (discontinued) CMS T300 (discontinued)		2/22/1998	R075, R077 R076, R078
<b>Mfg #:</b> (770) 448-6650 <b>Cell #:</b>	<b>Fax #:</b> (770) 448-8970 <b>Web Site:</b> www.amsig.com	<b>Email:</b> sales@amsig.com		<b>Contact:</b> Scott Covington
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1	CMS 80FM	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
<b>Mfg #:</b> (204) 885-2580 <b>Cell #:</b>	<b>Fax #:</b> (204) 888-2912 <b>Web Site:</b> www.enduron.net	<b>Email:</b> chelsea.k@enduron.net		<b>Contact:</b> Chelsea Klassen
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833-	Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Discontinued) Nighthawk 345 (Discontinued)	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998	R079, R080
<b>Mfg #:</b> (888) 994-0300 <b>Cell #:</b>	<b>Fax #:</b> (714) 441-7714 <b>Web Site:</b> www.nationalsignalinc.com	<b>Email:</b> mark@nationalsignalinc.com		<b>Contact:</b> Mark Fernandez
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041-	Solar Powered Message Board Center		2/22/1998	R084
<b>Mfg #:</b> (972) 278-0553 <b>Cell #:</b> (972) 278-8683	<b>Fax #:</b> (972) 271-9583 <b>Web Site:</b> www.precisionsolarcontrols.com	<b>Email:</b> vseymour@precisionsolarcontrols.com		<b>Contact:</b> Vickie Seymour
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2	PCMS		2/22/1998	R085
<b>Mfg #:</b> (888) 488-7446 <b>Cell #:</b> (418) 654-1303	<b>Fax #:</b> (418) 654-0517 <b>Web Site:</b> www.ver-mac.com	<b>Email:</b> kim.jack@ver-mac.com		<b>Contact:</b> Kimberly Jack
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003-	WTLMB-S-LL(A)		8/5/2002	R355
<b>Mfg #:</b> (303) 427-5700 <b>Cell #:</b> (800) 972-0755	<b>Fax #:</b> (303) 427-5725 <b>Web Site:</b> www.wanco.com	<b>Email:</b> dmyers@wanco.com		<b>Contact:</b> Dan Myers

**625.02.03b INTELLIGENT CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <b>Mfg #:</b> (610) 391-8600 <b>Cell #:</b> (610) 393-4419 <b>Fax #:</b> (610) 391-8601 <b>Web Site:</b> www.solartechnology.com	Silent Messenger Solar Powered Silent Messenger II Silent Messenger III	Standard or Lift & Rotate Trailer	2/22/1998	R086, R664 R665
		<b>Email:</b> customerservice@solartechnology.com		<b>Contact:</b> Inside Service Manager

**625.02.04 TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <b>Mfg #:</b> (707) 374-6800 <b>Cell #:</b> (888) 800-3691 <b>Fax #:</b> (707) 374-6801 <b>Web Site:</b> www.barriersystemsinc.com	Universal Tau II System	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	4/10/2001	R285
		<b>Email:</b> jaime.franco@barriersystemsinc.com		<b>Contact:</b> Jaime Franco
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <b>Mfg #:</b> (707) 374-6800 <b>Cell #:</b> (888) 800-3691 <b>Fax #:</b> (707) 374-6801 <b>Web Site:</b> www.barriersystemsinc.com	Absorb 350	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001	R285, R667
		<b>Email:</b> jaime.franco@barriersystemsinc.com		<b>Contact:</b> Jaime Franco
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374 <b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.energyabsorption.com	Energite III Module N-E-A-T System Quadguard		9/3/1998	R089, R090 R091
		<b>Email:</b> diane.sanchez@trin.net		<b>Contact:</b> Diane Sanchez
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <b>Mfg #:</b> (800) 327-4417 <b>Cell #:</b> (630) 330-8063 <b>Fax #:</b> (630) 377-9270 <b>Web Site:</b> www.workareaprotection.com	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006	R545
		<b>Email:</b> workarea@workareaprotection.com		<b>Contact:</b> Jeffery Smith
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <b>Mfg #:</b> (775) 357-6005 <b>Cell #:</b> (775) 690-3037 <b>Fax #:</b> (775) 358-9161 <b>Web Site:</b> www.tcsi.biz	Energite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998	R092, R093 R094
		<b>Email:</b> tniffen@tcsi.biz		<b>Contact:</b> Tim Kniffen
TraFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <b>Mfg #:</b> (801) 446-4450 <b>Cell #:</b> (801) 979-7099 <b>Fax #:</b> (801) 446-1157 <b>Web Site:</b> www.trafixdevices.com	Big Sandy 48247-SP1 Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	3/22/2000	R095, R096
		<b>Email:</b> demonds@trafixdevices.com		<b>Contact:</b> Cary Lemonds

**625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	Safe-Stop 180 TMA	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R192
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <b>Mfg #:</b> (262) 814-7000 <b>Cell #:</b> (800) 444-0331	Energite III Fitch Inertial Barrier System React 350 Crash Cushion	<b>Email:</b> diane.sanchez@trin.net	9/3/1998	R092, R093 R094
TraFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <b>Mfg #:</b> (801) 446-4450 <b>Cell #:</b> (801) 979-7099	ScorPion C 10,000	TL-3, Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <b>Mfg #:</b> (800) 772-7976 <b>Cell #:</b> (360) 943-9559	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097
Armorcast Products Company Inc 13230 Saticoy Street North Hollywood CA 91605- <b>Mfg #:</b> (818) 982-3600 <b>Cell #:</b> (909) 772-1424	Guardian Barrier Water Filled with 350 kit	Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections).	9/3/1998	R099
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections).	3/30/1997	R098
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <b>Mfg #:</b> (800) 292-1305 <b>Cell #:</b> (219) 659-0625	Rhino Safety Barrier (use the 350 kit with install)	Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L).	3/10/2004	R482

**625.02.06 WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Armorcast Products Company Inc 13230 Saticoy Street North Hollywood CA 91605- <b>Mfg #:</b> (818) 982-3600 <b>Cell #:</b> (909) 772-1424	Guardian Barrier Water Filled with 350 kit	Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections).	9/3/1998	R099
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections).	3/30/1997	R098
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <b>Mfg #:</b> (800) 292-1305 <b>Cell #:</b> (219) 659-0625	Rhino Safety Barrier (use the 350 kit with install)	Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L).	3/10/2004	R482

**625.02.06 WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <b>Mfg #:</b> (570) 380-2856 <b>Cell #:</b> (888) 495-3625	Traffic Control Model 2001 Type III Barricade <b>Fax #:</b> (570) 380-2859 <b>Web Site:</b> www.yodock.com		8/3/2006	R551, R561 <b>Contact:</b> Kathleen Yodock <b>Email:</b> kathleen@yodock.com
---	---	--	----------	--

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- <b>Mfg #:</b> (888) 414-3003 <b>Cell #:</b> (662) 566-2025	Safety Beacon Light <b>Fax #:</b> (662) 566-7123 <b>Web Site:</b> www.k-ksystems.com		6/1/1999	R188 <b>Contact:</b> Timothy Keith <b>Email:</b> timothy@k-ksystems.com
---	--	--	----------	---

**625.03.03 SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- <b>Mfg #:</b> (270) 527-4200 <b>Cell #:</b> (270) 527-1552	Dibond for Highway Work Zone Signage <b>Fax #:</b> (770) 333-1639 <b>Web Site:</b> www.alcancompositesusa.com	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006	R547, R633 <b>Contact:</b> Star Collins <b>Email:</b> star.collins@alcan.com
--	--	---	----------	--

Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <b>Mfg #:</b> (770) 333-1635 <b>Cell #:</b> (352) 598-5308	Bone Light 4MM ACM SZ-412-2S Big Dog Rigid Sign <b>Fax #:</b> (770) 333-1639 <b>Web Site:</b> www.bonesafety.com	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008	R620, R621 <b>Contact:</b> Chris Goode <b>Email:</b> chris@bonesafety.com
--	---	---	------------	---

Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <b>Mfg #:</b> (770) 333-1635 <b>Cell #:</b> (352) 598-5308	SZ-460-2S SZ-484-2S SZ-412-2S <b>Fax #:</b> (770) 333-1639 <b>Web Site:</b> www.bonesafety.com		10/17/2008	R657, R658 R659 <b>Contact:</b> Chris Goode <b>Email:</b> chris@bonesafety.com
--	--	--	------------	---

Bone Safety Signs 6450 Industrial Way Alpharetta GA 30004- <b>Mfg #:</b> (770) 333-1635 <b>Cell #:</b> (352) 598-5308	SZ-412-2S Sign Support System SZ-460-2S Sign Support System SZ-484-2S Sign Support System <b>Fax #:</b> (770) 333-1639 <b>Web Site:</b> www.bonesafety.com	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008	R657, R658 R659 <b>Contact:</b> Chris Goode <b>Email:</b> chris@bonesafety.com
--	--	---	------------	---



## 625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bone Safety Signs 6450 Industrial Way Alpharetta <b>Mfg #:</b> (770) 333-1635 <b>Cell #:</b> (352) 598-5308	SZ-412 Sign Support System SZ-412S Sign Support System SZ-460 Sign Support System SZ-484 Sign Support System <b>Fax #:</b> (770) 333-1639 <b>Web Site:</b> www.bonesafety.com	Roll-up Fabric Only	10/17/2008	R616, R617 R618, R619 <b>Contact:</b> Chris Goode
Dicke Tool Company 1845 Anunsen Street NE Salem <b>Mfg #:</b> (800) 333-5641 <b>Cell #:</b> (206) 818-9277	DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Vericle Portable Sign Stand <b>Fax #:</b> (800) 695-6054 <b>Web Site:</b> www.dicketool.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R223, R224 R225 <b>Contact:</b> Michael Burke
Dicke Tool Company 1845 Anunsen Street NE Salem <b>Mfg #:</b> (800) 333-5641 <b>Cell #:</b> (206) 818-9277	DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand <b>Fax #:</b> (800) 695-6054 <b>Web Site:</b> www.dicketool.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R220, R221 R222 <b>Contact:</b> Michael Burke
Eastern Metals 1430 Sullivan Street Elmira <b>Mfg #:</b> (800) 872-7446 <b>Cell #:</b> (607) 734-2295	X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring <b>Fax #:</b> (607) 734-8783 <b>Web Site:</b> www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R231, R232 R233, R234 <b>Contact:</b> Sarah Jordan
Eastern Metals 1430 Sullivan Street Elmira <b>Mfg #:</b> (800) 872-7446 <b>Cell #:</b> (607) 734-2295	C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr <b>Fax #:</b> (607) 734-8783 <b>Web Site:</b> www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228 R229, R230 <b>Contact:</b> Sarah Jordan
Korman Signs Incorporated 3029 Lincoln Avenue Richmond <b>Mfg #:</b> (800) 296-6050 <b>Cell #:</b> (804) 262-6050	SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System <b>Fax #:</b> (804) 261-1040 <b>Web Site:</b> www.kormansigns.com	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R407, R408 R409, R410 <b>Contact:</b> John Murray
Korman Signs Incorporated 3029 Lincoln Avenue Richmond <b>Mfg #:</b> (800) 296-6050 <b>Cell #:</b> (804) 262-6050	SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System <b>Fax #:</b> (804) 261-1040 <b>Web Site:</b> www.kormansigns.com	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R415, R416 R417, R418 <b>Contact:</b> John Murray
Korman Signs Incorporated 3029 Lincoln Avenue Richmond <b>Mfg #:</b> (800) 296-6050 <b>Cell #:</b> (804) 262-6050	SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System <b>Fax #:</b> (804) 261-1040 <b>Web Site:</b> www.kormansigns.com	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412 R413, R414 <b>Contact:</b> John Murray

**625.03.03 SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <b>Mfg #:</b> (800) 296-6050 <b>Cell #:</b> (804) 262-6050 <b>Web Site:</b> www.kormansigns.com	SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System <b>Fax #:</b> (804) 261-1040	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404 R405, R406 <b>Contact:</b> John Murray
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <b>Mfg #:</b> (800) 521-6776 <b>Cell #:</b> (800) 521-6776 <b>Web Site:</b> www.mditraficoncontrol.com	4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System <b>Fax #:</b> (248) 488-5700	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236 R237, R238 <b>Contact:</b> Karen Jackson
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <b>Mfg #:</b> (800) 521-6776 <b>Cell #:</b> (800) 521-6776 <b>Web Site:</b> www.mditraficoncontrol.com	4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System <b>Fax #:</b> (248) 488-5700	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R239, R240 R241 <b>Contact:</b> Karen Jackson
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <b>Mfg #:</b> (801) 446-4450 <b>Cell #:</b> (801) 979-7099 <b>Web Site:</b> www.traffixdevices.com	Economy Plastic Folding Barricade Zephyr Portable Sign Support 48" <b>Fax #:</b> (801) 446-1157	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R248, R244 <b>Contact:</b> Cary Lemonds
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <b>Mfg #:</b> (801) 446-4450 <b>Cell #:</b> (801) 979-7099 <b>Web Site:</b> www.traffixdevices.com	Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand <b>Fax #:</b> (801) 446-1157	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R242, R243 <b>Contact:</b> Cary Lemonds

**625.03.04 BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3D Traffic Works 430 North Varney Street Burbank CA 91502- <b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficworks.com	TD2500 Type III Barricades TD2550 Barricade Type III TD2650 Works Barricade Type III <b>Fax #:</b> (323) 849-1316	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R250, R251 R252 <b>Contact:</b> Frank Dvoracek
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <b>Mfg #:</b> (888) 842-0600 <b>Cell #:</b> (714) 842-0600 <b>Web Site:</b> www.bentmfg.com	Barricades Type III Plywood Panel <b>Fax #:</b> (888) 842-2368	Type III w/ or w/out lights	3/9/2000	R245 <b>Contact:</b> Sandy Gerbrick

**625.03.04 BARRICADES**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal	Type II w/ or w/out lights	3/9/2000	R272, R273
<b>Mfg #:</b> (888) 842-0600 <b>Cell #:</b> (714) 842-0600	<b>Fax #:</b> (888) 842-2368 <b>Web Site:</b> www.bentmfg.com		<b>Email:</b> sandygerbrick@bentmfg.com	<b>Contact:</b> Sandy Gerbrick
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal	Type I w/ or w/out lights	3/9/2000	R246, R247
<b>Mfg #:</b> (888) 842-0600 <b>Cell #:</b> (714) 842-0600	<b>Fax #:</b> (888) 842-2368 <b>Web Site:</b> www.bentmfg.com		<b>Email:</b> sandygerbrick@bentmfg.com	<b>Contact:</b> Sandy Gerbrick
Highway Technologies 4533 Andres Street North Las Vegas NV 89081-	Type 3D Barricades		1/10/2000	R435
<b>Mfg #:</b> (702) 453-1616 <b>Cell #:</b> (702) 438-3460	<b>Fax #:</b> (702) 438-3460 <b>Web Site:</b> www.hwy-tech.com		<b>Email:</b> david.johnson@hwy-tech.com	<b>Contact:</b> David Johnson
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Barricade Type IIIB	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R250, R521
<b>Mfg #:</b> (408) 431-6869 <b>Cell #:</b> (253) 284-8000	<b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com		<b>Email:</b> bill.daly@pexco.com	<b>Contact:</b> Bill Daly
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104-	Anchor Type III Barricade	Type III	3/19/2004	R250
<b>Mfg #:</b> (216) 231-8590 <b>Cell #:</b> (216) 231-2702	<b>Fax #:</b> (216) 231-2702 <b>Web Site:</b> www.plasticsafety.com		<b>Email:</b> wejamieson@plasticsafety.com	<b>Contact:</b> Bill Jamieson
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077-	Sentinel Type III	Type III	2/21/2007	R001
<b>Mfg #:</b> (847) 470-0400 <b>Cell #:</b> (847) 470-0420	<b>Fax #:</b> (847) 470-0420 <b>Web Site:</b> www.americanlouver.com		<b>Email:</b> dkelher@americanlouver.com	<b>Contact:</b> Donna Keiher
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I	Type I and Type III B	12/3/2002	R374, R375
<b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b> (818) 841-5096	<b>Fax #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficwks.com		<b>Email:</b> sales@trafficwks.com	<b>Contact:</b> Frank Dvoracek
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade	Barricade Type I and Type II	7/5/2005	R526, R527 R528, R529
<b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b> (818) 841-5096	<b>Fax #:</b> (818) 841-5096 <b>Web Site:</b> www.trafficwks.com		<b>Email:</b> sales@trafficwks.com	<b>Contact:</b> Frank Dvoracek

**625.03.04 BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b>	TD2550 Work Barricade Type III	Type III  <b>Web Site:</b> www.trafficwks.com	7/5/2005	R525  <b>Contact:</b> Frank Dvoracek
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <b>Mfg #:</b> (877) 843-9757 <b>Cell #:</b>	TD2300 Barricade TD2500 Barricade TD2600 Works Barricade	Barricade Type I and Type II  <b>Web Site:</b> www.trafficwks.com	7/5/2005	R530, R531 R532  <b>Contact:</b> Frank Dvoracek
TraFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <b>Mfg #:</b> (801) 446-4450 <b>Cell #:</b> (801) 979-7099	Economy Plastic Folding Barricade Sand-Filled Bag	<b>Web Site:</b> www.trafficwks.com	4/3/2000	R248, R249  <b>Contact:</b> Cary Lemonds
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <b>Mfg #:</b> (570) 380-2856 <b>Cell #:</b> (888) 495-3625	Yodock Model 2001 200 M with Type III Temporary Sign Support	<b>Web Site:</b> www.trafficdevices.com	11/27/2007	R583, R588  <b>Contact:</b> Kathleen Yodock

**627.02.01a POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				

**630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <b>Mfg #:</b> (800) 648-7916 <b>Cell #:</b>	Modular Guidance System	<b>Web Site:</b> www.carsonite.com	10/20/1996	R102  <b>Contact:</b> Ernest Joyner III

**630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	Glare Screen System		7/31/1996	R103
<b>Mfg #:</b> (800) 348-9839 <b>Cell #:</b> <b>Fax #:</b> (239) 482-3539 <b>Web Site:</b> www.flexstake.com			<b>Email:</b> jim@flexstake.com	<b>Contact:</b> Jim Zadrozny
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Glare Screen System		7/31/1996	R104
<b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374 <b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.safe-hit.com			<b>Email:</b> diane.sanchez@trin.net	<b>Contact:</b> Diane Sanchez

**632.03.05 RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	LTL-X 30-Meter Geometry Retroreflectometer	10/08 LTX Geometry Retroreflectometer was discontinued	12/26/1999	R211
<b>Mfg #:</b> (336) 475-6600 <b>Cell #:</b> <b>Fax #:</b> (336) 475-7900 <b>Web Site:</b> www.flintrading.com			<b>Email:</b> sales@flintrading.com	<b>Contact:</b> Dennis Evangelista
Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020-	Mirolux Ultra 30		12/26/1999	R213
<b>Mfg #:</b> (801) 718-7089 <b>Cell #:</b> (801) 571-3394 <b>Fax #:</b> (801) 571-3394 <b>Web Site:</b> www.miroluxproducts.com			<b>Email:</b> sales@miroluxproducts.com	<b>Contact:</b> William Kaiser
RoadVista 8681 Aero Drive San Diego CA 92123-	MX 30 LaserLuxGamma Scientific Stripe Master 2 StripeMaster I StripeMaster II	MX 30 still qualified but phasing out	5/2/2006	R542, R543 R735, R736
<b>Mfg #:</b> (858) 279-6044 <b>Cell #:</b> (888) 637-2758 <b>Fax #:</b> (858) 576-9286 <b>Web Site:</b> www.roadvista.com			<b>Email:</b> enelson@roadvista.com	<b>Contact:</b> Eric Nelson

**633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999	R184
<b>Mfg #:</b> (253) 351-9828 <b>Cell #:</b> <b>Fax #:</b> (253) 735-6303 <b>Web Site:</b> www.alpinemarkings.com			<b>Email:</b> bart@alpinemarkings.com	<b>Contact:</b> Bart Farrar

**633-02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670-	929 ABS 929 PP Ceramic	100mm (4") Round	6/1/1999	R172, R678, R173
<b>Mfg #:</b> (562) 944-8878	<b>Cell #:</b> (562) 805-3839	<b>Fax #:</b> (562) 944-2298	<b>Web Site:</b> www.apexmarker.com	<b>Email:</b> sales@apexmarker.com
Glowlite Incorporated 1861 West Beach Boulevard #B-230 La Habra CA 90631-	Type A4" White Non Reflective Type AY4" Yellow Non Reflective	100mm (4") Round (Ceramic and Plastic(PP))	3/7/2005	R516, R517
<b>Mfg #:</b> (626) 336-6086	<b>Cell #:</b> (626) 336-6086	<b>Fax #:</b> (626) 336-6086	<b>Web Site:</b> www.glowlitemarker.com	<b>Email:</b> info_glowlite@yahoo.com
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710-	NRPDRND-WHT NRPDRND-YEL	100mm (4") Round	6/1/1999	R185, R186
<b>Mfg #:</b> (800) 228-1701	<b>Cell #:</b> (951) 529-2666	<b>Fax #:</b> (909) 627-0999	<b>Web Site:</b> www.hi-waysafety.com	<b>Email:</b> kris@hiwaysafety.com
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602-	Diamond Back	100mm (4") Round (ABS & Polypropylene)	6/1/1999	R170
<b>Mfg #:</b> (800) 237-7245	<b>Cell #:</b> (530) 823-6070	<b>Fax #:</b> (530) 823-0994	<b>Web Site:</b> www.interstatesales.com	<b>Email:</b> mikel@interstatesales.com
Novabrite 92 Corporate Park Suite C331 Irvine CA 92606-5106	ADOT - W White ADOT - Y Yellow CDOOT - W White CDOOT - Y Yellow	100mm (4") Round	2/17/2004	R474, R475 R476, R477
<b>Mfg #:</b> (714) 656-3659	<b>Cell #:</b> (925) 215-2549	<b>Fax #:</b> (925) 215-2549	<b>Web Site:</b> www.novabrite.com	<b>Email:</b> norman@novabrite.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD10000 Series	100mm (4") Round	12/3/2002	R373
<b>Mfg #:</b> (877) 843-9757	<b>Cell #:</b> (818) 841-5096	<b>Fax #:</b> (818) 841-5096	<b>Web Site:</b> www.trafficwks.com	<b>Email:</b> sales@trafficwks.com

**633-02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 290 Durable Raised Pavement Marker	89mm x 100mm (3.6" x 4")	6/1/1999	R182
<b>Mfg #:</b> (800) 553-1380	<b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435	<b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejornak@mmm.com

**633-02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <b>Mfg #:</b> (562) 944-8878 <b>Cell #:</b> (562) 805-3839	921 AR <b>Fax #:</b> (562) 944-2298 <b>Web Site:</b> www.apexmarker.com	100mm x 100mm (4" x 4")	3/25/2001	R282 <b>Contact:</b> Steve Edsinga <b>Email:</b> sales@apexmarker.com
Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- <b>Mfg #:</b> (800) 331-8118 <b>Cell #:</b> (904) 806-4439	911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker <b>Fax #:</b> (214) 666-8922 <b>Web Site:</b> www.ennistraffic.com	100mm x 100mm (4" x 4")	6/1/1999	R179, R180, R181, R255 <b>Contact:</b> Susan Wacha <b>Email:</b> susanw@ennistraffic.com
Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- <b>Mfg #:</b> (800) 848-7025 <b>Cell #:</b> (281) 617-2240	AA Reflective Pavement Markers ARC Reflective Pavement Markers Round Shoulder ARC <b>Fax #:</b> (281) 583-1506 <b>Web Site:</b> www.rayolite.com	100mm x 100mm (4" x 4")	6/1/1999	R174, R175 R743 <b>Contact:</b> Tina Contreras <b>Email:</b> tcontreras@rayolite.com

**633-02.03 RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Ennis TX 75206- <b>Mfg #:</b> (800) 331-8118 <b>Cell #:</b> (904) 806-4439	948 Recessed Reflective Pavement Markers <b>Fax #:</b> (214) 666-8922 <b>Web Site:</b> www.ennistraffic.com	58mm x 119mm (2.3" x 4.7")	6/1/1999	R183 <b>Contact:</b> Susan Wacha <b>Email:</b> susanw@ennistraffic.com
Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206- <b>Mfg #:</b> (800) 331-8118 <b>Cell #:</b> (904) 806-4439	944SB Recessed Reflective Pavement Markers <b>Fax #:</b> (214) 666-8922 <b>Web Site:</b> www.ennistraffic.com	51mm x 100mm (2" x 4")	6/1/1999	R178 <b>Contact:</b> Susan Wacha <b>Email:</b> susanw@ennistraffic.com
Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- <b>Mfg #:</b> (800) 848-7025 <b>Cell #:</b> (281) 617-2240	ARC 2002 ARC 2004 <b>Fax #:</b> (281) 583-1506 <b>Web Site:</b> www.rayolite.com	58mm x 117mm (2.3" x 4.6")	6/1/1999	R176, R177 <b>Contact:</b> Tina Contreras <b>Email:</b> tcontreras@rayolite.com

**633-02.04 ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <b>Mfg #:</b> (602) 276-0406 <b>Cell #:</b> (480) 236-8262	Hot Applied Flexible Pavement Marker Adhesive part 34270 <b>Fax #:</b> (480) 961-4772 <b>Web Site:</b> www.crafco.com		6/16/1998	R105 Lowell Parkison <b>Contact:</b> Lowell Parkison <b>Email:</b> lowell.parkison@crafco.com
Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75119- <b>Mfg #:</b> (800) 331-8118 <b>Cell #:</b> (904) 806-4439	836098 Bituminous Adhesive for Pavement Markers <b>Fax #:</b> (214) 666-8922 <b>Web Site:</b> www.ennistraffic.com		6/15/1998	R108 Susan Wacha <b>Contact:</b> Susan Wacha <b>Email:</b> susanw@ennistraffic.com
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <b>Mfg #:</b> (336) 475-6600 <b>Cell #:</b> (916) 849-9908	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad <b>Fax #:</b> (336) 475-7900 <b>Web Site:</b> www.flinttrading.com	White Color on Plantmix & Black Color on FCCP	6/15/1998	R106 Dennis Evangelista <b>Contact:</b> Dennis Evangelista <b>Email:</b> sales@flinttrading.com
Henry Company 909 North Sepulveda Boulevard Suite 660 El Segundo CA 90245- <b>Mfg #:</b> (310) 955-9200 <b>Cell #:</b> (916) 849-9908	Dotslick Bituminous Marker Adhesive <b>Fax #:</b> (858) 391-1077 <b>Web Site:</b> www.henry.com		9/29/2003	R464 Randy Rozell <b>Contact:</b> Randy Rozell <b>Email:</b> customerservice@henry.com
Marin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <b>Mfg #:</b> (713) 350-6849 <b>Cell #:</b> (281) 627-2077	172542 Evergrip Bituminous Marker Adhesive <b>Fax #:</b> (713) 350-2848 <b>Web Site:</b> www.martinasphalt.com		6/15/1998	R107 Jack Nimmo <b>Contact:</b> Jack Nimmo <b>Email:</b> jnimmo@martinimp.com

**633-02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <b>Mfg #:</b> (253) 284-8000 <b>Cell #:</b> (408) 431-8689	Halftrack Model 25 Halftrack Model 26; TOM TRPM <b>Fax #:</b> (253) 284-8080 <b>Web Site:</b> www.pexco.com	Work Zone Pavement Markers	2/20/2000	R253, R254 R256, R257 Bill Daly <b>Contact:</b> Bill Daly <b>Email:</b> bill.daly@pexco.com



**635.02.01 TEMPORARY PAVEMENT STRIPING TAPE**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 780 Wet Reflective Removable Tape Series 710 Wet Reflective Removable Tape	10/08 Discontinued manufacturing 750, but still carried by vendors and still approved	5/21/2003	R423, R424, R675
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm		<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 200 Construction Removable Tape White & Yellow		6/15/1999	R101
<b>Mfg #:</b> (252) 536-2574 <b>Cell #:</b>	<b>Fax #:</b> (252) 536-4940 <b>Web Site:</b> www.trafficmarking.com		<b>Email:</b> brobbins@trafficmarking.com	<b>Contact:</b> Brenda Robbins
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 100 White & Yellow Series 200 White & Yellow Removable Delta Line TWR		6/15/1999	R157, R158 R673
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b>	<b>Fax #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com		<b>Email:</b> bjubak@brite-line.com	<b>Contact:</b> Bill Jubak
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144-	Aztec III Removable		6/15/1999	R119
<b>Mfg #:</b> (314) 968-2569 <b>Cell #:</b>	<b>Fax #:</b> (314) 968-0494 <b>Web Site:</b> www.pblaminations.com		<b>Email:</b> lgreen@pblaminations.com	<b>Contact:</b> Lauretta Green
Swarco Industries PO Box 89 Columbia TN 38402-	Director 2 Detour Grade Director 2 - Wet Reflective (D2-WR) Yellow & White		6/15/1999	R120, R655 R656
<b>Mfg #:</b> (931) 388-5900 <b>Cell #:</b>	<b>Fax #:</b> (931) 388-4039 <b>Web Site:</b> www.swarco.com		<b>Email:</b> office.industries@swarco.com	<b>Contact:</b> Jon Sproul
Trelleborg Industri AB 23181 Trelleborg Sweden	RW 140 Series RY 140 Series R 140 Series		8/24/2001	R303, R304 R305
<b>Mfg #:</b> (464) 105-1536 <b>Cell #:</b> (467) 081-5366	<b>Fax #:</b> (464) 105-1122 <b>Web Site:</b> www.trelleborg.com/roadtape		<b>Email:</b> teunlootjens@trelleborg.com	<b>Contact:</b> Teun Loontjens

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701-	PennzSuppress D Dust Suppressant	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body.	5/2/1999	R121
<b>Mfg #:</b> (814) 368-1200 <b>Cell #:</b> (281) 770-0220	<b>Fax #:</b> (814) 368-1335 <b>Web Site:</b> www.pennsuppress.com		<b>Email:</b> ckimball@amref.com	<b>Contact:</b> Colin Kimball

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229-	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chenco (Soil Title) to Arrow Magnolia (Road Boss)	10/26/2005	R498
<b>Mfg #:</b> (800) 527-2101 <b>Cell #:</b> (214) 415-3984 <b>Fax #:</b> (972) 484-2896 <b>Web Site:</b> www.arrowmagnolia.com		<b>Email:</b> ekemp@arrowmagnolia.com	<b>Contact:</b> Eunice Kemp	
Cypher Environmental Ltd 701 North Street Vrain Street El Paso TX 79902-	DustStop	Prior to usage contact Environmental Svcs Div's Water Quality Specialist. This product is considered new technology so the Division will monitor its performance. Application and dilution rates follow manufacturer's instructions.	5/5/2010	R707
<b>Mfg #:</b> (915) 276-0879 <b>Cell #:</b> (204) 489-1214 <b>Fax #:</b> (915) 534-7207 <b>Web Site:</b> www.cypheenvironmental.com		<b>Email:</b> gregg@eco-infrastructureolutions.com	<b>Contact:</b> Greg Martinez	
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252-	Dust Control DC-22	Application and dilution rates follow manufacturer's instructions.	6/19/2006	R549
<b>Mfg #:</b> (972) 758-7454 <b>Cell #:</b> (702) 405-0351 <b>Fax #:</b> (972) 596-8418 <b>Web Site:</b> www.dallasroadway.com		<b>Email:</b> dallasroadway@yahoo.com	<b>Contact:</b> Eilyn Neal-Favors	
Enviroad 2606 North Newark Street Portland OR 97206-	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420
<b>Mfg #:</b> (800) 536-2650 <b>Cell #:</b> (503) 701-7802 <b>Fax #:</b> (503) 279-2633 <b>Web Site:</b> www.enviroad.com		<b>Email:</b> don@enviroad.com	<b>Contact:</b> Don Blackmon	
EnviroTech Services Incorporated 3705 Lamay Lane Reno NV 89511-	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R450
<b>Mfg #:</b> (775) 852-3878 <b>Cell #:</b> (800) 369-3878 <b>Fax #:</b> (970) 346-3959 <b>Web Site:</b> www.envirotechservices.com		<b>Email:</b> csherven@envirotechservices.com	<b>Contact:</b> Charles Sherven	
Evonik Stockhausen LLC 2401 Doyle Street Greensboro GA 27406-	HydroPam	Prior to usage contact Environmental Svcs Div's Water Quality Specialist. This product is considered new technology so the Division will monitor its performance. Application and dilution rates follow manufacturer's instructions.	3/1/2010	R683
<b>Mfg #:</b> (336) 335-3781 <b>Cell #:</b> (513) 317-8311 <b>Fax #:</b> (513) 672-9633 <b>Web Site:</b> www.evonik.com		<b>Email:</b> lynn.royal@evonik.com	<b>Contact:</b> Lynn Royal	
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146-	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
<b>Mfg #:</b> (702) 871-1884 <b>Cell #:</b> (702) 871-3629 <b>Fax #:</b> (702) 871-3629 <b>Web Site:</b> www.fluid-tech-inc.com		<b>Email:</b> srowsell@fluid-tech-inc.com	<b>Contact:</b> Scott Rowsell	
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121	PX 300 Soil Stabilizer & Dust Palliative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433
<b>Mfg #:</b> (562) 592-0836 <b>Cell #:</b> (949) 533-6799 <b>Fax #:</b> (949) 722-6799 <b>Web Site:</b> www.gmbostoncompany.com		<b>Email:</b> craighoad@gmbostoncompany.com	<b>Contact:</b> Craig Hoad	

**637-02.01 DUST PALLIATIVE (OPTIONAL)**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340-	SOILOC-MQ Dust Suppressant Hercules PAM	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.)	5/2/1999	R149, R150
<b>Mfg #:</b> (770) 303-0878 <b>Cell #:</b>	<b>Fax #:</b> (770) 455-6531 <b>Web Site:</b> www.HerculesEnvironmental.com	<b>Email:</b> hercenv@herculesenvironmental.com	<b>Contact:</b> Rob Hotle	
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701-	EnviroKleen Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001	R278, R279
<b>Mfg #:</b> (330) 456-3121 <b>Cell #:</b>	<b>Fax #:</b> (330) 456-3247 <b>Web Site:</b> www.midwestind.com	<b>Email:</b> kim@midwestind.com/custserv@midwestind.com	<b>Contact:</b> Kimberly Keith	
MonoSol LLC 707 East 80th Place Suite 301 Merrillville IN 46410-	TerraLoc	Application and dilution rates follow manufacturer's instructions.	11/18/2009	R683
<b>Mfg #:</b> (219) 762-3165 <b>Cell #:</b>	<b>Fax #:</b> (219) 755-4062 <b>Web Site:</b> www.terraLoc.com	<b>Email:</b> jgallagher@monosol.com	<b>Contact:</b> Jon Gallagher	
NU Equipment Incorporated PO Box 750907 Las Vegas NV 89136-	Plas-Bond Solifac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
<b>Mfg #:</b> (702) 649-8767 <b>Cell #:</b> (702) 325-2323	<b>Fax #:</b> (702) 649-8446 <b>Web Site:</b> www.nuequipment.com	<b>Email:</b> daniel@nuequipment.com	<b>Contact:</b> Daniel Frehner	
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388-	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002	R479
<b>Mfg #:</b> (661) 392-3630 <b>Cell #:</b> (661) 978-9357	<b>Fax #:</b> (661) 391-1054 <b>Web Site:</b> www.alonsasphalt.com	<b>Email:</b> jim.ryan@alonusa.com	<b>Contact:</b> Jim Ryan	
Prime/Products LLC PO Box 30816 Spokane WA 99223-	Fisch-Slik Teravest	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153
<b>Mfg #:</b> (509) 235-3800 <b>Cell #:</b> (509) 981-8555	<b>Fax #:</b> (509) 235-3803 <b>Web Site:</b> www.prime/products.com	<b>Email:</b> tackiferman@yahoo.com	<b>Contact:</b> Robert Fischbach	
Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115-	Dust Away	Application and dilution rates follow manufacturer's instructions.	6/2/2009	R639
<b>Mfg #:</b> (216) 566-1733 <b>Cell #:</b>	<b>Fax #:</b> (216) 830-7721 <b>Web Site:</b> www.sherwinwilliams.com	<b>Email:</b> pjwalsh@sherwin.com	<b>Contact:</b> Pat Walsh	
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118-	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003	R466, R467
<b>Mfg #:</b> (702) 873-2023 <b>Cell #:</b> (702) 210-9585	<b>Fax #:</b> (702) 873-0915 <b>Web Site:</b> www.soil-tech.com	<b>Email:</b> jeff@soil-tech.com	<b>Contact:</b> Jeff Deason	

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Soilworks LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <b>Mfg #:</b> (800) 545-5420 <b>Cell #:</b> (480) 545-5454 <b>Fax #:</b> (480) 545-5456 <b>Web Site:</b> www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504 <b>Contact:</b> Chad Falkenberg
Terra Novo 2930 Patten Way Bakersfield CA 93308- <b>Mfg #:</b> (888) 843-1029 <b>Cell #:</b> (661) 747-5956 <b>Fax #:</b> (661) 587-6806 <b>Web Site:</b> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318 <b>Contact:</b> Andy Iturriria
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <b>Mfg #:</b> (713) 983-8829 <b>Cell #:</b> (281) 615-0163 <b>Fax #:</b> (312) 214-6606 <b>Web Site:</b> www.usg-erosioncontrol.com	Dust Armour	Application and dilution rates follow manufacturer's instructions.	8/28/2006	R553 <b>Contact:</b> John Breen
Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <b>Mfg #:</b> (520) 622-7203 <b>Cell #:</b> (520) 820-8943 <b>Fax #:</b> (520) 798-3914 <b>Web Site:</b> www.westememulsions.com	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R434 <b>Contact:</b> Lain Jack

**637.02.02 SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Enviroscape ECM 22700 State Route 613 Oakwood OH 45873- <b>Mfg #:</b> (419) 594-3210 <b>Cell #:</b> (419) 594-3210 <b>Fax #:</b> (419) 594-3213 <b>Web Site:</b> www.strawblanket.com	Vertipro	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	3/1/2010	R678 <b>Contact:</b> Mark Deitering
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <b>Mfg #:</b> (702) 341-0354 <b>Cell #:</b> (702) 493-3713 <b>Fax #:</b> (702) 341-0355 <b>Web Site:</b> www.hanesgeo.com	TerraTex SC		6/25/1998	R143 <b>Contact:</b> Quinn Brown
Triangular Silt Dike Company Inc 18505 East Highway 66 Luther OK 73054- <b>Mfg #:</b> (800) 290-8473 <b>Cell #:</b> (405) 277-2232 <b>Fax #:</b> (405) 277-2232 <b>Web Site:</b> www.tri-siltdike.com	Triangular Silt Dike		6/25/1998	R142 <b>Contact:</b> Gary Roach

**637-02.05 ROADWAY INLET PROTECTION**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

ACF Environmental  
2831 Cardwell Road  
Richmond  
VA 23234-  
**Mfg #:** (800) 448-3636    **Cell #:** (800) 423-4567    **Fax #:** (804) 246-9737    **Web Site:** www.acfenvironmental.com    **Email:** dkelley@acfenvironmental.com    **Contact:** David Kelley    R144

Basalite/Submar Incorporated  
805 Dunn Street  
Houma  
LA 70360-  
**Mfg #:** (775) 358-1200    **Cell #:** (414) 630-1012    **Fax #:** (775) 359-5997    **Web Site:** www.submar.com    **Email:** damian.swain@pccoast.com    **Contact:** Damian Swain    R684

Bowhead Environmental & Safety  
P.O. Box 375  
Preston  
WA 98050-  
**Mfg #:** (800) 909-3677    **Cell #:** (888) 234-3677    **Fax #:** (888) 234-3677    **Web Site:** www.shopbowhead.com    **Email:** jeffb@shopbowhead.com    **Contact:** Jeff Bird    R088

Dandy Products Incorporated  
1095 Harcourt Road Suite C  
Mt Vernon  
OH 43050-  
**Mfg #:** (800) 591-2284    **Cell #:** (614) 580-5683    **Fax #:** (740) 881-2791    **Web Site:** www.dandyproducts.com    **Email:** dlc@dandyproducts.com    **Contact:** Dan Cleveland Jr.    R637, R638  
R083, R087

ERTEC Environmental Systems LLC  
1150 Ballena Boulevard Suite 250  
Alameda  
CA 94501-  
**Mfg #:** (510) 521-0724    **Cell #:** (510) 521-3972    **Fax #:** (510) 521-3972    **Web Site:** www.ertecsystems.com    **Email:** info@ertecsystems.com    **Contact:** Rachel Landphere    R684, R685,  
R686, R687

Inlet & Pipe Protection Incorporated  
24137 West 111th Street Unit A  
Naperville  
IL 60564-  
**Mfg #:** (866) 287-8655    **Cell #:** (847) 722-0690    **Fax #:** (630) 355-3477    **Web Site:** www.inletfilters.com    **Email:** jr@inletfilters.net    **Contact:** Jamie Ringenbach    R682

Silt-Saver Incorporated  
1094 Cuipepper Drive  
Conyers  
GA 30094-  
**Mfg #:** (888) 382-7458    **Cell #:** (770) 388-7818    **Fax #:** (770) 388-7640    **Web Site:** www.siltsaver.com    **Email:** todd@siltsaver.com    **Contact:** Todd Christian    R376, R377

**640.02.03a MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711	Reinforced Soil Embankment Wall		9/8/1998	R122
---	---------------------------------	--	----------	------

<b>Mfg #:</b> (800) 762-8962	<b>Cell #:</b> (707) 443-5093	<b>Fax #:</b> (707) 443-2891	<b>Web Site:</b> www.hilfiker.com	<b>Email:</b> suzanne@hilfiker.com	<b>Contact:</b> Suzanne Blackburn
------------------------------	-------------------------------	------------------------------	-----------------------------------	------------------------------------	-----------------------------------

Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108-	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls		9/8/1998	R287, R288
--	---	--	----------	------------

<b>Mfg #:</b> (619) 688-2400	<b>Cell #:</b>	<b>Fax #:</b> (619) 688-2499	<b>Web Site:</b> www.reinforcedearth.com	<b>Email:</b> mlouis@reinforcedearth.com	<b>Contact:</b> Michael Louis
------------------------------	----------------	------------------------------	--	--	-------------------------------

SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Earth MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R187, R195
---	------------------------	--	----------	------------

<b>Mfg #:</b> (831) 430-9300	<b>Cell #:</b>	<b>Fax #:</b> (831) 430-9340	<b>Web Site:</b> www.mseplus.com	<b>Email:</b> andrewt@mseplus.com	<b>Contact:</b> Andrew Thompson
------------------------------	----------------	------------------------------	----------------------------------	-----------------------------------	---------------------------------

Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624-	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
--	------------------------------------	---	-----------	------

<b>Mfg #:</b> (949) 488-7054	<b>Cell #:</b> (949) 212-8454	<b>Fax #:</b> (949) 488-7084	<b>Web Site:</b> www.tensarcorp.com	<b>Email:</b> bmillie@tensarcorp.com	<b>Contact:</b> Bob Miller
------------------------------	-------------------------------	------------------------------	-------------------------------------	--------------------------------------	----------------------------

**640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108-	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288
--	---	--	-----------	------------

<b>Mfg #:</b> (619) 688-2400	<b>Cell #:</b>	<b>Fax #:</b> (619) 688-2499	<b>Web Site:</b> www.reinforcedearth.com	<b>Email:</b> mlouis@reinforcedearth.com	<b>Contact:</b> Michael Louis
------------------------------	----------------	------------------------------	--	--	-------------------------------

SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356
---	----------------------	--	-----------	------

<b>Mfg #:</b> (831) 430-9300	<b>Cell #:</b>	<b>Fax #:</b> (831) 430-9340	<b>Web Site:</b> www.mseplus.com	<b>Email:</b> andrewt@mseplus.com	<b>Contact:</b> Andrew Thompson
------------------------------	----------------	------------------------------	----------------------------------	-----------------------------------	---------------------------------

**640.02.03c SOUNDWALL SYSTEMS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073-	Paraglas Soundstop TL4 System	The system will be selected based on specific project requirements. It is not a complete wall system.	6/3/2009	R640
<b>Mfg #:</b> (207) 490-4313 <b>Cell #:</b> (207) 459-8382	<b>Fax #:</b> (207) 490-4284 <b>Web Site:</b> www.cyro.com	<b>Email:</b> nathan.binette@evonik.com	<b>Contact:</b> Nathan Binette	
Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073-	Paraglas Soundstop® Ready Fit Panels	The system will be selected based on specific project requirements. It is not a complete wall system.	8/27/2004	R502
<b>Mfg #:</b> (207) 490-4313 <b>Cell #:</b> (207) 459-8382	<b>Fax #:</b> (207) 490-4284 <b>Web Site:</b> www.cyro.com	<b>Email:</b> nathan.binette@evonik.com	<b>Contact:</b> Nathan Binette	
Evonik Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073-	Paraglas Soundstop® TL4 Noise Barrier System	The system will be selected based on specific project requirements. It is not a complete wall system.	8/4/2009	R648
<b>Mfg #:</b> (207) 490-4313 <b>Cell #:</b> (207) 459-8382	<b>Fax #:</b> (207) 490-4284 <b>Web Site:</b> www.cyro.com	<b>Email:</b> nathan.binette@evonik.com	<b>Contact:</b> Nathan Binette	
Port-O-Wall Systems LLC 19201 Sonoma Highway PMB 10 Sonoma CA 95476-	Port-O-Wall Soundwall System	The system will be selected based on specific project requirements.	10/24/2001	R316
<b>Mfg #:</b> (707) 938-4516 <b>Cell #:</b> (707) 996-5191	<b>Fax #:</b> (707) 996-5191 <b>Web Site:</b> www.port-o-wall.com	<b>Email:</b> rod_allen@port-o-wall.com	<b>Contact:</b> Rod Allen	
QUILITE International LLC 2503 Eastbluff Drive #205 Newport Beach CA 92660-	Quilite Noise Barrier	The system will be selected based on specific project requirements.	2/9/2005	R515
<b>Mfg #:</b> (949) 644-1294 <b>Cell #:</b> (949) 644-6770	<b>Fax #:</b> (949) 644-6770 <b>Web Site:</b> www.quilite.com	<b>Email:</b> info@quilite.com	<b>Contact:</b> Richard Cooling	

**640.02.04 MODULAR BLOCK RETAINING WALL**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Jensen Precast 625 Bergin Way Sparks NV 89431-	Redi-Rock	Permitted on a project-by-project basis with approvals from NDOT Bridge and NDOT Geotechnical and in accordance with 640.02.03 NDOT Specs.	7/23/2009	R647
<b>Mfg #:</b> (775) 720-8167 <b>Cell #:</b> (775) 359-1038	<b>Fax #:</b> (775) 359-1038 <b>Web Site:</b> www.jensenprecast.com	<b>Email:</b> DGoins@jensenprecast.com	<b>Contact:</b> Derek Goins	
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532-	KeySteel SQFT MSE Panel System	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145
<b>Mfg #:</b> (251) 990-5761 <b>Cell #:</b> (251) 990-5461	<b>Fax #:</b> (251) 990-5461 <b>Web Site:</b> www.keystonewalls.com	<b>Email:</b> keystone@keystonewalls.com	<b>Contact:</b> Customer Service	

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108-	Pyramid Modular Block Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
<b>Mfg #:</b> (619) 688-2400 <b>Cell #:</b>	<b>Fax #:</b> (619) 688-2499 <b>Web Site:</b> www.reinforcedearth.com	<b>Email:</b> mlouis@reinforcedearth.com	<b>Contact:</b> Michael Louis	
Tensor International 34892 Calle Fortuna Capistrano Beach CA 92624-	Mesa Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343
<b>Mfg #:</b> (949) 488-7054 <b>Cell #:</b> (949) 212-8454	<b>Fax #:</b> (949) 488-7084 <b>Web Site:</b> www.tensarcorp.com	<b>Email:</b> bmillier@tensarcorp.com	<b>Contact:</b> Bob Miller	

**641.02.01 IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688-	Universal Tau II System	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	9/5/2009	R285
<b>Mfg #:</b> (707) 374-6800 <b>Cell #:</b> (888) 800-3691	<b>Fax #:</b> (707) 374-6801 <b>Web Site:</b> www.barriersystemsinc.com	<b>Email:</b> jaime.franco@barriersystemsinc.com	<b>Contact:</b> Jaime Franco	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 75119-	React 350 (60" wide) React 350 (96" wide) React 350 (120" wide)	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	7/31/2009	R662, R661 R660
<b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.ennistrafic.com	<b>Email:</b> susanw@ennistrafic.com	<b>Contact:</b> Susan Wacha	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Quad-Guard Standard Quad-Guard Wide (6990) Quad-Guard Elite React 350	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	4/27/1998	R126, R127 R128, R129
<b>Mfg #:</b> (312) 705-8454 <b>Cell #:</b> (888) 323-6374	<b>Fax #:</b> (800) 770-6755 <b>Web Site:</b> www.energyabsorption.com	<b>Email:</b> diane.sanchez@trin.net	<b>Contact:</b> Diane Sanchez	
SCI Products Incorporated PO Box 4314 St Charles IL 60174-	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	1/20/2006	R545
<b>Mfg #:</b> (800) 327-4417 <b>Cell #:</b> (630) 330-8063	<b>Fax #:</b> (630) 377-9270 <b>Web Site:</b> www.workareaprotection.com	<b>Email:</b> workarea@workareaprotection.com	<b>Contact:</b> Jeffery Smith	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	Adiem Attenuating Device	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings.	9/9/2003	R209
<b>Mfg #:</b> (800) 772-7976 <b>Cell #:</b> (360) 943-9559	<b>Fax #:</b> (801) 292-3263 <b>Web Site:</b> www.trin.net	<b>Email:</b> mikel.hooley@trin.net	<b>Contact:</b> Mike Hooley	



**702-03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118-	Atlas Res-Cure	ASTM C309 Type 1D	9/4/2007	R573
<b>Mfg #:</b> (702) 227-6800 <b>Cell #:</b> (858) 277-2100 <b>Fax #:</b> (702) 222-0488 <b>Web Site:</b> www.atlasform.com			<b>Contact:</b> Ryan Quinn	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	DSSCC Resin Cure & Dye Aqua Resin Clear Type ID	ASTM C309 Type 1D	8/29/2008	R609; R670
<b>Mfg #:</b> (913) 279-0264 <b>Cell #:</b> (877) 416-3439 <b>Fax #:</b> (913) 279-4806 <b>Web Site:</b> www.daytonsuperior.com			<b>Contact:</b> John Hukey	
US Mix 112 South Santa Fe Drive Denver CO 80305-	US SPEC Maxcure Resin Clear	ASTM C309 Type 1D	8/29/2008	R607
<b>Mfg #:</b> (303) 778-7227 <b>Cell #:</b> (303) 722-8426 <b>Web Site:</b> www.usmix.com			<b>Contact:</b> Bryan Smith	
White Cap 1830 East Lincoln Way Sparks NV 89434-	Resin Cure-Clear VOC	ASTM C309 Type 1D	9/4/2007	R565
<b>Mfg #:</b> (775) 353-3333 <b>Cell #:</b> (775) 353-3300 <b>Web Site:</b> www.whitecapdirect.com			<b>Contact:</b> Bob Smith	
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510-	1100 Clear 1300 Clear	ASTM C309 Type 1D	9/4/2007	R574, R475
<b>Mfg #:</b> (707) 745-6666 <b>Cell #:</b> (847) 214-2100 <b>Fax #:</b> (707) 747-6206 <b>Web Site:</b> www.wrmeadows.com			<b>Contact:</b> Richard Spencer	

**702-03.01d CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118-	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
<b>Mfg #:</b> (702) 227-6800 <b>Cell #:</b> (858) 277-2100 <b>Fax #:</b> (702) 222-0488 <b>Web Site:</b> www.atlasform.com			<b>Contact:</b> Ryan Quinn	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	8/29/2008	R611
<b>Mfg #:</b> (913) 279-0264 <b>Cell #:</b> (877) 416-3439 <b>Fax #:</b> (913) 279-4806 <b>Web Site:</b> www.daytonsuperior.com			<b>Contact:</b> John Hukey	

**702.03.01d CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <b>Mfg #:</b> (216) 692-8381 <b>Cell #:</b> (800) 321-7628 <b>Fax #:</b> (216) 481-7072 <b>Web Site:</b> www.euclidchemical.com	Kurez VOX White Pigmented	PCCP ASTM C309, Type 2, Class A	9/30/1996	R040 <b>Contact:</b> Christopher Balsat <b>Email:</b> cbalsat@euclidchemical.com
SpecChem LLC 700 West 47th Street Kansas City KS 64112- <b>Mfg #:</b> (816) 968-5600 <b>Cell #:</b> (913) 221-7957 <b>Fax #:</b> (913) 371-8701 <b>Web Site:</b> www.specchemllc.com	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585 <b>Contact:</b> Michael Lemark <b>Email:</b> mlemark@specchemllc.com
Steel Engineers 716 West Mesquite Las Vegas NV 89106- <b>Mfg #:</b> (702) 386-0023 <b>Cell #:</b> (530) 348-6809 <b>Fax #:</b> (702) 386-5799 <b>Web Site:</b> www.steelengineers.com	UniWhite Cure Wax	PCCP ASTM C309, Type 2, Class A	6/2/2008	R577 <b>Contact:</b> Bratt Bilkington <b>Email:</b> bbilkington@steelengineers.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <b>Mfg #:</b> (303) 778-7227 <b>Cell #:</b> (847) 214-2100 <b>Fax #:</b> (303) 722-8426 <b>Web Site:</b> www.usmix.com	US SPEC AMS 3754	PCCP ASTM C309, Type 2, Class A	7/2/2008	R602 <b>Contact:</b> Bryan Smith <b>Email:</b> bsmith@usmix.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <b>Mfg #:</b> (707) 745-6666 <b>Cell #:</b> (847) 214-2100 <b>Fax #:</b> (707) 747-6206 <b>Web Site:</b> www.wrmeadows.com	1600 White	PCCP ASTM C309, Type 2, Class A	9/4/2007	R575 <b>Contact:</b> Richard Spencer <b>Email:</b> rspencer@wrmeadows.com

**702.03.04 BRIDGE DECK CURING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <b>Mfg #:</b> (702) 227-6800 <b>Cell #:</b> (858) 277-2100 <b>Fax #:</b> (702) 222-0488 <b>Web Site:</b> www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579 <b>Contact:</b> Ryan Quinn <b>Email:</b> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <b>Mfg #:</b> (913) 279-0264 <b>Cell #:</b> (877) 416-3439 <b>Fax #:</b> (913) 279-4806 <b>Web Site:</b> www.daytonsuperior.com	DSSCC PAMS White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R610, R578 <b>Contact:</b> John Hukey <b>Email:</b> johnhukey@daytonsuperior.com

**702.03.04 BRIDGE DECK CURING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
US Mix 112 South Santa Fe Drive Denver CO 80305-	US SPEC AMS 3754	Bridge Decks ASTM C309, Type 2, Class B	7/2/2008	R602
<b>Mfg #:</b> (303) 778-7227 <b>Cell #:</b>	<b>Fax #:</b> (303) 722-8426 <b>Web Site:</b> www.usmix.com	<b>Email:</b> bsmith@usmix.com	<b>Contact:</b> Bryan Smith	
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510-	2245 Bridge Deck Curing Compound	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R604
<b>Mfg #:</b> (707) 745-6666 <b>Cell #:</b> (847) 214-2100	<b>Fax #:</b> (707) 747-6206 <b>Web Site:</b> www.wrmeadows.com	<b>Email:</b> rspencer@wrmeadows.com	<b>Contact:</b> Richard Spencer	

**702.03.05 FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216-	Fly Ash Plant: Monticello, TX	Type F	9/4/2007	R571
<b>Mfg #:</b> (210) 349-4069 <b>Cell #:</b>	<b>Fax #:</b>	<b>Web Site:</b> www.boral.com	<b>Email:</b> pamelaflynn@boral.com	<b>Contact:</b> Pamela Flynn
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216-	Fly Ash Plant: Rookdale, TX	Type F	9/4/2007	R571
<b>Mfg #:</b> (210) 349-4069 <b>Cell #:</b>	<b>Fax #:</b>	<b>Web Site:</b> www.boral.com	<b>Email:</b> pamelaflynn@boral.com	<b>Contact:</b> Pamela Flynn
Headwaters Resources Incorporated 16817 155th Pl SE Rento WA 98058-	Fly Ash Plant: Navajo Plant Page, AZ	Type F	9/4/2007	R572
<b>Mfg #:</b> (425) 970-3155 <b>Cell #:</b> (206) 953-2942	<b>Fax #:</b> (425) 970-3156 <b>Web Site:</b> www.headwaters.com	<b>Email:</b> tfox@headwaters.com	<b>Contact:</b> Thomas Fox	
Headwaters Resources Incorporated 16817 155th Pl SE Rento WA 98058-	Fly Ash Plant: Delta Plant, UT	Type F	9/4/2007	R572
<b>Mfg #:</b> (425) 970-3155 <b>Cell #:</b> (206) 953-2942	<b>Fax #:</b> (425) 970-3156 <b>Web Site:</b> www.headwaters.com	<b>Email:</b> tfox@headwaters.com	<b>Contact:</b> Thomas Fox	
Headwaters Resource's Incorporated 16817 155th Pl SE Rento WA 98058-	Fly Ash Plant: Bridger Plant, WY	Type F	9/4/2007	R572
<b>Mfg #:</b> (425) 970-3155 <b>Cell #:</b> (206) 953-2942	<b>Fax #:</b> (425) 970-3156 <b>Web Site:</b> www.headwaters.com	<b>Email:</b> tfox@headwaters.com	<b>Contact:</b> Thomas Fox	

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bondaflex Technologies 995 Towbin Avenue Lakewood NJ 08701-	Bondaflex Sil 728SL	www.bondaflex.com	8/5/2005	R534
<b>Mfg #:</b> (800) 641-8242 <b>Cell #:</b> (973) 473-4222	<b>Fax #:</b> (973) 473-4222 <b>Web Site:</b> www.bondaflex.com	<b>Email:</b> bruce@maynationale.com	<b>Contact:</b> Bruce Lakatosh	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Roadsaver Silicone SL Sealant	www.crafco.com	10/7/1993	R552
<b>Mfg #:</b> (602) 276-0406 <b>Cell #:</b> (480) 236-8262	<b>Fax #:</b> (480) 961-4772 <b>Web Site:</b> www.crafco.com	<b>Email:</b> lowell.parkison@crafco.com	<b>Contact:</b> Lowell Parkison	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	890 SL	www.dowcoming.com	3/20/1997	R130
<b>Mfg #:</b> (303) 980-1780 <b>Cell #:</b> (303) 880-9614	<b>Fax #:</b> (303) 980-1780 <b>Web Site:</b> www.dowcoming.com	<b>Email:</b> jason.sika@dowcoming.com	<b>Contact:</b> Jason Sika	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872-	DSB 900 SL Self Leveling Silicone	www.dsbrown.com	4/5/2005	R518
<b>Mfg #:</b> (419) 424-3527 <b>Cell #:</b> (800) 848-1730	<b>Fax #:</b> (419) 257-2200 <b>Web Site:</b> www.dsbrown.com	<b>Email:</b> ldurain@dsbrown.com	<b>Contact:</b> Larry Durain	
Pecora Corporation 165 Wambold Road Harleysville PA 19438-	Pecora 300	www.pecora.com	9/14/2001	R311
<b>Mfg #:</b> (215) 723-6051 <b>Cell #:</b> (215) 721-0286	<b>Fax #:</b> (215) 721-0286 <b>Web Site:</b> www.pecora.com	<b>Email:</b> burnsh@pecora.com	<b>Contact:</b> Nick Burns	
Tremco Incorporated 3735 Green Road Beachwood OH 44122-	Spectrum 900 SL Formula 974831 333 Cartridges	www.tremcosealants.com	5/31/2002	R358, R357
<b>Mfg #:</b> (866) 209-2404 <b>Cell #:</b> (216) 292-5000	<b>Fax #:</b> (216) 766-5535 <b>Web Site:</b> www.tremcosealants.com	<b>Email:</b> tscs@tremcoinc.com	<b>Contact:</b> Technical Services	

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146-	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane	Part A: Base Part A: Resin Part A: Resin Part B: Urethane Converter 811	8/20/1997	R604, R605 R606
<b>Mfg #:</b> (314) 644-1000 <b>Cell #:</b> (925) 382-4142	<b>Fax #:</b> (314) 587-2699 <b>Web Site:</b> www.carboline.com	<b>Email:</b> carbolineUSA@carboline.com	<b>Contact:</b> Bill Eggers	

## 714.03.01

## COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146-  <b>Mfg #:</b> (314) 644-1000 <b>Cell #:</b> (925) 382-4142	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997	R132, R133 R134  <b>Contact:</b> Bill Eggers
<b>Web Site:</b> www.carboline.com <b>Fax #:</b> (314) 587-2699	<b>Web Site:</b> www.carboline.com <b>Fax #:</b> (314) 587-2699	<b>Email:</b> carbolineUSA@carboline.com		
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-  <b>Mfg #:</b> (281) 684-5203 <b>Cell #:</b> (281) 684-5203	Shop Coat: Interzinc® 22HS Primer First Field Coat: InterGuard 475HS Top Coat: Interthane® 990HS	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003	R430, R431 R432  <b>Contact:</b> Dan Griffin
<b>Web Site:</b> www.international-pc.com <b>Fax #:</b> (812) 256-6733	<b>Web Site:</b> www.international-pc.com <b>Fax #:</b> (812) 256-6733	<b>Email:</b> daniel.griffin@akzonobel.com		
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821-  <b>Mfg #:</b> (714) 337-1953 <b>Cell #:</b> (562) 691-9600	Shop Coat: Dimetecote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Amercoat 450 H Aliphatic Polyurethane	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008	R592, R593 R594  <b>Contact:</b> Nye Miller
<b>Web Site:</b> www.ppgamercoat.us <b>Fax #:</b> (562) 691-3550	<b>Web Site:</b> www.ppgamercoat.us <b>Fax #:</b> (562) 691-3550	<b>Email:</b> nyemiller@msm.com		
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <b>Mfg #:</b> (210) 861-2286 <b>Cell #:</b> (210) 340-1650	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part E: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003	R123, R124 R125  <b>Contact:</b> Dee McNeill
<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Email:</b> dee.l.mcneill@sherwin.com		
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <b>Mfg #:</b> (210) 861-2286 <b>Cell #:</b> (210) 340-1650	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-400 Series Part B: B60V2	8/20/1997	R135, R136 R137  <b>Contact:</b> Dee McNeill
<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Email:</b> dee.l.mcneill@sherwin.com		
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-  <b>Mfg #:</b> (210) 861-2286 <b>Cell #:</b> (210) 340-1650	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part E: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003	R138, R139 R140  <b>Contact:</b> Dee McNeill
<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Web Site:</b> www.sherwinwilliams.com <b>Fax #:</b> (210) 340-1650	<b>Email:</b> dee.l.mcneill@sherwin.com		

## 716.03.01

## REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-  <b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	Series 3980 Diamond Fluorescent 3983 Diamond Fluorescent V/P (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301, R302   <b>Contact:</b> Eric Domak
<b>Web Site:</b> www.3m.com/tcm <b>Fax #:</b> (651) 732-8435	<b>Web Site:</b> www.3m.com/tcm <b>Fax #:</b> (651) 732-8435	<b>Email:</b> ejdomak@mmm.com		

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 3300 Flexible Prismatic Sheeting		8/21/2000	R642
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 3990 VIP Diamond Grade Type IX	Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved.	8/16/2000	R159, R271
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 3930 Permanent Traffic Signs & Temporary Traffic Series 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out)	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); 10/08 Discontinued 3870.	12/1/2004	R508, R509
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 3800 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 334 Barricade Type IV Series 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004	R510, R511
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out)	For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved.	8/21/2000	R289, R163
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com	<b>Contact:</b> Eric Domak	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471
<b>Mfg #:</b> (847) 647-7717 <b>Cell #:</b> (847) 627-3111	<b>Fax #:</b> (847) 588-7688 <b>Web Site:</b> www.averydennison.com	<b>Email:</b> nipa.joshi@averydennison.com	<b>Contact:</b> Nipa Joshi	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500 Fluorescent Reflective Sheeting W7514 Fluorescent Reflective Sheeting W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type II)	8/21/2000	R164, R298 R297
<b>Mfg #:</b> (847) 647-7717 <b>Cell #:</b> (847) 627-3111	<b>Fax #:</b> (847) 588-7688 <b>Web Site:</b> www.averydennison.com	<b>Email:</b> nipa.joshi@averydennison.com	<b>Contact:</b> Nipa Joshi	

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T9500 Omni View T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002	R021, R344
<b>Mfg #:</b> (847) 647-7717	<b>Cell #:</b> (847) 627-3111	<b>Fax #:</b> (847) 588-7688	<b>Web Site:</b> www.averydennison.com	<b>Email:</b> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T5500A Series High Intensity T7000 Fluorescent Reflective Sheeting	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456
<b>Mfg #:</b> (847) 647-7717	<b>Cell #:</b> (847) 627-3111	<b>Fax #:</b> (847) 588-7688	<b>Web Site:</b> www.averydennison.com	<b>Email:</b> nipa.joshi@averydennison.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	High Intensity ULG II Nikkalite CRG 92802 White Nikkalite CRG 92804 Yellow	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000	R226, R650 R651
<b>Mfg #:</b> (800) 821-4264	<b>Cell #:</b> (310) 532-7500	<b>Fax #:</b> (888) 330-7119	<b>Web Site:</b> www.nikkalite.com	<b>Email:</b> jhu@nikkalite.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	92847 Nikkalite Crystal Fluorescent Orange Nikkalite CRG 92844	NDOT Type X	4/29/2005	R522, R649
<b>Mfg #:</b> (800) 821-4264	<b>Cell #:</b> (310) 532-7500	<b>Fax #:</b> (888) 330-7119	<b>Web Site:</b> www.nikkalite.com	<b>Email:</b> jhu@nikkalite.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	Nikkalite CRG 92805 Red Nikkalite CRG 92806 Blue Nikkalite CRG 92808 Green	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000	R652, R653 R654
<b>Mfg #:</b> (800) 821-4264	<b>Cell #:</b> (310) 532-7500	<b>Fax #:</b> (888) 330-7119	<b>Web Site:</b> www.nikkalite.com	<b>Email:</b> jhu@nikkalite.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	92844 Nikkalite Fluorescent Yellow 92844 Nikkalite Fluorescent Green	NDOT Type X	4/29/2005	R649, R663
<b>Mfg #:</b> (800) 821-4264	<b>Cell #:</b> (310) 532-7500	<b>Fax #:</b> (888) 330-7119	<b>Web Site:</b> www.nikkalite.com	<b>Email:</b> jhu@nikkalite.com
Reflexite Americas 315 South Street New Britain CT 06051-	AP1000 Reflective Sheeting	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
<b>Mfg #:</b> (800) 654-7570	<b>Cell #:</b> (800) 895-0951	<b>Web Site:</b> www.reflexiteamericas.com	<b>Email:</b> customer.service@reflexite.com	<b>Contact:</b> Rebecca Cavazuti
Reflexite Americas 315 South Street New Britain CT 06051-	Conformalight Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294
<b>Mfg #:</b> (800) 654-7570	<b>Cell #:</b> (800) 895-0951	<b>Web Site:</b> www.reflexiteamericas.com	<b>Email:</b> customer.service@reflexite.com	<b>Contact:</b> Rebecca Cavazuti

**726.03.04 MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber LLC 4814 Fiber Lane Wellsville KS 66092- <b>Mfg #:</b> (800) 654-6117 <b>Cell #:</b> (330) 452-2630	Second Nature Paper Fiber Hydroseeding Mulch	<b>Fax #:</b> (785) 883-4429 <b>Web Site:</b> www.centralfiber.com	6/25/1998	R146 <b>Contact:</b> Jeff Ward <b>Email:</b> sales@centralfiber.com
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <b>Mfg #:</b> (208) 733-9689 <b>Cell #:</b>	Nature's Own	<b>Fax #:</b> (208) 733-9447 <b>Web Site:</b> www.hmi-mfg.com	6/25/1998	R147 <b>Contact:</b> Patrick Andrew <b>Email:</b> christy@hmi-mfg.com
North American Green 5401 St. Wendel-Cynthiana Road Poseyville IN 47633- <b>Mfg #:</b> (800) 772-2040 <b>Cell #:</b> (801) 977-0970	HydraCX2 Extreme Slope Matrix	<b>Fax #:</b> (812) 867-0247 <b>Web Site:</b> www.nagreen.com	12/18/2008	R715 <b>Contact:</b> Jill Pack <b>Email:</b> jpack@nagreen.com
Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- <b>Mfg #:</b> (253) 884-0747 <b>Cell #:</b> (253) 208-9777	Conwed 1000 Flexterra	<b>Fax #:</b> (253) 884-0730 <b>Web Site:</b> www.profileproducts.com	12/18/2008	R629, R631 <b>Contact:</b> Becky Gauthier <b>Email:</b> bgauthier@profileproducts.com

**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber LLC 4814 Fiber Lane Wellsville KS 66092- <b>Mfg #:</b> (800) 654-6117 <b>Cell #:</b> (330) 452-2630	TacPac GT	<b>Fax #:</b> (785) 883-4429 <b>Web Site:</b> www.centralfiber.com	6/25/1998	R148 <b>Contact:</b> Jeff Ward <b>Email:</b> sales@centralfiber.com
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- <b>Mfg #:</b> (707) 588-1444 <b>Cell #:</b>	Driwater Hydro Mix	<b>Fax #:</b> (707) 588-1445 <b>Web Site:</b> www.driwater.com	1/3/2001	R277 <b>Contact:</b> Mary Paternoster <b>Email:</b> mary@dnwater.com
Enviroad 2606 North Newark Street Portland OR 75206- <b>Mfg #:</b> (800) 536-2650 <b>Cell #:</b> (503) 701-7802	Earthbind 100	<b>Fax #:</b> (503) 279-2633 <b>Web Site:</b> www.enviroad.com	3/17/2003	R420 <b>Contact:</b> Don Blackmon <b>Email:</b> don@enviroad.com

Note: Surfaces subject to spill; can be slippery.  
Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.



**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Evonik Stockhausen LLC 2401 Doyle Street Greensboro GA 27406- <b>Mfg #:</b> (336) 335-3781 <b>Cell #:</b> (513) 317-8311 <b>Fax #:</b> (513) 672-9633 <b>Web Site:</b> www.evonik.com	HydroPam	Environmental Services Division Water Quality Specialist must be contacted prior to usage.	3/1/2010	R683  <b>Contact:</b> Lynn Royal
JRM Chemical 4881 Neo Parkway Cleveland OH 44128- <b>Mfg #:</b> (216) 475-8488 <b>Cell #:</b> (216) 475-6517 <b>Web Site:</b> www.soilmoist.com	FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets	Environmental Services Division Water Quality Specialist must be contacted prior to usage.	3/1/2010	R679, R680, R681  <b>Contact:</b> Scott Wiesler
Prime1/Products LLC PO Box 30816 Spokane WA 99223- <b>Mfg #:</b> (509) 235-3800 <b>Cell #:</b> (509) 981-8555 <b>Fax #:</b> (509) 235-3803 <b>Web Site:</b> www.prime1products.com	Fisch-Slik Teravest		6/25/1998	R152, R153  <b>Contact:</b> Robert Fischbach
Terra Novo 2930 Patten Way Bakersfield CA 93308- <b>Mfg #:</b> (888) 843-1029 <b>Cell #:</b> (661) 747-5956 <b>Fax #:</b> (661) 587-6806 <b>Web Site:</b> www.EarthGuard.com	EarthGuard Fiber Matrix	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318  <b>Contact:</b> Andy Iturriria

**726.03.13 SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <b>Mfg #:</b> (814) 368-1200 <b>Cell #:</b> (281) 770-0220 <b>Fax #:</b> (814) 368-1335 <b>Web Site:</b> www.pennsuppress.com	PennzSuppress D Dust Suppressant	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R121  <b>Contact:</b> Colin Kimball
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <b>Mfg #:</b> (800) 527-2101 <b>Cell #:</b> (214) 415-3984 <b>Fax #:</b> (972) 484-2896 <b>Web Site:</b> www.arrowmagnolia.com	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Title) to Arrow Magnolia (Road Boss).	10/26/2005	R498  <b>Contact:</b> Eunice Kemp
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <b>Mfg #:</b> (877) 405-5050 <b>Cell #:</b> (920) 217-0281 <b>Fax #:</b> (920) 406-9740 <b>Web Site:</b> www.encap.com	PAM 12 PLUS	Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008	R586  <b>Contact:</b> Adrian Ramirez

## 726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Enviroad 2806 North Newark Street Portland <b>Mfg #:</b> (800) 536-2650 <b>Cell #:</b> (503) 701-7802 <b>Fax #:</b> (503) 279-2633 <b>Web Site:</b> www.enviroad.com	Earthbind 100	Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420
Evonik Stockhausen LLC 2401 Doyle Street Greensboro <b>Mfg #:</b> (336) 335-3781 <b>Cell #:</b> (513) 317-8311 <b>Fax #:</b> (513) 672-9633 <b>Web Site:</b> www.evonik.com	HydroPam	Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions.	3/1/2010	R683
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas <b>Mfg #:</b> (702) 871-1884 <b>Cell #:</b> (702) 871-3629 <b>Fax #:</b> (702) 871-3629 <b>Web Site:</b> www.fluid-tech-inc.com	Road Oyl Soil Seal Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R324, R325 R323
GM Boston Co International LLC PO Box 121 Sunset Beach <b>Mfg #:</b> (562) 592-0836 <b>Cell #:</b> (949) 533-6799 <b>Fax #:</b> (949) 722-6799 <b>Web Site:</b> www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Palliative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville <b>Mfg #:</b> (770) 303-0878 <b>Cell #:</b> (770) 455-6531 <b>Fax #:</b> (770) 475-6517 <b>Web Site:</b> www.HerculesEnvironmental.com	Hercules PAM SOLOC-MQ Dust Suppressant SOLOC-PAM	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R160, R149 R328
JRM Chemical 4881 Neo Parkway Cleveland <b>Mfg #:</b> (216) 475-8488 <b>Cell #:</b> (216) 475-6517 <b>Fax #:</b> (216) 475-6517 <b>Web Site:</b> www.soilmoist.com	FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets	Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions.	3/1/2010	R679, R680, R681
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton <b>Mfg #:</b> (330) 456-3121 <b>Cell #:</b> (801) 731-5757 <b>Fax #:</b> (801) 731-5757 <b>Web Site:</b> www.midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water body.	4/18/2005	R279
North American Green 5401 St. Wndel-Cynthiana Road Poseyville <b>Mfg #:</b> (800) 772-2040 <b>Cell #:</b> (801) 731-5757 <b>Fax #:</b> (812) 867-0247 <b>Web Site:</b> www.nagreen.com	Hydra CX2 Cotton Reinforced Matrix	Application and dilution rates follow manufacturer's instructions.	5/29/2009	R334

## 726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NU Equipment Incorporated PO Box 750907 Las Vegas NV 89136-	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
<b>Mfg #:</b> (702) 649-8767 <b>Cell #:</b> (702) 325-2323	<b>Fax #:</b> (702) 649-8446	<b>Web Site:</b> www.nuequipment.com	<b>Email:</b> daniel@nuequipment.com	<b>Contact:</b> Daniel Fehner
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388-	Topain S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturer's instructions for soil stabilization.	2/24/2004	R479
<b>Mfg #:</b> (661) 392-3630 <b>Cell #:</b> (661) 978-9357	<b>Fax #:</b> (661) 391-1054	<b>Web Site:</b> www.alonsasphalt.com	<b>Email:</b> jnyan@ppcla.com	<b>Contact:</b> Jim Ryan
Prime/Products LLC PO Box 30816 Spokane WA 99223-	Fisch-Stik Teravest	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R152, R153
<b>Mfg #:</b> (509) 235-3800 <b>Cell #:</b> (509) 981-8555	<b>Fax #:</b> (509) 235-3803	<b>Web Site:</b> www.primeproducts.com	<b>Email:</b> tackiferman@yahoo.com	<b>Contact:</b> Robert Fischbach
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020-	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R118
<b>Mfg #:</b> (888) 465-8801 <b>Cell #:</b> (801) 303-2551	<b>Fax #:</b> (801) 303-2551	<b>Web Site:</b> www.sequoiaprc.com	<b>Email:</b> terry@teinetz.com	<b>Contact:</b> Terry Holmes
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118-	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467
<b>Mfg #:</b> (702) 873-2023 <b>Cell #:</b> (702) 873-0915	<b>Fax #:</b> (702) 873-0915	<b>Web Site:</b> www.soil-tech.com	<b>Email:</b> jeff@soil-tech.com	<b>Contact:</b> Jeff Deason
Soilworks LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583	Solitac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
<b>Mfg #:</b> (800) 545-5420 <b>Cell #:</b> (480) 545-5454	<b>Fax #:</b> (480) 545-5456	<b>Web Site:</b> www.soilworks.com	<b>Email:</b> info@soilworks.com	<b>Contact:</b> Chad Falkenberg
Terra Novo 2930 Patton Way Bakersfield CA 93308-	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318
<b>Mfg #:</b> (888) 843-1029 <b>Cell #:</b> (661) 747-5956	<b>Fax #:</b> (661) 587-6806	<b>Web Site:</b> www.EarthGuard.com	<b>Email:</b> andy@terrano.com	<b>Contact:</b> Andy Iturriria
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676	Airtrol™ Geobinder Enviro-Shield™ Bonded Fiber Matrix	Application and dilution rates follow manufacturer's instructions.	8/28/2006	R554, R555
<b>Mfg #:</b> (713) 483-8829 <b>Cell #:</b> (281) 615-0163	<b>Fax #:</b> (312) 214-6606	<b>Web Site:</b> www.usg-erosioncontrol.com	<b>Email:</b> jgreen@usg.com	<b>Contact:</b> John Breen

**728.03.02 EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <b>Mfg #:</b> (800) 892-1880 <b>Cell #:</b> (954) 782-2221 <b>Fax #:</b> (954) 782-2776 <b>Web Site:</b> www.atc.ws	Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002	R329, R330 R331, R327 Contact: Richard Boland
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <b>Mfg #:</b> (702) 227-6800 <b>Cell #:</b> (858) 277-2100 <b>Fax #:</b> (702) 222-0488 <b>Web Site:</b> www.atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004	R496, R497 Contact: Ryan Quinn
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <b>Mfg #:</b> (913) 279-0264 <b>Cell #:</b> (877) 416-3439 <b>Fax #:</b> (913) 279-4806 <b>Web Site:</b> www.daytonsuperior.com	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Glass A	1/14/2003	R393 Contact: John Hukey
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <b>Mfg #:</b> (216) 692-8381 <b>Cell #:</b> (800) 321-7628 <b>Fax #:</b> (216) 481-7072 <b>Web Site:</b> www.euclidchemical.com	Duralcrete	Type I and Type II	11/8/2005	R536 Contact: Christopher Balsat
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <b>Mfg #:</b> (800) 879-6000 <b>Cell #:</b> (916) 844-4905 <b>Fax #:</b> (916) 294-2856 <b>Web Site:</b> www.us.hilti.com	HIT RE 500 THE 50	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321, R641 Contact: Ruben Rivadeneira
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <b>Mfg #:</b> (800) 879-6000 <b>Cell #:</b> (916) 844-4905 <b>Fax #:</b> (916) 294-2856 <b>Web Site:</b> www.us.hilti.com	HTE 50	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002	R641 Contact: Ruben Rivadeneira
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <b>Mfg #:</b> (630) 350-0370 <b>Cell #:</b> (630) 694-4720 <b>Fax #:</b> (630) 495-6204 <b>Web Site:</b> www.itw-redhead.com	Epon C6 (Ceramic 6)	Type I & IV; Grade 3; Classes B & C	5/14/2002	R341 Contact: Mark Timmerman (CC) / James Shupp (LV)
Pecora Corporation 165 Wambold Road Harleysville PA 19438- <b>Mfg #:</b> (215) 723-6051 <b>Cell #:</b> (630) 694-4720 <b>Fax #:</b> (215) 721-0286 <b>Web Site:</b> www.pecora.com	Dynapoxy Low-Mod Epoxy Dynapoxy EP-450 Dynapoxy EP-420 Dynapoxy EP-430 Fast*	Type III, Grade 2, Classes B&C Type I, II, IV & V, Grade 1, Classes B&C Type II, Grade 2, Classes B&C Type I, II, IV & V, Grade 3, Classes A, B&C	7/9/2009	R644, R645 R646 Contact: Glen Murphy

**728.03.02 EPOXY ANCHORING SYSTEMS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509-	Power Fast Plus Standard Set T308 Plus Fax #: (914) 576-6483	www.powers.com	Type I, II, IV and V; Grade 2; Classes B & C	7/9/2009	R644, R645 R646 Patrick Buckley
<b>Mfg #:</b> (914) 235-6300 <b>Cell #:</b> (702) 364-2606	<b>Fax #:</b> (914) 576-6483 <b>Web Site:</b> www.powers.com		<b>Email:</b> buckley@powers.com		
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206-	EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive Fax #: (916) 870-7863	www.simpsonanchors.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217 Joe Le Bel
<b>Mfg #:</b> (800) 999-5099 <b>Cell #:</b> (916) 870-7863	<b>Fax #:</b> (209) 234-3868 <b>Web Site:</b> www.simpsonanchors.com		<b>Email:</b> jebel@strongtie.com		
Titan Supply 250 Edison Way Reno NV 89502-	Pro-Poxy 100 Fax #: (888) 550-2201	www.titiansupply.com	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008	R590 Brian Wickham
<b>Mfg #:</b> (775) 351-2201 <b>Cell #:</b> (888) 550-2201	<b>Fax #:</b> (775) 351-2205 <b>Web Site:</b> www.titiansupply.com		<b>Email:</b> bwickham@titiansupply.com		
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120-	Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400 Fax #: (816) 231-7700	www.unitex-chemicals.com	Type I, II, IV & V, Grade 3, Class B & C	1/4/1998	R215, R219 Jerry Byrne
<b>Mfg #:</b> (800) 821-5846 <b>Cell #:</b> (816) 231-7700	<b>Fax #:</b> (816) 483-3149 <b>Web Site:</b> www.unitex-chemicals.com		<b>Email:</b> jerry@unitex-chemicals.com		
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120-	Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives Fax #: (816) 231-7700	www.unitex-chemicals.com	Type I, II, IV & V, Grade 2, Class B & C	1/4/1998	R520, R581 Jerry Byrne
<b>Mfg #:</b> (800) 821-5846 <b>Cell #:</b> (816) 231-7700	<b>Fax #:</b> (816) 483-3149 <b>Web Site:</b> www.unitex-chemicals.com		<b>Email:</b> jerry@unitex-chemicals.com		
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120-	Symons Res-Con 304 Fax #: (816) 231-7700	www.unitex-chemicals.com	Type I, II, IV & V, Grade 3, Class B & C	1/14/2003	R388 Jerry Byrne
<b>Mfg #:</b> (800) 821-5846 <b>Cell #:</b> (816) 231-7700	<b>Fax #:</b> (816) 483-3149 <b>Web Site:</b> www.unitex-chemicals.com		<b>Email:</b> jerry@unitex-chemicals.com		
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120-	Pro-Poxy Type III DOT Epoxy Binder Fax #: (816) 231-7700	www.unitex-chemicals.com	Type III, Grade 1, Class B & C	1/4/1998	R218, R219 Jerry Byrne
<b>Mfg #:</b> (800) 821-5846 <b>Cell #:</b> (816) 231-7700	<b>Fax #:</b> (816) 483-3149 <b>Web Site:</b> www.unitex-chemicals.com		<b>Email:</b> jerry@unitex-chemicals.com		
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306-	CIA-GEL 7000 Adhesive Anchors Fax #: (800) 328-5934	www.uspconnectors.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265 Todd Greivous
<b>Mfg #:</b> (952) 898-8772 <b>Cell #:</b> (800) 328-5934	<b>Fax #:</b> (507) 364-8762 <b>Web Site:</b> www.uspconnectors.com		<b>Email:</b> tgreivous@gjbraltar1.com		

**728.03.02 EPOXY ANCHORING SYSTEMS**

**Mfr Name / Address** **Product Name** **Remarks** **Carded** **ID Number**

WR Meadows of Northern California Rezi Weld 1000 Type I, II, IV and V; Grade 2; Classes B & C 2/19/2004 R478  
 652 Indiana Street CA 94510- Contact: Richard Spencer  
 Benicia **Cell #:** (847) 214-2100 **Fax #:** (707) 747-6206 **Web Site:** www.wrmeadows.com **Email:** rspencer@wrmeadows.com

**729.03.04 EPOXY PAINT MARKING MATERIAL**

**Mfr Name / Address** **Product Name** **Remarks** **Carded** **ID Number**

Colorado Paint Company White: RockHard 1180 (Part A) "Lead Free Yellow" contains organic yellow pigment. 3/20/2000 R199, R200  
 4747 Holly Street Lead Free Yellow: RockHard 1186 (Part A) R201  
 Denver Hardener: RockHard 1185 (Part B) **Contact:** David Katt  
 CO 80216- **Cell #:** (720) 346-5152 **Fax #:** (303) 388-0881 **Web Site:** www.coloradopaint.com **Email:** davidk@coloradopaint.com

Ennis Traffic Safety Solutions White: HPS-3 (Part A) "Lead Free Yellow" contains organic yellow pigment. 7/16/2003 R436, R437  
 5910 North Central Expressway Suite 1050 Lead Free Yellow: HPS-3 (Part A) R438  
 Dallas Hardener: HPS-3 (Part B) **Contact:** Susan Wacha  
 TX 75206- **Cell #:** (904) 806-4439 **Fax #:** (214) 666-8922 **Web Site:** www.ennistraffic.com **Email:** susanw@ennistraffic.com

Epoplex White: LS50 (Part A) "Lead Free Yellow" contains organic yellow pigment. 12/11/2002 R378, R379  
 1000 East Park Avenue Lead Free Yellow: LS50 (Part A) R380  
 Maple Shade Hardener: LS50 (Part B) **Contact:** Cindi Westlund  
 NJ 08052- **Cell #:** (800) 822-6920 **Fax #:** (856) 779-2963 **Web Site:** www.epoplex.com **Email:** epoplex@epoplex.com

Epoplex White: LS60 (Part A) "Lead Free Yellow" contains organic yellow pigment. 12/11/2002 R381, R382  
 1000 East Park Avenue Lead Free Yellow: LS60 (Part A) R383  
 Maple Shade Hardener: LS60 (Part B) **Contact:** Cindi Westlund  
 NJ 08052- **Cell #:** (800) 822-6920 **Fax #:** (856) 779-2963 **Web Site:** www.epoplex.com **Email:** epoplex@epoplex.com

Poly-Carb Incorporated White: Mark 55.4 NV (Part A) "Lead Free Yellow" contains organic yellow pigment. 10/24/1997 R115, R116  
 33095 Bainbridge Road Lead Free Yellow: Mark 55.4 NV (Part A) R117  
 Cleveland Hardener: Mark 55.4 NV (Part B) **Contact:** Hemant Naik  
 OH 44139- **Cell #:** (216) 577-6723 **Fax #:** (440) 248-1513 **Web Site:** www.poly-carb.com **Email:** hemant@poly-carb.com

Poly-Carb Incorporated White: Mark 55.3 NV (Part A) "Lead Free Yellow" contains organic yellow pigment. 10/24/1997 R112, R113  
 33095 Bainbridge Road Lead Free Yellow: Mark 55.3 NV (Part A) R114  
 Cleveland Hardener: Mark 55.3 NV (Part B) **Contact:** Hemant Naik  
 OH 44139- **Cell #:** (216) 577-6723 **Fax #:** (440) 248-1513 **Web Site:** www.poly-carb.com **Email:** hemant@poly-carb.com

**729-03.04 EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R109, R110 R111
<b>Mfg #:</b> (440) 248-1223	<b>Cell #:</b> (216) 577-6723	<b>Web Site:</b> www.poly-carb.com	<b>Email:</b> hemant@poly-carb.com	<b>Contact:</b> Hemant Naik

**729-03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Arkema Incorporated 410 Greyson Drive Cary NC 27511-	UCAR™ Latex DT 250 UCAR™ Latex DT 400	Type I Type II	7/19/2002	R166, R167
<b>Mfg #:</b> (919) 469-6789	<b>Cell #:</b>	<b>Web Site:</b> www.arkema-inc.com	<b>Email:</b> gregory.shay@arkema.com	<b>Contact:</b> Greg Shay

Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® 3427	Type I	11/30/2001	R319
<b>Mfg #:</b> (800) 967-7704	<b>Cell #:</b> (215) 592-3846	<b>Web Site:</b> www.rohmhaas.com	<b>Email:</b> sridder@rohnhass.com	<b>Contact:</b> Susan Ridder

Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® HD-21A	Type II	11/30/2001	R320
<b>Mfg #:</b> (800) 967-7704	<b>Cell #:</b> (215) 592-3846	<b>Web Site:</b> www.rohmhaas.com	<b>Email:</b> sridder@rohnhass.com	<b>Contact:</b> Susan Ridder

**729-03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	---------------	------------------

Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206-	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491
<b>Mfg #:</b> (800) 331-8118	<b>Cell #:</b> (904) 806-4439	<b>Web Site:</b> www.ennistraffic.com	<b>Email:</b> susanw@ennistraffic.com	<b>Contact:</b> Susan Wacha

Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206-	White: 982821 NVW-34-M-1 Yellow: 982822 NVY-34-M-1	Fastrack® 3427	4/1/2004	R345, R346
<b>Mfg #:</b> (800) 331-8118	<b>Cell #:</b> (904) 806-4439	<b>Web Site:</b> www.ennistraffic.com	<b>Email:</b> susanw@ennistraffic.com	<b>Contact:</b> Susan Wacha

**729-03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350
<b>Mfg #:</b> (800) 892-3647	<b>Cell #:</b> (323) 864-0908	<b>Fax #:</b> (323) 778-9719	<b>Web Site:</b> www.pervo.com	<b>Email:</b> scotts@pervo.com
<b>Contact:</b> Scott Shamon				

**729-03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206-	White: 962811 NVW-40-M-2 Yellow: 962812 NVY-40-M-2	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354
<b>Mfg #:</b> (800) 331-8118	<b>Cell #:</b> (904) 806-4439	<b>Fax #:</b> (214) 666-8922	<b>Web Site:</b> www.ennistrafic.com	<b>Email:</b> susanw@ennistrafic.com
<b>Contact:</b> Susan Wacha				

Ennis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206-	White: 962831 NVW-HD-M-1 Yellow: 962832 NVY-HD-M-1	Fastrack® HD-21A	7/30/2002	R540, R541
<b>Mfg #:</b> (800) 331-8118	<b>Cell #:</b> (904) 806-4439	<b>Fax #:</b> (214) 666-8922	<b>Web Site:</b> www.ennistrafic.com	<b>Email:</b> susanw@ennistrafic.com
<b>Contact:</b> Scott Shamon				

Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422	Fastrack® HD-21A	7/9/2003	R425, R426
<b>Mfg #:</b> (800) 892-3647	<b>Cell #:</b> (323) 864-0908	<b>Fax #:</b> (323) 778-9719	<b>Web Site:</b> www.pervo.com	<b>Email:</b> scotts@pervo.com
<b>Contact:</b> Dee McNeill				

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R442, R443 R444
<b>Mfg #:</b> (800) 553-1380	<b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435	<b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejdornak@mmm.com
<b>Contact:</b> Eric Domak				



**729-03.06 POLYUREA PAINT MARKING MATERIAL**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

Emnis Traffic Safety Solutions 5910 North Central Expressway Suite 1050 Dallas TX 75206-	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R439, R440 R441
<b>Mfg #:</b> (800) 331-8118 <b>Cell #:</b> (904) 806-4439	<b>Fax #:</b> (214) 666-8922 <b>Web Site:</b> www.emnistraffic.com	<b>Email:</b> susanw@emnistraffic.com		<b>Contact:</b> Susan Wacha
Epoplex 1000 East Park Avenue Maple Shade NJ 08052-	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R452, R453 R454
<b>Mfg #:</b> (800) 822-6920 <b>Cell #:</b>	<b>Fax #:</b> (856) 779-2963 <b>Web Site:</b> www.epoplex.com	<b>Email:</b> epoplex@epoplex.com		<b>Contact:</b> Cindi Westlund

**732-03.01 PAVEMENT MARKING TAPE (TYPE 1)**

**Mfr Name / Address**      **Product Name**      **Remarks**      **Carded**      **ID Number**

3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 270-ES Stamark Tape Series 420 Stamark Intersection Grade (Phasing Out) 5730 Stamark Tape (Phasing Out)	Type I	9/19/2003	R458, R552 R457
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012	<b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm	<b>Email:</b> ejornak@mmm.com		<b>Contact:</b> Eric Domak
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 300 Tape White Series 300 Tape Yellow Series 400 Tape White Series 400 Tape Yellow	Type I	9/19/2003	R462, R463 R480, R481
<b>Mfg #:</b> (252) 536-2574 <b>Cell #:</b>	<b>Fax #:</b> (252) 526-4940 <b>Web Site:</b> www.trafficmarking.com	<b>Email:</b> brobbins@trafficmarking.com		<b>Contact:</b> Brenda Robbins
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Delta-Line HDX Delta-Line XRP	Type I	2/2/2010	R671, R672
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b>	<b>Fax #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com	<b>Email:</b> bjubak@brite-line.com		<b>Contact:</b> Bill Jubak
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type I	5/9/2006	R546
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b>	<b>Fax #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com	<b>Email:</b> bjubak@brite-line.com		<b>Contact:</b> Bill Jubak
Swarco Industries PO Box 89 Columbia TN 38402-	Director 35 Pavement Marking Tape Director 60 Permanent Marking Tape	Type I	2/17/2004	R473, R472
<b>Mfg #:</b> (931) 388-5900 <b>Cell #:</b>	<b>Fax #:</b> (931) 388-4039 <b>Web Site:</b> www.swarco.com	<b>Email:</b> office.industries@swarco.com		<b>Contact:</b> Jon Sproul

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 270-ES Stamark Tape	Type II	9/19/2003	R458
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012 <b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm			<b>Contact:</b> Eric Domak <b>Email:</b> ejdomak@mmm.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 300 Tape White Series 300 Tape Yellow Series 400 Tape White Series 400 Tape Yellow	Type II	4/29/2008	R462, R463 R480, R481
<b>Mfg #:</b> (252) 536-2574 <b>Cell #:</b> (702) 649-9223 <b>Fax #:</b> (252) 526-4940 <b>Web Site:</b> www.trafficmarking.com			<b>Contact:</b> Brenda Robbins <b>Email:</b> brobbins@trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 100 White Permanent Series 100 Yellow Permanent Delta-Line HDX	Type II	6/15/1999	R207, R208 R672
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com			<b>Contact:</b> Bill Jubak <b>Email:</b> bjubak@brite-line.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type II	5/9/2006	R546, R488 R489
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com			<b>Contact:</b> Bill Jubak <b>Email:</b> bjubak@brite-line.com	

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	Series 270ES StamarkSeries 380 IES Stamark Tape Series 381 WRES Stamark Tape Series 390 Stamark	Type IV	9/19/2003	R688, R460 R461, R535
<b>Mfg #:</b> (800) 553-1380 <b>Cell #:</b> (702) 743-0012 <b>Fax #:</b> (651) 732-8435 <b>Web Site:</b> www.3M.com/tcm			<b>Contact:</b> Eric Domak <b>Email:</b> ejdomak@mmm.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 400 Tape White Series 400 Tape Yellow	Type IV	7/29/2008	R480, R481
<b>Mfg #:</b> (252) 536-2574 <b>Cell #:</b> (702) 649-9223 <b>Fax #:</b> (252) 526-4940 <b>Web Site:</b> www.trafficmarking.com			<b>Contact:</b> Brenda Robbins <b>Email:</b> brobbins@trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Delta-Line XRP	Type IV	2/2/2010	R674
<b>Mfg #:</b> (702) 649-9223 <b>Cell #:</b> (702) 649-9237 <b>Web Site:</b> www.britelinetechlogies.com			<b>Contact:</b> Bill Jubak <b>Email:</b> bjubak@brite-line.com	

**732.03.04a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Crown Technology LLC  
 PO Box 789  
 Woodbury      GA      30293-  
**Mfg #:** (706) 553-9500      **Cell #:** (800) 457-6267      **Fax #:** (706) 553-9501      **Web Site:** www.crownthermo.com      1/17/2003      R290  
 Tuffline Alkyd  
**Contact:** Jeannie Powell  
**Email:** jeannie1@crownthermo.com

Ennis Traffic Safety Solutions  
 5910 North Central Expressway Suite 1050  
 Dallas      TX      75206-  
**Mfg #:** (800) 331-8118      **Cell #:** (904) 806-4439      **Fax #:** (214) 666-8922      **Web Site:** www.ennistraffic.com      10/1/2009      R673, R674  
 885555 Alkyd White  
 884685 Alkyd Yellow  
 Lead Free  
**Contact:** Susan Wacha  
**Email:** susanw@ennistraffic.com

**732.03.04b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

*Mfr Name / Address*      *Product Name*      *Remarks*      *Carded*      *ID Number*

Ennis Traffic Safety Solutions  
 5910 North Central Expressway Suite 1050  
 Dallas      TX      75206-  
**Mfg #:** (800) 331-8118      **Cell #:** (904) 806-4439      **Fax #:** (214) 666-8922      **Web Site:** www.ennistraffic.com      6/13/2001      R299, R300  
 Flame Tape  
 ThermalLine  
**Contact:** Susan Wacha  
**Email:** susanw@ennistraffic.com

Flint Trading Incorporated  
 115 Todd Court  
 Thomasville      NC      27360-  
**Mfg #:** (336) 475-6600      **Cell #:** (336) 475-7900      **Fax #:** (336) 475-7900      **Web Site:** www.flinttrading.com      2/24/2004      R168, R169  
 Hot Tape™  
 Premark® PLUS  
**Contact:** Dennis Evangelista  
**Email:** sales@flinttrading.com

## QPL DBI NOTES September 17, 2009

Contractors are required to use actual dated Qualified Products List (QPL) products specified and listed in the contract Special Provisions under the “Notice to Contractors.” This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer’s name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.