

TABLE OF CONTENTS

| PRODUCT TYPES | SPECIFICATION # | PAGE NUMBER |
|---|------------------------|--------------------|
| ADHESIVE (FOR PAVEMENT MARKERS) | 633.02.04 | 037 |
| AGGREGATES (FOR POLYMER CONCRETE PREBAGGED) | 496.02.01 | 004 |
| ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL) | 502.02.05a | 005 |
| ASPHALT RELEASE AGENTS | 401.03.02 | 002-003 |
| ASPHALTIC PLUG EXPANSION JOINTS | 502.03.13j | 006 |
| BARRICADES | 625.03.04 | 031-033 |
| BRIDGE DECK CURING COMPOUND | 702.03.04 | 047-048 |
| CELLULAR EROSION CONTROL MATS | 610.02.01 | 013 |
| CHANGEABLE MESSAGE SIGNS | 625.02.03 | 026-027 |
| COATING SYSTEMS FOR BRIDGES | 714.03.01 | 049-050 |
| CONCRETE STAIN | 502.02.04 | 004-005 |
| CONSTRUCTION FLEXIBLE POSTS | 625.02.01 | 024-025 |
| CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE) | 702.03.01c | 046 |
| CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE) | 702.03.01d | 046-047 |
| DETECTABLE WARNINGS | 613.02.01 | 013-014 |
| DUCT SEALING COMPOUND | 623.02.16 | 020 |
| DUST PALLIATIVE (OPTIONAL) | 637.02.01 | 038-041 |
| DYNAMIC MESSAGE SIGNS | 623.01.01 | 018 |
| EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM | 623.02.29 | 020 |

PRODUCT TYPES**SPECIFICATION #****PAGE NUMBER**

| | | |
|---|------------|---------|
| EPOXY ANCHORING SYSTEMS | 728.03.02 | 057-058 |
| EPOXY COATING (FOR STEEL REINFORCING BARS) | 505.02.01 | 008 |
| EPOXY PAINT MARKING MATERIAL | 729.03.04 | 059 |
| EVAPORATIVE RETARDER | 409.03.10 | 003-004 |
| EXPANSION JOINT SEALANT | 502.03.131 | 007 |
| FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL) | 609.02.01a | 009-011 |
| FINE SURFACE FINISH (BONDED GROUT) | 502.03.19 | 007 |
| FLARED GUARDRAIL TERMINAL | 618.02.01 | 014-015 |
| FLEXIBLE GUIDE POSTS | 619.02.01 | 015-016 |
| FLEXIBLE OBJECT MARKERS (TYPE 2) | 619.02.01a | 017-018 |
| FLY ASH (TYPE F ONLY) | 702.03.05 | 048 |
| GUARDRAIL OFFSET BLOCKS | 618.02.01b | 015 |
| HEADLIGHT GLARE SCREEN MODULAR UNITS | 630.02.01 | 033-034 |
| HERBICIDES | 401.02.03 | 001-002 |
| HIGH MAST HEAD FRAME ASSEMBLIES | 623.02.12c | 019 |
| HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS | 732.03.04a | 064 |
| IMPACT ATTENUATORS | 641.02.01 | 045 |
| JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL) | 502.03.22 | 007-008 |
| JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP) | 707.03.04 | 049 |
| MAILBOX SUPPORT SYSTEMS (TYPE C) | 214.02.01 | 001 |
| MODULAR BLOCK RETAINING WALL | 640.02.04 | 044-045 |

PRODUCT TYPES**SPECIFICATION #****PAGE NUMBER**

| | | |
|--|------------|---------|
| MSE WALLS | 640.02.03a | 043 |
| MSE WALLS (LARGE SIZE 5' x 10' PANELS) | 640.02.03b | 043 |
| MULCH | 726.03.04 | 053 |
| NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT) | 633.02.01 | 034-035 |
| PAVEMENT MARKING TAPE (TYPE 1) | 732.03.01 | 062 |
| PAVEMENT MARKING TAPE (TYPE 2) | 732.03.02 | 063 |
| PAVEMENT MARKING TAPE (TYPE 4) | 732.03.03 | 063-064 |
| PLASTIC FENCE FABRIC MATERIAL | 616.02.01 | 014 |
| POLYUREA PAINT MARKING MATERIAL | 729.03.06 | 061 |
| PREFORMED JOINT FILLERS | 502.03.13i | 005-006 |
| PREFORMED THERMOPLASTIC PAVEMENT MARKINGS | 732.03.04b | 064-065 |
| PRISMATIC ACRYLIC REFLECTORS | 619.03.01 | 018 |
| RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS | 729.03.05a | 060 |
| RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Typ | 729.03.05c | 061 |
| RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Typ | 729.03.05b | 060 |
| RECESSED REFLECTIVE PAVEMENT MARKERS | 633.02.03 | 036 |
| RED LIGHT DETECTORS | 623.03.26 | 023 |
| REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL) | 625.02.02 | 025 |
| REFLECTIVE PAVEMENT MARKERS (PERMANENT) | 633.02.02 | 035-036 |
| REFLECTIVE SHEETING | 716.03.01 | 050-052 |
| REFLECTIVE SHEETING (FOR FLAGGER PADDLES) | 624.03.03 | 023-024 |

| PRODUCT TYPES | SPECIFICATION # | PAGE NUMBER |
|---|------------------------|--------------------|
| RETROREFLECTOMETERS | 632.03.05 | 034 |
| ROADWAY INLET PROTECTION | 637.02.05 | 042 |
| SERVICE PEDESTALS | 623.02.08 | 018-019 |
| SIGN LIGHTING FIXTURES | 623.03.15 | 022-023 |
| SIGN SUPPORT SYSTEMS | 625.03.03 | 029-031 |
| SILT FENCE | 637.02.02 | 041 |
| SOIL STABILIZER | 726.03.13 | 054-056 |
| SOUNDWALL SYSTEMS | 640.02.03c | 044 |
| STORMWATER TREATMENT VAULTS | 609.02.01b | 011 |
| SYNTHETIC DRILLING SLURRY | 509.03.09 | 009 |
| TACKIFIER | 726.03.05 | 053-054 |
| TANGENTIAL GUARDRAIL TERMINAL | 618.02.01a | 015 |
| TEMPORARY IMPACT ATTENUATORS | 625.02.04 | 027 |
| TEMPORARY PAVEMENT STRIPING TAPE | 635.02.01 | 038 |
| TRAFFIC SIGNALS | 623.03.01 | 022 |
| TRENCH DRAINS | 609.03.01c | 012 |
| TRUCK MOUNTED IMPACT ATTENUATORS | 625.02.05 | 028 |
| VEHICLE DETECTOR SEALANTS (OPTIONAL) | 623.02.30e | 021-022 |
| VEHICLE DETECTORS (PIEZOELECTRIC SENSORS) | 623.02.30a | 020-021 |
| WATER FILLED BARRIER RAILS | 625.02.06 | 028-029 |

PRODUCT TYPES

SPECIFICATION #

PAGE NUMBER

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|------------------------------|--------------------------------------|-----------------------------------|
| VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- | SBBC-xx-AL SBBC-xx-ALI SBBC-xx-ALPH SBBC-xx-ALHPI | | 5/26/1998 | R002, R003 R004, R005 |
| <i>Contact:</i> Kim Goldensten | | | | |
| <i>Mfg #:</i> (800) 729-1314 | <i>Cell #:</i> | <i>Fax #:</i> (888) 310-3946 | <i>Web Site:</i> www.vitproducts.com | <i>Email:</i> kim@vitproducts.com |

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|------------------------------|-------------------------------------|-------------------------------------|
| RectorSeal 2601 Spenwick Drive Houston TX 77055- | RectorSeal #5 | | 8/2/1999 | R189 |
| <i>Contact:</i> Scott Kerns | | | | |
| <i>Mfg #:</i> (713) 860-6717 | <i>Cell #:</i> | <i>Fax #:</i> (713) 263-7577 | <i>Web Site:</i> www.rectorseal.com | <i>Email:</i> scottk@rectorseal.com |

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|-------------------------------|--|--------------------------------------|
| S-Square Tube Products 221 North Kuner Road Brighton CO 80601- | NEX Mailbox Support System | Type C Mailbox Support System | 3/29/2004 | R487 |
| <i>Contact:</i> Susan Keim | | | | |
| <i>Mfg #:</i> (303) 286-7051 | <i>Cell #:</i> (888) 267-6463 | <i>Fax #:</i> (866) 639-5717 | <i>Web Site:</i> www.s-squaretube.com | <i>Email:</i> susan@s-squaretube.com |
| Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- | V-LOC Mailbox Support System | | 11/4/1997 | R006 |
| <i>Contact:</i> Bryan Everard | | | | |
| <i>Mfg #:</i> (262) 814-7000 | <i>Cell #:</i> (800) 444-0331 | <i>Fax #:</i> (262) 814-7017 | <i>Web Site:</i> www.tapconet.com/vloc | <i>Email:</i> bryane@tapconet.com |

401.02.03 HERBICIDES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|--|--|--|
| Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- | Pramitol 25E | Application rate: 38L/hectare 25gal/acre | 8/1/1993 | R007 |
| <i>Contact:</i> Howard Stoddard | | | | |
| <i>Mfg #:</i> (281) 892-2500 | <i>Cell #:</i> (800) 242-5562 | <i>Fax #:</i> (281) 892-2501 | <i>Web Site:</i> www.controlsolutionsinc.com | <i>Email:</i> orders@controlsolutionsinc.com |

401.02.03 HERBICIDES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|----------------------------------|---------------------------------|
| Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- | Spike 80 W Spike 80 DF (dry formula with safer application) | Application rate: 1.8 kg/hectare 10 lbs/acre | 8/1/1993 | R008, R015 |
| | | | <i>Contact:</i> Beau Miller | |
| <i>Mfg #:</i> (916) 525-2633 | <i>Cell #:</i> (916) 296-2811 | <i>Fax #:</i> (916) 525-2710 | <i>Web Site:</i> www.dowagro.com | <i>Email:</i> bjmillier@dow.com |

401.02.03b WEED CONTROL FABRIC

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---------------------------------|---------------------|----------------|------------------|------------------|
| NO VENDOR LISTINGS AT THIS TIME | | | | |
| | | | <i>Contact:</i> | |
| <i>Mfg #:</i> | <i>Cell #:</i> | <i>Fax #:</i> | <i>Web Site:</i> | <i>Email:</i> |

401.03.02 ASPHALT RELEASE AGENTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|--|--|
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- | Super Slick Bio Slider | 10/26/05 Company Name change: Chemco to Arrow Magnolia | 4/22/2004 | R494, R495 |
| | | | <i>Contact:</i> Eunice Kemp | |
| <i>Mfg #:</i> (800) 527-2101 | <i>Cell #:</i> (214) 415-3984 | <i>Fax #:</i> (972) 484-2896 | <i>Web Site:</i> www.arrowmagnolia.com | <i>Email:</i> ekemp@arrowmagnolia.com |
| BG Chemical LP PO Box 720025 Dallas TX 75372- | Black Magic 13 Black Magic "For Rubber" Thermal Slide GreenGuard | | 5/8/2000 | R260, R261 R262, R648 |
| | | | <i>Contact:</i> Jeff Gunter | |
| <i>Mfg #:</i> (800) 725-8470 | <i>Cell #:</i> (214) 826-6822 | <i>Fax #:</i> (214) 826-7290 | <i>Web Site:</i> www.bgchemical.com | <i>Email:</i> jgunter@bgchemical.com |
| Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- | Slippery Wizard Clear Wizard | | 7/15/2008 | R603, R632 |
| | | | <i>Contact:</i> Tammy Price | |
| <i>Mfg #:</i> (800) 480-2436 | <i>Cell #:</i> (801) 548-2287 | <i>Fax #:</i> (801) 274-2425 | <i>Web Site:</i> www.brodychemical.com | <i>Email:</i> tamme_price@yahoo.com |
| ChemStation 3400 Encrete Lane Dayton OH 45439- | 2217-A 2217-B | | 12/20/2007 | R392, R584 |
| | | | <i>Contact:</i> Katie Overton | |
| <i>Mfg #:</i> (800) 554-8265 | <i>Cell #:</i> (623) 435-1945 | <i>Fax #:</i> (937) 534-0426 | <i>Web Site:</i> www.chemstation.com | <i>Email:</i> koverton@chemstation.com |

401.03.02**ASPHALT RELEASE AGENTS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------------|---|---|--------------------------|
| Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 <i>Cell #:</i> (770) 891-3307 <i>Fax #:</i> (770) 386-3391 <i>Web Site:</i> | SPX-7, No 1 | Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. | 4/27/2000 <i>Contact:</i> Paul Wilson | R263 |
| Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 <i>Cell #:</i> (417) 866-5592 <i>Fax #:</i> (417) 866-5593 <i>Web Site:</i> www.rhomar.com | Enviro-Slide Ultra | | 4/26/2000 <i>Contact:</i> Bob Hamilton | R259 |
| Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Cell #:</i> <i>Fax #:</i> (770) 443-0810 <i>Web Site:</i> www.thetecteam.com | Teclon-Pro | | 11/7/2006 <i>Contact:</i> Karen Price | R562 |
| ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 <i>Cell #:</i> (775) 721-2821 <i>Fax #:</i> (209) 830-5124 <i>Web Site:</i> www.zep.com | R-5274 R-6690 XT-3199 X-509 | | 5/11/2006 <i>Contact:</i> Byran Castelloni | R368, R369 R370, R263 |

409.03.10**EVAPORATIVE RETARDER**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|--|---|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com | Atlas Finish Film | | 1/29/2003 <i>Contact:</i> Ryan Quinn | R419 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com | Dayton Superior SureFilm J-74 | Finishing Aid: 4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal | 8/2/1999 <i>Contact:</i> John Hukey | R190 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Eucoabar | | 9/30/1996 <i>Contact:</i> Christopher Balsat / Brian Louis <i>Email:</i> cbalsat@euclidchemical.com | R044 |

409.03.10 EVAPORATIVE RETARDER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|------------------|
| Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 | VaporAid 060 | | 8/2/1999 | R191 |
| <i>Contact:</i> Alex Kaufman | | | | |
| <i>Mfg #:</i> (410) 354-8600 <i>Cell #:</i> (800) 637-6372 <i>Fax #:</i> (410) 354-1122 <i>Web Site:</i> www.kaufmanproducts.net <i>Email:</i> akaufman@kaufmanproducts.net | | | | |
| Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- | Certi-Vex Envioassist Evaporative Retarder | Application rate:4.9 m2/1 to 200 ft2/gal | 8/2/1999 | R193 |
| <i>Contact:</i> Darryl Manuel | | | | |
| <i>Mfg #:</i> (215) 332-7709 <i>Cell #:</i> (888) 839-2661 <i>Fax #:</i> (215) 332-9997 <i>Web Site:</i> www.vexcon.com <i>Email:</i> techservice@vexcon.com | | | | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- | Sealtight Evapre Evaporative Retarder | Application rate: 1gal/to 9gal water | 8/1/1999 | R194 |
| <i>Contact:</i> Lyne Ball | | | | |
| <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> lball@wrmeadows.com | | | | |

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- | Aggregate | | 1/26/1997 | R014 |
| <i>Contact:</i> Darla Allen | | | | |
| <i>Mfg #:</i> (925) 426-8787 <i>Cell #:</i> <i>Fax #:</i> (916) 939-7481 <i>Web Site:</i> www.cemex.com <i>Email:</i> darlaa.allen@cemex.com | | | | |
| Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- | Aggregate Sand | | 1/26/1997 | R012, R313 |
| <i>Contact:</i> Jim Adderson | | | | |
| <i>Mfg #:</i> (425) 228-2120 <i>Cell #:</i> <i>Fax #:</i> (425) 228-2199 <i>Web Site:</i> www.mineralco.com <i>Email:</i> mineralco@aol.com | | | | |

502.02.04 CONCRETE STAIN

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| United Coatings 19011 East Cataldo Spokane Valley WA 99016- | Canyon Tone Stain | | 4/12/2005 | R519 |
| <i>Contact:</i> Shawn Carney | | | | |
| <i>Mfg #:</i> (800) 541-4383 <i>Cell #:</i> (509) 926-7143 <i>Fax #:</i> (509) 928-1116 <i>Web Site:</i> www.unitedcoatings.com <i>Email:</i> shawn@unitedcoatings.com | | | | |

502.02.04 CONCRETE STAIN

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|------------------------------|-------------------------------------|---|
| Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- | Coverall 2800 AF Ext. Flat | | 5/20/2008 | R614 |
| | | | <i>Contact:</i> Steven Tetreault | |
| <i>Mfg #:</i> (714) 680-3800 | <i>Cell #:</i> (702) 292-8316 | <i>Fax #:</i> (702) 597-5222 | <i>Web Site:</i> www.vistapaint.com | <i>Email:</i> stetreault@vistapaint.com |

502.02.05a ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|--|---|
| American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- | Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202) | 10/08 New product replaces GSS10 Anti Graffiti Coating | 9/3/2008 | R389, R390 R391 |
| | | | <i>Contact:</i> Greg Gohlinghorst x.1 | |
| <i>Mfg #:</i> (800) 676-5963 | <i>Cell #:</i> (801) 201-2826 | <i>Fax #:</i> (801) 255-7123 | <i>Web Site:</i> www.americanpolymer.com | <i>Email:</i> gregg@americanpolymer.com |
| Monopole Incorporated 4661 Alger Street Los Angeles CA 90039- | Monochem Permashield Premium Graffiti 5600 | | 10/5/2009 | R679 |
| | | | <i>Contact:</i> Tony Khalil | |
| <i>Mfg #:</i> (800) 491-9977 | <i>Cell #:</i> | <i>Fax #:</i> (818) 502-0818 | <i>Web Site:</i> www.monopoleinc.com | <i>Email:</i> tony@monopoleinc.com |

502.03.13i PREFORMED JOINT FILLERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|------------------------------|--|--|
| BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- | JEENE® Structural & Sealing Joint Wabo® Evazote UV | | 8/2/2006 | R011, R016 |
| | | | <i>Contact:</i> Chris Overby | |
| <i>Mfg #:</i> (800) 677-4922 | <i>Cell #:</i> (417) 425-1942 | <i>Fax #:</i> (716) 691-9239 | <i>Web Site:</i> www.wbacorp.com | <i>Email:</i> christopher.overby@basf.com |
| Chase Construction Products 401 New Karner Road Albany NY 12205- | MetaZeal Phyzite 380 | | 5/3/1999 | R009, R024 |
| | | | <i>Contact:</i> Terry Eck | |
| <i>Mfg #:</i> (800) 356-6007 | <i>Cell #:</i> (508) 505-5043 | <i>Fax #:</i> (518) 356-1110 | <i>Web Site:</i> www.chaseconstructionproducts.com | <i>Email:</i> teck@chasecorp.com |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- | Polytite N | | 5/3/1999 | R010 |
| | | | <i>Contact:</i> John Hukey | |
| <i>Mfg #:</i> (913) 279-0264 | <i>Cell #:</i> (877) 416-3439 | <i>Fax #:</i> (913) 279-4806 | <i>Web Site:</i> www.dayton superiorchemical.com | <i>Email:</i> johnhukey@daytonsuperior.com |

502.03.13i**PREFORMED JOINT FILLERS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301 <i>Cell #:</i> <i>Fax #:</i> (716) 691-3305 <i>Web Site:</i> www.rjwatson.com <i>Email:</i> mdstafford@rjwatson.com | Silicoflex | | 12/7/2000 | R276 |
| Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 <i>Cell #:</i> (603) 889-6872 <i>Fax #:</i> (603) 889-6874 <i>Web Site:</i> www.willsealusa.com <i>Email:</i> info@schul.com | Will Seal 600 | | 6/4/2002 | R347 |
| TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 <i>Cell #:</i> (419) 408-5469 <i>Fax #:</i> (419) 424-5959 <i>Web Site:</i> www.techstar-inc.com <i>Email:</i> warren@techstar-inc.com | W Seal | | 5/3/1999 | R131 |

502.03.13j**ASPHALTIC PLUG EXPANSION JOINTS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------|----------------|---------------|------------------|
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com <i>Email:</i> ldurain@dsbrown.com | Matrix 502 Pave Tech | | 6/5/1997 | R198 |
| Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 <i>Cell #:</i> (440) 552-2489 <i>Fax #:</i> (570) 546-2415 <i>Web Site:</i> www.DSA-Ltd.com <i>Email:</i> tpersing@dsa-ltd.com | BJS Thorma Joint Systems | | 9/19/2002 | R360 |

502.03.13k**EXPANSION JOINT (SPECIAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------|--|---------------|------------------|
| Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- <i>Mfg #:</i> (800) 888-8909 <i>Cell #:</i> (918) 230-3148 <i>Fax #:</i> (918) 586-4912 <i>Web Site:</i> www.ssicm.com <i>Email:</i> scott.fowler@ssicm.com | Dow 902 XJS Joint System | This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an acceptable product. | 4/22/2002 | R212 |

502.03.131**EXPANSION JOINT SEALANT**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------------|----------------|---|------------------|
| BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com | Wabo® SiliconSeal - 2 Part | | 4/22/2002 | R340 |
| | | | <i>Contact:</i> Chris Overby | |
| | | | <i>Email:</i> christopher.overby@basf.com | |
| Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com | 902 RCS | | 4/22/2002 | R339 |
| | | | <i>Contact:</i> Jason Sika | |
| | | | <i>Email:</i> jason.sika@dowcorning.com | |

502.03.19**FINE SURFACE FINISH (BONDED GROUT)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|----------------|--|------------------|
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Tammscoat Fine | | 9/4/2007 | R567 |
| | | | <i>Contact:</i> Christopher Balsat / Brian Louis | |
| | | | <i>Email:</i> cbalsat@euclidchemical.com | |
| Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- <i>Mfg #:</i> (323) 855-1242 <i>Cell #:</i> (310) 780-1983 <i>Fax #:</i> (805) 523-8737 <i>Web Site:</i> www.texcote.com | Tex.Cote® XL 70 Bridge Cote® 300 Bridge Cote | | 9/4/2007 | R595, R596 |
| | | | <i>Contact:</i> James Servais | |
| | | | <i>Email:</i> j.servais@texcote.com | |

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-----------------------|---|--|------------------|
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com | Crafco Asphalt Rubber | Type 1, 2 or 4; Depends on Climate Zone | 1/7/1998 | R020 |
| | | | <i>Contact:</i> Lowell Parkison | |
| | | | <i>Email:</i> lowell.parkison@crafco.com | |
| Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940 <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com | Calseal | | 9/8/1998 | R025 |
| | | | <i>Contact:</i> Randy Rozell | |
| | | | <i>Email:</i> customerservice@henry.com | |

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------|------------------------------|--|--|
| Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104- | Elastoflex 44 Elastoflex 56 | | 1/6/1998 | R022, R023 |
| <i>Contact:</i> Dale Bergivin | | | | |
| <i>Mfg #:</i> (801) 972-2090 | <i>Cell #:</i> | <i>Fax #:</i> (801) 972-5536 | <i>Web Site:</i> www.maxwellproducts.com | <i>Email:</i> dale@maxwellproducts.com |

505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------------|------------------------------|--|---|
| Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- | Resicoat RB-600 | | 4/30/2008 | R591 |
| <i>Contact:</i> Fritz Herrmann | | | | |
| <i>Mfg #:</i> (800) 626-7891 | <i>Cell #:</i> (615) 995-5576 | <i>Fax #:</i> (216) 750-7575 | <i>Web Site:</i> www.akzonobel.com | <i>Email:</i> fritz.herrmann@akzonobel.com |
| Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041- | 7-2719 Nap Guard Epoxy Coating | | 1/18/2001 | R281 |
| <i>Contact:</i> Kuruvila Varughese/Greg Dintz | | | | |
| <i>Mfg #:</i> (713) 996-0669 | <i>Cell #:</i> (713) 996-4665 | <i>Fax #:</i> (713) 939-4028 | <i>Web Site:</i> www.hoovers.com/dupont-coatings | <i>Email:</i> kuruvila.varughese@usa.dupont.com |
| International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- | HD33 Interpon HD34 Fusion Bond | | 1/1/1996 | R026, R027 |
| <i>Contact:</i> Dan Griffin | | | | |
| <i>Mfg #:</i> (281) 684-5203 | <i>Cell #:</i> (281) 684-5203 | <i>Fax #:</i> (812) 256-6733 | <i>Web Site:</i> www.international-pc.com | <i>Email:</i> daniel.griffin@akzonobel.com |
| Seibert Powder Coatings USA Inc 11110 Berea Road Cleveland OH 44102- | 1295 E-90 Pow Dax Scotch Kote 413 | | 1/1/1996 | R029, R030 |
| <i>Contact:</i> Nancy Rizzardi | | | | |
| <i>Mfg #:</i> (216) 631-2002 | <i>Cell #:</i> (800) 231-2002 | <i>Fax #:</i> (216) 631-6211 | <i>Web Site:</i> n/a | <i>Email:</i> nrizzardi@npacoatings.com |
| Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- | Greenbar #720A009 | | 1/1/1996 | R028 |
| <i>Contact:</i> Michael Adams | | | | |
| <i>Mfg #:</i> (281) 370-6164 | <i>Cell #:</i> (281) 630-9878 | <i>Fax #:</i> (281) 370-6654 | <i>Web Site:</i> www.valspar.com | <i>Email:</i> madams@valspar.com |

509.03.09**SYNTHETIC DRILLING SLURRY**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---------------------|----------------|---------------|------------------|
| CETCO Drilling Products Group 2870 Forbs Avenue Hoffman Estates IL 60192- <i>Mfg #:</i> (847) 851-1810 <i>Cell #:</i> (847) 910-4334 <i>Fax #:</i> (847) 851-1367 <i>Web Site:</i> www.constructiondrilling.com <i>Email:</i> john.berry@cetco.com | Shore Pac GCV | | 9/25/2006 | R559 |
| Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- <i>Mfg #:</i> (210) 587-4758 <i>Cell #:</i> <i>Fax #:</i> (210) 568-4567 <i>Web Site:</i> www.geotech.us <i>Email:</i> mholmes@geotech.us | Novagel Polymer | | 9/25/2006 | R558 |
| PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Cell #:</i> <i>Fax #:</i> (562) 634-1350 <i>Web Site:</i> www.pdscoinc.com <i>Email:</i> sales@pdscoinc.com | Super Mud | | 9/25/2006 | R560 |

609.02.01a**FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (541) 689-3133 <i>Cell #:</i> <i>Fax #:</i> (541) 689-3808 <i>Web Site:</i> americanhighwaytechnologies.com <i>Email:</i> terryedmundson@daytonsuperior.com | American Highway Patch II | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 | R036 |
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Pro-1 Patch | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 5/14/2009 | R312 |
| BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfbcst.com <i>Email:</i> basfbcst@basf.com | Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. Name Change: ThorRoc 10-60 Rapid Mortar to 10-60 Rapid Mortar | 1/3/2002 | R385, R386 R387 |
| CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (714) 348-1946 <i>Fax #:</i> (714) 379-8270 <i>Web Site:</i> www.ctscement.com <i>Email:</i> fsenatore@ctscement.com | Rapid Set DOT Repair Mix | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 1/27/1994 | R039 |

609.02.01a

FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---|--------------------|
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com | Dayton Superior HD50 Edoco Fast Patch 928 | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 <i>Contact:</i> John Hukey | R037, R038 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 11/8/2005 <i>Contact:</i> Christopher Balsat / Brian Louie | R537, R538 R539 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Hi-Flow Grout Euco-Speed MP Euco-Speed | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 <i>Contact:</i> Christopher Balsat / Brian Louie | R041, R042 R043 |
| Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- <i>Mfg #:</i> (800) 243-2206 <i>Cell #:</i> (203) 336-7900 <i>Fax #:</i> (203) 336-7930 <i>Web Site:</i> www.fivestarprom.com | Highway Patch Structural Concrete | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/30/1996 <i>Contact:</i> Lou Federico | R034, R035 |
| Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <i>Mfg #:</i> (209) 830-7803 <i>Cell #:</i> (209) 482-4488 <i>Fax #:</i> (209) 830-7804 <i>Web Site:</i> www.us.henkel.com | Loctite MagnaCrete | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 10/17/2008 <i>Contact:</i> Bob Bacchetti | R615 |
| High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <i>Mfg #:</i> (888) 400-7600 <i>Cell #:</i> (949) 677-8229 <i>Fax #:</i> (714) 439-1001 <i>Web Site:</i> www.ConcreteRepair.com | High Performance Concrete Mix | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 1/3/2002 <i>Contact:</i> John & Tom Collins | R322 |
| US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <i>Mfg #:</i> (866) 827-8727 <i>Cell #:</i> (410) 821-1503 <i>Fax #:</i> (410) 561-8771 <i>Web Site:</i> www.concreterepairmaterials.com | HP Cement | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 10/22/2004 <i>Contact:</i> Laura Clabaugh | R507 |
| US Mix Company 112 South Sante Fe Drive Denver CO 80223- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> (702) 322-1700 <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usspec.com | SPEC STR Mortar | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/29/2009 <i>Contact:</i> Bryan Smith | R672 |

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|---|--|------------------|
| W.R. Meadows of Arizona 4220 South Sarival Avenue Goodyear AZ 85338- <i>Mfg #:</i> (623) 932-9383 <i>Cell #:</i> (702) 253-1100 <i>Fax #:</i> (623) 932-1547 <i>Web Site:</i> www.wrmeadows.com | Futura 15 | The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. | 9/29/2009 <i>Contact:</i> Terry Kraus | R671 |

609.02.01b STORMWATER TREATMENT VAULTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---|--------------------|
| BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <i>Mfg #:</i> (775) 831-4592 <i>Cell #:</i> (800) 229-7283 <i>Fax #:</i> (775) 831-4592 <i>Web Site:</i> www.baysaver.com | BaySaver | This is the general QPL only. The unit will be selected based on the specific project requirements. | 2/19/2001 <i>Contact:</i> Ed Franklin | R284 |
| CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com | CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System | This is the general QPL only. The unit will be selected based on the specific project requirements. | 7/23/2003 <i>Contact:</i> Neil Erickson | R447, R448 R449 |
| Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <i>Mfg #:</i> (775) 352-6363 <i>Cell #:</i> <i>Fax #:</i> (775) 352-6364 <i>Web Site:</i> www.jensenprecast.com | JPHV Stormwater Interceptor | This is the general QPL only. The unit will be selected based on the specific project requirements. | 6/13/2006 <i>Contact:</i> Pam Hammonds | R548 |
| Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <i>Mfg #:</i> (775) 358-4430 <i>Cell #:</i> (707) 396-6268 <i>Fax #:</i> (775) 355-1982 <i>Web Site:</i> www.rinkermaterials.com/www.stormceptor.com | Stormceptor | This is the general QPL only. The unit will be selected based on the specific project requirements. | 4/22/2001 <i>Contact:</i> Don Catterson/Steve Nilfor oushar | R286 |
| Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <i>Mfg #:</i> (877) 687-7473 <i>Cell #:</i> (610) 316-0957 <i>Fax #:</i> (610) 687-6327 <i>Web Site:</i> www.stormdrains.com | Inceptor | This is the general QPL only. System will be selected based on project-specific requirements. | 7/26/2002 <i>Contact:</i> Robert Sharpless | R348 |

609.03.01c

TRENCH DRAINS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---------------|--------------------------|
| ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com <i>Email:</i> bshort@abtdrains.com | A-67 Interceptor Trench Drain System Polydrain Trench Drain System | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R394, R395 |
| ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com <i>Email:</i> bshort@abtdrains.com | ZHD 200 Trench Drain System MHD 200 Trench Drain System | This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200 | 8/28/2006 | R556, R557 |
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com <i>Email:</i> jwhite@aco-online.com | S100K Concrete FF300 Concrete FG200 Concrete S300K Concrete Surface Drainage | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R396, R397 R398, R400 |
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com <i>Email:</i> jwhite@aco-online.com | TrafficDrain | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R384 |
| Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- <i>Mfg #:</i> (800) 346-3061 <i>Cell #:</i> (707) 452-9920 <i>Fax #:</i> (707) 452-9923 <i>Web Site:</i> www.polycastdrain.com <i>Email:</i> tbeattie@hps.hubbell.com | Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F) | This is the general QPL only. System will be selected based on project-specific requirements. | 1/13/2005 | R512, R513 R514 |
| Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- <i>Mfg #:</i> (800) 433-1119 <i>Cell #:</i> (704) 881-4064 <i>Fax #:</i> (704) 508-1011 <i>Web Site:</i> www.multidrainsystems.com <i>Email:</i> steve.born@multidrainsystems.com | EconoDrain Systems MultiDrain Surface Drainage Systems | This is the general QPL only. System will be selected based on project-specific requirements. | 4/6/2004 | R492, R493 |
| Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 <i>Mfg #:</i> (716) 665-1132 <i>Cell #:</i> (916) 332-5653 <i>Fax #:</i> (716) 665-1135 <i>Web Site:</i> www.zurn.com <i>Email:</i> bill.ousley@zurn.com | Z-886 (4" Wide) Z-882 (9.25" Wide) | This is the general QPL only. System will be selected based on project-specific requirements. | 3/28/2003 | R421, R422 |

610.02.01 CELLULAR EROSION CONTROL MATS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|----------------------------------|------------------|
| Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- | UltraFlexTM | | 11/18/2009 | R684 |
| <i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 <i>Fax #:</i> (775) 359-5997 <i>Web Site:</i> www.submar.com | | | <i>Contact:</i> Damian Swain | |
| | | <i>Email:</i> damian.swain@paccoast.com | | |
| CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- | Armotec Cellular Erosion Control Mat Petraflex | This is the general QPL only. System will be selected based on project-specific requirements. | 10/23/2008 | R332, R333 |
| <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com | | | <i>Contact:</i> Neil Erickson | |
| | | <i>Email:</i> ericksonn@contech-cpi.com | | |
| Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- | Armorflex | This is the general QPL only. System will be selected based on project-specific requirements. | 1/28/2002 | R326 |
| <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com | | | <i>Contact:</i> Quinn Brown | |
| | | <i>Email:</i> quinn.brown@hanesindustries.com | | |
| Shoretac 510 O'Neal Lane Baton Rouge LA 70819- | Shoreblock Shoretac | | 4/24/2009 | R601, R622 |
| <i>Mfg #:</i> (281) 450-3469 <i>Cell #:</i> (225) 273-9888 <i>Fax #:</i> (225) 273-3511 <i>Web Site:</i> www.shoretac.com | | | <i>Contact:</i> Patrick Bonorden | |
| | | <i>Email:</i> pbonorden@premierconcrete.com | | |

613.02.01 DETECTABLE WARNINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|--|--------------------------------|------------------|
| ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- | ACO Detectible Warning Device | Approved for NV Red Only | 2/26/2009 | R630 |
| <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com | | | <i>Contact:</i> Justin White | |
| | | <i>Email:</i> jwhite@aco-online.com | | |
| Advanced Surface Systems LLC (ASSI) 118 North Peters Road #250 Knoxville TN 37923- | SureDome | Approved for NV Red and NV Green | 12/10/2008 | R628 |
| <i>Mfg #:</i> (865) 966-2079 <i>Cell #:</i> (865) 206-4789 <i>Fax #:</i> (865) 241-8046 <i>Web Site:</i> www.suredome.com | | | <i>Contact:</i> Karen Hemry | |
| | | <i>Email:</i> kchemry@hotmail.com/bumps@suredome.com | | |
| Arcis Corporation PO Box 1250 North Plains OR 97133- | ADA Arcis Tactiles | Approved for NV Red Only | 9/2/2008 | R608 |
| <i>Mfg #:</i> (503) 647-5042 <i>Cell #:</i> <i>Fax #:</i> (503) 647-7731 <i>Web Site:</i> www.arciscorp.com | | | <i>Contact:</i> Dan VanBrabant | |
| | | <i>Email:</i> info@arcis-corp.com | | |

613.02.01 DETECTABLE WARNINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------------|----------------------------------|---------------|------------------|
| StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- <i>Mfg #:</i> (866) 439-3216 <i>Cell #:</i> (877) 254-1259 <i>Fax #:</i> (520) 547-3515 <i>Web Site:</i> www.stronggo.com <i>Email:</i> gmargan@stronggo.com | TekWay Dome Tile | Approved for NV Red and NV Green | 11/27/2006 | R564 |
| Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 <i>Cell #:</i> (800) 321-7870 <i>Fax #:</i> (914) 636-1282 <i>Web Site:</i> www.transpo.com <i>Email:</i> mstenko@transpo.com | Safe Step - Detectable Warning Tile | Approved for NV Red and NV Green | 3/26/2004 | R484 |
| United Diamond & Stone Incorporated 16788 Placer Hills Road Suite C Meadow Vista CA 95722- <i>Mfg #:</i> (530) 878-2440 <i>Cell #:</i> <i>Fax #:</i> (530) 320-4180 <i>Web Site:</i> www.uniteddiamond.com <i>Email:</i> darren_thomas@sbcglobal.net | Cast-in-Tact | Approved for NV Red | 8/20/2009 | R666 |

616.02.01 PLASTIC FENCE FABRIC MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- <i>Mfg #:</i> (800) 426-6933 <i>Cell #:</i> (612) 623-1700 <i>Fax #:</i> (612) 623-2500 <i>Web Site:</i> www.conwedplastics.com <i>Email:</i> customer.service@conwedplastics.com | Safety Fence | | 10/10/1999 | R202 |
| Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com <i>Email:</i> bmiller@tensarcorp.com | Safety GeoGrid | | 5/15/2002 | R342 |

618.02.01 FLARED GUARDRAIL TERMINAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---------------|------------------|
| Road Systems Incorporated 3616 Howard County Airport Road Big Spring TX 79720- <i>Mfg #:</i> (330) 346-0721 <i>Cell #:</i> (801) 785-0505 <i>Fax #:</i> (330) 346-0722 <i>Web Site:</i> www.roadsystems.com <i>Email:</i> jdurkos@roadsystems.com | Fleat SP | TL-3 | 9/29/2009 | R668 |

618.02.01 FLARED GUARDRAIL TERMINAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-------------------------------|-------------------------------------|
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | Let Soil Tubes SRT 350 | TL-3 | 6/9/2004 | R500, R501 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 | <i>Cell #:</i> (360) 943-9559 | <i>Fax #:</i> (801) 292-3263 | <i>Web Site:</i> www.trin.net | <i>Email:</i> mikel.hooley@trin.net |

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|---|--------------------------------------|-------------------------------------|
| Road Systems Incorporated PO Box 2163 Big Spring TX 79721- | SKT 350 SKT Lite SKT SP | TL-3 | 2/8/1998 | R156, R669 R670 |
| <i>Contact:</i> Kaddo Kothmann | | | | |
| <i>Mfg #:</i> (432) 263-2435 | <i>Cell #:</i> (432) 517-0697 | <i>Fax #:</i> (432) 267-4039 | <i>Web Site:</i> www.roadsystems.com | <i>Email:</i> Kaddo@basin-net.net |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | CAT 350 ET Plus | Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. | 3/30/1997 | R046, R499 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 | <i>Cell #:</i> (360) 943-9559 | <i>Fax #:</i> (801) 292-3263 | <i>Web Site:</i> www.trin.net | <i>Email:</i> mikel.hooley@trin.net |

618.02.01b GUARDRAIL OFFSET BLOCKS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|--|---------------------------------|--------------------------------------|
| Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- | Glue Laminated Offset Block | Used with W-beam and Tri-beam Guardrails | 3/10/2004 | R485 |
| <i>Contact:</i> Ginger Wiltbank | | | | |
| <i>Mfg #:</i> (928) 333-5501 | <i>Cell #:</i> | <i>Fax #:</i> (928) 333-4403 | <i>Web Site:</i> www.glulam.com | <i>Email:</i> gwiltbank@azglulam.com |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- | King-Size King Block | Used with steel post Tri-beam Guardrails | 5/13/2005 | R523, R524 |
| <i>Contact:</i> Mike Hooley | | | | |
| <i>Mfg #:</i> (800) 772-7976 | <i>Cell #:</i> (360) 943-9559 | <i>Fax #:</i> (801) 292-3263 | <i>Web Site:</i> www.trin.net | <i>Email:</i> mike.hooley@trin.net |

619.02.01 FLEXIBLE GUIDE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--------------------------------------|------------------------------|------------------------------------|---|
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | 654 Ground Mount Easy Drive Round | Type 2 | 6/1/1994 | R171, R283 |
| <i>Contact:</i> Jim Zadrozny/Robert Hugh | | | | |
| <i>Mfg #:</i> (800) 348-9839 | <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 | <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com |

619.02.01

FLEXIBLE GUIDE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|--------------------------------|--------------------------|
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 HD UR | | 10/14/1999 | R688 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com <i>Email:</i> bill.daly@pexco.com | | | <i>Contact:</i> Bill Daly | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Model EFX FG 300 Model PE FG 300 Complete Curb System | | 10/14/1999 | R685, R686 R315 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com <i>Email:</i> bill.daly@pexco.com | | | <i>Contact:</i> Bill Daly | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | SH Replaceable Barrier Marker SH Dura Post K Marker | Type 2 Minimum Embedment Depth: 430 mm (17 inches) | 11/4/1998 | R068, R053 R052 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | | | <i>Contact:</i> Diane Sanchez | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- | Safe Hit Soil Mount Delineator Surface Mount Tubular Delineator | Type 2 | 11/21/2008 | R623, R624 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> | | | <i>Contact:</i> Diane Sanchez | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | RT 360 HD Tubular Delineator Soil/Surface Mount SH Dura Post K Marker | | 5/14/2009 | R600 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | | | <i>Contact:</i> Diane Sanchez | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- | RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator | Type 2 | 11/21/2008 | R625, R626 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com <i>Email:</i> | | | <i>Contact:</i> Diane Sanchez | |
| Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634- | Shur-Flex® Driveable Delineator Shur-Flex® Surface Mount Delineator Shur-Tite® Cable Barrier Delineator Shur-Tite® Guardrail Clamp Post Mount Del | | 4/30/2009 | R633, R634 R636, R635 |
| <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-tite.com <i>Email:</i> gary@shur-tite.com | | | <i>Contact:</i> Gary Champ | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD5500 Earthflex Delineator | Type 2 | 10/13/2004 | R506 |
| <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | | | <i>Contact:</i> Frank Dvoracek | |

619.02.01a

FLEXIBLE OBJECT MARKERS (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|---|--------------------------|
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- | Island Sentry K-Marker | Type 2 | 8/1/1989 | R050 |
| <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com | | | <i>Contact:</i> Ernest Joyner III | |
| | | | <i>Email:</i> sales@carsonite.com | |
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | T1 Marker Round T2 Marker Round BD Marker Round HM Marker Round | Type 2 | 6/1/1994 | R049, R048 R051, R056 |
| <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com | | | <i>Contact:</i> Jim Zadrozny/Robert Hughes | |
| | | | <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Complete Curb System FG 300 Turn Pike Curb FG 300 Model PE FG 300 HD UR | | 10/14/1999 | R315, R686 R687, R688 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com | | | <i>Contact:</i> Bill Daly | |
| | | | <i>Email:</i> bill.daly@pexco.com | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | Type K Island Marker | Type 2 | 9/13/2007 | R576 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com | | | <i>Contact:</i> Bill Daly | |
| | | | <i>Email:</i> bill.daly@pexco.com | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | SH Replaceable Barrier Marker SH Dura Post K Marker | Type 2 | 11/4/1998 | R052, R053 R068 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com | | | <i>Contact:</i> Diane Sanchez | |
| | | | <i>Email:</i> diane.sanchez@quixotecorp.com | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- | RubberTough 360 HD Bolt Down Soil Mount Tubular Delineator | Type 2 | 11/21/2008 | R625, R626 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com | | | <i>Contact:</i> Diane Sanchez | |
| | | | <i>Email:</i> | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- | Safe Hit Soil Mount Surface Mount Tubular Delineator RT 360 HD Tubular Delineator Soil/Surface Mount | Type 2 | 11/21/2008 | R623, R624 R600 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com | | | <i>Contact:</i> Diane Sanchez | |
| | | | <i>Email:</i> | |
| Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634- | Shur-Flex® Driveable Object Marker | | 2/2/2010 | R676 |
| <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-tite.com | | | <i>Contact:</i> Gary Champ | |
| | | | <i>Email:</i> gary@shur-tite.com | |

619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|------------------------------|-------------------------------------|------------------------------------|
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD 5215 K Marker | Type 2 | 9/4/2007 | R566 |
| <i>Contact:</i> Frank Dvoracek | | | | |
| <i>Mfg #:</i> (877) 843-9757 | <i>Cell #:</i> | <i>Fax #:</i> (818) 841-5096 | <i>Web Site:</i> www.trafficwks.com | <i>Email:</i> sales@trafficwks.com |

619.03.01 PRISMATIC ACRYLIC REFLECTORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------------|------------------------------|---|----------------------------------|
| Artuk 6318 West State Street Wauwatosa WI 53213- | AKT #18 Center Mounted Reflector | | 5/5/1998 | R054 |
| <i>Contact:</i> Sharon Marquardt | | | | |
| <i>Mfg #:</i> (414) 475-5020 | <i>Cell #:</i> | <i>Fax #:</i> (414) 476-3438 | <i>Web Site:</i> www.aktcorp.com | <i>Email:</i> tschoe2992@aol.com |
| Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- | Center-Mounted Delineator Reflector | | 5/5/1998 | R055 |
| <i>Contact:</i> Doris Weid | | | | |
| <i>Mfg #:</i> (847) 428-7761 | <i>Cell #:</i> | <i>Fax #:</i> (847) 428-7764 | <i>Web Site:</i> www.vegamoldedproducts.com | <i>Email:</i> vega7761@aol.com |

623.01.01 DYNAMIC MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|------------------------------|--|---|
| Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 | Light-Emitting Diode Dynamic Message Sign Assembly | Type 1 and Type 2 | 9/14/2004 | R503 |
| <i>Contact:</i> Darcie Van Ede | | | | |
| <i>Mfg #:</i> (605) 692-0200 | <i>Cell #:</i> (605) 695-5624 | <i>Fax #:</i> (605) 697-4700 | <i>Web Site:</i> www.daktronicsinc.com | <i>Email:</i> rwrinac@daktronics.com |
| Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- | 2070 Light Emitting Diode Dynamic Message Sign | Type 1 and Type 2 | 4/4/2008 | R587 |
| <i>Contact:</i> Adam Lyons | | | | |
| <i>Mfg #:</i> (719) 392-9046 | <i>Cell #:</i> (719) 314-6883 | <i>Fax #:</i> (719) 392-2075 | <i>Web Site:</i> www.skylineproducts.com | <i>Email:</i> adamlyons@skylineproducts.com |

623.02.08 SERVICE PEDESTALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|------------------------------|-------------------------------------|-------------------------------------|
| Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- | Metered Service Pedestals | | 11/19/2002 | R367 |
| <i>Contact:</i> Dave Stipe | | | | |
| <i>Mfg #:</i> (949) 387-4863 | <i>Cell #:</i> (714) 743-0712 | <i>Fax #:</i> (949) 387-4895 | <i>Web Site:</i> www.milbankmfg.com | <i>Email:</i> dstipe@milbankmfg.com |

623.02.08 SERVICE PEDESTALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-----------------------------|----------------|---------------|------------------|
| Myers Power Products 725 East Harrison Street Corona CA 92879- <i>Mfg #:</i> (951) 520-1900 <i>Cell #:</i> <i>Fax #:</i> (951) 520-1961 <i>Web Site:</i> www.myerspowerproducts.com <i>Email:</i> dianagrootonk@myerspower.com | Service Pedestals | | 9/5/2000 | R267 |
| Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 <i>Cell #:</i> (951) 493-8394 <i>Fax #:</i> (951) 279-3116 <i>Web Site:</i> www.pedestals.net <i>Email:</i> pupsales@pedestals.net | Service Pedestals | | 11/19/2002 | R366 |
| Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 <i>Cell #:</i> (916) 952-5088 <i>Fax #:</i> (916) 429-2817 <i>Web Site:</i> www.tescocontrols.com <i>Email:</i> cvasey@tescocontrols.com | Tescoflex Service Pedestals | | 9/5/2000 | R266 |

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|-----------------|---------------|------------------|
| Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 <i>Cell #:</i> (817) 657-6973 <i>Fax #:</i> (682) 286-0086 <i>Web Site:</i> www.chmindustries.com <i>Email:</i> sengberg@chmindustries.com | 426 Series High Mast Head Frame Assembly | Bottom Latching | 12/30/2003 | R469 |
| Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 <i>Cell #:</i> (847) 217-1070 <i>Fax #:</i> (847) 473-3870 <i>Web Site:</i> www.eaglehighmast.com <i>Email:</i> himastltg@aol.com | High Mast Assembly | Bottom Latching | 12/30/2003 | R470 |
| Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com <i>Email:</i> jameshighgate@gmail.com | Holophane LD07 Series High Mast Lighting Lowering D | Bottom Latching | 12/30/2003 | R468 |

623.02.16 DUCT SEALING COMPOUND

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------|--|----------------------------------|------------------|
| Ideal Industries Incorporated Becker Place Sycamore IL 60178- <i>Mfg #:</i> (800) 435-0705 <i>Cell #:</i> (800) 304-3578 <i>Fax #:</i> (800) 533-4483 <i>Web Site:</i> www.idealindustries.com | Duct Seal | | 10/7/2009 | R676 |
| | | | <i>Contact:</i> Customer Service | |
| | | <i>Email:</i> Ideal_Industries@idealindustries.com | | |
| RectorSeal 2601 Spenwick Drive Houston TX 77055- <i>Mfg #:</i> (800) 231-3345 <i>Cell #:</i> (713) 263-8001 <i>Fax #:</i> (800) 441-0051 <i>Web Site:</i> www.rectorseal.com | Rectorseal® Duct Seal Compound | | 10/7/2009 | R677 |
| | | | <i>Contact:</i> Customer Service | |
| | | <i>Email:</i> | | |

623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---|--------------------------|
| Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com | 711 Priority Control Syst Optical Detector Model 722 Priority Control Syst Optical Detector Model 721 Priority Control Syst Optical Detector Model | Do not mix components, it must be a complete system. | 9/27/2001 | R308, R309 R310 |
| | | | <i>Contact:</i> Mike Lemon/Gary Stephen | |
| | | <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com | | |
| Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com | 452 Discimonator Opticom Priority Control Systems 752 Discimonator Opticom Priority Control Systems | Do not mix components, it must be a complete system. | 9/27/2001 | R306, R307 |
| | | | <i>Contact:</i> Mike Lemon/Gary Stephen | |
| | | <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com | | |
| Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com | 560 Chassis Discimonator Opticom Priority Control | Do not mix components, it must be a complete system. | 9/19/2003 | R459 |
| | | | <i>Contact:</i> Mike Lemon/Gary Stephen | |
| | | <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com | | |
| Tomar 2100 West Obispo Avenue Gilbert AZ 85233- <i>Mfg #:</i> (800) 338-3133 <i>Cell #:</i> (951) 699-1784 <i>Fax #:</i> (951) 699-2725 <i>Web Site:</i> www.tomar.com | 3140 Emergency Veh Optical Detector 3080 Emergency Veh Optical Detector Strobecom II System Card Racks Strobecom II Optical Preemption Detector | Do not mix components, it must be a complete system. | 9/27/2001 | R203, R204 R205, R206 |
| | | | <i>Contact:</i> Bill Taylor | |
| | | <i>Email:</i> sales@tomar.com | | |

623.02.30a**VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|--------------------------------|------------------|
| Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903 <i>Cell #:</i> <i>Fax #:</i> (541) 782-2053 <i>Web Site:</i> www.diamondtraffic.com <i>Email:</i> sales@diamondtraffic.com | Brass Linguine Class 1 | | 10/31/2001 | R317 |
| | | | <i>Contact:</i> Beth Ann Ritz | |
| Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496 <i>Cell #:</i> <i>Fax #:</i> (757) 766-4297 <i>Web Site:</i> www.meas-spec.com <i>Email:</i> robin.fletcher@meas-spec.com | Roadtrax BL Sensor Brass Linguine Class 1 | | 5/26/1999 | R161 |
| | | | <i>Contact:</i> Robin Fletcher | |

623.02.30e**VEHICLE DETECTOR SEALANTS (OPTIONAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|-----------------------------|---|------------------|
| Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 <i>Cell #:</i> (404) 661-1875 <i>Fax #:</i> (770) 983-9642 <i>Web Site:</i> www.Bondo.com <i>Email:</i> lowell.parkinson@crafco.com | P/N 606 Detector Loop Sealant | | 12/2/2003 | R465 |
| | | | <i>Contact:</i> Lowell Parkinson | |
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com <i>Email:</i> lowell.parkinson@crafco.com | 271 Loop Detector Sealant 272 Loop Detector Sealant | Rubberized Asphalt Material | 8/5/1998 | R059, R060 |
| | | | <i>Contact:</i> Lowell Parkinson | |
| Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 <i>Cell #:</i> (781) 289-1400 <i>Fax #:</i> (781) 289-1405 <i>Web Site:</i> www.durantcorp.com <i>Email:</i> alosanno@durantcorp.com | Stat-a-Flex Polyester Loop Sealant | Polyester Material | 8/5/1998 | R061 |
| | | | <i>Contact:</i> Al Losanno | |
| Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com | 3M Discimonator Opticom Priortiy Control System 5000 Rubberized Loop Detector Sealant | Rubberized Material | 8/5/1998 | R057, R058 |
| | | | <i>Contact:</i> Mike Lemon/Gary Stephen | |
| Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840 <i>Cell #:</i> <i>Fax #:</i> (916) 689-8857 <i>Web Site:</i> www.quikrete.com <i>Email:</i> nwong@quikrete.com | Quikrete Commerical Grade Permanent Blacktop Repair #1701 | Asphaltic Concrete | 1/1/2001 | R280 |
| | | | <i>Contact:</i> Norman Wong | |

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|-------------------------------------|------------------|
| RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 525-1852 <i>Cell #:</i> (704) 904-1481 <i>Fax #:</i> (704) 525-1859 <i>Web Site:</i> www.raiproducts.com | Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material | Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material | 8/5/1998 | R063, R064 |
| | | | <i>Contact:</i> John Rosenblatt Jr. | |
| <i>Email:</i> john@raiproducts.com | | | | |
| Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 <i>Cell #:</i> (408) 640-6121 <i>Fax #:</i> (408) 294-3696 <i>Web Site:</i> www.rginc.com | Overkote Loop Filler | Asphaltic Emulsion Material | 8/5/1998 | R062 |
| | | | <i>Contact:</i> Rick | |
| <i>Email:</i> rick@rginc.com | | | | |

623.03.01 TRAFFIC SIGNALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|----------------------------------|------------------|
| Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 <i>Cell #:</i> (732) 751-5810 <i>Fax #:</i> (732) 751-5778 <i>Web Site:</i> www.dialight.com | LED 12" Signal Heads Pedestrian Signal Heads (all) | All models including Duraled. All models for solid balls. Arrow must be solid. | 3/26/2002 | R335, R336 |
| | | | <i>Contact:</i> Matthew Sieglitz | |
| <i>Email:</i> msieglitz@dialight.com | | | | |
| Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246 <i>Cell #:</i> <i>Fax #:</i> (562) 691-3087 <i>Web Site:</i> www.eoi-us.com | LED Traffic Signal Pedestrian Signals | 12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T | 6/17/2008 | R598, R599 |
| | | | <i>Contact:</i> Cheryl Huang | |
| <i>Email:</i> cheryluang@eoi-us.com | | | | |
| Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 <i>Cell #:</i> (602) 326-5698 <i>Fax #:</i> (602) 344-7771 <i>Web Site:</i> www.phoenixhighwayproducts.com | LED 12" Signal Heads Pedestrian Signal Heads | All models including Duraled. All models for solid balls. Arrow must be solid. | 3/26/2002 | R337, R338 |
| | | | <i>Contact:</i> Tara Cummings | |
| <i>Email:</i> tara@phoenixhighwayproducts.com | | | | |

623.03.15 SIGN LIGHTING FIXTURES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|----------------------------|------------------|
| GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 <i>Cell #:</i> (714) 323-2636 <i>Fax #:</i> (928) 855-7237 <i>Web Site:</i> www.gelightingssystem.com | 85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004 | | 1/17/2003 | R402 |
| | | | <i>Contact:</i> Pete Porte | |
| <i>Email:</i> pete.porte@ge.com | | | | |

623.03.15 SIGN LIGHTING FIXTURES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|--------------------------------------|---------------------------------------|
| Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- | Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop | | 1/17/2003 | R401 |
| | | | <i>Contact:</i> James Highgate | |
| <i>Mfg #:</i> (702) 367-3949 | <i>Cell #:</i> (866) 465-6742 | <i>Fax #:</i> (702) 367-4656 | <i>Web Site:</i> www.myholophane.com | <i>Email:</i> jameshighgate@gmail.com |

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-----------------------------------|-----------------------------------|
| Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- | Lumi Trak | | 11/19/2002 | R365 |
| | | | <i>Contact:</i> George Townsend | |
| <i>Mfg #:</i> (717) 235-2863 | <i>Cell #:</i> (717) 818-8203 | <i>Fax #:</i> (717) 235-5076 | <i>Web Site:</i> www.lumitrak.com | <i>Email:</i> george@lumitrak.com |

623.03.26 RED LIGHT DETECTORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|-------------------------------------|---|
| BRG Supply 670 Coleman Avenue San Jose CA 95110- | Red Light Detector | | 7/16/2003 | R446 |
| | | | <i>Contact:</i> Monty Mountha | |
| <i>Mfg #:</i> (408) 920-6319 | <i>Cell #:</i> | <i>Fax #:</i> (408) 920-6103 | <i>Web Site:</i> www.brgsupply.com | <i>Email:</i> monty.brgsupply@yahoo.com |
| McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- | Red Light Detector | | 7/16/2003 | R445 |
| | | | <i>Contact:</i> Carol Jarvis-Murphy | |
| <i>Mfg #:</i> (760) 734-5027 | <i>Cell #:</i> (760) 727-8100 | <i>Fax #:</i> (760) 597-7108 | <i>Web Site:</i> www.mccain-inc.com | <i>Email:</i> cmurphy@mccain-inc.com |

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|--|--|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3924S Reflective Sheeting 3970 DG Reflective Sheeting (Phasing Out) | *discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved | 4/8/1999 | R163, R550 |
| | | | <i>Contact:</i> Eric Dornak | |
| <i>Mfg #:</i> (800) 553-1380 | <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (702) 914-6016 | <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T6500 Prismatic High Intensity Reflective Sheeting | | 4/8/1999 | R164 |
| | | | <i>Contact:</i> Nipa Joshi | |
| <i>Mfg #:</i> (847) 647-7717 | <i>Cell #:</i> (847) 627-3111 | <i>Fax #:</i> (847) 588-7688 | <i>Web Site:</i> www.averydennison.com | <i>Email:</i> nipa.joshi@averydennison.com |

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|----------------------------------|------------------|
| Reflexite Americas 315 South Street New Britain CT 06051- | Reflexite Fluorescent Orange Super Bright Roll Up | | 4/8/1999 | R162 |
| <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> | <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com | <i>Email:</i> customer.service@reflexite.com | <i>Contact:</i> Rebecca Cavazuti | |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|--|--------------------|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- | MF-180-36 Masterflex | | 6/15/1998 | R065 |
| <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 | <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | <i>Email:</i> sandygerbrick@bentmfg.com | <i>Contact:</i> Sandy Gerbrick | |
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- | SDCF SMDW | | 6/15/1998 | R066, R067 |
| <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> | <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com | <i>Email:</i> sales@carsonite.com | <i>Contact:</i> Ernest Joyner III | |
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- | 754 Ground Mount E-Base Round | Type 2 | 6/1/1994 | R032, R296 |
| <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> | <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com | <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com | <i>Contact:</i> Jim Zadrozny/Robert Hugh | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | FG 300 Complete Curb System FG 300 HD UR FG 300 Model PE | | 10/14/1999 | R315, R687 R688 |
| <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com | <i>Contact:</i> Bill Daly | |
| Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570- | Qwick Kurb | | 11/21/2008 | R627 |
| <i>Mfg #:</i> (813) 645-5072 <i>Cell #:</i> | <i>Fax #:</i> (813) 454-4856 <i>Web Site:</i> www.qwickkurb.com | <i>Email:</i> mike@qwickkurb.com | <i>Contact:</i> Mike Hair | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | SH Dura Post SH Replaceable Barrier Marker RT 360 HD Tubular Delineator Soil/Surface Mount | | 6/15/1998 | R053, R068 R600 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> | <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com | <i>Email:</i> diane.sanchez@quixotecorp.com | <i>Contact:</i> Diane Sanchez | |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------------|----------------|---------------------------------|------------------|
| Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-tite.com <i>Email:</i> gary@shur-tite.com | Shur-Flex® Surface Mount Delineator | | 4/30/2009 | R634 |
| | | | <i>Contact:</i> Gary Champ | |
| Western Highway Products 10680 Fern Avenue Stanton CA 90680- <i>Mfg #:</i> (800) 854-3360 <i>Cell #:</i> (714) 761-4811 <i>Fax #:</i> (714) 952-2118 <i>Web Site:</i> www.westernhighway.com <i>Email:</i> western.highway@yahoo.com | Repo 300 | | 6/15/1998 | R081 |
| | | | <i>Contact:</i> Barbara / Annie | |

625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------------|----------------------------------|--------------------|
| Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i> <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com <i>Email:</i> tschoe2992@aol.com | FB33 Flexible Barrier Marker | | 2/2/1993 | R013 |
| | | | <i>Contact:</i> Sharon Marquardt | |
| Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779 <i>Cell #:</i> <i>Fax #:</i> (973) 962-7652 <i>Web Site:</i> n/a <i>Email:</i> kerry@hallmanufacturing.com | FlexX 2020 | W/75 mm X 75mm Reflective Sheeting | 12/17/1997 | R019 |
| | | | <i>Contact:</i> Kerry | |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com <i>Email:</i> bill.daly@pexco.com | PCBM 12 Marker PCBM T12 High Impact Dapco Straight Guardrail Reflective Plates | | 12/17/1997 | R017, R018 R427 |
| | | | <i>Contact:</i> Bill Daly | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD9300 Roadguide TD9400 Roadguide | | 12/3/2002 | R371, R372 |
| | | | <i>Contact:</i> Frank Dvoracek | |

625.02.03

CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|--|--------------------------|
| Addco Manufacturing Company Inc 240 Arlington Avenue St Paul MN 55117- | Guardian Solar Powered PCMS Sign Dot Sign DH1000 | | 2/22/1998 | R073, R074 |
| <i>Mfg #:</i> (800) 616-4409 <i>Cell #:</i> (651) 558-3536 <i>Fax #:</i> (651) 558-3600 <i>Web Site:</i> www.addco.com <i>Email:</i> sales@addco.com | | | <i>Contact:</i> Danielle Nicholson | |
| American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- | CMS T300 Changeable Message Signs CMS T331 Changeable Message Signs CMS T320 Changeable Message Signs CMS GP465 Changeable Message Signs | | 2/22/1998 | R075, R076 R077, R078 |
| <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i> <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com <i>Email:</i> sales@amsig.com | | | <i>Contact:</i> Scott Covington | |
| Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 | CMS 80FM | Solar Powered- Full Matrix Portable Changeable Message Sign | 10/13/2004 | R505 |
| <i>Mfg #:</i> (204) 885-2580 <i>Cell #:</i> <i>Fax #:</i> (204) 888-2912 <i>Web Site:</i> www.enduron.net <i>Email:</i> chelsea.k@enduron.net | | | <i>Contact:</i> Chelsea Klassen | |
| National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- | Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Phasing Out) Nighthawk 345 (Phasing Out) | Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available | 2/22/1998 | R079, R080 R081 |
| <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com <i>Email:</i> mark@nationalsignalinc.com | | | <i>Contact:</i> Mark Fernandez | |
| National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- | ER200 ER200T CMS330 ER20054 | | 4/10/2000 | R069, R070 R071, R072 |
| <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com <i>Email:</i> mark@nationalsignalinc.com | | | <i>Contact:</i> Mark Fernandez | |
| Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- | Solar Powered Message Board Center | | 2/22/1998 | R084 |
| <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683 <i>Fax #:</i> (972) 271-9583 <i>Web Site:</i> www.precisionsolarcontrols.com <i>Email:</i> vseymour@precisionsolarcontrols.com | | | <i>Contact:</i> Vickie Seymour | |
| Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 | PCMS | | 2/22/1998 | R085 |
| <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303 <i>Fax #:</i> (418) 654-0517 <i>Web Site:</i> www.ver-mac.com <i>Email:</i> kim.jack@ver-mac.com | | | <i>Contact:</i> Kimberly Jack | |
| Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- | Silent Messenger Solar Powered Silent Messenger II Silent Messenger III | Standard or Lift & Rotate Trailer | 2/22/1998 | R086, R664 R665 |
| <i>Mfg #:</i> (610) 391-8600 <i>Cell #:</i> (610) 393-4419 <i>Fax #:</i> (610) 391-8601 <i>Web Site:</i> www.solartechnology.com <i>Email:</i> customerservice@solartechnology.com | | | <i>Contact:</i> Inside Service Manager | |

625.02.03 CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|------------------------------|------------------|
| Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- | WTLMB-S-LL(A) | | 8/5/2002 | R355 |
| <i>Mfg #:</i> (303) 427-5700 <i>Cell #:</i> (800) 972-0755 <i>Fax #:</i> (303) 427-5725 <i>Web Site:</i> www.wanco.com | | | <i>Contact:</i> Jim McLemore | |
| | | | <i>Email:</i> jim@wanco.com | |

625.02.04 TEMPORARY IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|--|--------------------|
| Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- | Absorb 350 | TL-3 only; Only use a nine-element design (min) with attachment/transition assembly. | 4/10/2001 | R285, R667 |
| <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com | | | <i>Contact:</i> Ron Keener | |
| | | | <i>Email:</i> ron.keener@barriersystemsinc.com | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 | Energite III Module N-E-A-T System Quadguard | | 9/3/1998 | R089, R090 R091 |
| <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> | <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com | | <i>Contact:</i> Diane Sanchez | |
| | | | <i>Email:</i> diane.sanchez@quixotecorp.com | |
| SCI Products Incorporated PO Box 4314 St Charles IL 60174- | SCI100GM Impact Attenuator | TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces. | 1/20/2006 | R545 |
| <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com | | | <i>Contact:</i> Jeffery Smith | |
| | | | <i>Email:</i> workarea@workareaprotection.com | |
| Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 | Energite III Fitch Inertial Barrier System React 350 Crash Cushion | | 9/3/1998 | R092, R093 R094 |
| <i>Mfg #:</i> (775) 357-6005 <i>Cell #:</i> (775) 690-3037 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz | | | <i>Contact:</i> Tim Kniffen | |
| | | | <i>Email:</i> tniffen@tcsi.biz | |
| Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- | Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel | Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry. | 3/22/2000 | R095, R096 |
| <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com | | | <i>Contact:</i> Cary Lemonds | |
| | | | <i>Email:</i> clemonds@traffixdevices.com | |

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---------------|--------------------|
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | Safe-Stop 180 TMA | Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.) | 10/14/1999 | R192 |
| Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz <i>Email:</i> tniffen@tcsi.biz | Energite III Fitch Inertial Barrier System React 350 Crash Cushion | | 9/3/1998 | R092, R093 R094 |
| TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com <i>Email:</i> clemonds@traffixdevices.com | ScorPion C 10,000 | TL-3, Required truck weight 9,000 kg (19,842 lb) | 7/26/2000 | R264 |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net <i>Email:</i> mikel.hooley@trin.net | MPS 350 III | Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.) | 9/3/1998 | R097 |

625.02.06 WATER FILLED BARRIER RAILS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|------------------|
| Armorcast Products Company Inc 13230 Satcoy Street North Hollywood CA 91605- <i>Mfg #:</i> (818) 982-3600 <i>Cell #:</i> (909) 772-1424 <i>Fax #:</i> (818) 982-7742 <i>Web Site:</i> www.armorcastprod.com <i>Email:</i> info@armorcastprod.com | Guardian Barrier Water Filled with 350 kit | Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections). | 9/3/1998 | R099 |
| PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <i>Mfg #:</i> (800) 292-1305 <i>Cell #:</i> <i>Fax #:</i> (219) 659-0625 <i>Web Site:</i> www.rhinobarriers.com <i>Email:</i> steve.washburn@polyjohn.com | Rhino Safety Barrier (use the 350 kit with install) | Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/- 1Gal(3.8L)). | 3/10/2004 | R482 |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | Triton Barrier | use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections). | 3/30/1997 | R098 |

625.02.06 WATER FILLED BARRIER RAILS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------|---------------------------------|-----------------------------------|
| Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- | Traffic Control Model 2001 Type III Barricade | | 8/3/2006 | R551, R561 |
| | | | <i>Contact:</i> Kathleen Yodock | |
| <i>Mfg #:</i> (570) 380-2856 | <i>Cell #:</i> (888) 495-3625 | <i>Fax #:</i> (570) 380-2859 | <i>Web Site:</i> www.yodock.com | <i>Email:</i> kathleen@yodock.com |

625.02.07 PORTABLE BEACON LIGHT SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|------------------------------|------------------------------------|-------------------------------------|
| K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- | Safety Beacon Light | | 6/1/1999 | R188 |
| | | | <i>Contact:</i> Timothy Keith | |
| <i>Mfg #:</i> (888) 414-3003 | <i>Cell #:</i> (662) 566-2025 | <i>Fax #:</i> (662) 566-7123 | <i>Web Site:</i> www.k-systems.com | <i>Email:</i> timothy@k-systems.com |

625.03.03 SIGN SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---|--------------------------------------|
| Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- | Dibond for Highway Work Zone Signage | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 5/9/2006 | R547, R533 |
| | | | <i>Contact:</i> Star Collins | |
| <i>Mfg #:</i> (270) 527-4200 | <i>Cell #:</i> | <i>Fax #:</i> (270) 527-1552 | <i>Web Site:</i> www.alcancompositesusa.com | <i>Email:</i> star.collins@alcan.com |
| Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- | SZ-460-2S SZ-484-2S SZ-412-2S | | 10/17/2008 | R657, R658 R659 |
| | | | <i>Contact:</i> Chris Goode | |
| <i>Mfg #:</i> (770) 333-1635 | <i>Cell #:</i> | <i>Fax #:</i> (770) 333-1639 | <i>Web Site:</i> www.bonesafety.com | <i>Email:</i> chris@bonesafety.com |
| Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- | SZ-412 Sign Support System SZ-412S Sign Support System SZ-460 Sign Support System SZ-484 Sign Support System | Roll-up Fabric Only | 10/17/2008 | R616, R617 R618, R619 |
| | | | <i>Contact:</i> Chris Goode | |
| <i>Mfg #:</i> (770) 333-1635 | <i>Cell #:</i> | <i>Fax #:</i> (770) 333-1639 | <i>Web Site:</i> www.bonesafety.com | <i>Email:</i> chris@bonesafety.com |
| Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- | SZ-412-2S Sign Support System SZ-460-2S Sign Support System SZ-484-2S Sign Support System | Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716. | 10/17/2008 | R657, R658 R659 |
| | | | <i>Contact:</i> Chris Goode | |
| <i>Mfg #:</i> (770) 333-1635 | <i>Cell #:</i> | <i>Fax #:</i> (770) 333-1639 | <i>Web Site:</i> www.bonesafety.com | <i>Email:</i> chris@bonesafety.com |

625.03.03

SIGN SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---------------|--------------------------|
| Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com | BoneLight ACM Big Dog Rigid Sign | Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716. | 10/17/2008 | R620, R621 |
| Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com | DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 2/27/2000 | R220, R221 R222 |
| Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com | DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Verticle Portable Sign Stand | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 2/27/2000 | R223, R224 R225 |
| Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com <i>Email:</i> kmclean@usa-sign.com | C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R227, R228 R229, R230 |
| Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com <i>Email:</i> kmclean@usa-sign.com | X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R231, R232 R233, R234 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R415, R416 R417, R418 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R411, R412 R413, R414 |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com <i>Email:</i> jam@kormansigns.com | SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R403, R404 R405, R406 |

625.03.03**SIGN SUPPORT SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---|--------------------------|
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 | SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003 | R407, R408 R409, R410 |
| | <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com | | <i>Contact:</i> John Murray | |
| | | | <i>Email:</i> jam@kormansigns.com | |
| Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> | 4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R239, R240 R241 |
| | <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditraficcontrol.com | | <i>Contact:</i> Karen Jackson | |
| | | | <i>Email:</i> kjackson@mdiworldwide.com | |
| Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> | 4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System | Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/4/2000 | R235, R236 R237, R238 |
| | <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditraficcontrol.com | | <i>Contact:</i> Karen Jackson | |
| | | | <i>Email:</i> kjackson@mdiworldwide.com | |
| TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 | Economy Plastic Folding Barricade Zephyr Portable Sign Support 48" | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/3/2000 | R248, R244 |
| | <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com | | <i>Contact:</i> Cary Lemonds | |
| | | | <i>Email:</i> clemonds@traffixdevices.com | |
| TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 | Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand | Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 4/3/2000 | R242, R243 |
| | <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com | | <i>Contact:</i> Cary Lemonds | |
| | | | <i>Email:</i> clemonds@traffixdevices.com | |

625.03.04**BARRICADES**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|-----------------------------|---|------------------|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 | Barricades Type III Plywood Panel | Type III w/ or w/out lights | 3/9/2000 | R245 |
| | <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | | <i>Contact:</i> Sandy Gerbrick | |
| | | | <i>Email:</i> sandygerbrick@bentmfg.com | |
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 | Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal | Type II w/ or w/out lights | 3/9/2000 | R272, R273 |
| | <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com | | <i>Contact:</i> Sandy Gerbrick | |
| | | | <i>Email:</i> sandygerbrick@bentmfg.com | |

625.03.04

BARRICADES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---|--|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- | Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal | Type I w/ or w/out lights | 3/9/2000 | R246, R247 |
| <i>Mfg #:</i> (888) 842-0600 | <i>Cell #:</i> (714) 842-0600 | <i>Fax #:</i> (888) 842-2368 | <i>Web Site:</i> www.bentmfg.com | <i>Email:</i> sandygerbrick@bentmfg.com |
| Highway Technologies 4533 Andres Street North Las Vegas NV 89081- | Type 3D Barricades | | 1/10/2000 | R435 |
| <i>Mfg #:</i> (702) 453-1616 | <i>Cell #:</i> | <i>Fax #:</i> (702) 438-3460 | <i>Web Site:</i> www.hwy-tech.com | <i>Email:</i> david.johnson@hwy-tech.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | TD2500 Type III Barricades TD2550 Barricade Type III TD2650 Works Barricade Type III | Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. | 7/14/2000 | R250, R251 R252 |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- | Anchor Barricade Barricade Type IIIB | Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. | 7/14/2000 | R250, R521 |
| <i>Mfg #:</i> (253) 284-8000 | <i>Cell #:</i> (408) 431-8689 | <i>Fax #:</i> (253) 284-8080 | <i>Web Site:</i> www.pexco.com | <i>Email:</i> bill.daly@pexco.com |
| Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- | PST-III (Type III barricade) | Type III | 3/19/2004 | R483 |
| <i>Mfg #:</i> (216) 231-8590 | <i>Cell #:</i> | <i>Fax #:</i> (216) 231-2702 | <i>Web Site:</i> www.plasticsafety.com | <i>Email:</i> wejamieson@plasticsafety.com |
| Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- | Sentinel Type III | Type III | 2/21/2007 | R001 |
| <i>Mfg #:</i> (847) 470-0400 | <i>Cell #:</i> | <i>Fax #:</i> (847) 470-0420 | <i>Web Site:</i> www.americanlouver.com | <i>Email:</i> |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade | Barricade Type I and Type II | 7/5/2005 | R526, R527 R528, R529 |
| <i>Mfg #:</i> (877) 843-9757 | <i>Cell #:</i> | <i>Fax #:</i> (818) 841-5096 | <i>Web Site:</i> www.trafficwks.com | <i>Email:</i> sales@trafficwks.com |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- | TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I | Type I and Type III B | 12/3/2002 | R374, R375 |
| <i>Mfg #:</i> (877) 843-9757 | <i>Cell #:</i> | <i>Fax #:</i> (818) 841-5096 | <i>Web Site:</i> www.trafficwks.com | <i>Email:</i> sales@trafficwks.com |

625.03.04 BARRICADES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|------------------------------|---------------|--------------------|
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD2300 Barricade TD2500 Barricade TD2600 Works Barricade | Barricade Type I and Type II | 7/5/2005 | R530, R531 R532 |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD2550 Work Barricade Type III | Type III | 7/5/2005 | R525 |
| TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com <i>Email:</i> clemonds@traffixdevices.com | Economy Plastic Folding Barricade Sand-Filled Bag | | 4/3/2000 | R248, R249 |
| Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625 <i>Fax #:</i> (570) 380-2859 <i>Web Site:</i> www.yodock.com <i>Email:</i> kathleen@yodock.com | Yodock Model 2001 200 M with Type III Temporary Sign Support | Type III | 11/27/2007 | R583, R588 |

627.02.01a POLYCARBONATE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---------------------------------|---------------------|----------------|------------------|------------------|
| NO VENDOR LISTINGS AT THIS TIME | | | | |
| <i>Contact:</i> | | | | |
| <i>Mfg #:</i> | <i>Cell #:</i> | <i>Fax #:</i> | <i>Web Site:</i> | <i>Email:</i> |

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------|----------------|---------------|------------------|
| Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com <i>Email:</i> sales@carsonite.com | Modular Guidance System | | 10/20/1996 | R102 |
| <i>Contact:</i> Ernest Joyner III | | | | |

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|----------------|---|------------------|
| Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com | Glare Screen System | | 7/31/1996 | R103 |
| | | | <i>Contact:</i> Jim Zadrozny/Robert Hugh os Jr | |
| | | | <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com | Glare Screen System | | 7/31/1996 | R104 |
| | | | <i>Contact:</i> Diane Sanchez | |
| | | | <i>Email:</i> diane.sanchez@quixotecorp.com | |

632.03.05 RETROREFLECTOMETERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---|------------------|
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i> <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com | LTL-X 30-Meter Geometry Retroreflector | 10/08 LTX Geometry Retroreflector was discontinued | 12/26/1999 | R211 |
| | | | <i>Contact:</i> Tim Montgomery | |
| | | | <i>Email:</i> sales@flintrading.com | |
| Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020- <i>Mfg #:</i> (801) 718-7089 <i>Cell #:</i> (801) 571-3394 <i>Fax #:</i> (801) 571-3394 <i>Web Site:</i> www.miroluxproducts.com | MP 30 | | 12/26/1999 | R213 |
| | | | <i>Contact:</i> William Kaiser | |
| | | | <i>Email:</i> sales@miroluxproducts.com | |
| RoadVista 8581 Aero Drive San Diego CA 92123- <i>Mfg #:</i> (925) 552-5922 <i>Cell #:</i> (510) 453-7004 <i>Fax #:</i> (925) 886-8833 <i>Web Site:</i> www.roadvista.com | MX 30 LaserLuxGamma Scientific Stripe Master 2 Series | MX 30 still qualified but phasing out | 5/2/2006 | R542, R543 |
| | | | <i>Contact:</i> Keith Breeding | |
| | | | <i>Email:</i> kbreeding@keoselectronics.com | |

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---------------------|------------------|---------------------------------------|------------------|
| Alpine Products 550 3rd Street SW Building C Auburn WA 98001- <i>Mfg #:</i> (253) 351-9828 <i>Cell #:</i> <i>Fax #:</i> (253) 735-6303 <i>Web Site:</i> www.alpinemarkings.com | DDOT ABS | 100mm (4") Round | 6/2/1999 | R184 |
| | | | <i>Contact:</i> Bart Farrar | |
| | | | <i>Email:</i> bart@alpinemarkings.com | |

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|---|--------------------------|
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com <i>Email:</i> sales@apexmarker.com | 929 ABS 929 PP Ceramic | 100mm (4") Round | 6/1/1999 | R172, R678, R173 |
| | | | <i>Contact:</i> Steve Edsinga | |
| Glowlite Incorporated 1360 Beach Boulevard #B-230 La Habra CA 90631- <i>Mfg #:</i> (626) 336-6086 <i>Cell #:</i> <i>Fax #:</i> (626) 336-6085 <i>Web Site:</i> www.glowlitemarker.com <i>Email:</i> edwardfei_glowlite@yahoo.com | Type A/4" White Non Reflective Type AY/4" Yellow Non Reflective | 100mm (4") Round (Ceramic and Plastic/PP) | 3/7/2005 | R516, R517 |
| | | | <i>Contact:</i> Edward Fei or Richard Fei | |
| Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 <i>Cell #:</i> (909) 591-1781 <i>Fax #:</i> (909) 627-0999 <i>Web Site:</i> www.hi-waysafety.com <i>Email:</i> hiwaysafety@linkline.com | Model P20-2000W ABS Model P20-2001Y ABS | 100mm (4") Round | 6/1/1999 | R185, R186 |
| | | | <i>Contact:</i> Bob Smith | |
| Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 <i>Cell #:</i> (530) 823-6070 <i>Fax #:</i> (530) 823-0994 <i>Web Site:</i> www.interstatesales.com <i>Email:</i> miket@interstatesales.com | Diamond Back | 100mm (4") Round (ABS & Polyproplene) | 6/1/1999 | R170 |
| | | | <i>Contact:</i> Mike Trentman | |
| Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 <i>Cell #:</i> <i>Fax #:</i> (925) 215-2549 <i>Web Site:</i> www.novabrite.com <i>Email:</i> norman@novabrite.com | ADOT - W White ADOT - Y Yellow CDOT - W White CDOT - Y Yellow | 100mm (4") Round | 2/17/2004 | R474, R475 R476, R477 |
| | | | <i>Contact:</i> Norman Yamaguchi | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com | TD10000 Series | 100mm (4") Round | 12/3/2002 | R373 |
| | | | <i>Contact:</i> Frank Dvoracek | |

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|------------------------------------|--------------------------|-----------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | 290 Durable Raised Pavement Marker | 89mm x 100mm (3.6" x 4") | 6/1/1999 | R182 |
| | | | <i>Contact:</i> Eric Dornak | |

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|-------------------------|---------------|---------------------------|
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com <i>Email:</i> sales@apexmarker.com | 921 AR | 100mm x 100mm (4" x 4") | 3/25/2001 | R282 |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com <i>Email:</i> klyne@ennispaint.net | 911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker | 100mm x 100mm (4" x 4") | 6/1/1999 | R179, R180, R181, R255 |
| Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (281) 617-2240 <i>Fax #:</i> (281) 583-1506 <i>Web Site:</i> www.rayolite.com <i>Email:</i> tcontreras@rayolite.com | AA Reflective Pavement Markers ARC Reflective Pavement Markers | 100mm x 100mm (4" x 4") | 6/1/1999 | R174, R175 |

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------------------|---------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com <i>Email:</i> klyne@ennispaint.net | 944SB Recessed Reflective Pavement Markers | 51mm x 100mm (2" x 4") | 6/1/1999 | R178 |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com <i>Email:</i> klyne@ennispaint.net | 948 Recessed Reflective Pavement Markers | 58mm x 119mm (2.3" x 4.7") | 6/1/1999 | R183 |
| Ray-O-Lite/Hallen Products 4500 North Sam houston Parkway West Suite 120 Houston TX 77086- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (281) 617-2240 <i>Fax #:</i> (281) 583-1506 <i>Web Site:</i> www.rayolite.com <i>Email:</i> tcontreras@rayolite.com | ARC 2002 ARC 2004 | 58mm x 117mm (2.3" x 4.6") | 6/1/1999 | R176, R177 |

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---------------------------------|------------------|
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com | Hot Applied Flexible Pavement Marker Adhesive part 34270 | | 6/16/1998 | R105 |
| | | | <i>Contact:</i> Lowell Parkison | |
| | | <i>Email:</i> lowell.parkison@crafco.com | | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> | 836098 Bituminous Adhesive for Pavement Markers | <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com | 6/15/1998 | R108 |
| | | | <i>Contact:</i> Klyne McCarty | |
| | | <i>Email:</i> klyne@ennispaint.net | | |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i> | Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad White Color on Plantmix & Black Color on PCCP | <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com | 6/15/1998 | R106 |
| | | | <i>Contact:</i> Tim Montgomery | |
| | | <i>Email:</i> sales@flintrading.com | | |
| Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940 <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com | Dotstick Bituminous Marker Adhesive | | 9/29/2003 | R464 |
| | | | <i>Contact:</i> Randy Rozell | |
| | | <i>Email:</i> customerservice@henry.com | | |
| Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (713) 941-4410 <i>Cell #:</i> (713) 350-6849 <i>Fax #:</i> (713) 947-4949 <i>Web Site:</i> www.martinaspphalt.com | 172542 Evergrip Bituminous Marker Adhesive | | 6/15/1998 | R107 |
| | | | <i>Contact:</i> Jack Nimmo | |
| | | <i>Email:</i> jnimmo@martinmlp.com | | |

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|-----------------------------------|---------------------------|--------------------------|
| Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com | Halftrack Model 25 Halftrack Model 26; TOM TRPM | Work Zone Pavement Markers | 2/20/2000 | R253, R254 R256, R257 |
| | | | <i>Contact:</i> Bill Daly | |
| | | <i>Email:</i> bill.daly@pexco.com | | |

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | 780 Wet Reflective Removable Tape 750 Wet Reflective Removable Tape (Phasing Out) 710 Wet Reflective Removable Tape | 10/08 Discontinued manufacturing 750, but still carried by vendors and still approved | 5/21/2003 | R423, R424, R675 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 536-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | Series 200 Construction Removable Tape | | 6/15/1999 | R101 |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com <i>Email:</i> bjubak@brite-line.com | Series 100 White & Yellow Series 200 White & Yellow Removable | | 6/15/1999 | R154, R155 R157, R158 |
| PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- <i>Mfg #:</i> (314) 968-2569 <i>Cell #:</i> <i>Fax #:</i> (314) 968-0494 <i>Web Site:</i> www.pblaminations.com <i>Email:</i> lgreen@pblaminations.com | Aztec III Removable | | 6/15/1999 | R119 |
| Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com <i>Email:</i> office.industries@swarco.com | Director 2 Detour Grade Director 2 - Wet Reflective (D2-WR) Yellow & White | | 6/15/1999 | R120, R655 R656 |
| Trelleborg Industri AB 23181 Trelleborg Sweden <i>Mfg #:</i> (464) 105-1536 <i>Cell #:</i> (467) 081-5366 <i>Fax #:</i> (464) 105-1122 <i>Web Site:</i> www.trelleborg.com/roadtape <i>Email:</i> tevnlootjens@trelleborg.com | RW 140 Series RY 140 Series R 140 Series | | 8/24/2001 | R303, R304 R305 |

637.02.01 DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------------|---|---------------|------------------|
| American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com <i>Email:</i> ckimball@amref.com | PennzSuppress D Dust Suppressant | Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body. | 5/2/1999 | R121 |

637.02.01**DUST PALLIATIVE (OPTIONAL)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|---------------|------------------|
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com <i>Email:</i> ekemp@arrowmagnolia.com | Road Boss | Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss) | 10/26/2005 | R498 |
| Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <i>Mfg #:</i> (972) 758-7454 <i>Cell #:</i> (702) 405-0351 <i>Fax #:</i> (972) 596-8418 <i>Web Site:</i> www.dallasroadway.com <i>Email:</i> dallasroadway@yahoo.com | Dust Control DC-22 | Application and dilution rates follow manufacturer's instructions. | 6/19/2006 | R549 |
| Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com <i>Email:</i> don@enviroad.com | Earthbind 100 | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 | R420 |
| EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- <i>Mfg #:</i> (775) 852-3878 <i>Cell #:</i> (800) 369-3878 <i>Fax #:</i> (970) 346-3959 <i>Web Site:</i> www.envirotechservices.com <i>Email:</i> csherven@envirotechservices.com | Lignin (Ammonium Lignosulfonate) | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%. | 8/26/2003 | R450 |
| Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com <i>Email:</i> tackiferman@yahoo.com | Fisch-Stik Terravest K | Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water. | 6/25/1998 | R152, R153 |
| Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com <i>Email:</i> srowsell@fluid-tech-inc.com | Trans Seal I | Application and dilution rates follow manufacturer's instructions. | 1/3/2002 | R323 |
| GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com <i>Email:</i> craighoad@gmbostoncompany.com | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control | Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area | 6/10/2003 | R433 |
| Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com <i>Email:</i> hercenv@herculesenvironmental.com | SOILOC-MQ Dust Suppressant Hercules PAM | Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.) | 5/2/1999 | R149, R150 |

637.02.01 DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------------|--|---------------|------------------|
| Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com | EnviroKleen Soil Sement | Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal | 1/4/2001 | R278, R279 |
| MonoSol LLC 707 East 80th Place Suite 301 Merrillville IN 46410- <i>Mfg #:</i> (219) 762-3165 <i>Cell #:</i> <i>Fax #:</i> (219) 755-4062 <i>Web Site:</i> www.terraloc.com <i>Email:</i> jgallagher@monosol.com | TerraLoc | | 11/18/2009 | R683 |
| NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> dennis@nuequipment.com | Plas-Bond Solitac | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 11/13/2000 | R274, R275 |
| Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> jim.ryan@alonusa.com | Topein S Emulsion | Application and dilution rates follow manufacturer's instructions. | 2/28/2002 | R479 |
| Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115- <i>Mfg #:</i> (216) 566-1733 <i>Cell #:</i> <i>Fax #:</i> (216) 830-7721 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> pjwalsh@sherwin.com | Dust Away | | 6/2/2009 | R639 |
| SNF Holding Company 2401 Doyle Street Greensboro GA 27406- <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com <i>Email:</i> lynn.royal@evonik.com | HydroPam | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 3/1/2010 | R683 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com | Plas-Tex Poly-Tex | Application and dilution rates follow manufacturer's instructions; vacant land application only. | 12/10/2003 | R466, R467 |
| Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (480) 289-3232 <i>Cell #:</i> (602) 758-6465 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chad@soilworks.com | Soiltac® | Application and dilution rates follow manufacturer's instructions. | 9/20/2004 | R504 |

637.02.01 DUST PALLIATIVE (OPTIONAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------|--|---|------------------|
| Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 <i>Contact:</i> Andy Iturria | R318 |
| US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com | Dust Armour | Application and dilution rates follow manufacturer's instructions. | 8/28/2006 <i>Contact:</i> John Breen | R553 |
| Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (520) 622-7203 <i>Cell #:</i> (520) 820-8943 <i>Fax #:</i> (520) 798-3914 <i>Web Site:</i> www.westernemulsions.com <i>Email:</i> ian@westernemulsions.com | Dust Control 50 | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%. | 8/26/2003 <i>Contact:</i> Lain Jack | R434 |

637.02.02 SILT FENCE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------|--|--|------------------|
| Enviroscape ECM 22700 State Route 613 Oakwood OH 45873- <i>Mfg #:</i> (419) 594-3210 <i>Cell #:</i> (419) 399-5007 <i>Fax #:</i> (419) 594-3213 <i>Web Site:</i> www.strawblanket.com <i>Email:</i> mark@strawblanket.com | Vertipro | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 3/1/2010 <i>Contact:</i> Mark D | R678 |
| Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com <i>Email:</i> quinn.brown@hanesindustries.com | TerraTex SC | | 6/25/1998 <i>Contact:</i> Quinn Brown | R143 |
| Triangular Silt Dike Company Inc 8505 East Highway 66 Luther OK 73054- <i>Mfg #:</i> (800) 290-8473 <i>Cell #:</i> <i>Fax #:</i> (405) 277-2232 <i>Web Site:</i> www.tri-silkdike.com <i>Email:</i> groach@cox.net | Triangular Silt Dike | | 6/25/1998 <i>Contact:</i> Gary Roach | R142 |

637.02.05**ROADWAY INLET PROTECTION**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|---------------------------|
| ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 <i>Cell #:</i> (800) 423-4567 <i>Fax #:</i> (804) 246-9737 <i>Web Site:</i> www.acfenvironmental.com <i>Email:</i> dkelly@acfenvironmental.com | Siltsack | | 6/25/1998 | R144 |
| Basalite/Submar Incorporated 805 Dunn Street Houma LA 70360- <i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 <i>Fax #:</i> (775) 359-5997 <i>Web Site:</i> www.submar.com <i>Email:</i> damian.swain@paccoast.com | UltraFlexTM | | 11/18/2009 | R684 |
| Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677 <i>Cell #:</i> <i>Fax #:</i> (888) 234-3677 <i>Web Site:</i> www.shopbowhead.com <i>Email:</i> jeffb@shopbowhead.com | StreamGuard Catch Basin Insert | | 6/25/1998 | R088 |
| Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683 <i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com <i>Email:</i> dlc@dandyproducts.com | Dandy Curb Dandy Pop | | 6/25/1998 | R637, R638 |
| Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683 <i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com <i>Email:</i> dlc@dandyproducts.com | Beaver Dam Bag Dandy Curb Bag® Dandy Bag® Drainage Control | | 6/25/1998 | R082, R083 R087 |
| ERTEC Environmental Systems LLC 1150 Ballena Boulevard Suite 250 Alameda CA 94501- <i>Mfg #:</i> (510) 521-0724 <i>Cell #:</i> <i>Fax #:</i> (510) 521-3972 <i>Web Site:</i> www.ertecsystems.com <i>Email:</i> info@ertecsystems.com | Curb Inlet Guard Combo Guard Drop Guard GR-8 Guard | | 3/1/2010 | R684, R685, R686, R687 |
| Inlet & Pipe Protection Incorporated 24137 West 111th Street Unit A Naperville IL 60564- <i>Mfg #:</i> (866) 287-8655 <i>Cell #:</i> (323) 627-1127 <i>Fax #:</i> (630) 355-3477 <i>Web Site:</i> www.inletfilters.com <i>Email:</i> jr@inletfilters.net | Flexstorm Inlet Filters | | 3/1/2010 | R682 |
| Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- <i>Mfg #:</i> (888) 382-7458 <i>Cell #:</i> (770) 388-7818 <i>Fax #:</i> (770) 388-7640 <i>Web Site:</i> www.siltsaver.com <i>Email:</i> todd@siltsaver.com | SS-100A Frame & Filter Assembly SS-200A Frame & Filter Assembly | | 12/6/2002 | R376, R377 |

640.02.03a**MSE WALLS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---------------|------------------|
| Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 | Reinforced Soil Embankment Wall | | 9/8/1998 | R122 |
| <i>Contact:</i> Suzanne Blackburn | | | | |
| <i>Mfg #:</i> (800) 762-8962 <i>Cell #:</i> (707) 443-5093 <i>Fax #:</i> (707) 443-2891 <i>Web Site:</i> www.hilfiker.com <i>Email:</i> suzanne@hilfiker.com | | | | |
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- | Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls | | 9/8/1998 | R287, R288 |
| <i>Contact:</i> Michael Louis | | | | |
| <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | | | | |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- | MSE Earth MSE Plus™ | Modified panels required. W24 longitudinal wire not permitted. | 2/9/2000 | R187, R195 |
| <i>Contact:</i> Andrew Thompson | | | | |
| <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com <i>Email:</i> andrewt@mseplus.com | | | | |
| Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- | ARES Retaining Precast Wall System | Permitted only when specified in the contract documents as an acceptable product. | 6/14/1999 | R165 |
| <i>Contact:</i> Bob Miller | | | | |
| <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com <i>Email:</i> bmiller@tensarcorp.com | | | | |

640.02.03b**MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|--|---------------|------------------|
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- | Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls | Large panels allowed only when noted on the plans. | 2/28/2001 | R287, R288 |
| <i>Contact:</i> Michael Louis | | | | |
| <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | | | | |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- | MSE Large Wall Panel | Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans. | 8/26/2002 | R356 |
| <i>Contact:</i> Andrew Thompson | | | | |
| <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com <i>Email:</i> andrewt@mseplus.com | | | | |

640.02.03c**SOUNDWALL SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---|------------------|
| Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313 <i>Cell #:</i> <i>Fax #:</i> (207) 490-4284 <i>Web Site:</i> www.cyro.com <i>Email:</i> paraglas@evonik.com | Paraglas Soundstop® TL4 Nosie Barrier System | The system will be selected based on specific project requirements. It is not a complete wall system. | 8/4/2009 <i>Contact:</i> Nathan Binette | R648 |
| Evonik Cyro LLC 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 324-6000 <i>Cell #:</i> (207) 490-4313 <i>Fax #:</i> (207) 490-4248 <i>Web Site:</i> www.paraglassoundstop.com <i>Email:</i> nathan.binette@evonik.com | Paraglas Soundstop TL4 System | The system will be selected based on specific project requirements. It is not a complete wall system. | 6/3/2009 <i>Contact:</i> Nathan Binette | R640 |
| Evonik Cyro LLC 379 Interpace Parkway Parsippany NJ 07054- <i>Mfg #:</i> (207) 490-4384 <i>Cell #:</i> <i>Fax #:</i> (973) 541-8441 <i>Web Site:</i> www.paraglassoundstop.com <i>Email:</i> eric.humphries@evonik.com | Paraglas Soundtop® Ready Fit Panels | The system will be selected based on specific project requirements. It is not a complete wall system. | 8/27/2004 <i>Contact:</i> Eric Humphries | R502 |
| Port-O-Wall Systems LLC 585 5th Street West/PMB 182 Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516 <i>Cell #:</i> <i>Fax #:</i> (707) 996-5191 <i>Web Site:</i> www.port-o-wall.com <i>Email:</i> rod_allen@port-o-wall.com | Port-O-Wall Soundwall System | The system will be selected based on specific project requirements. | 10/24/2001 <i>Contact:</i> Rod Allen | R316 |
| QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 <i>Cell #:</i> (702) 354-3974 <i>Fax #:</i> (702) 464-3080 <i>Web Site:</i> www.quilite.com <i>Email:</i> morgan@quilite.com | Quilite Noise Barrier | The system will be selected based on specific project requirements. | 2/9/2005 <i>Contact:</i> Morgan Fisher | R515 |

640.02.04**MODULAR BLOCK RETAINING WALL**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|---|------------------|
| Jensen Precast 625 Bergin Way Sparks NV 89431- <i>Mfg #:</i> (775) 720-8167 <i>Cell #:</i> <i>Fax #:</i> (775) 359-1038 <i>Web Site:</i> www.jensenprecast.com <i>Email:</i> DGoins@jensenprecast.com | Redi-Rock | Permitted on a project-by-project basis with approvals from NDOT Bridge and NDOT Geotechnical and in accordance with 640.02.03 NDOT Specs. | 7/23/2009 <i>Contact:</i> Derek Goins | R647 |
| Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761 <i>Cell #:</i> <i>Fax #:</i> (251) 990-5461 <i>Web Site:</i> www.keystonewalls.com <i>Email:</i> keystone@keystonewalls.com | Keysystem 1 Modular Block Retaining Wall | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 <i>Contact:</i> Customer Service | R145 |

640.02.04 MODULAR BLOCK RETAINING WALL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--------------------------------------|--|---------------|------------------|
| Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com <i>Email:</i> mlouis@reinforcedearth.com | Pyramid Modular Block Retaining Wall | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R214 |
| <i>Contact:</i> Michael Louis | | | | |
| Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com <i>Email:</i> bmiller@tensarcorp.com | Mesa Retaining Wall | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R343 |
| <i>Contact:</i> Bob Miller | | | | |

641.02.01 IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------------|
| Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com <i>Email:</i> ron.keener@barriersystemsinc.com | Universal Tau II System | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 4/10/2001 | R285 |
| <i>Contact:</i> Ron Keener | | | | |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | React 350 (60" wide) React 350 (96" wide) React 350 (120" wide) | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 7/31/2009 | R662, R661 R660 |
| <i>Contact:</i> Diane Sanchez | | | | |
| Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com <i>Email:</i> diane.sanchez@quixotecorp.com | Quad-Guard Standard Quad-Guard Wide (69/90) Quad-Guard Elite React 350 | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 4/27/1998 | R126, R127 R128, R129 |
| <i>Contact:</i> Diane Sanchez | | | | |
| SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com <i>Email:</i> workarea@workareaprotection.com | SCI100GM Impact Attenuator | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 1/20/2006 | R545 |
| <i>Contact:</i> Jeffery Smith | | | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net <i>Email:</i> mikel.hooley@trin.net | Adiem Attenuating Device | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings. | 9/9/2003 | R209 |
| <i>Contact:</i> Mike Hooley | | | | |

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|-------------------|---------------|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Res-Cure | ASTM C309 Type 1D | 9/4/2007 | R573 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | DSSCC Clear Wax Cure DSSCC Resin Cure & Dye Aqua Resin Clear Type ID | ASTM C309 Type 1D | 8/29/2008 | R580; R609 |
| US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com <i>Email:</i> bsmith@usmix.com | US SPEC Maxcure Resin Clear | ASTM C309 Type 1D | 8/29/2008 | R607 |
| White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333 <i>Cell #:</i> <i>Fax #:</i> (775) 353-3300 <i>Web Site:</i> www.whitecapdirect.com <i>Email:</i> bobsmith@white.net | Resin Cure-Clear VOC | ASTM C309 Type 1D | 9/4/2007 | R565 |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> lball@wrmeadows.com | 1100 Clear 1600 Clear | ASTM C309 Type 1D | 9/4/2007 | R574, R575 |

702.03.01d**CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---------------------|---------------------------------|---------------|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Whix Cure DOT | PCCP ASTM C309, Type 2, Class A | 9/4/2007 | R582 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnhukey@daytonsuperior.com | DSSCC White Wax | PCCP ASTM C309, Type 2, Class A | 8/29/2008 | R611 |

702.03.01d**CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---------------------------|---------------------------------|--|------------------|
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com | Kurez VOX White Pigmented | PCCP ASTM C309, Type 2, Class A | 9/30/1996 | R040 |
| | | | <i>Contact:</i> Christopher Balsat / Brian Louie | |
| | | | <i>Email:</i> cbalsat@euclidchemical.com | |
| SpecChem LLC 700 West 47th Street Kansas City KS 64112- <i>Mfg #:</i> (816) 968-5600 <i>Cell #:</i> (913) 221-7957 <i>Fax #:</i> (913) 371-8701 <i>Web Site:</i> www.specchemllc.com | PaveCure WW | PCCP ASTM C309, Type 2, Class A | 2/12/2008 | R585 |
| | | | <i>Contact:</i> Bryan Meyer | |
| | | | <i>Email:</i> bmeyer@specchemllc.com | |
| Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 <i>Cell #:</i> (530) 348-6809 <i>Fax #:</i> (702) 386-5799 <i>Web Site:</i> www.steelengineers.com | UniWhite Cure Wax | PCCP ASTM C309, Type 2, Class A | 6/2/2008 | R577 |
| | | | <i>Contact:</i> Bratt Bilkington | |
| | | | <i>Email:</i> bbilkington@steelengineers.com | |
| US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com | US SPEC AMS 3754 | PCCP ASTM C309, Type 2, Class A | 7/2/2008 | R602 |
| | | | <i>Contact:</i> Bryan Smith | |
| | | | <i>Email:</i> bsmith@usmix.com | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com | 1600 Clear 1600 Clear | PCCP ASTM C309, Type 2, Class A | 9/4/2007 | R574, R575 |
| | | | <i>Contact:</i> Lyne Ball | |
| | | | <i>Email:</i> lball@wrmeadows.com | |

702.03.04**BRIDGE DECK CURING COMPOUND**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|---|--|------------------|
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com | Atlas PAMS Cure | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R579 |
| | | | <i>Contact:</i> Ryan Quinn | |
| | | | <i>Email:</i> ryanquinn@atlasform.com | |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com | DSSCC PAMS White Pams Cure | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R610, R578 |
| | | | <i>Contact:</i> John Hukey | |
| | | | <i>Email:</i> johnhukey@daytonsuperior.com | |

702.03.04 BRIDGE DECK CURING COMPOUND

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------------|---|-----------------------------|------------------|
| US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com <i>Email:</i> bsmith@usmix.com | US SPEC AMS 3754 | Bridge Decks ASTM C309, Type 2, Class B | 7/2/2008 | R602 |
| | | | <i>Contact:</i> Bryan Smith | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> lball@wrmeadows.com | 2245 Bridge Deck Curing Compound | Bridge Decks ASTM C309, Type 2, Class B | 9/4/2007 | R604 |
| | | | <i>Contact:</i> Lyne Ball | |

702.03.05 FLY ASH (TYPE F ONLY)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|------------------------------|------------------|
| Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> (210) 349-8512 <i>Web Site:</i> www.boral.com <i>Email:</i> pamelaflynn@boral.com | Fly Ash Plant: Monticello, TX | Type F | 9/4/2007 | R571 |
| | | | <i>Contact:</i> Pamela Flynn | |
| Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> (210) 349-8512 <i>Web Site:</i> www.boral.com <i>Email:</i> pamelaflynn@boral.com | Fly Ash Plant: Rockdale, TX | Type F | 9/4/2007 | R571 |
| | | | <i>Contact:</i> Pamela Flynn | |
| Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | Fly Ash Plant: Navajo Plant Page, AZ | Type F | 9/4/2007 | R572 |
| | | | <i>Contact:</i> Thomas Fox | |
| Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | Fly Ash Plant: Delta Plant, UT | Type F | 9/4/2007 | R572 |
| | | | <i>Contact:</i> Thomas Fox | |
| Headwaters Resource's Incorporated 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com <i>Email:</i> tfox@headwaters.com | Fly Ash Plant: Bridger Plant, WY | Type F | 9/4/2007 | R572 |
| | | | <i>Contact:</i> Thomas Fox | |

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|----------------|---------------|------------------|
| Bondaflex Technologies 995 Towbin Avenue Lakewood NJ 08701- <i>Mfg #:</i> (800) 641-8242 <i>Cell #:</i> <i>Fax #:</i> (973) 473-4222 <i>Web Site:</i> www.bondaflex.com <i>Email:</i> brucel@maynational.com | Bondaflex Sil 728SL | | 8/5/2005 | R534 |
| Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com <i>Email:</i> lowell.parkison@crafco.com | Roadsaver Silicone SL Sealant | | 10/7/1993 | R552 |
| Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com <i>Email:</i> jason.sika@dowcorning.com | 890 SL | | 3/20/1997 | R130 |
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com <i>Email:</i> ldurain@dsbrown.com | DSB 900 SL Self Leveling Silicone | | 4/5/2005 | R518 |
| Pecora Corporation 165 Wambold Road Harleysville PA 19438- <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com <i>Email:</i> burnsn@pecora.com | Pecora 300 | | 9/14/2001 | R311 |
| Tremco Incorporated 3735 Green Road Beachwood OH 44122- <i>Mfg #:</i> (866) 209-5015 <i>Cell #:</i> (216) 292-5036 <i>Fax #:</i> (216) 766-5535 <i>Web Site:</i> www.tremcosealants.com <i>Email:</i> tscs@tremcoinc.com | Spectrum 900 SL Formula 974831 333 Cartridges | | 5/31/2002 | R358, R357 |

714.03.01 COATING SYSTEMS FOR BRIDGES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|---------------|--------------------|
| Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i> <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com <i>Email:</i> carbolineUSA@carboline.com | Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane | Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900 | 8/20/1997 | R132, R133 R134 |

714.03.01

COATING SYSTEMS FOR BRIDGES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|-------------------------------|--------------------|
| Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- | Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane | Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811 | 8/20/1997 | R604, R605 R606 |
| <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i> | <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com | <i>Email:</i> carbolineUSA@carboline.com | <i>Contact:</i> Joanne Dawson | |
| International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- | Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS | Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS | 6/4/2003 | R430, R431 R432 |
| <i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203 | <i>Fax #:</i> (812) 256-6733 <i>Web Site:</i> www.international-pc.com | <i>Email:</i> daniel.griffin@akzonobel.com | <i>Contact:</i> Dan Griffin | |
| PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821- | Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 H Aliphatic Polyurethane | Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure | 5/21/2008 | R592, R593 R594 |
| <i>Mfg #:</i> (714) 337-1953 <i>Cell #:</i> (562) 691-9600 | <i>Fax #:</i> (562) 691-3550 <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com | <i>Email:</i> nyemiller@msm.com | <i>Contact:</i> Nye Miller | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II | Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-400 Series Part B: B60V2 | 8/20/1997 | R135, R136 R137 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.l.mcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane | Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150 | 6/2/2003 | R123, R124 R125 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.l.mcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216- | Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane | Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150 | 6/2/2003 | R138, R139 R140 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.l.mcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |

716.03.01

REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|-----------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3990 VIP Diamond Grade Type IX 3970 (Phasing Out) | Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved. | 8/16/2000 | R159, R271 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out) | For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved. | 8/21/2000 | R289, R163 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 334 Barricade Type IV 336 Barricade Type IV | For Barricades Only (Type IV) | 12/1/2004 | R510, R511 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3981 Diamond Fluorescent 3983 Diamond Fluorescent VIP (for perm traffic); | For Permanent Traffic Signs (NDOT Type X) | 7/23/2001 | R301, R302 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3300 Flexible Prismatic Sheetting | | 8/21/2000 | R642 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3810 High Intensity Series | For Reboundable Plastic Drums Only (Type III) | 8/21/2000 | R291 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 3930 Permanent Traffic Signs & Temporary Traffic 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out) | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/IV); 10/08 Discontinued 3870. | 12/1/2004 | R508, R509 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- | T5500A Series High Intensity T7000 Fluorescent Reflective Sheetting | For Permanent and Temporary Traffic Control Devices (Type III) | 9/15/2003 | R455, R456 |
| <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | | | <i>Contact:</i> Nipa Joshi | |

716.03.01

REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|---------------|--------------------|
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | T9500 Omni View T7500 Prismatic Grade Sheeting | NDOT Type IX | 5/30/2002 | R021, R344 |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | T6500 Flourescent Reflective Sheeting W7514 Flourescent Reflective Sheeting W6100 Prismatic Reflective Sheeting | For Delineators and Permanent Signs Only (Type III) | 8/21/2000 | R164, R298 R297 |
| Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com <i>Email:</i> nipa.joshi@averydennison.com | S9000C Cone Collar | For Reboundable Traffic Cones Only, Type III | 2/2/2004 | R471 |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | High Intensity ULG II Nikkalite CRG 92802 White Nikkalite CRG 92804 Yellow | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/IV) | 8/16/2000 | R226, R650 R651 |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | 92844 Nikkalite Fluorescent Yellow 92844 Nikkalite Fluorescent Green | NDOT Type X | 4/29/2005 | R649, R663 |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | 92847 Nikkalite Crystal Fluorescent Orange Nikkalite CRG 92844 | NDOT Type X | 4/29/2005 | R522, R649 |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com <i>Email:</i> jhu@nikkalite.com | Nikkalite CRG 92805 Red Nikkalite CRG 92806 Blue Nikkalite CRG 92808 Green | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/IV) | 8/16/2000 | R652, R653 R654 |
| Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com <i>Email:</i> customer.service@reflexite.com | Conformalight Marathon Type VI | For Roll-up Signs Only (NDOT Type VI) | 9/19/2000 | R293, R294 |

716.03.01 REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|----------------------------|---|--|--|
| Reflexite Americas 315 South Street New Britain CT 06051- | AP1000 Reflective Sheeting | For Delineators, Safety Fencing and Glare Screens Only (Type V) | 8/21/2000 | R295 |
| <i>Contact:</i> Rebecca Cavazuti | | | | |
| <i>Mfg #:</i> (800) 654-7570 | <i>Cell #:</i> | <i>Fax #:</i> (800) 895-0951 | <i>Web Site:</i> www.reflexiteamericas.com | <i>Email:</i> customer.service@reflexite.com |

726.03.04 MULCH

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|------------------------------|--|--|
| Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- | Second Nature Paper Fiber Hydroseeding Mulch | | 6/25/1998 | R146 |
| <i>Contact:</i> Craig Hoad | | | | |
| <i>Mfg #:</i> (800) 654-6117 | <i>Cell #:</i> (785) 883-4600 | <i>Fax #:</i> (785) 883-4429 | <i>Web Site:</i> www.centralfiber.com | <i>Email:</i> sales@centralfiber.com |
| Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- | Nature's Own | | 6/25/1998 | R147 |
| <i>Contact:</i> Patrick Andrew | | | | |
| <i>Mfg #:</i> (208) 733-9689 | <i>Cell #:</i> | <i>Fax #:</i> (208) 733-9447 | <i>Web Site:</i> www.hmi-mfg.com | <i>Email:</i> patrick@hmi-mfg.com/info@hmi-mfg.com |
| Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- | Conwed 1000 Flexterra | | 12/18/2008 | R629, R631 |
| <i>Contact:</i> Becky Gauthier | | | | |
| <i>Mfg #:</i> (253) 884-0747 | <i>Cell #:</i> (253) 208-9777 | <i>Fax #:</i> (253) 884-0730 | <i>Web Site:</i> www.profileproducts.com | <i>Email:</i> bgauthier@profileproducts.com |

726.03.05 TACKIFIER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|---|---------------------------------------|--------------------------------------|
| Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- | TacPac GT | | 6/25/1998 | R148 |
| <i>Contact:</i> Craig Hoad | | | | |
| <i>Mfg #:</i> (800) 654-6117 | <i>Cell #:</i> (785) 883-4600 | <i>Fax #:</i> (785) 883-4429 | <i>Web Site:</i> www.centralfiber.com | <i>Email:</i> sales@centralfiber.com |
| Drivater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- | Drivater Hydro Mix | Note: Surfaces subject to spill; can be slippery. | 1/3/2001 | R277 |
| <i>Contact:</i> Mary Paternoster | | | | |
| <i>Mfg #:</i> (707) 588-1444 | <i>Cell #:</i> | <i>Fax #:</i> (707) 588-1445 | <i>Web Site:</i> www.drivater.com | <i>Email:</i> mary@drivater.com |

726.03.05 TACKIFIER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|--|---------------|------------------|
| Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- <i>Mfg #:</i> (401) 331-9000 <i>Cell #:</i> (401) 766-0400 <i>Fax #:</i> (401) 331-2155 <i>Web Site:</i> www.easterncolor.net <i>Email:</i> tech@easterncolor.net | Ecotak OP Moisture Retainer | | 6/25/1998 | R151 |
| Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com <i>Email:</i> don@enviroad.com | Earthbind 100 | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 | R420 |
| Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com <i>Email:</i> tackiferman@yahoo.com | Fisch-Stik Terravest | | 6/25/1998 | R152, R153 |
| JRM Chemical 4881 Neo Parkway Cleveland OH 44128- <i>Mfg #:</i> (216) 475-8488 <i>Cell #:</i> <i>Fax #:</i> (216) 475-6517 <i>Web Site:</i> www.soilmoist.com <i>Email:</i> jrm@en.com | FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets | Environmental Services Division Water Quality Specialist must be contacted prior to usage. | 3/1/2010 | R679, R680, R681 |
| SNF Holding Company 2401 Doyle Street Greensboro GA 27406-_ <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com <i>Email:</i> lynn.royal@evonik.com | HydroPam | Environmental Services Division Water Quality Specialist must be contacted prior to usage. | 3/1/2010 | R683 |
| Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 | R318 |

726.03.13 SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|----------------------------------|--|---------------|------------------|
| American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com <i>Email:</i> ckimball@amref.com | PennzSuppress D Dust Suppressant | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 | R121 |

726.03.13

SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com <i>Email:</i> ekemp@arrowmagnolia.com | Road Boss | Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Title) to Arrow Magnolia (Road Boss). | 10/26/2005 | R498 |
| ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 <i>Cell #:</i> (920) 217-0281 <i>Fax #:</i> (920) 406-9740 <i>Web Site:</i> www.encap.com <i>Email:</i> aramirez@encap.net | PAM 12 PLUS | Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS. | 3/10/2008 | R586 |
| Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com <i>Email:</i> don@enviroad.com | Earthbind 100 | Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body. | 3/17/2003 | R420 |
| Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com <i>Email:</i> tackiferman@yahoo.com | Fisch-Stik Terravest K | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 | R152, R153 |
| Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com <i>Email:</i> srowsell@fluid-tech-inc.com | Road Oyl Soil Seal Trans Seal I | Application and dilution rates follow manufacturer's instructions. | 1/3/2002 | R324, R325 R323 |
| GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com <i>Email:</i> craighoad@gmbostoncompany.com | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control | Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area | 6/10/2003 | R433 |
| Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com <i>Email:</i> hercenv@herculesenvironmental.com | Hercules PAM SOILOC-MQ Dust Suppressant SOILOC-PAM | Application and dilution rates follow manufacturer's instructions. | 6/25/1998 | R160, R149 R328 |
| JRM Chemical 4881 Neo Parkway Cleveland OH 44128- <i>Mfg #:</i> (216) 475-8488 <i>Cell #:</i> <i>Fax #:</i> (216) 475-6517 <i>Web Site:</i> www.soilmoist.com <i>Email:</i> jrm@en.com | FI-1045 Tablets FI-1046 Tablets FI-3500 Tablets | Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions. | 3/1/2010 | R679, R680, R681 |

726.03.13

SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|------------------------------------|---|---------------|------------------|
| Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com | Soil Sement | Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water body. | 4/18/2005 | R279 |
| North American Green 14649 Highway 41 North Evansville IN 47725- <i>Mfg #:</i> (800) 772-2040 <i>Cell #:</i> (801) 731-5757 <i>Fax #:</i> (812) 867-0247 <i>Web Site:</i> <i>Email:</i> | Hydra CX2 Cotton Reinforced Matrix | Application and dilution rates follow manufacturer's instructions. | 5/29/2009 | R334 |
| NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> dennis@nuequipment.com | Plas-Bond Solitac | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 11/13/2000 | R274, R275 |
| Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> Jryan@ppcla.com | Topein S Emulsion | Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization. | 2/24/2004 | R479 |
| Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Cell #:</i> <i>Fax #:</i> (801) 303-2551 <i>Web Site:</i> www.sequoiaprc.com <i>Email:</i> terry@telnetz.com | SoilBIND | Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic. | 6/23/2003 | R118 |
| SNF Holding Company 2401 Doyle Street Greensboro GA 27406- <i>Mfg #:</i> (336) 335-3781 <i>Cell #:</i> (513) 317-8311 <i>Fax #:</i> (513) 672-9633 <i>Web Site:</i> www.evonik.com <i>Email:</i> lynn.royal@evonik.com | HydroPam | Environmental Services Division Water Quality Specialist must be contacted prior to usage. Application and dilution rates follow manufacturer's instructions. | 3/1/2010 | R683 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com | Plas-Tex Poly-Tex | Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic. | 6/25/1998 | R466, R467 |
| Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (480) 289-3232 <i>Cell #:</i> (602) 758-6465 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chad@soilworks.com | Soiltac® | Application and dilution rates follow manufacturer's instructions. | 9/20/2004 | R504 |

726.03.13**SOIL STABILIZER**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|--|---|------------------|
| Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com | EarthGuard Fiber Matrix | Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic | 11/2/2001 <i>Contact:</i> Andy Iturriria | R318 |
| US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com | Airtrol™ Geobinder Enviro-Shield™ Bonded Fiber Matrix | Application and dilution rates follow manufacturer's instructions. | 8/28/2006 <i>Contact:</i> John Breen | R554, R555 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|---|--------------------------|
| Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 <i>Cell #:</i> (954) 782-2221 <i>Fax #:</i> (954) 782-2776 <i>Web Site:</i> www.atc.ws <i>Email:</i> rboland@atc.ws | Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200 | Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Hilti Inc's HTE 50) | 1/10/2002 <i>Contact:</i> Richard Boland | R329, R330 R331, R327 |
| Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com | Atlas Epoxy Bonder LPL Epoxy Bonder | Type I, II, IV and V; Grade 2; Classes B & C | 4/29/2004 <i>Contact:</i> Ryan Quinn | R496, R497 |
| Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnkukey@daytonsuperior.com | Dayton Superior Sure Anchor I J-51 | Type I, II, IV and V; Grade 3; Glass A | 1/14/2003 <i>Contact:</i> John Hukey | R393 |
| Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com | Duralcrete | Type I and Type II | 11/8/2005 <i>Contact:</i> Christopher Balsat / Brian Louie | R536 |
| Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com <i>Email:</i> ruben.rivadeneira@hilti.com | HT RE 500 HTE 50 | Type IV; Grade 3; Classes A, B & C | 1/2/2002 <i>Contact:</i> Ruben Rivadeneira | R321, R641 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|--|--------------------|
| Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com | HTE 50 | Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Adhesive Technologies' HS200) | 1/10/2002 | R641 |
| | | | <i>Contact:</i> Ruben Rivadeneira | |
| <i>Email:</i> ruben.rivadeneira@hilti.com | | | | |
| ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370 <i>Cell #:</i> <i>Fax #:</i> (630) 495-6204 <i>Web Site:</i> www.itw-redhead.com | Ceramic 6 | Type IV; Grade 3; Classes B & C | 5/14/2002 | R341 |
| | | | <i>Contact:</i> Don Burger (CC) / James Shinn (VA) | |
| <i>Email:</i> | | | | |
| Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- <i>Mfg #:</i> (914) 235-6300 <i>Cell #:</i> (702) 364-2606 <i>Fax #:</i> (914) 576-6483 <i>Web Site:</i> www.powers.com | Power Fast Plus Standard Set T308 Plus | Type I, II, IV and V; Grade 2; Classes B & C | 7/9/2009 | R644, R645 R646 |
| | | | <i>Contact:</i> Patrick Buckley | |
| <i>Email:</i> buckley@powers.com | | | | |
| Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 <i>Cell #:</i> (916) 870-7863 <i>Fax #:</i> (209) 234-3868 <i>Web Site:</i> www.simpsonanchors.com | EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive | Type I, II, IV and V; Grade 3; Classes B & C | 1/4/1998 | R216, R217 |
| | | | <i>Contact:</i> Joe Le Bel | |
| <i>Email:</i> jlebel@strongtie.com | | | | |
| Titan Supply 250 Edison Way Reno NV 89502- <i>Mfg #:</i> (775) 351-2201 <i>Cell #:</i> (888) 550-2201 <i>Fax #:</i> (775) 351-2205 <i>Web Site:</i> www.titansupply.com | Pro-Poxy 100 | Type II, III, IV and V; Grade 3; Class A, B & C | 4/29/2008 | R590 |
| | | | <i>Contact:</i> Brian Wickham | |
| <i>Email:</i> bwickham@titansupply.com | | | | |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com | Pro-Poxy Type III DOT Epoxy Binder | Type III, Grade 1, Class B & C | 1/4/1998 | R218, R219 |
| | | | <i>Contact:</i> Jerry Byrne | |
| <i>Email:</i> jerry@unitex-chemicals.com | | | | |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com | Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400 | Type I, II, IV & V, Grade 3, Class B & C | 1/4/1998 | R215, R219 |
| | | | <i>Contact:</i> Jerry Byrne | |
| <i>Email:</i> jerry@unitex-chemicals.com | | | | |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com | Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives | Type I, II, IV & V, Grade 2, Class B & C | 1/4/1998 | R520, R581 |
| | | | <i>Contact:</i> Jerry Byrne | |
| <i>Email:</i> jerry@unitex-chemicals.com | | | | |

728.03.02 EPOXY ANCHORING SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-------------------------------|--|---------------|------------------|
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com | Symons Res-Con 304 | Type I, II, IV & V, Grade 3, Class B & C | 1/14/2003 | R388 |
| <i>Contact:</i> Jerry Byrne | | | | |
| USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 <i>Cell #:</i> (800) 328-5934 <i>Fax #:</i> (507) 364-8762 <i>Web Site:</i> www.uspconnectors.com <i>Email:</i> jturek@gibraltar1.com | CIA-GEL 7000 Adhesive Anchors | Type I and IV; Grade 3; Classes B, C, & D | 8/8/2000 | R265 |
| <i>Contact:</i> Jennifer Turek | | | | |
| WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com <i>Email:</i> lball@wrmeadows.com | Rezi Weld 1000 | Type I, II, IV and V; Grade 2; Classes B & C | 2/19/2004 | R478 |
| <i>Contact:</i> Lyne Ball | | | | |

729.03.04 EPOXY PAINT MARKING MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|---|---------------|--------------------|
| Colorado Paint Company 4747 Holly Street Denver CO 80216- <i>Mfg #:</i> (303) 388-9265 <i>Cell #:</i> (303) 941-5275 <i>Fax #:</i> (303) 388-0881 <i>Web Site:</i> www.coloradopaint.com <i>Email:</i> markv@coloradopaint.com | White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 3/20/2000 | R199, R200 R201 |
| <i>Contact:</i> Mark Vasquez | | | | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com <i>Email:</i> klyne@ennispaint.net | White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R436, R437 R438 |
| <i>Contact:</i> Klyne McCarty | | | | |
| Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 12/11/2002 | R381, R382 R383 |
| <i>Contact:</i> Cindi Westlund | | | | |
| Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 12/11/2002 | R378, R379 R380 |
| <i>Contact:</i> Cindi Westlund | | | | |

729.03.04 EPOXY PAINT MARKING MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|---|------------------------------------|------------------------------------|
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R112, R113 R114 |
| <i>Mfg #:</i> (440) 248-1223 | <i>Cell #:</i> (216) 577-6723 | <i>Fax #:</i> (440) 248-1513 | <i>Web Site:</i> www.poly-carb.com | <i>Email:</i> hemant@poly-carb.com |
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R115, R116 R117 |
| <i>Mfg #:</i> (440) 248-1223 | <i>Cell #:</i> (216) 577-6723 | <i>Fax #:</i> (440) 248-1513 | <i>Web Site:</i> www.poly-carb.com | <i>Email:</i> hemant@poly-carb.com |
| Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- | White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 10/24/1997 | R109, R110 R111 |
| <i>Mfg #:</i> (440) 248-1223 | <i>Cell #:</i> (216) 577-6723 | <i>Fax #:</i> (440) 248-1513 | <i>Web Site:</i> www.poly-carb.com | <i>Email:</i> hemant@poly-carb.com |

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|-------------------------------|------------------------------|--|------------------|
| Dow Chemical Company 2040 Dow Center Midland MI 48674- | UCAR™ Latex DT 400 NA | Type II | 7/19/2002 | R167 |
| <i>Mfg #:</i> (800) 232-2436 | <i>Cell #:</i> (800) 447-4369 | <i>Fax #:</i> (989) 832-1465 | <i>Web Site:</i> www.dowanswercenter.com | <i>Email:</i> |
| Dow Chemical Company 2040 Dow Center Midland MI 48674- | UCAR™ Latex DT 250 NA | Type I | 7/19/2002 | R166 |
| <i>Mfg #:</i> (800) 232-2436 | <i>Cell #:</i> (800) 447-4369 | <i>Fax #:</i> (989) 832-1465 | <i>Web Site:</i> www.dowanswercenter.com | <i>Email:</i> |
| Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- | Fastrack® 3427 | Type I | 11/30/2001 | R319 |
| <i>Mfg #:</i> (800) 967-7704 | <i>Cell #:</i> | <i>Fax #:</i> (800) 382-4008 | <i>Web Site:</i> www.rohmhaas.com | <i>Email:</i> |
| Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- | Fastrack® HD-21A | Type II | 11/30/2001 | R320 |
| <i>Mfg #:</i> (800) 967-7704 | <i>Cell #:</i> | <i>Fax #:</i> (800) 382-4008 | <i>Web Site:</i> www.rohmhaas.com | <i>Email:</i> |

729.03.05b**RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|--|------------------------------------|-------------------------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | White: 982821 NVW-34-M-1 Yellow: 982822 Nvy-34-M-1 | Fastrack® 3427 | 4/1/2004 | R345, R346 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net | <i>Contact:</i> Klyne McCarty | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | White: 982801 NVW-21-M-2 Yellow: 982802 Nvy-21-M-2 | UCAR™ Latex DT 250 NA | 4/1/2004 | R490, R491 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net | <i>Contact:</i> Klyne McCarty | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 | White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003 | Fastrack® 3427 | 7/30/2002 | R349, R350 |
| <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 | <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com | <i>Email:</i> scotts@pervo.com | <i>Contact:</i> Scott Shannon | |

729.03.05c**RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|-------------------------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | White: 982811 NVW-40-M-2 Yellow: 982812 Nvy-40-M-2 | UCAR™ Latex DT 400 NA | 7/30/2002 | R353, R354 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net | <i>Contact:</i> Klyne McCarty | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | White: 982831 NVW-HD-M-1 Yellow: 982832 Nvy-HD-M-1 | Fastrack® HD-21A | 7/30/2002 | R540, R541 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net | <i>Contact:</i> Klyne McCarty | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 | White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053 | Fastrack® HD-21A | 7/30/2002 | R351, R352 |
| <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 | <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com | <i>Email:</i> scotts@pervo.com | <i>Contact:</i> Scott Shannon | |
| Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- | White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422 | Fastrack® HD-21A | 7/9/2003 | R425, R426 |
| <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> | <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com | <i>Email:</i> dee.l.mcneill@sherwin.com | <i>Contact:</i> Dee McNeill | |

729.03.06**POLYUREA PAINT MARKING MATERIAL**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|---|--------------------------------|--------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R442, R443 R444 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R439, R440 R441 |
| <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com <i>Email:</i> klyne@ennispaint.net | | | <i>Contact:</i> Klyne McCarty | |
| Epoplex 1 Park Avenue Maple Shade NJ 08052- | White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B) | "Lead Free Yellow" contains organic yellow pigment. | 7/16/2003 | R452, R453 R454 |
| <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com | | | <i>Contact:</i> Cindi Westlund | |

732.03.01**PAVEMENT MARKING TAPE (TYPE 1)**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|--|--------------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 270-ES Stamark Tape 420 Stamark Intersection Grade Tape | Type I | 9/19/2003 | R458, R552 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 5730 Stamark Tape (Phasing Out) | Type I; *discontinued manufacturing, but still carried by vendors and still approved | 9/19/2003 | R457 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | | | <i>Contact:</i> Eric Dornak | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- | Series 300 Tape White Series 300 Tape Yellow | Type I | 9/19/2003 | R462, R463 |
| <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | | | <i>Contact:</i> Brenda Robbins | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- | Series 400 Tape White Series 400 Tape Yellow | Type I | 9/19/2003 | R480, R481 |
| <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | | | <i>Contact:</i> Brenda Robbins | |

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|----------------|---------------|------------------|
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com <i>Email:</i> bjubak@brite-line.com | Delta-Line HDX Delta-Line XRP | Type I | 2/2/2010 | R671, R672 |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com <i>Email:</i> bjubak@brite-line.com | Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent | Type I | 5/9/2006 | R546 |
| Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com <i>Email:</i> office.industries@swarco.com | Director 60 Permanent Marking Tape | Type I | 2/17/2004 | R472 |
| Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com <i>Email:</i> office.industries@swarco.com | Director 35 Pavement Marking Tape | Type I | 2/17/2004 | R473 |

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|----------------|---------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com | 270-ES Stamark Tape | Type II | 9/19/2003 | R458 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | Series 400 Tape White Series 400 Tape Yellow | Type II | 9/19/2003 | R480, R481 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com <i>Email:</i> brobbins@trafficmarking.com | Series 300 Tape White Series 300 Tape Yellow | Type II | 4/29/2008 | R462, R463 |

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|---|-------------------------------------|----------------------------|--------------------|
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent | Type II | 5/9/2006 | R546, R488 R489 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Series 100 White Permanent Series 100 Yellow Permanent | Type II | 6/15/1999 | R207, R208 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Delta-Line HDX | Type II | 2/2/2010 | R672 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|--|--|---|--------------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | 390 Stamark 420 Stamark Intersection Grade Tape | Type IV | 4/13/2009 | R535 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- | A380IES (white) Stamark Tape 381WR-ES (yellow) Stamark Tape | Type IV | 9/19/2003 | R460, R461 |
| <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 | <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm | <i>Email:</i> ejdornak@mmm.com | <i>Contact:</i> Eric Dornak | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- | Series 400 Tape White Series 400 Tape Yellow | Type IV | 7/29/2008 | R480, R481 |
| <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> | <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com | <i>Email:</i> brobbins@trafficmarking.com | <i>Contact:</i> Brenda Robbins | |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- | Delta-Line XRP | Type II | 2/2/2010 | R674 |
| <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> | <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnolgies.com | <i>Email:</i> bjubak@brite-line.com | <i>Contact:</i> Bill Jubak | |

732.03.04a**HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|---|------------------------------|--------------------------------------|---------------------------------------|
| Crown Technology LLC PO Box 789 Woodbury GA 30293- | Tuffline Alkyd | | 1/17/2003 | R290 |
| <i>Mfg #:</i> (706) 553-9500 | <i>Cell #:</i> (706) 575-0423 | <i>Fax #:</i> (706) 553-9501 | <i>Web Site:</i> www.crownthermo.com | <i>Email:</i> jeannie@crownthermo.com |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | 885555 Alkyd White 884685 Alkyd Yellow | Lead Free | 10/1/2009 | R673, R674 |
| <i>Mfg #:</i> (800) 331-8118 | <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 | <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net |

732.03.04b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded</i> | <i>ID Number</i> |
|---|-----------------------------|------------------------------|--------------------------------------|-------------------------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- | Flame Tape ThermaLine | | 6/13/2001 | R299, R300 |
| <i>Mfg #:</i> (800) 331-8118 | <i>Cell #:</i> | <i>Fax #:</i> (800) 555-0217 | <i>Web Site:</i> www.ennispaint.com | <i>Email:</i> klyne@ennispaint.net |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- | Hot TapeTM Premark® PLUS | | 2/24/2004 | R168, R169 |
| <i>Mfg #:</i> (336) 475-6600 | <i>Cell #:</i> | <i>Fax #:</i> (336) 475-7900 | <i>Web Site:</i> www.flintrading.com | <i>Email:</i> sales@flintrading.com |

QPL DB1 NOTES
September 17, 2009

Contractors are required to use actual dated Qualified Products List (QPL) products specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.