

QUALIFIED PRODUCTS LIST (QPL)

213.02.10 FILTRATION SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Contact:</i>				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Email:</i>

213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL; SBBC-xx-AL1; SBBC-xx-ALPH; SBBC-xx-ALHPI		5/26/1998	R002, R003, R004, R005
<i>Contact:</i> Kim Goldensten				
<i>Mfg #:</i> (800) 729-1314	<i>Cell #:</i>	<i>Fax #:</i> (888) 310-3946	<i>Web Site:</i> www.vitproducts.com	<i>Email:</i> kim@vitproducts.com

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999	R189
<i>Contact:</i> Scott Kerns				
<i>Mfg #:</i> (713) 860-6717	<i>Cell #:</i>	<i>Fax #:</i> (713) 263-7577	<i>Web Site:</i> www.rectorseal.com	<i>Email:</i> scottk@rectorseal.com

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
S-Square Tube Products 221 North Kuner Road Brighton CO 80601-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
<i>Contact:</i> Don Tamm				
<i>Mfg #:</i> (303) 286-7051	<i>Cell #:</i> (888) 267-6463	<i>Fax #:</i> (866) 639-5717	<i>Web Site:</i> www.s-squaretube.com	<i>Email:</i> don@s-squaretube.com
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997	R006
<i>Contact:</i> Bryan Everard				
<i>Mfg #:</i> (262) 814-7000	<i>Cell #:</i> (800) 444-0331	<i>Fax #:</i> (262) 814-7017	<i>Web Site:</i> www.tapconet.com/vloc	<i>Email:</i> bryane@tapconet.com

401.02.03**HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- <i>Mfg #:</i> (281) 892-2500 <i>Cell #:</i> (800) 242-5562 <i>Fax #:</i> (281) 892-2501 <i>Web Site:</i> www.controlsolutionsinc.com	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007 <i>Contact:</i> Howard Stoddard <i>Email:</i> orders@controlsolutionsinc.com
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (916) 525-2633 <i>Cell #:</i> (916) 296-2811 <i>Fax #:</i> (916) 525-2710 <i>Web Site:</i> www.dowagro.com	Spike 80 W Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R015 <i>Contact:</i> Beau Miller <i>Email:</i> bjmillier@dow.com

401.02.03b**WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Contact:</i> <i>Email:</i>

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Super Slick Bio Slider	10/26/05 Company Name change: Chemco to Arrow Magnolia	4/22/2004	R494, R495 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com
BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 <i>Cell #:</i> (214) 826-6822 <i>Fax #:</i> (214) 826-7290 <i>Web Site:</i> www.bgchemical.com	Black Magic "13"; Black Magic "For Rubber" Thermal Slide		5/8/2000	R260, R261, R262 <i>Contact:</i> Jeff Gunter <i>Email:</i> jgunter@bgchemical.com
Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- <i>Mfg #:</i> (800) 480-2436 <i>Cell #:</i> (801) 548-2287 <i>Fax #:</i> (801) 274-2425 <i>Web Site:</i> www.brodychemical.com	Slippery Wizard		7/15/2008	R603 <i>Contact:</i> Tammy Price <i>Email:</i> tamme_price@yahoo.com

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 <i>Cell #:</i> (623) 435-1945 <i>Fax #:</i> (937) 534-0426 <i>Web Site:</i> www.chemstation.com	2217A 2217-B		12/20/2007 R392, R584 <i>Contact:</i> Katie Overton <i>Email:</i> koverton@chemstation.com
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 <i>Cell #:</i> (770) 891-3307 <i>Fax #:</i> (770) 386-3391 <i>Web Site:</i>	SPX-7, No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000 R263 <i>Contact:</i> Paul Wilson <i>Email:</i> synthetic@pipeline.com
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 <i>Cell #:</i> (417) 866-5592 <i>Fax #:</i> (417) 866-5593 <i>Web Site:</i> www.rhomar.com	Enviro-Slide Ultra		4/26/2000 R259 <i>Contact:</i> Bob Hamilton <i>Email:</i> bhamilton@rhomar.com
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Cell #:</i> <i>Fax #:</i> (770) 443-0810 <i>Web Site:</i> www.thetecteam.com	Teclon-Pro		11/7/2006 R562 <i>Contact:</i> Karen Price <i>Email:</i> kptectm@bellsouth.net
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 <i>Cell #:</i> (775) 721-2821 <i>Fax #:</i> (209) 830-5124 <i>Web Site:</i> www.zep.com	R-5274 R-6690 XT-3199		5/11/2006 R368, R369, R370 <i>Contact:</i> Byran Castelloni <i>Email:</i> zepbc@yahoo.com

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Finish Film		1/29/2003 R419 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior SureFilm J-74	Finishing Aid: 4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999 R190 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 481-7072 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Eucobar		9/30/1996 R044 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <i>Mfg #:</i> (410) 354-8600 <i>Cell #:</i> (800) 637-6372 <i>Fax #:</i> (410) 354-1122 <i>Web Site:</i> www.kaufmanproducts.net	VaporAid 060		8/2/1999 R191 <i>Contact:</i> Alex Kaufman <i>Email:</i> akaufman@kaufmanproducts.net
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <i>Mfg #:</i> (215) 332-7709 <i>Cell #:</i> (888) 839-2661 <i>Fax #:</i> (215) 332-9997 <i>Web Site:</i> www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999 R193 <i>Contact:</i> Darryl Manuel <i>Email:</i> techservice@vexcon.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999 R194 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

496.02.01**AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <i>Mfg #:</i> (925) 426-8787 <i>Cell #:</i> <i>Fax #:</i> (916) 939-7481 <i>Web Site:</i> www.cemex.com	Aggregate		1/26/1997 R014 <i>Contact:</i> Darla Allen <i>Email:</i> darlaa.allen@cemex.com
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- <i>Mfg #:</i> (425) 228-2120 <i>Cell #:</i> <i>Fax #:</i> (425) 228-2199 <i>Web Site:</i> www.mineralco.com	Aggregate Sand		1/26/1997 R012, R313 <i>Contact:</i> Jim Adderson <i>Email:</i> mineralco@aol.com

502.02.04**CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
United Coatings 19011 East Cataldo Spokane Valley WA 99016- <i>Mfg #:</i> (800) 541-4383 <i>Cell #:</i> (509) 926-7143 <i>Fax #:</i> (509) 928-1116 <i>Web Site:</i> www.unitedcoatings.com	Canyon Tone Stain		4/12/2005	R519 <i>Contact:</i> Shawn Carney <i>Email:</i> shawn@unitedcoatings.com
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- <i>Mfg #:</i> (714) 680-3800 <i>Cell #:</i> (702) 292-8316 <i>Fax #:</i> (702) 597-5222 <i>Web Site:</i> www.vistapaint.com	Coverall 2800 AF Ext. Flat		5/20/2008	R614 <i>Contact:</i> Steven Tetreault <i>Email:</i> stetreault@vistapaint.com

502.02.05a**ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- <i>Mfg #:</i> (800) 676-5963 <i>Cell #:</i> (801) 201-2826 <i>Fax #:</i> (801) 255-7123 <i>Web Site:</i> www.americanpolymer.com	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202)	10/08 New product replaces GSS10 Anti Graffiti Coating	9/3/2008	R389, R390, R391 <i>Contact:</i> Greg Gohlinghorst x.1 <i>Email:</i> gregg@americanpolymer.com

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	JEENE® Structural & Sealing Joint Wabo® Evazote UV		8/2/2006	R011, R016 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com
Chase Construction Products 401 New Karner Road Albany NY 12205- <i>Mfg #:</i> (800) 356-6007 <i>Cell #:</i> (508) 505-5043 <i>Fax #:</i> (518) 356-1110 <i>Web Site:</i> www.chaseconstructionproducts.com	MetaZeal A.J. Phyzite 380		5/3/1999	R009, R024 <i>Contact:</i> Terry Eck <i>Email:</i> teck@chasecorp.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.dayton superiorchemical.com	Polylite N		5/3/1999	R010 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301 <i>Cell #:</i> <i>Fax #:</i> (716) 691-3305 <i>Web Site:</i> www.rjwatson.com	Silicoflex		12/7/2000	R276 <i>Contact:</i> Marc Stafford <i>Email:</i> mdstafford@rjwatson.com
Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 <i>Cell #:</i> (603) 889-6872 <i>Fax #:</i> (603) 889-6874 <i>Web Site:</i> www.willsealusa.com	Will Seal 600		6/4/2002	R347 <i>Contact:</i> Steven Robinson <i>Email:</i> info@schul.com
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 <i>Cell #:</i> (419) 408-5469 <i>Fax #:</i> (419) 424-5959 <i>Web Site:</i> www.techstar-inc.com	W Seal		5/3/1999	R131 <i>Contact:</i> Warren Brown <i>Email:</i> warren@techstar-inc.com

502.03.13j**ASPHALTIC PLUG EXPANSION JOINTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	Matrix 502 Pave Tech		6/5/1997	R198 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 <i>Cell #:</i> (440) 552-2489 <i>Fax #:</i> (570) 546-2415 <i>Web Site:</i> www.DSA-Ltd.com	BJS Thorma Joint Systems		9/19/2002	R360 <i>Contact:</i> Tim Persing <i>Email:</i> tpersing@dsa-ltd.com

502.03.13k**EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- <i>Mfg #:</i> (800) 888-8909 <i>Cell #:</i> (918) 230-3148 <i>Fax #:</i> (918) 586-4912 <i>Web Site:</i> www.ssicm.com	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an	4/22/2002	R212 <i>Contact:</i> Scott Fowler <i>Email:</i> scott.fowler@ssicm.com

502.03.131**EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	Wabo® SiliconSeal - 2 Part		4/22/2002	R340 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	902 RCS		4/22/2002	R339 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com

502.03.19**FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Tammscoat Fine		9/4/2007	R567 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- <i>Mfg #:</i> (323) 855-1242 <i>Cell #:</i> (310) 780-1983 <i>Fax #:</i> (805) 523-8737 <i>Web Site:</i> www.texcote.com	Tex.Cote® XL 70 Bridge Cote® 300 Bridge Cote		9/4/2007	R595, R596 <i>Contact:</i> James Servais <i>Email:</i> j.servais@texcote.com

502.03.20**RETARDANTS (FOR FORMED, EXPOSED AGGREGATE FINISH)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfscst.com	Preco Hi-V Preco Tuf-cote		8/17/1999	R196, R197 <i>Contact:</i> Customer Service <i>Email:</i> basfscst@basf.com

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940 <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com	Calseal		9/8/1998	R025 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com
Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104- <i>Mfg #:</i> (801) 972-2090 <i>Cell #:</i> <i>Fax #:</i> (801) 972-5536 <i>Web Site:</i> www.maxwellproducts.com	Elastoflex 44 Elastoflex 56		1/6/1998	R022, R023 <i>Contact:</i> Dale Bergivin <i>Email:</i> dale@maxwellproducts.com

505.02.01**EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- <i>Mfg #:</i> (800) 626-7891 <i>Cell #:</i> (615) 995-5576 <i>Fax #:</i> (216) 750-7575 <i>Web Site:</i> www.akzonobel.com	Resicoat RB-600		4/30/2008	R591 <i>Contact:</i> Fritz Herrmann <i>Email:</i> fritz.herrmann@akzonobel.com
Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041- <i>Mfg #:</i> (713) 996-0669 <i>Cell #:</i> (713) 996-4665 <i>Fax #:</i> (713) 939-4028 <i>Web Site:</i> www.hoovers.com/dupont-coatings	7-2719 Nap Guard Epoxy Coating		1/18/2001	R281 <i>Contact:</i> Kuruvila Varughese/Greg Bietz <i>Email:</i> kuruvila.varughese@usa.dupont.com
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- <i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203 <i>Fax #:</i> (812) 256-6733 <i>Web Site:</i> www.international-pc.com	HD33 Interpon HD34 Fusion Bond		1/1/1996	R026, R027 <i>Contact:</i> Dan Griffin <i>Email:</i> daniel.griffin@akzonobel.com
Seibert Powder Coatings USA Inc 11110 Berea Road Cleveland OH 44102- <i>Mfg #:</i> (216) 631-2002 <i>Cell #:</i> (800) 231-2002 <i>Fax #:</i> (216) 631-6211 <i>Web Site:</i> n/a	1295 E-90 Pow Dax Scotch Kote 413		1/1/1996	R029, R030 <i>Contact:</i> Nancy Rizzardi <i>Email:</i> nrizzardi@npacoatings.com
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- <i>Mfg #:</i> (281) 370-6164 <i>Cell #:</i> (281) 630-9878 <i>Fax #:</i> (281) 370-6654 <i>Web Site:</i> www.valspar.com	Greenbar #720A009		1/1/1996	R028 <i>Contact:</i> Michael Adams <i>Email:</i> madams@valspar.com

509.03.09**SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803 <i>Mfg #:</i> (800) 527-9948 <i>Cell #:</i> (847) 910-4334 <i>Fax #:</i> (847) 394-7823 <i>Web Site:</i> www.constructiondrilling.com	Shore Pac GCV		9/25/2006	R559 <i>Contact:</i> John Berry or Justin Seago <i>Email:</i> john.berry@cetco.com/justin.seago@cetco.com
Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- <i>Mfg #:</i> (210) 587-4758 <i>Cell #:</i> <i>Fax #:</i> (210) 568-4567 <i>Web Site:</i> www.geotech.us	Novagel Polymer		9/25/2006	R558 <i>Contact:</i> Max Holmes <i>Email:</i> mholmes@geotech.us
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Cell #:</i> <i>Fax #:</i> (562) 634-1350 <i>Web Site:</i> www.pdscoinc.com	Super Mud		9/25/2006	R560 <i>Contact:</i> Customer Service <i>Email:</i> sales@pdscoinc.com

605.02.01**POLYETHYLENE END SECTIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Advanced Drainage Systems Inc (ADS) 1499 Sunnybrook Road Alamo CA 94507- <i>Mfg #:</i> (800) 733-7473 <i>Cell #:</i> (925) 207-5002 <i>Fax #:</i> (925) 407-2872 <i>Web Site:</i> www.ads-pipe.com	ADS End Section - Flared HDPE Culvert End Sections Hi-Q Flared End Section	10/08 Company Name Change: Hancor Inc to ADS	10/28/1995	R031, R033 <i>Contact:</i> Scott Henrich <i>Email:</i> scott.henrich@ads-pipe.com

609.02.01a**FAST SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (541) 689-3133 <i>Cell #:</i> <i>Fax #:</i> (541) 689-3808 <i>Web Site:</i> americanhighwaytechnologies.com	American Highway Patch II		9/30/1996	R036 <i>Contact:</i> Terry Edmundson <i>Email:</i> terryedmundson@daytonsuperior.com
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfbcst.com	Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar	Name Change: ThorRoc 10-60 Rapid Mortar to 10-60 Rapid Mortar	1/3/2002	R385, R386, R387 <i>Contact:</i> Customer Service <i>Email:</i> basfbcst@basf.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (714) 348-1946 <i>Fax #:</i> (714) 379-8270 <i>Web Site:</i> www.ctscement.com	Rapid Set DOT Repair Mix		1/27/1994	R039 <i>Contact:</i> Frank Senatore <i>Email:</i> fsenatore@ctscement.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior HD50 Edoco Fast Patch 928		9/30/1996	R037, R038 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair		11/8/2005	R537, R538, R539 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Hi-Flow Grout Euco-Speed MP Euco-Speed		9/30/1996	R041, R042, R043 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- <i>Mfg #:</i> (800) 243-2206 <i>Cell #:</i> (203) 336-7900 <i>Fax #:</i> (203) 336-7930 <i>Web Site:</i> www.fivestarprouducts.com	Highway Patch Structural Concrete		9/30/1996	R034, R035 <i>Contact:</i> Lou Federico <i>Email:</i> federicol@fivestarprouducts.com
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <i>Mfg #:</i> (209) 830-7803 <i>Cell #:</i> (209) 482-4488 <i>Fax #:</i> (209) 830-7804 <i>Web Site:</i> www.us.henkel.com	Loctite MagnaCrete		10/17/2008	R615 <i>Contact:</i> Bob Bacchetti <i>Email:</i> bob.bacchetti@us.henkel.com
High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <i>Mfg #:</i> (888) 400-7600 <i>Cell #:</i> (949) 677-8229 <i>Fax #:</i> (714) 439-1001 <i>Web Site:</i> www.ConcreteRepair.com	High Performance Concrete Mix		1/3/2002	R322 <i>Contact:</i> John & Tom Collins <i>Email:</i> johncollins@concreterepair.com
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <i>Mfg #:</i> (866) 827-8727 <i>Cell #:</i> (410) 821-1503 <i>Fax #:</i> (410) 561-8771 <i>Web Site:</i> www.concreterepairmaterials.com	HP Cement		10/22/2004	R507 <i>Contact:</i> Laura Clabaugh <i>Email:</i> laura@uscproducts.com

609.02.01b**STORMWATER TREATMENT VAULTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <i>Mfg #:</i> (775) 831-4592 <i>Cell #:</i> (800) 229-7283	BaySaver <i>Fax #:</i> (775) 831-4592 <i>Web Site:</i> www.baysaver.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284 <i>Contact:</i> Ed Franklin <i>Email:</i> edjfranklin@aol.com
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i>	CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448, R449 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <i>Mfg #:</i> (775) 352-6363 <i>Cell #:</i>	JPHV Stormwater Interceptor <i>Fax #:</i> (775) 352-6364 <i>Web Site:</i> www.jensenprecast.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548 <i>Contact:</i> Pam Hammonds <i>Email:</i> phammonds@jensenprecast.com
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <i>Mfg #:</i> (775) 358-4430 <i>Cell #:</i> (707) 396-6268	Stormceptor <i>Fax #:</i> (775) 355-1982 <i>Web Site:</i> www.rinkermaterials.com/www.stormceptor.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286 <i>Contact:</i> Don Catterson/Steve Nilfroushar <i>Email:</i> dcatterson@rinker.com/snilfroushar@cemexusa.co
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <i>Mfg #:</i> (877) 687-7473 <i>Cell #:</i> (610) 316-0957	Inceptor <i>Fax #:</i> (610) 687-6327 <i>Web Site:</i> www.stormdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348 <i>Contact:</i> Robert Sharpless <i>Email:</i> stormdrains@verizon.net

609.03.01c**TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111	ZHD 200 Trench Drain System MHD 200 Trench Drain System <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200	8/28/2006	R556, R557 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111	A-67 Interceptor Trench Drain System Polydrain Trench Drain System <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com

609.03.01c**TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	S100K; FF300; FG200; S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398, R399, R400 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	TrafficDrain	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R384 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- <i>Mfg #:</i> (800) 346-3061 <i>Cell #:</i> (707) 452-9920 <i>Fax #:</i> (707) 452-9923 <i>Web Site:</i> www.polycastdrain.com	Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514 <i>Contact:</i> Thomas Beattie <i>Email:</i> tbeattie@hps.hubbell.com
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- <i>Mfg #:</i> (800) 433-1119 <i>Cell #:</i> (704) 881-4064 <i>Fax #:</i> (704) 508-1011 <i>Web Site:</i> www.multidrainsystems.com	EconoDrain Systems MultiDrain Surface Drainage Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493 <i>Contact:</i> Steve Born <i>Email:</i> steve.born@multidrainsystems.com
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 <i>Mfg #:</i> (716) 665-1132 <i>Cell #:</i> (916) 332-5653 <i>Fax #:</i> (716) 665-1135 <i>Web Site:</i> www.zurn.com	Z-886 (4" Wide); Z-882 (9.25" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422 <i>Contact:</i> Bill Ousley <i>Email:</i> bill.ousley@zurn.com

610.02.01**CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	Armotec Cellular Erosion Control Mat Petraflex	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008	R332, R333 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R326 <i>Contact:</i> Quinn Brown <i>Email:</i> quinn.brown@hanesindustries.com

613.02.01**DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	ACO Detectible Warning Device	Approved for NV Red Only	2/26/2009 R630 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
Advanced Surface Systems LLC (ASSI) 1042 Willow Creek Road #432 Prescott AZ 86301- <i>Mfg #:</i> (928) 778-3443 <i>Cell #:</i> (928) 308-3939 <i>Fax #:</i> (928) 778-0533 <i>Web Site:</i> www.suredome.com	SureDome	Approved for NV Red and NV Green	12/10/2008 R628 <i>Contact:</i> Karen Hemry <i>Email:</i> kchemry@hotmail.com/bumps@suredome.com
Arcis Corporation PO Box 1250 North Plains OR 97133- <i>Mfg #:</i> (503) 647-5042 <i>Cell #:</i> <i>Fax #:</i> (503) 647-7731 <i>Web Site:</i> www.arciscorp.com	ADA Arcis Tactiles	Approved for NV Red Only	9/2/2008 R608 <i>Contact:</i> Dan VanBrabant <i>Email:</i> info@arcis-corp.com
StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- <i>Mfg #:</i> (866) 439-3216 <i>Cell #:</i> (877) 254-1259 <i>Fax #:</i> (520) 547-3515 <i>Web Site:</i> www.stronggo.com	TekWay Dome Tile	Approved for NV Red and NV Green	11/27/2006 R564 <i>Contact:</i> Georgina Margan <i>Email:</i> gmargan@stronggo.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 <i>Cell #:</i> (800) 321-7870 <i>Fax #:</i> (914) 636-1282 <i>Web Site:</i> www.transpo.com	Safe Step - Detectable Warning Tile	Approved for NV Red and NV Green	3/26/2004 R484 <i>Contact:</i> Mike Stenko <i>Email:</i> mstenko@transpo.com

616.02.01**PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- <i>Mfg #:</i> (800) 426-6933 <i>Cell #:</i> (612) 623-1700 <i>Fax #:</i> (612) 623-2500 <i>Web Site:</i> www.conwedplastics.com	Safety Fence		10/10/1999 R202 <i>Contact:</i> Customer Services <i>Email:</i> customer.service@conwedplastics.com
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	Safety GeoGrid		5/15/2002 R342 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 <i>Cell #:</i> (432) 517-0697 <i>Fax #:</i> (432) 267-4039 <i>Web Site:</i> www.roadsystems.com	Fleat 350 TL3	TL-3	1/11/1999 R045 <i>Contact:</i> Kaddo Kothmann <i>Email:</i> Kaddo@basin-net.net
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	ET Plus LET Soil Tubes SRT 350	TL-3	6/9/2004 R499, R500, R501 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 <i>Cell #:</i> (432) 517-0697 <i>Fax #:</i> (432) 267-4039 <i>Web Site:</i> www.roadsystems.com	SKT 350 TL3	TL-3	2/8/1998 R156 <i>Contact:</i> Kaddo Kothmann <i>Email:</i> Kaddo@basin-net.net
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	CAT 350 ET 200 Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997 R046, R047 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- <i>Mfg #:</i> (928) 333-5501 <i>Cell #:</i> <i>Fax #:</i> (928) 333-4403 <i>Web Site:</i> www.glulam.com	Glue Laminated Offset Block	Used with W-beam and Tri-beam Guardrails	3/10/2004 R485 <i>Contact:</i> Ginger Wiltbank <i>Email:</i> gwiltbank@azglulam.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	King-Size King Block	Used with steel post Tri-beam Guardrails	5/13/2005 R523, R524 <i>Contact:</i> Mike Hooley <i>Email:</i> mike.hooley@trin.net

619.02.01**FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator	Type 2	11/21/2008	R625, R626 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	SH Replaceable Barrier Marker SH Dura Post K Marker	Minimum Embedment Depth: 430 mm (17 inches) Type 2	11/4/1998	R068, R053, R052 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Safe Hit Soil Mount Delineator Suface Mount Tubular Delineator	Type 2	11/21/2008	R623, R624 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	TD5500 Earthflex Delineator	Type 2	10/13/2004	R506 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

619.02.01a**FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com	Island Sentry K-Marker	Type 2	8/1/1989	R050 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com	Type K Island Marker	Type 2	9/13/2007	R576 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com	T1 Marker T2 Marker BD Marker HM Marker	Type 2	6/1/1994	R049, R048, R051, R056 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkj Hughes24@yahoo.com

619.02.01a**FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	RubberTough 360 Heavy Duty Bolt Down Soil Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Type 2	11/21/2008	R625, R626 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	Safe Hit Soil Mount Suface Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Type 2	11/21/2008	R623, R624 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	SH Replaceable Barrier Marker SH Dura Post K Marker <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Type 2	11/4/1998	R052, R053, R068 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD 5215 K Marker <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Type 2	9/4/2007	R566 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

619.03.01**PRISMATIC ACRYLIC REFLECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i>	AKT #18 Center Mounted Reflector <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com		5/5/1998	R054 <i>Contact:</i> Sharon Marquardt <i>Email:</i> tschoe2992@aol.com
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- <i>Mfg #:</i> (847) 428-7761 <i>Cell #:</i>	Center-Mounted Delineator Reflector <i>Fax #:</i> (847) 428-7764 <i>Web Site:</i> www.vegamoldedproducts.com		5/5/1998	R055 <i>Contact:</i> Doris Weid <i>Email:</i> vega7761@aol.com

623.01.01**DYNAMIC MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings <i>Mfg #:</i> (605) 692-0200 <i>Cell #:</i> (605) 695-5624 <i>Fax #:</i> (605) 697-4700 <i>Web Site:</i> www.daktronicsinc.com	Light-Emitting Diode Dynamic Message Sign Assembly SD 57006-0128	Type 1 and Type 2	9/14/2004	R503 <i>Contact:</i> Darcie Van Ede <i>Email:</i> nrwinac@daktronics.com
Skyline Products Incorporated 2903 Delta Drive Colorado Spings <i>Mfg #:</i> (719) 392-9046 <i>Cell #:</i> (719) 314-6883 <i>Fax #:</i> (719) 392-2075 <i>Web Site:</i> www.skylineproducts.com	2070 Light Emitting Diode Dynamic Message Sign CO 80910-	Type 1 and Type 2	4/4/2008	R587 <i>Contact:</i> Adam Lyons <i>Email:</i> adamlyons@skylineproducts.com

623.02.08**SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City <i>Mfg #:</i> (949) 387-4863 <i>Cell #:</i> (714) 743-0712 <i>Fax #:</i> (949) 387-4895 <i>Web Site:</i> www.milbankmfg.com	Metered Service Pedestals MO 64120-		11/19/2002	R367 <i>Contact:</i> Dave Stipe <i>Email:</i> dstipe@milbankmfg.com
Myers Power Products 725 East Harrison Street Corona <i>Mfg #:</i> (951) 520-1900 <i>Cell #:</i> <i>Fax #:</i> (951) 520-1961 <i>Web Site:</i> www.myerspowerproducts.com	Service Pedestals CA 92879-		9/5/2000	R267 <i>Contact:</i> Diana Grootonk <i>Email:</i> dianagrootonk@myerspower.com
Pacific Utilities Products 2430 Railroad Street Corona <i>Mfg #:</i> (800) 860-6157 <i>Cell #:</i> (951) 493-8394 <i>Fax #:</i> (951) 279-3116 <i>Web Site:</i> www.pedestals.net	Service Pedestals CA 92880-		11/19/2002	R366 <i>Contact:</i> Bob Ford <i>Email:</i> pupsales@pedestals.net
Tesco Controls Incorporated 3409 52nd Avenue Sacramento <i>Mfg #:</i> (916) 395-8800 <i>Cell #:</i> (916) 952-5088 <i>Fax #:</i> (916) 429-2817 <i>Web Site:</i> www.tescocontrols.com	Tescoflex Service Pedestals CA 95823-		9/5/2000	R266 <i>Contact:</i> Curt Vasey <i>Email:</i> cvasey@tescocontrols.com

623.02.12c

HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 <i>Cell #:</i> (817) 657-6973 <i>Fax #:</i> (682) 286-0086 <i>Web Site:</i> www.chmindustries.com	426 Series High Mast Head Frame Assembly	Bottom Latching	12/30/2003 R469 <i>Contact:</i> Scott Engberg <i>Email:</i> sengberg@chmindustries.com
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 <i>Cell #:</i> (847) 217-1070 <i>Fax #:</i> (847) 473-3870 <i>Web Site:</i> www.eaglehighmast.com	High Mast Assembly	Bottom Latching	12/30/2003 R470 <i>Contact:</i> Joseph Simons III <i>Email:</i> himastltg@aol.com
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com	Holophane LD07 Series High Mast Lighting Lowering D	Bottom Latching	12/30/2003 R468 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com

623.02.29

EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	711 Priority Control Syst Optical Detector Model 722 Priority Control Syst Optical Detector Model 721 Priority Control Syst Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001 R308, R309, R310 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	452 Discimonator Opticom Priority Control Systems 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001 R306, R307 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	560 Chassis Discimonator Opticom Priority Control	Do not mix components, it must be a complete system.	9/19/2003 R459 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- <i>Mfg #:</i> (800) 338-3133 <i>Cell #:</i> (951) 699-1784 <i>Fax #:</i> (951) 699-2725 <i>Web Site:</i> www.tomar.com	3140 Emergency Veh Optical Detector 3080 Emergency Veh Optical Detector Strobecom II System Card Racks Strobecom II Optical Preemption Detector	Do not mix components, it must be a complete system.	9/27/2001 R203, R204, R205, R206 <i>Contact:</i> Bill Taylor <i>Email:</i> sales@tomar.com

623.02.30a**VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903 <i>Cell #:</i>	Brass Linguine Class 1 <i>Fax #:</i> (541) 782-2053 <i>Web Site:</i> www.diamondtraffic.com		10/31/2001	R317 <i>Contact:</i> Beth Ann Ritz <i>Email:</i> sales@diamondtraffic.com
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496 <i>Cell #:</i>	Roadtrax BL Sensor Brass Linguine Class 1 <i>Fax #:</i> (757) 766-4297 <i>Web Site:</i> www.meas-spec.com		5/26/1999	R161 <i>Contact:</i> Robin Fletcher <i>Email:</i> robin.fletcher@meas-spec.com

623.02.30e**VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 <i>Cell #:</i> (404) 661-1875	P/N 606 Detector Loop Sealant <i>Fax #:</i> (770) 983-9642 <i>Web Site:</i> www.Bondo.com		12/2/2003	R465 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	271 Loop Detector Sealant 272 Loop Detector Sealant <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Rubberized Asphalt Material	8/5/1998	R059, R060 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 <i>Cell #:</i> (781) 289-1400	Stat-a-Flex Polyester Loop Sealant <i>Fax #:</i> (781) 289-1405 <i>Web Site:</i> www.durantcorp.com	Polyester Material	8/5/1998	R061 <i>Contact:</i> Al Losanno <i>Email:</i> alosanno@durantcorp.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716	3M Discimonator Opticom Priortiy Control System 5000 Rubberized Loop Detector Sealant <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	Rubberized Material	8/5/1998	R057, R058 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840 <i>Cell #:</i>	Quikrete Commerical Grade Permanent Blacktop Repair #1701 <i>Fax #:</i> (916) 689-8857 <i>Web Site:</i> www.quikrete.com	Asphaltic Concrete	1/1/2001	R280 <i>Contact:</i> Norman Wong <i>Email:</i> nwong@quikrete.com

623.02.30e**VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 525-1852 <i>Cell #:</i> (704) 904-1481 <i>Fax #:</i> (704) 525-1859 <i>Web Site:</i> www.raiproducts.com	Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R063, R064 <i>Contact:</i> John Rosenblatt Jr. <i>Email:</i> john@raiproducts.com
Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 <i>Cell #:</i> (408) 640-6121 <i>Fax #:</i> (408) 294-3696 <i>Web Site:</i> www.rginc.com	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998	R062 <i>Contact:</i> Rick <i>Email:</i> rick@rginc.com

623.03.01**TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 <i>Cell #:</i> (732) 751-5810 <i>Fax #:</i> (732) 751-5778 <i>Web Site:</i> www.dialight.com	LED 12" Signal Heads Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336 <i>Contact:</i> Matthew Sieglitz <i>Email:</i> msieglitz@dialight.com
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246 <i>Cell #:</i> <i>Fax #:</i> (562) 691-3087 <i>Web Site:</i> www.eoi-us.com	LED Traffic Signal Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T	6/17/2008	R598, R599 <i>Contact:</i> Cheryl Huang <i>Email:</i> cheryluang@eoi-us.com
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 <i>Cell #:</i> (602) 326-5698 <i>Fax #:</i> (602) 344-7771 <i>Web Site:</i> www.phoenixhighwayproducts.com	LED 12" Signal Heads Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338 <i>Contact:</i> Tara Cummings <i>Email:</i> tara@phoenixhighwayproducts.com

623.03.15**SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 <i>Cell #:</i> (714) 323-2636 <i>Fax #:</i> (928) 855-7237 <i>Web Site:</i> www.gelightingssystem.com	85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004		1/17/2003	R402 <i>Contact:</i> Pete Porte <i>Email:</i> pete.porte@ge.com

623.03.15**SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop		1/17/2003	R401 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com

623.03.22**LUMINAIRE RETRIEVAL SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- <i>Mfg #:</i> (717) 235-2863 <i>Cell #:</i> (717) 818-8203 <i>Fax #:</i> (717) 235-5076 <i>Web Site:</i> www.lumitrak.com	Lumi Trak		11/19/2002	R365 <i>Contact:</i> George Townsend <i>Email:</i> george@lumitrak.com

623.03.26**RED LIGHT DETECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110- <i>Mfg #:</i> (408) 920-6319 <i>Cell #:</i> <i>Fax #:</i> (408) 920-6103 <i>Web Site:</i> www.brgsupply.com	Red Light Detector		7/16/2003	R446 <i>Contact:</i> Monty Mountha <i>Email:</i> monty.brgsupply@yahoo.com
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- <i>Mfg #:</i> (760) 734-5027 <i>Cell #:</i> (760) 727-8100 <i>Fax #:</i> (760) 597-7108 <i>Web Site:</i> www.mccain-inc.com	Red Light Detector		7/16/2003	R445 <i>Contact:</i> Carol Jarvis-Murphy <i>Email:</i> cmurphy@mccain-inc.com

624.03.03**REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3924S Reflective Sheeting 3970 DG Reflective Sheeting (Phasing Out)	*discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved	4/8/1999	R163, R550 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999	R164 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com

624.03.03**REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i>	Reflexite Fluorescent Orange Super Bright Roll Up <i>Fax #:</i> (800) 895-0951	 <i>Web Site:</i> www.reflexiteamericas.com	4/8/1999	R162 <i>Contact:</i> Maureen, Carol, Janet <i>Email:</i> customer.service@reflexite.com

625.02.01**CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	MF-180-36 Masterflex <i>Fax #:</i> (888) 842-2368	 <i>Web Site:</i> www.bentmfg.com	6/15/1998	R065 <i>Contact:</i> Sandy Gerbrick <i>Email:</i> sandygerbrick@bentmfg.com
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i>	SDCF SMDW <i>Fax #:</i> (803) 276-8940	 <i>Web Site:</i> www.carsonite.com	6/15/1998	R066, R067 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	FG 300 Curb System FG 300 UR Heavy Duty Surface Mounted Post Complete System DAPCO Straight Guardrail Reflector Plates <i>Fax #:</i> (253) 284-8080	 <i>Web Site:</i> www.filtronaextrusion.com	10/14/1999	R314, R269, R521, R427, R631 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com
Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570- <i>Mfg #:</i> (813) 645-5072 <i>Cell #:</i>	Qwick Kurb <i>Fax #:</i> (813) 454-4856	 <i>Web Site:</i> www.qwickkurb.com	11/21/2008	R627 <i>Contact:</i> Mike Hair <i>Email:</i> mike@qwickkurb.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	SH Dura Post SH Replaceable Barrier Marker <i>Fax #:</i> (800) 770-6755	 <i>Web Site:</i> www.energyabsorption.com	6/15/1998	R053, R068 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Western Highway Products 10680 Fern Avenue Stanton CA 90680- <i>Mfg #:</i> (800) 854-3360 <i>Cell #:</i> (714) 761-4811	Repo 300 <i>Fax #:</i> (714) 952-2118	 <i>Web Site:</i> www.westernhighway.com	6/15/1998	R081 <i>Contact:</i> Barbara / Annie <i>Email:</i> western.highway@yahoo.com

625.02.02**REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i>	FB33 Flexible Barrier Marker <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com		2/2/1993	R013 <i>Contact:</i> Sharon Marquardt <i>Email:</i> tschoe2992@aol.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	PCBM 12 Marker T12 High Impact Barrier Reflector <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com		12/17/1997	R017, R018 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779 <i>Cell #:</i>	FlexX 2020 <i>Fax #:</i> (973) 962-7652 <i>Web Site:</i> n/a	W/75 mm X 75mm Reflective Sheeting	12/17/1997	R019 <i>Contact:</i> Kerry <i>Email:</i> kerry@hallmanufacturing.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD9300 Roadguide TD9400 Roadguide <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		12/3/2002	R371, R372 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

625.02.03**CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Addco Manufacturing Company Inc 240 Arlington Avenue St Paul MN 55117- <i>Mfg #:</i> (800) 616-4409 <i>Cell #:</i> (651) 558-3536	Guardian Solar Powered PCMS Sign Dot Sign DH1000 <i>Fax #:</i> (651) 558-3600 <i>Web Site:</i> www.addco.com		2/22/1998	R073, R074 <i>Contact:</i> Danielle Nicholson <i>Email:</i> sales@addco.com
American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i>	CMS T300 Changeable Message Signs CMS T331 Changeable Message Signs CMS T320 Changeable Message Signs CMS GP465 Changeable Message Signs <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com		2/22/1998	R075, R076, R077, R078 <i>Contact:</i> Scott Covington <i>Email:</i> sales@amsig.com
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 <i>Mfg #:</i> (204) 885-2580 <i>Cell #:</i>	CMS 80FM <i>Fax #:</i> (204) 888-2912 <i>Web Site:</i> www.enduron.net	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505 <i>Contact:</i> Chelsea Klassen <i>Email:</i> chelsea.k@enduron.net

625.02.03

CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i>	Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Phasing Out) Nighthawk 345 (Phasing Out) <i>Fax #:</i> (714) 441-7714	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available <i>Web Site:</i> www.nationalsignalinc.com	2/22/1998	R079, R080, R081 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i>	ER200 ER200T CMS330 ER20054 <i>Fax #:</i> (714) 441-7714	<i>Web Site:</i> www.nationalsignalinc.com	4/10/2000	R069, R070, R071, R072 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683	Solar Powered Message Board Center <i>Fax #:</i> (972) 271-9583	<i>Web Site:</i> www.precisionsolarcontrols.com	2/22/1998	R084 <i>Contact:</i> Vickie Seymour <i>Email:</i> vseymour@precisionsolarcontrols.com
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303	PCMS <i>Fax #:</i> (418) 654-0517	<i>Web Site:</i> www.ver-mac.com	2/22/1998	R085 <i>Contact:</i> Kimberly Jack <i>Email:</i> kim.jack@ver-mac.com
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <i>Mfg #:</i> (610) 391-8600 <i>Cell #:</i> (610) 393-4419	Silent Messenger Solar Powered <i>Fax #:</i> (610) 391-8601	<i>Web Site:</i> www.solartechnology.com	2/22/1998	R086 <i>Contact:</i> Inside Service Manager <i>Email:</i> customerservice@solartechnology.com
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- <i>Mfg #:</i> (303) 427-5700 <i>Cell #:</i> (800) 972-0755	WTLMB-S-LL(A) <i>Fax #:</i> (303) 427-5725	<i>Web Site:</i> www.wanco.com	8/5/2002	R355 <i>Contact:</i> Jim McLemore <i>Email:</i> jim@wanco.com

625.02.04

TEMPORARY IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691	Absorb 350 Crash Cushion <i>Fax #:</i> (707) 374-6801	<i>Web Site:</i> www.barriersystemsinc.com	4/10/2001	R285 <i>Contact:</i> Ron Keener <i>Email:</i> ron.keener@barriersystemsinc.com

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Engergite III Module N-E-A-T System Quadguard		9/3/1998	R089, R090, R091 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006	R545 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (775) 357-6005 <i>Cell #:</i> (775) 690-3037 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz	Energite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998	R092, R093, R094 <i>Contact:</i> Tim Kniffen <i>Email:</i> tkniffen@tcsi.biz
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture drv.	3/22/2000	R095, R096 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com

625.02.05**TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Safe-Stop 180 TMA	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R192 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz	Energite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998	R092, R093, R094 <i>Contact:</i> Tim Kniffen <i>Email:</i> tkniffen@tcsi.biz
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	ScorPion C 10,000	TL-3, Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com

625.02.05**TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097 <i>Contact:</i> Mikel Hooley <i>Email:</i> mikel.hooley@trin.net

625.02.06**WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Armorcast Products Company Inc 13230 Satcoy Street North Hollywood CA 91605- <i>Mfg #:</i> (818) 982-3600 <i>Cell #:</i> (909) 772-1424 <i>Fax #:</i> (818) 982-7742 <i>Web Site:</i> www.armorcastprod.com	Guardian Barrier Water Filled with 350 kit	Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections).	9/3/1998	R099 <i>Contact:</i> Sydney Chase <i>Email:</i> info@armorcastprod.com
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <i>Mfg #:</i> (800) 292-1305 <i>Cell #:</i> <i>Fax #:</i> (219) 659-0625 <i>Web Site:</i> www.rhinobarriers.com	Rhino Safety Barrier (use the 350 kit with install)	Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L).	3/10/2004	R482 <i>Contact:</i> Steve Washburn <i>Email:</i> steve.washburn@polyjohn.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections).	3/30/1997	R098 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625 <i>Fax #:</i> (570) 380-2859 <i>Web Site:</i> www.yodock.com	Traffic Control Model 2001 Type III Barricade		8/3/2006	R551, R561 <i>Contact:</i> Kathleen Yodock <i>Email:</i> kathleen@yodock.com

625.02.07**PORTABLE BEACON LIGHT SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- <i>Mfg #:</i> (888) 414-3003 <i>Cell #:</i> (662) 566-2025 <i>Fax #:</i> (662) 566-7123 <i>Web Site:</i> www.k-k-systems.com	Safety Beacon Light		6/1/1999	R188 <i>Contact:</i> Timothy Keith <i>Email:</i> timothy@k-k-systems.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- <i>Mfg #:</i> (270) 527-4200 <i>Cell #:</i>	Dibond for Highway Work Zone Signage <i>Fax #:</i> (270) 527-1552	Must conform to section 716. Alpolc sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.alcancompositesusa.com	5/9/2006 <i>Contact:</i> Star Collins	R547, R533
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i>	BoneLight ACM Big Dog Rigid Sign <i>Fax #:</i> (770) 333-1639	Attached signs must conform to section 712. BoneLight ACM only allowed with this model or stands specified by the FHWA Letter acceptance. <i>Web Site:</i> www.bonesafety.com	10/17/2008 <i>Contact:</i> Chris Goode	R620, R621
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i>	RZ-412 Sign Support System RZ-412S Sign Support System RZ-460 Sign Support System RZ-484 Sign Support System <i>Fax #:</i> (770) 333-1639	Roll-up Fabric Only <i>Web Site:</i> www.bonesafety.com	10/17/2008 <i>Contact:</i> Toya Ostane	R616, R617, R618, R619
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277	DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Verticle Portable Sign Stand <i>Fax #:</i> (800) 695-6054	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.dicketool.com	2/27/2000 <i>Contact:</i> Michael Burke	R223, R224, R225
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277	DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand <i>Fax #:</i> (800) 695-6054	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.dicketool.com	2/27/2000 <i>Contact:</i> Michael Burke	R220, R221, R222
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295	X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring <i>Fax #:</i> (607) 734-8783	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.usa-sign.com	4/4/2000 <i>Contact:</i> Kim McLean	R231, R232, R233, R234
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295	C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr <i>Fax #:</i> (607) 734-8783	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.usa-sign.com	4/4/2000 <i>Contact:</i> Kim McLean	R227, R228, R229, R230

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System <i>Fax #:</i> (804) 261-1040	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.kormansigns.com	1/24/2003 <i>Contact:</i> John Murray	R407, R408, R409, R410
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System <i>Fax #:</i> (804) 261-1040	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.kormansigns.com	1/24/2003 <i>Contact:</i> John Murray	R403, R404, R405, R406
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System <i>Fax #:</i> (804) 261-1040	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.kormansigns.com	1/24/2003 <i>Contact:</i> John Murray	R415, R416, R417, R418
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System <i>Fax #:</i> (804) 261-1040	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.kormansigns.com	1/24/2003 <i>Contact:</i> John Murray	R411, R412, R413, R414
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i>	4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System <i>Fax #:</i> (248) 488-5700	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.mditraficcontrol.com	4/4/2000 <i>Contact:</i> Karen Jackson	R239, R240, R241
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i>	4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System <i>Fax #:</i> (248) 488-5700	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.mditraficcontrol.com	4/4/2000 <i>Contact:</i> Karen Jackson	R235, R236, R237, R238
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand <i>Fax #:</i> (801) 446-1157	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.traffixdevices.com	4/3/2000 <i>Contact:</i> Cary Lemonds	R242, R243

625.03.03**SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Economy Plastic Folding Barricade Zephyr Portable Sign Support 48" <i>Fax #:</i> (801) 446-1157	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.traffixdevices.com	4/3/2000 <i>Contact:</i> Cary Lemonds	R248, R244
			<i>Email:</i> clemonds@traffixdevices.com	

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal <i>Fax #:</i> (888) 842-2368	Type II w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R272, R273
			<i>Email:</i> sandygerbrick@bentmfg.com	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal <i>Fax #:</i> (888) 842-2368	Type I w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R246, R247
			<i>Email:</i> sandygerbrick@bentmfg.com	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type III Plywood Panel <i>Fax #:</i> (888) 842-2368	Type III w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R245
			<i>Email:</i> sandygerbrick@bentmfg.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	Type III B Barricades TD2500 Type III Barricades TD2650 Works Barricade Type III Anchor Barricade <i>Fax #:</i> (253) 284-8080	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. <i>Web Site:</i> www.filtronaextrusion.com	7/14/2000 <i>Contact:</i> Bill Daly	R250, R251, R252, R256
			<i>Email:</i> billdaly@filtrona.com	
Highway Technologies 4533 Andres Street North Las Vegas NV 89081- <i>Mfg #:</i> (702) 453-1616 <i>Cell #:</i>	Type 3D Barricades <i>Fax #:</i> (702) 438-3460	<i>Web Site:</i> www.hwy-tech.com	1/10/2000 <i>Contact:</i> David Johnson	R435
			<i>Email:</i> david.johnson@hwy-tech.com	
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590 <i>Cell #:</i>	PST-III (Type III barricade) <i>Fax #:</i> (216) 231-2702	Type III <i>Web Site:</i> www.plasticsafety.com	3/19/2004 <i>Contact:</i> Bill Jamieson	R483
			<i>Email:</i> wejamieson@plasticsafety.com	

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400 <i>Cell #:</i>	Sentinel Type III <i>Fax #:</i> (847) 470-0420	Type III <i>Web Site:</i> www.americanlouver.com	2/21/2007	R001 <i>Contact:</i> Marshall Shapiro <i>Email:</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2550 Work Barricade Type III <i>Fax #:</i> (818) 841-5096	Type III <i>Web Site:</i> www.trafficwks.com	7/5/2005	R525 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade <i>Fax #:</i> (818) 841-5096	Barricade Type I and Type II <i>Web Site:</i> www.trafficwks.com	7/5/2005	R526, R527, R528, R529 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2300 Barricade TD2500 Barricade TD2600 Works Barricade <i>Fax #:</i> (818) 841-5096	Barricade Type I and Type II <i>Web Site:</i> www.trafficwks.com	7/5/2005	R530, R531, R532 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I <i>Fax #:</i> (818) 841-5096	Type I and Type III B <i>Web Site:</i> www.trafficwks.com	12/3/2002	R374, R375 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Economy Plastic Folding Barricade Sand-Filled Bag <i>Fax #:</i> (801) 446-1157	 <i>Web Site:</i> www.traffixdevices.com	4/3/2000	R248, R249 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625	Yodock Model 2001 200 M with Type III Temporary Sign Support <i>Fax #:</i> (570) 380-2859	Type III <i>Web Site:</i> www.yodock.com	11/27/2007	R583, R588 <i>Contact:</i> Kathleen Yodock <i>Email:</i> kathleen@yodock.com

627.02.01a**POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Contact:</i>				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Email:</i>

630.02.01**HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry <i>Mfg #:</i> (800) 648-7916	Modular Guidance System SC 29108- <i>Cell #:</i>	 <i>Fax #:</i> (803) 276-8940	 <i>Web Site:</i> www.carsonite.com	10/20/1996 R102 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers <i>Mfg #:</i> (800) 348-9839	Glare Screen System FL 33912- <i>Cell #:</i>	 <i>Fax #:</i> (239) 482-3539	 <i>Web Site:</i> www.flexstake.com	7/31/1996 R103 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago <i>Mfg #:</i> (312) 705-8454	Glare Screen System IL 60601-2076 <i>Cell #:</i>	 <i>Fax #:</i> (800) 770-6755	 <i>Web Site:</i> www.energyabsorption.com	7/31/1996 R104 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville <i>Mfg #:</i> (336) 475-6600	LTL-X 30-Meter Geometry Retroreflector NC 27360- <i>Cell #:</i>	 <i>Fax #:</i> (336) 475-7900	 <i>Web Site:</i> www.flintrading.com	10/08 LTX Geometry Retroreflector was discontinued 12/26/1999 R211 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com
Mirolux Products Incorporated 12621 Bridgewood Lane Draper <i>Mfg #:</i> (801) 718-7089	MP 30 UT 84020- <i>Cell #:</i> (801) 571-3394	 <i>Fax #:</i> (801) 571-3394	 <i>Web Site:</i> www.miroluxproducts.com	12/26/1999 R213 <i>Contact:</i> William Kaiser <i>Email:</i> sales@miroluxproducts.com

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RoadVista 8581 Aero Drive San Diego CA 92123- <i>Mfg #:</i> (925) 552-5922 <i>Cell #:</i> (510) 453-7004	MX 30 replaced with LaserLux StripeMaster Series <i>Fax #:</i> (925) 886-8833	MX 30 still qualified but phasing out <i>Web Site:</i> www.roadvista.com	5/2/2006	R542, R543, R544 <i>Contact:</i> Keith Breeding <i>Email:</i> kbreeding@keoselectronics.com

633.02.01**NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001- <i>Mfg #:</i> (253) 351-9828 <i>Cell #:</i>	DDOT ABS <i>Fax #:</i> (253) 735-6303	100mm (4") Round <i>Web Site:</i> www.alpinemarkings.com	6/2/1999	R184 <i>Contact:</i> Bart Farrar <i>Email:</i> bart@alpinemarkings.com
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839	929 ABS Ceramic <i>Fax #:</i> (562) 944-2298	100mm (4") Round <i>Web Site:</i> www.apexmarker.com	6/1/1999	R172, R173 <i>Contact:</i> Steve Edsinga <i>Email:</i> sales@apexmarker.com
Glowlite Incorporated 1360 South Beach Boulevard #B-230 La Habra CA 90631- <i>Mfg #:</i> (626) 288-7500 <i>Cell #:</i> (562) 587-3534	Type A/4" White Non Reflective Type AY/4" Yellow Non Reflective <i>Fax #:</i> (626) 288-7300	100mm (4") Round (Ceramic and Plastic/PP) <i>Web Site:</i> www.glowlitemarkers.com	3/7/2005	R516, R517 <i>Contact:</i> Edward Fei or Richard Fei <i>Email:</i> edwardfei_glowlite@yahoo.com
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 <i>Cell #:</i> (909) 591-1781	Model P20-2000W ABS Model P20-2001Y ABS <i>Fax #:</i> (909) 627-0999	100mm (4") Round <i>Web Site:</i> www.hi-waysafety.com	6/1/1999	R185, R186 <i>Contact:</i> Bob Smith <i>Email:</i> hiwaysafety@linkline.com
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 <i>Cell #:</i> (530) 823-6070	Diamond Back <i>Fax #:</i> (530) 823-0994	100mm (4") Round (ABS & Polypropylene) <i>Web Site:</i> www.interstatesales.com	6/1/1999	R170 <i>Contact:</i> Mike Trentman <i>Email:</i> miket@interstatesales.com
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 <i>Cell #:</i>	ADOT - W White ADOT - Y Yellow CDOT - W White CDOT - Y Yellow <i>Fax #:</i> (925) 215-2549	100mm (4") Round <i>Web Site:</i> www.novabrite.com	2/17/2004	R474, R475, R476, R477 <i>Contact:</i> Norman Yamaguchi <i>Email:</i> norman@novabrite.com

633.02.01**NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD10000 Series <i>Fax #:</i> (818) 841-5096	100mm (4") Round <i>Web Site:</i> www.trafficwks.com	12/3/2002	R373 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

633.02.02**REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	290 Durable Raised Pavement Marker <i>Fax #:</i> (702) 914-6016	89mm x 100mm (3.6" x 4") <i>Web Site:</i> www.3M.com/tcm	6/1/1999	R182 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839	921 AR <i>Fax #:</i> (562) 944-2298	100mm x 100mm (4" x 4") <i>Web Site:</i> www.apexmarker.com	3/25/2001	R282 <i>Contact:</i> Steve Edsinga <i>Email:</i> sales@apexmarker.com
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker <i>Fax #:</i> (800) 555-0217	100mm x 100mm (4" x 4") <i>Web Site:</i> www.ennispaint.com	6/1/1999	R179, R180, R181, R255 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i>	AA Reflective Pavement Markers ARC Reflective Pavement Markers <i>Fax #:</i> (740) 345-1336	100mm x 100mm (4" x 4") <i>Web Site:</i> www.rayolite.com	6/1/1999	R174, R175 <i>Contact:</i> Miguel Lozano <i>Email:</i> mlozano@rayolite.com

633.02.03**RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	944SB Recessed Reflective Pavement Markers <i>Fax #:</i> (800) 555-0217	51mm x 100mm (2" x 4") <i>Web Site:</i> www.ennispaint.com	6/1/1999	R178 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net

633.02.03**RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	948 Recessed Reflective Pavement Markers <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	58mm x 119mm (2.3" x 4.7")	6/1/1999	R183 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (713) 245-6102	ARC 2002 ARC 2004 <i>Fax #:</i> (740) 345-1336 <i>Web Site:</i> www.rayolite.com	58mm x 117mm (2.3" x 4.6")	6/1/1999	R176, R177 <i>Contact:</i> Miguel Lozano <i>Email:</i> mlozano@rayolite.com

633.02.04**ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	Hot Applied Flexible Pavement Marker Adhesive part 34270 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com		6/16/1998	R105 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	836098 Bituminous Adhesive for Pavement Markers <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com		6/15/1998	R108 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i>	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940	Dotstick Bituminous Marker Adhesive <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com		9/29/2003	R464 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (713) 941-4410 <i>Cell #:</i> (713) 350-6849	172542 Evergrip Bituminous Marker Adhesive <i>Fax #:</i> (713) 947-4949 <i>Web Site:</i> www.martinaspphalt.com		6/15/1998	R107 <i>Contact:</i> Jack Nimmo <i>Email:</i> jnimmo@martinmlp.com

633.02.05**TEMPORARY REFLECTIVE LANE LINE MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	Halftrack Model 25 Halftrack Model 26: TOM TRPM (Temporary Overlay Raised) <i>Fax #:</i> (253) 284-8080	Work Zone Pavement Markers <i>Web Site:</i> www.filtronaextrusion.com	2/20/2000	R253, R254, R256, R257 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com

634.03.03a**HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crown Technology LLC PO Box 789 Woodbury GA 30293- <i>Mfg #:</i> (706) 553-9500 <i>Cell #:</i> (706) 575-0423	Tuffline Alkyd <i>Fax #:</i> (706) 553-9501	 <i>Web Site:</i> www.crownthermo.com	1/17/2003	R290 <i>Contact:</i> Jeannie Powell <i>Email:</i> jeannie@crowthermo.com

634.03.03b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	Flame Tape ThermaLine <i>Fax #:</i> (800) 555-0217	 <i>Web Site:</i> www.ennispaint.com	6/13/2001	R299, R300 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i>	Hot TapeTM Premark® PLUS <i>Fax #:</i> (336) 475-7900	 <i>Web Site:</i> www.flintrading.com	2/24/2004	R168, R169 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com

635.02.01**TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	780 Wet Reflective Removable Tape 750 Wet Reflective Removable Tape (Phasing Out) <i>Fax #:</i> (702) 914-6016	10/08 Discontinued manufacturing 750, but still carried by vendors and still approved <i>Web Site:</i> www.3M.com/tcm	5/21/2003	R423, R424 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com

635.02.01**TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 200 Construction Removable Tape <i>Fax #:</i> (252) 536-4940 <i>Web Site:</i> www.trafficmarking.com		6/15/1999	R101 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 100 White & Yellow Series 200 White & Yellow Removable <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com		6/15/1999	R154, R155, R157, R158 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- <i>Mfg #:</i> (314) 968-2569 <i>Cell #:</i>	Aztec III Removable <i>Fax #:</i> (314) 968-0494 <i>Web Site:</i> www.pblaminations.com		6/15/1999	R119 <i>Contact:</i> Laretta Green <i>Email:</i> lgreen@pblaminations.com
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 2 Detour Grade <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com		6/15/1999	R120 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com
Trelleborg Industri AB 23181 Trelleborg Sweden <i>Mfg #:</i> (464) 105-1536 <i>Cell #:</i> (467) 081-5366	RW 140 Series RY 140 Series R 140 Series <i>Fax #:</i> (464) 105-1122 <i>Web Site:</i> www.trelleborg.com/roadtape		8/24/2001	R303, R304, R305 <i>Contact:</i> Tevin Loontjens <i>Email:</i> tevnlootjens@trelleborg.com

637.02.01**DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220	PennSuppress D Dust Suppressant <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body.	5/2/1999	R121 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984	Road Boss <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <i>Mfg #:</i> (972) 758-7454 <i>Cell #:</i> (702) 405-0351 <i>Fax #:</i> (972) 596-8418 <i>Web Site:</i> www.dallasroadway.com	Dust Control DC-22	Application and dilution rates follow manufacturer's instructions.	6/19/2006	R549 <i>Contact:</i> Ellyn Neal-Favors <i>Email:</i> dallasroadway@yahoo.com
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- <i>Mfg #:</i> (775) 852-3878 <i>Cell #:</i> (800) 369-3878 <i>Fax #:</i> (970) 346-3959 <i>Web Site:</i> www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R450 <i>Contact:</i> Charles Sherven <i>Email:</i> csherven@envirotechservices.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323 <i>Contact:</i> Stan True <i>Email:</i> srowsell@fluid-tech-inc.com
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433 <i>Contact:</i> Craig Hoad <i>Email:</i> craighoad@gmbostoncompany.com
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant Hercules PAM	Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.)	5/2/1999	R149, R150 <i>Contact:</i> Rob Hotle <i>Email:</i> hercenv@herculesenvironmental.com
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com	EnviroKleen Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001	R278, R279 <i>Contact:</i> Kimberly Keith <i>Email:</i> kim@midwestind.com/custserv@midwestind.com

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 R274, R275 <i>Contact:</i> Dennis Frehner <i>Email:</i> dennis@nuequipment.com
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002 R479 <i>Contact:</i> Jim Ryan <i>Email:</i> jim.ryan@alonusa.com
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003 R466, R467 <i>Contact:</i> Crista Napoli <i>Email:</i> crista@soil-tech.com
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 289-3206 <i>Fax #:</i> (480) 289-3230 <i>Web Site:</i> www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 R504 <i>Contact:</i> Chuck Conner <i>Email:</i> chuck@soilworks.com
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 R318 <i>Contact:</i> Andy Iturriria <i>Email:</i> andy@terranovo.com
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com	Dust Armour	Application and dilution rates follow manufacturer's instructions.	8/28/2006 R553 <i>Contact:</i> John Breen <i>Email:</i> jbreen@usg.com
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (520) 622-7203 <i>Cell #:</i> (520) 820-8943 <i>Fax #:</i> (520) 798-3914 <i>Web Site:</i> www.westernemulsions.com	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 R434 <i>Contact:</i> Lain Jack <i>Email:</i> ian@westernemulsions.com

637.02.02**SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com	TerraTex SC		6/25/1998	R143 <i>Contact:</i> Quinn Brown <i>Email:</i> quinn.brown@hanesindustries.com
Triangular Silt Dike Company Inc 8505 East Highway 66 Luther OK 73054- <i>Mfg #:</i> (800) 290-8473 <i>Cell #:</i> <i>Fax #:</i> (405) 277-2232 <i>Web Site:</i> www.tri-silkdike.com	Triangular Silt Dike		6/25/1998	R142 <i>Contact:</i> Gary Roach <i>Email:</i> groach@cox.net

637.02.05**ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 <i>Cell #:</i> (800) 423-4567 <i>Fax #:</i> (804) 246-9737 <i>Web Site:</i> www.acfenvironmental.com	Siltsack		6/25/1998	R144 <i>Contact:</i> David Kelley <i>Email:</i> dkelly@acfenvironmental.com
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677 <i>Cell #:</i> <i>Fax #:</i> (888) 234-3677 <i>Web Site:</i> www.shopbowhead.com	StreamGuard Catch Basin Insert		6/25/1998	R088 <i>Contact:</i> Jeff Bird <i>Email:</i> jeffb@shopbowhead.com
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683 <i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com	Beaver Dam Bag Dandy Curb Bag® Dandy Bag® Drainage Control		6/25/1998	R082, R083, R087 <i>Contact:</i> Dan Cleveland Jr. <i>Email:</i> dlc@dandyproducts.com
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- <i>Mfg #:</i> (888) 382-7458 <i>Cell #:</i> (770) 388-7818 <i>Fax #:</i> (770) 388-7640 <i>Web Site:</i> www.siltsaver.com	SS-100A Frame & Filter Assembly SS-200A Frame & Filter Assembly		12/6/2002	R376, R377 <i>Contact:</i> Todd Christian <i>Email:</i> todd@siltsaver.com

640.02.03a**MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 <i>Mfg #:</i> (800) 762-8962 <i>Cell #:</i> (707) 443-5093 <i>Fax #:</i> (707) 443-2891 <i>Web Site:</i> www.hilfiker.com	Reinforced Soil Embankment Wall		9/8/1998	R122 <i>Contact:</i> Suzanne Blackburn <i>Email:</i> suzanne@hilfiker.com
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls		9/8/1998	R287, R288 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com	MSE Earth MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R187, R195 <i>Contact:</i> Andrew Thompson <i>Email:</i> andrewt@mseplus.com
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com

640.02.03b**MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356 <i>Contact:</i> Andrew Thompson <i>Email:</i> andrewt@mseplus.com

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Evonik Cyro LLC 379 Interpace Parkway Parsippany NJ 07054- <i>Mfg #:</i> (207) 490-4384 <i>Cell #:</i>	Paraglas Soundtop® Ready Fit Panels <i>Fax #:</i> (973) 541-8441 <i>Web Site:</i> www.paraglassoundstop.com	The system will be selected based on specific project requirements. It is not a complete wall system.	8/27/2004	R502 <i>Contact:</i> Eric Humphries <i>Email:</i> eric.humphries@evonik.com
Port-O-Wall Systems LLC 585 5th Street West/PMB 182 Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516 <i>Cell #:</i>	Port-O-Wall Soundwall System <i>Fax #:</i> (707) 996-5191 <i>Web Site:</i> www.port-o-wall.com	The system will be selected based on specific project requirements.	10/24/2001	R316 <i>Contact:</i> Rod Allen <i>Email:</i> rod_allen@port-o-wall.com
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 <i>Cell #:</i> (702) 354-3974	Quilite Noise Barrier <i>Fax #:</i> (702) 464-3080 <i>Web Site:</i> www.quilite.com	The system will be selected based on specific project requirements.	2/9/2005	R515 <i>Contact:</i> Morgan Fisher <i>Email:</i> morgan@quilite.com

640.02.04**MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761 <i>Cell #:</i>	Keysystem 1 Modular Block Retaining Wall <i>Fax #:</i> (251) 990-5461 <i>Web Site:</i> www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145 <i>Contact:</i> <i>Email:</i> keystone@keystonewalls.com
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i>	Pyramid Modular Block Retaining Wall <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454	Mesa Retaining Wall <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	Quad-Guard Standard Quad-Guard Wide (69/90) Quad-Guard Elite React 350 <i>Fax #:</i> (800) 770-6755	TL-3, "Concrete Foundation Required". May be used for all speed ratings <i>Web Site:</i> www.energyabsorption.com	4/27/1998	R126, R127, R128, R129 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063	SCI100GM Impact Attenuator <i>Fax #:</i> (630) 377-9270	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings <i>Web Site:</i> www.workareaprotection.com	1/20/2006	R545 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559	Adiem Attenuating Device <i>Fax #:</i> (801) 292-3263	TL-3, "Concrete Foundation Required". May be used for all speed ratings <i>Web Site:</i> www.trin.net	9/9/2003	R209 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100	Atlas Res-Cure <i>Fax #:</i> (702) 222-0488	ASTM C309 Type 1D <i>Web Site:</i> www.atlasform.com	9/4/2007	R573 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439	DSSCC Clear Wax Cure DSSCC Resin Cure & Dye <i>Fax #:</i> (913) 279-4806	PCCP ASTM C309, Type 2, Class A <i>Web Site:</i> www.daytonsuperior.com	8/29/2008	R580; R609 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i>	US SPEC Maxcure Resin Clear <i>Fax #:</i> (303) 722-8426	<i>Web Site:</i> www.usmix.com	8/29/2008	R607 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com
White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333 <i>Cell #:</i>	Resin Cure-Clear VOC <i>Fax #:</i> (775) 353-3300	<i>Web Site:</i> www.whitecapdirect.com	9/4/2007	R565 <i>Contact:</i> Bob Smith <i>Email:</i> bobsmith@white.net

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100	1100 Clear 1600 Clear	ASTM C309 Type 1D	9/4/2007	R574, R575
	<i>Fax #:</i> (707) 747-6206	<i>Web Site:</i> www.wrmeadows.com	<i>Contact:</i> Lyne Ball	<i>Email:</i> lball@wrmeadows.com

702.03.01d**CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
	<i>Fax #:</i> (702) 222-0488	<i>Web Site:</i> www.atlasform.com	<i>Contact:</i> Ryan Quinn	<i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439	DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	8/29/2008	R611
	<i>Fax #:</i> (913) 279-4806	<i>Web Site:</i> www.daytonsuperior.com	<i>Contact:</i> John Hukey	<i>Email:</i> johnhukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222	Kurez VOX White Pigmented		9/30/1996	R040
	<i>Fax #:</i> (216) 481-7072	<i>Web Site:</i> www.euclidchemical.com	<i>Contact:</i> Andrew Fulkerson	<i>Email:</i> afulkerson@euclidchemical.com
SpecChem LLC 700 West 47th Street Kansas City KS 64112- <i>Mfg #:</i> (816) 968-5600 <i>Cell #:</i> (913) 221-7957	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585
	<i>Fax #:</i> (913) 371-8701	<i>Web Site:</i> www.specchemllc.com	<i>Contact:</i> Bryan Meyer	<i>Email:</i> bmeyer@specchemllc.com
Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 <i>Cell #:</i> (530) 348-6809	UniWhite Cure Wax		6/2/2008	R577
	<i>Fax #:</i> (702) 386-5799	<i>Web Site:</i> www.steelengineers.com	<i>Contact:</i> Bratt Bilkington	<i>Email:</i> bbilkington@steelengineers.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i>	US SPEC AMS 3754		7/2/2008	R602
	<i>Fax #:</i> (303) 722-8426	<i>Web Site:</i> www.usmix.com	<i>Contact:</i> Bryan Smith	<i>Email:</i> bsmith@usmix.com

702.03.04**BRIDGE DECK CURING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC PAMS White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R610, R578 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	US SPEC AMS 3754		7/2/2008	R602 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	2245 Bridge Deck Curing Compound		9/4/2007	R604 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

702.03.05**FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Boral Material Technologies, Monticello, TX 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> (210) 349-8512 <i>Web Site:</i> www.boral.com	Fly Ash	Type F	9/4/2007	R571 <i>Contact:</i> Pamela Flynn <i>Email:</i> pamelaflynn@boral.com
Boral Material Technologies, Rockdale, TX 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> (210) 349-8512 <i>Web Site:</i> www.boral.com	Fly Ash	Type F	9/4/2007	R571 <i>Contact:</i> Pamela Flynn <i>Email:</i> pamelaflynn@boral.com
Headwaters Resource's Inc, Bridger Plant, WY 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com	Fly Ash	Type F	9/4/2007	R572 <i>Contact:</i> Thomas Fox <i>Email:</i> tfox@headwaters.com

702.03.05**FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Headwaters Resources Inc, Delta Plant, UT 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com	Fly Ash	Type F	9/4/2007	R572 <i>Contact:</i> Thomas Fox <i>Email:</i> tfox@headwaters.com
Headwaters Resources Inc, Navajo Plant, Page, AZ 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com	Fly Ash	Type F	9/4/2007	R572 <i>Contact:</i> Thomas Fox <i>Email:</i> tfox@headwaters.com

707.03.04**JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013- <i>Mfg #:</i> (800) 641-8242 <i>Cell #:</i> <i>Fax #:</i> (973) 473-4222 <i>Web Site:</i> www.bondaflex.com	Bondaflex Sil 728SL		8/5/2005	R534 <i>Contact:</i> Mina Nevruz <i>Email:</i> minan@maynational.com
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Roadsaver Silicone SL Sealant		10/7/1993	R552 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	890 SL		3/20/1997	R130 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	DSB 900 SL Self Leveling Silicone		4/5/2005	R518 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com
Pecora Corporation 165 Wambold Road Harleysville PA 19438- <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com	Pecora 300		9/14/2001	R311 <i>Contact:</i> Nick Burns <i>Email:</i> burnsn@pecora.com

707.03.04

JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Tremco Incorporated 3735 Green Road Beachwood OH 44122- <i>Mfg #:</i> (866) 209-5015 <i>Cell #:</i> (216) 292-5036	Spectrum 900 SL Formula 974831 333 Cartridges <i>Fax #:</i> (216) 766-5535	<i>Web Site:</i> www.tremcosealants.com	5/31/2002	R358, R357 <i>Contact:</i> Technical Services <i>Email:</i> tscs@tremcoinc.com

714.03.01

COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i>	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane <i>Fax #:</i> (314) 587-2699	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900 <i>Web Site:</i> www.carboline.com	8/20/1997	R132, R133, R134 <i>Contact:</i> Joanne Dawson <i>Email:</i> carbolineUSA@carboline.com
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i>	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane <i>Fax #:</i> (314) 587-2699	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811 <i>Web Site:</i> www.carboline.com	8/20/1997	R604, R605, R606 <i>Contact:</i> Joanne Dawson <i>Email:</i> carbolineUSA@carboline.com
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- <i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS <i>Fax #:</i> (812) 256-6733	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS <i>Web Site:</i> www.international-pc.com	6/4/2003	R430, R431, R432 <i>Contact:</i> Dan Griffin <i>Email:</i> daniel.griffin@akzonobel.com
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821- <i>Mfg #:</i> (714) 337-1953 <i>Cell #:</i> (562) 691-9600	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane <i>Fax #:</i> (562) 691-3550	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com	5/21/2008	R592, R593, R594 <i>Contact:</i> <i>Email:</i> nyemiller@msm.com
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane <i>Fax #:</i> (210) 340-1650	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150 <i>Web Site:</i> www.sherwinwilliams.com	6/2/2003	R123, R124, R125 <i>Contact:</i> Dee McNeill <i>Email:</i> dee.l.mcneill@sherwin.com

714.03.01**COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-400 Series Part B: B60V2 <i>Email:</i> dee.l.mcneill@sherwin.com	6/2/2003	R138, R139, R140
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-150 Series Part B: B65V150 <i>Email:</i> dee.l.mcneill@sherwin.com	8/20/1997	R135, R136, R137

716.03.01**REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	334 Barricade Type IV 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004	R510, R511
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3990 VIP Diamond Grade Type IX 3970 (Phasing Out)	Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved.	8/16/2000	R159, R271
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3981 Diamond Fluorescent 3983 Diamond Fluorescent VIP (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301, R302
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3930 Permanent Traffic Signs & Temporary Traffic 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out)	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); 10/08 Discontinued 3870.	12/1/2004	R508, R509

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out)	For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved.	8/21/2000	R289, R163 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	T9500 Omni View T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002	R021, R344 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	T5500A Series High Intensity T7000 Fluorescent Reflective Sheeting	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	T6500 Fluorescent Reflective Sheeting W7514 Fluorescent Reflective Sheeting W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R298, R297 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	92847 Nikkalite Crystal Fluorescent Orange	NDOT Type X	4/29/2005	R522 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	High Intensity ULG II	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000	R226 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	Conformalight Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294 <i>Contact:</i> Maureen, Carol, Janet <i>Email:</i> customer.service@reflexite.com

716.03.01**REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i>	AP1000 Reflective Sheeting <i>Fax #:</i> (800) 895-0951	For Delineators, Safety Fencing and Glare Screens Only (Type V) <i>Web Site:</i> www.reflexiteamericas.com	8/21/2000	R295 <i>Contact:</i> Maureen, Carol, Janet <i>Email:</i> customer.service@reflexite.com

726.03.04**MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600	Second Nature Paper Fiber Hydroseeding Mulch <i>Fax #:</i> (785) 883-4429	 <i>Web Site:</i> www.centralfiber.com	6/25/1998	R146 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <i>Mfg #:</i> (208) 733-9689 <i>Cell #:</i>	Nature's Own <i>Fax #:</i> (208) 733-9447	 <i>Web Site:</i> www.hmi-mfg.com	6/25/1998	R147 <i>Contact:</i> Patrick Andrew <i>Email:</i> patrick@hmi-mfg.com/info@hmi-mfg.com
Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- <i>Mfg #:</i> (253) 884-0747 <i>Cell #:</i> (253) 208-9777	Conwed 1000 Flexterra <i>Fax #:</i> (253) 884-0730	 <i>Web Site:</i> www.profileproducts.com	12/18/2008	R629, R631 <i>Contact:</i> Becky Gauthier <i>Email:</i> bgauthier@profileproducts.com

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600	TacPac GT <i>Fax #:</i> (785) 883-4429	 <i>Web Site:</i> www.centralfiber.com	6/25/1998	R148 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- <i>Mfg #:</i> (707) 588-1444 <i>Cell #:</i>	Driwater Hydro Mix <i>Fax #:</i> (707) 588-1445	Note: Surfaces subject to spill; can be slippery. <i>Web Site:</i> www.driwater.com	1/3/2001	R277 <i>Contact:</i> Mary Paternoster <i>Email:</i> mary@driwater.com

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- <i>Mfg #:</i> (401) 331-9000 <i>Cell #:</i> (401) 766-0400 <i>Fax #:</i> (401) 331-2155 <i>Web Site:</i> www.easterncolor.net	Ecotak OP Moisture Retainer		6/25/1998	R151 <i>Contact:</i> George Dubois <i>Email:</i> tech@easterncolor.net
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik Terravest		6/25/1998	R152, R153 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318 <i>Contact:</i> Andy Iturriria <i>Email:</i> andy@terranovo.com

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	PennSuppress D Dust Suppressant	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R121 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss).	10/26/2005	R498 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 <i>Cell #:</i> (920) 217-0281 <i>Fax #:</i> (920) 406-9740 <i>Web Site:</i> www.encap.com	PAM 12 PLUS	Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008	R586 <i>Contact:</i> Adrian Ramirez <i>Email:</i> aramirez@encap.net

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 Cell #: (503) 701-7802 Fax #: (503) 279-2633 Web Site: www.enviroad.com	Earthbind 100	Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands: buffer zone is required. product	3/17/2003	R420 Contact: Don Blackmon don@enviroad.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- Mfg #: (509) 325-2882 Cell #: (509) 981-8555 Fax #: (509) 235-3803 Web Site: www.fischbachandmore.com	Fisch-Stik Terravest K	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R152, R153 Contact: Robert Fischbach tackiferman@yahoo.com
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- Mfg #: (702) 871-1884 Cell #: Fax #: (702) 871-3629 Web Site: www.fluid-tech-inc.com	Road Oyl Soil Seal Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R324, R325, R323 Contact: Stan True srowsell@fluid-tech-inc.com
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 Cell #: (949) 533-6799 Fax #: (949) 722-6799 Web Site: www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R433 Contact: Craig Hoad craighoad@gmbostoncompany.com
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- Mfg #: (770) 303-0878 Cell #: Fax #: (770) 455-6531 Web Site: www.HerculesEnvironmental.com	Hercules PAM SOILOC-MQ Dust Suppressant SOILOC-PAM	Application and dilution rates follow manufacturer's instructions.	6/25/1998	R160, R149, R328 Contact: Rob Hotle hercenv@herculesenvironmental.com
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- Mfg #: (330) 456-3121 Cell #: Fax #: (330) 456-3247 Web Site: www.midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water	4/18/2005	R279 Contact: Kimberly Keith kim@midwestind.com/custserv@midwestind.com
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- Mfg #: (702) 649-8767 Cell #: (702) 249-1900 Fax #: (702) 649-8446 Web Site: www.nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275 Contact: Dennis Frehner dennis@nuequipment.com
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- Mfg #: (661) 392-3630 Cell #: (661) 978-9357 Fax #: (661) 391-1054 Web Site: www.alonsashalt.com	Topein S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004	R479 Contact: Jim Ryan Jryan@ppcla.com

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Cell #:</i> <i>Fax #:</i> (801) 303-2551 <i>Web Site:</i> www.sequoiaprc.com <i>Email:</i> terry@telnetz.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R118
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 289-3206 <i>Fax #:</i> (480) 289-3230 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chuck@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com	AirtrolTM Geobinder Enviro-ShieldTM Bonded Fiber Matrix	Application and dilution rates follow manufacturer's instructions.	8/28/2006	R554, R555

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 <i>Cell #:</i> (954) 782-2221 <i>Fax #:</i> (954) 782-2776 <i>Web Site:</i> www.atc.ws <i>Email:</i> rboland@atc.ws	Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002	R329, R330, R331, R327
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004	R496, R497

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439	Dayton Superior Sure Anchor I J-51 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Type I, II, IV and V; Grade 3; Glass A	1/14/2003	R393 <i>Contact:</i> John Hukey <i>Email:</i> johnkukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222	Duralcrete <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Type I and Type II	11/8/2005	R536 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905	HT RE 500 Epoxy Adhesive Anchor <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321 <i>Contact:</i> Ruben Rivadeneira <i>Email:</i> ruben.rivadeneira@hilti.com
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370 <i>Cell #:</i>	Ceramic 6 <i>Fax #:</i> (630) 495-6204 <i>Web Site:</i> www.itw-redhead.com	Type IV; Grade 3; Classes B & C	5/14/2002	R341 <i>Contact:</i> Don Burger (CC) / James Shupp (LV) <i>Email:</i>
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 <i>Cell #:</i> (916) 870-7863	EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive <i>Fax #:</i> (209) 234-3868 <i>Web Site:</i> www.simpsonanchors.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217 <i>Contact:</i> Joe Le Bel <i>Email:</i> jlebel@strongtie.com
Titan Supply 250 Edison Way Reno NV 89502- <i>Mfg #:</i> (775) 351-2201 <i>Cell #:</i> (888) 550-2201	Pro-Poxy 100 <i>Fax #:</i> (775) 351-2205 <i>Web Site:</i> www.titansupply.com	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008	R590 <i>Contact:</i> Brian Wickham <i>Email:</i> bwickham@titansupply.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type I, II, IV & V, Grade 3, Class B & C	1/4/1998	R215, R219 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type I, II, IV & V, Grade 2, Class B & C	1/4/1998	R520, R581 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Symons Res-Con 304 <i>Fax #:</i> (816) 483-3149	Type I, II, IV & V, Grade 3, Class B & C <i>Web Site:</i> www.unitex-chemicals.com	1/14/2003 R388 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder <i>Fax #:</i> (816) 483-3149	Type III, Grade 1, Class B & C <i>Web Site:</i> www.unitex-chemicals.com	1/4/1998 R218, R219 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 <i>Cell #:</i> (800) 328-5934	CIA-GEL 7000 Adhesive Anchors <i>Fax #:</i> (507) 364-8762	Type I and IV; Grade 3; Classes B, C, & D <i>Web Site:</i> www.uspconnectors.com	8/8/2000 R265 <i>Contact:</i> Jennifer Turek <i>Email:</i> jtunek@gibraltar1.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100	Rezi Weld 1000 <i>Fax #:</i> (707) 747-6206	Type I, II, IV and V; Grade 2; Classes B & C <i>Web Site:</i> www.wrmeadows.com	2/19/2004 R478 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- <i>Mfg #:</i> (303) 388-9265 <i>Cell #:</i> (303) 941-5275	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B) <i>Fax #:</i> (303) 388-0881	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.coloradopaint.com	3/20/2000 R199, R200, R201 <i>Contact:</i> Mark Vasquez <i>Email:</i> markv@coloradopaint.com
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B) <i>Fax #:</i> (856) 779-2963	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.epoplex.com	12/11/2002 R378, R379, R380 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) <i>Fax #:</i> (856) 779-2963	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.epoplex.com	12/11/2002 R381, R382, R383 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B) <i>Fax #:</i> (919) 767-8506 <i>Web Site:</i> www.ips-road.com	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R436, R437, R438 <i>Contact:</i> Jennifer Hall <i>Email:</i> jhall@ips-road.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R109, R110, R111 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R115, R116, R117 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R112, R113, R114 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com

729.03.05a**RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369	UCAR™ Latex DT 400 NA <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com	Type II	7/19/2002	R167 <i>Contact:</i> Peter Doty <i>Email:</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369	UCAR™ Latex DT 250 NA <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com	Type I	7/19/2002	R166 <i>Contact:</i> Peter Doty <i>Email:</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i>	Fastrack® 3427 <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	Type I	11/30/2001	R319 <i>Contact:</i> Customer Service <i>Email:</i>

729.03.05a**RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i>	Fastrack® HD-21A	Type II <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	11/30/2001	R320 <i>Contact:</i> Customer Service <i>Email:</i>

729.03.05b**RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982801 NVW-21-M-2 Yellow: 982802 Nvy-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982821 NVW-34-M-1 Yellow: 982822 Nvy-34-M-1	Fastrack® 3427	4/1/2004	R345, R346 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350 <i>Contact:</i> Scott Shannon <i>Email:</i> scott@spervo.com

729.03.05c**RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982831 NVW-HD-M-1 Yellow: 982832 Nvy-HD-M-1	Fastrack® HD-21A	7/30/2002	R540, R541 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982811 NVW-40-M-2 Yellow: 982812 Nvy-40-M-2	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net

729.03.05c

RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053 <i>Fax #:</i> (323) 778-9719	Fastrack® HD-21A <i>Web Site:</i> www.pervo.com	7/30/2002	R351, R352 <i>Contact:</i> Scott Shannon <i>Email:</i> scotts@pervo.com
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422 <i>Fax #:</i> (210) 340-1650	Fastrack® HD-21A <i>Web Site:</i> www.sherwinwilliams.com	7/9/2003	R425, R426 <i>Contact:</i> Dee McNeill <i>Email:</i> dee.l.mcneill@sherwin.com

729.03.06

POLYUREA PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) <i>Fax #:</i> (702) 914-6016	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.3M.com/tcm	7/16/2003	R442, R443, R444 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) <i>Fax #:</i> (702) 914-6016	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.3M.com/tcm	7/16/2003	R568, R569, R570 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B) <i>Fax #:</i> (856) 779-2963	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.epoplex.com	7/16/2003	R452, R453, R454 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B) <i>Fax #:</i> (919) 767-8506	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.ips-road.com	7/16/2003	R439, R440, R441 <i>Contact:</i> Jennifer Hall <i>Email:</i> jhall@ips-road.com

731.03.01**PAVEMENT REINFORCING FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Road Solutions PO Box 1267 La Quinta CA 92247- <i>Mfg #:</i> (760) 406-2224 <i>Cell #:</i>	GlasGrid 8501 GlasGrid 8502 The Complete Road System The Detail Repair System <i>Fax #:</i>	<i>Web Site:</i> www.roadsolutions.com	10/18/2002 R361, R362, R363, R364 <i>Contact:</i> Marshal Hughes <i>Email:</i> roadsolutions@att.net

732.03.01**PAVEMENT MARKING TAPE (TYPE I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	5730 Stamark Tape (Phasing Out) <i>Fax #:</i> (702) 914-6016	<i>Web Site:</i> www.3M.com/tcm	Type I; *discontinued manufacturing, but still carried by vendors and still approved 9/19/2003 R457 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	270-ES Stamark Tape 420 Stamark Intersection Grade Tape <i>Fax #:</i> (702) 914-6016	<i>Web Site:</i> www.3M.com/tcm	Type I 9/19/2003 R458, R552 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White Series 400 Tape Yellow <i>Fax #:</i> (252) 526-4940	<i>Web Site:</i> www.trafficmarking.com	Type I 9/19/2003 R480, R481 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 300 Tape White Series 300 Tape Yellow <i>Fax #:</i> (252) 526-4940	<i>Web Site:</i> www.trafficmarking.com	Type I 9/19/2003 R462, R463 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent <i>Fax #:</i> (702) 649-9237	<i>Web Site:</i> www.britelinetechnologies.com	Type I 5/9/2006 R546 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 60 Permanent Marking Tape <i>Fax #:</i> (931) 388-4039	<i>Web Site:</i> www.swarco.com	Type I 2/17/2004 R472 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com

732.03.01**PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 35 Pavement Marking Tape <i>Fax #:</i> (931) 388-4039	Type I <i>Web Site:</i> www.swarco.com	2/17/2004	R473 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com

732.03.02**PAVEMENT MARKING TAPE (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	270-ES Stamark Tape 420 Stamark Intersection Grade Tape <i>Fax #:</i> (702) 914-6016	Type II <i>Web Site:</i> www.3M.com/tcm	9/19/2003	R458, R552 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White Series 400 Tape Yellow <i>Fax #:</i> (252) 526-4940	Type II <i>Web Site:</i> www.trafficmarking.com	9/19/2003	R480, R481 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 300 Tape White Series 300 Tape Yellow <i>Fax #:</i> (252) 526-4940	Type II <i>Web Site:</i> www.trafficmarking.com	4/29/2008	R462, R463 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent <i>Fax #:</i> (702) 649-9237	Type II <i>Web Site:</i> www.britelinetchnologies.com	5/9/2006	R546, R488, R489 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 100 White Permanent Series 100 Yellow Permanent <i>Fax #:</i> (702) 649-9237	Type II <i>Web Site:</i> www.britelinetchnologies.com	6/15/1999	R207, R208 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	A380IES (white) Stamark Tape 381WR-ES (yellow) Stamark Tape <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	Type IV	9/19/2003	R460, R461 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	390 Stamark 420 Stamark Intersection Grade Tape <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	Type IV	4/13/2009	R535 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White Series 400 Tape Yellow <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Type IV	7/29/2008	R480, R481 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com

QPL DB1 NOTES February 2007

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.