

TABLE OF CONTENTS

PRODUCT TYPES	SPECIFICATION #	PAGE NUMBER
ADHESIVE (FOR PAVEMENT MARKERS)	633.02.04	036
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	004
ASPHALT RELEASE AGENTS	401.03.02	002-003
ASPHALTIC PLUG EXPANSION JOINTS	502.03.13j	006
BARRICADES	625.03.04	031-032
BRIDGE DECK CURING COMPOUND	702.03.04	047
CELLULAR EROSION CONTROL MATS	610.02.01	013
CHANGEABLE MESSAGE SIGNS	625.02.03	025-026
COATING SYSTEMS FOR BRIDGES	714.03.01	049-050
CONCRETE STAIN	502.02.04	004-005
CONSTRUCTION FLEXIBLE POSTS	625.02.01	024
CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)	702.03.01c	045-046
CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)	702.03.01d	046-047
DETECTABLE WARNINGS	613.02.01	013-014
DUCT SEALING COMPOUND	623.02.16	019-020
DUST PALLIATIVE (OPTIONAL)	637.02.01	038-041
DYNAMIC MESSAGE SIGNS	623.01.01	018
EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM	623.02.29	020
EPOXY ANCHORING SYSTEMS	728.03.02	056-058

PRODUCT TYPES**SPECIFICATION #****PAGE NUMBER**

EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	008
EPOXY PAINT MARKING MATERIAL	729.03.04	058-059
EVAPORATIVE RETARDER	409.03.10	003-004
EXPANSION JOINT SEALANT	502.03.131	007
FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	609.02.01a	009-011
FINE SURFACE FINISH (BONDED GROUT)	502.03.19	007
FLARED GUARDRAIL TERMINAL	618.02.01	014
FLEXIBLE GUIDE POSTS	619.02.01	015-016
FLEXIBLE OBJECT MARKERS (TYPE 2)	619.02.01a	017
FLY ASH (TYPE F ONLY)	702.03.05	048
GUARDRAIL OFFSET BLOCKS	618.02.01b	015
HEADLIGHT GLARE SCREEN MODULAR UNITS	630.02.01	033
HERBICIDES	401.02.03	001-002
HIGH MAST HEAD FRAME ASSEMBLIES	623.02.12c	019
HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS	634.03.03a	037
IMPACT ATTENUATORS	641.02.01	045
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	502.03.22	007-008
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	707.03.04	048-049
MAILBOX SUPPORT SYSTEMS (TYPE C)	214.02.01	001
MODULAR BLOCK RETAINING WALL	640.02.04	044
MSE WALLS	640.02.03a	042-043

PRODUCT TYPES**SPECIFICATION #****PAGE NUMBER**

MSE WALLS (LARGE SIZE 5' x 10' PANELS)	640.02.03b	043
MULCH	726.03.04	053
NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)	633.02.01	034-035
PAVEMENT MARKING TAPE (TYPE 1)	732.03.01	062
PAVEMENT MARKING TAPE (TYPE 2)	732.03.02	063
PAVEMENT MARKING TAPE (TYPE 4)	732.03.03	063-064
PLASTIC FENCE FABRIC MATERIAL	616.02.01	014
POLYUREA PAINT MARKING MATERIAL	729.03.06	061
PREFORMED JOINT FILLERS	502.03.13i	005-006
PREFORMED THERMOPLASTIC PAVEMENT MARKINGS	634.03.03b	037
PRISMATIC ACRYLIC REFLECTORS	619.03.01	018
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS	729.03.05a	059-060
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Typ	729.03.05c	060-061
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Typ	729.03.05b	060
RECESSED REFLECTIVE PAVEMENT MARKERS	633.02.03	035-036
RED LIGHT DETECTORS	623.03.26	023
REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)	625.02.02	025
REFLECTIVE PAVEMENT MARKERS (PERMANENT)	633.02.02	035
REFLECTIVE SHEETING	716.03.01	050-052
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	624.03.03	023
RETROREFLECTOMETERS	632.03.05	033-034

PRODUCT TYPES	SPECIFICATION #	PAGE NUMBER
ROADWAY INLET PROTECTION	637.02.05	041-042
SERVICE PEDESTALS	623.02.08	018-019
SIGN LIGHTING FIXTURES	623.03.15	022
SIGN SUPPORT SYSTEMS	625.03.03	029-031
SILT FENCE	637.02.02	041
SOIL STABILIZER	726.03.13	054-056
SOUNDWALL SYSTEMS	640.02.03c	043-044
STORMWATER TREATMENT VAULTS	609.02.01b	011
SYNTHETIC DRILLING SLURRY	509.03.09	009
TACKIFIER	726.03.05	053-054
TANGENTIAL GUARDRAIL TERMINAL	618.02.01a	015
TEMPORARY IMPACT ATTENUATORS	625.02.04	026-027
TEMPORARY PAVEMENT STRIPING TAPE	635.02.01	037-038
TRAFFIC SIGNALS	623.03.01	022
TRENCH DRAINS	609.03.01c	012
TRUCK MOUNTED IMPACT ATTENUATORS	625.02.05	027-028
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	021-022
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	020-021
WATER FILLED BARRIER RAILS	625.02.06	028

PRODUCT TYPES

SPECIFICATION #

PAGE NUMBER

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL SBBC-xx-ALI SBBC-xx-ALPH SBBC-xx-ALHPI		5/26/1998 <i>Contact:</i> Kim Goldensten	R002, R003 R004, R005
<i>Mfg #:</i> (800) 729-1314 <i>Cell #:</i>	<i>Fax #:</i> (888) 310-3946	<i>Web Site:</i> www.vitproducts.com	<i>Email:</i> kim@vitproducts.com	

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999 <i>Contact:</i> Scott Kerns	R189
<i>Mfg #:</i> (713) 860-6717 <i>Cell #:</i>	<i>Fax #:</i> (713) 263-7577	<i>Web Site:</i> www.rectorseal.com	<i>Email:</i> scottk@rectorseal.com	

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
S-Square Tube Products 221 North Kuner Road Brighton CO 80601-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004 <i>Contact:</i> Don Tamm	R487
<i>Mfg #:</i> (303) 286-7051 <i>Cell #:</i> (888) 267-6463	<i>Fax #:</i> (866) 639-5717	<i>Web Site:</i> www.s-squaretube.com	<i>Email:</i> don@s-squaretube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997 <i>Contact:</i> Bryan Everard	R006
<i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331	<i>Fax #:</i> (262) 814-7017	<i>Web Site:</i> www.tapconet.com/vloc	<i>Email:</i> bryane@tapconet.com	

401.02.03 HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507-	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993 <i>Contact:</i> Howard Stoddard	R007
<i>Mfg #:</i> (281) 892-2500 <i>Cell #:</i> (800) 242-5562	<i>Fax #:</i> (281) 892-2501	<i>Web Site:</i> www.controlsolutionsinc.com	<i>Email:</i> orders@controlsolutionsinc.com	

401.02.03**HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (916) 525-2633 <i>Cell #:</i> (916) 296-2811 <i>Fax #:</i> (916) 525-2710 <i>Web Site:</i> www.dowagro.com	Spike 80 W Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993 <i>Contact:</i> Beau Miller <i>Email:</i> bjmillier@dow.com	R008, R015

401.02.03b**WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Contact:</i>				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Email:</i>

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Super Slick Bio Slider	10/26/05 Company Name change: Chemco to Arrow Magnolia	4/22/2004 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com	R494, R495
BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 <i>Cell #:</i> (214) 826-6822 <i>Fax #:</i> (214) 826-7290 <i>Web Site:</i> www.bgchemical.com	Black Magic 13 Black Magic "For Rubber" Thermal Slide GreenGuard		5/8/2000 <i>Contact:</i> Jeff Gunter <i>Email:</i> jgunter@bgchemical.com	R260, R261 R262, R263
Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- <i>Mfg #:</i> (800) 480-2436 <i>Cell #:</i> (801) 548-2287 <i>Fax #:</i> (801) 274-2425 <i>Web Site:</i> www.brodychemical.com	Slippery Wizard Clear Wizard		7/15/2008 <i>Contact:</i> Tammy Price <i>Email:</i> tamme_price@yahoo.com	R603, R632
ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 <i>Cell #:</i> (623) 435-1945 <i>Fax #:</i> (937) 534-0426 <i>Web Site:</i> www.chemstation.com	2217-A 2217-B		12/20/2007 <i>Contact:</i> Katie Overton <i>Email:</i> koverton@chemstation.com	R392, R584

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 <i>Cell #:</i> (770) 891-3307 <i>Fax #:</i> (770) 386-3391 <i>Web Site:</i>	SPX-7, No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000 <i>Contact:</i> Paul Wilson <i>Email:</i> synthetic@pipeline.com	R263
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 <i>Cell #:</i> (417) 866-5592 <i>Fax #:</i> (417) 866-5593 <i>Web Site:</i> www.rhomar.com	Enviro-Slide Ultra		4/26/2000 <i>Contact:</i> Bob Hamilton <i>Email:</i> bhamilton@rhomar.com	R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Cell #:</i> <i>Fax #:</i> (770) 443-0810 <i>Web Site:</i> www.thetecteam.com	Teclon-Pro		11/7/2006 <i>Contact:</i> Karen Price <i>Email:</i> kptectm@bellsouth.net	R562
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 <i>Cell #:</i> (775) 721-2821 <i>Fax #:</i> (209) 830-5124 <i>Web Site:</i> www.zep.com	R-5274 R-6690 XT-3199		5/11/2006 <i>Contact:</i> Byran Castelloni <i>Email:</i> zepbc@yahoo.com	R368, R369 R370

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Finish Film		1/29/2003 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com	R419
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior SureFilm J-74	Finishing Aid: 4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com	R190
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Eucobar		9/30/1996 <i>Contact:</i> Christopher Balsat / Brian Lewis <i>Email:</i> cbalsat@euclidchemical.com	R044

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <i>Mfg #:</i> (410) 354-8600 <i>Cell #:</i> (800) 637-6372 <i>Fax #:</i> (410) 354-1122 <i>Web Site:</i> www.kaufmanproducts.net	VaporAid 060		8/2/1999 <i>Contact:</i> Alex Kaufman <i>Email:</i> akaufman@kaufmanproducts.net	R191
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <i>Mfg #:</i> (215) 332-7709 <i>Cell #:</i> (888) 839-2661 <i>Fax #:</i> (215) 332-9997 <i>Web Site:</i> www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999 <i>Contact:</i> Darryl Manuel <i>Email:</i> techservice@vexcon.com	R193
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com	R194

496.02.01**AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <i>Mfg #:</i> (925) 426-8787 <i>Cell #:</i> <i>Fax #:</i> (916) 939-7481 <i>Web Site:</i> www.cemex.com	Aggregate		1/26/1997 <i>Contact:</i> Darla Allen <i>Email:</i> darlaa.allen@cemex.com	R014
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- <i>Mfg #:</i> (425) 228-2120 <i>Cell #:</i> <i>Fax #:</i> (425) 228-2199 <i>Web Site:</i> www.mineralco.com	Aggregate Sand		1/26/1997 <i>Contact:</i> Jim Adderson <i>Email:</i> mineralco@aol.com	R012, R313

502.02.04**CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
United Coatings 19011 East Cataldo Spokane Valley WA 99016- <i>Mfg #:</i> (800) 541-4383 <i>Cell #:</i> (509) 926-7143 <i>Fax #:</i> (509) 928-1116 <i>Web Site:</i> www.unitedcoatings.com	Canyon Tone Stain		4/12/2005 <i>Contact:</i> Shawn Carney <i>Email:</i> shawn@unitedcoatings.com	R519

502.02.04**CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- <i>Mfg #:</i> (714) 680-3800 <i>Cell #:</i> (702) 292-8316 <i>Fax #:</i> (702) 597-5222 <i>Web Site:</i> www.vistapaint.com	Coverall 2800 AF Ext. Flat		5/20/2008 <i>Contact:</i> Steven Tetreault <i>Email:</i> stetreaault@vistapaint.com	R614

502.02.05a**ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- <i>Mfg #:</i> (800) 676-5963 <i>Cell #:</i> (801) 201-2826 <i>Fax #:</i> (801) 255-7123 <i>Web Site:</i> www.americanpolymer.com	Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP 100, AP101, or AP 102) Pigmented Top Coat (AP 200, AP 201, or AP 202)	10/08 New product replaces GSS10 Anti Graffiti Coating	9/3/2008 <i>Contact:</i> Greg Gohlinghorst x.1 <i>Email:</i> gregg@americanpolymer.com	R389, R390 D201
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Monopole Incorporated 4661 Alger Street Los Angeles CA 90039- <i>Mfg #:</i> (800) 491-9977 <i>Cell #:</i> <i>Fax #:</i> (818) 502-0818 <i>Web Site:</i> www.monopoleinc.com	Monochem Permashield Premium Graffiti 5600		10/5/2009 <i>Contact:</i> Tony Khalil <i>Email:</i> tony@monopoleinc.com	R679

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	JEENE® Structural & Sealing Joint Wabo® Evazote UV		8/2/2006 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com	R011, R016
Chase Construction Products 401 New Karner Road Albany NY 12205- <i>Mfg #:</i> (800) 356-6007 <i>Cell #:</i> (508) 505-5043 <i>Fax #:</i> (518) 356-1110 <i>Web Site:</i> www.chaseconstructionproducts.com	MetaZeal Phyzite 380		5/3/1999 <i>Contact:</i> Terry Eck <i>Email:</i> teck@chasecorp.com	R009, R024
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperiorchemical.com	Polylite N		5/3/1999 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com	R010

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301 <i>Cell #:</i> <i>Fax #:</i> (716) 691-3305 <i>Web Site:</i> www.rjwatson.com	Silicoflex		12/7/2000 <i>Contact:</i> Marc Stafford <i>Email:</i> mdstafford@rjwatson.com	R276
Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 <i>Cell #:</i> (603) 889-6872 <i>Fax #:</i> (603) 889-6874 <i>Web Site:</i> www.willsealusa.com	Will Seal 600		6/4/2002 <i>Contact:</i> Steven Robinson <i>Email:</i> info@schul.com	R347
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 <i>Cell #:</i> (419) 408-5469 <i>Fax #:</i> (419) 424-5959 <i>Web Site:</i> www.techstar-inc.com	W Seal		5/3/1999 <i>Contact:</i> Warren Brown <i>Email:</i> warren@techstar-inc.com	R131

502.03.13j**ASPHALTIC PLUG EXPANSION JOINTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	Matrix 502 Pave Tech		6/5/1997 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 <i>Cell #:</i> (440) 552-2489 <i>Fax #:</i> (570) 546-2415 <i>Web Site:</i> www.DSA-Ltd.com	BJS Thorma Joint Systems		9/19/2002 <i>Contact:</i> Tim Persing <i>Email:</i> tpersing@dsa-ltd.com	R360

502.03.13k**EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- <i>Mfg #:</i> (800) 888-8909 <i>Cell #:</i> (918) 230-3148 <i>Fax #:</i> (918) 586-4912 <i>Web Site:</i> www.ssicm.com	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an acceptable product.	4/22/2002 <i>Contact:</i> Scott Fowler <i>Email:</i> scott.fowler@ssicm.com	R212

502.03.131**EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	Wabo® SiliconSeal - 2 Part		4/22/2002 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com	R340
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	902 RCS		4/22/2002 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com	R339

502.03.19**FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Tammscoat Fine		9/4/2007 <i>Contact:</i> Christopher Balsat / Brian Lewis <i>Email:</i> cbalsat@euclidchemical.com	R567
Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- <i>Mfg #:</i> (323) 855-1242 <i>Cell #:</i> (310) 780-1983 <i>Fax #:</i> (805) 523-8737 <i>Web Site:</i> www.texcote.com	Tex.Cote® XL 70 Bridge Cote® 300 Bridge Cote		9/4/2007 <i>Contact:</i> James Servais <i>Email:</i> j.servais@texcote.com	R595, R596

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com	R020
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940 <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com	Calseal		9/8/1998 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com	R025

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104-	Elastoflex 44 Elastoflex 56		1/6/1998 <i>Contact:</i> Dale Bergivin	R022, R023
<i>Mfg #:</i> (801) 972-2090 <i>Cell #:</i>	<i>Fax #:</i> (801) 972-5536	<i>Web Site:</i> www.maxwellproducts.com	<i>Email:</i> dale@maxwellproducts.com	

505.02.01**EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210-	Resicoat RB-600		4/30/2008 <i>Contact:</i> Fritz Herrmann	R591
<i>Mfg #:</i> (800) 626-7891 <i>Cell #:</i> (615) 995-5576	<i>Fax #:</i> (216) 750-7575	<i>Web Site:</i> www.akzonobel.com	<i>Email:</i> fritz.herrmann@akzonobel.com	
Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041-	7-2719 Nap Guard Epoxy Coating		1/18/2001 <i>Contact:</i> Kuruvila Varughese/Greg Bietz	R281
<i>Mfg #:</i> (713) 996-0669 <i>Cell #:</i> (713) 996-4665	<i>Fax #:</i> (713) 939-4028	<i>Web Site:</i> www.hoovers.com/dupont-coatings	<i>Email:</i> kuruvila.varughese@usa.dupont.com	
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-	HD33 Interpon HD34 Fusion Bond		1/1/1996 <i>Contact:</i> Dan Griffin	R026, R027
<i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203	<i>Fax #:</i> (812) 256-6733	<i>Web Site:</i> www.international-pc.com	<i>Email:</i> daniel.griffin@akzonobel.com	
Seibert Powder Coatings USA Inc 11110 Berea Road Cleveland OH 44102-	1295 E-90 Pow Dax Scotch Kote 413		1/1/1996 <i>Contact:</i> Nancy Rizzardi	R029, R030
<i>Mfg #:</i> (216) 631-2002 <i>Cell #:</i> (800) 231-2002	<i>Fax #:</i> (216) 631-6211	<i>Web Site:</i> n/a	<i>Email:</i> nrizzardi@npacoatings.com	
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116-	Greenbar #720A009		1/1/1996 <i>Contact:</i> Michael Adams	R028
<i>Mfg #:</i> (281) 370-6164 <i>Cell #:</i> (281) 630-9878	<i>Fax #:</i> (281) 370-6654	<i>Web Site:</i> www.valspar.com	<i>Email:</i> madams@valspar.com	

509.03.09**SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
CETCO Drilling Products Group 2870 Forbs Avenue Hoffman Estates IL 60192- <i>Mfg #:</i> (847) 851-1810 <i>Cell #:</i> (847) 910-4334 <i>Fax #:</i> (847) 851-1367 <i>Web Site:</i> www.constructiondrilling.com	Shore Pac GCV		9/25/2006 <i>Contact:</i> John Berry <i>Email:</i> john.berry@cetco.com	R559
Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- <i>Mfg #:</i> (210) 587-4758 <i>Cell #:</i> <i>Fax #:</i> (210) 568-4567 <i>Web Site:</i> www.geotech.us	Novagel Polymer		9/25/2006 <i>Contact:</i> Max Holmes <i>Email:</i> mholmes@geotech.us	R558
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Cell #:</i> <i>Fax #:</i> (562) 634-1350 <i>Web Site:</i> www.pdscoinc.com	Super Mud		9/25/2006 <i>Contact:</i> Customer Service <i>Email:</i> sales@pdscoinc.com	R560

609.02.01a**FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (541) 689-3133 <i>Cell #:</i> <i>Fax #:</i> (541) 689-3808 <i>Web Site:</i> americanhighwaytechnologies.com	American Highway Patch II	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 <i>Contact:</i> Terry Edmundson <i>Email:</i> terryedmundson@daytonsuperior.com	R036
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Pro-1 Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	5/14/2009 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com	R312
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfbscst.com	Emaco S66 CI SET 45 (CT) 10-60 Rapid Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications. Name Change: ThorRoc 10-	1/3/2002 <i>Contact:</i> Customer Service <i>Email:</i> basfbscst@basf.com	R385, R386 D207
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (714) 348-1946 <i>Fax #:</i> (714) 379-8270 <i>Web Site:</i> www.ctscement.com	Rapid Set DOT Repair Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/27/1994 <i>Contact:</i> Frank Senatore <i>Email:</i> fsenatore@ctscement.com	R039

609.02.01a

FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior HD50 Edoco Fast Patch 928	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com	R037, R038
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Hi-Flow Grout Euco-Speed MP Euco-Speed	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 <i>Contact:</i> Christopher Balsat / Brian Lewis <i>Email:</i> cbalsat@euclidchemical.com	R041, R042 R042
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Speed Crete® Green Line Speed Crete® 2028 Rapid Express Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	11/8/2005 <i>Contact:</i> Christopher Balsat / Brian Lewis <i>Email:</i> cbalsat@euclidchemical.com	R537, R538 R538
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- <i>Mfg #:</i> (800) 243-2206 <i>Cell #:</i> (203) 336-7900 <i>Fax #:</i> (203) 336-7930 <i>Web Site:</i> www.fivestarprom.com	Highway Patch Structural Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/30/1996 <i>Contact:</i> Lou Federico <i>Email:</i> federicol@fivestarprom.com	R034, R035
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <i>Mfg #:</i> (209) 830-7803 <i>Cell #:</i> (209) 482-4488 <i>Fax #:</i> (209) 830-7804 <i>Web Site:</i> www.us.henkel.com	Loctite MagnaCrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/17/2008 <i>Contact:</i> Bob Bacchetti <i>Email:</i> bob.bacchetti@us.henkel.com	R615
High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <i>Mfg #:</i> (888) 400-7600 <i>Cell #:</i> (949) 677-8229 <i>Fax #:</i> (714) 439-1001 <i>Web Site:</i> www.ConcreteRepair.com	High Performance Concrete Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	1/3/2002 <i>Contact:</i> John & Tom Collins <i>Email:</i> johncollins@concreterepair.com	R322
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <i>Mfg #:</i> (866) 827-8727 <i>Cell #:</i> (410) 821-1503 <i>Fax #:</i> (410) 561-8771 <i>Web Site:</i> www.concreterepairmaterials.com	HP Cement	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	10/22/2004 <i>Contact:</i> Laura Clabaugh <i>Email:</i> laura@uscproducts.com	R507
US Mix Company 112 South Sante Fe Drive Denver CO 80223- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> (702) 322-1700 <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usspec.com	SPEC STR Mortar	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com	R672

609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
W.R. Meadows of Arizona 4220 South Sarival Avenue Goodyear AZ 85338- <i>Mfg #:</i> (623) 932-9383 <i>Cell #:</i> (702) 253-1100 <i>Fax #:</i> (623) 932-1547 <i>Web Site:</i> www.wrmeadows.com	Futura 15	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc. unless pre-approved through Materials for other applications.	9/29/2009 <i>Contact:</i> Terry Kraus <i>Email:</i>	R671

609.02.01b STORMWATER TREATMENT VAULTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <i>Mfg #:</i> (775) 831-4592 <i>Cell #:</i> (800) 229-7283 <i>Fax #:</i> (775) 831-4592 <i>Web Site:</i> www.baysaver.com	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001 <i>Contact:</i> Ed Franklin <i>Email:</i> edjfranklin@aol.com	R284
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	CDS Stormwater Treatment System StormFilter Stormwater Treatment System Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com	R447, R448 D448
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <i>Mfg #:</i> (775) 352-6363 <i>Cell #:</i> <i>Fax #:</i> (775) 352-6364 <i>Web Site:</i> www.jensenprecast.com	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006 <i>Contact:</i> Pam Hammonds <i>Email:</i> phammonds@jensenprecast.com	R548
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <i>Mfg #:</i> (775) 358-4430 <i>Cell #:</i> (707) 396-6268 <i>Fax #:</i> (775) 355-1982 <i>Web Site:</i> www.rinkermaterials.com/www.stormceptor.com	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001 <i>Contact:</i> Don Catterson/Steve Nilforoushar <i>Email:</i> dcatterson@rinker.com/sniforousshar@cemexusa.co	R286
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <i>Mfg #:</i> (877) 687-7473 <i>Cell #:</i> (610) 316-0957 <i>Fax #:</i> (610) 687-6327 <i>Web Site:</i> www.stormdrains.com	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002 <i>Contact:</i> Robert Sharpless <i>Email:</i> stormdrains@verizon.net	R348

609.03.01c

TRENCH DRAINS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	ZHD 200 Trench Drain System MHD 200 Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements. 4/9/09 Name Change: HD 200 to ZHD 200 and MD200 to MHD 200	8/28/2006 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com	R556, R557
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111 <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	A-67 Interceptor Trench Drain System Polydrain Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com	R394, R395
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	S100K Concrete FF300 Concrete FG200 Concrete S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com	R396, R397 D200 Drain
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	TrafficDrain	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com	R384
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- <i>Mfg #:</i> (800) 346-3061 <i>Cell #:</i> (707) 452-9920 <i>Fax #:</i> (707) 452-9923 <i>Web Site:</i> www.polycastdrain.com	Polycast 900 Series Grates (Removeable) Polycast 3000 Trench Drain System Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005 <i>Contact:</i> Thomas Beattie <i>Email:</i> tbeattie@hps.hubbell.com	R512, R513 DE1A
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- <i>Mfg #:</i> (800) 433-1119 <i>Cell #:</i> (704) 881-4064 <i>Fax #:</i> (704) 508-1011 <i>Web Site:</i> www.multidrainsystems.com	EconoDrain Systems MultiDrain Surface Drainage Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004 <i>Contact:</i> Steve Born <i>Email:</i> steve.born@multidrainsystems.com	R492, R493
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 <i>Mfg #:</i> (716) 665-1132 <i>Cell #:</i> (916) 332-5653 <i>Fax #:</i> (716) 665-1135 <i>Web Site:</i> www.zurn.com	Z-886 (4" Wide) Z-882 (9.25" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003 <i>Contact:</i> Bill Ousley <i>Email:</i> bill.ousley@zurn.com	R421, R422

610.02.01 CELLULAR EROSION CONTROL MATS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i>	Armotec Cellular Erosion Control Mat Petraflex <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com	R332, R333
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713	Armorflex <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002 <i>Contact:</i> Quinn Brown <i>Email:</i> quinn.brown@hanesindustries.com	R326
Shoretac 510 O'Neal Lane Baton Rouge LA 70819- <i>Mfg #:</i> (281) 450-3469 <i>Cell #:</i> (225) 273-9888	Shoreblock Shoretac <i>Fax #:</i> (225) 273-3511 <i>Web Site:</i> www.shoretac.com		4/24/2009 <i>Contact:</i> Patrick Bonorden <i>Email:</i> pbonorden@premierconcrete.com	R601, R622

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988	ACO Detectible Warning Device <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	Approved for NV Red Only	2/26/2009 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com	R630
Advanced Surface Systems LLC (ASSI) 118 North Peters Road #250 Knoxville TN 37923- <i>Mfg #:</i> (865) 966-2079 <i>Cell #:</i> (865) 206-4789	SureDome <i>Fax #:</i> (865) 241-8046 <i>Web Site:</i> www.suredome.com	Approved for NV Red and NV Green	12/10/2008 <i>Contact:</i> Karen Hemry <i>Email:</i> kchemry@hotmail.com/bumps@suredome.com	R628
Arcis Corporation PO Box 1250 North Plains OR 97133- <i>Mfg #:</i> (503) 647-5042 <i>Cell #:</i>	ADA Arcis Tactiles <i>Fax #:</i> (503) 647-7731 <i>Web Site:</i> www.arciscorp.com	Approved for NV Red Only	9/2/2008 <i>Contact:</i> Dan VanBrabant <i>Email:</i> info@arcis-corp.com	R608
StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- <i>Mfg #:</i> (866) 439-3216 <i>Cell #:</i> (877) 254-1259	TekWay Dome Tile <i>Fax #:</i> (520) 547-3515 <i>Web Site:</i> www.stronggo.com	Approved for NV Red and NV Green	11/27/2006 <i>Contact:</i> Georgina Margan <i>Email:</i> gmargan@stronggo.com	R564

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 <i>Cell #:</i> (800) 321-7870 <i>Fax #:</i> (914) 636-1282 <i>Web Site:</i> www.transpo.com	Safe Step - Detectable Warning Tile	Approved for NV Red and NV Green	3/26/2004 <i>Contact:</i> Mike Stenko <i>Email:</i> mstenko@transpo.com	R484
United Diamond & Stone Incorporated 16788 Placer Hills Road Suite C Meadow Vista CA 95722- <i>Mfg #:</i> (530) 878-2440 <i>Cell #:</i> <i>Fax #:</i> (530) 320-4180 <i>Web Site:</i> www.uniteddiamond.com	Cast-in-Tact	Approved for NV Red	8/20/2009 <i>Contact:</i> Darren Thomas <i>Email:</i> darren_thomas@sbcglobal.net	R666

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- <i>Mfg #:</i> (800) 426-6933 <i>Cell #:</i> (612) 623-1700 <i>Fax #:</i> (612) 623-2500 <i>Web Site:</i> www.conwedplastics.com	Safety Fence		10/10/1999 <i>Contact:</i> Customer Services <i>Email:</i> customer.service@conwedplastics.com	R202
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	Safety GeoGrid		5/15/2002 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com	R342

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated 3616 Howard County Airport Road Big Spring TX 79720- <i>Mfg #:</i> (330) 346-0721 <i>Cell #:</i> (801) 785-0505 <i>Fax #:</i> (330) 346-0722 <i>Web Site:</i> www.roadsystems.com	Fleat SP	TL-3	9/29/2009 <i>Contact:</i> John Durkos <i>Email:</i> jdurkos@roadsystems.com	R668
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	Let Soil Tubes SRT 350	TL-3	6/9/2004 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net	R500, R501

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 <i>Cell #:</i> (432) 517-0697 <i>Fax #:</i> (432) 267-4039 <i>Web Site:</i> www.roadsystems.com	SKT 350 SKT Lite SKT SP	TL-3	2/8/1998 <i>Contact:</i> Kaddo Kothmann <i>Email:</i> Kaddo@basin-net.net	R156, R669 R470
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	CAT 350 ET Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net	R046, R499

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- <i>Mfg #:</i> (928) 333-5501 <i>Cell #:</i> <i>Fax #:</i> (928) 333-4403 <i>Web Site:</i> www.glulam.com	Glue Laminated Offset Block	Used with W-beam and Tri-beam Guardrails	3/10/2004 <i>Contact:</i> Ginger Wiltbank <i>Email:</i> gwiltbank@azglulam.com	R485
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	King-Size King Block	Used with steel post Tri-beam Guardrails	5/13/2005 <i>Contact:</i> Mike Hooley <i>Email:</i> mike.hooley@trin.net	R523, R524

619.02.01 FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com	654 Ground Mount Easy Drive Round	Type 2	6/1/1994 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com	R171, R283
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com	FG 300 HD UR		10/14/1999 <i>Contact:</i> Bill Daly <i>Email:</i> bill.daly@pexco.com	R688

619.02.01

FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689	FG 200 Model EFX FG 300 Turnpike Curb FG 300 Model PE FG 300 Complete Curb System <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com		10/14/1999 <i>Contact:</i> Bill Daly <i>Email:</i> bill.daly@pexco.com	R685, R686 R607, R615
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	RubberTough 360 Heavy Duty Bolt Down Delineator Soil Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Type 2	11/21/2008 <i>Contact:</i> Diane Sanchez <i>Email:</i>	R625, R626
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	Safe Hit Soil Mount Delineator Surface Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Type 2	11/21/2008 <i>Contact:</i> Diane Sanchez <i>Email:</i>	R623, R624
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	RT 360 HD Tubular Delineator Soil/Surface Mount SH Dura Post K Marker <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com		5/14/2009 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R600
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	SH Replaceable Barrier Marker SH Dura Post K Marker <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Type 2 Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R068, R053 R052
Shur-Tite® Products 105 Trademens Park Drive Hutto TX 78634- <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i>	Shur-Flex® Driveable Delineator Shur-Flex® Surface Mount Delineator Shur-Tite® Cable Barrier Delineator Shur-Tite® Guardrail Clamp Post Mount Del <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-lite.com		4/30/2009 <i>Contact:</i> Gary Champ <i>Email:</i> gary@shur-lite.com	R633, R634 R626, R625
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD5500 Earthflex Delineator <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Type 2	10/13/2004 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com	R506

619.02.01a

FLEXIBLE OBJECT MARKERS (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108-	Island Sentry K-Marker	Type 2	8/1/1989 <i>Contact:</i> Ernest Joyner III	R050
<i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i>	<i>Fax #:</i> (803) 276-8940	<i>Web Site:</i> www.carsonite.com	<i>Email:</i> sales@carsonite.com	
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	T1 Marker Round T2 Marker Round BD Marker Round HM Marker Round	Type 2	6/1/1994 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr.	R049, R048 D051 D052
<i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i>	<i>Fax #:</i> (239) 482-3539	<i>Web Site:</i> www.flexstake.com	<i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com	
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Type K Island Marker	Type 2	9/13/2007 <i>Contact:</i> Bill Daly	R576
<i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689	<i>Fax #:</i> (253) 284-8080	<i>Web Site:</i> www.pexco.com	<i>Email:</i> bill.daly@pexco.com	
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	FG 300 Complete Curb System FG 300 Turn Pike Curb FG 300 Model PE FG 300 HD UR		10/14/1999 <i>Contact:</i> Bill Daly	R315, R686 D207 D200
<i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689	<i>Fax #:</i> (253) 284-8080	<i>Web Site:</i> www.pexco.com	<i>Email:</i> bill.daly@pexco.com	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-	RubberTough 360 HD Bolt Down Soil Mount Tubular Delineator	Type 2	11/21/2008 <i>Contact:</i> Diane Sanchez	R625, R626
<i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	<i>Fax #:</i> (312) 467-0201	<i>Web Site:</i> www.safe-hit.com	<i>Email:</i>	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH Replaceable Barrier Marker SH Dura Post K Marker	Type 2	11/4/1998 <i>Contact:</i> Diane Sanchez	R052, R053 D060
<i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	<i>Fax #:</i> (800) 770-6755	<i>Web Site:</i> www.energyabsorption.com	<i>Email:</i> diane.sanchez@quixotecorp.com	
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-	Safe Hit Soil Mount Surface Mount Tubular Delineator RT 360 HD Tubular Delineator Soil/Surface Mount	Type 2	11/21/2008 <i>Contact:</i> Diane Sanchez	R623, R624 D200
<i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	<i>Fax #:</i> (312) 467-0201	<i>Web Site:</i> www.safe-hit.com	<i>Email:</i>	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD 5215 K Marker	Type 2	9/4/2007 <i>Contact:</i> Frank Dvoracek	R566
<i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	<i>Fax #:</i> (818) 841-5096	<i>Web Site:</i> www.trafficwks.com	<i>Email:</i> sales@trafficwks.com	

619.03.01 PRISMATIC ACRYLIC REFLECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i> <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com	AKT #18 Center Mounted Reflector		5/5/1998 <i>Contact:</i> Sharon Marquardt <i>Email:</i> tschoe2992@aol.com	R054
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- <i>Mfg #:</i> (847) 428-7761 <i>Cell #:</i> <i>Fax #:</i> (847) 428-7764 <i>Web Site:</i> www.vegamoldedproducts.com	Center-Mounted Delineator Reflector		5/5/1998 <i>Contact:</i> Doris Weid <i>Email:</i> vega7761@aol.com	R055

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <i>Mfg #:</i> (605) 692-0200 <i>Cell #:</i> (605) 695-5624 <i>Fax #:</i> (605) 697-4700 <i>Web Site:</i> www.daktronicsinc.com	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004 <i>Contact:</i> Darcie Van Ede <i>Email:</i> nrwinac@daktronics.com	R503
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- <i>Mfg #:</i> (719) 392-9046 <i>Cell #:</i> (719) 314-6883 <i>Fax #:</i> (719) 392-2075 <i>Web Site:</i> www.skylineproducts.com	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008 <i>Contact:</i> Adam Lyons <i>Email:</i> adamlyons@skylineproducts.com	R587

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <i>Mfg #:</i> (949) 387-4863 <i>Cell #:</i> (714) 743-0712 <i>Fax #:</i> (949) 387-4895 <i>Web Site:</i> www.milbankmfg.com	Metered Service Pedestals		11/19/2002 <i>Contact:</i> Dave Stipe <i>Email:</i> dstipe@milbankmfg.com	R367
Myers Power Products 725 East Harrison Street Corona CA 92879- <i>Mfg #:</i> (951) 520-1900 <i>Cell #:</i> <i>Fax #:</i> (951) 520-1961 <i>Web Site:</i> www.myerspowerproducts.com	Service Pedestals		9/5/2000 <i>Contact:</i> Diana Grootonk <i>Email:</i> dianagrootonk@myerspower.com	R267

623.02.08**SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 <i>Cell #:</i> (951) 493-8394 <i>Fax #:</i> (951) 279-3116 <i>Web Site:</i> www.pedestals.net	Service Pedestals		11/19/2002 <i>Contact:</i> Bob Ford <i>Email:</i> pupsales@pedestals.net	R366
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 <i>Cell #:</i> (916) 952-5088 <i>Fax #:</i> (916) 429-2817 <i>Web Site:</i> www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000 <i>Contact:</i> Curt Vasey <i>Email:</i> cvasey@tescocontrols.com	R266

623.02.12c**HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 <i>Cell #:</i> (817) 657-6973 <i>Fax #:</i> (682) 286-0086 <i>Web Site:</i> www.chmindustries.com	426 Series High Mast Head Frame Assembly	Bottom Latching	12/30/2003 <i>Contact:</i> Scott Engberg <i>Email:</i> sengberg@chmindustries.com	R469
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 <i>Cell #:</i> (847) 217-1070 <i>Fax #:</i> (847) 473-3870 <i>Web Site:</i> www.eaglehighmast.com	High Mast Assembly	Bottom Latching	12/30/2003 <i>Contact:</i> Joseph Simons III <i>Email:</i> himastltg@aol.com	R470
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com	Holophane LD07 Series High Mast Lighting Lowering D	Bottom Latching	12/30/2003 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com	R468

623.02.16**DUCT SEALING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ideal Industries Incorporated Becker Place Sycamore IL 60178- <i>Mfg #:</i> (800) 435-0705 <i>Cell #:</i> (800) 304-3578 <i>Fax #:</i> (800) 533-4483 <i>Web Site:</i> www.idealindustries.com	Duct Seal		10/7/2009 <i>Contact:</i> Customer Service <i>Email:</i> Ideal_Industries@idealindustries.com	R676

623.02.16**DUCT SEALING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055- <i>Mfg #:</i> (800) 231-3345 <i>Cell #:</i> (713) 263-8001 <i>Fax #:</i> (800) 441-0051 <i>Web Site:</i> www.rectorseal.com	Rectorseal® Duct Seal Compound		10/7/2009 <i>Contact:</i> Customer Service <i>Email:</i>	R677

623.02.29**EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	560 Chassis Discimonator Opticom Priority Control	Do not mix components, it must be a complete system.	9/19/2003 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com	R459
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	452 Discimonator Opticom Priority Control Systems 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com	R306, R307
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	711 Priority Control Syst Optical Detector Model 722 Priority Control Syst Optical Detector Model 721 Priority Control Syst Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com	R308, R309 R210
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- <i>Mfg #:</i> (800) 338-3133 <i>Cell #:</i> (951) 699-1784 <i>Fax #:</i> (951) 699-2725 <i>Web Site:</i> www.tomar.com	3140 Emergency Veh Optical Detector 3080 Emergency Veh Optical Detector Strobecom II System Card Racks Strobecom II Optical Preemption Detector	Do not mix components, it must be a complete system.	9/27/2001 <i>Contact:</i> Bill Taylor <i>Email:</i> sales@tomar.com	R203, R204 R205, R206

623.02.30a**VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903 <i>Cell #:</i> <i>Fax #:</i> (541) 782-2053 <i>Web Site:</i> www.diamondtraffic.com	Brass Linguine Class 1		10/31/2001 <i>Contact:</i> Beth Ann Ritz <i>Email:</i> sales@diamondtraffic.com	R317

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496 <i>Cell #:</i> <i>Fax #:</i> (757) 766-4297 <i>Web Site:</i> www.meas-spec.com	Roadtrax BL Sensor Brass Linguine Class 1		5/26/1999 <i>Contact:</i> Robin Fletcher <i>Email:</i> robin.fletcher@meas-spec.com	R161

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 <i>Cell #:</i> (404) 661-1875 <i>Fax #:</i> (770) 983-9642 <i>Web Site:</i> www.Bondo.com	P/N 606 Detector Loop Sealant		12/2/2003 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com	R465
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	271 Loop Detector Sealant 272 Loop Detector Sealant	Rubberized Asphalt Material	8/5/1998 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com	R059, R060
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 <i>Cell #:</i> (781) 289-1400 <i>Fax #:</i> (781) 289-1405 <i>Web Site:</i> www.durantcorp.com	Stat-a-Flex Polyester Loop Sealant	Polyester Material	8/5/1998 <i>Contact:</i> Al Losanno <i>Email:</i> alosanno@durantcorp.com	R061
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	3M Discimonator Opticom Priortiy Control System 5000 Rubberized Loop Detector Sealant	Rubberized Material	8/5/1998 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com	R057, R058
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840 <i>Cell #:</i> <i>Fax #:</i> (916) 689-8857 <i>Web Site:</i> www.quikrete.com	Quikrete Commerical Grade Permanent Blacktop Repair #1701	Asphaltic Concrete	1/1/2001 <i>Contact:</i> Norman Wong <i>Email:</i> nwong@quikrete.com	R280
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 525-1852 <i>Cell #:</i> (704) 904-1481 <i>Fax #:</i> (704) 525-1859 <i>Web Site:</i> www.raiproducts.com	Pro-Seal 6006 Polyester Material Permanent Sealer 974 Nitrile Rubber Material	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998 <i>Contact:</i> John Rosenblatt Jr. <i>Email:</i> john@raiproducts.com	R063, R064

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 <i>Cell #:</i> (408) 640-6121 <i>Fax #:</i> (408) 294-3696 <i>Web Site:</i> www.rginc.com	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998 <i>Contact:</i> Rick <i>Email:</i> rick@rginc.com	R062

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 <i>Cell #:</i> (732) 751-5810 <i>Fax #:</i> (732) 751-5778 <i>Web Site:</i> www.dialight.com	LED 12" Signal Heads Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002 <i>Contact:</i> Matthew Sieglitz <i>Email:</i> msieglitz@dialight.com	R335, R336
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246 <i>Cell #:</i> <i>Fax #:</i> (562) 691-3087 <i>Web Site:</i> www.eoi-us.com	LED Traffic Signal Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T	6/17/2008 <i>Contact:</i> Cheryl Huang <i>Email:</i> cherylhuang@eoi-us.com	R598, R599
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 <i>Cell #:</i> (602) 326-5698 <i>Fax #:</i> (602) 344-7771 <i>Web Site:</i> www.phoenixhighwayproducts.com	LED 12" Signal Heads Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002 <i>Contact:</i> Tara Cummings <i>Email:</i> tara@phoenixhighwayproducts.com	R337, R338

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 <i>Cell #:</i> (714) 323-2636 <i>Fax #:</i> (928) 855-7237 <i>Web Site:</i> www.gelightingssystem.com	85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004		1/17/2003 <i>Contact:</i> Pete Porte <i>Email:</i> pete.porte@ge.com	R402
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop		1/17/2003 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com	R401

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- <i>Mfg #:</i> (717) 235-2863 <i>Cell #:</i> (717) 818-8203 <i>Fax #:</i> (717) 235-5076 <i>Web Site:</i> www.lumitrak.com	Lumi Trak		11/19/2002 <i>Contact:</i> George Townsend <i>Email:</i> george@lumitrak.com	R365

623.03.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110- <i>Mfg #:</i> (408) 920-6319 <i>Cell #:</i> <i>Fax #:</i> (408) 920-6103 <i>Web Site:</i> www.brgsupply.com	Red Light Detector		7/16/2003 <i>Contact:</i> Monty Mountha <i>Email:</i> monty.brgsupply@yahoo.com	R446
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- <i>Mfg #:</i> (760) 734-5027 <i>Cell #:</i> (760) 727-8100 <i>Fax #:</i> (760) 597-7108 <i>Web Site:</i> www.mccain-inc.com	Red Light Detector		7/16/2003 <i>Contact:</i> Carol Jarvis-Murphy <i>Email:</i> cmurphy@mccain-inc.com	R445

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	3924S Reflective Sheeting 3970 DG Reflective Sheeting (Phasing Out)	*discontinued manufacturing 3970 LDP Dimond Grade, but still carried by vendors and still approved	4/8/1999 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R163, R550
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com	R164
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	Reflexite Fluorescent Orange Super Bright Roll Up		4/8/1999 <i>Contact:</i> Rebecca Cavazuti <i>Email:</i> customer.service@reflexite.com	R162

625.02.01

CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600 <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com	MF-180-36 Masterflex		6/15/1998 <i>Contact:</i> Sandy Gerbrick <i>Email:</i> sandygerbrick@bentmfg.com	R065
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com	SDCF SMDW		6/15/1998 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com	R066, R067
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com	754 Ground Mount E-Base Round	Type 2	6/1/1994 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkj Hughes24@yahoo.com	R032, R296
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com	FG 300 Complete Curb System FG 300 HD UR FG 300 Model PE		10/14/1999 <i>Contact:</i> Bill Daly <i>Email:</i> bill.daly@pexco.com	R315, R687 D400
Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570- <i>Mfg #:</i> (813) 645-5072 <i>Cell #:</i> <i>Fax #:</i> (813) 454-4856 <i>Web Site:</i> www.qwickkurb.com	Qwick Kurb		11/21/2008 <i>Contact:</i> Mike Hair <i>Email:</i> mike@qwickkurb.com	R627
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	SH Dura Post SH Replaceable Barrier Marker RT 360 HD Tubular Delineator Soil/Surface Mount		6/15/1998 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R053, R068 D400
Shur-Tite® Products 105 Tradesmens Park Drive Hutto TX 78634- <i>Mfg #:</i> (512) 218-9500 <i>Cell #:</i> <i>Fax #:</i> (512) 388-0588 <i>Web Site:</i> www.shur-lite.com	Shur-Flex® Surface Mount Delineator		4/30/2009 <i>Contact:</i> Gary Champ <i>Email:</i> gary@shur-lite.com	R634
Western Highway Products 10680 Fern Avenue Stanton CA 90680- <i>Mfg #:</i> (800) 854-3360 <i>Cell #:</i> (714) 761-4811 <i>Fax #:</i> (714) 952-2118 <i>Web Site:</i> www.westernhighway.com	Repo 300		6/15/1998 <i>Contact:</i> Barbara / Annie <i>Email:</i> western.highway@yahoo.com	R081

625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i> <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com <i>Email:</i> tschoe2992@aol.com	FB33 Flexible Barrier Marker		2/2/1993 <i>Contact:</i> Sharon Marquardt	R013
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779 <i>Cell #:</i> <i>Fax #:</i> (973) 962-7652 <i>Web Site:</i> n/a <i>Email:</i> kerry@hallmanufacturing.com	FlexX 2020	W/75 mm X 75mm Reflective Sheeting	12/17/1997 <i>Contact:</i> Kerry	R019
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com <i>Email:</i> bill.daly@pexco.com	PCBM 12 Marker PCBM T12 High Impact Dapco Straight Guardrail Reflective Plates		12/17/1997 <i>Contact:</i> Bill Daly	R017, R018 D477
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com <i>Email:</i> sales@trafficwks.com	TD9300 Roadguide TD9400 Roadguide		12/3/2002 <i>Contact:</i> Frank Dvoracek	R371, R372

625.02.03 CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Addco Manufacturing Company Inc 240 Arlington Avenue St Paul MN 55117- <i>Mfg #:</i> (800) 616-4409 <i>Cell #:</i> (651) 558-3536 <i>Fax #:</i> (651) 558-3600 <i>Web Site:</i> www.addco.com <i>Email:</i> sales@addco.com	Guardian Solar Powered PCMS Sign Dot Sign DH1000		2/22/1998 <i>Contact:</i> Danielle Nicholson	R073, R074
American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i> <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com <i>Email:</i> sales@amsig.com	CMS T300 Changeable Message Signs CMS T331 Changeable Message Signs CMS T320 Changeable Message Signs CMS GP465 Changeable Message Signs		2/22/1998 <i>Contact:</i> Scott Covington	R075, R076 D077 D078
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 <i>Mfg #:</i> (204) 885-2580 <i>Cell #:</i> <i>Fax #:</i> (204) 888-2912 <i>Web Site:</i> www.enduron.net <i>Email:</i> chelsea.k@enduron.net	CMS 80FM	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004 <i>Contact:</i> Chelsea Klassen	R505

625.02.03**CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com	ER200 ER200T CMS330 ER20054		4/10/2000 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com	R069, R070 D071, D072
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com	Sunray Solar 345 Sunray Solar 380 Nighthawk 340 (Phasing Out) Nighthawk 345 (Phasing Out)	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com	R079, R080 D001
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683 <i>Fax #:</i> (972) 271-9583 <i>Web Site:</i> www.precisionsolarcontrols.com	Solar Powered Message Board Center		2/22/1998 <i>Contact:</i> Vickie Seymour <i>Email:</i> vseymour@precisionsolarcontrols.com	R084
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303 <i>Fax #:</i> (418) 654-0517 <i>Web Site:</i> www.ver-mac.com	PCMS		2/22/1998 <i>Contact:</i> Kimberly Jack <i>Email:</i> kim.jack@ver-mac.com	R085
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <i>Mfg #:</i> (610) 391-8600 <i>Cell #:</i> (610) 393-4419 <i>Fax #:</i> (610) 391-8601 <i>Web Site:</i> www.solartechnology.com	Silent Messenger Solar Powered Silent Messenger II Silent Messenger III	Standard or Lift & Rotate Trailer	2/22/1998 <i>Contact:</i> Inside Service Manager <i>Email:</i> customerservice@solartechnology.com	R086, R664 D445
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- <i>Mfg #:</i> (303) 427-5700 <i>Cell #:</i> (800) 972-0755 <i>Fax #:</i> (303) 427-5725 <i>Web Site:</i> www.wanco.com	WTLMB-S-LL(A)		8/5/2002 <i>Contact:</i> Jim McLemore <i>Email:</i> jim@wanco.com	R355

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com	Absorb 350	TL-3 only. Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001 <i>Contact:</i> Ron Keener <i>Email:</i> ron.keener@barriersystemsinc.com	R285, R667

625.02.04 TEMPORARY IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Engergite III Module N-E-A-T System Quadguard		9/3/1998 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R089, R090 R001
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com	R545
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (775) 357-6005 <i>Cell #:</i> (775) 690-3037 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz	Engergite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998 <i>Contact:</i> Tim Kniffen <i>Email:</i> tkniffen@tcsi.biz	R092, R093 R004
TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	3/22/2000 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com	R095, R096

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Safe-Stop 180 TMA	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R192
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331 <i>Fax #:</i> (775) 358-9161 <i>Web Site:</i> www.tcsi.biz	Engergite III Fitch Inertial Barrier System React 350 Crash Cushion		9/3/1998 <i>Contact:</i> Tim Kniffen <i>Email:</i> tkniffen@tcsi.biz	R092, R093 R004
TraFFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	ScorPion C 10,000	TL-3, Required truck weight 9,000 kg (19,842 lb)	7/26/2000 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com	R264

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998 <i>Contact:</i> Mikel Hooley <i>Email:</i> mikel.hooley@trin.net	R097

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Armorcast Products Company Inc 13230 Satcoy Street North Hollywood CA 91605- <i>Mfg #:</i> (818) 982-3600 <i>Cell #:</i> (909) 772-1424 <i>Fax #:</i> (818) 982-7742 <i>Web Site:</i> www.armorcastprod.com	Guardian Barrier Water Filled with 350 kit	Required minimum length of 60.4m for speeds less than or equal 45 mph (Opaque ivory colored 1.8m sections).	9/3/1998 <i>Contact:</i> Sydney Chase <i>Email:</i> info@armorcastprod.com	R099
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <i>Mfg #:</i> (800) 292-1305 <i>Cell #:</i> <i>Fax #:</i> (219) 659-0625 <i>Web Site:</i> www.rhinobarriers.com	Rhino Safety Barrier (use the 350 kit with install)	Use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph. Deflection is up to 13ft (4m). Fill each panel with 92.5 Gal (350L) of water (+/- 1Gal(3.8L).	3/10/2004 <i>Contact:</i> Steve Washburn <i>Email:</i> steve.washburn@polyjohn.com	R482
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Triton Barrier	use 30 m (100 ft) minimum for LON for speeds less than or equal 45 mph(White colored 6.5 ft sections).	3/30/1997 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R098
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625 <i>Fax #:</i> (570) 380-2859 <i>Web Site:</i> www.yodock.com	Traffic Control Model 2001 Type III Barricade		8/3/2006 <i>Contact:</i> Kathleen Yodock <i>Email:</i> kathleen@yodock.com	R551, R561

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- <i>Mfg #:</i> (888) 414-3003 <i>Cell #:</i> (662) 566-2025 <i>Fax #:</i> (662) 566-7123 <i>Web Site:</i> www.k-ksystems.com	Safety Beacon Light		6/1/1999 <i>Contact:</i> Timothy Keith <i>Email:</i> timothy@k-ksystems.com	R188

625.03.03

SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- <i>Mfg #:</i> (270) 527-4200 <i>Cell #:</i> <i>Fax #:</i> (270) 527-1552 <i>Web Site:</i> www.alcancompositesusa.com <i>Email:</i> star.collins@alcan.com	Dibond for Highway Work Zone Signage	Must conform to section 716. Alpollic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006 <i>Contact:</i> Star Collins	R547, R533
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com	SZ-412-2S Sign Support System SZ-460-2S Sign Support System SZ-484-2S Sign Support System	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008 <i>Contact:</i> Chris Goode	R657, R658 D450
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com	BoneLight ACM Big Dog Rigid Sign	Approved for rigid sign substrates as specified by the FHWA letter of acceptance. Attached signs must conform to section 716.	10/17/2008 <i>Contact:</i> Chris Goode	R620, R621
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com	SZ-460-2S SZ-484-2S SZ-412-2S		10/17/2008 <i>Contact:</i> Chris Goode	R657, R658 D450
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i> <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com <i>Email:</i> chris@bonesafety.com	SZ-412 Sign Support System SZ-412S Sign Support System SZ-460 Sign Support System SZ-484 Sign Support System	Roll-up Fabric Only	10/17/2008 <i>Contact:</i> Chris Goode	R616, R617 D410 D410
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com	DF3000WQ Dynaflex Sign Stand DL1003W Dynaflex Sign Stand UF 2000 Uniflex Verticle Portable Sign Stand	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000 <i>Contact:</i> Michael Burke	R223, R224 D225
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277 <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com <i>Email:</i> mike@dicketool.com	DF3000S Dynaflex Sign Stand DF3003S Dynaflex Sign Stand DF3003W Dynaflex Sign Stand	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000 <i>Contact:</i> Michael Burke	R220, R221 D222
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com <i>Email:</i> kmclean@usa-sign.com	X501 Interstate Stands w/Full Size Coil Spring X550 Interstate Stands w/Full Size Coil Spring X551 Interstate Stands w/Full Size Coil Spring X600 Interstate Stands w/Full Size Coil Spring	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Kim McLean	R231, R232 D233 D234

625.03.03

SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295 <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com	C200 Sign Support System C202 S Sign Support System C902 Sign Support System Superflex Compact Stand w/Fiberglass Leaf Spr	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Kim McLean <i>Email:</i> kmclean@usa-sign.com	R227, R228 D220 D220
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	SS548C Sign Support System SS548UCA Sign Support System SS548AE Sign Support System SS560UCA Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R407, R408 D400 D410
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	SS548CE Sign Support System SS548UCR Sign Support System SS548A Sign Support System SS548UC Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R403, R404 D405 D410
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	SS1 Sign Support System SS548CA Sign Support System SS548E Sign Support System SS560A Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R411, R412 D412 D414
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050 <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	SS548 Sign Support System SS560 Sign Support System SS548UCRA Sign Support System SS548CAE Sign Support System	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R415, R416 D417 D410
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditraficcontrol.com	4860KC Sign Support System 4884CS Sign Support System 4814K Windmaster Sign Support System	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Karen Jackson <i>Email:</i> kjackson@mdiworldwide.com	R239, R240 D241
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i> <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditraficcontrol.com	4812 Sign Support System 4818 Sign Support System 4815RB Sign Support System 4850RB Sign Support System	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Karen Jackson <i>Email:</i> kjackson@mdiworldwide.com	R235, R236 D227 D220
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099 <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	Economy Plastic Folding Barricade Zephyr Portable Sign Support 48"	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com	R248, R244

625.03.03**SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673-	Big Buster Dual Spring Folding Leg Sign Stand Little Buster Dual Spring Folding Sign Stand	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000 <i>Contact:</i> Cary Lemonds	R242, R243
<i>Mfg #:</i> (801) 446-4450	<i>Cell #:</i> (801) 979-7099	<i>Fax #:</i> (801) 446-1157	<i>Web Site:</i> www.traffixdevices.com	<i>Email:</i> clemonds@traffixdevices.com

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type II Wood or Waffle & Steel Legged Barricades Type II All Plastic Universal	Type II w/ or w/out lights	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R272, R273
<i>Mfg #:</i> (888) 842-0600	<i>Cell #:</i> (714) 842-0600	<i>Fax #:</i> (888) 842-2368	<i>Web Site:</i> www.bentmfg.com	<i>Email:</i> sandygerbrick@bentmfg.com
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type I Wood or Waffle & Steel Legged Barricades Type I All Plastic Universal	Type I w/ or w/out lights	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R246, R247
<i>Mfg #:</i> (888) 842-0600	<i>Cell #:</i> (714) 842-0600	<i>Fax #:</i> (888) 842-2368	<i>Web Site:</i> www.bentmfg.com	<i>Email:</i> sandygerbrick@bentmfg.com
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647-	Barricades Type III Plywood Panel	Type III w/ or w/out lights	3/9/2000 <i>Contact:</i> Sandy Gerbrick	R245
<i>Mfg #:</i> (888) 842-0600	<i>Cell #:</i> (714) 842-0600	<i>Fax #:</i> (888) 842-2368	<i>Web Site:</i> www.bentmfg.com	<i>Email:</i> sandygerbrick@bentmfg.com
Highway Technologies 4533 Andres Street North Las Vegas NV 89081-	Type 3D Barricades		1/10/2000 <i>Contact:</i> David Johnson	R435
<i>Mfg #:</i> (702) 453-1616	<i>Cell #:</i>	<i>Fax #:</i> (702) 438-3460	<i>Web Site:</i> www.hwy-tech.com	<i>Email:</i> david.johnson@hwy-tech.com
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	TD2500 Type III Barricades TD2550 Barricade Type III TD2650 Works Barricade Type III	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000 <i>Contact:</i> Bill Daly	R250, R251 R252
<i>Mfg #:</i> (253) 284-8000	<i>Cell #:</i> (408) 431-8689	<i>Fax #:</i> (253) 284-8080	<i>Web Site:</i> www.pexco.com	<i>Email:</i> bill.daly@pexco.com
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424-	Anchor Barricade Barricade Type IIIB	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000 <i>Contact:</i> Bill Daly	R250, R521
<i>Mfg #:</i> (253) 284-8000	<i>Cell #:</i> (408) 431-8689	<i>Fax #:</i> (253) 284-8080	<i>Web Site:</i> www.pexco.com	<i>Email:</i> bill.daly@pexco.com

625.03.04

BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590 <i>Cell #:</i>	PST-III (Type III barricade)	Type III	3/19/2004 <i>Contact:</i> Bill Jamieson	R483
	<i>Fax #:</i> (216) 231-2702 <i>Web Site:</i> www.plasticsafety.com		<i>Email:</i> wejamieson@plasticsafety.com	
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400 <i>Cell #:</i>	Sentinel Type III	Type III	2/21/2007 <i>Contact:</i> Marshall Shapiro	R001
	<i>Fax #:</i> (847) 470-0420 <i>Web Site:</i> www.americanlouver.com		<i>Email:</i>	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2550 Work Barricade Type III	Type III	7/5/2005 <i>Contact:</i> Frank Dvoracek	R525
	<i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		<i>Email:</i> sales@trafficwks.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2400 Works All Plastic Type IIIB TD3000 A Frame Barricade Type I	Type I and Type III B	12/3/2002 <i>Contact:</i> Frank Dvoracek	R374, R375
	<i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		<i>Email:</i> sales@trafficwks.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2300 Barricade TD2500 Barricade TD2600 Works Barricade	Barricade Type I and Type II	7/5/2005 <i>Contact:</i> Frank Dvoracek	R530, R531 DE70 DE71
	<i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		<i>Email:</i> sales@trafficwks.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2150 Barricade TD2000 Barricade 24" Wide TD2200 Barricade TD2250 Barricade	Barricade Type I and Type II	7/5/2005 <i>Contact:</i> Frank Dvoracek	R526, R527 DE70 DE71
	<i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		<i>Email:</i> sales@trafficwks.com	
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Economy Plastic Folding Barricade Sand-Filled Bag		4/3/2000 <i>Contact:</i> Cary Lemonds	R248, R249
	<i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com		<i>Email:</i> clemonds@traffixdevices.com	
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625	Yodock Model 2001 200 M with Type III Temporary Sign Support	Type III	11/27/2007 <i>Contact:</i> Kathleen Yodock	R583, R588
	<i>Fax #:</i> (570) 380-2859 <i>Web Site:</i> www.yodock.com		<i>Email:</i> kathleen@yodock.com	

627.02.01a**POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Contact:</i>				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Email:</i>

630.02.01**HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108-	Modular Guidance System		10/20/1996	R102
<i>Contact:</i> Ernest Joyner III				
<i>Mfg #:</i> (800) 648-7916	<i>Cell #:</i>	<i>Fax #:</i> (803) 276-8940	<i>Web Site:</i> www.carsonite.com	<i>Email:</i> sales@carsonite.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912-	Glare Screen System		7/31/1996	R103
<i>Contact:</i> Jim Zadrozny/Robert Hughes Jr.				
<i>Mfg #:</i> (800) 348-9839	<i>Cell #:</i>	<i>Fax #:</i> (239) 482-3539	<i>Web Site:</i> www.flexstake.com	<i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Glare Screen System		7/31/1996	R104
<i>Contact:</i> Diane Sanchez				
<i>Mfg #:</i> (312) 705-8454	<i>Cell #:</i>	<i>Fax #:</i> (800) 770-6755	<i>Web Site:</i> www.energyabsorption.com	<i>Email:</i> diane.sanchez@quixotecorp.com

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	LTL-X 30-Meter Geometry Retroreflectometer	10/08 LTX Geometry Retroreflectometer was discontinued	12/26/1999	R211
<i>Contact:</i> Tim Montgomery				
<i>Mfg #:</i> (336) 475-6600	<i>Cell #:</i>	<i>Fax #:</i> (336) 475-7900	<i>Web Site:</i> www.flintrading.com	<i>Email:</i> sales@flintrading.com
Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020-	MP 30		12/26/1999	R213
<i>Contact:</i> William Kaiser				
<i>Mfg #:</i> (801) 718-7089	<i>Cell #:</i> (801) 571-3394	<i>Fax #:</i> (801) 571-3394	<i>Web Site:</i> www.miroluxproducts.com	<i>Email:</i> sales@miroluxproducts.com

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
RoadVista 8581 Aero Drive San Diego CA 92123-	MX 30 LaserLuxGamma Scientific Stripe Master 2 Series	MX 30 still qualified but phasing out	5/2/2006 <i>Contact:</i> Keith Breeding	R542, R543
<i>Mfg #:</i> (925) 552-5922	<i>Cell #:</i> (510) 453-7004	<i>Fax #:</i> (925) 886-8833	<i>Web Site:</i> www.roadvista.com	<i>Email:</i> kbreeding@keoselectronics.com

633.02.01**NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999 <i>Contact:</i> Bart Farrar	R184
<i>Mfg #:</i> (253) 351-9828	<i>Cell #:</i>	<i>Fax #:</i> (253) 735-6303	<i>Web Site:</i> www.alpinemarkings.com	<i>Email:</i> bart@alpinemarkings.com
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670-	929 ABS 929 PP Ceramic	100mm (4") Round	6/1/1999 <i>Contact:</i> Steve Edsinga	R172, R678, R173
<i>Mfg #:</i> (562) 944-8878	<i>Cell #:</i> (562) 805-3839	<i>Fax #:</i> (562) 944-2298	<i>Web Site:</i> www.apexmarker.com	<i>Email:</i> sales@apexmarker.com
Glowlite Incorporated 1360 Beach Boulevard #B-230 La Habra CA 90631-	Type A/4" White Non Reflective Type AY/4" Yellow Non Reflective	100mm (4") Round (Ceramic and Plastic/PP)	3/7/2005 <i>Contact:</i> Edward Fei or Richard Fei	R516, R517
<i>Mfg #:</i> (626) 336-6086	<i>Cell #:</i>	<i>Fax #:</i> (626) 336-6085	<i>Web Site:</i> www.glowlitemarkers.com	<i>Email:</i> edwardfei_glowlite@yahoo.com
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710-	Model P20-2000W ABS Model P20-2001Y ABS	100mm (4") Round	6/1/1999 <i>Contact:</i> Bob Smith	R185, R186
<i>Mfg #:</i> (800) 228-1701	<i>Cell #:</i> (909) 591-1781	<i>Fax #:</i> (909) 627-0999	<i>Web Site:</i> www.hi-waysafety.com	<i>Email:</i> hiwaysafety@linkline.com
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602-	Diamond Back	100mm (4") Round (ABS & Polypropylene)	6/1/1999 <i>Contact:</i> Mike Trentman	R170
<i>Mfg #:</i> (800) 237-7245	<i>Cell #:</i> (530) 823-6070	<i>Fax #:</i> (530) 823-0994	<i>Web Site:</i> www.interstatesales.com	<i>Email:</i> miket@interstatesales.com
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038	ADOT - W White ADOT - Y Yellow CDOT - W White CDOT - Y Yellow	100mm (4") Round	2/17/2004 <i>Contact:</i> Norman Yamaguchi	R474, R475 D476, D477
<i>Mfg #:</i> (714) 656-3659	<i>Cell #:</i>	<i>Fax #:</i> (925) 215-2549	<i>Web Site:</i> www.novabrite.com	<i>Email:</i> norman@novabrite.com

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	TD10000 Series	100mm (4") Round	12/3/2002 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com	R373

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	290 Durable Raised Pavement Marker	89mm x 100mm (3.6" x 4")	6/1/1999 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R182
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com	921 AR	100mm x 100mm (4" x 4")	3/25/2001 <i>Contact:</i> Steve Edsinga <i>Email:</i> sales@apexmarker.com	R282
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	911 Reflective Pavement Markers 953 Reflective Pavement Markers C88 Permanent Reflective Pavement Markers Ab C80FH Reflective Raised Pavement Marker	100mm x 100mm (4" x 4")	6/1/1999 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R179, R180, R181, R255
Ray-O-Lite/Hallen Products 2500 Westward Drive Unit 2 Spring Grove IL 60081- <i>Mfg #:</i> (815) 675-3100 <i>Cell #:</i> <i>Fax #:</i> (815) 675-3110 <i>Web Site:</i> www.rayolite.com	AA Reflective Pavement Markers ARC Reflective Pavement Markers	100mm x 100mm (4" x 4")	6/1/1999 <i>Contact:</i> Al Siblik <i>Email:</i> asiblik@rayolite.com	R174, R175

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	948 Recessed Reflective Pavement Markers	58mm x 119mm (2.3" x 4.7")	6/1/1999 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R183

633.02.03**RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	944SB Recessed Reflective Pavement Markers	51mm x 100mm (2" x 4")	6/1/1999 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R178
Ray-O-Lite/Hallen Products 2500 Westward Drive Unit 2 Spring Grove IL 60081- <i>Mfg #:</i> (815) 675-3100 <i>Cell #:</i>	ARC 2002 ARC 2004	58mm x 117mm (2.3" x 4.6")	6/1/1999 <i>Contact:</i> Al Siblik <i>Email:</i> asiblik@rayolite.com	R176, R177

633.02.04**ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	Hot Applied Flexible Pavement Marker Adhesive part 34270		6/16/1998 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com	R105
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	836098 Bituminous Adhesive for Pavement Markers		6/15/1998 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R108
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i>	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad	White Color on Plantmix & Black Color on PCCP	6/15/1998 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrtrading.com	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940	Dotstick Bituminous Marker Adhesive		9/29/2003 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com	R464
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (713) 941-4410 <i>Cell #:</i> (713) 350-6849	172542 Evergrip Bituminous Marker Adhesive		6/15/1998 <i>Contact:</i> Jack Nimmo <i>Email:</i> jnimmo@martinmlp.com	R107

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Pexco LLC/Davidson Traffic 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (253) 284-8000 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.pexco.com	Halftrack Model 25 Halftrack Model 26; TOM TRPM	Work Zone Pavement Markers	2/20/2000 <i>Contact:</i> Bill Daly <i>Email:</i> bill.daly@pexco.com	R253, R254 R255, R257

634.03.03a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Crown Technology LLC PO Box 789 Woodbury GA 30293- <i>Mfg #:</i> (706) 553-9500 <i>Cell #:</i> (706) 575-0423 <i>Fax #:</i> (706) 553-9501 <i>Web Site:</i> www.crownthermo.com	Tuffline Alkyd		1/17/2003 <i>Contact:</i> Jeannie Powell <i>Email:</i> jeannie@crowthermo.com	R290
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	885555 Alkyd White 884685 Alkyd Yellow	Lead Free	10/1/2009 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R673, R674

634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	Flame Tape ThermaLine		6/13/2001 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R299, R300
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i> <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com	Hot TapeTM Premark® PLUS		2/24/2004 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com	R168, R169

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	780 Wet Reflective Removable Tape 750 Wet Reflective Removable Tape (Phasing Out)	10/08 Discontinued manufacturing 750, but still carried by vendors and still approved	5/21/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R423, R424

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 200 Construction Removable Tape	<i>Fax #:</i> (252) 536-4940 <i>Web Site:</i> www.trafficmarking.com	6/15/1999 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com	R101
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 100 White & Yellow Series 200 White & Yellow Removable	<i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechlogies.com	6/15/1999 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@brite-line.com	R154, R155 D157 D158
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- <i>Mfg #:</i> (314) 968-2569 <i>Cell #:</i>	Aztec III Removable	<i>Fax #:</i> (314) 968-0494 <i>Web Site:</i> www.pblaminations.com	6/15/1999 <i>Contact:</i> Laretta Green <i>Email:</i> lgreen@pblaminations.com	R119
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 2 Detour Grade Director 2 - Wet Reflective (D2-WR) Yellow & White	<i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com	6/15/1999 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com	R120, R655 D454
Trelleborg Industri AB 23181 Trelleborg Sweden <i>Mfg #:</i> (464) 105-1536 <i>Cell #:</i> (467) 081-5366	RW 140 Series RY 140 Series R 140 Series	<i>Fax #:</i> (464) 105-1122 <i>Web Site:</i> www.trelleborg.com/roadtape	8/24/2001 <i>Contact:</i> Tevin Loontjens <i>Email:</i> tevnlootjens@trelleborg.com	R303, R304 D305

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220	PennzSuppress D Dust Suppressant	<i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	5/2/1999 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984	Road Boss	<i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss) 10/26/2005 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com	R498

637.02.01**DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <i>Mfg #:</i> (972) 758-7454 <i>Cell #:</i> (702) 405-0351 <i>Fax #:</i> (972) 596-8418 <i>Web Site:</i> www.dallasroadway.com	Dust Control DC-22	Application and dilution rates follow manufacturer's instructions.	6/19/2006 <i>Contact:</i> Ellyn Neal-Favors <i>Email:</i> dallasroadway@yahoo.com	R549
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com	R420
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- <i>Mfg #:</i> (775) 852-3878 <i>Cell #:</i> (800) 369-3878 <i>Fax #:</i> (970) 346-3959 <i>Web Site:</i> www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 <i>Contact:</i> Charles Sherven <i>Email:</i> csherven@envirotechservices.com	R450
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com	R152, R153
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 <i>Contact:</i> Stan True <i>Email:</i> srowsell@fluid-tech-inc.com	R323
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003 <i>Contact:</i> Craig Hoad <i>Email:</i> craighoad@gmbostoncompany.com	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant Hercules PAM	Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.)	5/2/1999 <i>Contact:</i> Rob Hotle <i>Email:</i> hercenv@herculesenvironmental.com	R149, R150
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com	EnviroKleen Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001 <i>Contact:</i> Kimberly Keith <i>Email:</i> kim@midwestind.com/custserv@midwestind.com	R278, R279

637.02.01**DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
MonoSol LLC 707 East 80th Place Suite 301 Merrillville IN 46410- <i>Mfg #:</i> (219) 762-3165 <i>Cell #:</i> <i>Fax #:</i> (219) 755-4062 <i>Web Site:</i> www.terraloc.com <i>Email:</i> jgallagher@monosol.com	TerraLoc		11/18/2009 <i>Contact:</i> Jon Gallagher	R683
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> dennis@nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 <i>Contact:</i> Dennis Frehner	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> jim.ryan@alonusa.com	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002 <i>Contact:</i> Jim Ryan	R479
Sherwin-Williams Company, The 101 Prospect Avenue NW Cleveland OH 44115- <i>Mfg #:</i> (216) 566-1733 <i>Cell #:</i> <i>Fax #:</i> (216) 830-7721 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> pjwalsh@sherwin.com	Dust Away		6/2/2009 <i>Contact:</i> Pat Walsh	R639
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003 <i>Contact:</i> Crista Napoli	R466, R467
Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (480) 289-3232 <i>Cell #:</i> (602) 758-6465 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chad@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 <i>Contact:</i> Chad Falkenberg	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 <i>Contact:</i> Andy Iturriria	R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com	Dust Armour	Application and dilution rates follow manufacturer's instructions.	8/28/2006 <i>Contact:</i> John Breen	R553

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629-	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 <i>Contact:</i> Lain Jack	R434
<i>Mfg #:</i> (520) 622-7203 <i>Cell #:</i> (520) 820-8943 <i>Fax #:</i> (520) 798-3914	<i>Web Site:</i> www.westernemulsions.com	<i>Email:</i> ian@westernemulsions.com		

637.02.02 SILT FENCE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008-	TerraTex SC		6/25/1998 <i>Contact:</i> Quinn Brown	R143
<i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355	<i>Web Site:</i> www.hanesgeo.com	<i>Email:</i> quinn.brown@hanesindustries.com		
Submar Incorporated 805 Dunn Street Houma LA 70360-	UltraFlexTM		11/18/2009 <i>Contact:</i> Damian Swain	R684
<i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 <i>Fax #:</i> (775) 359-5997	<i>Web Site:</i> www.submar.com	<i>Email:</i> damian.swain@paccoast.com		
Triangular Silt Dike Company Inc 8505 East Highway 66 Luther OK 73054-	Triangular Silt Dike		6/25/1998 <i>Contact:</i> Gary Roach	R142
<i>Mfg #:</i> (800) 290-8473 <i>Cell #:</i> <i>Fax #:</i> (405) 277-2232	<i>Web Site:</i> www.tri-silkdike.com	<i>Email:</i> groach@cox.net		

637.02.05 ROAD INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Submar Incorporated 805 Dunn Street Houma LA 70360-	UltraFlexTM		11/18/2009 <i>Contact:</i> Damian Swain	R684
<i>Mfg #:</i> (775) 358-1200 <i>Cell #:</i> (414) 630-1012 <i>Fax #:</i> (775) 359-5997	<i>Web Site:</i> www.submar.com	<i>Email:</i> damian.swain@paccoast.com		
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
ACF Environmental 2831 Cardwell Road Richmond VA 23234-	Siltsack		6/25/1998 <i>Contact:</i> David Kelley	R144
<i>Mfg #:</i> (800) 448-3636 <i>Cell #:</i> (800) 423-4567 <i>Fax #:</i> (804) 246-9737	<i>Web Site:</i> www.acfenvironmental.com	<i>Email:</i> dkelly@acfenvironmental.com		

637.02.05**ROAD INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027-	StreamGuard Catch Basin Insert		6/25/1998 <i>Contact:</i> Jeff Bird	R088
<i>Mfg #:</i> (800) 909-3677 <i>Cell #:</i>	<i>Fax #:</i> (888) 234-3677 <i>Web Site:</i> www.shopbowhead.com		<i>Email:</i> jeffb@shopbowhead.com	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050-	Dandy Curb Dandy Pop		6/25/1998 <i>Contact:</i> Dan Cleveland Jr.	R637, R638
<i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683	<i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com		<i>Email:</i> dlc@dandyproducts.com	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050-	Beaver Dam Bag Dandy Curb Bag® Dandy Bag® Drainage Control		6/25/1998 <i>Contact:</i> Dan Cleveland Jr.	R082, R083 D007
<i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683	<i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com		<i>Email:</i> dlc@dandyproducts.com	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094-	SS-100A Frame & Filter Assembly SS-200A Frame & Filter Assembly		12/6/2002 <i>Contact:</i> Todd Christian	R376, R377
<i>Mfg #:</i> (888) 382-7458 <i>Cell #:</i> (770) 388-7818	<i>Fax #:</i> (770) 388-7640 <i>Web Site:</i> www.siltsaver.com		<i>Email:</i> todd@siltsaver.com	

640.02.03a**MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711	Reinforced Soil Embankment Wall		9/8/1998 <i>Contact:</i> Suzanne Blackburn	R122
<i>Mfg #:</i> (800) 762-8962 <i>Cell #:</i> (707) 443-5093	<i>Fax #:</i> (707) 443-2891 <i>Web Site:</i> www.hilfiker.com		<i>Email:</i> suzanne@hilfiker.com	
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108-	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls		9/8/1998 <i>Contact:</i> Michael Louis	R287, R288
<i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i>	<i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com		<i>Email:</i> mlouis@reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Earth MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000 <i>Contact:</i> Andrew Thompson	R187, R195
<i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i>	<i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com		<i>Email:</i> andrewt@mseplus.com	

640.02.03a**MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com	R165

640.02.03b**MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com	R287, R288
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002 <i>Contact:</i> Andrew Thompson <i>Email:</i> andrewt@mseplus.com	R356

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Cyro Industries/Degussa Corporation 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313 <i>Cell #:</i> <i>Fax #:</i> (207) 490-4284 <i>Web Site:</i> www.cyro.com	Paraglas Soundstop® TL4 Nosie Barrier System	The system will be selected based on specific project requirements. It is not a complete wall system.	8/4/2009 <i>Contact:</i> Nathan Binette <i>Email:</i> paraglas@evonik.com	R648
Evonik Cyro LLC 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 324-6000 <i>Cell #:</i> (207) 490-4313 <i>Fax #:</i> (207) 490-4248 <i>Web Site:</i> www.paraglassoundstop.com	Paraglas Soundstop TL4 System	The system will be selected based on specific project requirements. It is not a complete wall system.	6/3/2009 <i>Contact:</i> Nathan Binette <i>Email:</i> nathan.binette@evonik.com	R640
Evonik Cyro LLC 379 Interpace Parkway Parsippany NJ 07054- <i>Mfg #:</i> (207) 490-4384 <i>Cell #:</i> <i>Fax #:</i> (973) 541-8441 <i>Web Site:</i> www.paraglassoundstop.com	Paraglas Soundtop® Ready Fit Panels	The system will be selected based on specific project requirements. It is not a complete wall system.	8/27/2004 <i>Contact:</i> Eric Humphries <i>Email:</i> eric.humphries@evonik.com	R502

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Port-O-Wall Systems LLC 585 5th Street West/PMB 182 Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516 <i>Cell #:</i>	Port-O-Wall Soundwall System	The system will be selected based on specific project requirements. <i>Fax #:</i> (707) 996-5191 <i>Web Site:</i> www.port-o-wall.com	10/24/2001 <i>Contact:</i> Rod Allen <i>Email:</i> rod_allen@port-o-wall.com	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 <i>Cell #:</i> (702) 354-3974	Quilite Noise Barrier	The system will be selected based on specific project requirements. <i>Fax #:</i> (702) 464-3080 <i>Web Site:</i> www.quilite.com	2/9/2005 <i>Contact:</i> Morgan Fisher <i>Email:</i> morgan@quilite.com	R515

640.02.04**MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Jensen Precast 625 Bergin Way Sparks NV 89431- <i>Mfg #:</i> (775) 720-8167 <i>Cell #:</i>	Redi-Rock	Permitted on a project-by-project basis with approvals from NDOT Bridge and NDOT Geotechnical and in accordance with 640.02.03 NDOT Specs. <i>Fax #:</i> (775) 359-1038 <i>Web Site:</i> www.jensenprecast.com	7/23/2009 <i>Contact:</i> Derek Goins <i>Email:</i> DGoins@jensenprecast.com	R647
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761 <i>Cell #:</i>	Keysystem 1 Modular Block Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall. <i>Fax #:</i> (251) 990-5461 <i>Web Site:</i> www.keystonewalls.com	5/15/2002 <i>Contact:</i> Customer Service <i>Email:</i> keystone@keystonewalls.com	R145
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i>	Pyramid Modular Block Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall. <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	5/15/2002 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454	Mesa Retaining Wall	Permitted only when the contract documents specify a modular block retaining wall. <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	5/15/2002 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com	R343

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com	Universal Tau II System	TL-3	4/10/2001 <i>Contact:</i> Ron Keener <i>Email:</i> ron.keener@barriersystemsinc.com	R285
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (888) 323-6374 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	React 350 (60" wide) React 350 (96" wide) React 350 (120" wide)	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	7/31/2009 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R662, R661 R660
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Quad-Guard Standard Quad-Guard Wide (69/90) Quad-Guard Elite React 350	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com	R126, R127 R128 R129
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com	R545
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	Adiem Attenuating Device	TL-3, "Concrete Foundation Required". May be used for all speed ratings	9/9/2003 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net	R209

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D	9/4/2007 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com	R573
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC Clear Wax Cure DSSCC Resin Cure & Dye	PCCP ASTM C309, Type 2, Class A	8/29/2008 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com	R580; R609

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i>	US SPEC Maxcure Resin Clear		8/29/2008 <i>Contact:</i> Bryan Smith	R607
		<i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	<i>Email:</i> bsmith@usmix.com	
White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333 <i>Cell #:</i>	Resin Cure-Clear VOC	ASTM C309 Type 1D	9/4/2007 <i>Contact:</i> Bob Smith	R565
		<i>Fax #:</i> (775) 353-3300 <i>Web Site:</i> www.whitecapdirect.com	<i>Email:</i> bobsmith@white.net	
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100	1100 Clear 1600 Clear	ASTM C309 Type 1D	9/4/2007 <i>Contact:</i> Lyne Ball	R574, R575
		<i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	<i>Email:</i> lball@wrmeadows.com	

702.03.01d**CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007 <i>Contact:</i> Ryan Quinn	R582
		<i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	<i>Email:</i> ryanquinn@atlasform.com	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439	DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	8/29/2008 <i>Contact:</i> John Hukey	R611
		<i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	<i>Email:</i> johnhukey@daytonsuperior.com	
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628	Kurez VOX White Pigmented		9/30/1996 <i>Contact:</i> Christopher Balsat / Brian Lewis	R040
		<i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	<i>Email:</i> cbalsat@euclidchemical.com	
SpecChem LLC 700 West 47th Street Kansas City KS 64112- <i>Mfg #:</i> (816) 968-5600 <i>Cell #:</i> (913) 221-7957	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008 <i>Contact:</i> Bryan Meyer	R585
		<i>Fax #:</i> (913) 371-8701 <i>Web Site:</i> www.specchemllc.com	<i>Email:</i> bmeyer@specchemllc.com	

702.03.01d CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 <i>Cell #:</i> (530) 348-6809 <i>Fax #:</i> (702) 386-5799 <i>Web Site:</i> www.steelengineers.com	UniWhite Cure Wax		6/2/2008 <i>Contact:</i> Bratt Bilkington <i>Email:</i> bbilkington@steelengineers.com	R577
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	US SPEC AMS 3754		7/2/2008 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com	R602

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC PAMS White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com	R610, R578
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	US SPEC AMS 3754		7/2/2008 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com	R602
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	2245 Bridge Deck Curing Compound		9/4/2007 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com	R604

702.03.05**FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216-	Fly Ash Plant: Rockdale, TX	Type F	9/4/2007 <i>Contact:</i> Pamela Flynn	R571
<i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i>	<i>Fax #:</i> (210) 349-8512	<i>Web Site:</i> www.boral.com	<i>Email:</i> pamela.flynn@boral.com	
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216-	Fly Ash Plant: Monticello, TX	Type F	9/4/2007 <i>Contact:</i> Pamela Flynn	R571
<i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i>	<i>Fax #:</i> (210) 349-8512	<i>Web Site:</i> www.boral.com	<i>Email:</i> pamela.flynn@boral.com	
Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058-	Fly Ash Plant: Delta Plant, UT	Type F	9/4/2007 <i>Contact:</i> Thomas Fox	R572
<i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942	<i>Fax #:</i> (425) 970-3156	<i>Web Site:</i> www.headwaters.com	<i>Email:</i> tfox@headwaters.com	
Headwaters Resources Incorporated 16817 155th PI SE Rento WA 98058-	Fly Ash Plant: Navajo Plant Page, AZ	Type F	9/4/2007 <i>Contact:</i> Thomas Fox	R572
<i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942	<i>Fax #:</i> (425) 970-3156	<i>Web Site:</i> www.headwaters.com	<i>Email:</i> tfox@headwaters.com	
Headwaters Resource's Incorporated 16817 155th PI SE Rento WA 98058-	Fly Ash Plant: Bridger Plant, WY	Type F	9/4/2007 <i>Contact:</i> Thomas Fox	R572
<i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942	<i>Fax #:</i> (425) 970-3156	<i>Web Site:</i> www.headwaters.com	<i>Email:</i> tfox@headwaters.com	

707.03.04**JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Bondaflex Technologies 995 Towbin Avenue Lakewood NJ 08701-	Bondaflex Sil 728SL		8/5/2005 <i>Contact:</i> Bruce Lakatosh	R534
<i>Mfg #:</i> (800) 641-8242 <i>Cell #:</i>	<i>Fax #:</i> (973) 473-4222	<i>Web Site:</i> www.bondaflex.com	<i>Email:</i> brucel@maynational.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Roadsaver Silicone SL Sealant		10/7/1993 <i>Contact:</i> Lowell Parkison	R552
<i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	<i>Fax #:</i> (602) 940-0313	<i>Web Site:</i> www.crafco.com	<i>Email:</i> lowell.parkison@crafco.com	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	890 SL		3/20/1997 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com	R130
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	DSB 900 SL Self Leveling Silicone		4/5/2005 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com	R518
Pecora Corporation 165 Wambold Road Harleysville PA 19438- <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com	Pecora 300		9/14/2001 <i>Contact:</i> Nick Burns <i>Email:</i> burnsn@pecora.com	R311
Tremco Incorporated 3735 Green Road Beachwood OH 44122- <i>Mfg #:</i> (866) 209-5015 <i>Cell #:</i> (216) 292-5036 <i>Fax #:</i> (216) 766-5535 <i>Web Site:</i> www.tremcosealants.com	Spectrum 900 SL Formula 974831 333 Cartridges		5/31/2002 <i>Contact:</i> Technical Services <i>Email:</i> tscs@tremcoinc.com	R358, R357

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i> <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997 <i>Contact:</i> Joanne Dawson <i>Email:</i> carbolineUSA@carboline.com	R132, R133 R124
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i> <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811	8/20/1997 <i>Contact:</i> Joanne Dawson <i>Email:</i> carbolineUSA@carboline.com	R604, R605 R606

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003 <i>Contact:</i> Dan Griffin	R430, R431 D122
<i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203 <i>Fax #:</i> (812) 256-6733 <i>Web Site:</i> www.international-pc.com <i>Email:</i> daniel.griffin@akzonobel.com				
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821-	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008 <i>Contact:</i> Nye Miller	R592, R593 D104
<i>Mfg #:</i> (714) 337-1953 <i>Cell #:</i> (562) 691-9600 <i>Fax #:</i> (562) 691-3550 <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com <i>Email:</i> nyemiller@msm.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003 <i>Contact:</i> Dee McNeill	R123, R124 D125
<i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> dee.l.mcneill@sherwin.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003 <i>Contact:</i> Dee McNeill	R138, R139 D140
<i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> dee.l.mcneill@sherwin.com				
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-400 Series Part B: B60V2	8/20/1997 <i>Contact:</i> Dee McNeill	R135, R136 D127
<i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com <i>Email:</i> dee.l.mcneill@sherwin.com				

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting 3924 (Phasing Out)	For Rigid Signs Only (NDOT Type X); 10/07 *discontinued manufacturing, but still carried by vendors and still approved.	8/21/2000 <i>Contact:</i> Eric Dornak	R289, R163
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com				
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3990 VIP Diamond Grade Type IX 3970 (Phasing Out)	Type IX; 10/08 discontinued manufacturing, but still carried by vendors and still approved.	8/16/2000 <i>Contact:</i> Eric Dornak	R159, R271
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm <i>Email:</i> ejdornak@mmm.com				

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3981 Diamond Fluorescent 3983 Diamond Fluorescent VIP (for perm traffic):	For Permanent Traffic Signs (NDOT Type X)	7/23/2001 <i>Contact:</i> Eric Dornak	R301, R302
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm			<i>Email:</i> ejdornak@mmm.com	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3300 Flexible Prismatic Sheeting		8/21/2000 <i>Contact:</i> Eric Dornak	R642
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm			<i>Email:</i> ejdornak@mmm.com	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3930 Permanent Traffic Signs & Temporary Traffic 3870 Permanent Traffic Signs & Temporary Traffic (Phasing Out)	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); 10/08 Discontinued 3870.	12/1/2004 <i>Contact:</i> Eric Dornak	R508, R509
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm			<i>Email:</i> ejdornak@mmm.com	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	334 Barricade Type IV 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004 <i>Contact:</i> Eric Dornak	R510, R511
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm			<i>Email:</i> ejdornak@mmm.com	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000 <i>Contact:</i> Eric Dornak	R291
<i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm			<i>Email:</i> ejdornak@mmm.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500 Fluorescent Reflective Sheeting W7514 Fluorescent Reflective Sheeting W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type III)	8/21/2000 <i>Contact:</i> Nipa Joshi	R164, R298 R297
<i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com			<i>Email:</i> nipa.joshi@averydennison.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T5500A Series High Intensity T7000 Fluorescent Reflective Sheeting	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003 <i>Contact:</i> Nipa Joshi	R455, R456
<i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com			<i>Email:</i> nipa.joshi@averydennison.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T9500 Omni View T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002 <i>Contact:</i> Nipa Joshi	R021, R344
<i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com			<i>Email:</i> nipa.joshi@averydennison.com	

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111 <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com	R471
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	High Intensity ULG II Nikkalite CRG 92802 White Nikkalite CRG 92804 Yellow	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com	R226, R650 D451
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	Nikkalite CRG 92805 Red Nikkalite CRG 92806 Blue Nikkalite CRG 92808 Green	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com	R652, R653 D451
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	92847 Nikkalite Crystal Fluorescent Orange Nikkalite CRG 92844	NDOT Type X	4/29/2005 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com	R522, R649
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500 <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	92844 Nikkalite Fluorescent Yellow 92844 Nikkalite Fluorescent Green	NDOT Type X	4/29/2005 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com	R649, R663
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	AP1000 Reflective Sheeting	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000 <i>Contact:</i> Rebecca Cavazuti <i>Email:</i> customer.service@reflexite.com	R295
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i> <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	Conformalight Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000 <i>Contact:</i> Rebecca Cavazuti <i>Email:</i> customer.service@reflexite.com	R293, R294

726.03.04**MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600 <i>Fax #:</i> (785) 883-4429 <i>Web Site:</i> www.centralfiber.com	Second Nature Paper Fiber Hydroseeding Mulch		6/25/1998 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com	R146
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <i>Mfg #:</i> (208) 733-9689 <i>Cell #:</i> <i>Fax #:</i> (208) 733-9447 <i>Web Site:</i> www.hmi-mfg.com	Nature's Own		6/25/1998 <i>Contact:</i> Patrick Andrew <i>Email:</i> patrick@hmi-mfg.com/info@hmi-mfg.com	R147
Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- <i>Mfg #:</i> (253) 884-0747 <i>Cell #:</i> (253) 208-9777 <i>Fax #:</i> (253) 884-0730 <i>Web Site:</i> www.profileproducts.com	Conwed 1000 Flexterra		12/18/2008 <i>Contact:</i> Becky Gauthier <i>Email:</i> bgauthier@profileproducts.com	R629, R631

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600 <i>Fax #:</i> (785) 883-4429 <i>Web Site:</i> www.centralfiber.com	TacPac GT		6/25/1998 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com	R148
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- <i>Mfg #:</i> (707) 588-1444 <i>Cell #:</i> <i>Fax #:</i> (707) 588-1445 <i>Web Site:</i> www.driwater.com	Driwater Hydro Mix	Note: Surfaces subject to spill; can be slippery.	1/3/2001 <i>Contact:</i> Mary Paternoster <i>Email:</i> mary@driwater.com	R277
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- <i>Mfg #:</i> (401) 331-9000 <i>Cell #:</i> (401) 766-0400 <i>Fax #:</i> (401) 331-2155 <i>Web Site:</i> www.easterncolor.net	Ecotak OP Moisture Retainer		6/25/1998 <i>Contact:</i> George Dubois <i>Email:</i> tech@easterncolor.net	R151
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com	R420

726.03.05**TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik Terravest		6/25/1998 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com	R152, R153
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 <i>Contact:</i> Andy Iturriria <i>Email:</i> andy@terranovo.com	R318

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	PennSuppress D Dust Suppressant	Application and dilution rates follow manufacturer's instructions.	6/25/1998 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Road Boss	Application and dilution rates follow manufacturer's instructions. 10/26/05 Company/Product Name Change: Chemco (Soil Tite) to Arrow Magnolia (Road Boss).	10/26/2005 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com	R498
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 <i>Cell #:</i> (920) 217-0281 <i>Fax #:</i> (920) 406-9740 <i>Web Site:</i> www.encap.com	PAM 12 PLUS	Application and dilution rates follow manufacturer's instructions. 4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008 <i>Contact:</i> Adrian Ramirez <i>Email:</i> aramirez@encap.net	R586
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Application and dilution rates follow manufacturer's instructions. Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards	3/17/2003 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com	R420
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik Terravest K	Application and dilution rates follow manufacturer's instructions.	6/25/1998 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com	R152, R153

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com <i>Email:</i> srowsell@fluid-tech-inc.com	Road Oyl Soil Seal Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 <i>Contact:</i> Stan True	R324, R325 0322
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com <i>Email:</i> craighoad@gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003 <i>Contact:</i> Craig Hoad	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com <i>Email:</i> hercenv@herculesenvironmental.com	Hercules PAM SOILOC-MQ Dust Suppressant SOILOC-PAM	Application and dilution rates follow manufacturer's instructions.	6/25/1998 <i>Contact:</i> Rob Hotle	R160, R149 0320
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water body.	4/18/2005 <i>Contact:</i> Kimberly Keith	R279
North American Green 14649 Highway 41 North Evansville IN 47725- <i>Mfg #:</i> (800) 772-2040 <i>Cell #:</i> (801) 731-5757 <i>Fax #:</i> (812) 867-0247 <i>Web Site:</i> <i>Email:</i>	Hydra CX2 Cotton Reinforced Matrix		5/29/2009 <i>Contact:</i> Jill Pack	R334
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> dennis@nuequipment.com	Plas-Bond Solitac	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 <i>Contact:</i> Dennis Frehner	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> Jryan@ppcla.com	Topein S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004 <i>Contact:</i> Jim Ryan	R479
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Cell #:</i> <i>Fax #:</i> (801) 303-2551 <i>Web Site:</i> www.sequoiaprc.com <i>Email:</i> terry@telnetz.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003 <i>Contact:</i> Terry Holmes	R118

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com	Plas-Tex Poly-Tex	Application and dilution rates follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998 <i>Contact:</i> Crista Napoli	R466, R467
Soil Works LLC 2450 South Gilbert Road Suite 210 Chandler AZ 85286-1583 <i>Mfg #:</i> (480) 289-3232 <i>Cell #:</i> (602) 758-6465 <i>Fax #:</i> (480) 545-5456 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chad@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 <i>Contact:</i> Chad Falkenberg	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 <i>Contact:</i> Andy Iturriria	R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com	AirtrolTM Geobinder Enviro-ShieldTM Bonded Fiber Matrix	Application and dilution rates follow manufacturer's instructions.	8/28/2006 <i>Contact:</i> John Breen	R554, R555

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 <i>Cell #:</i> (954) 782-2221 <i>Fax #:</i> (954) 782-2776 <i>Web Site:</i> www.atc.ws <i>Email:</i> rboland@atc.ws	Ultrabond 1 Ultrabond 1100 Ultrabond 1300 HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Hilti Inc's HTE 50)	1/10/2002 <i>Contact:</i> Richard Boland	R329, R330 R221, R227
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com <i>Email:</i> ryanquinn@atlasform.com	Atlas Epoxy Bonder LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004 <i>Contact:</i> Ryan Quinn	R496, R497
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com <i>Email:</i> johnkukey@daytonsuperior.com	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Glass A	1/14/2003 <i>Contact:</i> John Hukey	R393

728.03.02

EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (216) 692-8381 <i>Cell #:</i> (800) 321-7628 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com <i>Email:</i> cbalsat@euclidchemical.com	Duralcrete	Type I and Type II	11/8/2005 <i>Contact:</i> Christopher Balsat / Brian Lewis	R536
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com <i>Email:</i> ruben.rivadeneira@hilti.com	HTE 50	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C (same product as Adhesive Technologies' HS200)	1/10/2002 <i>Contact:</i> Ruben Rivadeneira	R641
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com <i>Email:</i> ruben.rivadeneira@hilti.com	HT RE 500 HTE 50	Type IV; Grade 3; Classes A, B & C	1/2/2002 <i>Contact:</i> Ruben Rivadeneira	R321, R641
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370 <i>Cell #:</i> <i>Fax #:</i> (630) 495-6204 <i>Web Site:</i> www.itw-redhead.com <i>Email:</i>	Ceramic 6	Type IV; Grade 3; Classes B & C	5/14/2002 <i>Contact:</i> Don Burger (CC) / James Shupp (LV)	R341
Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- <i>Mfg #:</i> (914) 235-6300 <i>Cell #:</i> (702) 364-2606 <i>Fax #:</i> (914) 576-6483 <i>Web Site:</i> www.powers.com <i>Email:</i> buckley@powers.com	Power Fast Plus Standard Set T308 Plus	Type I, II, IV and V; Grade 2; Classes B & C	7/9/2009 <i>Contact:</i> Patrick Buckley	R644, R645 D444
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 <i>Cell #:</i> (916) 870-7863 <i>Fax #:</i> (209) 234-3868 <i>Web Site:</i> www.simpsonanchors.com <i>Email:</i> jlebel@strongtie.com	EDOT Epoxy Anchoring System ET22 Epoxy-Tie Resin Adhesive	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998 <i>Contact:</i> Joe Le Bel	R216, R217
Titan Supply 250 Edison Way Reno NV 89502- <i>Mfg #:</i> (775) 351-2201 <i>Cell #:</i> (888) 550-2201 <i>Fax #:</i> (775) 351-2205 <i>Web Site:</i> www.titansupply.com <i>Email:</i> bwickham@titansupply.com	Pro-Poxy 100	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008 <i>Contact:</i> Brian Wickham	R590
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com <i>Email:</i> jerry@unitex-chemicals.com	Pro-Poxy 300 Fast Binders and Adhesives Pro-Poxy 400	Type I, II, IV & V, Grade 3, Class B & C	1/4/1998 <i>Contact:</i> Jerry Byrne	R215, R219

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Pro-Poxy Type III DOT Epoxy Binder	Type III, Grade 1, Class B & C	1/4/1998 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com	R218, R219
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Symons Res-Con 304	Type I, II, IV & V, Grade 3, Class B & C	1/14/2003 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com	R388
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700 <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Pro-Poxy 50 Super LV Pro-Poxy 200 Binders and Adhesives	Type I, II, IV & V, Grade 2, Class B & C	1/4/1998 <i>Contact:</i> Jerry Byrne <i>Email:</i> jerry@unitex-chemicals.com	R520, R581
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 <i>Cell #:</i> (800) 328-5934 <i>Fax #:</i> (507) 364-8762 <i>Web Site:</i> www.uspconnectors.com	CIA-GEL 7000 Adhesive Anchors	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000 <i>Contact:</i> Jennifer Turek <i>Email:</i> jtunek@gibraltar1.com	R265
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	Rezi Weld 1000	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com	R478

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- <i>Mfg #:</i> (303) 388-9265 <i>Cell #:</i> (303) 941-5275 <i>Fax #:</i> (303) 388-0881 <i>Web Site:</i> www.coloradopaint.com	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000 <i>Contact:</i> Mark Vasquez <i>Email:</i> markv@coloradopaint.com	R199, R200 D701
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com	R381, R382 D702

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com <i>Email:</i> epoplex@epoplex.com	White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 <i>Contact:</i> Cindi Westlund	R378, R379 D110
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987 <i>Fax #:</i> (919) 767-8506 <i>Web Site:</i> www.ips-road.com <i>Email:</i> jhall@ips-road.com	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 <i>Contact:</i> Jennifer Hall	R436, R437 D120
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 <i>Contact:</i> Hemant Naik	R112, R113 D114
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 <i>Contact:</i> Hemant Naik	R115, R116 D117
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723 <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com <i>Email:</i> hemant@poly-carb.com	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997 <i>Contact:</i> Hemant Naik	R109, R110 D111

729.03.05a**RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369 <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com <i>Email:</i>	UCAR™ Latex DT 400 NA	Type II	7/19/2002 <i>Contact:</i> Peter Doty	R167
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369 <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com <i>Email:</i>	UCAR™ Latex DT 250 NA	Type I	7/19/2002 <i>Contact:</i> Peter Doty	R166

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i>	Fastrack® 3427	Type I <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	11/30/2001 <i>Contact:</i> Customer Service <i>Email:</i>	R319
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i>	Fastrack® HD-21A	Type II <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	11/30/2001 <i>Contact:</i> Customer Service <i>Email:</i>	R320

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982821 NVW-34-M-1 Yellow: 982822 NVY-34-M-1	Fastrack® 3427	4/1/2004 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R345, R346
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R490, R491
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427 <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com	7/30/2002 <i>Contact:</i> Scott Shannon <i>Email:</i> scotts@pervo.com	R349, R350

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1	Fastrack® HD-21A <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	7/30/2002 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R540, R541

729.03.05c**RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	White: 982811 NVW-40-M-2 Yellow: 982812 NVY-40-M-2	UCAR™ Latex DT 400 NA	7/30/2002 <i>Contact:</i> Klyne McCarty <i>Email:</i> klyne@ennispaint.net	R353, R354
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053	Fastrack® HD-21A	7/30/2002 <i>Contact:</i> Scott Shannon <i>Email:</i> scott@s.pervo.com	R351, R352
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i> <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422	Fastrack® HD-21A	7/9/2003 <i>Contact:</i> Dee McNeill <i>Email:</i> dee.l.mcneill@sherwin.com	R425, R426

729.03.06**POLYUREA PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R442, R443 D444
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment	7/16/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R568, R569 D570
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i> <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com	R452, R453 D454
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987 <i>Fax #:</i> (919) 767-8506 <i>Web Site:</i> www.ips-road.com	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 <i>Contact:</i> Jennifer Hall <i>Email:</i> jhall@ips-road.com	R439, R440 D441

732.03.01

PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	270-ES Stamark Tape 420 Stamark Intersection Grade Tape	Type I	9/19/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R458, R552
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	5730 Stamark Tape (Phasing Out)	Type I; *discontinued manufacturing, but still carried by vendors and still approved	9/19/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R457
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Series 400 Tape White Series 400 Tape Yellow	Type I	9/19/2003 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com	R480, R481
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Series 300 Tape White Series 300 Tape Yellow	Type I	9/19/2003 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com	R462, R463
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechlogies.com	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type I	5/9/2006 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@brite-line.com	R546
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com	Director 60 Permanent Marking Tape	Type I	2/17/2004 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com	R472
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com	Director 35 Pavement Marking Tape	Type I	2/17/2004 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com	R473

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	270-ES Stamark Tape	Type II	9/19/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R458
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Series 400 Tape White Series 400 Tape Yellow	Type II	9/19/2003 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com	R480, R481
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Series 300 Tape White Series 300 Tape Yellow	Type II	4/29/2008 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com	R462, R463
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetchnologies.com	Series 900 White Series 1000 White Permanent Series 1000 Yellow Permanent	Type II	5/9/2006 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@brite-line.com	R546, R488 D400
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetchnologies.com	Series 100 White Permanent Series 100 Yellow Permanent	Type II	6/15/1999 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@brite-line.com	R207, R208

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	A380IES (white) Stamark Tape 381WR-ES (yellow) Stamark Tape	Type IV	9/19/2003 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R460, R461
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	390 Stamark 420 Stamark Intersection Grade Tape	Type IV	4/13/2009 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com	R535

732.03.03**PAVEMENT MARKING TAPE (TYPE 4)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>ID Number</i>
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 400 Tape White Series 400 Tape Yellow	Type IV	7/29/2008 <i>Contact:</i> Brenda Robbins	R480, R481
<i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	<i>Fax #:</i> (252) 526-4940	<i>Web Site:</i> www.trafficmarking.com	<i>Email:</i> brobbins@trafficmarking.com	

QPL DB1 NOTES
September 17, 2009

Contractors are required to use actual dated Qualified Products List (QPL) products specified and listed in the contract Special Provisions under the “Notice to Contractors.” This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer’s name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at rclewell@dot.state.nv.us or by telephone at (775) 888-7894.