

---

# QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
ADHESIVE (FOR PAVEMENT MARKERS)	633.02.04	031-032
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	004
ASPHALT RELEASE AGENTS	401.03.02	002-003
ASPHALTIC PLUG EXPANSION JOINTS	502.03.13j	006
BARRICADES	625.03.04	027-028
BRIDGE DECK CURING COMPOUND	702.03.04	040-041
CELLULAR EROSION CONTROL MATS	610.02.01	012
CHANGEABLE MESSAGE SIGNS	625.02.03	022-023
COATING SYSTEMS FOR BRIDGES	714.03.01	042-043
CONCRETE STAIN	502.02.04	005
CONSTRUCTION FLEXIBLE POSTS	625.02.01	021
CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)	702.03.01c	039
CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)	702.03.01d	040
DETECTABLE WARNINGS	613.02.01	013
DUST PALLIATIVE (OPTIONAL)	637.02.01	034-036
DYNAMIC MESSAGE SIGNS	623.01.01	016
EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM	623.02.29	017-018
EPOXY ANCHORING SYSTEMS	728.03.02	048-049
EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	008
EPOXY PAINT MARKING MATERIAL	729.03.04	049-050
EVAPORATIVE RETARDER	409.03.10	003-004
EXPANSION JOINT SEALANT	502.03.13l	007
FAST SETTING CONCRETE PRODUCTS	609.02.01a	009-011
FINE SURFACE FINISH (BONDED GROUT)	502.03.19	007
FLARED GUARDRAIL TERMINAL	618.02.01	013-014

---

# QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
FLEXIBLE GUIDE POSTS	619.02.01	014-015
FLEXIBLE OBJECT MARKERS (TYPE 2)	619.02.01a	015
FLY ASH (TYPE F ONLY)	702.03.05	041
GUARDRAIL OFFSET BLOCKS	618.02.01b	014
HEADLIGHT GLARE SCREEN MODULAR UNITS	630.02.01	029
HERBICIDES	401.02.03	002
HIGH MAST HEAD FRAME ASSEMBLIES	623.02.12c	017
IMPACT ATTENUATORS	641.02.01	038-039
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	502.03.22	007-008
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	707.03.04	041-042
MAILBOX SUPPORT SYSTEMS (TYPE C)	214.02.01	001
MODULAR BLOCK RETAINING WALL	640.02.04	038
MSE WALLS	640.02.03a	037
MSE WALLS (LARGE SIZE 5' x 10' PANELS)	640.02.03b	037
MULCH	726.03.04	045
NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)	633.02.01	029-030
PAVEMENT MARKING TAPE (TYPE 1)	732.03.01	052-053
PAVEMENT MARKING TAPE (TYPE 2)	732.03.02	053
PAVEMENT MARKING TAPE (TYPE 4)	732.03.03	054
PLASTIC FENCE FABRIC MATERIAL	616.02.01	013
POLYUREA PAINT MARKING MATERIAL	729.03.06	052
PREFORMED JOINT FILLERS	502.03.13i	005-006
PREFORMED THERMOPLASTIC PAVEMENT MARKINGS	634.03.03b	033
PRISMATIC ACRYLIC REFLECTORS	619.03.01	016
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS	729.03.05a	050-051

---

# QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)	729.03.05c	051
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)	729.03.05b	051
RECESSED REFLECTIVE PAVEMENT MARKERS	633.02.03	030
RED LIGHT DETECTORS	623.03.26	020
REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)	625.02.02	022
REFLECTIVE PAVEMENT MARKERS (PERMANENT)	633.02.02	030-031
REFLECTIVE SHEETING	716.03.01	043-045
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	624.03.03	020-021
RETROREFLECTOMETERS	632.03.05	029
ROADWAY INLET PROTECTION	637.02.05	036-037
SERVICE PEDESTALS	623.02.08	016-017
SIGN LIGHTING FIXTURES	623.03.15	019-020
SIGN SUPPORT SYSTEMS	625.03.03	025-027
SILT FENCE	637.02.02	036
SOIL STABILIZER	726.03.13	046-048
SOUNDWALL SYSTEMS	640.02.03c	038
STORMWATER TREATMENT VAULTS	609.02.01b	011
SYNTHETIC DRILLING SLURRY	509.03.09	009
TACKIFIER	726.03.05	045-046
TANGENTIAL GUARDRAIL TERMINAL	618.02.01a	014
TEMPORARY IMPACT ATTENUATORS	625.02.04	023-024
TEMPORARY PAVEMENT STRIPING TAPE	635.02.01	033
TRAFFIC SIGNALS	623.03.01	019
TRENCH DRAINS	609.03.01c	011-012
TRUCK MOUNTED IMPACT ATTENUATORS	625.02.05	024

---

# QPL TABLE OF CONTENTS

<b>Product Types</b>	<b>Specification #</b>	<b>Page #</b>
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	018-019
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	018
WATER FILLED BARRIER RAILS	625.02.06	025

# QUALIFIED PRODUCTS LIST (QPL)

## 213.02.10 FILTRATION SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Contact:</i>				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Email:</i>

## 213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL; SBBC-xx-ALI; SBBC-xx-ALPH; SBBC-xx-ALHPI		5/26/1998	R002, R003, R004, R005
<i>Contact:</i> Kim Goldensten				
<i>Mfg #:</i> (800) 729-1314	<i>Cell #:</i>	<i>Fax #:</i> (888) 310-3946	<i>Web Site:</i> www.vitproducts.com	<i>Email:</i> kim@vitproducts.com

## 213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999	R189
<i>Contact:</i> Scott Kerns				
<i>Mfg #:</i> (713) 860-6717	<i>Cell #:</i>	<i>Fax #:</i> (713) 263-7577	<i>Web Site:</i> www.rectorseal.com	<i>Email:</i> scottk@rectorseal.com

## 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
S-Square Tube Products 221 North Kuner Road Brighton CO 80601-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
<i>Contact:</i> Don Tamm				
<i>Mfg #:</i> (303) 286-7051	<i>Cell #:</i> (888) 267-6463	<i>Fax #:</i> (866) 639-5717	<i>Web Site:</i> www.s-squaretube.com	<i>Email:</i> don@s-squaretube.com
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997	R006
<i>Contact:</i> Bryan Everard				
<i>Mfg #:</i> (262) 814-7000	<i>Cell #:</i> (800) 444-0331	<i>Fax #:</i> (262) 814-7017	<i>Web Site:</i> www.tapconet.com/vloc	<i>Email:</i> bryane@tapconet.com

**401.02.03****HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- <i>Mfg #:</i> (281) 892-2500 <i>Cell #:</i> (800) 242-5562 <i>Fax #:</i> (281) 892-2501 <i>Web Site:</i> www.controlsolutionsinc.com	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007 <i>Contact:</i> Howard Stoddard <i>Email:</i> orders@controlsolutionsinc.com
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (916) 525-2633 <i>Cell #:</i> (916) 296-2811 <i>Fax #:</i> (916) 525-2710 <i>Web Site:</i> www.dowagro.com	Spike 80 W; Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R015 <i>Contact:</i> Beau Miller <i>Email:</i> bjmilller@dow.com

**401.02.03b****WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Contact:</i> <i>Email:</i>

**401.03.02****ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Super Slick Bio; Slider	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R494, R495 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com
BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 <i>Cell #:</i> (214) 826-6822 <i>Fax #:</i> (214) 826-7290 <i>Web Site:</i> www.bgchemical.com	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide		5/8/2000	R260, R261, R262 <i>Contact:</i> Jeff Gunter <i>Email:</i> jgunter@bgchemical.com
Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- <i>Mfg #:</i> (800) 480-2436 <i>Cell #:</i> (801) 548-2287 <i>Fax #:</i> (801) 274-2425 <i>Web Site:</i> www.brodychemical.com	Slippery Wizard		7/15/2008	R603 <i>Contact:</i> Tammy Price <i>Email:</i> tamme_price@yahoo.com

**401.03.02****ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 <i>Cell #:</i> (623) 435-1945 <i>Fax #:</i> (937) 534-0426 <i>Web Site:</i> www.chemstation.com	2217-B		12/20/2007	R584 <i>Contact:</i> Katie Overton <i>Email:</i> koverton@chemstation.com
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 <i>Cell #:</i> (770) 891-3307 <i>Fax #:</i> (770) 386-3391 <i>Web Site:</i>	SPX-7; No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000	R263 <i>Contact:</i> Paul Wilson <i>Email:</i> synthetic@pipeline.com
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 <i>Cell #:</i> (417) 866-5592 <i>Fax #:</i> (417) 866-5593 <i>Web Site:</i> www.rhomar.com	Enviro-Slide Ultra		4/26/2000	R259 <i>Contact:</i> Bob Hamilton <i>Email:</i> bhamilton@rhomar.com
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Cell #:</i> <i>Fax #:</i> (770) 443-0810 <i>Web Site:</i> www.thetecteam.com	Teclon-Pro		11/7/2006	R562 <i>Contact:</i> Karen Price <i>Email:</i> kptectm@bellsouth.net
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 <i>Cell #:</i> (775) 721-2821 <i>Fax #:</i> (209) 830-5124 <i>Web Site:</i> www.zep.com	R-5274, R-6690; XT-3199		5/11/2006	R368, R369, R370 <i>Contact:</i> Byran Castelloni <i>Email:</i> zepbc@yahoo.com

**409.03.10****EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Finish Film		1/29/2003	R419 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior SureFilm J-74	Finishing Aid: 4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R190 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com

**409.03.10****EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 481-7072 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Eucobar		9/30/1996	R044 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <i>Mfg #:</i> (410) 354-8600 <i>Cell #:</i> (800) 637-6372 <i>Fax #:</i> (410) 354-1122 <i>Web Site:</i> www.kaufmanproducts.net	VaporAid 060		8/2/1999	R191 <i>Contact:</i> Alex Kaufman <i>Email:</i> akaufman@kaufmanproducts.net
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <i>Mfg #:</i> (215) 332-7709 <i>Cell #:</i> (888) 839-2661 <i>Fax #:</i> (215) 332-9997 <i>Web Site:</i> www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R193 <i>Contact:</i> Darryl Manuel <i>Email:</i> techservice@vexcon.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999	R194 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

**496.02.01****AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <i>Mfg #:</i> (925) 426-8787 <i>Cell #:</i> <i>Fax #:</i> (916) 939-7481 <i>Web Site:</i> www.cemex.com	Aggregate		1/26/1997	R014 <i>Contact:</i> Darla Allen <i>Email:</i> darlaa.allen@cemex.com
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- <i>Mfg #:</i> (425) 228-2120 <i>Cell #:</i> <i>Fax #:</i> (425) 228-2199 <i>Web Site:</i> www.mineralco.com	Aggregate; Sand		1/26/1997	R012, R313 <i>Contact:</i> Jim Adderson <i>Email:</i> mineralco@aol.com



**502.02.04****CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
United Coatings 19011 East Cataldo Spokane Valley WA 99016- <i>Mfg #:</i> (800) 541-4383 <i>Cell #:</i> (509) 926-7143 <i>Fax #:</i> (509) 928-1116 <i>Web Site:</i> www.unitedcoatings.com	Canyon Tone Stain		4/12/2005	R519 <i>Contact:</i> Shawn Carney <i>Email:</i> shawn@unitedcoatings.com
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- <i>Mfg #:</i> (714) 680-3800 <i>Cell #:</i> (702) 292-8316 <i>Fax #:</i> (702) 597-5222 <i>Web Site:</i> www.vistapaint.com	Coverall 2800 AF Ext. Flat		5/20/2008	R614 <i>Contact:</i> Steven Tetreault <i>Email:</i> stetreault@vistapaint.com

**502.02.05a****ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- <i>Mfg #:</i> (800) 676-5963 <i>Cell #:</i> (801) 201-2826 <i>Fax #:</i> (801) 255-7123 <i>Web Site:</i> www.americanpolymer.com	Clear VU High Solids Base Coating (AP 307); Clear Top Coat (AP 100, AP101, or AP 102); Pigmented Top Coat (AP 200, AP 201, or AP 202)	Note: new product replaces GSS10 Anti Graffiti Coating	9/3/2008	R389, R390, R391 <i>Contact:</i> Greg Gohlinghorst x.1 <i>Email:</i> gregg@americanpolymer.com

**502.03.13i****PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	JEENE® Structural & Sealing Joint; Wabo® Evazote UV		8/2/2006	R011, R016 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com
Chase Construction Products 401 New Karner Road Albany NY 12205- <i>Mfg #:</i> (800) 356-6007 <i>Cell #:</i> (508) 505-5043 <i>Fax #:</i> (518) 356-1110 <i>Web Site:</i> www.chaseconstructionproducts.com	MetaZeal A.J.; Phyzite 380		5/3/1999	R009, R024 <i>Contact:</i> Terry Eck <i>Email:</i> teck@chasecorp.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.dayton superiorchemical.com	Polylite N		5/3/1999	R010 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com

**502.03.13i****PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301 <i>Cell #:</i> <i>Fax #:</i> (716) 691-3305 <i>Web Site:</i> www.rjwatson.com	Silicoflex		12/7/2000	R276 <i>Contact:</i> Marc Stafford <i>Email:</i> mdstafford@rjwatson.com
Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 <i>Cell #:</i> (603) 889-6872 <i>Fax #:</i> (603) 889-6874 <i>Web Site:</i> www.willsealusa.com	Will Seal 600		6/4/2002	R347 <i>Contact:</i> Steven Robinson <i>Email:</i> info@schul.com
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 <i>Cell #:</i> (419) 408-5469 <i>Fax #:</i> (419) 424-5959 <i>Web Site:</i> www.techstar-inc.com	W Seal		5/3/1999	R131 <i>Contact:</i> Warren Brown <i>Email:</i> warren@techstar-inc.com

**502.03.13j****ASPHALTIC PLUG EXPANSION JOINTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	Matrix 502 Pave Tech		6/5/1997	R198 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 <i>Cell #:</i> (440) 552-2489 <i>Fax #:</i> (570) 546-2415 <i>Web Site:</i> www.DSA-Ltd.com	BJS Thorma Joint Systems		9/19/2002	R360 <i>Contact:</i> Tim Persing <i>Email:</i> tpersing@dsa-ltd.com

**502.03.13k****EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- <i>Mfg #:</i> (800) 888-8909 <i>Cell #:</i> (918) 230-3148 <i>Fax #:</i> (918) 586-4912 <i>Web Site:</i> www.ssicm.com	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an	4/22/2002	R212 <i>Contact:</i> Scott Fowler <i>Email:</i> scott.fowler@ssicm.com

**502.03.131****EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Watson Bowman Acme Corp 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 <i>Cell #:</i> (417) 425-1942 <i>Fax #:</i> (716) 691-9239 <i>Web Site:</i> www.wbacorp.com	Wabo® SiliconSeal - 2 Part		4/22/2002	R340 <i>Contact:</i> Chris Overby <i>Email:</i> christopher.overby@basf.com
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	902 RCS		4/22/2002	R339 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com

**502.03.19****FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Tammscoat Fine		9/4/2007	R567 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Textured Coatings of America (TEX-COTE) 5950 South Avalon Boulevard Los Angeles CA 90003- <i>Mfg #:</i> (323) 855-1242 <i>Cell #:</i> (310) 780-1983 <i>Fax #:</i> (805) 523-8737 <i>Web Site:</i> www.texcote.com	Tex.Cote® XL 70 Bridge Cote®; 300 Bridge Cote		9/4/2007	R595, R596 <i>Contact:</i> James Servais <i>Email:</i> j.servais@texcote.com

**502.03.20****RETARDANTS (FOR FORMED, EXPOSED AGGREGATE FINISH)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfscst.com	Preco Hi-V; Preco Tuf-cote		8/17/1999	R196, R197 <i>Contact:</i> Customer Service <i>Email:</i> basfscst@basf.com

**502.03.22****JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com

**502.03.22****JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940 <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com	Calseal		9/8/1998	R025 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com
Maxwell Products Incorporated 650 South Delong Street Salt Lake City UT 84104- <i>Mfg #:</i> (801) 972-2090 <i>Cell #:</i> <i>Fax #:</i> (801) 972-5536 <i>Web Site:</i> www.maxwellproducts.com	Elastoflex 44; Elastoflex 56		1/6/1998	R022, R023 <i>Contact:</i> Dale Bergivin <i>Email:</i> dale@maxwellproducts.com

**505.02.01****EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- <i>Mfg #:</i> (800) 626-7891 <i>Cell #:</i> (615) 995-5576 <i>Fax #:</i> (216) 750-7575 <i>Web Site:</i> www.akzonobel.com	Resicoat RB-600		4/30/2008	R591 <i>Contact:</i> Fritz Herrmann <i>Email:</i> fritz.herrmann@akzonobel.com
Dupont Powder Coatings USA Inc 9800 Genard Road Houston TX 77041- <i>Mfg #:</i> (713) 996-0669 <i>Cell #:</i> (713) 996-4665 <i>Fax #:</i> (713) 939-4028 <i>Web Site:</i> www.hoovers.com/dupont-coatings	7-2719 Nap Guard Epoxy Coating		1/18/2001	R281 <i>Contact:</i> Kuruvila Varughese/Greg Bietz <i>Email:</i> kuruvila.varughese@usa.dupont.com
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- <i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203 <i>Fax #:</i> (812) 256-6733 <i>Web Site:</i> www.international-pc.com	HD33 Interpon; HD34 Fusion Bond		1/1/1996	R026, R027 <i>Contact:</i> Dan Griffin <i>Email:</i> daniel.griffin@akzonobel.com
Seibert Powder Coatings USA Inc 11110 Berea Road Cleveland OH 44102- <i>Mfg #:</i> (216) 631-2002 <i>Cell #:</i> (800) 231-2002 <i>Fax #:</i> (216) 631-6211 <i>Web Site:</i> n/a	1295 E-90 Pow Dax; Scotch Kote 413		1/1/1996	R029, R030 <i>Contact:</i> Nancy Rizzardi <i>Email:</i> nrizzardi@npacoatings.com
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- <i>Mfg #:</i> (281) 370-6164 <i>Cell #:</i> (281) 630-9878 <i>Fax #:</i> (281) 370-6654 <i>Web Site:</i> www.valspar.com	Greenbar #720A009		1/1/1996	R028 <i>Contact:</i> Michael Adams <i>Email:</i> madams@valspar.com

**509.03.09****SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803 <i>Mfg #:</i> (800) 527-9948 <i>Cell #:</i> (847) 910-4334 <i>Fax #:</i> (847) 394-7823 <i>Web Site:</i> www.constructiondrilling.com	Shore Pac GCV		9/25/2006	R559 <i>Contact:</i> John Berry or Justin Seago <i>Email:</i> john.berry@cetco.com/justin.seago@cetco.com
Geo-Tech Drilling Fluids 1781 Hawthorne Loop Driftwood TX 78619- <i>Mfg #:</i> (210) 587-4758 <i>Cell #:</i> <i>Fax #:</i> (210) 568-4567 <i>Web Site:</i> www.geotech.us	Novagel Polymer		9/25/2006	R558 <i>Contact:</i> Max Holmes <i>Email:</i> mholmes@geotech.us
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Cell #:</i> <i>Fax #:</i> (562) 634-1350 <i>Web Site:</i> www.pdscoinc.com	Super Mud		9/25/2006	R560 <i>Contact:</i> Customer Service <i>Email:</i> sales@pdscoinc.com

**605.02.01****POLYETHYLENE END SECTIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Advanced Drainage Systems Inc (ADS) 1499 Sunnybrook Road Alamo CA 94507- <i>Mfg #:</i> (800) 733-7473 <i>Cell #:</i> (925) 207-5002 <i>Fax #:</i> (925) 407-2872 <i>Web Site:</i> www.ads-pipe.com	ADS End Section - Flared HDPE Culvert End Sections; Hi-Q Flared End Section	(Hancor Inc bought out by ADS in 2008)	10/28/1995	R031, R033 <i>Contact:</i> Scott Henrich <i>Email:</i> scott.henrich@ads-pipe.com

**609.02.01a****FAST SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (541) 689-3133 <i>Cell #:</i> <i>Fax #:</i> (541) 689-3808 <i>Web Site:</i> americanhighwaytechnologies.com	American Highway Patch II		9/30/1996	R036 <i>Contact:</i> Terry Edmundson <i>Email:</i> terryedmundson@daytonsuperior.com
BASF/Degussa Corporation 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 <i>Cell #:</i> (800) 433-9517 <i>Fax #:</i> (800) 496-6067 <i>Web Site:</i> www.basfbcscst.com	Emaco S66 CI; SET 45 (CT); 10-60 Rapid Mortar	Name Change: ThorRoc 10-60 Rapid Mortar to 10-60 Rapid Mortar	1/3/2002	R385, R386, R387 <i>Contact:</i> Customer Service <i>Email:</i> basfbcscst@basf.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 <i>Cell #:</i> (714) 348-1946	Rapid Set DOT Repair Mix	<i>Fax #:</i> (714) 379-8270 <i>Web Site:</i> www.ctscement.com	1/27/1994	R039 <i>Contact:</i> Frank Senatore <i>Email:</i> fsenatore@ctscement.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439	Dayton Superior HD50; Edoco Fast Patch 928	<i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	9/30/1996	R037, R038 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222	Speed Crete® Green Line; Speed Crete® 2028 Rapid; Express Repair	<i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	11/8/2005	R537, R538, R539 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222	Hi-Flow Grout; Euco-Speed MP; Euco-Speed	<i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	9/30/1996	R041, R042, R043 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- <i>Mfg #:</i> (800) 243-2206 <i>Cell #:</i> (203) 336-7900	Highway Patch; Structural Concrete	<i>Fax #:</i> (203) 336-7930 <i>Web Site:</i> www.fivestarprouducts.com	9/30/1996	R034, R035 <i>Contact:</i> Lou Federico <i>Email:</i> federicol@fivestarprouducts.com
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- <i>Mfg #:</i> (209) 830-7803 <i>Cell #:</i> (209) 482-4488	Loctite MagnaCrete	<i>Fax #:</i> (209) 830-7804 <i>Web Site:</i> www.us.henkel.com	10/17/2008	R615 <i>Contact:</i> Bob Bacchetti <i>Email:</i> bob.bacchetti@us.henkel.com
High Performance Concrete Repair Materials Inc 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656- <i>Mfg #:</i> (888) 400-7600 <i>Cell #:</i> (949) 677-8229	High Performance Concrete Mix	<i>Fax #:</i> (714) 439-1001 <i>Web Site:</i> www.ConcreteRepair.com	1/3/2002	R322 <i>Contact:</i> John & Tom Collins <i>Email:</i> johncollins@concreterepair.com
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- <i>Mfg #:</i> (866) 827-8727 <i>Cell #:</i> (410) 821-1503	HP Cement	<i>Fax #:</i> (410) 561-8771 <i>Web Site:</i> www.concreterepairmaterials.com	10/22/2004	R507 <i>Contact:</i> Laura Clabaugh <i>Email:</i> laura@uscproducts.com

**609.02.01b****STORMWATER TREATMENT VAULTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- <i>Mfg #:</i> (775) 831-4592 <i>Cell #:</i> (800) 229-7283	BaySaver <i>Fax #:</i> (775) 831-4592 <i>Web Site:</i> www.baysaver.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284 <i>Contact:</i> Ed Franklin <i>Email:</i> edjfranklin@aol.com
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i>	CDS, StormFilter; Vortechs Stormwater Treatment System <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448, R449 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 <i>Mfg #:</i> (775) 352-6363 <i>Cell #:</i>	JPHV Stormwater Interceptor <i>Fax #:</i> (775) 352-6364 <i>Web Site:</i> www.jensenprecast.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548 <i>Contact:</i> Pam Hammonds <i>Email:</i> phammonds@jensenprecast.com
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- <i>Mfg #:</i> (775) 358-4430 <i>Cell #:</i> (707) 396-6268	Stormceptor <i>Fax #:</i> (775) 355-1982 <i>Web Site:</i> www.rinkermaterials.com/www.stormceptor.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286 <i>Contact:</i> Don Catterson/Steve Nilfroushar <i>Email:</i> dcatterson@rinker.com/sniflroushar@cemexusa.co
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 <i>Mfg #:</i> (877) 687-7473 <i>Cell #:</i> (610) 316-0957	Inceptor <i>Fax #:</i> (610) 687-6327 <i>Web Site:</i> www.stormdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348 <i>Contact:</i> Robert Sharpless <i>Email:</i> stormdrains@verizon.net

**609.03.01c****TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111	HD 200; MD 200 Trench Drain System <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	8/28/2006	R556, R557 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- <i>Mfg #:</i> (800) 438-6057 <i>Cell #:</i> (949) 633-6111	A-67 Interceptor; Polydrain Trench Drain System <i>Fax #:</i> (208) 887-8680 <i>Web Site:</i> www.abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395 <i>Contact:</i> Brad Short <i>Email:</i> bshort@abtdrains.com

**609.03.01c****TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	TraffikDrain		1/17/2003	R384 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	S100K; FF300; FG200; K100S; S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398, R399, R400 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- <i>Mfg #:</i> (800) 346-3061 <i>Cell #:</i> (707) 452-9920 <i>Fax #:</i> (707) 452-9923 <i>Web Site:</i> www.polycastdrain.com	Polycast 900 Series Grates (Removeable); Polycast 3000 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514 <i>Contact:</i> Thomas Beattie <i>Email:</i> tbeattie@hps.hubbell.com
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- <i>Mfg #:</i> (800) 433-1119 <i>Cell #:</i> (704) 881-4064 <i>Fax #:</i> (704) 508-1011 <i>Web Site:</i> www.multidrainssystems.com	EconoDrain Systems; MultiDrain Surface Drainage Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493 <i>Contact:</i> Steve Born <i>Email:</i> steve.born@multidrainssystems.com
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 <i>Mfg #:</i> (716) 665-1132 <i>Cell #:</i> (916) 332-5653 <i>Fax #:</i> (716) 665-1135 <i>Web Site:</i> www.zurn.com	Z-886 (6" Wide); Z-882 (12" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422 <i>Contact:</i> Bill Ousley <i>Email:</i> bill.ousley@zurn.com

**610.02.01****CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
CONTECH Construction Products Inc 3498 Celar Court Rancho Cordova CA 95670- <i>Mfg #:</i> (916) 635-0760 <i>Cell #:</i> <i>Fax #:</i> (916) 635-0764 <i>Web Site:</i> www.contech-cpi.com	Armotec Cellular Erosion Control Mat; Petraflex	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008	R332, R333 <i>Contact:</i> Neil Erickson <i>Email:</i> ericksonn@contech-cpi.com
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R326 <i>Contact:</i> Quinn Brown <i>Email:</i> quinn.brown@hanesindustries.com



**613.02.01****DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- <i>Mfg #:</i> (888) 490-9552 <i>Cell #:</i> (209) 204-0988 <i>Fax #:</i> (209) 574-1014 <i>Web Site:</i> www.acousa.com	ACO Detectible Warning Device		2/26/2009	R630 <i>Contact:</i> Justin White <i>Email:</i> jwhite@aco-online.com
Advanced Surface Systems LLC (ASSI) 1042 Willow Creek Road #432 Prescott AZ 86301- <i>Mfg #:</i> (928) 778-3443 <i>Cell #:</i> (928) 308-3939 <i>Fax #:</i> (928) 778-0533 <i>Web Site:</i> www.suredome.com	SureDome	Approved for NV Red and NV Green	12/10/2008	R628 <i>Contact:</i> Karen Hemry <i>Email:</i> kchemry@hotmail.com/bumps@suredome.com
Arcis Corporation PO Box 1250 North Plains OR 97133- <i>Mfg #:</i> (503) 647-5042 <i>Cell #:</i> <i>Fax #:</i> (503) 647-7731 <i>Web Site:</i> www.arciscorp.com	ADA Arcis Tactiles	"Red" only	9/2/2008	R608 <i>Contact:</i> Dan VanBrabant <i>Email:</i> info@arcis-corp.com
StrongGo Industries LLC 3296 East Hemisphere Loop Tucson AZ 85706- <i>Mfg #:</i> (866) 439-3216 <i>Cell #:</i> (877) 254-1259 <i>Fax #:</i> (520) 547-3515 <i>Web Site:</i> www.stronggo.com	TekWay Dome Tile	Terracotta for dark on light, Green for light on dark	11/27/2006	R564 <i>Contact:</i> Georgina Margan <i>Email:</i> gmargan@stronggo.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 <i>Cell #:</i> (800) 321-7870 <i>Fax #:</i> (914) 636-1282 <i>Web Site:</i> www.transpo.com	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484 <i>Contact:</i> Mike Stenko <i>Email:</i> mstenko@transpo.com

**616.02.01****PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Conwed Plastics 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413- <i>Mfg #:</i> (800) 426-6933 <i>Cell #:</i> (612) 623-1700 <i>Fax #:</i> (612) 623-2500 <i>Web Site:</i> www.conwedplastics.com	Safety Fence		10/10/1999	R202 <i>Contact:</i> Customer Services <i>Email:</i> customer.service@conwedplastics.com
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	Safety GeoGrid		5/15/2002	R342 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com

**618.02.01 FLARED GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 <i>Cell #:</i> (432) 517-0697 <i>Fax #:</i> (432) 267-4039 <i>Web Site:</i> www.roadsystems.com	Fleat 350 TL3	TL-3	1/11/1999 R045 <i>Contact:</i> Kaddo Kothmann <i>Email:</i> Kaddo@basin-net.net
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	ET Plus; LET Soil Tubes; SRT 350	TL-3	6/9/2004 R499, R500, R501 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 <i>Cell #:</i> (432) 517-0697 <i>Fax #:</i> (432) 267-4039 <i>Web Site:</i> www.roadsystems.com	SKT 350 TL3	TL-3	2/8/1998 R156 <i>Contact:</i> Kaddo Kothmann <i>Email:</i> Kaddo@basin-net.net
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	CAT 350; ET 200 Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997 R046, R047 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

**618.02.01b GUARDRAIL OFFSET BLOCKS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- <i>Mfg #:</i> (928) 333-5501 <i>Cell #:</i> <i>Fax #:</i> (928) 333-4403 <i>Web Site:</i> www.glum.com	Glue Laminated Offset Block	Use for W-beam and Tri-beam Guardrails	3/10/2004 R485 <i>Contact:</i> Ginger Wiltbank <i>Email:</i> gwiltbank@azglum.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	King-Size; King Block	Used with steel post Tri-beam guardrails.	5/13/2005 R523, R524 <i>Contact:</i> Mike Hooley <i>Email:</i> mike.hooley@trin.net

**619.02.01****FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	Safe Hit Soil Mount; Suface Mount Tubular Delineator		11/21/2008	R623, R624 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	SH Replaceable Barrier Marker; SH Dura Post; K Marker	Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R068, R053, R052 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562 <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com	RubberTough 360 Heavy Duty Bolt Down; Soil Mount Tubular Delineator		11/21/2008	R625, R626 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i> <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	TD5500 Earthflex Delineator		10/13/2004	R506 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

**619.02.01a****FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i> <i>Fax #:</i> (803) 276-8940 <i>Web Site:</i> www.carsonite.com	Island Sentry K-Marker	Type 2	8/1/1989	R050 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com	Type K Island Marker	Type 2	9/13/2007	R576 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i> <i>Fax #:</i> (239) 482-3539 <i>Web Site:</i> www.flexstake.com	T1; T2; BD, HM	Type 2	6/1/1994	R049, R048, R051, R056 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.com

**619.02.01a****FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	SH Replaceable Barrier Marker; SH Dura Post; K Marker <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Type 2	11/4/1998	R052, R053, R605, R606 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	Safe Hit Soil Mount; Suface Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com		11/21/2008	R623, R624 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601- <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> (714) 526-9562	RubberTough 360 Heavy Duty Bolt Down; Soil Mount Tubular Delineator <i>Fax #:</i> (312) 467-0201 <i>Web Site:</i> www.safe-hit.com		11/21/2008	R625, R626 <i>Contact:</i> Diane Sanchez <i>Email:</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD 5215 K Marker <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Type 2	9/4/2007	R566 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

**619.03.01****PRISMATIC ACRYLIC REFLECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i>	AKT #18 Center Mounted Reflector <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com		5/5/1998	R054 <i>Contact:</i> Sharon Marquardt <i>Email:</i> tschoe2992@aol.com
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- <i>Mfg #:</i> (847) 428-7761 <i>Cell #:</i>	Center-Mounted Delineator Reflector <i>Fax #:</i> (847) 428-7764 <i>Web Site:</i> www.vegamoldedproducts.com		5/5/1998	R055 <i>Contact:</i> Doris Weid <i>Email:</i> vega7761@aol.com

**623.01.01****DYNAMIC MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <i>Mfg #:</i> (605) 692-0200 <i>Cell #:</i> (605) 695-5624 <i>Fax #:</i> (605) 697-4700 <i>Web Site:</i> www.daktronicsinc.com	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503 <i>Contact:</i> Darcie Van Ede <i>Email:</i> nrwinac@daktronics.com
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- <i>Mfg #:</i> (719) 392-9046 <i>Cell #:</i> (719) 314-6883 <i>Fax #:</i> (719) 392-2075 <i>Web Site:</i> www.skylineproducts.com	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008	R587 <i>Contact:</i> Adam Lyons <i>Email:</i> adamlyons@skylineproducts.com

**623.02.08****SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <i>Mfg #:</i> (949) 387-4863 <i>Cell #:</i> (714) 743-0712 <i>Fax #:</i> (949) 387-4895 <i>Web Site:</i> www.milbankmfg.com	Metered Service Pedestals		11/19/2002	R367 <i>Contact:</i> Dave Stipe <i>Email:</i> dstipe@milbankmfg.com
Myers Power Products 725 East Harrison Street Corona CA 92879- <i>Mfg #:</i> (951) 520-1900 <i>Cell #:</i> <i>Fax #:</i> (951) 520-1961 <i>Web Site:</i> www.myerspowerproducts.com	Service Pedestals		9/5/2000	R267 <i>Contact:</i> Diana Grootonk <i>Email:</i> dianagrootonk@myerspower.com
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 <i>Cell #:</i> (951) 493-8394 <i>Fax #:</i> (951) 279-3116 <i>Web Site:</i> www.pedestals.net	Service Pedestals		11/19/2002	R366 <i>Contact:</i> Bob Ford <i>Email:</i> pupsales@pedestals.net
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 <i>Cell #:</i> (916) 952-5088 <i>Fax #:</i> (916) 429-2817 <i>Web Site:</i> www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000	R266 <i>Contact:</i> Curt Vasey <i>Email:</i> cvasey@tescocontrols.com

**623.02.12c****HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 <i>Cell #:</i> (817) 657-6973 <i>Fax #:</i> (682) 286-0086 <i>Web Site:</i> www.chmindustries.com	426 Series (Bottom Latching)		12/30/2003	R469 <i>Contact:</i> Scott Engberg <i>Email:</i> sengberg@chmindustries.com
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 <i>Cell #:</i> (847) 217-1070 <i>Fax #:</i> (847) 473-3870 <i>Web Site:</i> www.eaglehighmast.com	High Mast Assembly (Bottom Latching)		12/30/2003	R470 <i>Contact:</i> Joseph Simons III <i>Email:</i> himastltg@aol.com
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742 <i>Fax #:</i> (702) 367-4656 <i>Web Site:</i> www.myholophane.com	Holophane LD07 Series High Mast Lighting Lowering D (Bottom Latching)		12/30/2003	R468 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com

**623.02.29****EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	560 Chassis Discimonator Opticom Priority Control		9/19/2003	R459 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	711; 722; 721 Priority Control System Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001	R308, R309, R310 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716 <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	452; 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001	R306, R307 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- <i>Mfg #:</i> (800) 338-3133 <i>Cell #:</i> (951) 699-1784 <i>Fax #:</i> (951) 699-2725 <i>Web Site:</i> www.tomar.com	3140; 3080; Strobecom II System Card Racks; Strobecom II Optical Preemption Detector	Do not mix components, it must be a complete system.	9/27/2001	R203, R204, R205, R206 <i>Contact:</i> Bill Taylor <i>Email:</i> sales@tomar.com

**623.02.30a****VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903 <i>Cell #:</i>	Brass Linguine Class 1  <i>Fax #:</i> (541) 782-2053 <i>Web Site:</i> www.diamondtraffic.com		10/31/2001	R317 <i>Contact:</i> Beth Ann Ritz <i>Email:</i> sales@diamondtraffic.com
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496 <i>Cell #:</i>	Roadtrax BL Sensor Brass Linguine Class 1  <i>Fax #:</i> (757) 766-4297 <i>Web Site:</i> www.meas-spec.com		5/26/1999	R161 <i>Contact:</i> Robin Fletcher <i>Email:</i> robin.fletcher@meas-spec.com

**623.02.30e****VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 <i>Cell #:</i> (404) 661-1875	P/N 606 Detector Loop Sealant  <i>Fax #:</i> (770) 983-9642 <i>Web Site:</i> www.Bondo.com		12/2/2003	R465 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	271 Loop Detector Sealant; 272 Loop Detector Sealant  <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Rubberized Asphalt Material	8/5/1998	R059, R060 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkinson@crafco.com
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 <i>Cell #:</i> (781) 289-1400	Stat-a-Flex Polyester Loop Sealant  <i>Fax #:</i> (781) 289-1405 <i>Web Site:</i> www.durantcorp.com	Polyester Material	8/5/1998	R061 <i>Contact:</i> Al Losanno <i>Email:</i> alosanno@durantcorp.com
Global Traffic Technologies LLC 7800 3rd Street North Building 100 St. Paul MN 55128-5441 <i>Mfg #:</i> (800) 224-2085 <i>Cell #:</i> (480) 221-5716	3M Discimonator Opticom Priortiy Control System; 5000 Rubberized Loop Detector Sealant  <i>Fax #:</i> (651) 789-7334 <i>Web Site:</i> www.gtt.com	Rubberized Material	8/5/1998	R057, R058 <i>Contact:</i> Mike Lemon/Gary Stephenson <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840 <i>Cell #:</i>	Quikrete Commerical Grade Permanent Blacktop Repair #1701  <i>Fax #:</i> (916) 689-8857 <i>Web Site:</i> www.quikrete.com	Asphaltic Concrete	1/1/2001	R280 <i>Contact:</i> Norman Wong <i>Email:</i> nwong@quikrete.com

**623.02.30e****VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 525-1852 <i>Cell #:</i> (704) 904-1481 <i>Fax #:</i> (704) 525-1859 <i>Web Site:</i> www.raiproducts.com	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R063, R064 <i>Contact:</i> John Rosenblatt Jr. <i>Email:</i> john@raiproducts.com
Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 <i>Cell #:</i> (408) 640-6121 <i>Fax #:</i> (408) 294-3696 <i>Web Site:</i> www.rginc.com	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998	R062 <i>Contact:</i> Rick <i>Email:</i> rick@rginc.com

**623.03.01****TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 <i>Cell #:</i> (732) 751-5810 <i>Fax #:</i> (732) 751-5778 <i>Web Site:</i> www.dialight.com	LED 12" Signal Heads, Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336 <i>Contact:</i> Matthew Sieglitz <i>Email:</i> msieglitz@dialight.com
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246 <i>Cell #:</i> <i>Fax #:</i> (562) 691-3087 <i>Web Site:</i> www.eoi-us.com	LED Traffic Signal; Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T	6/17/2008	R598 <i>Contact:</i> Cheryl Huang <i>Email:</i> cheryluang@eoi-us.com
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 <i>Cell #:</i> (602) 326-5698 <i>Fax #:</i> (602) 344-7771 <i>Web Site:</i> www.phoenixhighwayproducts.com	LED 12" Signal Heads, Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338 <i>Contact:</i> Tara Cummings <i>Email:</i> tara@phoenixhighwayproducts.com

**623.03.15****SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 <i>Cell #:</i> (714) 323-2636 <i>Fax #:</i> (928) 855-7237 <i>Web Site:</i> www.gelightingssystem.com	85 Watt Induction Lighting Syst (MSR Series Sign) / Versaflood III Induction Signlighter CSV3SL2004		1/17/2003	R402 <i>Contact:</i> Pete Porte <i>Email:</i> pete.porte@ge.com



**623.03.15****SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Holophane Corporation 9435 West Tropicana Avenue 102244 Las Vegas NV 89147- <i>Mfg #:</i> (702) 367-3949 <i>Cell #:</i> (866) 465-6742	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop <i>Fax #:</i> (702) 367-4656	<i>Web Site:</i> www.myholophane.com	1/17/2003 R401 <i>Contact:</i> James Highgate <i>Email:</i> jameshighgate@gmail.com

**623.03.22****LUMINAIRE RETRIEVAL SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- <i>Mfg #:</i> (717) 235-2863 <i>Cell #:</i> (717) 818-8203	Lumi Trak <i>Fax #:</i> (717) 235-5076	<i>Web Site:</i> www.lumitrak.com	11/19/2002 R365 <i>Contact:</i> George Townsend <i>Email:</i> george@lumitrak.com

**623.03.26****RED LIGHT DETECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110- <i>Mfg #:</i> (408) 920-6319 <i>Cell #:</i>	Red Light Detector <i>Fax #:</i> (408) 920-6103	<i>Web Site:</i> www.brgsupply.com	7/16/2003 R446 <i>Contact:</i> Monty Mountha <i>Email:</i> monty.brgsupply@yahoo.com
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- <i>Mfg #:</i> (760) 734-5027 <i>Cell #:</i> (760) 727-8100	Red Light Detector <i>Fax #:</i> (760) 597-7108	<i>Web Site:</i> www.mccain-inc.com	7/16/2003 R445 <i>Contact:</i> Carol Jarvis-Murphy <i>Email:</i> cmurphy@mccain-inc.com

**624.03.03****REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	Discontinued *3970 LDP Diamond Grade, replaced with 3924S <i>Fax #:</i> (702) 914-6016	*discontinued manufacturing, but still carried by vendors and still approved <i>Web Site:</i> www.3M.com/tcm	4/8/1999 R163, R550 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111	T6500 Prismatic High Intensity Reflective Sheeting <i>Fax #:</i> (847) 588-7688	<i>Web Site:</i> www.averydennison.com	4/8/1999 R164 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com

**624.03.03****REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i>	Reflexite Fluorescent Orange Super Bright Roll Up    <i>Fax #:</i> (800) 895-0951	    <i>Web Site:</i> www.reflexiteamericas.com	4/8/1999	R162    <i>Contact:</i> Maureen, Carol, Janet    <i>Email:</i> customer.service@reflexite.com

**625.02.01****CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	MF-180-36 Masterflex    <i>Fax #:</i> (888) 842-2368	    <i>Web Site:</i> www.bentmfg.com	6/15/1998	R065    <i>Contact:</i> Sandy Gerbrick    <i>Email:</i> sandygerbrick@bentmfg.com
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i>	SDCF; SMDW    <i>Fax #:</i> (803) 276-8940	    <i>Web Site:</i> www.carsonite.com	6/15/1998	R066, R067    <i>Contact:</i> Ernest Joyner III    <i>Email:</i> sales@carsonite.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	FG 300 Curb System: Surface Mounted Post: Complete System; DAPCO Straight Guardrail Reflector Plates    <i>Fax #:</i> (253) 284-8080	Surface Mounted    <i>Web Site:</i> www.filtronaextrusion.com	10/14/1999	R314, R269, R521, R427    <i>Contact:</i> Bill Daly    <i>Email:</i> billdaly@filtrona.com
Qwick Kurb® Incorporated 1916 US 41 South Ruskin FL 33570- <i>Mfg #:</i> (813) 645-5072 <i>Cell #:</i>	Qwick Kurb    <i>Fax #:</i> (813) 454-4856	    <i>Web Site:</i> www.qwickkurb.com	11/21/2008	R627    <i>Contact:</i> Mike Hair    <i>Email:</i> mike@qwickkurb.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	SH Dura Post; SH Replaceable Barrier Marker    <i>Fax #:</i> (800) 770-6755	    <i>Web Site:</i> www.energyabsorption.com	6/15/1998	R053, R068    <i>Contact:</i> Diane Sanchez    <i>Email:</i> diane.sanchez@quixotecorp.com
Western Highway Products 10680 Fern Avenue Stanton CA 90680- <i>Mfg #:</i> (800) 854-3360 <i>Cell #:</i> (714) 761-4811	Repo 300    <i>Fax #:</i> (714) 952-2118	    <i>Web Site:</i> www.westernhighway.com	6/15/1998	R081    <i>Contact:</i> Barbara / Annie    <i>Email:</i> western.highway@yahoo.com

**625.02.02****REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Cell #:</i>	FB33 Flexible Barrier Marker/Delineator  <i>Fax #:</i> (414) 476-3438 <i>Web Site:</i> www.aktcorp.com		2/2/1993	R013 <i>Contact:</i> Sharon Marquardt <i>Email:</i> tschoe2992@aol.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	PCBM 12; T12 High Impact Barrier Reflector  <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com		12/17/1997	R017, R018 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779 <i>Cell #:</i>	FlexX 2020 W/75 mm X 75mm Reflective Sheeting  <i>Fax #:</i> (973) 962-7652 <i>Web Site:</i> n/a		12/17/1997	R019 <i>Contact:</i> Kerry <i>Email:</i> kerry@hallmanufacturing.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD9300 Roadguide; TD9400 Roadguide  <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com		12/3/2002	R371, R372 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

**625.02.03****CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Addco Manufacturing Company Inc 240 Arlington Avenue St Paul MN 55117- <i>Mfg #:</i> (800) 616-4409 <i>Cell #:</i> (651) 558-3536	Guardian Solar Powered PCMS; Sign Dot Sign DH1000  <i>Fax #:</i> (651) 558-3600 <i>Web Site:</i> www.addco.com		2/22/1998	R073, R074 <i>Contact:</i> Danielle Nicholson <i>Email:</i> sales@addco.com
American Signal Company Inc (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- <i>Mfg #:</i> (770) 448-6650 <i>Cell #:</i>	CMS T300; CMS T331; CMS T320; CMS GP465 Changeable Message Signs  <i>Fax #:</i> (770) 448-8970 <i>Web Site:</i> www.amsig.com		2/22/1998	R075, R076, R077, R078 <i>Contact:</i> Scott Covington <i>Email:</i> sales@amsig.com
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 <i>Mfg #:</i> (204) 885-2580 <i>Cell #:</i>	CMS 80FM (Solar Powered; Full Matrix Portable)  <i>Fax #:</i> (204) 888-2912 <i>Web Site:</i> www.enduron.net	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505 <i>Contact:</i> Chelsea Klassen <i>Email:</i> chelsea.k@enduron.net

**625.02.03****CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com	ER200; ER200T; CMS330; ER20054		4/10/2000	R069, R070, R071, R072 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com
National Signal Incorporated 2440 Artesia Avenue Fullerton CA 92833- <i>Mfg #:</i> (888) 994-0300 <i>Cell #:</i> <i>Fax #:</i> (714) 441-7714 <i>Web Site:</i> www.nationalsignalinc.com	Sunray Solar 345; Sunray Solar 380	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998	R079, R080, R081 <i>Contact:</i> Mark Fernandez <i>Email:</i> mark@nationalsignalinc.com
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- <i>Mfg #:</i> (972) 278-0553 <i>Cell #:</i> (972) 278-8683 <i>Fax #:</i> (972) 271-9583 <i>Web Site:</i> www.precisionsolarcontrols.com	Solar Powered Message Board Center		2/22/1998	R084 <i>Contact:</i> Vickie Seymour <i>Email:</i> vseymour@precisionsolarcontrols.com
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 <i>Mfg #:</i> (888) 488-7446 <i>Cell #:</i> (418) 654-1303 <i>Fax #:</i> (418) 654-0517 <i>Web Site:</i> www.ver-mac.com	PCMS		2/22/1998	R085 <i>Contact:</i> Kimberly Jack <i>Email:</i> kim.jack@ver-mac.com
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <i>Mfg #:</i> (610) 391-8600 <i>Cell #:</i> (610) 393-4419 <i>Fax #:</i> (610) 391-8601 <i>Web Site:</i> www.solartechnology	Silent Messenger Solar Powered		2/22/1998	R086 <i>Contact:</i> Inside Service Manager <i>Email:</i> customerservice@solartechnology.com
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- <i>Mfg #:</i> (303) 427-5700 <i>Cell #:</i> (800) 972-0755 <i>Fax #:</i> (303) 427-5725 <i>Web Site:</i> www.wanco.com	WTLMB-S-LL(A) Changeable Message Sign		8/5/2002	R355 <i>Contact:</i> Jim McLemore <i>Email:</i> jim@wanco.com

**625.02.04****TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Barrier Systems Incorporated 3333 Vaca Valley Parkway Vacaville CA 95688- <i>Mfg #:</i> (707) 374-6800 <i>Cell #:</i> (888) 800-3691 <i>Fax #:</i> (707) 374-6801 <i>Web Site:</i> www.barriersystemsinc.com	Absorb 350 Crash Cushion	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001	R285 <i>Contact:</i> Ron Keener <i>Email:</i> ron.keener@barriersystemsinc.com

**625.02.04****TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	Engergite III Module; N-E-A-T System; Quadguard		9/3/1998	R089, R090, R091 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006	R545 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (775) 357-6005 <i>Cell #:</i> (775) 690-3037	Energite III; Fitch Inertial Barrier System; React 350 Crash Cushion		9/3/1998	R092, R093, R094 <i>Contact:</i> Tim Kniffen <i>Email:</i> tniffen@tcsi.biz
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture drv.	3/22/2000	R095, R096 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com

**625.02.05****TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	Safe-Stop 180 TMA (req'd trck weight 7300 to 12,000 k)	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R192 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (262) 814-7000 <i>Cell #:</i> (800) 444-0331	Energite III; Fitch Inertial Barrier System; React 350 Crash Cushion		9/3/1998	R092, R093, R094 <i>Contact:</i> Tim Kniffen <i>Email:</i> tniffen@tcsi.biz
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	ScorPion C 10,000 of the TL-3 Design	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com

**625.02.05****TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097 <i>Contact:</i> Mikel Hooley <i>Email:</i> mikel.hooley@trin.net

**625.02.06****WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Armorcast Products Company Inc 13230 Satcoy Street North Hollywood CA 91605- <i>Mfg #:</i> (818) 982-3600 <i>Cell #:</i> (909) 772-1424 <i>Fax #:</i> (818) 982-7742 <i>Web Site:</i> www.armorcastprod.com	Guardian Barrier Water Filled w/350 kit	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph.	9/3/1998	R099 <i>Contact:</i> Sydney Chase <i>Email:</i> info@armorcastprod.com
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 <i>Mfg #:</i> (800) 292-1305 <i>Cell #:</i> <i>Fax #:</i> (219) 659-0625 <i>Web Site:</i> www.rhinobarriers.com	Rhino Safety Barrier(use the 350 kit with install)	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L); For speeds less than or equal 45 mph;Use 30 m (100 ft) minimum for LON.	3/10/2004	R482 <i>Contact:</i> Steve Washburn <i>Email:</i> steve.washburn@polyjohn.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i> <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	Triton Barrier (white colored 6.5 ft sections)	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON.	3/30/1997	R098 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625 <i>Fax #:</i> (570) 380-2859 <i>Web Site:</i> www.yodock.com	Traffic Control Model 2001; Type III Barricade		8/3/2006	R551, R561 <i>Contact:</i> Kathleen Yodock <i>Email:</i> kathleen@yodock.com

**625.02.07****PORTABLE BEACON LIGHT SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- <i>Mfg #:</i> (888) 414-3003 <i>Cell #:</i> (662) 566-2025 <i>Fax #:</i> (662) 566-7123 <i>Web Site:</i> www.k-ksystems.com	Safety Beacon Light		6/1/1999	R188 <i>Contact:</i> Timothy Keith <i>Email:</i> timothy@k-ksystems.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- <i>Mfg #:</i> (270) 527-4200 <i>Cell #:</i>	Dibond for Highway; Work Zone Signage  <i>Fax #:</i> (270) 527-1552 <i>Web Site:</i> www.alcancompositesusa.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006 <i>Contact:</i> Star Collins <i>Email:</i> star.collins@alcan.com	R547, R533
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i>	BoneLight ACM; Big Dog Rigid Sign  <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com	Attached signs must conform to section 712. BoneLight ACM only allowed with this model or stands specified by the FHWA Letter acceptance.	10/17/2008 <i>Contact:</i> Chris Goode <i>Email:</i> chris@bonesafety.com	R620, R621
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635 <i>Cell #:</i>	RZ-412; RZ-412S; RZ-460; RZ-484  <i>Fax #:</i> (770) 333-1639 <i>Web Site:</i> www.bonesafety.com	Roll-up Fabric Only	10/17/2008 <i>Contact:</i> Toya Ostane <i>Email:</i> toya@bonesafety.com	R616, R617, R618, R619
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641 <i>Cell #:</i> (206) 818-9277	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand  <i>Fax #:</i> (800) 695-6054 <i>Web Site:</i> www.dicketool.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000 <i>Contact:</i> Michael Burke <i>Email:</i> mike@dicketool.com	R220, R221, R222, R223, R224, R225
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295	C200; C202; C902; Superflex Compact Stand w/Fiberglass Leaf Spr  <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Kim McLean <i>Email:</i> kmclean@usa-sign.com	R227, R228, R229, R230
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 <i>Cell #:</i> (607) 734-2295	X501; X550; X551; X600 Interstate Stands w/Full Size Coil Spring  <i>Fax #:</i> (607) 734-8783 <i>Web Site:</i> www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000 <i>Contact:</i> Kim McLean <i>Email:</i> kmclean@usa-sign.com	R231, R232, R233, R234
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS548CE; SS548UCR; SS548A; SS548UC; SS548C; SS548UCA; SS548AE; SS560UCA  <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R403, R404, R405, R406, R407, R408, R409, R410
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 <i>Cell #:</i> (804) 262-6050	SS1; SS548CA; SS548E; SS560A; SS548; SS560; SS548UCRA; SS548CAE  <i>Fax #:</i> (804) 261-1040 <i>Web Site:</i> www.kormansigns.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003 <i>Contact:</i> John Murray <i>Email:</i> jam@kormansigns.com	R411, R412, R413, R414, R415, R416, R417, R418

**625.03.03****SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Cell #:</i>	4812; 4818; 4815RB; 4850RB; 4860KC; 4884CS Sign Support System; 4814K Windmaster <i>Fax #:</i> (248) 488-5700 <i>Web Site:</i> www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237, R238, R239, R240, R241 <i>Contact:</i> Karen Jackson <i>Email:</i> kjackson@mdiworldwide.com
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48" <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R248, R244 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com
Traffix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R242, R243 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com

**625.03.04****BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type III Plywood Panel <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com	Type III w/ or w/out lights	3/9/2000	R245 <i>Contact:</i> Sandy Gerbrick <i>Email:</i> sandygerbrick@bentmfg.com
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com	Type II w/ or w/out lights	3/9/2000	R272, R273 <i>Contact:</i> Sandy Gerbrick <i>Email:</i> sandygerbrick@bentmfg.com
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 <i>Cell #:</i> (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal <i>Fax #:</i> (888) 842-2368 <i>Web Site:</i> www.bentmfg.com	Type I w/ or w/out lights	3/9/2000	R246, R247 <i>Contact:</i> Sandy Gerbrick <i>Email:</i> sandygerbrick@bentmfg.com
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689	Type III B Barricades; TD2500 Type III Barricades; TD2650 Works Barricade Type III Anchor Barricade <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R250, R251, R252, R256 <i>Contact:</i> Bill Daly <i>Email:</i> billdaly@filtrona.com



<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Highway Technologies 4533 Andres Street North Las Vegas NV 89081- <i>Mfg #:</i> (702) 453-1616 <i>Cell #:</i>	Type 3D Barricades  <i>Fax #:</i> (702) 438-3460 <i>Web Site:</i> www.hwy-tech.com		1/10/2000	R435 <i>Contact:</i> David Johnson <i>Email:</i> david.johnson@hwy-tech.com
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590 <i>Cell #:</i>	PST-III (Type III barricade)  <i>Fax #:</i> (216) 231-2702 <i>Web Site:</i> www.plasticsafety.com	Type III	3/19/2004	R483 <i>Contact:</i> Bill Jamieson <i>Email:</i> wejamieson@plasticsafety.com
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400 <i>Cell #:</i>	Sentinel Type III  <i>Fax #:</i> (847) 470-0420 <i>Web Site:</i> www.americanlouver.com	Type III	2/21/2007	R001 <i>Contact:</i> Marshall Shapiro <i>Email:</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2550 Work Barricade Type III  <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Type III	7/5/2005	R525 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2150; TD2000 Barricade 24" Wide; TD2200; TD2250; TD2300; TD2500; TD2600 Works Barricade  <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Barricade Type I and Type II	7/5/2005	R526, R527, R528, R529, R530, R531, DE?? <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD2400 Works All Plastic Type IIIB; TD3000 A Frame Barricade Type I  <i>Fax #:</i> (818) 841-5096 <i>Web Site:</i> www.trafficwks.com	Type I and Type III B	12/3/2002	R374, R375 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com
TrafFix Devices Incorporated 160 Avenida La Pata San Clemente CA 92673- <i>Mfg #:</i> (801) 446-4450 <i>Cell #:</i> (801) 979-7099	Economy Plastic Folding Barricade; Sand-Filled Bag  <i>Fax #:</i> (801) 446-1157 <i>Web Site:</i> www.traffixdevices.com		4/3/2000	R248, R249 <i>Contact:</i> Cary Lemonds <i>Email:</i> clemonds@traffixdevices.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 <i>Cell #:</i> (800) 321-7870	Safe Step - Detectable Warning Tile  <i>Fax #:</i> (914) 636-1282 <i>Web Site:</i> www.transpo.com	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R141 <i>Contact:</i> Mike Stenko <i>Email:</i> mstenko@transpo.com

**625.03.04****BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 <i>Cell #:</i> (888) 495-3625	Yodock Model 2001; 200 M with Type III Temporary Sign Support <i>Fax #:</i> (570) 380-2859	Type III <i>Web Site:</i> www.yodock.com	11/27/2007	R583, R588 <i>Contact:</i> Kathleen Yodock <i>Email:</i> kathleen@yodock.com

**627.02.01a****POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
NO VENDOR LISTINGS AT THIS TIME				
<i>Mfg #:</i>	<i>Cell #:</i>	<i>Fax #:</i>	<i>Web Site:</i>	<i>Contact:</i> <i>Email:</i>

**630.02.01****HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carsonite® Composites 19845 US Highway 76 Newberry SC 29108- <i>Mfg #:</i> (800) 648-7916 <i>Cell #:</i>	Modular Guidance System <i>Fax #:</i> (803) 276-8940	<i>Web Site:</i> www.carsonite.com	10/20/1996	R102 <i>Contact:</i> Ernest Joyner III <i>Email:</i> sales@carsonite.com
Flexstake Incorporated 2150 Andrea Lane Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Cell #:</i>	Glare Screen System <i>Fax #:</i> (239) 482-3539	<i>Web Site:</i> www.flexstake.com	7/31/1996	R103 <i>Contact:</i> Jim Zadrozny/Robert Hughes Jr. <i>Email:</i> jim@flexstake.com/rkj Hughes24@yahoo.com
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	Glare Screen System <i>Fax #:</i> (800) 770-6755	<i>Web Site:</i> www.energyabsorption.com	7/31/1996	R104 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com

**632.03.05****RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i>	LTL-X; LTL-X 30-Meter Geometry Retroreflectometer <i>Fax #:</i> (336) 475-7900	<i>Web Site:</i> www.flintrading.com	12/26/1999	R210, R211 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com

**632.03.05****RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Mirolux Products Incorporated 12621 Bridgewood Lane Draper UT 84020- <i>Mfg #:</i> (801) 718-7089 <i>Cell #:</i> (801) 571-3394 <i>Fax #:</i> (801) 571-3394 <i>Web Site:</i> www.miroluxproducts.com	MP 30		12/26/1999	R213 <i>Contact:</i> William Kaiser <i>Email:</i> sales@miroluxproducts.com
RoadVista 8581 Aero Drive San Diego CA 92123- <i>Mfg #:</i> (925) 552-5922 <i>Cell #:</i> (510) 453-7004 <i>Fax #:</i> (925) 886-8833 <i>Web Site:</i> www.roadvista.com	LaserLux; MX 30; StripeMaster Series		5/2/2006	R542, R543, R544 <i>Contact:</i> Keith Breeding <i>Email:</i> kbreeding@keoselectronics.com

**633.02.01****NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001- <i>Mfg #:</i> (253) 351-9828 <i>Cell #:</i> <i>Fax #:</i> (253) 735-6303 <i>Web Site:</i> www.alpinemarkings.com	DDOT ABS	100mm (4") Round	6/2/1999	R184 <i>Contact:</i> Bart Farrar <i>Email:</i> bart@alpinemarkings.com
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839 <i>Fax #:</i> (562) 944-2298 <i>Web Site:</i> www.apexmarker.com	929 ABS; Ceramic	100mm (4") Round	6/1/1999	R172, R173 <i>Contact:</i> Steve Edsinga <i>Email:</i> sales@apexmarker.com
Glowlite Incorporated 1360 South Beach Boulevard #B-230 La Habra CA 90631- <i>Mfg #:</i> (626) 288-7500 <i>Cell #:</i> (562) 587-3534 <i>Fax #:</i> (626) 288-7300 <i>Web Site:</i> www.glowlitemarket.com	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective (Ceramic) and Plastic/PP)	100 mm (4") Round	3/7/2005	R516, R517 <i>Contact:</i> Edward Fei or Richard Fei <i>Email:</i> edwardfei_glowlite@yahoo.com
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 <i>Cell #:</i> (909) 591-1781 <i>Fax #:</i> (909) 627-0999 <i>Web Site:</i> www.hi-waysafety.com	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round)	100mm (4") Round	6/1/1999	R185, R186 <i>Contact:</i> Bob Smith <i>Email:</i> hiwaysafety@linkline.com
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 <i>Cell #:</i> (530) 823-6070 <i>Fax #:</i> (530) 823-0994 <i>Web Site:</i> www.interstatesales.com	Diamond Back (ABS & Polypropylene)	100mm (4") Round	6/1/1999	R170 <i>Contact:</i> Mike Trentman <i>Email:</i> miket@interstatesales.com

**633.02.01****NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 <i>Cell #:</i>	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow <i>Fax #:</i> (925) 215-2549	100mm (4") Round <i>Web Site:</i> www.novabrite.com	2/17/2004	R474, R475, R476, R477 <i>Contact:</i> Norman Yamaguchi <i>Email:</i> norman@novabrite.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Cell #:</i>	TD10000 Series (100 mm (4") Round) <i>Fax #:</i> (818) 841-5096	100mm (4") Round <i>Web Site:</i> www.trafficwks.com	12/3/2002	R373 <i>Contact:</i> Frank Dvoracek <i>Email:</i> sales@trafficwks.com

**633.02.02****REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	290 Durable Raised Pavement Marker <i>Fax #:</i> (702) 914-6016	89mm x 100 mm (3.6" x 4") <i>Web Site:</i> www.3M.com/tcm	6/1/1999	R182 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 <i>Cell #:</i> (562) 805-3839	921 AR <i>Fax #:</i> (562) 944-2298	100mm x 100 mm (4" x 4") <i>Web Site:</i> www.apexmarker.com	3/25/2001	R282 <i>Contact:</i> Steve Edsinga <i>Email:</i> sales@apexmarker.com
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	911; 953; C88 Permanent Reflective Pavement Markers Ab <i>Fax #:</i> (800) 555-0217	100mm x 100 mm (4" x 4") <i>Web Site:</i> www.ennispaint.com	6/1/1999	R179, R180, R181 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i>	AA; ARC <i>Fax #:</i> (740) 345-1336	100mm x 100 mm (4" x 4") <i>Web Site:</i> www.rayolite.com	6/1/1999	R174, R175 <i>Contact:</i> Miguel Lozano <i>Email:</i> mlozano@rayolite.com

**633.02.03****RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	944SB Recessed Reflective Pavement Markers  <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	51mm x 100 mm (2" x 4")	6/1/1999	R178 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	948 Recessed Reflective Pavement Markers  <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R183 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Cell #:</i> (713) 245-6102	ARC 2002; ARC 2004  <i>Fax #:</i> (740) 345-1336 <i>Web Site:</i> www.rayolite.com	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R176, R177 <i>Contact:</i> Miguel Lozano <i>Email:</i> mlozano@rayolite.com

**633.02.04****ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902	Hot Applied Flexible Pavement Marker Adhesive part 34270  <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com		6/16/1998	R105 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	836098 Bituminous Adhesive for Pavement Markers  <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com		6/15/1998	R108 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i>	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad  <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106 <i>Contact:</i> Tim Montgomery <i>Email:</i> sales@flintrading.com
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 523-0268 <i>Cell #:</i> (800) 669-6940	Dotstick Bituminous Marker Adhesive  <i>Fax #:</i> (916) 714-4582 <i>Web Site:</i> www.henry.com		9/29/2003	R464 <i>Contact:</i> Randy Rozell <i>Email:</i> customerservice@henry.com

---

**633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)**

---

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (713) 941-4410 <i>Cell #:</i> (713) 350-6849 <i>Fax #:</i> (713) 947-4949 <i>Web Site:</i> www.martinaspphalt.com	172542 Evergrip Bituminous Marker Adhesive		6/15/1998	R107
			<i>Contact:</i> Jack Nimmo	
			<i>Email:</i> jnimmo@martinmlp.com	

---

**633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

---

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 <i>Cell #:</i> (408) 431-8689 <i>Fax #:</i> (253) 284-8080 <i>Web Site:</i> www.filtronaextrusion.com	Halftrack Model 25; Halftrack Model 26; TOM; TRPM (Temporary Overlay Raised)	Work Zone Pavement Markers	2/20/2000	R253, R254, R256, R257
			<i>Contact:</i> Bill Daly	
			<i>Email:</i> billdaly@filtrona.com	

---

**634.03.03a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

---

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Crown Technology LLC PO Box 789 Woodbury GA 30293- <i>Mfg #:</i> (706) 553-9500 <i>Cell #:</i> (706) 575-0423 <i>Fax #:</i> (706) 553-9501 <i>Web Site:</i> www.crownthermo.com	Tuffline Alkyd		1/17/2003	R290
			<i>Contact:</i> Jeannie Powell	
			<i>Email:</i> jeannie@crowthermo.com	

---

**634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

---

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	Flame Tape; ThermoLine		6/13/2001	R299, R300
			<i>Contact:</i> Kelley Liska	
			<i>Email:</i> kliska@ennispaint.net	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Cell #:</i> <i>Fax #:</i> (336) 475-7900 <i>Web Site:</i> www.flintrading.com	Hot Tape™; Premark® PLUS		2/24/2004	R168, R169
			<i>Contact:</i> Tim Montgomery	
			<i>Email:</i> sales@flintrading.com	

---

**635.02.01****TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012 <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	Discontinued *750 Wet Reflective Removable Tape, replaced with 780	*discontinued manufacturing, but still carried by vendors and still approved	5/21/2003	R423, R424 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i> <i>Fax #:</i> (252) 536-4940 <i>Web Site:</i> www.trafficmarking.com	Series 200 Construction Removable Tape		6/15/1999	R101 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i> <i>Fax #:</i> (702) 649-9237 <i>Web Site:</i> www.britelinetechnologies.com	Series 100 White & Yellow; Series 200 White & Yellow Removable		6/15/1999	R154, R155, R157, R158 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- <i>Mfg #:</i> (314) 968-2569 <i>Cell #:</i> <i>Fax #:</i> (314) 968-0494 <i>Web Site:</i> www.pblaminations.com	Aztec III Removable		6/15/1999	R119 <i>Contact:</i> Laretta Green <i>Email:</i> lgreen@pblaminations.com
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i> <i>Fax #:</i> (931) 388-4039 <i>Web Site:</i> www.swarco.com	Director 2 Detour Grade		6/15/1999	R120 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com
Trelleborg Industri AB 23181 Trelleborg Sweden <i>Mfg #:</i> (464) 105-1536 <i>Cell #:</i> (467) 081-5366 <i>Fax #:</i> (464) 105-1122 <i>Web Site:</i> www.trelleborg.com/roadtape	RW 140 Series; RY 140 Series; R 140 Series		8/24/2001	R303, R304, R305 <i>Contact:</i> Tevin Loontjens <i>Email:</i> tevnlootjens@trelleborg.com

**637.02.01****DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	PennSuppress D Dust Suppressant	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body.	5/2/1999	R121 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com

## 637.02.01

## DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Road Boss	10/26/05 Name change from Chemco (Soil Title) to Arrow Magnolia (Road Boss)	10/26/2005	R498 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <i>Mfg #:</i> (972) 758-7454 <i>Cell #:</i> (702) 405-0351 <i>Fax #:</i> (972) 596-8418 <i>Web Site:</i> www.dallasroadway.com	Dust Control DC-22		6/19/2006	R549 <i>Contact:</i> Ellyn Neal-Favors <i>Email:</i> dallasroadway@yahoo.com
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- <i>Mfg #:</i> (775) 852-3878 <i>Cell #:</i> (800) 369-3878 <i>Fax #:</i> (970) 346-3959 <i>Web Site:</i> www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R450 <i>Contact:</i> Charles Sherven <i>Email:</i> csherven@envirotechservices.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik; Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323 <i>Contact:</i> Stan True <i>Email:</i> srowsell@fluid-tech-inc.com
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433 <i>Contact:</i> Craig Hoad <i>Email:</i> craighoad@gmbostoncompany.com
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant; Hercules PAM	Application Rate of Diluted Mixture: 0.35m <sup>2</sup> /L (14sq.ft./gal.)	5/2/1999	R149, R150 <i>Contact:</i> Rob Hotle <i>Email:</i> hercenv@herculesenvironmental.com



## 637.02.01

## DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com <i>Email:</i> kim@midwestind.com/custserv@midwestind.com	EnviroKleen; Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001	R278, R279
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com <i>Email:</i> dennis@nuequipment.com	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com <i>Email:</i> jim.ryan@alonusa.com	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002	R479
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com <i>Email:</i> crista@soil-tech.com	Plas-Tex; Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 289-3206 <i>Fax #:</i> (480) 289-3230 <i>Web Site:</i> www.soilworks.com <i>Email:</i> chuck@soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com <i>Email:</i> andy@terranovo.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com <i>Email:</i> jbreen@usg.com	Dust Armour		8/28/2006	R553
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (520) 622-7203 <i>Cell #:</i> (520) 820-8943 <i>Fax #:</i> (520) 798-3914 <i>Web Site:</i> www.westernemulsions.com <i>Email:</i> ian@westernemulsions.com	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R434

**637.02.02****SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Hanes Geo Components 5927 Balfour Court Suite 108 Carlsbad CA 92008- <i>Mfg #:</i> (702) 341-0354 <i>Cell #:</i> (702) 493-3713 <i>Fax #:</i> (702) 341-0355 <i>Web Site:</i> www.hanesgeo.com	TerraTex SC		6/25/1998	R143 <i>Contact:</i> Quinn Brown <i>Email:</i> quinn.brown@hanesindustries.com
Triangular Silt Dike Company Inc 8505 East Highway 66 Luther OK 73054- <i>Mfg #:</i> (800) 290-8473 <i>Cell #:</i> <i>Fax #:</i> (405) 277-2232 <i>Web Site:</i> www.tri-silkdike.com	Triangular Silt Dike		6/25/1998	R142 <i>Contact:</i> Gary Roach <i>Email:</i> groach@cox.net

**637.02.05****ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 <i>Cell #:</i> (800) 423-4567 <i>Fax #:</i> (804) 246-9737 <i>Web Site:</i> www.acfenvironmental.com	Siltsack		6/25/1998	R144 <i>Contact:</i> David Kelley <i>Email:</i> dkelly@acfenvironmental.com
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677 <i>Cell #:</i> <i>Fax #:</i> (888) 234-3677 <i>Web Site:</i> www.shopbowhead.com	StreamGuard Catch Basin Insert		6/25/1998	R088 <i>Contact:</i> Jeff Bird <i>Email:</i> jeffb@shopbowhead.com
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 <i>Cell #:</i> (614) 580-5683 <i>Fax #:</i> (740) 881-2791 <i>Web Site:</i> www.dandyproducts.com	Beaver Dam Bag; Dandy Curb Bag®; Dandy Bag® Drainage Control,		6/25/1998	R082, R083, R087 <i>Contact:</i> Dan Cleveland Jr. <i>Email:</i> dlc@dandyproducts.com
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- <i>Mfg #:</i> (888) 382-7458 <i>Cell #:</i> (770) 388-7818 <i>Fax #:</i> (770) 388-7640 <i>Web Site:</i> www.siltsaver.com	SS-100A Frame & Filter Assembly; SS-200A Frame & Filter Assembly		12/6/2002	R376, R377 <i>Contact:</i> Todd Christian <i>Email:</i> todd@siltsaver.com

**640.02.03a****MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 <i>Mfg #:</i> (800) 762-8962 <i>Cell #:</i> (707) 443-5093 <i>Fax #:</i> (707) 443-2891 <i>Web Site:</i> www.hilfiker.com	Reinforced Soil Embankment Wall		9/8/1998	R122 <i>Contact:</i> Suzanne Blackburn <i>Email:</i> suzanne@hilfiker.com
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel; Retained Earth Large MSE Walls		9/8/1998	R287, R288 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com	MSE Earth; MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R187, R195 <i>Contact:</i> Andrew Thompson <i>Email:</i> andrewt@mseplus.com
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454 <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165 <i>Contact:</i> Bob Miller <i>Email:</i> bmiller@tensarcorp.com

**640.02.03b****MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i> <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Reinforced Earth MSE Large Wall Panel; Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288 <i>Contact:</i> Michael Louis <i>Email:</i> mlouis@reinforcedearth.com
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300 <i>Cell #:</i> <i>Fax #:</i> (831) 430-9340 <i>Web Site:</i> www.mseplus.com	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356 <i>Contact:</i> Andrew Thompson <i>Email:</i> andrewt@mseplus.com

**640.02.03c****SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Evonik Cyro LLC 379 Interpace Parkway Parsippany NJ 07054- <i>Mfg #:</i> (207) 490-4384 <i>Cell #:</i>	Paraglas Soundtop® Ready Fit Panels  <i>Fax #:</i> (973) 541-8441 <i>Web Site:</i> www.paraglassoundstop.com	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the contract documents: it is not a complete wall system.  <i>Email:</i> eric.humphries@evonik.com	8/27/2004	R502
Port-O-Wall Systems LLC 585 5th Street West/PMB 182 Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516 <i>Cell #:</i>	Port-O-Wall Soundwall System  <i>Fax #:</i> (707) 996-5191 <i>Web Site:</i> www.port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.  <i>Email:</i> rod_allen@port-o-wall.com	10/24/2001	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 <i>Cell #:</i> (702) 354-3974	Quilite Noise Barrier  <i>Fax #:</i> (702) 464-3080 <i>Web Site:</i> www.quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.  <i>Email:</i> morgan@quilite.com	2/9/2005	R515

**640.02.04****MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761 <i>Cell #:</i>	Keysystem 1 Modular Block Retaining Wall  <i>Fax #:</i> (251) 990-5461 <i>Web Site:</i> www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.  <i>Email:</i> keystone@keystonewalls.com	5/15/2002	R145
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- <i>Mfg #:</i> (619) 688-2400 <i>Cell #:</i>	Pyramid Modular Block Retaining Wall  <i>Fax #:</i> (619) 688-2499 <i>Web Site:</i> www.reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.  <i>Email:</i> mlouis@reinforcedearth.com	5/15/2002	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 <i>Cell #:</i> (949) 212-8454	Mesa Retaining Wall  <i>Fax #:</i> (949) 488-7084 <i>Web Site:</i> www.tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.  <i>Email:</i> bmiller@tensarcorp.com	5/15/2002	R343

**641.02.01****IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Safe-Hit A Div of Energy Absorption Syst Inc 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 705-8454 <i>Cell #:</i>	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 <i>Fax #:</i> (800) 770-6755 <i>Web Site:</i> www.energyabsorption.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R126, R127, R128, R129 <i>Contact:</i> Diane Sanchez <i>Email:</i> diane.sanchez@quixotecorp.com
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 <i>Cell #:</i> (630) 330-8063 <i>Fax #:</i> (630) 377-9270 <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545 <i>Contact:</i> Jeffery Smith <i>Email:</i> workarea@workareaprotection.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 <i>Cell #:</i> (360) 943-9559 <i>Fax #:</i> (801) 292-3263 <i>Web Site:</i> www.trin.net	Adiem Attenuating Device	TL-3 "Concrete Foundation Required". May be used for all speed ratings	9/9/2003	R209 <i>Contact:</i> Mike Hooley <i>Email:</i> mikel.hooley@trin.net

**702.03.01c****CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D	9/4/2007	R573 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC Clear Wax Cure; DSSCC Resin Cure & Dye	PCCP ASTM C309, Type 2, Class A	8/29/2008	R580; R609 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i>	US SPEC Maxcure Resin Clear <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com		8/29/2008	R607 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com
White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333 <i>Cell #:</i>	Resin Cure-Clear VOC <i>Fax #:</i> (775) 353-3300 <i>Web Site:</i> www.whitecapdirect.com	ASTM C309 Type 1D	9/4/2007	R565 <i>Contact:</i> Bob Smith <i>Email:</i> bobsmith@white.net

**702.03.01c****CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	1100 Clear, 1600 Clear	ASTM C309 Type 1D	9/4/2007	R574, R575 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

**702.03.01d****CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	8/29/2008	R611 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Kurez VOX White Pigmented		9/30/1996	R040 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
SpecChem LLC 700 West 47th Street Kansas City KS 64112- <i>Mfg #:</i> (816) 968-5600 <i>Cell #:</i> (913) 221-7957 <i>Fax #:</i> (913) 371-8701 <i>Web Site:</i> www.specchemllc.com	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585 <i>Contact:</i> Bryan Meyer <i>Email:</i> bmeyer@specchemllc.com
Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 <i>Cell #:</i> (530) 348-6809 <i>Fax #:</i> (702) 386-5799 <i>Web Site:</i> www.steelengineers.com	UniWhite Cure Wax		6/2/2008	R577 <i>Contact:</i> Bratt Bilkington <i>Email:</i> bbilkington@steelengineers.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	US SPEC AMS 3754		7/2/2008	R602 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com

**702.03.04****BRIDGE DECK CURING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	DSSCC PAMS; White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R610, R578 <i>Contact:</i> John Hukey <i>Email:</i> johnhukey@daytonsuperior.com
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227 <i>Cell #:</i> <i>Fax #:</i> (303) 722-8426 <i>Web Site:</i> www.usmix.com	US SPEC AMS 3754		7/2/2008	R602 <i>Contact:</i> Bryan Smith <i>Email:</i> bsmith@usmix.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100 <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	2245		9/4/2007	R604 <i>Contact:</i> Lyne Ball <i>Email:</i> lball@wrmeadows.com

**702.03.05****FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Cell #:</i> <i>Fax #:</i> (210) 349-8512 <i>Web Site:</i> www.boral.com	Fly Ash	Type F	9/4/2007	R571 <i>Contact:</i> Pamela Flynn <i>Email:</i> pamelaflynn@boral.com
Headwaters Resource's Incorporated 16817 155th PI SE Rento WA 98058- <i>Mfg #:</i> (425) 970-3155 <i>Cell #:</i> (206) 953-2942 <i>Fax #:</i> (425) 970-3156 <i>Web Site:</i> www.headwaters.com	Fly Ash	Type F	9/4/2007	R572 <i>Contact:</i> Thomas Fox <i>Email:</i> tfox@headwaters.com

**707.03.04****JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013- <i>Mfg #:</i> (800) 641-8242 <i>Cell #:</i> <i>Fax #:</i> (973) 473-4222 <i>Web Site:</i> www.bondaflex.com	Bondaflex Sil 728SL		8/5/2005	R534 <i>Contact:</i> Mina Nevruz <i>Email:</i> minan@maynational.com
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 <i>Cell #:</i> (602) 418-9902 <i>Fax #:</i> (602) 940-0313 <i>Web Site:</i> www.crafco.com	Roadsaver Silicone SL Sealant		10/7/1993	R552 <i>Contact:</i> Lowell Parkison <i>Email:</i> lowell.parkison@crafco.com
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 <i>Cell #:</i> (303) 880-9614 <i>Fax #:</i> (303) 980-1780 <i>Web Site:</i> www.dowcorning.com	890 SL		3/20/1997	R130 <i>Contact:</i> Jason Sika <i>Email:</i> jason.sika@dowcorning.com
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 <i>Cell #:</i> (800) 848-1730 <i>Fax #:</i> (419) 257-2200 <i>Web Site:</i> www.dsbrown.com	DSB 900 SL Self Leveling Silicone		4/5/2005	R518 <i>Contact:</i> Larry Durain <i>Email:</i> ldurain@dsbrown.com
Pecora Corporation 165 Wambold Road Harleysville PA 19438- <i>Mfg #:</i> (215) 723-6051 <i>Cell #:</i> <i>Fax #:</i> (215) 721-0286 <i>Web Site:</i> www.pecora.com	Pecora 300		9/14/2001	R311 <i>Contact:</i> Nick Burns <i>Email:</i> burnsn@pecora.com
Tremco Incorporated 3735 Green Road Beachwood OH 44122- <i>Mfg #:</i> (866) 209-5015 <i>Cell #:</i> (216) 292-5036 <i>Fax #:</i> (216) 766-5535 <i>Web Site:</i> www.tremcosealants.com	Spectrum 900 SL Formula 974831; 333 Cartridges		5/31/2002	R358, R357 <i>Contact:</i> Technical Services <i>Email:</i> tsccs@tremcoinc.com

**714.03.01****COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146- <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i> <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997	R132, R133, R134 <i>Contact:</i> Joanne Dawson <i>Email:</i> carbolineUSA@carboline.com



## 714.03.01

## COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Carboline Protective Coatings 2150 Schuetz Road Maryland Heights MO 63146-  <i>Mfg #:</i> (314) 644-1000 <i>Cell #:</i>	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane  <i>Fax #:</i> (314) 587-2699 <i>Web Site:</i> www.carboline.com	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811  <i>Email:</i> carbolineUSA@carboline.com	8/20/1997	R604, R605, R606  <i>Contact:</i> Joanne Dawson
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-  <i>Mfg #:</i> (281) 684-5203 <i>Cell #:</i> (281) 684-5203	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS  <i>Fax #:</i> (812) 256-6733 <i>Web Site:</i> www.international-pc.com	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS  <i>Email:</i> daniel.griffin@akzonobel.com	6/4/2003	R430, R431, R432  <i>Contact:</i> Dan Griffin
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821-  <i>Mfg #:</i> (714) 337-1953 <i>Cell #:</i> (562) 691-9600	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane  <i>Fax #:</i> (562) 691-3550 <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure  <i>Email:</i> nyemiller@msm.com	5/21/2008	R592, R593, R594  <i>Contact:</i>
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane  <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150  <i>Email:</i> dee.l.mcneill@sherwin.com	6/2/2003	R123, R124, R125  <i>Contact:</i> Dee McNeill
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II  <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-150 Series Part B: B65V150  <i>Email:</i> dee.l.mcneill@sherwin.com	8/20/1997	R135, R136, R137  <i>Contact:</i> Dee McNeill
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-  <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane  <i>Fax #:</i> (210) 340-1650 <i>Web Site:</i> www.sherwinwilliams.com	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-400 Series Part B: B60V2  <i>Email:</i> dee.l.mcneill@sherwin.com	6/2/2003	R138, R139, R140  <i>Contact:</i> Dee McNeill

## 716.03.01

## REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-  <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	334 & 336 Barricade Type IV  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	For Barricades Only (Type IV)  <i>Email:</i> ejdornak@mmm.com	12/1/2004	R510, R511  <i>Contact:</i> Eric Dornak

## 716.03.01

## REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	3810 High Intensity Series  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	Discontinued 3924, replaced with 3924S Fluorescent Orange Diamond Grade Sheeting  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	For Rigid Signs Only (NDOT Type X); *discontinued manufacturing, but still carried by vendors and still approved	8/21/2000	R289, R163 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	Discontinued *3970, replaced with 3990 VIP Diamond Grade Type IX  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	Type IX; *discontinued manufacturing, but still carried by vendors and still approved	8/16/2000	R159, R271 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	3981; 3983 Diamond Fluorescent VIP (for perm traffic);  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301, R302 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	Discontinued *3870 Permanent Traffic Signs & Temporary Traffic, replaced with 3930  <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); *discontinued manufacturing, but still carried by vendors and still approved	12/1/2004	R508, R509 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111	T6500; W7514 Fluorescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting  <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R298, R297 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111	T9500 Omni View; T7500 Prismatic Grade Sheeting  <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	NDOT Type IX	5/30/2002	R021, R344 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111	S9000C Cone Collar  <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com

**716.03.01****REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 647-7717 <i>Cell #:</i> (847) 627-3111	T5500A Series High Intensity; T7000 Fluorescent Reflective Sheeting No <i>Fax #:</i> (847) 588-7688 <i>Web Site:</i> www.averydennison.com	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456 <i>Contact:</i> Nipa Joshi <i>Email:</i> nipa.joshi@averydennison.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500	High Intensity ULG II <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV)	8/16/2000	R226 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 <i>Cell #:</i> (310) 532-7500	92847 Nikkalite Crystal Fluorescent Orange <i>Fax #:</i> (888) 330-7119 <i>Web Site:</i> www.nikkalite.com	NDOT Type X	4/29/2005	R522 <i>Contact:</i> James Hu <i>Email:</i> jhu@nikkalite.com
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i>	Conformalight; Marathon Type VI <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294 <i>Contact:</i> Maureen, Carol, Janet <i>Email:</i> customer.service@reflexite.com
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Cell #:</i>	AP1000 Reflective Sheeting <i>Fax #:</i> (800) 895-0951 <i>Web Site:</i> www.reflexiteamericas.com	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295 <i>Contact:</i> Maureen, Carol, Janet <i>Email:</i> customer.service@reflexite.com

**726.03.04****MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600	Second Nature Paper Fiber Hydroseeding Mulch <i>Fax #:</i> (785) 883-4429 <i>Web Site:</i> www.centralfiber.com		6/25/1998	R146 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <i>Mfg #:</i> (208) 733-9689 <i>Cell #:</i>	Nature's Own <i>Fax #:</i> (208) 733-9447 <i>Web Site:</i> www.hmi-mfg.com		6/25/1998	R147 <i>Contact:</i> Patrick Andrew <i>Email:</i> patrick@hmi-mfg.com/info@hmi-mfg.com

**726.03.04****MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Profile Products 750 Lake Cook Road Suite 440 Buffalo Grove IL 60089- <i>Mfg #:</i> (253) 884-0747 <i>Cell #:</i> (253) 208-9777 <i>Fax #:</i> (253) 884-0730	Conwed 1000, Flexterra	<i>Web Site:</i> www.profileproducts.com	12/18/2008 R629, R631 <i>Contact:</i> Becky Gauthier <i>Email:</i> bgauthier@profileproducts.com

**726.03.05****TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded / ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 <i>Cell #:</i> (785) 883-4600 <i>Fax #:</i> (785) 883-4429	TacPac GT	<i>Web Site:</i> www.centralfiber.com	6/25/1998 R148 <i>Contact:</i> Craig Hoad <i>Email:</i> sales@centralfiber.com
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- <i>Mfg #:</i> (707) 588-1444 <i>Cell #:</i> <i>Fax #:</i> (707) 588-1445	Driwater Hydro Mix	<i>Web Site:</i> www.driwater.com	Note: Surfaces subject to spill; can be slippery. 1/3/2001 R277 <i>Contact:</i> Mary Paternoster <i>Email:</i> mary@driwater.com
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- <i>Mfg #:</i> (401) 331-9000 <i>Cell #:</i> (401) 766-0400 <i>Fax #:</i> (401) 331-2155	Ecotak OP Moisture Retainer	<i>Web Site:</i> www.easterncolor.net	6/25/1998 R151 <i>Contact:</i> George Dubois <i>Email:</i> tech@easterncolor.net
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633	Earthbind 100	<i>Web Site:</i> www.enviroad.com	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of anv water body. 3/17/2003 R420 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803	Fisch-Stik, Terravest	<i>Web Site:</i> www.fischbachandmore.com	6/25/1998 R152, R153 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806	EarthGuard Fiber Matrix	<i>Web Site:</i> www.EarthGuard.com	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic 11/2/2001 R318 <i>Contact:</i> Andy Iturriria <i>Email:</i> andy@terranovo.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 <i>Cell #:</i> (281) 770-0220 <i>Fax #:</i> (814) 368-1335 <i>Web Site:</i> www.pennsuppress.com	PennSuppress D Dust Suppressant		6/25/1998	R121 <i>Contact:</i> Colin Kimball <i>Email:</i> ckimball@amref.com
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 <i>Cell #:</i> (214) 415-3984 <i>Fax #:</i> (972) 484-2896 <i>Web Site:</i> www.arrowmagnolia.com	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498 <i>Contact:</i> Eunice Kemp <i>Email:</i> ekemp@arrowmagnolia.com
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 <i>Cell #:</i> (920) 217-0281 <i>Fax #:</i> (920) 406-9740 <i>Web Site:</i> www.encap.com	PAM 12 PLUS	4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008	R586 <i>Contact:</i> Adrian Ramirez <i>Email:</i> aramirez@encap.net
Enviroad 2606 North Newark Street Portland OR 97217- <i>Mfg #:</i> (800) 536-2650 <i>Cell #:</i> (503) 701-7802 <i>Fax #:</i> (503) 279-2633 <i>Web Site:</i> www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003	R420 <i>Contact:</i> Don Blackmon <i>Email:</i> don@enviroad.com
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- <i>Mfg #:</i> (509) 325-2882 <i>Cell #:</i> (509) 981-8555 <i>Fax #:</i> (509) 235-3803 <i>Web Site:</i> www.fischbachandmore.com	Fisch-Stik; Terravest K		6/25/1998	R152, R153 <i>Contact:</i> Robert Fischbach <i>Email:</i> tackiferman@yahoo.com
Fluid Tech Incorporated 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 <i>Cell #:</i> <i>Fax #:</i> (702) 871-3629 <i>Web Site:</i> www.fluid-tech-inc.com	Road Oyl, Soil Seal, Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R324, R325, R323 <i>Contact:</i> Stan True <i>Email:</i> srowsell@fluid-tech-inc.com
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 <i>Cell #:</i> (949) 533-6799 <i>Fax #:</i> (949) 722-6799 <i>Web Site:</i> www.gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R433 <i>Contact:</i> Craig Hoad <i>Email:</i> craighoad@gmbostoncompany.com
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878 <i>Cell #:</i> <i>Fax #:</i> (770) 455-6531 <i>Web Site:</i> www.HerculesEnvironmental.com	Hercules PAM; SOILOC-MQ Dust Suppressant; SOILOC-PAM		6/25/1998	R160, R149, R328 <i>Contact:</i> Rob Hotle <i>Email:</i> hercenv@herculesenvironmental.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121 <i>Cell #:</i> <i>Fax #:</i> (330) 456-3247 <i>Web Site:</i> www.midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must be 50 feet away from any water	4/18/2005	R279 <i>Contact:</i> Kimberly Keith <i>Email:</i> kim@midwestind.com/custserv@midwestind.com
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 <i>Cell #:</i> (702) 249-1900 <i>Fax #:</i> (702) 649-8446 <i>Web Site:</i> www.nuequipment.com	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275 <i>Contact:</i> Dennis Frehner <i>Email:</i> dennis@nuequipment.com
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 <i>Cell #:</i> (661) 978-9357 <i>Fax #:</i> (661) 391-1054 <i>Web Site:</i> www.alonsashalt.com	Topein S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004	R479 <i>Contact:</i> Jim Ryan <i>Email:</i> Jryan@ppcla.com
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Cell #:</i> <i>Fax #:</i> (801) 303-2551 <i>Web Site:</i> www.sequoiaprc.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R118 <i>Contact:</i> Terry Holmes <i>Email:</i> terry@telnetz.com
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Cell #:</i> <i>Fax #:</i> (702) 873-0915 <i>Web Site:</i> www.soil-tech.com	Plas-Tex; Poly-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467 <i>Contact:</i> Crista Napoli <i>Email:</i> crista@soil-tech.com
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 <i>Cell #:</i> (480) 289-3206 <i>Fax #:</i> (480) 289-3230 <i>Web Site:</i> www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504 <i>Contact:</i> Chuck Conner <i>Email:</i> chuck@soilworks.com
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 <i>Cell #:</i> (661) 747-5956 <i>Fax #:</i> (661) 587-6806 <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318 <i>Contact:</i> Andy Iturriria <i>Email:</i> andy@terranovo.com
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (281) 855-2598 <i>Cell #:</i> (281) 615-0163 <i>Fax #:</i> (312) 214-6606 <i>Web Site:</i> www.usg-erosioncontrol.com	AirtrolTM Geobinder; Enviro-ShieldTM Bonded Fiber Matrix		8/28/2006	R554, R555 <i>Contact:</i> John Breen <i>Email:</i> jbreen@usg.com

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 <i>Cell #:</i> (954) 782-2221 <i>Fax #:</i> (954) 782-2776 <i>Web Site:</i> www.atc.ws	Ultrabond 1; Ultrabond 1100; Ultrabond 1300; HS200	Type I, II, IV and V; Grade 2: Class C, & 1300 Class B & C	1/10/2002	R329, R330, R331, R327 <i>Contact:</i> Richard Boland <i>Email:</i> rboland@atc.ws
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 <i>Cell #:</i> (858) 277-2100 <i>Fax #:</i> (702) 222-0488 <i>Web Site:</i> www.atlasform.com	Atlas Epoxy Bonder; LPL Epoxy Bonder	Type I, II, IV and V; Grade 2: Classes B & C	4/29/2004	R496, R497 <i>Contact:</i> Ryan Quinn <i>Email:</i> ryanquinn@atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (913) 279-0264 <i>Cell #:</i> (877) 416-3439 <i>Fax #:</i> (913) 279-4806 <i>Web Site:</i> www.daytonsuperior.com	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3: Glass A	1/14/2003	R393 <i>Contact:</i> John Hukey <i>Email:</i> johnkukey@daytonsuperior.com
Euclid Chemical Company, The 19320 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 <i>Cell #:</i> (216) 531-9222 <i>Fax #:</i> (216) 481-7072 <i>Web Site:</i> www.euclidchemical.com	Duralcrete	Type I and Type II	11/8/2005	R536 <i>Contact:</i> Andrew Fulkerson <i>Email:</i> afulkerson@euclidchemical.com
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 <i>Cell #:</i> (916) 844-4905 <i>Fax #:</i> (800) 879-7000 <i>Web Site:</i> www.us.hilti.com	HT RE 500 Epoxy Adhesive Anchor	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321 <i>Contact:</i> Ruben Rivadeneira <i>Email:</i> ruben.rivadeneira@hilti.com
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370 <i>Cell #:</i> <i>Fax #:</i> (630) 495-6204 <i>Web Site:</i> www.itw-redhead.com	Ceramic 6	Type IV; Grade 3; Classes B & C	5/14/2002	R341 <i>Contact:</i> Don Burger (CC) / James Shupp (LV) <i>Email:</i>
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 <i>Cell #:</i> (916) 870-7863 <i>Fax #:</i> (209) 234-3868 <i>Web Site:</i> www.simpsonanchors.com	EDOT; ET22 Epoxy-Tie Resin Adhesive	Type I, II, IV and V; Grade 3: Classes B & C	1/4/1998	R216, R217 <i>Contact:</i> Joe Le Bel <i>Email:</i> jlebel@strongtie.com
Titan Supply 250 Edison Way Reno NV 89502- <i>Mfg #:</i> (775) 351-2201 <i>Cell #:</i> (888) 550-2201 <i>Fax #:</i> (775) 351-2205 <i>Web Site:</i> www.titansupply.com	Pro-Poxy 100	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008	R590 <i>Contact:</i> Brian Wickham <i>Email:</i> bwickham@titansupply.com

**728.03.02****EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder  <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type III, Grade 1, Class B & C	1/4/1998	R218, R219  <i>Contact:</i> Jerry Byrne  <i>Email:</i> jerry@unitex-chemicals.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy 300 Fast Binders/Adhesives; Pro-Poxy 400  <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type I, II, IV & V, Grade 3, Class B & C	1/4/1998	R215, R219  <i>Contact:</i> Jerry Byrne  <i>Email:</i> jerry@unitex-chemicals.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Pro-Poxy 50 Super LV; Pro-Poxy 200 Binders/Adhesives  <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type I, II, IV & V, Grade 2, Class B & C	1/4/1998	R520, R581  <i>Contact:</i> Jerry Byrne  <i>Email:</i> jerry@unitex-chemicals.com
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 <i>Cell #:</i> (816) 231-7700	Symons Res-Con 304  <i>Fax #:</i> (816) 483-3149 <i>Web Site:</i> www.unitex-chemicals.com	Type I, II, IV & V, Grade 3, Class B & C	1/14/2003	R388  <i>Contact:</i> Jerry Byrne  <i>Email:</i> jerry@unitex-chemicals.com
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 <i>Cell #:</i> (800) 328-5934	CIA-GEL 7000 Adhesive Anchors  <i>Fax #:</i> (507) 364-8762 <i>Web Site:</i> www.uspconnectors.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265  <i>Contact:</i> Jennifer Turek  <i>Email:</i> jtunek@gibraltar1.com
WR Meadows of Northern California 652 Indiana Street Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 <i>Cell #:</i> (847) 214-2100	Rezi Weld 1000  <i>Fax #:</i> (707) 747-6206 <i>Web Site:</i> www.wrmeadows.com	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R478  <i>Contact:</i> Lyne Ball  <i>Email:</i> lball@wrmeadows.com

**729.03.04****EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- <i>Mfg #:</i> (303) 388-9265 <i>Cell #:</i> (303) 941-5275	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)  <i>Fax #:</i> (303) 388-0881 <i>Web Site:</i> www.coloradopaint.com	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000	R199, R200, R201  <i>Contact:</i> Mark Vasquez  <i>Email:</i> markv@coloradopaint.com



## 729.03.04

## EPOXY PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS50 (Part A) Lead Free Yellow: LS50 (Part A) Hardener: LS50 (Part B) <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R378, R379, R380 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) <i>Fax #:</i> (856) 779-2963 <i>Web Site:</i> www.epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R381, R382, R383 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B) <i>Fax #:</i> (919) 767-8506 <i>Web Site:</i> www.ips-road.com	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R436, R437, R438 <i>Contact:</i> Jennifer Hall <i>Email:</i> jhall@ips-road.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R109, R110, R111 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R112, R113, R114 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 <i>Cell #:</i> (216) 577-6723	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) <i>Fax #:</i> (440) 248-1513 <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R115, R116, R117 <i>Contact:</i> Hemant Naik <i>Email:</i> hemant@poly-carb.com

## 729.03.05a

## RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369	UCAR™ Latex DT 400 NA <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com	Type II	7/19/2002	R167 <i>Contact:</i> Peter Doty <i>Email:</i>

**729.03.05a****RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (800) 232-2436 <i>Cell #:</i> (800) 447-4369 <i>Fax #:</i> (989) 832-1465 <i>Web Site:</i> www.dowanswercenter.com	UCAR™ Latex DT 250 NA	Type I	7/19/2002	R166 <i>Contact:</i> Peter Doty <i>Email:</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i> <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	Fastrack® HD-21A	Type II	11/30/2001	R320 <i>Contact:</i> Customer Service <i>Email:</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 967-7704 <i>Cell #:</i> <i>Fax #:</i> (800) 382-4008 <i>Web Site:</i> www.rohmhaas.com	Fastrack® 3427	Type I	11/30/2001	R319 <i>Contact:</i> Customer Service <i>Email:</i>

**729.03.05b****RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908 <i>Fax #:</i> (323) 778-9719 <i>Web Site:</i> www.pervo.com	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350 <i>Contact:</i> Scott Shannon <i>Email:</i> scott@pervo.com

**729.03.05c****RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i> <i>Fax #:</i> (800) 555-0217 <i>Web Site:</i> www.ennispaint.com	White: 982811 NVW-40-M-1 Yellow: 982812 NVY-40-M-1	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net

## 729.03.05c

## RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 <i>Cell #:</i>	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1 <i>Fax #:</i> (800) 555-0217	Fastrack® HD-21A <i>Web Site:</i> www.ennispaint.com	7/30/2002	R540, R541 <i>Contact:</i> Kelley Liska <i>Email:</i> kliska@ennispaint.net
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 <i>Cell #:</i> (323) 864-0908	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053 <i>Fax #:</i> (323) 778-9719	Fastrack® HD-21A <i>Web Site:</i> www.pervo.com	7/30/2002	R351, R352 <i>Contact:</i> Scott Shannon <i>Email:</i> scottss@pervo.com
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Cell #:</i>	White: BP19421 (TM2398); BP19422 (TM2399) Yellow: BP 19422 <i>Fax #:</i> (210) 340-1650	Fastrack® HD-21A <i>Web Site:</i> www.sherwinwilliams.com	7/9/2003	R425, R426 <i>Contact:</i> Dee McNeill <i>Email:</i> dee.l.mcneill@sherwin.com

## 729.03.06

## POLYUREA PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) <i>Fax #:</i> (702) 914-6016	"Lead Free Yellow" contains organic yellow pigment <i>Web Site:</i> www.3M.com/tcm	7/16/2003	R568, R569, R570 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) <i>Fax #:</i> (702) 914-6016	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.3M.com/tcm	7/16/2003	R442, R443, R444 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920 <i>Cell #:</i>	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B) <i>Fax #:</i> (856) 779-2963	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.epoplex.com	7/16/2003	R452, R453, R454 <i>Contact:</i> Cindi Westlund <i>Email:</i> epoplex@epoplex.com
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 <i>Cell #:</i> (919) 606-9987	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B) <i>Fax #:</i> (919) 767-8506	"Lead Free Yellow" contains organic yellow pigment. <i>Web Site:</i> www.ips-road.com	7/16/2003	R439, R440, R441 <i>Contact:</i> Jennifer Hall <i>Email:</i> jhall@ips-road.com

**731.03.01****PAVEMENT REINFORCING FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Road Solutions PO Box 1267 La Quinta CA 92247- <i>Mfg #:</i> (760) 406-2224 <i>Cell #:</i>	GlasGrid 8501; GlasGrid 8502; The Complete Road System; The Detail Repair System  <i>Fax #:</i>	  <i>Web Site:</i> www.roadsolutions.com	10/18/2002	R361, R362, R363, R364  <i>Contact:</i> Marshal Hughes  <i>Email:</i> roadsolutions@att.net

**732.03.01****PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	*5730 Stamark Tape  <i>Fax #:</i> (702) 914-6016	Type I; *discontinued manufacturing, but still carried by vendors and still approved  <i>Web Site:</i> www.3M.com/tcm	9/19/2003	R457  <i>Contact:</i> Eric Dornak  <i>Email:</i> ejdornak@mmm.com
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	270-ES Stamark Tape; 420 Stamark Intersection Grade Tape  <i>Fax #:</i> (702) 914-6016	Type II  <i>Web Site:</i> www.3M.com/tcm	9/19/2003	R458, R552  <i>Contact:</i> Eric Dornak  <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White & Yellow  <i>Fax #:</i> (252) 526-4940	Type I  <i>Web Site:</i> www.trafficmarking.com	9/19/2003	R480, R481  <i>Contact:</i> Brenda Robbins  <i>Email:</i> brobbins@trafficmarking.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 300 Tape White & Yellow  <i>Fax #:</i> (252) 526-4940	Type I  <i>Web Site:</i> www.trafficmarking.com	9/19/2003	R462, R463  <i>Contact:</i> Brenda Robbins  <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 900 White; Series 1000 White & Yellow Permanent  <i>Fax #:</i> (702) 649-9237	Type I  <i>Web Site:</i> www.britelinetchnologies.com	5/9/2006	R546  <i>Contact:</i> Bill Jubak  <i>Email:</i> bjubak@cox.net
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 35 Pavement Marking Tape Type II  <i>Fax #:</i> (931) 388-4039	Type I  <i>Web Site:</i> www.swarco.com	2/17/2004	R473  <i>Contact:</i> Jon Sproul  <i>Email:</i> office.industries@swarco.com

**732.03.01****PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900 <i>Cell #:</i>	Director 60 Permanent Marking Tape Type I <i>Fax #:</i> (931) 388-4039	Type I <i>Web Site:</i> www.swarco.com	2/17/2004	R472 <i>Contact:</i> Jon Sproul <i>Email:</i> office.industries@swarco.com

**732.03.02****PAVEMENT MARKING TAPE (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	270-ES Stamark Tape; 420 Stamark Intersection Grade Tape <i>Fax #:</i> (702) 914-6016	Type II <i>Web Site:</i> www.3M.com/tcm	9/19/2003	R458, R552 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White & Yellow <i>Fax #:</i> (252) 526-4940	Type II <i>Web Site:</i> www.trafficmarking.com	9/19/2003	R480, R481 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 300 Tape White & Yellow <i>Fax #:</i> (252) 526-4940	Type II <i>Web Site:</i> www.trafficmarking.com	4/29/2008	R462, R463 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223 <i>Cell #:</i>	Series 900 White; Series 1000 White & Yellow Permanent <i>Fax #:</i> (702) 649-9237	Type II <i>Web Site:</i> www.britelinetchnologies.com	5/9/2006	R546, R488, R489 <i>Contact:</i> Bill Jubak <i>Email:</i> bjubak@cox.net
Brite Line Technologies  <i>Mfg #:</i> <i>Cell #:</i> <i>Fax #:</i> <i>Web Site:</i>	Series 100 White & Yellow Permanent <i>Fax #:</i>	Type II <i>Web Site:</i>		R207, R208 <i>Contact:</i> <i>Email:</i>

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded</i>	<i>/ ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 <i>Cell #:</i> (702) 743-0012	A380IES (white) Stamark Tape, 381WR-ES (yellow) Stamark Tape <i>Fax #:</i> (702) 914-6016 <i>Web Site:</i> www.3M.com/tcm	Type IV	9/19/2003	R460, R461 <i>Contact:</i> Eric Dornak <i>Email:</i> ejdornak@mmm.com
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574 <i>Cell #:</i>	Series 400 Tape White & Yellow <i>Fax #:</i> (252) 526-4940 <i>Web Site:</i> www.trafficmarking.com	Type IV	7/29/2008	R480, R481 <i>Contact:</i> Brenda Robbins <i>Email:</i> brobbins@trafficmarking.com

### QPL DB1 NOTES February 2007

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Roma Clewell, Product Evaluation Coordinator, via email at [rclewell@dot.state.nv.us](mailto:rclewell@dot.state.nv.us) or by telephone at (775) 888-7894.