
QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
ADHESIVE (FOR PAVEMENT MARKERS)	633.02.04	031-032
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	004
ASPHALT RELEASE AGENTS	401.03.02	002-003
ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS	502.03.13j	006
BARRICADES	625.03.04	026-028
BRIDGE DECK CURING COMPOUND	702.03.04	040-041
CELLULAR EROSION CONTROL MATS	610.02.01	012
CHANGEABLE MESSAGE SIGNS	625.02.03	022-023
COATING SYSTEMS FOR BRIDGES	714.03.01	042-043
CONCRETE STAIN	502.02.04	005
CONSTRUCTION FLEXIBLE POSTS	625.02.01	021
CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)	702.03.01c	039
CURING COMPOUND (PCCP)	702.03.01d	039-040
DETECTABLE WARNINGS	613.02.01	012-013
DUST PALLIATIVE (OPTIONAL)	637.02.01	034-036
DYNAMIC MESSAGE SIGNS	623.01.01	015-016
EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM	623.02.29	017
EPOXY ANCHORING SYSTEMS	728.03.02	047-049
EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	008
EPOXY PAINT MARKING MATERIAL	729.03.04	049-050
EVAPORATIVE RETARDER	409.03.10	003-004
EXPANSION JOINT SEALANT	502.03.13l	007
FAST SETTING CONCRETE PRODUCTS	609.02.01a	009-010
FINE SURFACE FINISH (BONDED GROUT)	502.03.19	007
FLARED GUARDRAIL TERMINAL	618.02.01	013
FLEXIBLE GUIDE POSTS	619.02.01	014

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
FLEXIBLE OBJECT MARKERS (TYPE 2)	619.02.01a	015
FLY ASH (TYPE F ONLY)	702.03.05	041
GUARDRAIL OFFSET BLOCKS	618.02.01b	014
HEADLIGHT GLARE SCREEN MODULAR UNITS	630.02.01	029
HERBICIDES	401.02.02	001
HIGH MAST HEAD FRAME ASSEMBLIES	623.02.12c	017
IMPACT ATTENUATORS	641.02.01	038-039
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	502.03.22	008
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	707.03.04	041-042
MAILBOX SUPPORT SYSTEMS (TYPE C)	214.02.01	001
MODULAR BLOCK RETAINING WALL	640.02.04	038
MSE WALLS	640.02.03a	037
MSE WALLS (LARGE SIZE 5' x 10' PANELS)	640.02.03b	037
MULCH	726.03.04	045
PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)	633.02.01	029-030
PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)	633.02.02	030-031
PAVEMENT MARKING TAPE (TYPE 1)	732.03.01	052-053
PAVEMENT MARKING TAPE (TYPE 2)	732.03.02	053
PLASTIC FENCE FABRIC MATERIAL	616.02.01	013
POLYETHYLENE END SECTIONS	605.02.01	009
POLYUREA PAINT MARKING MATERIAL	729.03.06	051-052
PORTABLE SIGN SUPPORTS	625.03.03	025-026
PREFORMED JOINT FILLERS	502.03.13i	005-006
PREFORMED THERMOPLASTIC PAVEMENT MARKINGS	634.03.03b	033
PRISMATIC ACRYLIC REFLECTORS	619.03.01	015-016
PROTECTIVE OVERLAY FILM	627.02.01	028

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS	729.03.05a	050
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)	729.03.05c	051
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)	729.03.05b	051
RECESSED REFLECTIVE PAVEMENT MARKERS	633.02.03	031
RED LIGHT DETECTORS	623.03.26	020
REFLECTIVE MARKERS (ONON PORTABLE PRECAST CONCRETE)	625.02.02	021-022
REFLECTIVE SHEETING	716.03.01	043-044
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	624.03.03	020
RETROREFLECTOMETERS	632.03.05	029
ROADWAY INLET PROTECTION	637.02.05	036-037
SERVICE PEDESTALS	623.02.08	016
SIGN LIGHTING FIXTURES	623.03.15	019
SILT FENCE	637.02.02	036
SOIL STABILIZER	726.03.13	046-047
SOUNDWALL SYSTEMS	640.02.03c	038
STORMWATER TREATMENT VAULTS	609.02.01b	011
SYNTHETIC DRILLING SLURRY	509.03.09	009
TACKIFIER	726.03.05	045
TANGENTIAL GUARDRAIL TERMINAL	618.02.01a	013-014
TEMPORARY IMPACT ATTENUATORS	625.02.04	023-024
TEMPORARY PAVEMENT STRIPING TAPE	635.02.01	033
TEMPORARY REFLECTIVE LANE LINE MARKERS	633.02.05	032
TRAFFIC SIGNALS	623.03.01	019
TRENCH DRAINS	609.03.05	011-012
TRUCK MOUNTED IMPACT ATTENUATORS	625.02.05	024

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	018-019
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	018
WATER FILLED BARRIER RAILS	625.02.06	024-025

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL, SBBC-xx-ALI, SBBC-XX-ALPH, SBBC-xx-ALHPI		5/26/1998	R002, R003
<i>Mfg #:</i> (800) 729-1314	<i>Fax:</i> (888) 310-3946	<i>Email:</i> kim@vitproducts.com	<i>Web Site:</i> www.vitproducts.com	

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999	R189
<i>Mfg #:</i> (713) 263-8001	<i>Fax:</i> (800) 441-0051	<i>Email:</i> cfojt@rectorseal.com	<i>Web Site:</i> www.rectorseal.com	

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
<i>Mfg #:</i> (303) 286-7051	<i>Fax:</i> (888) 267-6463	<i>Email:</i> jennie@s-squartube.com	<i>Web Site:</i> www.s-squartube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997	R006
<i>Mfg #:</i> (262) 814-7000	<i>Fax:</i> (800) 444-0331	<i>Email:</i> bryane@tapconet.com	<i>Web Site:</i> www.tapconet.com/vloc	

401.02.02 HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507-	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007
<i>Mfg #:</i> (281) 892-2500	<i>Fax:</i> (800) 242-5562	<i>Email:</i>	<i>Web Site:</i> www.controlsolutionsinc.com	
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268-	Spike 80 W, Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R586
<i>Mfg #:</i> (800) 263-1196	<i>Fax:</i> (317) 337-3000	<i>Email:</i> jshong@dow.com	<i>Web Site:</i> www.dowagro.com	

401.02.03b WEED CONTROL FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
---------------------------	---------------------	----------------	-------------------------------

NO VENDOR LISTINGS AT THIS TIME

<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>
---------------	-------------	---------------	------------------

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
---------------------------	---------------------	----------------	-------------------------------

Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229-	Super Slick Bio; Slider	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004 R494, R495
---	-------------------------	--	----------------------------

<i>Mfg #:</i> (800) 527-2101 (972) 247-7111	<i>Fax:</i> (972) 484-2896	<i>Email:</i> dnix@arrowmagnolia.com	<i>Web Site:</i> www.arrowmagnolia.com
---	----------------------------	--------------------------------------	--

BG Chemical LP PO Box 720025 Dallas TX 75372-	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide		5/8/2000 R260, R261, R262
---	---	--	------------------------------------

<i>Mfg #:</i> (800) 725-8470 (214) 826-6822	<i>Fax:</i> (214) 826-7290	<i>Email:</i> jgunter@bgchemical.com	<i>Web Site:</i> www.bgchemical.com
---	----------------------------	--------------------------------------	-------------------------------------

Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118-	Slippery Wizard		7/15/2008 R603
---	-----------------	--	-------------------

<i>Mfg #:</i> (800) 480-2436 (801) 548-2287	<i>Fax:</i> (800) 588-2436	<i>Email:</i> tamme_price@yahoo.com	<i>Web Site:</i> www.brodychemical.com
---	----------------------------	-------------------------------------	--

ChemStation 3400 Encrete Lane Dayton OH 45439-	2217-B		12/20/2007 R584
--	--------	--	--------------------

<i>Mfg #:</i> (800) 554-8265 (623) 435-1945	<i>Fax:</i> (937) 534-0426	<i>Email:</i>	<i>Web Site:</i>
---	----------------------------	---------------	------------------

Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120-	SPX-7 & No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000 R263
--	--------------	---	-------------------

<i>Mfg #:</i> (888) 747-4101 (800) 774-9024	<i>Fax:</i> (770) 386-3391	<i>Email:</i> synthetic@pipeline.com	<i>Web Site:</i>
---	----------------------------	--------------------------------------	------------------

G & G Products PO Box 157 Moran KS 66755-	Clean Slide		6/17/2008 R599
---	-------------	--	-------------------

<i>Mfg #:</i> (620) 237-4244	<i>Fax:</i> (620) 237-4640	<i>Email:</i> cleanslide@yahoo.com	<i>Web Site:</i> www.cleanslide.com
------------------------------	----------------------------	------------------------------------	-------------------------------------

Rhomar Industries 2107 East Rockhurst Springfield MO 65802-	Enviro-Slide Ultra		4/26/2000 R259
---	--------------------	--	-------------------

<i>Mfg #:</i> (800) 688-6221 (417) 866-5592	<i>Fax:</i> (417) 866-5593	<i>Email:</i> bhamilton@rhomar.com	<i>Web Site:</i> www.rhomar.com
---	----------------------------	------------------------------------	---------------------------------

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107	Teclon-Pro		11/7/2006	R562
		<i>Fax:</i> (770) 443-0810 <i>Email:</i> kptectm@bellsouth.net <i>Web Site:</i> www.thetecteam.com		
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 (775) 721-2821	R-5274, R-6690; XT-3199		5/11/2006	R368, R369, R370
		<i>Fax:</i> (209) 830-5124 <i>Email:</i> zepbc@yahoo.com <i>Web Site:</i> www.zep.com		

409.03.09 PCCP CRACK SEALERS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
No Vendor Listings at this time				
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100	Atlas Finish Film		1/29/2003	R419
		<i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com <i>Web Site:</i> www.atlasform.com		
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- <i>Mfg #:</i> (800) 677-4922 (716) 308-6799	Confilm	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R192
		<i>Fax:</i> (800) 496-6067 <i>Email:</i> Debbie.steiger@basf.com <i>Web Site:</i> www.wbacorp.com		
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737	Dayton Superior SureFilm J-74	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R190
		<i>Fax:</i> (913) 371-3330 <i>Email:</i> johnhukey@daytonsuperior.com <i>Web Site:</i> www.daytonsuperio.com		
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 (216) 531-9222	Eucobar		9/30/1996	R044
		<i>Fax:</i> (216) 531-9399 <i>Email:</i> blewis@euclidchemical.com <i>Web Site:</i> www.euclidchemical.com		

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <i>Mfg #:</i> (410) 354-8600 (800) 637-6372 <i>Fax:</i> (410) 354-1122 <i>Email:</i> akaufmanproducts.net <i>Web Site:</i> www.kaufmanproducts.net	VaporAid 060		8/2/1999	R191
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <i>Mfg #:</i> (215) 332-7709 (888) 839-2661 <i>Fax:</i> (215) 332-9997 <i>Email:</i> dmanuel@vexcon.com <i>Web Site:</i> www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R193
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100 <i>Fax:</i> (707) 747-6206 <i>Email:</i> wrmnca@wrmeadows.com <i>Web Site:</i> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999	R194

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <i>Mfg #:</i> (925) 426-8787 (800) 227-5186 <i>Fax:</i> (661) 885-4161 <i>Email:</i> carlos.arguelles@cemex.com <i>Web Site:</i> www.cemex.com	Aggregate		1/26/1997	R014
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- <i>Mfg #:</i> (425) 228-2120 <i>Fax:</i> (425) 228-2199 <i>Email:</i> mineralco@aol.com <i>Web Site:</i> www.mineralco.com	Aggregate, Sand		1/26/1997	R012

502.02.01 REFLECTIVE MARKERS (ONE WAY & TWO WAY ON TOP OF BAR)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
NO VENDOR LISTINGS AT THIS TIME				

Mfg #: *Fax:* *Email:* *Web Site:*

502.02.04 CONCRETE STAIN

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371	Rainstopper ® Silicone Acrylic Concrete Stain		6/16/2008 R595
Mfg #: (954) 581-0771 (954) 205-5117	Fax: (954) 581-9516	Email: DB1TCA@aol.com	Web Site: www.texcote.com
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371	Rainstopper ® Silicone Acrylic Concrete Stain		4/12/2005 R520
Mfg #: (954) 581-0771 (954) 205-5117	Fax: (954) 581-9516	Email: DB1TCA@aol.com	Web Site: www.texcote.com
United Coatings 19011 East Cataldo Spokane Valley WA 99016-	Canyon Tone Stain		4/12/2005 R519
Mfg #: (800) 541-4383 (509) 926-7143	Fax: (509) 928-1116	Email: shawn@unitedcoatings.com	Web Site: www.unitedcoatings.com

502.02.05a ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070-	GSS-10 Anti Graffiti Coating		10/10/2005 R541
Mfg #: (800) 676-5963 (801) 201-2826	Fax: (801) 255-7123	Email: gregg@americanpolymer.com	Web Site: www.americanpolymer.com

502.03.13i PREFORMED JOINT FILLERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Chase Construction Products 401 New Karner Road Albany NY 12205-	MetaZeal A.J.; Physzite 380		5/3/1999 R009, R160
Mfg #: (800) 356-6007	Fax: (518) 346-1110	Email: Teck@chasecorp.com	Web Site: www.chaseconstructionproducts.co
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106-	Polytite N		5/3/1999 R010
Mfg #: (877) 416-3439 (913) 279-4800	Fax: (913) 279-4806	Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperiorchemical.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	Polytite N		8/2/1999 R190
Mfg #: (877) 416-3439 (913) 233-1737	Fax: (913) 371-3330	Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperio.com

502.03.13i**PREFORMED JOINT FILLERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- <i>Mfg #:</i> (716) 691-3301	Silicoflex <i>Fax:</i> (716) 691-3305	<i>Email:</i> mdstafford@rjwatson.com	12/7/2000	R276
Schul International 1 Industrial Park Drive Pelham NH 03076- <i>Mfg #:</i> (800) 848-1120 (603) 889-6872	Will Seal 600 <i>Fax:</i> (603) 889-6874	<i>Email:</i> info@schul.com	6/4/2002	R347
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- <i>Mfg #:</i> (419) 424-0888 (419) 408-5469	W Seal <i>Fax:</i> (419) 424-5959	<i>Email:</i> warren@techstar-inc.com	5/3/1999	R131
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- <i>Mfg #:</i> (800) 677-4922 (716) 308-6799	Wabo® Evazote UV;JEENE® Structural & Sealing Joint <i>Fax:</i> (716) 691-9239	<i>Email:</i> debbie.steiger@basf.com	8/2/2006	R552, R011

502.03.13j**ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- <i>Mfg #:</i> (419) 424-3527 (800) 848-1730	Matrix 502 Pave Tech <i>Fax:</i> (419) 257-2200	<i>Email:</i> ldurain@dsbrown.com	6/5/1997	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- <i>Mfg #:</i> (570) 546-6041 (570) 772-0955	BJS Thorma Joint Systems <i>Fax:</i> (570) 546-2415	<i>Email:</i>	9/19/2002	R360
Wyoming Equipment Sales PO Box 4287 West Syoming PA 18644-0287 <i>Mfg #:</i> (570) 693-2810 (860) 480-1308	APJ Asphalt Plug Joint System <i>Fax:</i> (570) 613-0384	<i>Email:</i> tmcharney@epix.net	12/1/2005	R535

502.03.13k EXPANSION JOINT (SPECIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- Mfg #: (800) 888-8909 (918) 698-6797	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an	4/22/2002	R212
Fax: (918) 582-7510	Email: dale.baker@ssicm.com	Web Site: www.ssicm.com		

502.03.13l EXPANSION JOINT SEALANT

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- Mfg #: (303) 980-1780 (303) 880-9614	902 RCS		4/22/2002	R339
Fax: (303) 980-1780	Email: jason.sika@dowcorning.com	Web Site: www.dowcorning.com		
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- Mfg #: (800) 677-4922 (716) 308-6799	Wabo® Silicone Sealant - 2 Part		4/22/2002	R340
Fax: (716) 691-9239	Email: debbie.steiger@basf.com	Web Site: www.wbacorp.com		

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	Tammscoat Fine		9/4/2007	R567
Fax: (216) 531-9399	Email: blewis@euclidchemical.com	Web Site: www.euclidchemical.com		
Textured Coatings of America (TEX-COTE)ex.Cote ® XL 70 Bridge Cote ® and 300 Bridge Cote 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 Mfg #: (954) 581-0771 (954) 205-5117			9/4/2007	R595
Fax: (954) 581-9516	Email: DB1TCA@aol.com	Web Site: www.texcote.com		

502.03.20 RETARDANTS (FOR FORMED, EXPOSED AGGREGATE FINISH)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379- Mfg #: (800) 327-1570 (800) 433-9517	Preco Hi-V; Preco Tuf-cote		8/17/1999	R196, R197
Fax: (800) 496-6067	Email: jasonlambright@degussa.com	Web Site: www.degussabuildingsystems.com		

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902 <i>Fax:</i> (480) 940-0313 <i>Email:</i> sales@crafco.com <i>Web Site:</i> www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 669-6940 <i>Fax:</i> (916) 714-4582 <i>Email:</i> customerservice@henry.com <i>Web Site:</i> www.henry.com	Calseal		9/8/1998	R025
Maxwell Products Incorporated 650 DeLong Street Salt Lake City UT 84104- <i>Mfg #:</i> (801) 972-2090 <i>Fax:</i> (801) 972-5536 <i>Email:</i> dale@maxwellproducts.com <i>Web Site:</i> www.dissco.net	Elastoflex 44; Elastoflex 56		1/6/1998	R022, R023

505.02.01**EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- <i>Mfg #:</i> (800) 626-7891 (541) 292-0644 <i>Fax:</i> (216) 750-7575 <i>Email:</i> <i>Web Site:</i>	RB600 Resicoat		4/30/2008	R591
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- <i>Mfg #:</i> (281) 939-4000 (281) 794-6993 <i>Fax:</i> (281) 939-4025 <i>Email:</i> kuruvila.varughese@usadupont.com <i>Web Site:</i> www.hoovers.com/dupont-coatings	2719 Nap Guard Epoxy Coating		1/18/2001	R281
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- <i>Mfg #:</i> (281) 684-5203 (800) 525-6824 <i>Fax:</i> (812) 256-6733 <i>Email:</i> daniel.griffin@internationalpaint.com <i>Web Site:</i> www.international-pc.com	HD33 Interpon; HD34 Fusion Bond		1/1/1996	R026, R027
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- <i>Mfg #:</i> (216) 631-2002 (800) 231-2002 <i>Fax:</i> (216) 631-6211 <i>Email:</i> <i>Web Site:</i>	295 E-90 Pow Dax; Scotch Kote 413		1/1/1996	R029, R030
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- <i>Mfg #:</i> (281) 370-6164 (281) 630-9878 <i>Fax:</i> (281) 370-6654 <i>Email:</i> madams@valspar.com <i>Web Site:</i> www.valspar.com	Lilly Greenbar #720A009		1/1/1996	R028

509.03.09 SYNTHETIC DRILLING SLURRY

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803 <i>Mfg #:</i> (800) 527-9948 (847) 910-4334 <i>Fax:</i> (847) 394-7823 <i>Email:</i> john.berry@cetco.com/justin.seago@cetco <i>Web Site:</i> www.constructiondrilling.com	Shore Pac GCV		9/25/2006 R559
Geo-Tech Drilling Fluids 220 North Zapata Highway Suite 11A Laredo TX 78043- <i>Mfg #:</i> (210) 587-4758 (310) 923-4160 <i>Fax:</i> (210) 568-4567 <i>Email:</i> mholmes@geotech.us <i>Web Site:</i>	Novagel Polymer		9/25/2006 R558
KB Technologies Ltd 3648 FM 1960 West Suite 107 Houston TX 77068- <i>Mfg #:</i> (800) 525-5237 <i>Fax:</i> <i>Email:</i> <i>Web Site:</i>	SlurryPro CDP		9/25/2006 R561
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- <i>Mfg #:</i> (562) 634-8180 <i>Fax:</i> (562) 634-1350 <i>Email:</i> sales@pdscoinc.com <i>Web Site:</i> www.pdscoinc.com	Super Mud		9/25/2006 R560

605.02.01 POLYETHYLENE END SECTIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Advanced Drainage Systems Incorporated 1499 Sunnybrook Road Alamo CA 94507- <i>Mfg #:</i> (800) 733-7473 (925) 207-5002 <i>Fax:</i> (925) 407-2872 <i>Email:</i> scott.henrich@ads-pipe.com <i>Web Site:</i> www.ads-pipe.com	ADS End Section - Flared HDPE Culvert End Sections		10/28/1995 R031
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- <i>Mfg #:</i> (801) 278-3453 <i>Fax:</i> (206) 309-0634 <i>Email:</i> llistello@hancor.com <i>Web Site:</i> www.hancor.com	Hi-Q Flared End Section		10/28/1995 R033

609.02.01a FAST SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (310) 834-3401 <i>Fax:</i> (514) 689-3133 <i>Email:</i> terryedmundson@daytonsuperior.com <i>Web Site:</i> americanhighwaytechnologies.com	American Highway Patch II		9/30/1996 R036

609.02.01a

FAST SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630-	Rapid Set DOT Repair Mix		1/27/1994	R039
Mfg #: (800) 929-3030 (714) 348-1946	Fax: (714) 379-8270	Email: fsenatore@ctscement.com	Web Site: www.ctscement.com	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	Edoco Fast Patch 928, Dayton Superior HD50		9/30/1996	R037, R038
Mfg #: (877) 416-3439 (913) 233-1737	Fax: (913) 371-3330	Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperio.com	
Degussa Building System 889 Valley Park Drive Shakopee MN 55379-	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar		1/3/2002	R385, R386, R387
Mfg #: (800) 433-9517 (952) 496-6000	Fax: (800) 496-6067	Email: steve.peterson@degussa.com	Web Site: www.chemrex.com	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	High Flow Grout; Eucospeed MP, Eucospeed		9/30/1996	R041, R042, R043
Mfg #: (800) 321-7628 (216) 531-9222	Fax: (216) 531-9399	Email: blewis@euclidchemical.com	Web Site: www.euclidchemical.com	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar	Conforms with ASTM C-928	11/8/2005	R537, R538, R539
Mfg #: (800) 321-7628 (216) 531-9222	Fax: (216) 531-9399	Email: blewis@euclidchemical.com	Web Site: www.euclidchemical.com	
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825-	Highway Patch; Structural Concrete		9/30/1996	R034
Mfg #: (800) 243-2206 (203) 336-7900	Fax: (203) 336-7930	Email: federicol@fivestarprouducts.com	Web Site: www.fivestarprouducts.com	
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656-	High Performance Concrete Mix		1/3/2002	R322
Mfg #: (949) 470-3225 (949) 246-4177	Fax: (949) 470-3883	Email: johncollins@concreterepair.com	Web Site: www.ConcreteRepair.com	
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093-	HP Cement		10/22/2004	R507
Mfg #: (866) 827-8727 (410) 821-1503	Fax: (410) 561-8771	Email: laura@uscproducts.com	Web Site: www.concreterepairmaterials.com	

609.02.01b**STORMWATER TREATMENT VAULTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452-	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
Mfg #: (775) 831-4592 (800) 229-7283	Fax: (775) 831-4592	Email: edjfranklin@aol.com	Web Site: www.baysaver.com	
Contech Stormwater Solutions Inc 3017 Douglas Boulevard Suite 140 Rancho Cordova CA 95670-	CDS, StormFilter & Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448
Mfg #: (916) 878-5747 (916) 296-6184	Fax: (916) 878-5769	Email: lippnerg@contech-cpi.com	Web Site: www.contechstormwater.com	
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548
Mfg #: (775) 352-6363	Fax: (775) 352-6364	Email: phammonds@jensenprecast.com	Web Site: www.jensenprecast.com	
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431-	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286
Mfg #: (775) 358-4430 (775) 745-0605	Fax: (775) 355-1982	Email: dcatterson@rinker.com	Web Site: www.rinkermaterials.com	
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348
Mfg #: (877) 687-7473 (610) 316-0957	Fax: (610) 687-6327	Email: stormdrains@verizon.net	Web Site: www.stormdrains.com	

609.03.05**TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166-	A-67 Interceptor; Polydrain Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395
Mfg #: (800) 438-6057 (949) 633-6111	Fax: (208) 887-8680	Email: bshort@abtdrains.com	Web Site: www.abtdrains.com	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166-	HD 200 & MD 200 Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	8/28/2006	R556, R557
Mfg #: (800) 438-6057 (949) 633-6111	Fax: (208) 887-8680	Email: bshort@abtdrains.com	Web Site: www.abtdrains.com	
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222-	S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398.
Mfg #: (888) 490-9552 (209) 204-0988	Fax: (209) 574-1014	Email: jwhite@aco-online.com	Web Site: www.acousa.com	

609.03.05**TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688-	Polycast 900 Series Grates (Removeable); Polycast 3000 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514
Mfg #: (800) 346-3061 (707) 452-9920	Fax: (707) 452-9923	Email: tbeattie@hps.hubbell.com	Web Site: www.polycastdrain.com	
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010-	MultiDrain Surface Drainage Systems; EconoDrain Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493
Mfg #: (800) 433-1119	Fax: (704) 508-1011	Email: steve.born@multidrain.com	Web Site: www.multidrain.com	
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716	Z-886 (6" Wide); Z-882 (12" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422
Mfg #: (716) 665-1132 (916) 768-5017	Fax: (716) 665-1135	Email: bill.ousley@zurn.com	Web Site: www.zurn.com	

610.02.01**CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008-	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R332
Mfg #: (760) 431-2452 (619) 417-8024	Fax: (760) 431-2453	Email: eric@attilacorp.com	Web Site:	
Contech 4891 Independence Street Wheat Ridge CO 80033-	Petraflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R333
Mfg #: (303) 431-8999	Fax: (866) 275-7295	Email: mbaldwin@contech-epi.com	Web Site: www.contech-cpi.com	

613.02.01**DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Strong Go 3296 East Hemisphere Loop Tucson AZ 85706-	TekWay Dome Tile	Terracotta for dark on light, Green for light on dark	11/27/2006	R564
Mfg #: (866) 439-3216 (877) 254-1259	Fax: (520) 547-3515	Email: gdmiller@stronggo.com	Web Site: www.stronggo.com	
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801-	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
Mfg #: (914) 636-1000 (800) 321-7870	Fax: (914) 636-1282	Email: mstenko@transpo.com	Web Site: www.transpo.com	

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601- <i>Mfg #:</i> (800) 947-2837 (330) 206-2009	Truncated Dome ADA Pavers <i>Fax:</i> (330) 823-5502	Concrete Paver, #30 Clear Red for dark on light <i>Email:</i> Cdehoff@wgpaver.com	3/26/2004	R486
			<i>Web Site:</i> www.gpaver.com	

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414- <i>Mfg #:</i> (800) 426-6933 (612) 623-1700	Safety Fence <i>Fax:</i> (612) 623-2500	<i>Email:</i> customer.service@conwedplastics.com	10/10/1999	R202
			<i>Web Site:</i> www.conwedplastics.com	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 (949) 212-8454	Safety Grid <i>Fax:</i> (949) 488-7084	<i>Email:</i> bmiller@tensarcorp.com	5/15/2002	R342
			<i>Web Site:</i> www.tensarcorp.com	

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 (432) 517-0697	Fleat 350 TL3 <i>Fax:</i> (432) 267-4039	<i>Email:</i> Kaddo@basin-net.net	1/11/1999	R045
			<i>Web Site:</i> www.roadsystems.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559	ET Plus; LET Soil Tubes; SRT 350 <i>Fax:</i> (801) 292-3263	<i>Email:</i> mikel.hooley@trin.net	6/9/2004	R499, R500, R501
			<i>Web Site:</i> www.trin.net	

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 (432) 517-0697	SKT 350 TL3 <i>Fax:</i> (432) 267-4039	<i>Email:</i> Kaddo@basin-net.net	2/8/1998	R159
			<i>Web Site:</i> www.roadsystems.com	

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	CAT 350, ET 200 Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997	R046, R047
Mfg #: (800) 772-7976 (360) 943-9559	Fax: (801) 292-3263	Email: mikel.hooley@trin.net	Web Site: www.trin.net	

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925-	Offset Block; Glue Laminated Wood Guardrail Posts	Use for W-beam and Tri-beam Guardrails	3/10/2004	R480, R481
Mfg #: (928) 333-5501	Fax: (928) 333-4403	Email: snicoll@aslbeams.com	Web Site:	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	King-Size, King Block	Used with steel post Tri-beam guardrails.	5/13/2005	R523, R524
Mfg #: (800) 772-7976 (360) 943-9559	Fax: (801) 292-3263	Email: mike.hooley@trin.net	Web Site: www.trin.net	

619.02.01 FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916-	CGDU	Minimum Embedment Depth: 450mm (18 inches)	11/4/1998	R048
Mfg #: (800) 648-7916 (803) 943-9115	Fax: (803) 943-3375	Email: sales@carsonite.com	Web Site: www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Metal Base 248-GP3	Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R049
Mfg #: (312) 467-6750	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912-	Flexstake 604, 654, Easy-drive		6/15/1998	R069
Mfg #: (800) 348-9839	Fax: (941) 482-3539	Email: rkjhughes24@yahoo.com	Web Site: www.flexstake.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502-	TD5500 Earthflex Delineator		10/13/2004	R506
Mfg #: (877) 843-9757	Fax: (818) 841-5096	Email: sales@trafficwks.com	Web Site: www.trafficwks.com	

619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- Mfg #: (800) 648-7916 (803) 943-9115 Fax: (803) 943-3375 Email: sales@carsonite.com Web Site: www.carsonite.com	Island Sentry SMD-615 / K-Marker		8/1/1989 R050
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750 Fax: (312) 467-1356 Email: dsanchez@quixtrans.com Web Site: www.energyabsorption.com	Dura Post Type 2 K-Marker; Dura-Post 36"	TL-2	11/4/1998 R052, R053
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- Mfg #: (877) 335-4638 (408) 431-8689 Fax: (408) 269-9902 Email: billdaly@filtrona.com Web Site: www.filtronaextrusion.com	Type K Marker	Type 2	9/13/2007 R576
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- Mfg #: (800) 348-9839 Fax: (941) 482-3539 Email: jim@flexstake.com/rkjhughes24@yahoo.co Web Site: www.flexstake.com	T1, T2 & HM Object Marker		6/1/1994 R051
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757 Fax: (818) 841-5096 Email: sales@trafficwks.com Web Site: www.trafficwks.com	TD 5215 K Marker	Type 2	9/4/2007 R566

619.03.01 PRISMATIC ACRYLIC REFLECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Artuk 6318 West State Street Wauwatosa WI 53213- Mfg #: (414) 475-5020 Fax: (414) 476-3438 Email: tschoe2992@aol.com Web Site: www.aktcorp.com	AKT #18 Center Mounted Reflector		5/5/1998 R054
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- Mfg #: (847) 428-7761 Fax: (847) 428-7764 Email: vega7761@aol.com Web Site: www.vegamoldedproducts.com	Center-Mounted Delineator Reflector		5/5/1998 R055

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <i>Mfg #:</i> (605) 696-3929 (605) 695-5624 <i>Fax:</i> (605) 697-4700 <i>Email:</i> transportation@daktronics.com <i>Web Site:</i> www.daktronicsinc.com	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- <i>Mfg #:</i> (719) 392-9046 (719) 314-6883 <i>Fax:</i> (719) 392-2075 <i>Email:</i> adamlyons@skylineproducts.com <i>Web Site:</i> www.skylineproducts.com	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008	R587

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <i>Mfg #:</i> (949) 387-4863 (714) 743-0712 <i>Fax:</i> (816) 483-6357 <i>Email:</i> dstipe@milbankmfg.com <i>Web Site:</i> www.milbankmfg.com	Metered Service Pedestals		11/19/2002	R367
Myers Power Products 725 East Harrison Street Corona CA 92879- <i>Mfg #:</i> (951) 520-1900 (949) 701-8072 <i>Fax:</i> (951) 520-1961 <i>Email:</i> dianagrootonk@myerspower.com <i>Web Site:</i> www.myerspowerproducts.com	Service Pedestals		9/5/2000	R267
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 (951) 493-8394 <i>Fax:</i> (951) 279-3116 <i>Email:</i> pupsales@pedestals.net <i>Web Site:</i> www.pedestals.net	Service Pedestals		11/19/2002	R366
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 (916) 952-5088 <i>Fax:</i> (916) 429-2817 <i>Email:</i> cvasey@tescocontrols.com <i>Web Site:</i> www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000	R266

623.02.11 ALUMINUM POLES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Valmont Industries, Farmington 20805 Eaton Avenue Farmington MN 55024- <i>Mfg #:</i> (651) 463-8990 (888) 356-2175 <i>Fax:</i> (651) 463-3349 <i>Email:</i> bdunsmore@valmont.com <i>Web Site:</i> www.valmont.com	Aluminum Poles	(Model Number 291060105T4 w/MD1532P60)	8/2/1995	R056

623.02.12c

HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179-	426 Series (Bottom Latching)		12/30/2003 R469
Mfg #: (682) 286-0046 (817) 657-6973	Fax: (682) 286-0086	Email: sengberg@chmindustries.com	Web Site: www.chmindustries.com
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085-	High Mast Assembly (button latching)		12/30/2003 R470
Mfg #: (847) 473-3800 (847) 217-1070	Fax: (847) 473-3870	Email: himastltg@aol.com	Web Site: www.eaglehighmast.com
Holophane Corporation PO Box 3004 Newark OH 43058-	Holophane LD5 Series High Mast Lighting Lowering D		12/30/2003 R468
Mfg #: (702) 367-3949 (866) 465-6742	Fax: (800) 345-4471	Email: James.Highgate@holophane.com	Web Site: www.MyHolophane.com

623.02.29

EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234-	452 & 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001 R306, R307
Mfg #: (800) 258-4610 (480) 221-5716	Fax: (651) 789-7363	Email: mike.lemon@gtt.com/gary.stephenson@gtt	Web Site: www.gtt.com
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234-	711, 722, 721 Priority Control System Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001 R308, R309, R310
Mfg #: (800) 258-4610 (480) 221-5716	Fax: (651) 789-7363	Email: mike.lemon@gtt.com/gary.stephenson@gtt	Web Site: www.gtt.com
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234-	560 Chassis Discimonator Opticom Priority Control		9/19/2003 R459
Mfg #: (800) 258-4610 (480) 221-5716	Fax: (651) 789-7363	Email: mike.lemon@gtt.com/gary.stephenson@gtt	Web Site: www.gtt.com
Tomar 2100 West Obispo Avenue Gilbert AZ 85233-	2140 & 2080 Strobecom II System/Strobecom II OSP; Strobecom II System Card Racks; Strobecom II Optical Preemption Detector	Do not mix components, it must be a complete system.	9/27/2001 R312, R313, R314.
Mfg #: (800) 338-3133 (951) 699-1784	Fax: (951) 699-2725	Email: sales@tomar.com	Web Site: www.tomar.com

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- Mfg #: (541) 782-3903	Brass Linguine Class 1 Fax: (541) 782-2053	Email: sales@diamondtraffic.com	10/31/2001	R317
Web Site: www.diamondtraffic.com				
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- Mfg #: (757) 766-4496	Roadtrax BL Sensor Brass Linguine Class 1 Fax: (757) 766-4297	Email: robin.fletcher@meas-spec.com	5/26/1999	R161
Web Site: www.meas-spec.com				

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- Mfg #: (770) 983-9826 (404) 661-1875	P/N 606 Detector Loop Sealant Fax: (770) 983-9642	Email: Kmoore972@AOL.com	12/2/2003	R465
Web Site: www.Bondo.com				
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- Mfg #: (602) 276-0406 (602) 418-9902	271 & 272 Loop Detector Sealant Fax: (480) 940-0313	Email: sales@crafco.com	8/5/1998	R059, R060
Web Site: www.crafco.com				
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- Mfg #: (800) 420-0021 (781) 289-1400	Stat-a-Flex Polyester Loop Sealant Fax: (781) 289-1405	Email: alosanno@durantcorp.com	8/5/1998	R061
Web Site: www.durantcorp.com				
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- Mfg #: (800) 258-4610 (480) 221-5716	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Piriotiy Control System Fax: (651) 789-7363	Email: mike.lemon@gtt.com/gary.stephenson@gtt	8/5/1998	R057, R058
Web Site: www.gtt.com				
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- Mfg #: (916) 689-8840	Quikrete Commerical Grade Permanent Blacktop Repair #1701 Fax: (916) 689-8857	Email: nwong@quikrete.com	1/1/2001	R280
Web Site: www.quikrete.com				
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- Mfg #: (704) 904-1481	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material Fax: (704) 525-1859	Email: john@loopsealant.com	8/5/1998	R063, R064
Web Site: www.loopsealant.com				

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 (408) 640-6121	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998	R062
	<i>Fax:</i> (408) 920-0424	<i>Email:</i> rick@rginc.com	<i>Web Site:</i> www.rginc.com	

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 (732) 751-5810	LED 12" Signal Heads, Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336
	<i>Fax:</i> (732) 751-5778	<i>Email:</i> Jconlon@dialight.com	<i>Web Site:</i> www.dialight.com	
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246	LED Traffic Signal & Pedestrian Signals	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T	6/17/2008	R598
	<i>Fax:</i> (562) 691-3087	<i>Email:</i> services@eoi.com.tw	<i>Web Site:</i> www.eoi-us.com	
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 (216) 606-6519	LED 12" Signal Heads, Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338
	<i>Fax:</i> (602) 344-7771	<i>Email:</i> dmm@phoenixhighwayproducts.com	<i>Web Site:</i> www.phoenixhighwayproducts.com	

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
GE Consumer & Industrial Lighting Systems 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 (714) 323-2636	Merisaflood III Induction Signlighter CSV3SL2004 / 85 Watt Induction Lighting Syst (MSR Series Sign)		1/17/2003	R402
	<i>Fax:</i> (928) 855-7237	<i>Email:</i> pete.porte@ge.com	<i>Web Site:</i> www.gelightingsystems.com	
Holophane Corporation PO Box 3004 Newark OH 43058- <i>Mfg #:</i> (702) 385-3777 (866) 465-6742	Panel Vue Series Sign Lighting		1/17/2003	R401
	<i>Fax:</i> (800) 345-4471	<i>Email:</i> Howard.Richards@holophane.com	<i>Web Site:</i> www.MyHolophane.com	

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- Mfg #: (717) 235-2863 (800) 579-7514	Lumi Trak		11/19/2002	R365
		Fax: (717) 235-5076 Email: george@lumitrak.com	Web Site: www.lumitrak.com	

623.03.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
BRG Supply 670 Coleman Avenue San Jose CA 95110- Mfg #: (408) 920-6319	Red Light Detector		7/16/2003	R446
		Fax: (408) 920-6103 Email: monty.brgsupply@yahoo.com	Web Site: www.brgsupply.com	
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- Mfg #: (760) 727-8100	Red Light Detector		7/16/2003	R445
		Fax: (760) 597-7108 Email: cmurphy@mccain-inc.com	Web Site: www.mccain-inc.com	

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Centef3970 LDP Diamond Grade PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 (702) 743-0012		*discontinued manufacturing, but still carried by vendors and still approved	4/8/1999	R163
		Fax: (702) 914-6016 Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 588-7717 (847) 588-7262	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999	R164
		Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.com	Web Site: www.averydennison.com	
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up		4/8/1999	R162
		Fax: (800) 895-0951 Email: customer.service@reflexite.com	Web Site: www.reflexiteamericas.com	

625.02.01**CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	MF-180-36 Masterflex		6/15/1998	R065
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- <i>Mfg #:</i> (800) 648-7916 (803) 943-9115 <i>Fax:</i> (803) 943-3375 <i>Email:</i> sales@carsonite.com <i>Web Site:</i> www.carsonite.com	Super Duck Channelizer / 36SMDW		6/15/1998	R066, R067, R068
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com <i>Web Site:</i> www.energyabsorption.com	SH 236SMAD-OS (Post); Dura Post 36"		6/15/1998	R070, R053
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689 <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com <i>Web Site:</i> www.filtronaextrusion.com	FG 300 Curb System/Surface Mounted Post/Complete System; DAPCO Straight Guardrail Reflector Plates	Surface Mounted	10/14/1999	R203, R585
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Fax:</i> (941) 482-3539 <i>Email:</i> rkjhughes24@yahoo.com <i>Web Site:</i> www.flexstake.com	Flexstake SM703, 753, E-base		6/15/1998	R069
Western Highway Products 10680 Fern Avenue Stanton CA 90680- <i>Mfg #:</i> (800) 854-3360 (714) 761-4811 <i>Fax:</i> (714) 952-2118 <i>Email:</i> western.highway@yahoo.com <i>Web Site:</i>	Repo 36 RPB		6/15/1998	R072

625.02.02**REFLECTIVE MARKERS (ONON PORTABLE PRECAST CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Artuk 6318 West State Street Wauwatosa WI 53213- <i>Mfg #:</i> (414) 475-5020 <i>Fax:</i> (414) 476-3438 <i>Email:</i> tschoe2992@aol.com <i>Web Site:</i> www.aktcorp.com	FB33 Flexible Barrier Marker/Delineator		2/2/1993	R005
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689 <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com <i>Web Site:</i> www.filtronaextrusion.com	PCBM 12 & T12 High Impact Barrier Reflector		12/17/1997	R017, R018

625.02.02 REFLECTIVE MARKERS (ONON PORTABLE PRECAST CONCRETE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting <i>Fax:</i> (973) 962-7652 <i>Email:</i>		12/17/1997	R019
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD9300 Roadguide; TD9400 Roadguide <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com		12/3/2002	R371, R372
			<i>Web Site:</i>	<i>Web Site:</i> www.trafficwks.com

625.02.02a BARRIER MARKER DRUMS (ON CONCRETE BARRIER RAILS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
NO VENDOR LISTINGS AT THIS TIME				

Mfg #: *Fax:* *Email:* *Web Site:*

625.02.03 CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- <i>Mfg #:</i> (800) 727-9111 (651) 558-3536	Guardian Solar Powered PCMS, Sign Dot Sign DH1000 <i>Fax:</i> (651) 558-3600 <i>Email:</i> sales@addco.com		2/22/1998	R073, R074
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- <i>Mfg #:</i> (770) 448-6650	CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs <i>Fax:</i> (770) 448-8970 <i>Email:</i> info@amsig.com		2/22/1998	R075, R076, R077.
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 <i>Mfg #:</i> (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable) <i>Fax:</i> (204) 888-2912 <i>Email:</i> chelsea.k@enduron.net	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- <i>Mfg #:</i> (888) 994-0300	ER200; ER200T; CMS330; ER20054 <i>Fax:</i> (562) 777-7456 <i>Email:</i> geoff@nationalsignalinc.net		4/10/2000	R207, R208, R209.
			<i>Web Site:</i>	<i>Web Site:</i> www.nationalsignalinc.com

625.02.03**CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- <i>Mfg #:</i> (888) 994-0300	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380 <i>Fax:</i> (562) 777-7456 <i>Email:</i> geoff@nationalsignalinc.net	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998	R079, R080, R081.
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- <i>Mfg #:</i> (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center <i>Fax:</i> (972) 271-9583 <i>Email:</i> vseymour@precisionsolarcontrols.com		2/22/1998	R084
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 <i>Mfg #:</i> (888) 488-7446 (418) 654-1303	Northern Light PCMS <i>Fax:</i> (418) 654-0517 <i>Email:</i> kim.jack@ver-mac.com		2/22/1998	R085
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <i>Mfg #:</i> (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered <i>Fax:</i> (610) 391-8601 <i>Email:</i> customerservice@solartechnology.com		2/22/1998	R086
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- <i>Mfg #:</i> (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign <i>Fax:</i> (303) 427-5725 <i>Email:</i> jim@wanco.com		8/5/2002	R355

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- <i>Mfg #:</i> (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion <i>Fax:</i> (707) 374-6801 <i>Email:</i> rkeener@barriersystemsinc.com	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001	R285
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 (916) 645-8181	Energite III Module; N-E-A-T System or Quadguard <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com		9/3/1998	R089, R090

625.02.04 TEMPORARY IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 (630) 330-8063 <i>Fax:</i> (630) 377-9270 <i>Email:</i> workarea@workareaprotection.com <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006	R545
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 <i>Mfg #:</i> (775) 357-6005 (775) 690-3037 <i>Fax:</i> (775) 358-9161 <i>Email:</i> tniffen@tcsi.biz <i>Web Site:</i> www.tcsi.biz	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System		9/3/1998	R092, R093, R094
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099 <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com <i>Web Site:</i> www.traffixdevices.com	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture drv.	3/22/2000	R095, R096

625.02.05 TRUCK MOUNTED IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 (916) 645-8181 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com <i>Web Site:</i> www.energyabsorption.com	Safe-Stop 180 TMA (req'd truck weight 7300 to 12,000 k)	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R206
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099 <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com <i>Web Site:</i> www.traffixdevices.com	ScorPion C 10,000 of the TL-3 Design	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559 <i>Fax:</i> (801) 292-3263 <i>Email:</i> mikel.hooley@trin.net <i>Web Site:</i> www.trin.net	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- <i>Mfg #:</i> (818) 982-3600 (909) 772-1424 <i>Fax:</i> (818) 982-7742 <i>Email:</i> info@armorcastprod.com <i>Web Site:</i> www.armorcastprod.com	Guardian Barrier Water Filled w/350 kit	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph.	9/3/1998	R099

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750 (916) 645-8181 Fax: (312) 467-1356 Email: dsanchez@quixtrans.com Web Site: www.energyabsorption.com	Triton Barrier (white colored 6.5 ft sections)	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON.	3/30/1997	R098
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 Mfg #: (800) 292-1305 Fax: (219) 659-0625 Email: Steve.Washburn@polyjohn.com Web Site: www.rhinobarriers.com	Rhino Safety Barrier(use the 350 kit with install)	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L)); For speeds less than or equal 45 mph;Use 30 m (100 ft) minimum for LON.	3/10/2004	R482
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- Mfg #: (570) 380-2856 (888) 495-3625 Fax: (570) 380-2859 Email: kathleen@yodock.com Web Site: www.yodock.com	Traffic Control Model 2001		8/3/2006	R551

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- Mfg #: (888) 414-3003 (662) 566-2025 Fax: (662) 566-7123 Email: timothy@k-ksystems.com Web Site: www.k-ksystems.com	Safety Beacon Light		6/1/1999	R188

625.03.03 PORTABLE SIGN SUPPORTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- Mfg #: (270) 527-4200 Fax: (270) 527-1552 Email: Web Site: www.alcancompositesusa.com	Dibond for Highway & Work Zone Signage	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006	R547
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- Mfg #: (800) 333-5641 Fax: (503) 364-0340 Email: ryan@dicktools.com Web Site: www.dicketools.com	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R220, R221, R222.
Eastern Metals 1430 Sullivan Street Elmira NY 14901- Mfg #: (800) 872-7446 (607) 734-2295 Fax: (607) 734-8783 Email: info@usa-sign.com Web Site: www.usa-sign.com	X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R232, R233, R234

625.03.03**PORTABLE SIGN SUPPORTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 (607) 734-2295 <i>Fax:</i> (607) 734-8783 <i>Email:</i> info@usa-sign.com <i>Web Site:</i> www.usa-sign.com	C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228, R229.
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 (804) 262-6050 <i>Fax:</i> (804) 261-1040 <i>Email:</i> dchrisman@kormansigns.com <i>Web Site:</i> www.kormansigns.com	SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412, R413.
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 (804) 262-6050 <i>Fax:</i> (804) 261-1040 <i>Email:</i> dchrisman@kormansigns.com <i>Web Site:</i> www.kormansigns.com	SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404, R405.
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776 <i>Fax:</i> (248) 488-5700 <i>Email:</i> kjackson@mdiworldwide.com <i>Web Site:</i> www.mditraficcontrol.com	4812, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237.
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099 <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com <i>Web Site:</i> www.traffixdevices.com	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R243, R244
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099 <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com <i>Web Site:</i> www.traffixdevices.com	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48"	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R251, R245

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	Barricades Type III Plywood Panel	Type III w/ or w/out lights	3/9/2000	R246
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal	Type II w/ or w/out lights	3/9/2000	R246, R247, R250

625.03.04

BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com	Type I w/ or w/out lights	3/9/2000	R246, R247, R250
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Type III B Barricades; TD2500 Type III Barricades, TD2650 Works Barricade Type III Anchor Barricade <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R253, R245, R255.
Highway Technologies 4PO Box 337320 North Las Vegas NV 89033- <i>Mfg #:</i> (702) 453-1616	Type 3D Barricades <i>Fax:</i> (702) 438-3460 <i>Email:</i> evelyn.sheldon@hwy-tech.com		1/10/2000	R435
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590	PST-III (Type III barricade) <i>Fax:</i> (216) 231-2702 <i>Email:</i> wejamieson@plasticsafety.com	Type III	3/19/2004	R483
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400	Sentinel Type III <i>Fax:</i> (847) 470-0420 <i>Email:</i>	Type III	2/21/2007	R001
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type I and Type III B	12/3/2002	R374, R375
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2550 Work Barricade Type III <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type III	7/5/2005	R525
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Barricade Type I and Type II	7/5/2005	R526, R527, R528.

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Traffix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099	Economy Plastic Folding Barricade & Sand-Filled Bag		4/3/2000	R251
	<i>Fax:</i> (801) 446-1157	<i>Email:</i> clemonds@traffixdevices.com	<i>Web Site:</i> www.traffixdevices.com	
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
	<i>Fax:</i> (914) 636-1282	<i>Email:</i> mstenko@transpo.com	<i>Web Site:</i> www.transpo.com	
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 (888) 495-3625	Yodock Model 2001 / 200 M with Type III Temporary Sign Support	Type III	11/27/2007	R583
	<i>Fax:</i> (570) 380-2859	<i>Email:</i> kathleen@yodock.com	<i>Web Site:</i> www.yodock.com	

627.02.01**PROTECTIVE OVERLAY FILM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Centef 150 Scotchlite Protective Overlay Film PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012			5/11/1995	R100
	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 588-7717 (847) 588-7262	OL1000 Premium Protective Graffiti Overlay Film		9/28/2000	R268
	<i>Fax:</i> (847) 588-7688	<i>Email:</i> mark.kleinschmit@averydennison.com	<i>Web Site:</i> www.averydennison.com	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 777-1810 (800) 821-4264	EF-40801 (F-CAL)		5/17/1995	R101
	<i>Fax:</i> (888) 330-7119	<i>Email:</i> nciusa@nikkalite.com	<i>Web Site:</i> www.nikkalite.com	
TradeWinds International PO Box 18498 Long Beach CA 90807-8498 <i>Mfg #:</i> (888) 463-3003 (562) 424-1739	Krystal Kote CTF		8/21/2001	R302
	<i>Fax:</i> (562) 424-1870	<i>Email:</i> tradewinds@usa.com	<i>Web Site:</i> www.twi-coatings.com	

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916-	Modular Guidance System		10/20/1996	R102
Mfg #: (800) 648-7916 (803) 943-9115	Fax: (803) 943-3375	Email: sales@carsonite.com	Web Site: www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Glare Screen System		7/31/1996	R104
Mfg #: (312) 467-6750	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912-	Glare Screen System		7/31/1996	R103
Mfg #: (800) 348-9839	Fax: (941) 482-3539	Email: rkjhughes24@yahoo.com	Web Site: www.flexstake.com	

632.03.05 RETROREFLECTOMETERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	LTL-X; LTL-X 30-Meter Geometry Retroreflectometer		12/26/1999	R210, R211
Mfg #: (336) 475-6600	Fax: (336) 475-7900	Email: Sales@flintrtrading.com	Web Site: www.flintrtrading.com	
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013-	MP 30		12/26/1999	R213
Mfg #: (973) 779-5775 (801) 571-3394	Fax: (973) 779-5775	Email: sales@miroluxproducts.com	Web Site: www.miroluxproducts.com	
RoadVista 8581 Aero Drive San Diego CA 92123-	StripeMaster series, MX 30, LaserLux		5/2/2006	R542, R543, R544
Mfg #: (888) 637-2758 (510) 742-5922	Fax: (858) 576-9286	Email: kbreeding@keoselectronics.com	Web Site: www.roadvista.com	

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999	R184
Mfg #: (253) 351-9828	Fax: (253) 735-6303	Email: bart@alpinemarkings.com	Web Site: www.alpinemarkings.com	

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	929 ABS; Ceramic <i>Fax:</i> (562) 944-2298	100mm (4") Round	6/1/1999	R172, R173
<i>Email:</i> sales@apexmarker.com		<i>Web Site:</i> www.apexmarker.com		
Glowlite Incorporated 236 South 5th Avenue City of Industry CA 91746- <i>Mfg #:</i> (626) 336-6086 (562) 587-3534	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective <i>Fax:</i> (626) 336-6085	100 mm (4") Round	3/7/2005	R516, R517
<i>Email:</i> edwardfei_glowlite@yahoo.com		<i>Web Site:</i> www.glowlitemarkers.com		
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 (951) 529-2666	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) <i>Fax:</i> (909) 627-0999	100mm (4") Round	6/1/1999	R185, R186
<i>Email:</i> hiwaysafety@linkline.com		<i>Web Site:</i> www.hi-waysafety.com		
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 (530) 823-6070	Diamond Back (ABS & Polypropylene) <i>Fax:</i> (530) 823-0994	100mm (4") Round	6/1/1999	R170
<i>Email:</i> miket@interstatesales.com		<i>Web Site:</i> www.interstatesales.com		
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 (925) 373-1751	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow <i>Fax:</i> (925) 215-2549	100mm (4") Round	2/17/2004	R474, R475, R476.
<i>Email:</i> norman@novabrite.com		<i>Web Site:</i> www.novabrite.com		
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD10000 Series (100 mm (4") Round) <i>Fax:</i> (818) 841-5096	100mm (4") Round	12/3/2002	R373
<i>Email:</i> sales@trafficwks.com		<i>Web Site:</i> www.trafficwks.com		

633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	290 Durable Raised Pavement Marker <i>Fax:</i> (702) 914-6016	89mm x 100 mm (3.6" x 4")	6/1/1999	R182
<i>Email:</i> ejdornak@mmm.com		<i>Web Site:</i> www.3M.com/tcm		
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	921 AR <i>Fax:</i> (562) 944-2298	100mm x 100 mm (4" x 4")	3/25/2001	R282
<i>Email:</i> sales@apexmarker.com		<i>Web Site:</i> www.apexmarker.com		

633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	911, 953, C88 Permanent Reflective Pavement Markers Ab	100mm x 100 mm (4" x 4")	6/1/1999	R179, R180, R181
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com <i>Web Site:</i> www.rayolite.com	AA; ARC	100mm x 100 mm (4" x 4")	6/1/1999	R174, R175

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	944SB Recessed Reflective Pavement Markers	51mm x 100 mm (2" x 4")	6/1/1999	R178
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	948 Recessed Reflective Pavement Markers	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R183
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com <i>Web Site:</i> www.rayolite.com	ARC 2002; ARC 51 2004	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R176, R177

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902 <i>Fax:</i> (480) 940-0313 <i>Email:</i> sales@crafco.com <i>Web Site:</i> www.crafco.com	Hot Applied Flexible Pavement Marker Adhesive part 34270		6/16/1998	R105
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	836098 Bituminous Adhesive for Pavement Markers		6/15/1998	R108

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad <i>Fax:</i> (336) 475-7900 <i>Email:</i> Sales@flintrtrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 669-6940	Dotstick Bituminous Marker Adhesive <i>Fax:</i> (916) 714-4582 <i>Email:</i> customerservice@henry.com		9/29/2003	R464
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (800) 662-0987 (713) 941-4410	172542 Evergrip Bituminous Marker Adhesive <i>Fax:</i> (713) 947-4949 <i>Email:</i> dolly@gsac.net		6/15/1998	R107

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	924 Longterm Temporary Raised Pavement Marker <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com	Temporary Markers w/632 Epoxy; per mfg 10/29/07 this product is no longer in production	9/19/1993	R109
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Halftrack Model 25; Halftrack Model 26; TOM & TRPM (Temporary Overlay Raised) <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com	Work Zone Pavement Markers	2/20/2000	R257, R258

634.03.03a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Crown Technology LLC PO Box 789 Woodbury GA 30293- <i>Mfg #:</i> (706) 553-9500 (706) 575-0423	Tuffline Alkyd <i>Fax:</i> (706) 553-9501 <i>Email:</i> sales@crowthermo.com		1/17/2003	R400

634.03.03b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 (214) 874-7200 Fax: (800) 555-0217 Email: klyne@ennispaint.com Web Site: www.ennispaint.com	Flame Tape; ThermaLine		6/13/2001	R299, R300
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- Mfg #: (336) 475-6600 Fax: (336) 475-7900 Email: Sales@flintrtrading.com Web Site: www.flintrtrading.com	Hot TapeTM; Premark® PLUS		2/24/2004	R168, R169

635.02.01**TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 (702) 743-0012 Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	780 Wet Reflective Removable Tape (*750 was upgraded to 780)	*discontinued manufacturing, but still carried by vendors and still approved	5/21/2003	R423, R424
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574 Fax: (252) 536-4940 Email: brobbins@trafficmarking.com Web Site: www.trafficmarking.com	ATM 200 Construction Removable Tape		6/15/1999	R117
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223 Fax: (702) 649-9237 Email: bjubak@cox.net Web Site: www.britelinetechnologies.com	Series 100 White & Yellow; Series 200 White & Yellow Removable		6/15/1999	R118, R032
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- Mfg #: (314) 968-2569 Fax: (314) 968-0494 Email: lgreen@pblaminations.com Web Site: www.pblaminations.com	Aztec III Removable		6/15/1999	R119
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900 Fax: (931) 388-4039 Email: office.industries@swarco.com Web Site: www.swarco.com	Director 2 Detour Grade		6/15/1999	R120
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- Mfg #: (609) 730-0839 Fax: (609) 730-0838 Email: bjsutker@aol.com Web Site: www.trelleborg.com/roadtape	RW 140 Series; RY 140 Series; R 140 Series		8/24/2001	R303, R304, R305

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388- Mfg #: (661) 392-3630 (661) 978-9357 Fax: (661) 391-1054 Email: jim.ryan@alonusa.com Web Site: www.alonsashalt.com	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002 R479
American Refining Group 77 North Kendall Avenue Bradford PA 16701- Mfg #: (814) 368-1200 (281) 770-0220 Fax: (814) 368-1335 Email: ckimball@amref.com Web Site: www.amref.com	PennzSuppress D Dust Suppressant	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of any water body.	5/2/1999 R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- Mfg #: (800) 527-2101 (972) 247-7111 Fax: (972) 484-2896 Email: dnix@arrowmagnolia.com Web Site: www.arrowmagnolia.com	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005 R498
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- Mfg #: (972) 758-7454 (702) 405-0351 Fax: (972) 596-8418 Email: dallasroadway@yahoo.com Web Site: www.dallasroadway.com	Dust Control DC-22		6/19/2006 R549
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 (503) 701-7802 Fax: (503) 279-2633 Email: don@enviroad.com Web Site: www.enviroad.com	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of any water body.	3/17/2003 R420
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- Mfg #: (775) 852-3878 (800) 369-3878 Fax: (970) 346-3959 Email: csherven@envirotechservices.com Web Site: www.envirotechservices.com	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003 R450
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 (509) 981-8555 Fax: (509) 328-4336 Email: rob@fischbachandmore.com Web Site: www.fischbachandmore.com	Fisch-Stik, Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998 R152, R153
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- Mfg #: (702) 871-1884 (702) 871-7976 Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com Web Site: www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 R323

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 (949) 533-6799 Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com Web Site: gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003 R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- Mfg #: (770) 303-0878 Fax: (770) 455-6531 Email: hercenv@herculesenvironmental.com Web Site: www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant; Hercules PAM	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.)	5/2/1999 R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- Mfg #: (330) 456-3121 Fax: (330) 456-3247 Email: kim@midwestind.com/custserv@midwestin Web Site: www.midwestind.com	EnviroKleen; Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001 R278, R521
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- Mfg #: (702) 649-8767 (702) 249-1900 Fax: (702) 649-8446 Email: julie@nuequipment.com Web Site: www.nuequipment.com	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 R274, R275
Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- Mfg #: (800) 523-9992 (209) 383-3296 Fax: (209) 383-7849 Email: jphillip@sspco.com Web Site: www.sspco.com	Road OYL; Soil Seal	Application and dilution rates follow manufacturer's instructions.	1/3/2002 R324, R325
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- Mfg #: (702) 873-2023 Fax: (702) 873-0915 Email: phyllis@soil-tech.com Web Site: www.soil-tech.com	Plas-Tex; Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003 R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 Mfg #: (800) 545-5420 (480) 289-3206 Fax: (480) 289-3230 Email: Chuck@Soilworks.com Web Site: www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 R274, R275
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- Mfg #: (888) 843-1029 (661) 747-5956 Fax: (661) 587-6806 Email: andy@terranovo.com Web Site: www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 R318

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (312) 436-4433	Dust Armour <i>Fax:</i> (312) 214-9192	<i>Email:</i> bfogel@usg.com	<i>Web Site:</i> www.usg-erosioncontrol.com	8/28/2006	R553
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (949) 248-8020	Dust Control 50 <i>Fax:</i> (949) 248-8023	<i>Email:</i> sales@westernemulsions.com	<i>Web Site:</i> www.westernemulsions.com	8/26/2003	R449

637.02.02 SILT FENCE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
Hanes Geo Components 815 Buxton Street Winston Salem NC 27101- <i>Mfg #:</i> (800) 438-0027 (336) 747-1600	TerraTex SC <i>Fax:</i> (336) 747-1652	<i>Email:</i> keith.harris@hanesindustries.com	<i>Web Site:</i> www.hanesgeo.com/www.webtecg	6/25/1998	R143
Triangular Silt Dike Company Incorporated 8410 SE 18th Street Midwest City OK 73110-1632 <i>Mfg #:</i> (800) 290-8473	Triangular Silt Dike <i>Fax:</i> (405) 455-5047	<i>Email:</i> groach@cox.net	<i>Web Site:</i> www.tri-silkdike.com	6/25/1998	R142

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 (800) 423-4567	Siltsack <i>Fax:</i> (804) 246-9737	<i>Email:</i> dkelley@acfenvironmental.com	<i>Web Site:</i> www.acfenvironmental.com	6/25/1998	R144
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677	StreamGuard Catch Basin <i>Fax:</i> (888) 234-3677	<i>Email:</i> jeffb@shopbowhead.com	<i>Web Site:</i> www.shopbowhead.com	6/25/1998	R088
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 (614) 580-5683	Dandy Curb Bag®; Dandy Bag® Drainage Control <i>Fax:</i> (740) 881-2791	<i>Email:</i> dlc@dandyproducts.com	<i>Web Site:</i> www.dandyproducts.com	6/25/1998	R087, R248

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094-	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly		12/6/2002	R376, R377
Mfg #: (888) 382-7458 (770) 388-7818	Fax: (770) 388-7640	Email: roger@siltsaver.com	Web Site: www.siltsaver.com	

640.02.03a MSE WALLS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711	Reinforced Soil Embankment Wall		9/8/1998	R122
Mfg #: (800) 762-8962 (707) 443-5093	Fax: (707) 443-2891	Email: suzanne@hilfiker.com	Web Site: www.hilfiker.com	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630-	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls		9/8/1998	R287, R288
Mfg #: (949) 587-3060	Fax: (949) 587-0185	Email: tmichalik@reinforcedearth.com	Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Plus™; MSE Earth	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R195
Mfg #: (831) 430-9300	Fax: (831) 430-9340	Email: andrewt@mseplus.com	Web Site: www.mseplus.com	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624-	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
Mfg #: (949) 488-7054 (949) 212-8454	Fax: (949) 488-7084	Email: bmiller@tensarcorp.com	Web Site: www.tensarcorp.com	

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630-	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288
Mfg #: (949) 587-3060	Fax: (949) 587-0185	Email: tmichalik@reinforcedearth.com	Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356
Mfg #: (831) 430-9300	Fax: (831) 430-9340	Email: andrewt@mseplus.com	Web Site: www.mseplus.com	

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Cyro Industries 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313	Paraglas Soundtop Soundwall Ready Fit Noise Barrie <i>Fax:</i> (207) 490-4284 <i>Email:</i> nathan.binette@evonik.com	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the contract documents: it is not a	8/27/2004	R502
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516	Port-O-Wall Soundwall System <i>Fax:</i> (707) 996-5191 <i>Email:</i> rod_allen@port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 (702) 354-3974	Quilite Noise Barrier <i>Fax:</i> (702) 464-3080 <i>Email:</i> morgan@quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R515

640.02.04**MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761	Keysystem 1 Modular Block Retaining Wall <i>Fax:</i> (251) 990-5461 <i>Email:</i> keystone@keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- <i>Mfg #:</i> (949) 587-3060	Pyramid Modular Block Retaining Wall <i>Fax:</i> (949) 587-0185 <i>Email:</i> tmichalik@reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 (949) 212-8454	Mesa Retaining Wall <i>Fax:</i> (949) 488-7084 <i>Email:</i> bmiller@tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R125, R126, R127.

641.02.01 IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 (630) 330-8063 <i>Fax:</i> (630) 377-9270 <i>Email:</i> workarea@workareaprotection.com <i>Web Site:</i> www.workareaprotection.com	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559 <i>Fax:</i> (801) 292-3263 <i>Email:</i> mikel.hooley@trin.net <i>Web Site:</i> www.trin.net	Adiem Attenuating Device	TL-3 "Concrete Foundation Required". May be used for all speed ratings	9/9/2003	R451, R452, R453.

702.03.01c CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100 <i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com <i>Web Site:</i> www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D	9/4/2007	R573
White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333 <i>Fax:</i> (775) 353-3300 <i>Email:</i> bobsmith@white.net <i>Web Site:</i> www.whitecapdirect.com	Resin Cure-Clear VOC	ASTM C309 Type 1D	9/4/2007	R565
WR Meadows of Northern California PO Box 907 Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100 <i>Fax:</i> (707) 747-6206 <i>Email:</i> wrmnc@wrmeadows.com <i>Web Site:</i> www.wrmeadows.com	1100 Clear	ASTM C309 Type 1D	9/4/2007	R574

702.03.01d CURING COMPOUND (PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100 <i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com <i>Web Site:</i> www.atlasform.com	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737 <i>Fax:</i> (913) 371-3330 <i>Email:</i> johnhukey@daytonsuperior.com <i>Web Site:</i> www.daytonsuperio.com	DSSCC White Resin Cure; DSSCC Clear Wax Cure; DSSCC White Wax; White Pams Cure	PCCP ASTM C309, Type 2, Class A	9/4/2007	R580

702.03.01d CURING COMPOUND (PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222 Fax: (216) 531-9399 Email: blewis@euclidchemical.com Web Site: www.euclidchemical.com	Kurez W VOX White Pigment Cure		9/30/1996	R040
SpecChem LLC 44-B Richmond Avenue Kansas City KS 66101- Mfg #: (913) 371-8700 (866) 791-8700 Fax: (913) 371-8701 Email: bmeyer@specchemllc.com Web Site: www.specchemllc.com	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585
Steel Engineers 716 West Mesquite Las Vegas NV 89106- Mfg #: (702) 386-0023 (530) 348-6809 Fax: (816) 200-4578 Email: Web Site:	UniWhite Cure Wax		6/2/2008	R595
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227 Fax: (303) 722-8426 Email: Jlevenberg@usmix.com Web Site: www.usmix.com	US SPEC AMS 3754		7/2/2008	R601
WR Meadows of Northern California PO Box 907 Benicia CA 94510- Mfg #: (707) 745-6666 (847) 214-2100 Fax: (707) 747-6206 Email: wrmca@wrmeadows.com Web Site: www.wrmeadows.com	1600 White Series	PCCP ASTM C309, Type 2, Class A	9/4/2007	R581

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 (858) 277-2100 Fax: (702) 222-0488 Email: ryanquinn@atlasform.com Web Site: www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- Mfg #: (877) 416-3439 (913) 233-1737 Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com Web Site: www.daytonsuperio.com	DSSCC PAMS; White Pams Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R578
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227 Fax: (303) 722-8426 Email: Jlevenberg@usmix.com Web Site: www.usmix.com	US SPEC AMS 3754		7/2/2008	R602

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
WR Meadows of Northern California PO Box 907 Benicia CA 94510-	2250 White Series	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R575
Mfg #: (707) 745-6666 (847) 214-2100	Fax: (707) 747-6206	Email: wrmca@wrmeadows.com	Web Site: www.wrmeadows.com	

702.03.05 FLY ASH (TYPE F ONLY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216-	Fly Ash	Type F	9/4/2007	R570
Mfg #: (210) 349-4069	Fax:	Email: Pamela.Flynn@boral.com	Web Site:	
Headwaters Resource's Incorporated 951 Industrial Drive Tukwila WA 98188-	Fly Ash	Type F	9/4/2007	R572
Mfg #: (206) 575-2046	Fax:	Email: tfox@headwaters.com	Web Site:	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013-	Bondaflex Sil 728SL		8/5/2005	R534
Mfg #: (800) 641-8242	Fax: (973) 473-4222	Email: minan@maynational.com	Web Site: www.bondaflex.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Roadsaver Silicone SL Sealant		10/7/1993	R129
Mfg #: (602) 276-0406 (602) 418-9902	Fax: (480) 940-0313	Email: sales@crafco.com	Web Site: www.crafco.com	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	890 SL		3/20/1997	R130
Mfg #: (303) 980-1780 (303) 880-9614	Fax: (303) 980-1780	Email: jason.sika@dowcorning.com	Web Site: www.dowcorning.com	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872-	DSB 900 SL Self Leveling Silicone		4/5/2005	R518
Mfg #: (419) 424-3527 (800) 848-1730	Fax: (419) 257-2200	Email: ldurain@dsbrown.com	Web Site: www.dsbrown.com	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Pecora Corporation 165 Wambold Road Harleysville PA 19438- Mfg #: (215) 723-6051	Pecora 300 Fax: (215) 721-0286 Email:		9/14/2001 R311 Web Site: www.pecora.com
Tremco Incorporated 3735 Green Road Beachwood OH 44122- Mfg #: (800) 321-7906 (216) 292-5000	Spectrum 900 SL Formula 974831& 333 Cartridges Fax: (216) 292-5036 Email: tscs@tremcoinc.com		5/31/2002 R345 Web Site: www.tremcosealants.com

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- Mfg #: (314) 644-1000	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811	8/20/1997 R136 Web Site: www.carboline.com
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- Mfg #: (314) 644-1000	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997 R133, R134, R135 Web Site: www.carboline.com
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- Mfg #: (281) 684-5203 (800) 525-6824	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS Fax: (812) 256-6733 Email: daniel.griffin@internationalpaint.com	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003 R430, R431, R432 Web Site: www.international-pc.com
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821- Mfg #: (714) 337-1953 (562) 691-9600	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane Fax: (562) 691-3550 Email: nyemiller@msm.com	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008 R592, R593, R594 Web Site: www.ppgamercoatus.ppgpmc.com
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- Mfg #: (210) 861-2286	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II Fax: (210) 340-1650 Email: dee.l.mcneill@sherwin.com	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-150 Series Part B: B65V150	8/20/1997 R137, R138, R139. Web Site: www.sherwinwilliams.com
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- Mfg #: (210) 861-2286	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane Fax: (210) 340-1650 Email: dee.l.mcneill@sherwin.com	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003 R425, R426 Web Site: www.sherwinwilliams.com

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Sherwin-Williams Company, The 45 NE Loop Suite 680 San Antonio TX 78216-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-400 Series Part B: B60V2	6/2/2003	R140, R123, R429
Mfg #: (210) 861-2286	Fax: (210) 340-1650	Email: dee.l.mcneill@sherwin.com	Web Site: www.sherwinwilliams.com	

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3981 & 3983 Diamond Fluorescent VIP (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3870 & 3990 VIP Diamond Grade Type IX	NDOT Type IX	8/16/2000	R269, R270
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	334 & 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004	R510, R511
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting (3924 was upgraded to 3924S)	For Rigid Signs Only (NDOT Type X); *discontinued manufacturing, but still carried by vendors and still approved	8/21/2000	R289, R550
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3870 & 3930 Permanent Traffic Signs & Temporary Traffic	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); *discontinued manufacturing, but still carried by vendors and still approved	12/1/2004	R508
Mfg #: (800) 553-1380	Fax: (702) 743-0012	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T5500A Series High Intensity; T7000 Fluorescent Reflective Sheeting No	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456
Mfg #: (847) 588-7717	Fax: (847) 588-7262	Email: mark.kleinschmit@averydennison.com	Web Site: www.averydennison.com	

716.03.01**REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500, W7514 Flourescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R297, R298
Mfg #: (847) 588-7717 (847) 588-7262	Fax: (847) 588-7688	Email: mark.kleinschmit@averydennison.com	Web Site: www.averydennison.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471
Mfg #: (847) 588-7717 (847) 588-7262	Fax: (847) 588-7688	Email: mark.kleinschmit@averydennison.com	Web Site: www.averydennison.com	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002	R344
Mfg #: (847) 588-7717 (847) 588-7262	Fax: (847) 588-7688	Email: mark.kleinschmit@averydennison.com	Web Site: www.averydennison.com	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	92847 Nikkalite Crystal Fluorescent Orange	NDOT Type X	4/29/2005	R522
Mfg #: (800) 821-4264 (310) 532-7500	Fax: (888) 330-7119	Email: jhu@nikkalite.com	Web Site: www.nikkalite.com	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670-	High Intensity ULG II	For Permanent Traffic Signs	8/16/2000	R271
Mfg #: (800) 821-4264 (310) 532-7500	Fax: (888) 330-7119	Email: jhu@nikkalite.com	Web Site: www.nikkalite.com	
Reflexite Americas 315 South Street New Britain CT 06051-	AP1000 Reflective Sheeting	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
Mfg #: (800) 654-7570	Fax: (800) 895-0951	Email: customer.service@reflexite.com	Web Site: www.reflexiteamericas.com	
Reflexite Americas 315 South Street New Britain CT 06051-	Conformalight; Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294
Mfg #: (800) 654-7570	Fax: (800) 895-0951	Email: customer.service@reflexite.com	Web Site: www.reflexiteamericas.com	

726.03.04**MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092-	Second Nature Paper Fiber Hydroseeding Mulch		6/25/1998	R146
Mfg #: (800) 654-6117 (785) 883-4600	Fax: (785) 883-4429	Email: sales@centralfiber.com	Web Site: www.centralfiber.com	

726.03.04 MULCH

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- Mfg #: (208) 733-9689	Nature's Own Fax: (208) 733-9447	Email: patrick@hmi-mfg.com/info@hmi-mfg.com	Web Site: www.hmi-mfg.com	6/25/1998	R147

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- Mfg #: (800) 654-6117 (785) 883-4600	TacPac GT Fax: (785) 883-4429	Email: salex@centralfiber.com	Web Site: www.centralfiber.com	6/25/1998	R148
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- Mfg #: (707) 588-1444	Driwater Hydro Mix Fax: (707) 588-1445	Email: mary@driwater.com	Web Site: www.driwater.com	1/3/2001	R277
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- Mfg #: (401) 331-9000 (401) 529-6855	Ecotak OP Moisture Retainer Fax: (401) 331-2155	Email: tech@easterncolor.net	Web Site: www.easterncolor.net	6/25/1998	R151
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest Fax: (509) 328-4336	Email: rob@fischbachandmore.com	Web Site: www.fischbachandmore.com	6/25/1998	R152, R153
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- Mfg #: (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix Fax: (661) 587-6806	Email: andy@terranovo.com	Web Site: www.EarthGuard.com	11/2/2001	R318

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>		
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388- Mfg #: (661) 392-3630 (661) 978-9357	Topein S Emulsion Fax: (661) 391-1054	Email: jim.ryan@alonusa.com	Web Site: www.alonsashalt.com	2/24/2004	R479

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
American Refining Group 77 North Kendall Avenue Bradford PA 16701- Mfg #: (814) 368-1200 (281) 770-0220 Fax: (814) 368-1335 Email: ckimball@amref.com Web Site: www.amref.com	PennzSuppress D Dust Suppressant		6/25/1998	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- Mfg #: (800) 527-2101 (972) 247-7111 Fax: (972) 484-2896 Email: dnix@arrowmagnolia.com Web Site: www.arrowmagnolia.com	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- Mfg #: (877) 405-5050 (920) 217-0281 Fax: (920) 406-9740 Email: aramirez@encap.net Web Site: www.encap.com	PAM 12 PLUS	4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008	R586
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- Mfg #: (509) 325-2882 (509) 981-8555 Fax: (509) 328-4336 Email: rob@fischbachandmore.com Web Site: www.fischbachandmore.com	Fisch-Stik, Terravest K		6/25/1998	R152, R153
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- Mfg #: (702) 871-1884 (702) 871-7976 Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com Web Site: www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 (949) 533-6799 Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com Web Site: gmboxtoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- Mfg #: (770) 303-0878 Fax: (770) 455-6531 Email: hercenv@herculesenvironmental.com Web Site: www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant; Hercules PAM; Soiloc-Pam		6/25/1998	R154, R141, R597
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- Mfg #: (330) 456-3121 Fax: (330) 456-3247 Email: kim@midwestind.com/custserv@midwestin Web Site: www.midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic: application must be 50 feet away	4/18/2005	R328

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 (702) 249-1900 <i>Fax:</i> (702) 649-8446 <i>Email:</i> julie@nuequipment.com <i>Web Site:</i> www.nuequipment.com	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 R274, R275
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Fax:</i> (801) 303-2551 <i>Email:</i> terry@telnetz.com <i>Web Site:</i> www.sequoiapr.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003 R436
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Fax:</i> (702) 873-0915 <i>Email:</i> phyllis@soil-tech.com <i>Web Site:</i> www.soil-tech.com	Plas-Tex; Poly-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998 R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 (480) 289-3206 <i>Fax:</i> (480) 289-3230 <i>Email:</i> Chuck@Soilworks.com <i>Web Site:</i> www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956 <i>Fax:</i> (661) 587-6806 <i>Email:</i> andy@terranovo.com <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (312) 436-4433 <i>Fax:</i> (312) 214-9192 <i>Email:</i> bfogel@usg.com <i>Web Site:</i> www.usg-erosioncontrol.com	Enviro-Shield™ Bonded Fiber Matrix & Airtrol™ Geobinder		8/28/2006 R554, R555

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- <i>Mfg #:</i> (800) 328-5934 <i>Fax:</i> (800) 362-3320 <i>Email:</i> sstinson@atc.ws <i>Web Site:</i> www.atc.ws	HS 200 Epoxy Adhesive	Type I, II, IV and V; Grade 3; Class A	1/14/2003 R392
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 <i>Mfg #:</i> (800) 892-1880 (954) 782-2221 <i>Fax:</i> (954) 782-2776 <i>Email:</i> rboland@atc.ws <i>Web Site:</i> www.atc.ws	Ultrabond 1, Ultrabond 1100, Ultrabond 1300 & HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002 R329, R330, R331.

728.03.02

EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100	Atlas Epoxy Bonder; LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004	R496, R497
	<i>Fax:</i> (702) 222-0488	<i>Email:</i> ryanquinn@atlasform.com	<i>Web Site:</i> www.atlasform.com	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Glass A	1/14/2003	R393
	<i>Fax:</i> (913) 371-3330	<i>Email:</i> johnkukey@daytonsuperior.com	<i>Web Site:</i> www.daytonsuperio.com	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 (216) 531-9222	Duralcrete	Type I and Type II	11/8/2005	R536
	<i>Fax:</i> (216) 531-9596	<i>Email:</i> blewis@euclidchemical.com	<i>Web Site:</i> www.euclidchemical.com	
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- <i>Mfg #:</i> (800) 879-8000 (916) 844-4905	HT RE 500 Epoxy Adhesive Anchor	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321
	<i>Fax:</i> (918) 294-2856	<i>Email:</i> ruben.rivadeneira@hilti.com	<i>Web Site:</i> www.us.hilti.com	
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- <i>Mfg #:</i> (630) 350-0370	Ceramic 6	Type IV; Grade 3; Classes B & C	5/14/2002	R341
	<i>Fax:</i> (630) 495-6204	<i>Email:</i>	<i>Web Site:</i> www.itw-redhead.com	
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- <i>Mfg #:</i> (800) 999-5099 (916) 870-7863	ET22; Epoxy-Tie Resin Adhesive	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217
	<i>Fax:</i> (209) 234-3868	<i>Email:</i> jlebel@strongtie.com	<i>Web Site:</i> www.simpsonanchors.com	
Titan Supply 250 Edison Way Sparks NV 89502- <i>Mfg #:</i> (775) 351-2201 (303) 941-0123	Pro-Poxy 100	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008	R590
	<i>Fax:</i> (720) 304-6535	<i>Email:</i> gregg@unitex-chemicals.com	<i>Web Site:</i> www.unitex-chemicals.com	
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R388, R389, R390
	<i>Fax:</i> (816) 483-3149	<i>Email:</i> jerry@unitex-chemicals.com	<i>Web Site:</i> www.unitex-chemicals.com	

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 (816) 231-7700 Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com Web Site: www.unitex-chemicals.com	Pro-Poxy 400	Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes	11/7/2006 R563
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- Mfg #: (800) 821-5846 (816) 231-7700 Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com Web Site: www.unitex-chemicals.com	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives	Type I and II; Grade 2; Classes B & C	1/4/1998 R218, R219
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- Mfg #: (952) 898-8772 (800) 328-5934 Fax: (507) 364-8762 Email: jturek@gibraltar1.com Web Site: www.uspconnectors.com	CIA-GEL 7000 Adhesive Anchors	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000 R265
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- Mfg #: (707) 745-6666 (847) 214-2100 Fax: (707) 747-6206 Email: wrmnca@wrmeadows.com Web Site: www.wrmeadows.com	Rezi Weld 1000	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004 R478

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- Mfg #: (303) 388-9265 (303) 941-5275 Fax: (303) 388-0881 Email: markv@coloradopaint.com Web Site: www.coloradopaint.com	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000 R199, R200, R201
Epoplex 1 Park Avenue Maple Shade NJ 08052- Mfg #: (800) 822-6920 Fax: (856) 779-2963 Email: epoplex@epoplex.com Web Site: www.epoplex.com	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 R379
Epoplex 1 Park Avenue Maple Shade NJ 08052- Mfg #: (800) 822-6920 Fax: (856) 779-2963 Email: epoplex@epoplex.com Web Site: www.epoplex.com	White: LS50 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002 R378
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- Mfg #: (877) 477-7623 (919) 606-9987 Fax: (919) 767-8506 Email: jhall@ips-road.com Web Site: www.ips-road.com	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003 R441, R442

729.03.04 EPOXY PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
Mfg #: (440) 248-1223	Fax: (216) 577-6723	Email: hemant@poly-carb.com	Web Site: www.poly-carb.com	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
Mfg #: (440) 248-1223	Fax: (216) 577-6723	Email: hemant@poly-carb.com	Web Site: www.poly-carb.com	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
Mfg #: (440) 248-1223	Fax: (216) 577-6723	Email: hemant@poly-carb.com	Web Site: www.poly-carb.com	

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Dow Chemical Company 2040 Dow Center Midland MI 48674-	UCAR™ Latex DT 400 NA	Type II	7/19/2002	R166, R167
Mfg #: (989) 636-2452	Fax: (800) 447-4369	Email:	Web Site: www.dow.com	
Dow Chemical Company 2040 Dow Center Midland MI 48674-	UCAR™ Latex DT 250 NA	Type I	7/19/2002	R166, R167
Mfg #: (989) 636-2452	Fax: (800) 447-4369	Email:	Web Site: www.dow.com	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® HD-21A	Type II	11/30/2001	R319, R320
Mfg #: (800) 477-7641	Fax: (800) 967-7704	Email:	Web Site: www.rohmhaas.com	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® 3427	Type I	11/30/2001	R319, R320
Mfg #: (800) 477-7641	Fax: (800) 967-7704	Email:	Web Site: www.rohmhaas.com	

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 (323) 758-1147 <i>Fax:</i> (323) 778-9719 <i>Email:</i> sales@pervo.com <i>Web Site:</i> www.pervo.com	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	White: 982811 NVW-40-M-1 Yellow: 982812 NVY-40-M-1	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1	Fastrack® HD-21A	7/30/2002	R353, R354
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 <i>Mfg #:</i> (800) 892-3647 (323) 758-1147 <i>Fax:</i> (323) 778-9719 <i>Email:</i> sales@pervo.com <i>Web Site:</i> www.pervo.com	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053	Fastrack® HD-21A	7/30/2002	R351, R352
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- <i>Mfg #:</i> (210) 861-2286 <i>Fax:</i> (210) 340-1650 <i>Email:</i> <i>Web Site:</i> www.sherwinwilliams.com	White: BP 19421 Yellow: BP 19422	Fastrack® HD-21A	7/9/2003	R425, R426, R140

729.03.06 POLYUREA PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012 <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R444

729.03.06**POLYUREA PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Division, 3M Center PO Box 231393 Las Vegas NV 89123- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B) <i>Fax:</i> (702) 914-6016	"Lead Free Yellow" contains organic yellow pigment	7/16/2003	R588
<i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm				
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B) <i>Fax:</i> (856) 779-2963	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R440
<i>Email:</i> epoplex@epoplex.com <i>Web Site:</i> www.epoplex.com				
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 (919) 606-9987	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B) <i>Fax:</i> (919) 767-8506	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R443
<i>Email:</i> jhall@ips-road.com <i>Web Site:</i> www.ips-road.com				

731.03.01**PAVEMENT REINFORCING FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Road Solutions PO Box 1267 La Quinta CA 92247- <i>Mfg #:</i> (760) 406-2224	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System <i>Fax:</i>		10/18/2002	R361, R362, R363.
<i>Email:</i> roadsolutions@att.net <i>Web Site:</i> www.roadsolutions.com				

732.03.01**PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	5730 Stamark Tape <i>Fax:</i> (702) 914-6016	Type I; *discontinued manufacturing, but still carried by vendors and still approved	9/19/2003	R457
<i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574	Series 300 Tape White & Yellow <i>Fax:</i> (252) 526-4940	Type I	9/19/2003	R462
<i>Email:</i> brobbins@trafficmarking.com <i>Web Site:</i> www.trafficmarking.com				
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223	Series 900 White; Series 1000 White & Yellow Permanent <i>Fax:</i> (702) 649-9237	Type I	5/9/2006	R546
<i>Email:</i> bjubak@cox.net <i>Web Site:</i> www.britelinetechnologies.com				

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900	Director 35 Pavement Marking Tape Type II <i>Fax:</i> (931) 388-4039	Type I <i>Email:</i> office.industries@swarco.com	2/17/2004	R473
<i>Web Site:</i> www.swarco.com				
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900	Director 60 Permanent Marking Tape Type I <i>Fax:</i> (931) 388-4039	Type I <i>Email:</i> office.industries@swarco.com	2/17/2004	R472
<i>Web Site:</i> www.swarco.com				

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	20 Stamark Intersection Grade Tape, 270-ES Stamark Tape <i>Fax:</i> (702) 914-6016	Type II <i>Email:</i> ejdornak@mmm.com	9/19/2003	R458
<i>Web Site:</i> www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574	Series 400 Tape White & Yellow <i>Fax:</i> (252) 526-4940	Type II <i>Email:</i> brobbins@trafficmarking.com	9/19/2003	R463
<i>Web Site:</i> www.trafficmarking.com				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574	Series 300 Tape White & Yellow <i>Fax:</i> (252) 526-4940	Type II <i>Email:</i> brobbins@trafficmarking.com	4/29/2008	R589
<i>Web Site:</i> www.trafficmarking.com				
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223	Series 900 White; Series 1000 White & Yellow Permanent <i>Fax:</i> (702) 649-9237	Type II <i>Email:</i> bjubak@cox.net	5/9/2006	R546
<i>Web Site:</i> www.britelinetechnolgies.com				

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Numbe</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	380IES (white) Stamark Tape, 381WR-ES (yellow) Stamark Tape <i>Fax:</i> (702) 914-6016	Type IV <i>Email:</i> ejdornak@mmm.com	9/19/2003	R460, R461
<i>Web Site:</i> www.3M.com/tcm				

QPL DB1 NOTES

November 8, 2005

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the “Notice to Contractors.” This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer’s name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.