

---

# QPL TABLE OF CONTENTS

<b>Product Types</b>	<b>Specification #</b>	<b>Page #</b>
ADHESIVE (FOR PAVEMENT MARKERS)	633.02.04	029-030
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	003
ASPHALT RELEASE AGENTS	401.03.02	002
ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS	502.03.13j	005
BARRICADES	625.03.04	024-026
CELLULAR EROSION CONTROL MATS	610.02.01	011
CHANGEABLE MESSAGE SIGNS	625.02.03	021-022
COATING SYSTEMS FOR BRIDGES	714.03.01	039-040
CONCRETE STAIN	502.02.04	004
CONSTRUCTION FLEXIBLE POSTS	625.02.01	019-020
CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)	702.03.01c	037
CURING COMPOUND (BRIDGE DECKS)	702.03.04	038
CURING COMPOUND (PCCP)	702.03.01d	037-038
DETECTABLE WARNINGS	613.02.01	011-012
DUST PALLIATIVE (OPTIONAL)	637.02.01	032-034
DYNAMIC MESSAGE SIGNS	623.01.01	015
EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM	623.02.29	016
EPOXY ANCHORING SYSTEMS	728.03.02	045-046
EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	007
EPOXY PAINT MARKING MATERIAL	729.03.04	047
EVAPORATIVE RETARDER	409.03.10	002-003
EXPANSION JOINT SEALANT	502.03.13l	006
FAST SETTING CONCRETE PRODUCTS	609.02.01a	008-009
FINE SURFACE FINISH (BONDED GROUT)	502.03.19	006
FLARED GUARDRAIL TERMINAL	618.02.01	012
FLEXIBLE GUIDE POSTS	619.02.01	013

---

# QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
FLEXIBLE OBJECT MARKERS (TYPE 2)	619.02.01a	014
FLY ASH (TYPE F ONLY)	702.03.05	038
GUARDRAIL OFFSET BLOCKS	618.02.01b	013
HEADLIGHT GLARE SCREEN MODULAR UNITS	630.02.01	027
HERBICIDES	401.02.03a	001
HIGH MAST HEAD FRAME ASSEMBLIES	623.02.12c	016
IMPACT ATTENUATORS	641.02.01	036-037
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	502.03.22	007
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	707.03.04	039
MAILBOX SUPPORT SYSTEMS (TYPE C)	214.02.01	001
MODULAR BLOCK RETAINING WALL	640.02.04	036
MSE WALLS	640.02.03a	035
MSE WALLS (LARGE SIZE 5' x 10' PANELS)	640.02.03b	035
MULCH	726.03.04	042
PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)	633.02.01	027-028
PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)	633.02.02	028-029
PAVEMENT MARKERS (RECESSED REFLECTIVE)	633.02.03	029
PAVEMENT MARKING TAPE (TYPE 1)	732.03.01	049-050
PAVEMENT MARKING TAPE (TYPE 2)	732.03.02	050-051
PLASTIC FENCE FABRIC MATERIAL	616.02.01	012
POLYETHYLENE END SECTIONS	605.02.01	008
POLYUREA PAINT MARKING MATERIAL	729.03.06	049
PREFORMED JOINT MATERIAL	502.03.13i	004-005
PRISMATIC ACRYLIC REFLECTORS	619.03.01	014
PROTECTIVE OVERLAY FILM	627.02.01	026

---

# QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS	729.03.05a	047-048
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)	729.03.05c	048-049
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)	729.03.05b	048
RED LIGHT DETECTORS	623.05.26	019
REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)	625.02.02	020
REFLECTIVE SHEETING	716.03.01	040-042
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	624.03.03	019
RETROREFLECTOMETERS	632.03.05	027
ROADWAY INLET PROTECTION	637.02.05	034
SERVICE PEDESTALS	623.02.08	015
SIGN LIGHTING FIXTURES	623.03.15	018
SIGN SUPPORT SYSTEMS	625.03.03	024-026
SILT FENCE	637.02.02	034
SOIL STABILIZER	726.03.13	043-045
SOUNDWALL SYSTEMS	640.02.03c	036-036
STORMWATER TREATMENT SYSTEMS	609.02.01b	010
SYNTHETIC DRILLING SLURRY	509.03.09	008
TACKIFIER	726.03.05	042-043
TANGENTIAL GUARDRAIL TERMINAL	618.02.01a	012-013
TEMPORARY IMPACT ATTENUATORS	625.02.04	022
TEMPORARY PAVEMENT STRIPING TAPE	635.02.01	031
TEMPORARY REFLECTIVE LANE LINE MARKERS	633.02.05	030
TRAFFIC SIGNALS	623.03.01	018
TRENCH DRAIN SYSTEMS	609.02.01c	010-011
TRUCK MOUNTED ATTENUATOR	625.02.05	022-023

---

# QPL TABLE OF CONTENTS

<b>Product Types</b>	<b>Specification #</b>	<b>Page #</b>
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	017-018
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	017
WATER FILLED BARRIER RAILS	625.02.06	023

# QUALIFIED PRODUCTS LIST (QPL)

## 213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- <i>Mfg #:</i> (800) 729-1314	SBBC-xx-AL, SBBC-xx-ALI, SBBC-XX-ALPH, SBBC-xx-ALHPI		5/26/1998	R002, R003
	<i>Fax:</i> (888) 310-3946	<i>Email:</i> kim@vitproducts.com	<i>Web Site:</i> www.vitproducts.com	

## 213.02.18 FILTRATION SYSTEM (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

## 213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
RectorSeal 2601 Spenwick Drive Houston TX 77055- <i>Mfg #:</i> (713) 263-8001	RectorSeal #5		8/2/1999	R189
	<i>Fax:</i> (800) 441-0051	<i>Email:</i> cfojt@rectorseal.com	<i>Web Site:</i> www.rectorseal.com	

## 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022- <i>Mfg #:</i> (303) 286-7051	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
	<i>Fax:</i> (303) 287-0109	<i>Email:</i> jennie@s-squaretube.com	<i>Web Site:</i> www.s-squaretube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- <i>Mfg #:</i> (262) 814-7000	V-LOC Mailbox Support System		11/4/1997	R006
	<i>Fax:</i> (262) 814-7017	<i>Email:</i> bryane@tapconet.com	<i>Web Site:</i> www.tapconet.com/vloc	

**401.02.03a HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- <i>Mfg #:</i> (281) 892-2500 (800) 242-5562 <i>Fax:</i> (281) 892-2501 <i>Email:</i> <i>Web Site:</i> www.controlsolutionsinc.com	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (800) 263-1196 (317) 337-3000 <i>Fax:</i> (317) 337-4488 <i>Email:</i> jshong@dow.com <i>Web Site:</i> www.dowagro.com	Spike 80 W, Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R586

**401.02.03b WEED CONTROL FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

**401.03.02 ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 (972) 247-7111 <i>Fax:</i> (972) 484-2896 <i>Email:</i> dnix@arrowmagnolia.com <i>Web Site:</i> www.arrowmagnolia.com	Super Slick Bio; Slider	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R494, R495
BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 (214) 826-6822 <i>Fax:</i> (214) 826-7290 <i>Email:</i> jgunter@bgchemical.com <i>Web Site:</i> www.bgchemical.com	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide		5/8/2000	R260, R261, R262
ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 (623) 435-1945 <i>Fax:</i> (937) 534-0426 <i>Email:</i> <i>Web Site:</i>	2217-B		12/20/2007	R584

---

**401.03.02 ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 (800) 774-9024 <i>Fax:</i> (770) 386-3391 <i>Email:</i> synthetic@pipeline.com <i>Web Site:</i>	SPX-7 & No 1	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000 R263
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 (417) 866-5592 <i>Fax:</i> (417) 866-5593 <i>Email:</i> bhamilton@rhomar.com <i>Web Site:</i> www.rhomar.com	Enviro-Slide Ultra		4/26/2000 R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107 <i>Fax:</i> (770) 443-0810 <i>Email:</i> kptectm@bellsouth.net <i>Web Site:</i> www.thetecteam.com	Teclon-Pro		11/7/2006 R562
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 (775) 721-2821 <i>Fax:</i> (209) 830-5124 <i>Email:</i> zepbc@yahoo.com <i>Web Site:</i> www.zep.com	R-5274, R-6690; XT-3199		5/11/2006 R368, R369, R370

---

**409.03.09 PCCP CRACK SEALERS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>

---

**409.03.10 EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100 <i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com <i>Web Site:</i> www.atlasform.com	Atlas Finish Film		1/29/2003 R419

**409.03.10 EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- <i>Mfg #:</i> (800) 677-4922 (716) 308-6799 <i>Fax:</i> (800) 496-6067 <i>Email:</i> Debbie.steiger@basf.com <i>Web Site:</i> www.wbacorp.com	Confilm	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R192
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737 <i>Fax:</i> (913) 371-3330 <i>Email:</i> johnhukey@daytonsuperior.com <i>Web Site:</i> www.daytonsuperio.com	Dayton Superior SureFilm J-74	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R190
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 <i>Mfg #:</i> (410) 354-8600 (800) 637-6372 <i>Fax:</i> (410) 354-1122 <i>Email:</i> akaufmanproducts.net <i>Web Site:</i> www.kaufmanproducts.net	VaporAid 060		8/2/1999	R191
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- <i>Mfg #:</i> (215) 332-7709 (888) 839-2661 <i>Fax:</i> (215) 332-9997 <i>Email:</i> dmanuel@vexcon.com <i>Web Site:</i> www.vexcon.com	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R193
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100 <i>Fax:</i> (707) 747-6206 <i>Email:</i> wrmnc@wrmeadows.com <i>Web Site:</i> www.wrmeadows.com	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999	R194

**496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- <i>Mfg #:</i> (925) 426-8787 (800) 227-5186 <i>Fax:</i> (661) 885-4161 <i>Email:</i> carlos.arguelles@cemex.com <i>Web Site:</i> www.cemex.com	Aggregate		1/26/1997	R014
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- <i>Mfg #:</i> (425) 228-2120 <i>Fax:</i> (425) 228-2199 <i>Email:</i> mineralco@aol.com <i>Web Site:</i> www.mineralco.com	Aggregate, Sand		1/26/1997	R012



---

**502.02.01 REFLECTIVE MARKERS (ONE WAY & TWO WAY ON TOP OF BAR)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Artuk 6318 West State Street Wauwatosa WI 53213- <b>Mfg #:</b> (414) 475-5020	FB33 Flexible Barrier Marker/Delineator		2/2/1993	R005
	<b>Fax:</b> (414) 476-3438	<b>Email:</b> tschoe2992@aol.com	<b>Web Site:</b> www.aktcorp.com	

---

**502.02.04 CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 <b>Mfg #:</b> (954) 581-0771	Rainstopper® Silicone Acrylic Concrete Stain		4/12/2005	R520
	<b>Fax:</b> (954) 581-9516	<b>Email:</b> DB1TCA@aol.com	<b>Web Site:</b> www.texcote.com	
United Coatings 19011 East Cataldo Spokane Valley WA 99016- <b>Mfg #:</b> (800) 541-4383	Canyon Tone Stain		4/12/2005	R519
	<b>Fax:</b> (509) 926-7143	<b>Email:</b> shawn@unitedcoatings.com	<b>Web Site:</b> www.unitedcoatings.com	

---

**502.02.05a ANTI-GRAFFITI COATING (PERMANENT NON-SACRIFICIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- <b>Mfg #:</b> (800) 676-5963	GSS-10 Anti Graffiti Coating		10/10/2005	R541
	<b>Fax:</b> (801) 201-2826	<b>Email:</b> gregg@americanpolymer.com	<b>Web Site:</b> www.americanpolymer.com	

---

**502.03.13i PREFORMED JOINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Chase Construction Products 401 New Karner Road Albany NY 12205- <b>Mfg #:</b> (800) 356-6007	MetaZeal A.J.; Phyzite 380		5/3/1999	R009, R160
	<b>Fax:</b> (518) 346-1110	<b>Email:</b> Teck@chasecorp.com	<b>Web Site:</b> www.chaseconstructionproducts.co	
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- <b>Mfg #:</b> (877) 416-3439	Polytite N		5/3/1999	R010
	<b>Fax:</b> (913) 279-4800	<b>Email:</b> johnhukey@daytonsuperior.com	<b>Web Site:</b> www.daytonsuperiorchemical.com	

**502.03.13i          PREFORMED JOINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City            KS   66106- <b>Mfg #:</b> (877) 416-3439   (913) 233-1737 <b>Fax:</b> (913) 371-3330 <b>Email:</b> johnhukey@daytonsuperior.com <b>Web Site:</b> www.daytonsuperio.com	Polytite N		8/2/1999	R190
RJ Watson Incorporated 78 John Glenn Drive Amherst                NY   14228- <b>Mfg #:</b> (716) 691-3301 <b>Fax:</b> (716) 691-3305 <b>Email:</b> mdstafford@rjwatson.com <b>Web Site:</b> www.rjwatson.com	Silicoflex		12/7/2000	R276
Schul International 1 Industrial Park Drive Pelham                 NH   03076- <b>Mfg #:</b> (800) 848-1120   (603) 889-6872 <b>Fax:</b> (603) 889-6874 <b>Email:</b> info@schul.com <b>Web Site:</b> www.willsealusa.com	Will Seal 600		6/4/2002	R347
TechStar Incorporated 1219 West Main Cross Street Findlay                OH   45840- <b>Mfg #:</b> (419) 424-0888   (419) 408-5469 <b>Fax:</b> (419) 424-5959 <b>Email:</b> warren@techstar-inc.com <b>Web Site:</b> www.techstar-inc.com	W Seal		5/3/1999	R131
Watson Bowman Acme Corporation 95 Pineview Drive Amherst                NY   14228- <b>Mfg #:</b> (800) 677-4922   (716) 308-6799 <b>Fax:</b> (716) 691-9239 <b>Email:</b> debbie.steiger@basf.com <b>Web Site:</b> www.wbacorp.com	Wabo® Evazote UV;JEENE® Structural & Sealing Joint		8/2/2006	R552, R011

**502.03.13j          ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
DS Brown Company, The 300 East Cherry Street North Baltimore        OH   45872- <b>Mfg #:</b> (419) 424-3527   (800) 848-1730 <b>Fax:</b> (419) 257-2200 <b>Email:</b> ldurain@dsbrown.com <b>Web Site:</b> www.dsbrown.com	Matrix 502 Pave Tech		6/5/1997	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale             PA   17756- <b>Mfg #:</b> (570) 546-6041   (570) 772-0955 <b>Fax:</b> (570) 546-2415 <b>Email:</b> <b>Web Site:</b> www.DSA-Ltd.com	BJS Thorma Joint Systems		9/19/2002	R360

---

**502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Wyoming Equipment Sales PO Box 4287 West Syoming PA 18644-0287	APJ Asphalt Plug Joint System		12/1/2005 R535
<b>Mfg #:</b> (570) 693-2810 (860) 480-1308	<b>Fax:</b> (570) 613-0384	<b>Email:</b> tmcharney@epix.net	<b>Web Site:</b>

---

**502.03.13k EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150-	Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an	4/22/2002 R212
<b>Mfg #:</b> (800) 888-8909 (918) 698-6797	<b>Fax:</b> (918) 582-7510	<b>Email:</b> dale.baker@ssicm.com	<b>Web Site:</b> www.ssicm.com

---

**502.03.13l EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	902 RCS		4/22/2002 R339
<b>Mfg #:</b> (303) 980-1780 (303) 880-9614	<b>Fax:</b> (303) 980-1780	<b>Email:</b> jason.sika@dowcorning.com	<b>Web Site:</b> www.dowcorning.com
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228-	Wabo® Silicone Sealant - 2 Part		4/22/2002 R340
<b>Mfg #:</b> (800) 677-4922 (716) 308-6799	<b>Fax:</b> (716) 691-9239	<b>Email:</b> debbie.steiger@basf.com	<b>Web Site:</b> www.wbacorp.com

---

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	Tammscoat Fine		9/4/2007 R567
<b>Mfg #:</b> (800) 321-7628 (216) 531-9222	<b>Fax:</b> (216) 531-9399	<b>Email:</b> blewis@euclidchemical.com	<b>Web Site:</b> www.euclidchemical.com
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371	Tex.Cote® XL 70 Bridge Cote®		9/4/2007 R568
<b>Mfg #:</b> (954) 581-0771 (954) 205-5117	<b>Fax:</b> (954) 581-9516	<b>Email:</b> DB1TCA@aol.com	<b>Web Site:</b> www.texcote.com

---

**502.03.20 RETARDANTS (FOR FORMED, EXPOSED AGGREGATE FINISH)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379-	Preco Hi-V; Preco Tuf-cote		8/17/1999	R196, R197
<b>Mfg #:</b> (800) 327-1570 (800) 433-9517	<b>Fax:</b> (800) 496-6067	<b>Email:</b> jasonlambright@degussa.com	<b>Web Site:</b> www.degussabuildingsystems.com	

---

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020
<b>Mfg #:</b> (602) 276-0406 (602) 418-9902	<b>Fax:</b> (480) 940-0313	<b>Email:</b> sales@crafco.com	<b>Web Site:</b> www.crafco.com	
Henry Company 10144 Waterman Road Elk Grove CA 95624-	Calseal		9/8/1998	R025
<b>Mfg #:</b> (800) 669-6940	<b>Fax:</b> (916) 714-4582	<b>Email:</b> customerservice@henry.com	<b>Web Site:</b> www.henry.com	
Maxwell Products Incorporated 650 DeLong Street Salt Lake City UT 84104-	Elastoflex 44; Elastoflex 56		1/6/1998	R022, R023
<b>Mfg #:</b> (801) 972-2090	<b>Fax:</b> (801) 972-5536	<b>Email:</b> dale@maxwellproducts.com	<b>Web Site:</b> www.dissco.net	

---

**505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210-	RB600 Resicoat		4/30/2008	R591
<b>Mfg #:</b> (800) 626-7891 (541) 292-0644	<b>Fax:</b> (216) 750-7575	<b>Email:</b>	<b>Web Site:</b>	
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041-	7-2719 Nap Guard Epoxy Coating		1/18/2001	R281
<b>Mfg #:</b> (281) 939-4000 (281) 794-6993	<b>Fax:</b> (281) 939-4025	<b>Email:</b> kuruvila.varughese@usadupont.com	<b>Web Site:</b> www.hoovers.com/dupont-coatings	

**505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-	HD33 Interpon; HD34 Fusion Bond		1/1/1996	R026, R027
<b>Mfg #:</b> (281) 684-5203 (800) 525-6824	<b>Fax:</b> (812) 256-6733	<b>Email:</b> daniel.griffin@internationalpaint.com	<b>Web Site:</b> www.international-pc.com	
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102-	295 E-90 Pow Dax; Scotch Kote 413		1/1/1996	R029, R030
<b>Mfg #:</b> (216) 631-2002 (800) 231-2002	<b>Fax:</b> (216) 631-6211	<b>Email:</b>	<b>Web Site:</b>	
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116-	Lilly Greenbar #720A009		1/1/1996	R028
<b>Mfg #:</b> (281) 370-6164 (281) 630-9878	<b>Fax:</b> (281) 370-6654	<b>Email:</b> madams@valspar.com	<b>Web Site:</b> www.valspar.com	

**509.03.09 SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803	Shore Pac GCV		9/25/2006	R559
<b>Mfg #:</b> (800) 527-9948 (847) 910-4334	<b>Fax:</b> (847) 394-7823	<b>Email:</b> john.berry@cetco.com/justin.seago@cetco.	<b>Web Site:</b> www.constructiondrilling.com	
Geo-Tech Drilling Fluids 220 North Zapata Highway Suite 11A Laredo TX 78043-	Novagel Polymer		9/25/2006	R558
<b>Mfg #:</b> (210) 587-4758 (310) 923-4160	<b>Fax:</b> (210) 568-4567	<b>Email:</b> mholmes@geotech.us	<b>Web Site:</b>	
KB Technologies Ltd 3648 FM 1960 West Suite 107 Houston TX 77068-	SlurryPro CDP		9/25/2006	R561
<b>Mfg #:</b> (800) 525-5237	<b>Fax:</b>	<b>Email:</b>	<b>Web Site:</b>	
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723-	Super Mud		9/25/2006	R560
<b>Mfg #:</b> (562) 634-8180	<b>Fax:</b> (562) 634-1350	<b>Email:</b> sales@pdscoinc.com	<b>Web Site:</b> www.pdscoinc.com	

**605.02.01 POLYETHYLENE END SECTIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Advanced Drainage Systems Incorporated 1499 Sunnybrook Road Alamo CA 94507- <i>Mfg #:</i> (800) 733-7473 (925) 207-5002 <i>Fax:</i> (925) 407-2872 <i>Email:</i> scott.henrich@ads-pipe.com <i>Web Site:</i> www.ads-pipe.com	ADS End Section - Flared HDPE Culvert End Sections		10/28/1995 R031
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- <i>Mfg #:</i> (801) 278-3453 <i>Fax:</i> (206) 309-0634 <i>Email:</i> llistello@hancor.com <i>Web Site:</i> www.hancor.com	Hi-Q Flared End Section		10/28/1995 R033

**609.02.01a FAST SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- <i>Mfg #:</i> (310) 834-3401 <i>Fax:</i> (514) 689-3133 <i>Email:</i> terryedmundson@daytonsuperior.com <i>Web Site:</i> americanhighwaytechnologies.com	American Highway Patch II		9/30/1996 R036
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- <i>Mfg #:</i> (800) 929-3030 (714) 348-1946 <i>Fax:</i> (714) 379-8270 <i>Email:</i> fsenatore@ctscement.com <i>Web Site:</i> www.ctscement.com	Rapid Set DOT Repair Mix		1/27/1994 R039
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737 <i>Fax:</i> (913) 371-3330 <i>Email:</i> johnhukey@daytonsuperior.com <i>Web Site:</i> www.daytonsuperio.com	Edoco Fast Patch 928, Dayton Superior HD50		9/30/1996 R037, R038
Degussa Building System 889 Valley Park Drive Shakopee MN 55379- <i>Mfg #:</i> (800) 433-9517 (952) 496-6000 <i>Fax:</i> (800) 496-6067 <i>Email:</i> steve.peterson@degussa.com <i>Web Site:</i> www.chemrex.com	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar		1/3/2002 R385, R386, R387
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- <i>Mfg #:</i> (800) 321-7628 (216) 531-9222 <i>Fax:</i> (216) 531-9399 <i>Email:</i> blewis@euclidchemical.com <i>Web Site:</i> www.euclidchemical.com	Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar		9/30/1996 R040, R041, R042.

**609.02.01a FAST SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar	Conforms with ASTM C-928	11/8/2005	R537, R538, R539
<b>Mfg #:</b> (800) 321-7628 (216) 531-9222	<b>Fax:</b> (216) 531-9399	<b>Email:</b> blewis@euclidchemical.com	<b>Web Site:</b> www.euclidchemical.com	
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825-	Highway Patch; Structural Concrete		9/30/1996	R034
<b>Mfg #:</b> (800) 243-2206 (203) 336-7900	<b>Fax:</b> (203) 336-7930	<b>Email:</b> federicol@fivestarpromts.com	<b>Web Site:</b> www.fivestarpromts.com	
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656-	High Performance Concrete Mix		1/3/2002	R322
<b>Mfg #:</b> (949) 470-3225 (949) 246-4177	<b>Fax:</b> (949) 470-3883	<b>Email:</b> johncollins@concreterepair.com	<b>Web Site:</b> www.ConcreteRepair.com	
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093-	HP Cement		10/22/2004	R507
<b>Mfg #:</b> (866) 827-8727 (410) 821-1503	<b>Fax:</b> (410) 561-8771	<b>Email:</b> laura@uscproducts.com	<b>Web Site:</b> www.concreterepairmaterials.com	

**609.02.01b STORMWATER TREATMENT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452-	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
<b>Mfg #:</b> (775) 831-4592 (800) 229-7283	<b>Fax:</b> (775) 831-4592	<b>Email:</b> edjfranklin@aol.com	<b>Web Site:</b> www.baysaver.com	
Contech Stormwater Solutions Inc 3017 Douglas Boulevard Suite 140 Rancho Cordova CA 95670-	CDS, StormFilter & Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448
<b>Mfg #:</b> (916) 878-5747 (916) 296-6184	<b>Fax:</b> (916) 878-5769	<b>Email:</b> lippnerg@contech-cpi.com	<b>Web Site:</b> www.contechstormwater.com	
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548
<b>Mfg #:</b> (775) 352-6363	<b>Fax:</b> (775) 352-6364	<b>Email:</b> phammonds@jensenprecast.com	<b>Web Site:</b> www.jensenprecast.com	

**609.02.01b STORMWATER TREATMENT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431-	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286
<b>Mfg #:</b> (775) 358-4430 (775) 745-0605	<b>Fax:</b> (775) 355-1982	<b>Email:</b> dcatterson@rinker.com	<b>Web Site:</b> www.rinkermaterials.com	
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348
<b>Mfg #:</b> (877) 687-7473 (610) 316-0957	<b>Fax:</b> (610) 687-6327	<b>Email:</b> stormdrains@verizon.net	<b>Web Site:</b> www.stormdrains.com	

**609.02.01c TRENCH DRAIN SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166-	A-67 Interceptor; Polydrain Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395
<b>Mfg #:</b> (800) 438-6057 (949) 633-6111	<b>Fax:</b> (208) 887-8680	<b>Email:</b> bshort@abtdrains.com	<b>Web Site:</b> www.abtdrains.com	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166-	HD 200 & MD 200 Trench Drain System		8/28/2006	R556, R557
<b>Mfg #:</b> (800) 438-6057 (949) 633-6111	<b>Fax:</b> (208) 887-8680	<b>Email:</b> bshort@abtdrains.com	<b>Web Site:</b> www.abtdrains.com	
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222-	S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398.
<b>Mfg #:</b> (888) 490-9552 (209) 204-0988	<b>Fax:</b> (209) 574-1014	<b>Email:</b> jwhite@aco-online.com	<b>Web Site:</b> www.acousa.com	
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688-	Polycast 900 Series Grates (Removeable); Polycast 3000 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F)	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514
<b>Mfg #:</b> (800) 346-3061 (707) 452-9920	<b>Fax:</b> (707) 452-9923	<b>Email:</b> tbeattie@hps.hubbell.com	<b>Web Site:</b> www.polycastdrain.com	
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010-	MultiDrain Surface Drainage Systems; EconoDrain Systems	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493
<b>Mfg #:</b> (800) 433-1119	<b>Fax:</b> (704) 508-1011	<b>Email:</b> steve.born@multidrainssystems.com	<b>Web Site:</b> www.multidrainssystems.com	



**609.02.01c TRENCH DRAIN SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716	Z-886 (6" Wide); Z-882 (12" Wide)	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422
<i>Mfg #:</i> (716) 665-1132 (916) 768-5017		<i>Fax:</i> (716) 665-1135	<i>Email:</i> bill.ousley@zurn.com	<i>Web Site:</i> www.zurn.com

**610.02.01 CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008-	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R332
<i>Mfg #:</i> (760) 431-2452 (619) 417-8024		<i>Fax:</i> (760) 431-2453	<i>Email:</i> eric@attilacorp.com	<i>Web Site:</i>
Contech 4891 Independence Street Wheat Ridge CO 80033-	Petraflex	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R333
<i>Mfg #:</i> (303) 431-8999		<i>Fax:</i> (866) 275-7295	<i>Email:</i> mbaldwin@contech-epi.com	<i>Web Site:</i> www.contech-cpi.com

**613.02.01 DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
N-Direct Distribution Incorporated 4960 South Gilbert Road Suite 1-280 Chandler AZ 85249-	CAST-in-TACT	Concrete Panel, Red Brick for dark on light	3/26/2004	R485
<i>Mfg #:</i> (480) 226-2074 (480) 226-2074		<i>Fax:</i> (623) 321-1665	<i>Email:</i> bill@n-dir.com	<i>Web Site:</i> www.n-dir.com
Strong Go 3296 East Hemisphere Loop Tucson AZ 85706-	TekWay Dome Tile	Terracotta for dark on light, Green for light on dark	11/27/2006	R564
<i>Mfg #:</i> (866) 439-3216 (877) 254-1259		<i>Fax:</i> (520) 547-3515	<i>Email:</i> gdmiller@stronggo.com	<i>Web Site:</i> www.stronggo.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801-	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
<i>Mfg #:</i> (914) 636-1000 (800) 321-7870		<i>Fax:</i> (914) 636-1282	<i>Email:</i> mstenko@transpo.com	<i>Web Site:</i> www.transpo.com

---

**613.02.01            DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Whitacre Greer 1400 South Mahoning Avenue Alliance                    OH 44601-	Truncated Dome ADA Pavers	Concrete Paver, #30 Clear Red for dark on light	3/26/2004	R486
<b>Mfg #:</b> (800) 947-2837    (330) 206-2009 <b>Fax:</b> (330) 823-5502 <b>Email:</b> Cdehoff@wgpaver.com <b>Web Site:</b> www.gpaver.com				

---

**616.02.01            PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Conwed Plastics 2810 Weeks Avenue SE Minneapolis            MN 55414-	Safety Fence		10/10/1999	R202
<b>Mfg #:</b> (800) 426-6933    (612) 623-1700 <b>Fax:</b> (612) 623-2500 <b>Email:</b> customer.service@conwedplastics.com <b>Web Site:</b> www.conwedplastics.com				
Tensar International 34892 Calle Fortuna Capistrano Beach        CA 92624-	Safety Grid		5/15/2002	R342
<b>Mfg #:</b> (949) 488-7054    (949) 212-8454 <b>Fax:</b> (949) 488-7084 <b>Email:</b> bmiller@tensarcorp.com <b>Web Site:</b> www.tensarcorp.com				

---

**618.02.01            FLARED GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Systems Incorporated PO Box 2163 Big Spring                TX 79721-	Fleat 350 TL3	TL-3	1/11/1999	R045
<b>Mfg #:</b> (432) 263-2435    (432) 517-0697 <b>Fax:</b> (432) 267-4039 <b>Email:</b> Kaddo@basin-net.net <b>Web Site:</b> www.roadsystems.com				
Trinity Highway Safety 950 West 400 South Centerville                UT 84014-	ET Plus; LET Soil Tubes; SRT 350	TL-3	6/9/2004	R499, R500, R501
<b>Mfg #:</b> (800) 772-7976    (360) 943-9559 <b>Fax:</b> (801) 292-3263 <b>Email:</b> mikel.hooley@trin.net <b>Web Site:</b> www.trin.net				

---

**618.02.01a           TANGENTIAL GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Systems Incorporated PO Box 2163 Big Spring                TX 79721-	SKT 350 TL3	TL-3	2/8/1998	R159
<b>Mfg #:</b> (432) 263-2435    (432) 517-0697 <b>Fax:</b> (432) 267-4039 <b>Email:</b> Kaddo@basin-net.net <b>Web Site:</b> www.roadsystems.com				

---

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	CAT 350, ET 200 Plus	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal.	3/30/1997	R046, R047
<b>Mfg #:</b> (800) 772-7976 (360) 943-9559	<b>Fax:</b> (801) 292-3263	<b>Email:</b> mikel.hooley@trin.net	<b>Web Site:</b> www.trin.net	

---

**618.02.01b GUARDRAIL OFFSET BLOCKS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925-	Offset Block; Glue Laminated Wood Guardrail Posts	Use for W-beam and Tri-beam Guardrails	3/10/2004	R480, R481
<b>Mfg #:</b> (928) 333-5501	<b>Fax:</b> (928) 333-4403	<b>Email:</b> snicoll@aslbeams.com	<b>Web Site:</b>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	King-Size, King Block	Used with steel post Tri-beam guardrails.	5/13/2005	R523, R524
<b>Mfg #:</b> (800) 772-7976 (360) 943-9559	<b>Fax:</b> (801) 292-3263	<b>Email:</b> mike.hooley@trin.net	<b>Web Site:</b> www.trin.net	

---

**619.02.01 FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916-	CGDU	Minimum Embedment Depth: 450mm ( 18 inches)	11/4/1998	R048
<b>Mfg #:</b> (800) 648-7916 (803) 943-9115	<b>Fax:</b> (803) 943-3375	<b>Email:</b> sales@carsonite.com	<b>Web Site:</b> www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Metal Base 248-GP3	Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R049
<b>Mfg #:</b> (312) 467-6750	<b>Fax:</b> (312) 467-1356	<b>Email:</b> dsanchez@quixtrans.com	<b>Web Site:</b> www.energyabsorption.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912-	Flexstake 604, 654, Easy-drive		6/15/1998	R069
<b>Mfg #:</b> (800) 348-9839	<b>Fax:</b> (941) 482-3539	<b>Email:</b> rkjhughes24@yahoo.com	<b>Web Site:</b> www.flexstake.com	

---

**619.02.01 FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD5500 Earthflex Delineator		10/13/2004	R506
	<i>Fax:</i> (818) 841-5096	<i>Email:</i> sales@trafficwks.com	<i>Web Site:</i> www.trafficwks.com	

---

**619.02.01a FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- <i>Mfg #:</i> (800) 648-7916 (803) 943-9115	Island Sentry SMD-615 / K-Marker		8/1/1989	R050
	<i>Fax:</i> (803) 943-3375	<i>Email:</i> sales@carsonite.com	<i>Web Site:</i> www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750	Dura Post Type 2 K-Marker; Dura-Post 36"	TL-2	11/4/1998	R052, R053
	<i>Fax:</i> (312) 467-1356	<i>Email:</i> dsanchez@quixtrans.com	<i>Web Site:</i> www.energyabsorption.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Type K Marker	Type 2	9/13/2007	R576
	<i>Fax:</i> (408) 269-9902	<i>Email:</i> billdaly@filtrona.com	<i>Web Site:</i> www.filtronaextrusion.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839	T1, T2 & HM Object Marker		6/1/1994	R051
	<i>Fax:</i> (941) 482-3539	<i>Email:</i> jim@flexstake.com/rkjhughes24@yahoo.co	<i>Web Site:</i> www.flexstake.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD 5215 K Marker	Type 2	9/4/2007	R566
	<i>Fax:</i> (818) 841-5096	<i>Email:</i> sales@trafficwks.com	<i>Web Site:</i> www.trafficwks.com	

---

**619.03.01 PRISMATIC ACRYLIC REFLECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Artuk 6318 West State Street Wauwatosa WI 53213- <b>Mfg #:</b> (414) 475-5020	AKT #18 Center Mounted Reflector		5/5/1998	R054
		<b>Fax:</b> (414) 476-3438 <b>Email:</b> tschoe2992@aol.com <b>Web Site:</b> www.aktcorp.com		
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- <b>Mfg #:</b> (847) 428-7761	Center-Mounted Delineator Reflector		5/5/1998	R055
		<b>Fax:</b> (847) 428-7764 <b>Email:</b> vega7761@aol.com <b>Web Site:</b> www.vegamoldedproducts.com		

---

**623.01.01 DYNAMIC MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 <b>Mfg #:</b> (605) 696-3929 (605) 695-5624	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503
		<b>Fax:</b> (605) 697-4700 <b>Email:</b> transportation@daktronics.com <b>Web Site:</b> www.daktronicsinc.com		
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- <b>Mfg #:</b> (719) 392-9046 (719) 314-6883	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008	R587
		<b>Fax:</b> (719) 392-2075 <b>Email:</b> adamlyons@skylineproducts.com <b>Web Site:</b> www.skylineproducts.com		

---

**623.02.08 SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- <b>Mfg #:</b> (949) 387-4863 (714) 743-0712	Metered Service Pedestals		11/19/2002	R367
		<b>Fax:</b> (816) 483-6357 <b>Email:</b> dstipe@milbankmfg.com <b>Web Site:</b> www.milbankmfg.com		
Myers Power Products 725 East Harrison Street Corona CA 92879- <b>Mfg #:</b> (951) 520-1900 (949) 701-8072	Service Pedestals		9/5/2000	R267
		<b>Fax:</b> (951) 520-1961 <b>Email:</b> dianagrootonk@myerspower.com <b>Web Site:</b> www.myerspowerproducts.com		

---

**623.02.08 SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- <i>Mfg #:</i> (800) 860-6157 (951) 493-8394 <i>Fax:</i> (951) 279-3116 <i>Email:</i> pupsales@pedestals.net <i>Web Site:</i> www.pedestals.net	Service Pedestals		11/19/2002	R366
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 (916) 952-5088 <i>Fax:</i> (916) 429-2817 <i>Email:</i> cvasey@tescocontrols.com <i>Web Site:</i> www.tescocontrols.com	Tescoflex Service Pedestals		9/5/2000	R266

---

**623.02.11 ALUMINUM POLES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Valmont Industries, Farmington 20805 Eaton Avenue Farmington MN 55024- <i>Mfg #:</i> (651) 463-8990 (888) 356-2175 <i>Fax:</i> (651) 463-3349 <i>Email:</i> bdunsmore@valmont.com <i>Web Site:</i> www.valmont.com	Aluminum Poles	(Model Number 291060105T4 w/MD1532P60)	8/2/1995	R056

---

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 (817) 657-6973 <i>Fax:</i> (682) 286-0086 <i>Email:</i> sengberg@chmindustries.com <i>Web Site:</i> www.chmindustries.com	426 Series (Bottom Latching)		12/30/2003	R469
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 (847) 217-1070 <i>Fax:</i> (847) 473-3870 <i>Email:</i> himastltg@aol.com <i>Web Site:</i> www.eaglehighmast.com	High Mast Assembly (button latching)		12/30/2003	R470
Holophane Corporation PO Box 3004 Newark OH 43058- <i>Mfg #:</i> (702) 367-3949 (866) 465-6742 <i>Fax:</i> (800) 345-4471 <i>Email:</i> James.Highgate@holophane.com <i>Web Site:</i> www.MyHolophane.com	Holophane LD5 Series High Mast Lighting Lowering D		12/30/2003	R468

---

**623.02.16 CONDUIT DUCT SEALING COMPOUND**

---

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date / ID Number*

---

*Mfg #:*                      *Fax:*                      *Email:*                      *Web Site:*

---

**623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

---

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date / ID Number*

---

Global Traffic Technologies                      560 Chassis Discimonator Opticom Priority Control                      9/19/2003                      R459  
1736 East Redfield Road  
Gilbert                      AZ                      85234-

*Mfg #:* (800) 258-4610                      (480) 221-5716                      *Fax:* (651) 789-7363                      *Email:* mike.lemon@gtt.com/gary.stephenson@gtt                      *Web Site:* www.gtt.com

---

Global Traffic Technologies                      711, 722, 721 Priority Control System Optical Detector Model                      Do not mix components, it must be a complete system.                      9/27/2001                      R308,  
1736 East Redfield Road                                                                                                                                                                         R309,  
Gilbert                      AZ                      85234-                                                                                                                                                    R310

*Mfg #:* (800) 258-4610                      (480) 221-5716                      *Fax:* (651) 789-7363                      *Email:* mike.lemon@gtt.com/gary.stephenson@gtt                      *Web Site:* www.gtt.com

---

Global Traffic Technologies                      452 & 752 Discimonator Opticom Priority Control Systems                      Do not mix components, it must be a complete system.                      9/27/2001                      R306,  
1736 East Redfield Road                                                                                                                                                                         R307  
Gilbert                      AZ                      85234-

*Mfg #:* (800) 258-4610                      (480) 221-5716                      *Fax:* (651) 789-7363                      *Email:* mike.lemon@gtt.com/gary.stephenson@gtt                      *Web Site:* www.gtt.com

---

Tomar                      2140 & 2080 Strobecom II System/Strobecom II OSP;                      Do not mix components, it must be a complete system.                      9/27/2001                      R312,  
2100 West Obispo Avenue                      Strobecom II System Card Racks; Strobecom II Optical                                                                                                                                                                         R313,  
Gilbert                      AZ                      85233-                      Preemption Detector                                                                                                                                                                         R314.

*Mfg #:* (800) 338-3133                      (951) 699-1784                      *Fax:* (951) 699-2725                      *Email:* sales@tomar.com                      *Web Site:* www.tomar.com

---

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

---

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date / ID Number*

---

Diamond Traffic Products                      Brass Linguine Class 1                      10/31/2001                      R317  
PO Box 1455  
Oakridge                      OR                      97463-

*Mfg #:* (541) 782-3903                      *Fax:* (541) 782-2053                      *Email:* sales@diamondtraffic.com                      *Web Site:* www.diamondtraffic.com

---

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666-	Roadtrax BL Sensor Brass Linguine Class 1		5/26/1999	R161
<b>Mfg #:</b> (757) 766-4496	<b>Fax:</b> (757) 766-4297	<b>Email:</b> robin.fletcher@meas-spec.com	<b>Web Site:</b> www.meas-spec.com	

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331-	P/N 606 Detector Loop Sealant		12/2/2003	R465
<b>Mfg #:</b> (770) 983-9826 (404) 661-1875	<b>Fax:</b> (770) 983-9642	<b>Email:</b> Kmoore972@AOL.com	<b>Web Site:</b> www.Bondo.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	271 & 272 Loop Detector Sealant	Rubberized Asphalt Material	8/5/1998	R059, R060
<b>Mfg #:</b> (602) 276-0406 (602) 418-9902	<b>Fax:</b> (480) 940-0313	<b>Email:</b> sales@crafco.com	<b>Web Site:</b> www.crafco.com	
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151-	Stat-a-Flex Polyester Loop Sealant	Polyester Material	8/5/1998	R061
<b>Mfg #:</b> (800) 420-0021 (781) 289-1400	<b>Fax:</b> (781) 289-1405	<b>Email:</b> alosanno@durantcorp.com	<b>Web Site:</b> www.durantcorp.com	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234-	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Priortiy Control System	Rubberized Material	8/5/1998	R057, R058
<b>Mfg #:</b> (800) 258-4610 (480) 221-5716	<b>Fax:</b> (651) 789-7363	<b>Email:</b> mike.lemon@gtt.com/gary.stephenson@gtt	<b>Web Site:</b> www.gtt.com	
Quikrete Company 7705 Wilbur Way Sacramento CA 95828-	Quikrete Commerical Grade Permanent Blacktop Repair #1701	Asphaltic Concrete	1/1/2001	R280
<b>Mfg #:</b> (916) 689-8840	<b>Fax:</b> (916) 689-8857	<b>Email:</b> nwong@quikrete.com	<b>Web Site:</b> www.quikrete.com	
RAI Products Incorporated PO Box 240772 Charlotte NC 28224-	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R063, R064
<b>Mfg #:</b> (704) 904-1481	<b>Fax:</b> (704) 525-1859	<b>Email:</b> john@loopsealant.com	<b>Web Site:</b> www.loopsealant.com	



**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reed & Graham Company 690 Sunol Street San Jose CA 95126-	Overkote Loop Filler	Asphaltic Emulsion Material	8/5/1998	R062
<i>Mfg #:</i> (408) 287-1400 (408) 640-6121		<i>Fax:</i> (408) 920-0424	<i>Email:</i> rick@rginc.com	
<i>Web Site:</i> www.rginc.com				

**623.03.01 TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727-	LED 12" Signal Heads, Pedestrian Signal Heads (all)	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336
<i>Mfg #:</i> (732) 919-3119 (732) 751-5810		<i>Fax:</i> (732) 751-5778	<i>Email:</i> Jconlon@dialight.com	
<i>Web Site:</i> www.dialight.com				
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009-	LED 12" Signal Heads, Pedestrian Signal Heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338
<i>Mfg #:</i> (602) 344-7770 (216) 606-6519		<i>Fax:</i> (602) 344-7771	<i>Email:</i> dmm@phoenixhighwayproducts.com	
<i>Web Site:</i> www.phoenixhighwayproducts.com				

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
GE Consumer & Industrial Lighting Systems 4141 Bison Lake Havasu AZ 86404-	Mersaflood III Induction Signlighter CSV3SL2004 / 85 Watt Induction Lighting Syst (MSR Series Sign)		1/17/2003	R402
<i>Mfg #:</i> (928) 855-7223 (714) 323-2636		<i>Fax:</i> (928) 855-7237	<i>Email:</i> pete.porte@ge.com	
<i>Web Site:</i> www.gelightingsystems.com				
Holophane Corporation PO Box 3004 Newark OH 43058-	Panel Vue Series Sign Lighting		1/17/2003	R401
<i>Mfg #:</i> (702) 385-3777 (866) 465-6742		<i>Fax:</i> (800) 345-4471	<i>Email:</i> Howard.Richards@holophane.com	
<i>Web Site:</i> www.MyHolophane.com				

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361-	Lumi Trak		11/19/2002	R365
<i>Mfg #:</i> (717) 235-2863 (800) 579-7514		<i>Fax:</i> (717) 235-5076	<i>Email:</i> george@lumitrak.com	
<i>Web Site:</i> www.lumitrak.com				

**623.05.26 RED LIGHT DETECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
BRG Supply 670 Coleman Avenue San Jose CA 95110- <i>Mfg #:</i> (408) 920-6319	Red Light Detector		7/16/2003	R446
	<i>Fax:</i> (408) 920-6103	<i>Email:</i> monty.brgsupply@yahoo.com	<i>Web Site:</i> www.brgsupply.com	
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- <i>Mfg #:</i> (760) 727-8100	Red Light Detector		7/16/2003	R445
	<i>Fax:</i> (760) 597-7108	<i>Email:</i> cmurphy@mccain-inc.com	<i>Web Site:</i> www.mccain-inc.com	

**624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Centet PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	3970 LDP Diamond Grade	*discontinued manufacturing, but still carried by vendors and still approved	4/8/1999	R163
	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 588-7717 (847) 588-7262	T6500 Prismatic High Intensity Reflective Sheeting		4/8/1999	R164
	<i>Fax:</i> (847) 588-7688	<i>Email:</i> mark.kleinschmit@averydennison.com	<i>Web Site:</i> www.averydennison.com	
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up		4/8/1999	R162
	<i>Fax:</i> (800) 895-0951	<i>Email:</i> customer.service@reflexite.com	<i>Web Site:</i> www.reflexiteamericas.com	

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600	MF-180-36 Masterflex		6/15/1998	R065
	<i>Fax:</i> (888) 842-2368	<i>Email:</i> ctanner@betmfg.com	<i>Web Site:</i> www.bentmfg.com	

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916-	Super Duck Channelizer / 36SMDW		6/15/1998	R066, R067, R068
<b>Mfg #:</b> (800) 648-7916 (803) 943-9115	<b>Fax:</b> (803) 943-3375	<b>Email:</b> sales@carsonite.com	<b>Web Site:</b> www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	SH 236SMAD-OS (Post); Dura Post 36"		6/15/1998	R070, R053
<b>Mfg #:</b> (312) 467-6750	<b>Fax:</b> (312) 467-1356	<b>Email:</b> dsanchez@quixtrans.com	<b>Web Site:</b> www.energyabsorption.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424-	FG 300 Curb System/Surface Mounted Post/Complete System; DAPCO Straight Guardrail Reflector Plates	Surface Mounted	10/14/1999	R203, R585
<b>Mfg #:</b> (877) 335-4638 (408) 431-8689	<b>Fax:</b> (408) 269-9902	<b>Email:</b> billdaly@filtrona.com	<b>Web Site:</b> www.filtronaextrusion.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912-	Flexstake SM703, 753, E-base		6/15/1998	R069
<b>Mfg #:</b> (800) 348-9839	<b>Fax:</b> (941) 482-3539	<b>Email:</b> rkjhughes24@yahoo.com	<b>Web Site:</b> www.flexstake.com	
Western Highway Products 10680 Fern Avenue Stanton CA 90680-	Repo 36 RPB		6/15/1998	R072
<b>Mfg #:</b> (800) 854-3360 (714) 761-4811	<b>Fax:</b> (714) 952-2118	<b>Email:</b> western.highway@yahoo.com	<b>Web Site:</b>	

**625.02.02 REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Artuk 6318 West State Street Wauwatosa WI 53213-	FB33 Flexible Barrier Marker/Delineator		2/2/1993	R005
<b>Mfg #:</b> (414) 475-5020	<b>Fax:</b> (414) 476-3438	<b>Email:</b> tschoe2992@aol.com	<b>Web Site:</b> www.aktcorp.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424-	PCBM 12 & T12 High Impact Barrier Reflector		12/17/1997	R017, R018
<b>Mfg #:</b> (877) 335-4638 (408) 431-8689	<b>Fax:</b> (408) 269-9902	<b>Email:</b> billdaly@filtrona.com	<b>Web Site:</b> www.filtronaextrusion.com	

---

**625.02.02 REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- <i>Mfg #:</i> (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting		12/17/1997	R019
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD9300 Roadguide; TD9400 Roadguide		12/3/2002	R371, R372
	<i>Fax:</i> (973) 962-7652	<i>Email:</i>	<i>Web Site:</i>	
	<i>Fax:</i> (818) 841-5096	<i>Email:</i> sales@trafficwks.com	<i>Web Site:</i> www.trafficwks.com	

---

**625.02.02a BARRIER MARKER DRUMS (ON CONCRETE BARRIER RAILS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

---

**625.02.03 CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- <i>Mfg #:</i> (800) 727-9111 (651) 558-3536	Guardian Solar Powered PCMS, Sign Dot Sign DH1000		2/22/1998	R073, R074
	<i>Fax:</i> (651) 558-3600	<i>Email:</i> sales@addco.com	<i>Web Site:</i> www.addco.com	
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- <i>Mfg #:</i> (770) 448-6650	CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs		2/22/1998	R075, R076, R077.
	<i>Fax:</i> (770) 448-8970	<i>Email:</i> info@amsig.com	<i>Web Site:</i> www.amsig.com	
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 <i>Mfg #:</i> (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable)	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
	<i>Fax:</i> (204) 888-2912	<i>Email:</i> chelsea.k@enduron.net	<i>Web Site:</i> www.enduron.net	

**625.02.03****CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- <i>Mfg #:</i> (888) 994-0300	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380 <i>Fax:</i> (562) 777-7456	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available <i>Email:</i> geoff@nationalsignalinc.net	2/22/1998	R079, R080, R081.
			<i>Web Site:</i> www.nationalsignalinc.com	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- <i>Mfg #:</i> (888) 994-0300	ER200; ER200T; CMS330; ER20054 <i>Fax:</i> (562) 777-7456	<i>Email:</i> geoff@nationalsignalinc.net	4/10/2000	R207, R208, R209.
			<i>Web Site:</i> www.nationalsignalinc.com	
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- <i>Mfg #:</i> (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center <i>Fax:</i> (972) 271-9583	<i>Email:</i> vseymour@precisionsolarcontrols.com	2/22/1998	R084
			<i>Web Site:</i> www.precisionsolarcontrols.com	
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 <i>Mfg #:</i> (888) 488-7446 (418) 654-1303	Northern Light PCMS <i>Fax:</i> (418) 654-0517	<i>Email:</i> kim.jack@ver-mac.com	2/22/1998	R085
			<i>Web Site:</i> www.ver-mac.com	
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- <i>Mfg #:</i> (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered <i>Fax:</i> (610) 391-8601	<i>Email:</i> customerservice@solartechnology.com	2/22/1998	R086
			<i>Web Site:</i> www.solartech-online.com	
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- <i>Mfg #:</i> (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign <i>Fax:</i> (303) 427-5725	<i>Email:</i> jim@wanco.com	8/5/2002	R355
			<i>Web Site:</i> www.wanco.com	

**625.02.04****TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- <i>Mfg #:</i> (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion <i>Fax:</i> (707) 374-6801	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly. <i>Email:</i> rkeener@barriersystemsinc.com	4/10/2001	R285
			<i>Web Site:</i> www.barriersystemsinc.com	

**625.02.04****TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Engergite III Module; N-E-A-T System or Quadguard		9/3/1998 R089, R090
<b>Mfg #:</b> (312) 467-6750 (916) 645-8181	<b>Fax:</b> (312) 467-1356	<b>Email:</b> dsanchez@quixtrans.com	<b>Web Site:</b> www.energyabsorption.com
SCI Products Incorporated PO Box 4314 St Charles IL 60174-	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006 R545
<b>Mfg #:</b> (800) 327-4417 (630) 330-8063	<b>Fax:</b> (630) 377-9270	<b>Email:</b> workarea@workareaprotection.com	<b>Web Site:</b> www.workareaprotection.com
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System		9/3/1998 R092, R093, R094
<b>Mfg #:</b> (775) 357-6005 (775) 690-3037	<b>Fax:</b> (775) 358-9161	<b>Email:</b> tniffen@tcsi.biz	<b>Web Site:</b> www.tcsi.biz
Traffix Devices Incorporated 220 Calle Pintesresco San Clemente CA 92672-	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	3/22/2000 R095, R096
<b>Mfg #:</b> (801) 446-4450 (801) 979-7099	<b>Fax:</b> (801) 446-1157	<b>Email:</b> clemonds@traffixdevices.com	<b>Web Site:</b> www.traffixdevices.com

**625.02.05****TRUCK MOUNTED ATTENUATOR**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Safe-Stop 180 TMA (req'd trck weight 7300 to 12,000 k)	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999 R206
<b>Mfg #:</b> (312) 467-6750 (916) 645-8181	<b>Fax:</b> (312) 467-1356	<b>Email:</b> dsanchez@quixtrans.com	<b>Web Site:</b> www.energyabsorption.com
Traffix Devices Incorporated 220 Calle Pintesresco San Clemente CA 92672-	ScorPion C 10,000 of the TL-3 Design	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000 R264
<b>Mfg #:</b> (801) 446-4450 (801) 979-7099	<b>Fax:</b> (801) 446-1157	<b>Email:</b> clemonds@traffixdevices.com	<b>Web Site:</b> www.traffixdevices.com
Trinity Highway Safety 950 West 400 South Centerville UT 84014-	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998 R097
<b>Mfg #:</b> (800) 772-7976 (360) 943-9559	<b>Fax:</b> (801) 292-3263	<b>Email:</b> mikel.hooley@trin.net	<b>Web Site:</b> www.trin.net

**625.02.06 WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605-	Guardian Barrier Water Filled w/350 kit	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph.	9/3/1998	R099
<b>Mfg #:</b> (818) 982-3600 (909) 772-1424	<b>Fax:</b> (818) 982-7742	<b>Email:</b> info@armorcastprod.com	<b>Web Site:</b> www.armorcastprod.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Triton Barrier (white colored 6.5 ft sections)	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON.	3/30/1997	R098
<b>Mfg #:</b> (312) 467-6750 (916) 645-8181	<b>Fax:</b> (312) 467-1356	<b>Email:</b> dsanchez@quixtrans.com	<b>Web Site:</b> www.energyabsorption.com	
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175	Rhino Safety Barrier(use the 350 kit with install)	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L); For speeds less than or equal 45 mph;Use 30 m (100 ft) minimum for LON.	3/10/2004	R482
<b>Mfg #:</b> (800) 292-1305	<b>Fax:</b> (219) 659-0625	<b>Email:</b> Steve.Washburn@polyjohn.com	<b>Web Site:</b> www.rhinobarriers.com	
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815-	Traffic Control Model 2001		8/3/2006	R551
<b>Mfg #:</b> (570) 380-2856 (888) 495-3625	<b>Fax:</b> (570) 380-2859	<b>Email:</b> kathleen@yodock.com	<b>Web Site:</b> www.yodock.com	

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801-	Safety Beacon Light		6/1/1999	R188
<b>Mfg #:</b> (888) 414-3003 (662) 566-2025	<b>Fax:</b> (662) 566-7123	<b>Email:</b> timothy@k-systems.com	<b>Web Site:</b> www.k-systems.com	

**625.03.03 SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025-	Dibond for Highway & Work Zone Signage	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006	R547
<b>Mfg #:</b> (270) 527-4200	<b>Fax:</b> (270) 527-1552	<b>Email:</b>	<b>Web Site:</b> www.alcancompositesusa.com	

## 625.03.03

## SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303-	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R220, R221, R222.
<b>Mfg #:</b> (800) 333-5641	<b>Fax:</b> (503) 364-0340	<b>Email:</b> ryan@dicktools.com	<b>Web Site:</b> www.dicketools.com	
Eastern Metals 1430 Sullivan Street Elmira NY 14901-	C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228, R229.
<b>Mfg #:</b> (800) 872-7446	<b>Fax:</b> (607) 734-2295	<b>Email:</b> info@usa-sign.com	<b>Web Site:</b> www.usa-sign.com	
Eastern Metals 1430 Sullivan Street Elmira NY 14901-	X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R232, R233, R234
<b>Mfg #:</b> (800) 872-7446	<b>Fax:</b> (607) 734-2295	<b>Email:</b> info@usa-sign.com	<b>Web Site:</b> www.usa-sign.com	
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228-	SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412, R413.
<b>Mfg #:</b> (800) 296-6050	<b>Fax:</b> (804) 262-6050	<b>Email:</b> dchrisman@kormansigns.com	<b>Web Site:</b> www.kormansigns.com	
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228-	SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404, R405.
<b>Mfg #:</b> (800) 296-6050	<b>Fax:</b> (804) 262-6050	<b>Email:</b> dchrisman@kormansigns.com	<b>Web Site:</b> www.kormansigns.com	
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331-	4812, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237.
<b>Mfg #:</b> (800) 521-6776	<b>Fax:</b> (248) 488-5700	<b>Email:</b> kjackson@mdiworldwide.com	<b>Web Site:</b> www.mditraficcontrol.com	
Traffix Devices Incorporated 220 Calle Pintesco San Clemente CA 92672-	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48"	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R251, R245
<b>Mfg #:</b> (801) 446-4450	<b>Fax:</b> (801) 979-7099	<b>Email:</b> clemonds@traffixdevices.com	<b>Web Site:</b> www.traffixdevices.com	
Traffix Devices Incorporated 220 Calle Pintesco San Clemente CA 92672-	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R243, R244
<b>Mfg #:</b> (801) 446-4450	<b>Fax:</b> (801) 979-7099	<b>Email:</b> clemonds@traffixdevices.com	<b>Web Site:</b> www.traffixdevices.com	



## 625.03.04

## BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal	Type II w/ or w/out lights	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal	Type I w/ or w/out lights	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600 <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com <i>Web Site:</i> www.bentmfg.com	Barricades Type III Plywood Panel	Type III w/ or w/out lights	3/9/2000	R246
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689 <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com <i>Web Site:</i> www.filtronaextrusion.com	Type III B Barricades; TD2500 Type III Barricades, TD2650 Works Barricade Type III Anchor Barricade	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R253, R245, R255.
Highway Technologies 4PO Box 337320 North Las Vegas NV 89033- <i>Mfg #:</i> (702) 453-1616 <i>Fax:</i> (702) 438-3460 <i>Email:</i> evelyn.sheldon@hwy-tech.com <i>Web Site:</i> www.hwy-tech.com	Type 3D Barricades		1/10/2000	R435
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590 <i>Fax:</i> (216) 231-2702 <i>Email:</i> wejamieson@plasticsafety.com <i>Web Site:</i> www.plasticsafety.com	PST-III (Type III barricade)	Type III	3/19/2004	R483
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400 <i>Fax:</i> (847) 470-0420 <i>Email:</i> <i>Web Site:</i> www.americanlouver.com	Sentinel Type III	Type III	2/21/2007	R001
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com <i>Web Site:</i> www.trafficwks.com	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB	Type I and Type III B	12/3/2002	R374, R375

**625.03.04****BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2550 Work Barricade Type III  <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type III	7/5/2005 R525  <i>Web Site:</i> www.trafficwks.com
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade  <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Barricade Type I and Type II	7/5/2005 R526, R527, R528.  <i>Web Site:</i> www.trafficwks.com
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099	Economy Plastic Folding Barricade & Sand-Filled Bag  <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com		4/3/2000 R251  <i>Web Site:</i> www.traffixdevices.com
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile  <i>Fax:</i> (914) 636-1282 <i>Email:</i> mstenko@transpo.com	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004 R484  <i>Web Site:</i> www.transpo.com
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 (888) 495-3625	Yodock Model 2001 / 200 M with Type III Temporary Sign Support  <i>Fax:</i> (570) 380-2859 <i>Email:</i> kathleen@yodock.com	Type III	11/27/2007 R583  <i>Web Site:</i> www.yodock.com

**627.02.01****PROTECTIVE OVERLAY FILM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
3M Traffic Control Materials Div, 3M Centef 150 Scotchlite Protective Overlay Film PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012			5/11/1995 R100  <i>Web Site:</i> www.3M.com/tcm
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 588-7717 (847) 588-7262	OL1000 Premium Protective Graffiti Overlay Film  <i>Fax:</i> (847) 588-7688 <i>Email:</i> mark.kleinschmit@averydennison.com		9/28/2000 R268  <i>Web Site:</i> www.averydennison.com

---

**627.02.01 PROTECTIVE OVERLAY FILM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 777-1810 (800) 821-4264 <i>Fax:</i> (888) 330-7119 <i>Email:</i> nciusa@nikkalite.com <i>Web Site:</i> www.nikkalite.com	EF-40801 (F-CAL)		5/17/1995	R101
TradeWinds International PO Box 18498 Long Beach CA 90807-8498 <i>Mfg #:</i> (888) 463-3003 (562) 424-1739 <i>Fax:</i> (562) 424-1870 <i>Email:</i> tradewinds@usa.com <i>Web Site:</i> www.twi-coatings.com	Krystal Kote CTF		8/21/2001	R302

---

**630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- <i>Mfg #:</i> (800) 648-7916 (803) 943-9115 <i>Fax:</i> (803) 943-3375 <i>Email:</i> sales@carsonite.com <i>Web Site:</i> www.carsonite.com	Modular Guidance System		10/20/1996	R102
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com <i>Web Site:</i> www.energyabsorption.com	Glare Screen System		7/31/1996	R104
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839 <i>Fax:</i> (941) 482-3539 <i>Email:</i> rkjhughes24@yahoo.com <i>Web Site:</i> www.flexstake.com	Glare Screen System		7/31/1996	R103

---

**632.03.05 RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Fax:</i> (336) 475-7900 <i>Email:</i> Sales@flintrtrading.com <i>Web Site:</i> www.flintrtrading.com	LTL-X; LTL-X 30-Meter Geometry Retroreflectometer		12/26/1999	R210, R211

**632.03.05 RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013-	MP 30		12/26/1999	R213
<i>Mfg #:</i> (973) 779-5775 (801) 571-3394 <i>Fax:</i> (973) 779-5775 <i>Email:</i> sales@miroluxproducts.com <i>Web Site:</i> www.miroluxproducts.com				
RoadVista 8581 Aero Drive San Diego CA 92123-	StripeMaster series, MX 30, LaserLux		5/2/2006	R542, R543, R544
<i>Mfg #:</i> (888) 637-2758 (510) 742-5922 <i>Fax:</i> (858) 576-9286 <i>Email:</i> kbreeding@keoselectronics.com <i>Web Site:</i> www.roadvista.com				

**633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999	R184
<i>Mfg #:</i> (253) 351-9828 <i>Fax:</i> (253) 735-6303 <i>Email:</i> bart@alpinemarkings.com <i>Web Site:</i> www.alpinemarkings.com				
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670-	929 ABS; Ceramic	100mm (4") Round	6/1/1999	R172, R173
<i>Mfg #:</i> (562) 944-8878 (562) 805-3839 <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com <i>Web Site:</i> www.apexmarker.com				
Glowlite Incorporated 236 South 5th Avenue City of Industry CA 91746-	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective	100 mm (4") Round	3/7/2005	R516, R517
<i>Mfg #:</i> (626) 336-6086 (562) 587-3534 <i>Fax:</i> (626) 336-6085 <i>Email:</i> edwardfei_glowlite@yahoo.com <i>Web Site:</i> www.glowlitemarker.com				
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710-	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round)	100mm (4") Round	6/1/1999	R185, R186
<i>Mfg #:</i> (800) 228-1701 (951) 529-2666 <i>Fax:</i> (909) 627-0999 <i>Email:</i> hiwaysafety@linkline.com <i>Web Site:</i> www.hi-waysafety.com				
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602-	Diamond Back (ABS & Polypropylene)	100mm (4") Round	6/1/1999	R170
<i>Mfg #:</i> (800) 237-7245 (530) 823-6070 <i>Fax:</i> (530) 823-0994 <i>Email:</i> miket@interstatesales.com <i>Web Site:</i> www.interstatesales.com				

---

**633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 (925) 373-1751 <i>Fax:</i> (925) 215-2549 <i>Email:</i> norman@novabrite.com <i>Web Site:</i> www.novabrite.com	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow	100mm (4") Round	2/17/2004	R474, R475, R476.
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757 <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com <i>Web Site:</i> www.trafficwks.com	TD10000 Series (100 mm (4") Round)	100mm (4") Round	12/3/2002	R373

---

**633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012 <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm	290 Durable Raised Pavement Marker	89mm x 100 mm (3.6" x 4")	6/1/1999	R182
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839 <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com <i>Web Site:</i> www.apexmarker.com	921 AR	100mm x 100 mm (4" x 4")	3/25/2001	R282
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	911, 953, C88 Permanent Reflective Pavement Markers Ab	100mm x 100 mm (4" x 4")	6/1/1999	R179, R180, R181
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com <i>Web Site:</i> www.rayolite.com	AA; ARC	100mm x 100 mm (4" x 4")	6/1/1999	R174, R175

**633.02.03 PAVEMENT MARKERS (RECESSED REFLECTIVE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	948 Recessed Reflective Pavement Markers	58mm x 119 mm (2.3" x 4.7")	6/1/1999 R183
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	944SB Recessed Reflective Pavement Markers	51mm x 100 mm (2" x 4")	6/1/1999 R178
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025 <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com <i>Web Site:</i> www.rayolite.com	ARC 2002; ARC 51 2004	58mm x 117 mm (2.3" x 4.6")	6/1/1999 R176, R177

**633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902 <i>Fax:</i> (480) 940-0313 <i>Email:</i> sales@crafco.com <i>Web Site:</i> www.crafco.com	Hot Applied Flexible Pavement Marker Adhesive part 34270		6/16/1998 R105
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200 <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com <i>Web Site:</i> www.ennispaint.com	836098 Bituminous Adhesive for Pavement Markers		6/15/1998 R108
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600 <i>Fax:</i> (336) 475-7900 <i>Email:</i> Sales@flintrtrading.com <i>Web Site:</i> www.flintrtrading.com	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad	White Color on Plantmix & Black Color on PCCP	6/15/1998 R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 669-6940 <i>Fax:</i> (916) 714-4582 <i>Email:</i> customerservice@henry.com <i>Web Site:</i> www.henry.com	Dotstick Bituminous Marker Adhesive		9/29/2003 R464

**633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508	172542 Evergrip Bituminous Marker Adhesive		6/15/1998	R107
<b>Mfg #:</b> (800) 662-0987 (713) 941-4410	<b>Fax:</b> (713) 947-4949	<b>Email:</b> dolly@gsac.net	<b>Web Site:</b> www.gsac.net	

**633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670-	924 Longterm Temporary Raised Pavement Marker	Temporary Markers w/632 Epoxy; per mfg 10/29/07 this product is no longer in production	9/19/1993	R109
<b>Mfg #:</b> (562) 944-8878 (562) 805-3839	<b>Fax:</b> (562) 944-2298	<b>Email:</b> sales@apexmarker.com	<b>Web Site:</b> www.apexmarker.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424-	Halftrack Model 25; Halftrack Model 26; TOM & TRPM (Temporary Overlay Raised)	Work Zone Pavement Markers	2/20/2000	R257, R258
<b>Mfg #:</b> (877) 335-4638 (408) 431-8689	<b>Fax:</b> (408) 269-9902	<b>Email:</b> billdaly@filtrona.com	<b>Web Site:</b> www.filtronaextrusion.com	

**634.03.03a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crown Technology LLC PO Box 789 Woodbury GA 30293-	Tuffline Alkyd		1/17/2003	R400
<b>Mfg #:</b> (706) 553-9500 (706) 575-0423	<b>Fax:</b> (706) 553-9501	<b>Email:</b> sales@crowthermo.com	<b>Web Site:</b> www.crowthermo.com	

**634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	Flame Tape; ThermaLine		6/13/2001	R299, R300
<b>Mfg #:</b> (800) 331-8118 (214) 874-7200	<b>Fax:</b> (800) 555-0217	<b>Email:</b> klyne@ennispaint.com	<b>Web Site:</b> www.ennispaint.com	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	Hot TapeTM; Premark® PLUS		2/24/2004	R168, R169
<b>Mfg #:</b> (336) 475-6600	<b>Fax:</b> (336) 475-7900	<b>Email:</b> Sales@flintrtrading.com	<b>Web Site:</b> www.flintrtrading.com	

**635.02.01 TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	780 Wet Reflective Removable Tape (*750 was upgraded to 780)	*discontinued manufacturing, but still carried by vendors and still approved	5/21/2003	R423, R424
<i>Mfg #:</i> (800) 553-1380 (702) 743-0012	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	ATM 200 Construction Removable Tape		6/15/1999	R117
<i>Mfg #:</i> (252) 536-2574	<i>Fax:</i> (252) 536-4940	<i>Email:</i> brobbins@trafficmarking.com	<i>Web Site:</i> www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 100 White & Yellow; Series 200 White & Yellow Removable		6/15/1999	R118, R032
<i>Mfg #:</i> (702) 649-9223	<i>Fax:</i> (702) 649-9237	<i>Email:</i> bjubak@cox.net	<i>Web Site:</i> www.britelinetechnologies.com	
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144-	Aztec III Removable		6/15/1999	R119
<i>Mfg #:</i> (314) 968-2569	<i>Fax:</i> (314) 968-0494	<i>Email:</i> lgreen@pblaminations.com	<i>Web Site:</i> www.pblaminations.com	
Swarco Industries PO Box 89 Columbia TN 38402-	Director 2 Detour Grade		6/15/1999	R120
<i>Mfg #:</i> (931) 388-5900	<i>Fax:</i> (931) 388-4039	<i>Email:</i> office.industries@swarco.com	<i>Web Site:</i> www.swarco.com	
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534-	RW 140 Series; RY 140 Series; R 140 Series		8/24/2001	R303, R304, R305
<i>Mfg #:</i> (609) 730-0839	<i>Fax:</i> (609) 730-0838	<i>Email:</i> bjsutker@aol.com	<i>Web Site:</i> www.trelleborg.com/roadtape	

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388-	Topein S Emulsion	Application and dilution rates follow manufacturer's instructions.	2/28/2002	R479
<i>Mfg #:</i> (661) 392-3630 (661) 978-9357	<i>Fax:</i> (661) 391-1054	<i>Email:</i> jim.ryan@alonusa.com	<i>Web Site:</i> www.alonsashalt.com	



**637.02.01****DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <b>Mfg #:</b> (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of anv water bodv.	5/2/1999	R121
<b>Fax:</b> (814) 368-1335	<b>Email:</b> ckimball@amref.com	<b>Web Site:</b> www.amref.com		
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <b>Mfg #:</b> (800) 527-2101 (972) 247-7111	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498
<b>Fax:</b> (972) 484-2896	<b>Email:</b> dnix@arrowmagnolia.com	<b>Web Site:</b> www.arrowmagnolia.com		
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- <b>Mfg #:</b> (972) 758-7454 (702) 405-0351	Dust Control DC-22		6/19/2006	R549
<b>Fax:</b> (972) 596-8418	<b>Email:</b> dallasroadway@yahoo.com	<b>Web Site:</b> www.dallasroadway.com		
Enviroad 2606 North Newark Street Portland OR 97217- <b>Mfg #:</b> (800) 536-2650 (503) 701-7802	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of anv water body.	3/17/2003	R420
<b>Fax:</b> (503) 279-2633	<b>Email:</b> don@enviroad.com	<b>Web Site:</b> www.enviroad.com		
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- <b>Mfg #:</b> (775) 852-3878 (800) 369-3878	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R450
<b>Fax:</b> (970) 346-3959	<b>Email:</b> csherven@envirotechservices.com	<b>Web Site:</b> www.envirotechservices.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <b>Mfg #:</b> (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest K	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153
<b>Fax:</b> (509) 328-4336	<b>Email:</b> rob@fischbachandmore.com	<b>Web Site:</b> www.fischbachandmore.com		
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- <b>Mfg #:</b> (702) 871-1884 (702) 871-7976	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
<b>Fax:</b> (702) 871-3629	<b>Email:</b> strue@fluid-tech-inc.com	<b>Web Site:</b> www.fluid-tech-inc.com		
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <b>Mfg #:</b> (562) 592-0836 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433
<b>Fax:</b> (562) 592-0836	<b>Email:</b> craighoad@gmbostoncompany.com	<b>Web Site:</b> gmbostoncompany.com		

## 637.02.01

## DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878	SOILOC-MQ Dust Suppressant; Hercules PAM <i>Fax:</i> (770) 455-6531	Application Rate of Diluted Mixture: 0.35m <sup>2</sup> /L (14sq.ft./gal.) <i>Email:</i> hercenv@herculesenvironmental.com	5/2/1999	R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121	EnviroKleen; Soil Sement <i>Fax:</i> (330) 456-3247	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal <i>Email:</i> kim@midwestind.com/custserv@midwestin	1/4/2001	R278, R521
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 (702) 249-1900	Plas-Bond; Solitac <i>Fax:</i> (702) 649-8446	Should be only used in areas that will not be disturbed by vehicle or foot traffic. <i>Email:</i> julie@nuequipment.com	11/13/2000	R274, R275
Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- <i>Mfg #:</i> (800) 523-9992 (209) 383-3296	Road OYL; Soil Seal <i>Fax:</i> (209) 383-7849	Application and dilution rates follow manufacturer's instructions. <i>Email:</i> jphillip@sspco.com	1/3/2002	R324, R325
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023	Plas-Tex; Poly-Tex <i>Fax:</i> (702) 873-0915	Application and dilution rates follow manufacturer's instructions; vacant land application only. <i>Email:</i> phyllis@soil-tech.com	12/10/2003	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 (480) 289-3206	Soiltac® <i>Fax:</i> (480) 289-3230	Application and dilution rates follow manufacturer's instructions. <i>Email:</i> Chuck@Soilworks.com	9/20/2004	R274, R275
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix <i>Fax:</i> (661) 587-6806	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic <i>Email:</i> andy@terranovo.com	11/2/2001	R318

---

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (312) 436-4433	Dust Armour		8/28/2006	R553
		<i>Fax:</i> (312) 214-9192 <i>Email:</i> bfogel@usg.com <i>Web Site:</i> www.usg-erosioncontrol.com		
Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (949) 248-8020	Dust Control 50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R449
		<i>Fax:</i> (949) 248-8023 <i>Email:</i> sales@westernemulsions.com <i>Web Site:</i> www.westernemulsions.com		

---

**637.02.02 SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hanes Geo Components 815 Buxton Street Winston Salem NC 27101- <i>Mfg #:</i> (800) 438-0027 (336) 747-1600	TerraTex SC		6/25/1998	R143
		<i>Fax:</i> (336) 747-1652 <i>Email:</i> keith.harris@hanesindustries.com <i>Web Site:</i> www.hanesgeo.com/www.webtecge		
Triangular Silt Dike Company Incorporated 8410 SE 18th Street Midwest City OK 73110-1632 <i>Mfg #:</i> (800) 290-8473	Triangular Silt Dike		6/25/1998	R142
		<i>Fax:</i> (405) 455-5047 <i>Email:</i> groach@cox.net <i>Web Site:</i> www.tri-silkdike.com		

---

**637.02.05 ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 (800) 423-4567	Siltsack		6/25/1998	R144
		<i>Fax:</i> (804) 246-9737 <i>Email:</i> dkelly@acfenvironmental.com <i>Web Site:</i> www.acfenvironmental.com		
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677	StreamGuard Catch Basin		6/25/1998	R088
		<i>Fax:</i> (888) 234-3677 <i>Email:</i> jeffb@shopbowhead.com <i>Web Site:</i> www.shopbowhead.com		

---

**637.02.05 ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050-	Dandy Curb Bag®; Dandy Bag® Drainage Control		6/25/1998	R087, R248
<b>Mfg #:</b> (800) 591-2284 (614) 580-5683	<b>Fax:</b> (740) 881-2791	<b>Email:</b> dlc@dandyproducts.com	<b>Web Site:</b> www.dandyproducts.com	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094-	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly		12/6/2002	R376, R377
<b>Mfg #:</b> (888) 382-7458 (770) 388-7818	<b>Fax:</b> (770) 388-7640	<b>Email:</b> roger@siltsaver.com	<b>Web Site:</b> www.siltsaver.com	

---

**640.02.03a MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711	Reinforced Soil Embankment Wall		9/8/1998	R122
<b>Mfg #:</b> (800) 762-8962 (707) 443-5093	<b>Fax:</b> (707) 443-2891	<b>Email:</b> suzanne@hilfiker.com	<b>Web Site:</b> www.hilfiker.com	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630-	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls		9/8/1998	R287, R288
<b>Mfg #:</b> (949) 587-3060	<b>Fax:</b> (949) 587-0185	<b>Email:</b> tmichalik@reinforcedearth.com	<b>Web Site:</b> www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066-	MSE Plus™; MSE Earth	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R195
<b>Mfg #:</b> (831) 430-9300	<b>Fax:</b> (831) 430-9340	<b>Email:</b> andrewt@mseplus.com	<b>Web Site:</b> www.mseplus.com	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624-	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
<b>Mfg #:</b> (949) 488-7054 (949) 212-8454	<b>Fax:</b> (949) 488-7084	<b>Email:</b> bmiller@tensarcorp.com	<b>Web Site:</b> www.tensarcorp.com	

**640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- <i>Mfg #:</i> (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls <i>Fax:</i> (949) 587-0185	Large panels allowed only when noted on the plans. <i>Email:</i> tmichalik@reinforcedearth.com	2/28/2001	R287, R288
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- <i>Mfg #:</i> (831) 430-9300	MSE Large Wall Panel <i>Fax:</i> (831) 430-9340	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans. <i>Email:</i> andrewt@mseplus.com	8/26/2002	R356

**640.02.03c SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Cyro Industries 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313	Paraglas Soundtop Soundwall Ready Fit Noise Barrie <i>Fax:</i> (207) 490-4284	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the contract documents: it is not a <i>Email:</i> nathan.binette@evonik.com	8/27/2004	R502
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516	Port-O-Wall Soundwall System <i>Fax:</i> (707) 996-5191	This is the general QPL only. The system will be selected based on specific project requirements. <i>Email:</i> rod_allen@port-o-wall.com	10/24/2001	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 (702) 354-3974	Quilite Noise Barrier <i>Fax:</i> (702) 464-3080	This is the general QPL only. The system will be selected based on specific project requirements. <i>Email:</i> morgan@quilite.com	2/9/2005	R515

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761	Keysystem 1 Modular Block Retaining Wall <i>Fax:</i> (251) 990-5461	Permitted only when the contract documents specify a modular block retaining wall. <i>Email:</i> keystone@keystonewalls.com	5/15/2002	R145

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- <i>Mfg #:</i> (949) 587-3060	Pyramid Modular Block Retaining Wall <i>Fax:</i> (949) 587-0185 <i>Email:</i> tmichalik@reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 (949) 212-8454	Mesa Retaining Wall <i>Fax:</i> (949) 488-7084 <i>Email:</i> bmiller@tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343
<i>Web Site:</i> www.reinforcedearth.com				
<i>Web Site:</i> www.tensarcorp.com				

**641.02.01 IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R125, R126, R127.
SCI Products Incorporated PO Box 4314 St Charles IL 60174- <i>Mfg #:</i> (800) 327-4417 (630) 330-8063	SCI100GM Impact Attenuator TL-3 level <i>Fax:</i> (630) 377-9270 <i>Email:</i> workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559	Adiem Attenuating Device <i>Fax:</i> (801) 292-3263 <i>Email:</i> mikel.hooley@trin.net	TL-3 "Concrete Foundation Required". May be used for all speed ratings	9/9/2003	R451, R452, R453.
<i>Web Site:</i> www.energyabsorption.com				
<i>Web Site:</i> www.workareaprotection.com				
<i>Web Site:</i> www.trin.net				

**702.03.01c CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100	Atlas Res-Cure <i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com	ASTM C309 Type 1D	9/4/2007	R573
<i>Web Site:</i> www.atlasform.com				

**702.03.01c CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
White Cap 1830 East Lincoln Way Sparks NV 89434- <i>Mfg #:</i> (775) 353-3333	Resin Cure-Clear VOC	ASTM C309 Type 1D	9/4/2007	R565
	<i>Fax:</i> (775) 353-3300	<i>Email:</i> bobsmith@white.net	<i>Web Site:</i> www.whitecapdirect.com	
WR Meadows of Northern California PO Box 907 Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100	1100 Clear	ASTM C309 Type 1D	9/4/2007	R574
	<i>Fax:</i> (707) 747-6206	<i>Email:</i> wrmnc@wrmeadows.com	<i>Web Site:</i> www.wrmeadows.com	

**702.03.01d CURING COMPOUND (PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100	Atlas Whix Cure DOT	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
	<i>Fax:</i> (702) 222-0488	<i>Email:</i> ryanquinn@atlasform.com	<i>Web Site:</i> www.atlasform.com	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737	DSSCC White Resin Cure; DSSCC Clear Wax Cure; DSSCC White Wax	PCCP ASTM C309, Type 2, Class A	9/4/2007	R580
	<i>Fax:</i> (913) 371-3330	<i>Email:</i> johnhukey@daytonsuperior.com	<i>Web Site:</i> www.daytonsuperio.com	
SpecChem LLC 44-B Richmond Avenue Kansas City KS 66101- <i>Mfg #:</i> (913) 371-8700 (866) 791-8700	PaveCure WW	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585
	<i>Fax:</i> (913) 371-8701	<i>Email:</i> bmeyer@specchemllc.com	<i>Web Site:</i> www.specchemllc.com	
Steel Engineers 716 West Mesquite Las Vegas NV 89106- <i>Mfg #:</i> (702) 386-0023 (530) 348-6809	UniWhite Cure Wax		6/2/2008	595
	<i>Fax:</i> (816) 200-4578	<i>Email:</i>	<i>Web Site:</i>	
WR Meadows of Northern California PO Box 907 Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100	1600 White Series	PCCP ASTM C309, Type 2, Class A	9/4/2007	R581
	<i>Fax:</i> (707) 747-6206	<i>Email:</i> wrmnc@wrmeadows.com	<i>Web Site:</i> www.wrmeadows.com	

---

**702.03.04 CURING COMPOUND (BRIDGE DECKS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100 <i>Fax:</i> (702) 222-0488 <i>Email:</i> ryanquinn@atlasform.com <i>Web Site:</i> www.atlasform.com	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- <i>Mfg #:</i> (877) 416-3439 (913) 233-1737 <i>Fax:</i> (913) 371-3330 <i>Email:</i> johnhukey@daytonsuperior.com <i>Web Site:</i> www.daytonsuperio.com	DSSCC PAMS	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R578
WR Meadows of Northern California PO Box 907 Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100 <i>Fax:</i> (707) 747-6206 <i>Email:</i> wrmnc@wrmeadows.com <i>Web Site:</i> www.wrmeadows.com	2250 White Series	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R575

---

**702.03.05 FLY ASH (TYPE F ONLY)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069 <i>Fax:</i> <i>Email:</i> Pamela.Flynn@boral.com <i>Web Site:</i>	Fly Ash	Type F	9/4/2007	R570
Headwaters Resource's Incorporated 951 Industrial Drive Tukwila WA 98188- <i>Mfg #:</i> (206) 575-2046 <i>Fax:</i> <i>Email:</i> tfox@headwaters.com <i>Web Site:</i>	Fly Ash	Type F	9/4/2007	R572

---

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013- <i>Mfg #:</i> (800) 641-8242 <i>Fax:</i> (973) 473-4222 <i>Email:</i> minan@maynational.com <i>Web Site:</i> www.bondaflex.com	Bondaflex Sil 728SL		8/5/2005	R534



**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Roadsaver Silicone SL Sealant		10/7/1993	R129
<b>Mfg #:</b> (602) 276-0406 (602) 418-9902	<b>Fax:</b> (480) 940-0313	<b>Email:</b> sales@crafco.com	<b>Web Site:</b> www.crafco.com	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	890 SL		3/20/1997	R130
<b>Mfg #:</b> (303) 980-1780 (303) 880-9614	<b>Fax:</b> (303) 980-1780	<b>Email:</b> jason.sika@dowcorning.com	<b>Web Site:</b> www.dowcorning.com	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872-	DSB 900 SL Self Leveling Silicone		4/5/2005	R518
<b>Mfg #:</b> (419) 424-3527 (800) 848-1730	<b>Fax:</b> (419) 257-2200	<b>Email:</b> ldurain@dsbrown.com	<b>Web Site:</b> www.dsbrown.com	
Pecora Corporation 165 Wambold Road Harleysville PA 19438-	Pecora 300		9/14/2001	R311
<b>Mfg #:</b> (215) 723-6051	<b>Fax:</b> (215) 721-0286	<b>Email:</b>	<b>Web Site:</b> www.pecora.com	
Tremco Incorporated 3735 Green Road Beachwood OH 44122-	Spectrum 900 SL Formula 974831& 333 Cartridges		5/31/2002	R345
<b>Mfg #:</b> (800) 321-7906 (216) 292-5000	<b>Fax:</b> (216) 292-5036	<b>Email:</b> tscs@tremcoinc.com	<b>Web Site:</b> www.tremcosealants.com	

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144-	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997	R133, R134, R135
<b>Mfg #:</b> (314) 644-1000	<b>Fax:</b> (314) 644-4617	<b>Email:</b> carbolineUSA@carboline.com	<b>Web Site:</b> www.carboline.com	
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144-	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811	8/20/1997	R136
<b>Mfg #:</b> (314) 644-1000	<b>Fax:</b> (314) 644-4617	<b>Email:</b> carbolineUSA@carboline.com	<b>Web Site:</b> www.carboline.com	

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130-  <i>Mfg #:</i> (281) 684-5203 (800) 525-6824 <i>Fax:</i> (812) 256-6733 <i>Email:</i> daniel.griffin@internationalpaint.com <i>Web Site:</i> www.international-pc.com	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003	R430, R431, R432
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821-  <i>Mfg #:</i> (714) 337-1953 (562) 691-9600 <i>Fax:</i> (562) 691-3550 <i>Email:</i> nyemiller@msm.com <i>Web Site:</i> www.ppgamercoatus.ppgpmc.com	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008	R592, R593, R594
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-  <i>Mfg #:</i> (210) 861-2286 <i>Fax:</i> (210) 340-1650 <i>Email:</i> dee.l.mcneill@sherwin.com <i>Web Site:</i> www.sherwinwilliams.com	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-400 Series Part B: B60V2	6/2/2003	R140, R123, R429
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <i>Mfg #:</i> (210) 861-2286 <i>Fax:</i> (210) 340-1650 <i>Email:</i> dee.l.mcneill@sherwin.com <i>Web Site:</i> www.sherwinwilliams.com	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003	R425, R426
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-  <i>Mfg #:</i> (210) 861-2286 <i>Fax:</i> (210) 340-1650 <i>Email:</i> dee.l.mcneill@sherwin.com <i>Web Site:</i> www.sherwinwilliams.com	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-150 Series Part B: B65V150	8/20/1997	R137, R138, R139.

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Centef3870 & 3930 Permanent Traffic Signs & Temporary Traffic PO Box 231393 Las Vegas NV 89105-  <i>Mfg #:</i> (800) 553-1380 (702) 743-0012 <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm		For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); *discontinued manufacturing, but still carried by vendors and still approved	12/1/2004	R508
3M Traffic Control Materials Div, 3M Centef3870 & 3990 VIP Diamond Grade Type IX PO Box 231393 Las Vegas NV 89105-  <i>Mfg #:</i> (800) 553-1380 (702) 743-0012 <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com <i>Web Site:</i> www.3M.com/tcm		NDOT Type IX	8/16/2000	R269, R270

## 716.03.01

## REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3981 & 3983 Diamond Fluorescent VIP (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001 R301
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting (3924 was upgraded to 3924S)	For Rigid Signs Only (NDOT Type X); *discontinued manufacturing, but still carried by vendors and still approved	8/21/2000 R289, R550
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000 R291
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	334 & 336 Barricade Type IV	For Barricades Only (Type IV)	12/1/2004 R510, R511
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T5500A Series High Intensity; T7000 Fluorescent Reflective Sheeting No	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003 R455, R456
<b>Mfg #:</b> (847) 588-7717 (847) 588-7262	<b>Fax:</b> (847) 588-7688	<b>Email:</b> mark.kleinschmit@averydennison.com	<b>Web Site:</b> www.averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	S9000C Cone Collar	For Reboundable Traffic Cones Only, Type III	2/2/2004 R471
<b>Mfg #:</b> (847) 588-7717 (847) 588-7262	<b>Fax:</b> (847) 588-7688	<b>Email:</b> mark.kleinschmit@averydennison.com	<b>Web Site:</b> www.averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T6500, W7514 Fluorescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting	For Delineators and Permanent Signs Only (Type III)	8/21/2000 R164, R297, R298
<b>Mfg #:</b> (847) 588-7717 (847) 588-7262	<b>Fax:</b> (847) 588-7688	<b>Email:</b> mark.kleinschmit@averydennison.com	<b>Web Site:</b> www.averydennison.com
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714-	T7500 Prismatic Grade Sheeting	NDOT Type IX	5/30/2002 R344
<b>Mfg #:</b> (847) 588-7717 (847) 588-7262	<b>Fax:</b> (847) 588-7688	<b>Email:</b> mark.kleinschmit@averydennison.com	<b>Web Site:</b> www.averydennison.com

---

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 (310) 532-7500 <i>Fax:</i> (888) 330-7119 <i>Email:</i> jhu@nikkalite.com <i>Web Site:</i> www.nikkalite.com	92847 Nikkalite Crystal Fluorescent Orange	NDOT Type X	4/29/2005	R522
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- <i>Mfg #:</i> (800) 821-4264 (310) 532-7500 <i>Fax:</i> (888) 330-7119 <i>Email:</i> jhu@nikkalite.com <i>Web Site:</i> www.nikkalite.com	High Intensity ULG II	For Permanent Traffic Signs	8/16/2000	R271
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Fax:</i> (800) 895-0951 <i>Email:</i> customer.service@reflexite.com <i>Web Site:</i> www.reflexiteamericas.com	AP1000 Reflective Sheeting	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
Reflexite Americas 315 South Street New Britain CT 06051- <i>Mfg #:</i> (800) 654-7570 <i>Fax:</i> (800) 895-0951 <i>Email:</i> customer.service@reflexite.com <i>Web Site:</i> www.reflexiteamericas.com	Conformalight; Marathon Type VI	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294

---

**726.03.04 MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- <i>Mfg #:</i> (800) 654-6117 (785) 883-4600 <i>Fax:</i> (785) 883-4429 <i>Email:</i> sales@centralfiber.com <i>Web Site:</i> www.centralfiber.com	Second Nature Paper Fiber Hydroseeding Mulch		6/25/1998	R146
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- <i>Mfg #:</i> (208) 733-9689 <i>Fax:</i> (208) 733-9447 <i>Email:</i> patrick@hmi-mfg.com/info@hmi-mfg.com <i>Web Site:</i> www.hmi-mfg.com	Nature's Own		6/25/1998	R147

**726.03.05****TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- <b>Mfg #:</b> (800) 654-6117 (785) 883-4600 <b>Fax:</b> (785) 883-4429 <b>Email:</b> salex@centralfiber.com <b>Web Site:</b> www.centralfiber.com	TacPac GT		6/25/1998	R148
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- <b>Mfg #:</b> (707) 588-1444 <b>Fax:</b> (707) 588-1445 <b>Email:</b> mary@driwater.com <b>Web Site:</b> www.driwater.com	Driwater Hydro Mix	Note: Surfaces subject to spill; can be slippery.	1/3/2001	R277
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- <b>Mfg #:</b> (401) 331-9000 (401) 529-6855 <b>Fax:</b> (401) 331-2155 <b>Email:</b> tech@easterncolor.net <b>Web Site:</b> www.easterncolor.net	Ecotak OP Moisture Retainer		6/25/1998	R151
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- <b>Mfg #:</b> (509) 325-2882 (509) 981-8555 <b>Fax:</b> (509) 328-4336 <b>Email:</b> rob@fischbachandmore.com <b>Web Site:</b> www.fischbachandmore.com	Fisch-Stik, Terravest		6/25/1998	R152, R153
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <b>Mfg #:</b> (888) 843-1029 (661) 747-5956 <b>Fax:</b> (661) 587-6806 <b>Email:</b> andy@terranovo.com <b>Web Site:</b> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318

**726.03.13****SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388- <b>Mfg #:</b> (661) 392-3630 (661) 978-9357 <b>Fax:</b> (661) 391-1054 <b>Email:</b> jim.ryan@alonusa.com <b>Web Site:</b> www.alonsashalt.com	Topein S Emulsion	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004	R479
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <b>Mfg #:</b> (814) 368-1200 (281) 770-0220 <b>Fax:</b> (814) 368-1335 <b>Email:</b> ckimball@amref.com <b>Web Site:</b> www.amref.com	PennzSuppress D Dust Suppressant		6/25/1998	R121

## 726.03.13

## SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <b>Mfg #:</b> (800) 527-2101 (972) 247-7111 <b>Fax:</b> (972) 484-2896 <b>Email:</b> dnix@arrowmagnolia.com <b>Web Site:</b> www.arrowmagnolia.com	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005 R498
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <b>Mfg #:</b> (877) 405-5050 (920) 217-0281 <b>Fax:</b> (920) 406-9740 <b>Email:</b> aramirez@encap.net <b>Web Site:</b> www.encap.com	PAM 12 PLUS	4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008 R586
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- <b>Mfg #:</b> (509) 325-2882 (509) 981-8555 <b>Fax:</b> (509) 328-4336 <b>Email:</b> rob@fischbachandmore.com <b>Web Site:</b> www.fischbachandmore.com	Fisch-Stik, Terravest K		6/25/1998 R152, R153
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- <b>Mfg #:</b> (702) 871-1884 (702) 871-7976 <b>Fax:</b> (702) 871-3629 <b>Email:</b> strue@fluid-tech-inc.com <b>Web Site:</b> www.fluid-tech-inc.com	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002 R323
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <b>Mfg #:</b> (562) 592-0836 (949) 533-6799 <b>Fax:</b> (562) 592-0836 <b>Email:</b> craighoad@gmbostoncompany.com <b>Web Site:</b> gmbostoncompany.com	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003 R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <b>Mfg #:</b> (770) 303-0878 <b>Fax:</b> (770) 455-6531 <b>Email:</b> hercenv@herculesenvironmental.com <b>Web Site:</b> www.HerculesEnvironmental.com	SOILOC-MQ Dust Suppressant; Hercules PAM		6/25/1998 R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <b>Mfg #:</b> (330) 456-3121 <b>Fax:</b> (330) 456-3247 <b>Email:</b> kim@midwestind.com/custserv@midwestin <b>Web Site:</b> www.midwestind.com	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic: application must be 50 feet away from	4/18/2005 R328

**726.03.13****SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 (702) 249-1900 <i>Fax:</i> (702) 649-8446 <i>Email:</i> julie@nuequipment.com <i>Web Site:</i> www.nuequipment.com	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000 R274, R275
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801 <i>Fax:</i> (801) 303-2551 <i>Email:</i> terry@telnetz.com <i>Web Site:</i> www.sequoiaprc.com	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003 R436
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023 <i>Fax:</i> (702) 873-0915 <i>Email:</i> phyllis@soil-tech.com <i>Web Site:</i> www.soil-tech.com	Plas-Tex; Poly-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998 R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 (480) 289-3206 <i>Fax:</i> (480) 289-3230 <i>Email:</i> Chuck@Soilworks.com <i>Web Site:</i> www.soilworks.com	Soiltac®	Application and dilution rates follow manufacturer's instructions.	9/20/2004 R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956 <i>Fax:</i> (661) 587-6806 <i>Email:</i> andy@terranovo.com <i>Web Site:</i> www.EarthGuard.com	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001 R318
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (312) 436-4433 <i>Fax:</i> (312) 214-9192 <i>Email:</i> bfogel@usg.com <i>Web Site:</i> www.usg-erosioncontrol.com	Enviro-Shield™ Bonded Fiber Matrix & Airtrol™ Geobinder		8/28/2006 R554, R555

**728.03.02****EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- <i>Mfg #:</i> (800) 328-5934 <i>Fax:</i> (800) 362-3320 <i>Email:</i> sstinson@atc.ws <i>Web Site:</i> www.atc.ws	HS 200 Epoxy Adhesive	Type I, II, IV and V; Grade 3; Class A	1/14/2003 R392

## 728.03.02

## EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509	Ultrabond 1, Ultrabond 1100, Ultrabond 1300 & HS200	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002 R329, R330, R331.
<b>Mfg #:</b> (800) 892-1880 (954) 782-2221	<b>Fax:</b> (954) 782-2776	<b>Email:</b> rboland@atc.ws	<b>Web Site:</b> www.atc.ws
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118-	Atlas Epoxy Bonder; LPL Epoxy Bonder	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004 R496, R497
<b>Mfg #:</b> (702) 227-6800 (858) 277-2100	<b>Fax:</b> (702) 222-0488	<b>Email:</b> ryanquinn@atlasform.com	<b>Web Site:</b> www.atlasform.com
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106-	Dayton Superior Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Glass A	1/14/2003 R393
<b>Mfg #:</b> (877) 416-3439 (913) 233-1737	<b>Fax:</b> (913) 371-3330	<b>Email:</b> johnkukey@daytonsuperior.com	<b>Web Site:</b> www.daytonsuperio.com
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	Duralcrete	Type I and Type II	11/8/2005 R536
<b>Mfg #:</b> (800) 321-7628 (216) 531-9222	<b>Fax:</b> (216) 531-9596	<b>Email:</b> blewis@euclidchemical.com	<b>Web Site:</b> www.euclidchemical.com
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146-	HT RE 500 Epoxy Adhesive Anchor	Type IV; Grade 3; Classes A, B & C	1/2/2002 R321
<b>Mfg #:</b> (800) 879-8000 (916) 844-4905	<b>Fax:</b> (918) 294-2856	<b>Email:</b> ruben.rivadeneira@hilti.com	<b>Web Site:</b> www.us.hilti.com
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101-	Ceramic 6	Type IV; Grade 3; Classes B & C	5/14/2002 R341
<b>Mfg #:</b> (630) 350-0370	<b>Fax:</b> (630) 495-6204	<b>Email:</b>	<b>Web Site:</b> www.itw-redhead.com
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206-	ET22; Epoxy-Tie Resin Adhesive	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998 R216, R217
<b>Mfg #:</b> (800) 999-5099 (916) 870-7863	<b>Fax:</b> (209) 234-3868	<b>Email:</b> jlebel@strongtie.com	<b>Web Site:</b> www.simpsonanchors.com
Titan Supply 250 Edison Way Sparks NV 89502-	Pro-Poxy 100	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008 R590
<b>Mfg #:</b> (775) 351-2201 (303) 941-0123	<b>Fax:</b> (720) 304-6535	<b>Email:</b> gregg@unitex-chemicals.com	<b>Web Site:</b> www.unitex-chemicals.com



**728.03.02****EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <b>Mfg #:</b> (800) 821-5846 (816) 231-7700 <b>Fax:</b> (816) 483-3149 <b>Email:</b> jerry@unitex-chemicals.com <b>Web Site:</b> www.unitex-chemicals.com	Pro-Poxy 400	Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes	11/7/2006	R563
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <b>Mfg #:</b> (800) 821-5846 (816) 231-7700 <b>Fax:</b> (816) 483-3149 <b>Email:</b> jerry@unitex-chemicals.com <b>Web Site:</b> www.unitex-chemicals.com	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R388, R389, R390
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <b>Mfg #:</b> (800) 821-5846 (816) 231-7700 <b>Fax:</b> (816) 483-3149 <b>Email:</b> jerry@unitex-chemicals.com <b>Web Site:</b> www.unitex-chemicals.com	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives	Type I and II; Grade 2; Classes B & C	1/4/1998	R218, R219
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <b>Mfg #:</b> (952) 898-8772 (800) 328-5934 <b>Fax:</b> (507) 364-8762 <b>Email:</b> jtunek@gibraltar1.com <b>Web Site:</b> www.uspconnectors.com	CIA-GEL 7000 Adhesive Anchors	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- <b>Mfg #:</b> (707) 745-6666 (847) 214-2100 <b>Fax:</b> (707) 747-6206 <b>Email:</b> wrmca@wrmeadows.com <b>Web Site:</b> www.wrmeadows.com	Rezi Weld 1000	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R478

**729.03.04****EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Colorado Paint Company 4747 Holly Street Denver CO 80216- <b>Mfg #:</b> (303) 388-9265 (303) 941-5275 <b>Fax:</b> (303) 388-0881 <b>Email:</b> markv@coloradopaint.com <b>Web Site:</b> www.coloradopaint.com	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000	R199, R200, R201
Epoplex 1 Park Avenue Maple Shade NJ 08052- <b>Mfg #:</b> (800) 822-6920 <b>Fax:</b> (856) 779-2963 <b>Email:</b> epoplex@epoplex.com <b>Web Site:</b> www.epoplex.com	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R379

**729.03.04 EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Epoplex 1 Park Avenue Maple Shade NJ 08052-	White: LS50 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R378
<b>Mfg #:</b> (800) 822-6920	<b>Fax:</b> (856) 779-2963	<b>Email:</b> epoplex@epoplex.com	<b>Web Site:</b> www.epoplex.com	
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709-	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R441, R442
<b>Mfg #:</b> (877) 477-7623	<b>Fax:</b> (919) 606-9987	<b>Email:</b> jhall@ips-road.com	<b>Web Site:</b> www.ips-road.com	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
<b>Mfg #:</b> (440) 248-1223	<b>Fax:</b> (216) 577-6723	<b>Email:</b> hemant@poly-carb.com	<b>Web Site:</b> www.poly-carb.com	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
<b>Mfg #:</b> (440) 248-1223	<b>Fax:</b> (216) 577-6723	<b>Email:</b> hemant@poly-carb.com	<b>Web Site:</b> www.poly-carb.com	
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139-	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B)	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
<b>Mfg #:</b> (440) 248-1223	<b>Fax:</b> (216) 577-6723	<b>Email:</b> hemant@poly-carb.com	<b>Web Site:</b> www.poly-carb.com	

**729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dow Chemical Company 2040 Dow Center Midland MI 48674-	UCAR™ Latex DT 250 NA	Type I	7/19/2002	R166, R167
<b>Mfg #:</b> (989) 636-2452	<b>Fax:</b> (800) 447-4369	<b>Email:</b>	<b>Web Site:</b> www.dow.com	
Dow Chemical Company 2040 Dow Center Midland MI 48674-	UCAR™ Latex DT 400 NA	Type II	7/19/2002	R166, R167
<b>Mfg #:</b> (989) 636-2452	<b>Fax:</b> (800) 447-4369	<b>Email:</b>	<b>Web Site:</b> www.dow.com	

---

**729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® HD-21A	Type II	11/30/2001	R319, R320
<b>Mfg #:</b> (800) 477-7641 (800) 967-7704	<b>Fax:</b> (800) 382-4008	<b>Email:</b>	<b>Web Site:</b> www.rohmhaas.com	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® 3427	Type I	11/30/2001	R319, R320
<b>Mfg #:</b> (800) 477-7641 (800) 967-7704	<b>Fax:</b> (800) 382-4008	<b>Email:</b>	<b>Web Site:</b> www.rohmhaas.com	

---

**729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491
<b>Mfg #:</b> (800) 331-8118 (214) 874-7200	<b>Fax:</b> (800) 555-0217	<b>Email:</b> klyne@ennispaint.com	<b>Web Site:</b> www.ennispaint.com	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350
<b>Mfg #:</b> (800) 892-3647 (323) 758-1147	<b>Fax:</b> (323) 778-9719	<b>Email:</b> sales@pervo.com	<b>Web Site:</b> www.pervo.com	

---

**729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982811 NVW-40-M-1 Yellow: 982812 NVY-40-M-1	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354
<b>Mfg #:</b> (800) 331-8118 (214) 874-7200	<b>Fax:</b> (800) 555-0217	<b>Email:</b> klyne@ennispaint.com	<b>Web Site:</b> www.ennispaint.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1	Fastrack® HD-21A	7/30/2002	R353, R354
<b>Mfg #:</b> (800) 331-8118 (214) 874-7200	<b>Fax:</b> (800) 555-0217	<b>Email:</b> klyne@ennispaint.com	<b>Web Site:</b> www.ennispaint.com	

---

**729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053	Fastrack® HD-21A	7/30/2002	R351, R352
<b>Mfg #:</b> (800) 892-3647 (323) 758-1147	<b>Fax:</b> (323) 778-9719	<b>Email:</b> sales@pervo.com	<b>Web Site:</b> www.pervo.com	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	White: BP 19421 Yellow: BP 19422	Fastrack® HD-21A	7/9/2003	R425, R426, R140
<b>Mfg #:</b> (210) 861-2286	<b>Fax:</b> (210) 340-1650	<b>Email:</b>	<b>Web Site:</b> www.sherwinwilliams.com	

---

**729.03.06 POLYUREA PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R444
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm	
3M Traffic Control Materials Division, 3M Center PO Box 231393 Las Vegas NV 89123-	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment	7/16/2003	R588
<b>Mfg #:</b> (800) 553-1380 (702) 743-0012	<b>Fax:</b> (702) 914-6016	<b>Email:</b> ejdornak@mmm.com	<b>Web Site:</b> www.3M.com/tcm	
Epoplex 1 Park Avenue Maple Shade NJ 08052-	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R440
<b>Mfg #:</b> (800) 822-6920	<b>Fax:</b> (856) 779-2963	<b>Email:</b> epoplex@epoplex.com	<b>Web Site:</b> www.epoplex.com	
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709-	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R443
<b>Mfg #:</b> (877) 477-7623 (919) 606-9987	<b>Fax:</b> (919) 767-8506	<b>Email:</b> jhall@ips-road.com	<b>Web Site:</b> www.ips-road.com	

---

**731.03.01 PAVEMENT REINFORCING FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Solutions PO Box 1267 La Quinta CA 92247- <i>Mfg #:</i> (760) 406-2224	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System <i>Fax:</i>	<i>Email:</i> roadsolutions@att.net	10/18/2002	R361, R362, R363.
<i>Web Site:</i> www.roadsolutions.com				

---

**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Centef5730 Stamark Tape PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	9/19/2003	R457
<i>Web Site:</i> www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574	Series 300 Tape White & Yellow <i>Fax:</i> (252) 526-4940	<i>Email:</i> brobbins@trafficmarking.com	9/19/2003	R462
<i>Web Site:</i> www.trafficmarking.com				
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- <i>Mfg #:</i> (702) 649-9223	Series 1000 White & Yellow Permanent <i>Fax:</i> (702) 649-9237	<i>Email:</i> bjubak@cox.net	5/9/2006	R546
<i>Web Site:</i> www.britelinetechnologies.com				
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900	Director 60 Permanent Marking Tape Type I <i>Fax:</i> (931) 388-4039	<i>Email:</i> office.industries@swarco.com	2/17/2004	R472
<i>Web Site:</i> www.swarco.com				
Swarco Industries PO Box 89 Columbia TN 38402- <i>Mfg #:</i> (931) 388-5900	Director 35 Pavement Marking Tape Type II <i>Fax:</i> (931) 388-4039	<i>Email:</i> office.industries@swarco.com	2/17/2004	R473
<i>Web Site:</i> www.swarco.com				

---

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	420 Stamark Intersection Grade Tape, 270-ES Stamark Tape	Type II	9/19/2003	R458
<i>Mfg #:</i> (800) 553-1380 (702) 743-0012	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 400 Tape White & Yellow	Type II	9/19/2003	R463
<i>Mfg #:</i> (252) 536-2574	<i>Fax:</i> (252) 526-4940	<i>Email:</i> brobbins@trafficmarking.com	<i>Web Site:</i> www.trafficmarking.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 300 Tape White & Yellow	Type II	4/29/2008	R589
<i>Mfg #:</i> (252) 536-2574	<i>Fax:</i> (252) 526-4940	<i>Email:</i> brobbins@trafficmarking.com	<i>Web Site:</i> www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122-	Series 1000 White & Yellow Permanent	Type II	5/9/2006	R546
<i>Mfg #:</i> (702) 649-9223	<i>Fax:</i> (702) 649-9237	<i>Email:</i> bjubak@cox.net	<i>Web Site:</i> www.britelinetchnologies.com	

---

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	380IES (white) Stamark Tape, 381WR-ES (yellow) Stamark Tape	Type IV	9/19/2003	R460, R461
<i>Mfg #:</i> (800) 553-1380 (702) 743-0012	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	

**QPL DB1 NOTES**  
**November 8, 2005**

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the “Notice to Contractors.” This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer’s name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at [jvanhavel@dot.state.nv.us](mailto:jvanhavel@dot.state.nv.us) or by telephone at (775) 888-7894.