
QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	496.02.01	003
ASPHALT RELEASE AGENTS	401.03.02	002
ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS	502.03.13j	005
ATTENUATORS (IMPACT)	641.02.01	036-037
ATTENUATORS (TEMPORARY IMPACT)	625.02.04	022
ATTENUATORS (TRUCK MOUNTED)	625.02.05	022
BARRICADES	625.03.04	024-026
BARRIER RAILS (WATER FILLED)	625.02.06	023
CELLULAR EROSION CONTROL MATS	610.02.01	011
COATING SYSTEMS FOR BRIDGES	714.03.01	039-040
CONCRETE PRODUCTS (FAST-SETTING)	609.02.01a	008-009
CONCRETE STAIN	502.02.04	004
CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)	702.03.01c	037
CURING COMPOUND (BRIDGE DECKS)	702.03.04	038
CURING COMPOUND (PCCP)	702.03.01d	037-038
DETECTABLE WARNINGS	613.02.01	011-012
DUST PALLIATIVE (OPTIONAL)	637.02.01	032-034
END SECTIONS (POLYETHYLENE)	605.02.01	008
EPOXY ANCHORING SYSTEMS	728.03.02	045-046
EPOXY COATING (FOR STEEL REINFORCING BARS)	505.02.01	007
EVAPORATIVE RETARDER	409.03.10	002-003
EXPANSION JOINT SEALANT	502.03.13l	006
FINE SURFACE FINISH (Bonded Grout)	502.03.19	006
FLY ASH (TYPE F ONLY)	702.03.05	038
GUARDRAIL OFFSET BLOCKS	618.02.01b	013
GUARDRAIL TERMINAL (FLARED)	618.02.01	012

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
GUARDRAIL TERMINAL (TANGENTIAL)	618.02.01a	012-013
GUIDE POSTS (FLEXIBLE)	619.02.01	013
HEADLIGHT GLARE SCREEN MODULAR UNITS	630.02.01	027
HERBICIDES	401.02.03a	001
HIGH MAST HEAD FRAME ASSEMBLIES	623.02.12c	015-016
JOINT MATERIAL (PERFORMED)	502.03.13i	004-005
JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	502.03.22	007
JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	707.03.04	039
LANE LINE MARKERS (TEMPORARY REFLECTIVE)	633.02.05	030
MAILBOX SUPPORT SYSTEMS (TYPE C)	214.02.01	001
MESSAGE SIGNS (CHANGEABLE)	625.02.03	020-021
MESSAGE SIGNS (DYNAMIC)	623.01.01	014-015
MSE WALLS	640.02.03a	035
MSE WALLS (LARGE SIZE 5' x 10' PANELS)	640.02.03b	035
MULCH	726.03.04	042
OBJECT MARKERS (FLEXIBLE TYPE 2)	619.02.01a	013-014
OPTICAL DETECTOR SYSTEM (FOR EMERGENCY VEHICLES)	623.02.29	016
PAINT FORMULATION (EPOXY)	729.02.03	046-047
PAINT FORMULATION (POLYUREA)	729.02.03d	047
PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)	633.02.01	027-028
PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)	633.02.02	028-029
PAVEMENT MARKERS (RECESSED REFLECTIVE)	633.02.03	029
PAVEMENT MARKERS ADHESIVE	633.02.04	029-030
PAVEMENT MARKING (PREFORMED THERMOPLASTIC)	634.03.03b	031
PAVEMENT MARKING TAPE (TYPE 1)	732.03.01	049
PAVEMENT MARKING TAPE (TYPE 2)	732.03.02	050

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
PAVEMENT STRIPING TAPE (TEMPORARY)	635.02.01	031
PLASTIC FENCE FABRIC MATERIAL	616.02.01	012
POSTS (FOR FLEXIBLE CONSTRUCTION)	625.02.01	019-020
PROTECTIVE OVERLAY FILM	627.02.01	026
RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS	729.03.05a	047-048
RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)	729.03.05c	048-049
RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)	729.03.05b	048
RED LIGHT DETECTORS	623.05.26	018
REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)	625.02.02	020
REFLECTIVE SHEETING	716.03.01	040-042
REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	624.03.03	019
REFLECTORS (PRISMATIC ACRYLIC)	619.03.01	014
RETAINING WALL (MODULAR BLOCK)	640.02.04	036
RETROREFLECTOMETERS	632.03.05	027
ROADWAY INLET PROTECTION	637.02.05	034-035
SERVICE PEDESTALS	623.02.08	015
SIGN LIGHTING FIXTURES	623.03.15	018
SIGN SUPPORT SYSTEMS	625.03.03	023-024
SILT FENCE	637.02.02	034
SOIL STABILIZER	726.03.13	043-045
SOUNDWALL SYSTEMS	640.02.03c	036
STORMWATER TREATMENT SYSTEMS	609.02.01b	010
SYNTHETIC DRILLING SLURRY	509.03.09	008
TACKIFIER	726.03.05	042-043
TRAFFIC SIGNALS	623.03.01	018

QPL TABLE OF CONTENTS

Product Types	Specification #	Page #
TRENCH DRAIN SYSTEMS	609.02.01c	010-011
VEHICLE DETECTOR SEALANTS (OPTIONAL)	623.02.30e	017
VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	623.02.30a	016-017

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- (800) 729-1314	SBBC-xx-AL, SBBC-xx-ALI, SBBC-XX-ALPH, SBBC-xx-ALHPI		5/26/1998	R002, R003
	Fax: (888) 310-3946	Email: kim@vitproducts.com	Web Site: www.vitproducts.com	

213.03.05 JOINT COMPOUNDS (FOR IRRIGATION PIPE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055- (713) 263-8001	RectorSeal #5		8/2/1999	R189
	Fax: (800) 441-0051	Email: cfojt@rectorseal.com	Web Site: www.rectorseal.com	

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022- (303) 286-7051 (888) 267-6463	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
	Fax: (303) 287-0109	Email: jennie@s-squaretube.com	Web Site: www.s-squaretube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- (262) 814-7000 (800) 444-0331	V-LOC Mailbox Support System		11/4/1997	R006
	Fax: (262) 814-7017	Email: bryane@tapconet.com	Web Site: www.tapconet.com/vloc	

401.02.03a HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- (281) 892-2500 (800) 242-5562	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007
	Fax: (281) 892-2501	Email:	Web Site: www.controlsolutionsinc.com	
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- (800) 263-1196 (317) 337-3000	Spike 80 W, Spike 80 DF (dry formula with safer application)	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R586
	Fax: (317) 337-4488	Email: jshong@dow.com	Web Site: www.dowagro.com	

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Super Slick Bio; Slider Fax: (972) 484-2896 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R494, R495
BG Chemical LP PO Box 720025 Dallas TX 75372- (800) 725-8470 (214) 826-6822	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide Fax: (214) 826-7290 Email: jgunter@bgchemical.com		5/8/2000	R260, R261, R262
ChemStation 3400 Encrete Lane Dayton OH 45439- (800) 554-8265 (623) 435-1945	2217-B Fax: (937) 534-0426 Email:		12/20/2007	R584
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- (888) 747-4101 (800) 774-9024	SPX-7 & No 1 Fax: (770) 386-3391 Email: synthetic@pipeline.com	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000	R263
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- (800) 688-6221 (417) 866-5592	Enviro-Slide Ultra Fax: (417) 866-5593 Email: bhamilton@rhomar.com		4/26/2000	R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- (678) 383-8107	Teclon-Pro Fax: (770) 443-0810 Email: kptectm@bellsouth.net		11/7/2006	R562
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- (209) 830-5110 (775) 721-2821	R-5274, R-6690; XT-3199 Fax: (209) 830-5124 Email: zepbc@yahoo.com		5/11/2006	R368, R369, R370

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (858) 277-2100	Atlas Finish Film Fax: (702) 222-0488 Email: ryanquinn@atlasform.com		1/29/2003	R419

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- (800) 677-4922 (716) 308-6799	Confilm Fax: (800) 496-6067	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal Email: Debbie.steiger@basf.com	8/2/1999	R192
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439 (913) 233-1737	Dayton Superior SureFilm J-74 Fax: (913) 371-3330	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal Email: johnhukey@daytonsuperior.com	8/2/1999	R190
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 (410) 354-8600 (800) 637-6372	VaporAid 060 Fax: (410) 354-1122	 Email: akaufmanproducts.net	8/2/1999	R191
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- (215) 332-7709 (888) 839-2661	Certi-Vex Envioassist Evaporative Retarder Fax: (215) 332-9997	Application rate:4.9 m2/l to 200 ft2/gal Email: dmanuel@vexcon.com	8/2/1999	R193
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Sealtight Evapre Evaporative Retarder Fax: (707) 747-6206	Application rate: 1gal/to 9gal water Email: wrmnc@wrmeadows.com	8/1/1999	R194

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- (925) 426-8787 (800) 227-5186	Aggregate Fax: (661) 885-4161	 Email: carlos.arguelles@cemex.com	1/26/1997	R014
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- (425) 228-2120	Aggregate, Sand Fax: (425) 228-2199	 Email: mineralco@aol.com	1/26/1997	R012

502.02.01 REFLECTIVE MARKERS (ONE WAY & TWO WAY ON TOP OF BAR)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- (414) 475-5020	FB33 Flexible Barrier Marker/Delineator		2/2/1993	R005
	<i>Fax:</i> (414) 476-3438	<i>Email:</i> tschoe2992@aol.com		<i>Web Site:</i> www.aktcorp.com

502.02.04 CONCRETE STAIN

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 (954) 581-0771	Rainstopper ® Silicone Acrylic Concrete Stain		4/12/2005	R520
	<i>Fax:</i> (954) 581-9516	<i>Email:</i> DB1TCA@aol.com		<i>Web Site:</i> www.texcote.com
United Coatings 19011 East Cataldo Spokane Valley WA 99016- (800) 541-4383	Canyon Tone Stain		4/12/2005	R519
	<i>Fax:</i> (509) 928-1116	<i>Email:</i> shawn@unitedcoatings.com		<i>Web Site:</i> www.unitedcoatings.com

502.02.05a ANTI-GRAFFITI COATING (PERMANENT NON-SACRIFICIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- (800) 676-5963	GSS-10 Anti Graffiti Coating		10/10/2005	R541
	<i>Fax:</i> (801) 255-7123	<i>Email:</i> gregg@americanpolymer.com		<i>Web Site:</i> www.americanpolymer.com

502.03.13i JOINT MATERIAL (PERFORMED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Chase Construction Products 401 New Karner Road Albany NY 12205- (800) 356-6007	MetaZeal A.J.; Phyzite 380		5/3/1999	R009, R160
	<i>Fax:</i> (518) 346-1110	<i>Email:</i> Teck@chasecorp.com		<i>Web Site:</i> www.chaseconstructionproduct
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439	Polytite N		5/3/1999	R010
	<i>Fax:</i> (913) 279-4806	<i>Email:</i> johnhukey@daytonsuperior.com		<i>Web Site:</i> www.dayton superiorchemical.
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439	Polytite N		8/2/1999	R190
	<i>Fax:</i> (913) 233-1737	<i>Email:</i> johnhukey@daytonsuperior.com		<i>Web Site:</i> www.daytonsuperio.com

502.03.13i JOINT MATERIAL (PERFORMED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- (716) 691-3301	Silicoflex Fax: (716) 691-3305	Email: mdstafford@rjwatson.com	12/7/2000	R276
Schul International 1 Industrial Park Drive Pelham NH 03076- (800) 848-1120	Will Seal 600 Fax: (603) 889-6874	Email: info@schul.com	6/4/2002	R347
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- (419) 424-0888	W Seal Fax: (419) 424-5959	Email: warren@techstar-inc.com	5/3/1999	R131
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (800) 677-4922	Wabo® Evazote UV;JEENE® Structural & Sealing Joint Fax: (716) 691-9239	Email: debbie.steiger@basf.com	8/2/2006	R552, R011

502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 424-3527	Matrix 502 Pave Tech Fax: (419) 257-2200	Email: ldurain@dsbrown.com	6/5/1997	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- (570) 546-6041	BJS Thorma Joint Systems Fax: (570) 546-2415	Email:	9/19/2002	R360
Wyoming Equipment Sales PO Box 4287 West Syoming PA 18644-0287 (570) 693-2810	APJ Asphalt Plug Joint System Fax: (570) 613-0384	Email: tmcharney@epix.net	12/1/2005	R535

502.03.13k		EXPANSION JOINT (SPECIAL)					
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- (800) 888-8909 (918) 698-6797	Dow 902 XJS Joint System Fax: (918) 582-7510	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when Email: dale.baker@ssicm.com	4/22/2002	R212	Web Site: www.ssicm.com		
502.03.131		EXPANSION JOINT SEALANT					
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- (303) 980-1780 (303) 880-9614	902 RCS Fax: (303) 980-1780	Email: jason.sika@dowcorning.com	4/22/2002	R339	Web Site: www.dowcorning.com		
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (800) 677-4922 (716) 308-6799	Wabo® Silicone Sealant - 2 Part Fax: (716) 691-9239	Email: debbie.steiger@basf.com	4/22/2002	R340	Web Site: www.wbacorp.com		
502.03.19		FINE SURFACE FINISH (Bonded Grout)					
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 531-9222	Tammscoat Fine Fax: (216) 531-9399	Email: blewis@euclidchemical.com	9/4/2007	R567	Web Site: www.euclidchemical.com		
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 (954) 581-0771 (954) 205-5117	Tex.Cote ® XL 70 Bridge Cote ® Fax: (954) 581-9516	Email: DB1TCA@aol.com	9/4/2007	R568	Web Site: www.texcote.com		
502.03.20		RETARDANTS (FOR FORMED EXPOSED AGGREGATE FINISH)					
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379- (800) 327-1570 (800) 433-9517	Preco Hi-V; Preco Tuf-cote Fax: (800) 496-6067	Email: jasonlambright@degussa.com	8/17/1999	R196, R197	Web Site: www.degussabuildingsystems.		

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- (602) 276-0406 (602) 418-9902	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone Fax: (480) 940-0313 Email: sales@crafco.com Web Site: www.crafco.com	1/7/1998	R020
Henry Company 10144 Waterman Road Elk Grove CA 95624- (800) 669-6940	Calseal	Fax: (916) 714-4582 Email: customerservice@henry.com Web Site: www.henry.com	9/8/1998	R025
Maxwell Products Incorporated 650 DeLong Street Salt Lake City UT 84104- (801) 972-2090	Elastoflex 44; Elastoflex 56	Fax: (801) 972-5536 Email: dale@maxwellproducts.com Web Site: www.dissco.net	1/6/1998	R022, R023

505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- (281) 939-4000 (281) 794-6993	7-2719 Nap Guard Epoxy Coating	Fax: (281) 939-4025 Email: kuruvila.varughese@usadupont.com Web Site: www.hoovers.com/dupont-coati	1/18/2001	R281
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- (281) 684-5203 (800) 525-6824	HD33 Interpon; HD34 Fusion Bond	Fax: (812) 256-6733 Email: daniel.griffin@internationalpaint.com Web Site: www.international-pc.com	1/1/1996	R026, R027
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- (216) 631-2002 (800) 231-2002	1295 E-90 Pow Dax; Scotch Kote 413	Fax: (216) 631-6211 Email: Web Site:	1/1/1996	R029, R030
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- (281) 370-6164 (281) 630-9878	Lilly Greenbar #720A009	Fax: (281) 370-6654 Email: madams@valspar.com Web Site: www.valspar.com	1/1/1996	R028

509.03.09 SYNTHETIC DRILLING SLURRY

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803 (800) 527-9948 (847) 910-4334	Shore Pac GCV Fax: (847) 394-7823	Email: john.berry@cetco.com/justin.seago@	9/25/2006	R559
Geo-Tech Drilling Fluids 220 North Zapata Highway Suite 11A Laredo TX 78043- (210) 587-4758 (310) 923-4160	Novagel Polymer Fax: (210) 568-4567	Email: mholmes@geotech.us	9/25/2006	R558
KB Technologies Ltd 3648 FM 1960 West Suite 107 Houston TX 77068- (800) 525-5237	SlurryPro CDP Fax:	Email:	9/25/2006	R561
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- (562) 634-8180	Super Mud Fax: (562) 634-1350	Email: sales@pdscoinc.com	9/25/2006	R560

605.02.01 END SECTIONS (POLYETHYLENE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Advanced Drainage Systems Incorporated 1499 Sunnybrook Road Alamo CA 94507- (800) 733-7473 (925) 207-5002	ADS End Section - Flared HDPE Culvert End Sections Fax: (925) 407-2872	Email: scott.henrich@ads-pipe.com	10/28/1995	R031
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- (801) 278-3453	Hi-Q Flared End Section Fax: (206) 309-0634	Email: llistello@hancor.com	10/28/1995	R033

609.02.01a CONCRETE PRODUCTS (FAST-SETTING)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- (310) 834-3401	American Highway Patch II Fax: (514) 689-3133	Email: terryedmundson@daytonsuperior.co	9/30/1996	R036

609.02.01a CONCRETE PRODUCTS (FAST-SETTING)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- (800) 929-3030 (714) 348-1946	Rapid Set DOT Repair Mix Fax: (714) 379-8270 Email: fsenatore@ctscement.com		1/27/1994	R039
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439 (913) 233-1737	Edoco Fast Patch 928, Dayton Superior HD50 Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com		9/30/1996	R037, R038
Degussa Building System 889 Valley Park Drive Shakopee MN 55379- (800) 433-9517 (952) 496-6000	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar Fax: (800) 496-6067 Email: steve.peterson@degussa.com		1/3/2002	R385, R386, R387
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 531-9222	Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar Fax: (216) 531-9399 Email: blewis@euclidchemical.com		9/30/1996	R040, R041, R042, R043, R044
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 531-9222	Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar Fax: (216) 531-9399 Email: blewis@euclidchemical.com	Conforms with ASTM C-928	11/8/2005	R537, R538, R539
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- (800) 243-2206 (203) 336-7900	Highway Patch; Structural Concrete Fax: (203) 336-7930 Email: federicol@fivestarprouducts.com		9/30/1996	R034
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656- (949) 470-3225 (949) 246-4177	High Performance Concrete Mix Fax: (949) 470-3883 Email: johncollins@concreterepair.com		1/3/2002	R322
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- (866) 827-8727 (410) 821-1503	HP Cement Fax: (410) 561-8771 Email: laura@uscproducts.com		10/22/2004	R507
				Web Site: www.concreterepairmaterials.c

609.02.01b STORMWATER TREATMENT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- (775) 831-4592 (800) 229-7283	BaySaver Fax: (775) 831-4592 Email: edjfranklin@aol.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
Contech Stormwater Solutions Inc 3017 Douglas Boulevard Suite 140 Rancho Cordova CA 95670- (916) 878-5747 (916) 296-6184	CDS, StormFilter & Vortechs Stormwater Treatment System Fax: (916) 878-5769 Email: lippnerg@contech-cpi.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 (775) 352-6363	JPHV Stormwater Interceptor Fax: (775) 352-6364 Email: phammonds@jensenprecast.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- (775) 358-4430 (775) 745-0605	Stormceptor Fax: (775) 355-1982 Email: dcatterson@rinker.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 (877) 687-7473 (610) 316-0957	Inceptor Fax: (610) 687-6327 Email: stormdrains@verizon.net	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- (800) 438-6057 (949) 633-6111	HD 200 & MD 200 Trench Drain System Fax: (208) 887-8680 Email: bshort@abtdrains.com		8/28/2006	R556, R557
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- (800) 438-6057 (949) 633-6111	A-67 Interceptor; Polydrain Trench Drain System Fax: (208) 887-8680 Email: bshort@abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- (888) 490-9552 (209) 204-0988	S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage Fax: (209) 574-1014 Email: jwhite@aco-online.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398, R399, R290

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- (800) 346-3061 (707) 452-9920	Polycast 900 Series Grates (Removeable); Polycast 3000 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F) Fax: (707) 452-9923 Email: tbeattie@hps.hubbell.com	This is the general QPL only. System will be selected based on project- specific requirements.	1/13/2005	R512, R513, R514
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- (800) 433-1119	MultiDrain Surface Drainage Systems; EconoDrain Systems Fax: (704) 508-1011 Email: steve.born@multidrainsystems.com	This is the general QPL only. System will be selected based on project- specific requirements.	4/6/2004	R492, R493
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 (716) 665-1132 (916) 768-5017	Z-886 (6" Wide); Z-882 (12" Wide) Fax: (716) 665-1135 Email: bill.ousley@zurn.com	This is the general QPL only. System will be selected based on project- specific requirements.	3/28/2003	R421, R422

610.02.01 CELLULAR EROSION CONTROL MATS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008- (760) 431-2452 (619) 417-8024	Armorflex Fax: (760) 431-2453 Email: eric@attilacorp.com	This is the general QPL only. System will be selected based on project- specific requirements.	1/28/2002	R332
Contech 4891 Independence Street Wheat Ridge CO 80033- (303) 431-8999	Petraflex Fax: (866) 275-7295 Email: mbaldwin@contech-epi.com	This is the general QPL only. System will be selected based on project- specific requirements.	1/28/2002	R333

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
N-Direct Distribution Incorporated 4960 South Gilbert Road Suite 1-280 Chandler AZ 85249- (480) 226-2074 (480) 226-2074	CAST-in-TACT Fax: (623) 321-1665 Email: bill@n-dir.com	Concrete Panel, Red Brick for dark on light	3/26/2004	R485
Strong Go 3296 East Hemisphere Loop Tucson AZ 85706- (866) 439-3216 (877) 254-1259	TekWay Dome Tile Fax: (520) 547-3515 Email: gdmiller@stronggo.com	Terracotta for dark on light, Green for light on dark	11/27/2006	R564

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
	Fax: (914) 636-1282	Email: mstenko@transpo.com	Web Site: www.transpo.com	
Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601- (800) 947-2837 (330) 206-2009	Truncated Dome ADA Pavers	Concrete Paver, #30 Clear Red for dark on light	3/26/2004	R486
	Fax: (330) 823-5502	Email: Cdehoff@wgpaver.com	Web Site: www.gpaver.com	

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414- (800) 426-6933 (612) 623-1700	Safety Fence		10/10/1999	R202
	Fax: (612) 623-2500	Email: customer.service@conwedplastics.co	Web Site: www.conwedplastics.com	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	Safety Grid		5/15/2002	R342
	Fax: (949) 488-7084	Email: bmiller@tensarcorp.com	Web Site: www.tensarcorp.com	

618.02.01 GUARDRAIL TERMINAL (FLARED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 517-0697	Fleat 350 TL3	TL-3	1/11/1999	R045
	Fax: (432) 267-4039	Email: Kaddo@basin-net.net	Web Site: www.roadsystems.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	ET Plus; LET Soil Tubes; SRT 350	TL-3	6/9/2004	R499, R500, R501
	Fax: (801) 292-3263	Email: mikel.hooley@trin.net	Web Site: www.trin.net	

618.02.01a GUARDRAIL TERMINAL (TANGENTIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 517-0697	SKT 350 TL3	TL-3	2/8/1998	R159
	Fax: (432) 267-4039	Email: Kaddo@basin-net.net	Web Site: www.roadsystems.com	

618.02.01a		GUARDRAIL TERMINAL (TANGENTIAL)			
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	CAT 350, ET 200 Plus Fax: (801) 292-3263	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. Email: mikel.hooley@trin.net	3/30/1997	R046, R047	
Web Site: www.trin.net					
618.02.01b		GUARDRAIL OFFSET BLOCKS			
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>	
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- (928) 333-5501	Offset Block; Glue Laminated Wood Guardrail Posts Fax: (928) 333-4403	Use for W-beam and Tri-beam Guardrails Email: snicoll@aslbeams.com	3/10/2004	R480, R481	
Web Site:					
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	King-Size, King Block Fax: (801) 292-3263	Used with steel post Tri-beam guardrails. Email: mike.hooley@trin.net	5/13/2005	R523, R524	
Web Site: www.trin.net					
619.02.01		GUIDE POSTS (FLEXIBLE)			
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 (803) 943-9115	CGDU Fax: (803) 943-3375	Minimum Embedment Depth: 450mm (18 inches) Email: sales@carsonite.com	11/4/1998	R048	
Web Site: www.carsonite.com					
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Metal Base 248-GP3 Fax: (312) 467-1356	Minimum Embedment Depth: 430 mm (17 inches) Email: dsanchez@quixtrans.com	11/4/1998	R049	
Web Site: www.energyabsorption.com					
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD5500 Earthflex Delineator Fax: (818) 841-5096	 Email: sales@trafficwks.com	10/13/2004	R506	
Web Site: www.trafficwks.com					
619.02.01a		OBJECT MARKERS (FLEXIBLE TYPE 2)			
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 (803) 943-9115	Island Sentry SMD-615 / K-Marker Fax: (803) 943-3375	 Email: sales@carsonite.com	8/1/1989	R050	
Web Site: www.carsonite.com					

619.02.01a OBJECT MARKERS (FLEXIBLE TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Dura Post Type 2 K-Marker; Dura-Post 36"	TL-2	11/4/1998	R052, R053
	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (408) 431-8689	Type K Marker	Type 2	9/13/2007	R576
	Fax: (408) 269-9902	Email: billdaly@filtrona.com	Web Site: www.filtronaextrusion.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839	T2 Object Marker		6/1/1994	R051
	Fax: (941) 482-3539	Email: rkjhughes24@yahoo.com	Web Site: www.flexstake.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD 5215 K Marker	Type 2	9/4/2007	R566
	Fax: (818) 841-5096	Email: sales@trafficwks.com	Web Site: www.trafficwks.com	

619.03.01 REFLECTORS (PRISMATIC ACRYLIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- (414) 475-5020	AKT #18 Center Mounted Reflector		5/5/1998	R054
	Fax: (414) 476-3438	Email: tschoe2992@aol.com	Web Site: www.aktcorp.com	
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- (847) 428-7761	Center-Mounted Delineator Reflector		5/5/1998	R055
	Fax: (847) 428-7764	Email: vega7761@aol.com	Web Site: www.vegamoldedproducts.com	

623.01.01 MESSAGE SIGNS (DYNAMIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 (605) 696-3929 (605) 695-5624	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503
	Fax: (605) 697-4700	Email: transportation@daktronics.com	Web Site: www.daktronicsinc.com	

623.01.01 MESSAGE SIGNS (DYNAMIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Skyline Products Incorporated 2903 Delta Drive Colorado Springs CO 80910- (719) 392-9046	2070 Light-Emitting Diode Dynamic Message Sign Fax: (719) 392-2075	Type 2 Email: adamlyons@skylineproducts.com	12/1/2005	R540
Web Site: www.skylineproducts.com				

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- (949) 387-4863	Metered Service Pedestals Fax: (816) 483-6357	Email: dstipe@milbankmfg.com	11/19/2002	R367
Myers Power Products 725 East Harrison Street Corona CA 92879- (951) 520-1900	Service Pedestals Fax: (951) 520-1961	Email: dianagrootonk@myerspower.com	9/5/2000	R267
Web Site: www.myerspowerproducts.com				
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- (800) 860-6157	Service Pedestals Fax: (951) 279-3116	Email: pupsales@pedestals.net	11/19/2002	R366
Web Site: www.pedestals.net				
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- (916) 395-8800	Tescoflex Service Pedestals Fax: (916) 429-2817	Email: cvasey@tescocontrols.com	9/5/2000	R266
Web Site: www.tescocontrols.com				

623.02.11 ALUMINUM POLES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Valmont Industries, Farmington 20805 Eaton Avenue Farmington MN 55024- (651) 463-8990	Aluminum Poles Fax: (651) 463-3349	(Model Number 291060105T4 w/MD1532P60) Email: bdunsmore@valmont.com	8/2/1995	R056
Web Site: www.valmont.com				

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- (682) 286-0046	426 Series (Bottom Latching) Fax: (682) 286-0086	Email: sengberg@chmindustries.com	12/30/2003	R469
Web Site: www.chmindustries.com				

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- (847) 473-3800 (847) 217-1070	High Mast Assembly (button latching) Fax: (847) 473-3870 Email: himastltg@aol.com		12/30/2003	R470
		Web Site: www.eaglehighmast.com		
Holophane Corporation PO Box 3004 Newark OH 43058- (702) 367-3949 (866) 465-6742	Holophane LD5 Series High Mast Lighting Lowering D Fax: (800) 345-4471 Email: James.Highgate@holophane.com		12/30/2003	R468
		Web Site: www.MyHolophane.com		

623.02.29 OPTICAL DETECTOR SYSTEM (FOR EMERGENCY VEHICLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- (800) 258-4610 (480) 221-5716	452 & 752 Discimonator Opticom Priority Control Systems Fax: (651) 789-7363 Email: mike.lemon@gtt.com/gary.stephenso	Do not mix components, it must be a complete system.	9/27/2001	R306, R307
		Web Site: www.gtt.com		
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- (800) 258-4610 (480) 221-5716	560 Chassis Discimonator Opticom Priority Control Fax: (651) 789-7363 Email: mike.lemon@gtt.com/gary.stephenso		9/19/2003	R459
		Web Site: www.gtt.com		
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- (800) 258-4610 (480) 221-5716	711, 722, 721 Priority Control System Optical Detector Model Fax: (651) 789-7363 Email: mike.lemon@gtt.com/gary.stephenso	Do not mix components, it must be a complete system.	9/27/2001	R308, R309, R310
		Web Site: www.gtt.com		
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- (800) 338-3133 (951) 699-1784	2140 & 2080 Strobecom II System/Strobecom II OSP; Strobecom II System Card Racks; Strobecom II Optical Preemption Detector Fax: (951) 699-2725 Email: sales@tomar.com	Do not mix components, it must be a complete system.	9/27/2001	R312, R313, R314, R315, R204
		Web Site: www.tomar.com		

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- (541) 782-3903	Brass Linguine Class 1 Fax: (541) 782-2053 Email: sales@diamondtraffic.com		10/31/2001	R317
		Web Site: www.diamondtraffic.com		

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- (757) 766-4496	Roadtrax BL Sensor Brass Linguine Class 1 Fax: (757) 766-4297	Email: robin.fletcher@meas-spec.com	5/26/1999	R161
			Web Site: www.meas-spec.com	

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- (770) 983-9826	P/N 606 Detector Loop Sealant Fax: (770) 983-9642	Email: Kmoore972@AOL.com	12/2/2003	R465
			Web Site: www.Bondo.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- (602) 276-0406	271 & 272 Loop Detector Sealant Fax: (480) 940-0313	Email: sales@crafco.com	8/5/1998	R059, R060
			Web Site: www.crafco.com	
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- (800) 420-0021	Stat-a-Flex Polyester Loop Sealant Fax: (781) 289-1405	Email: alosanno@durantcorp.com	8/5/1998	R061
			Web Site: www.durantcorp.com	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- (800) 258-4610	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Prirotiy Control System Fax: (651) 789-7363	Email: mike.lemon@gtt.com/gary.stephenso	8/5/1998	R057, R058
			Web Site: www.gtt.com	
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- (916) 689-8840	Quikrete Commerical Grade Permanent Blacktop Repair #1701 Fax: (916) 689-8857	Email: nwong@quikrete.com	1/1/2001	R280
			Web Site: www.quikrete.com	
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- (704) 904-1481	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material Fax: (704) 525-1859	Email: john@loopsealant.com	8/5/1998	R063, R064
			Web Site: www.loopsealant.com	
Reed & Graham Company 690 Sunol Street San Jose CA 95126- (408) 287-1400	Overkote Loop Filler Fax: (408) 920-0424	Email: rick@rginc.com	8/5/1998	R062
			Web Site: www.rginc.com	

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- (732) 919-3119 (732) 751-5810	LED 12" Signal Heads, Pedestrian Signal Heads (all) Fax: (732) 751-5778 Email: Jconlon@dialight.com	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336
		Web Site: www.dialight.com		
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- (602) 344-7770 (216) 606-6519	LED 12" Signal Heads, Pedestrian Signal Heads Fax: (602) 344-7771 Email: dmm@phoenixhighwayproducts.com	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338
		Web Site: www.phoenixhighwayproducts.com		

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
GE Consumer & Industrial Lighting Systems 4141 Bison Lake Havasu AZ 86404- (928) 855-7223 (714) 323-2636	Versaflood III Induction Signlighter CSV3SL2004 / 85 Watt Induction Lighting Syst (MSR Series Sign) Fax: (928) 855-7237 Email: pete.porte@ge.com		1/17/2003	R402
		Web Site: www.gelightingssystem.com		
Holophane Corporation PO Box 3004 Newark OH 43058- (702) 385-3777 (866) 465-6742	Panel Vue Series Sign Lighting Fax: (800) 345-4471 Email: Howard.Richards@holophane.com		1/17/2003	R401
		Web Site: www.MyHolophane.com		

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- (717) 235-2863 (800) 579-7514	Lumi Trak Fax: (717) 235-5076 Email: george@lumitrak.com		11/19/2002	R365
		Web Site: www.lumitrak.com		

623.05.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
BRG Supply 670 Coleman Avenue San Jose CA 95110- (408) 920-6319	Red Light Detector Fax: (408) 920-6103 Email: monty.brgsupply@yahoo.com		7/16/2003	R446
		Web Site: www.brgsupply.com		
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- (760) 727-8100	Red Light Detector Fax: (760) 597-7108 Email: cmurphy@mccain-inc.com		7/16/2003	R445
		Web Site: www.mccain-inc.com		

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	*3970 LDP Diamond Grade Fax: (702) 914-6016 Email: ejdornak@mmm.com	*discontinued manufacturing, but still carried by vendors and still approved Web Site: www.3M.com/tcm	4/8/1999	R163
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717 (847) 588-7262	T6500 Prismatic High Intensity Reflective Sheeting Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.co	Web Site: www.averydennison.com	4/8/1999	R164
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up Fax: (800) 895-0951 Email: customer.service@reflexite.com	Web Site: www.reflexiteamericas.com	4/8/1999	R162

625.02.01 POSTS (FOR FLEXIBLE CONSTRUCTION)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	MF-180-36 Masterflex Fax: (888) 842-2368 Email: ctanner@betmfg.com	Web Site: www.bentmfg.com	6/15/1998	R065
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 (803) 943-9115	Super Duck Channelizer / 36SMDW Fax: (803) 943-3375 Email: sales@carsonite.com	Web Site: www.carsonite.com	6/15/1998	R066, R067, R068
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	SH 236SMAD-OS (Post); Dura Post 36" Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	6/15/1998	R070, R053
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (408) 431-8689	FG 300 Curb System/Surface Mounted Post/Complete System; DAPCO Straight Guardrail Reflector Plates Fax: (408) 269-9902 Email: billdaly@filtrona.com	Surface Mounted Web Site: www.filtronaextrusion.com	10/14/1999	R203, R585
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839	Flexstake SM703 Fax: (941) 482-3539 Email: rkjhughes24@yahoo.com	Web Site: www.flexstake.com	6/15/1998	R069

625.02.01 POSTS (FOR FLEXIBLE CONSTRUCTION)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Western Highway Products 10680 Fern Avenue Stanton CA 90680- (800) 854-3360 (714) 527-2261	Repo 36 RPB Fax: (714) 827-2077	Email: info@westernhighway.com	6/15/1998	R072
		Web Site: www.westernhighway.com		

625.02.02 REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Artuk 6318 West State Street Wauwatosa WI 53213- (414) 475-5020	FB33 Flexible Barrier Marker/Delineator Fax: (414) 476-3438	Email: tschoe2992@aol.com	2/2/1993	R005
		Web Site: www.aktcorp.com		
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (408) 431-8689	PCBM 12 & T12 High Impact Barrier Reflector Fax: (408) 269-9902	Email: billdaly@filtrona.com	12/17/1997	R017, R018
		Web Site: www.filtronaextrusion.com		
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting Fax: (973) 962-7652	Email:	12/17/1997	R019
		Web Site:		
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD9300 Roadguide; TD9400 Roadguide Fax: (818) 841-5096	Email: sales@trafficwks.com	12/3/2002	R371, R372
		Web Site: www.trafficwks.com		

625.02.03 MESSAGE SIGNS (CHANGEABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- (800) 727-9111 (651) 558-3536	Guardian Solar Powered PCMS, Sign Dot Sign DH1000 Fax: (651) 558-3600	Email: sales@addco.com	2/22/1998	R073, R074
		Web Site: www.addco.com		
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- (770) 448-6650	CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs Fax: (770) 448-8970	Email: info@amsig.com	2/22/1998	R075, R076, R077, R078
		Web Site: www.amsig.com		

625.02.03

MESSAGE SIGNS (CHANGEABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable)	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
	Fax: (204) 888-2912	Email: chelsea.k@enduron.net	Web Site: www.enduron.net	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- (888) 994-0300	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available	2/22/1998	R079, R080, R081, R082, R083
	Fax: (562) 777-7456	Email: geoff@nationalsignalinc.net	Web Site: www.nationalsignalinc.com	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- (888) 994-0300	ER200; ER200T; CMS330; ER20054		4/10/2000	R207, R208, R209, R071
	Fax: (562) 777-7456	Email: geoff@nationalsignalinc.net	Web Site: www.nationalsignalinc.com	
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center		2/22/1998	R084
	Fax: (972) 271-9583	Email: vseymour@precisionsolarcontrols.co	Web Site: www.precisionsolarcontrols.co	
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 (888) 488-7446 (418) 654-1303	Northern Light PCMS		2/22/1998	R085
	Fax: (418) 654-0517	Email: kim.jack@ver-mac.com	Web Site: www.ver-mac.com	
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered		2/22/1998	R086
	Fax: (610) 391-8601	Email: customerservice@solartechnology.co	Web Site: www.solartech-online.com	
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign		8/5/2002	R355
	Fax: (303) 427-5725	Email: jim@wanco.com	Web Site: www.wanco.com	

625.02.04 ATTENUATORS (TEMPORARY IMPACT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion Fax: (707) 374-6801 Email: rkeener@barriersystemsinc.com	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001	R285
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Engergite III Module; N-E-A-T System or Quadguard Fax: (312) 467-1356 Email: dsanchez@quixtrans.com		9/3/1998	R089, R090
SCI Products Incorporated PO Box 4314 St Charles IL 60174- (800) 327-4417 (630) 330-8063	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted	1/20/2006	R545
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 (775) 357-6005 (775) 690-3037	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System Fax: (775) 358-9161 Email: tniffen@tcsi.biz		9/3/1998	R092, R093, R094
TraFFix Devices Incorporated 220 Calle Pintosresco San Clemente CA 92672- (801) 446-4450 (801) 979-7099	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel Fax: (801) 446-1157 Email: clemonds@traffixdevices.com	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep	3/22/2000	R095, R096

625.02.05 ATTENUATORS (TRUCK MOUNTED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Safe-Stop 180 TMA (req'd trck weight 7300 to 12,000 k) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R206
TraFFix Devices Incorporated 220 Calle Pintosresco San Clemente CA 92672- (801) 446-4450 (801) 979-7099	ScorPion C 10,000 of the TL-3 Design Fax: (801) 446-1157 Email: clemonds@traffixdevices.com	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	MPS 350 III Fax: (801) 292-3263 Email: mikel.hooley@trin.net	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097

625.02.06 BARRIER RAILS (WATER FILLED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- (818) 982-3600 (909) 772-1424	Guardian Barrier Water Filled w/350 kit Fax: (818) 982-7742 Email: info@armorcastprod.com	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph. Web Site: www.armorcastprod.com	9/3/1998	R099
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Triton Barrier (white colored 6.5 ft sections) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON. Web Site: www.energyabsorption.com	3/30/1997	R098
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 (800) 292-1305	Rhino Safety Barrier(use the 350 kit with install) Fax: (219) 659-0625 Email: Steve.Washburn@polyjohn.com	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L); For speeds less than or equal 45 mph;Use 30 m (100 ft) Web Site: www.rhinobarriers.com	3/10/2004	R482
Yodock Wall Company Incorporated 1000 Market Street Bloomsburg PA 17815- (888) 496-3625 (570) 380-2856	Traffic Control Model 2001 Fax: (570) 380-2859 Email: kathleen@yodock.com	 Web Site: www.yodock.com	8/3/2006	R551

625.02.07 BEACON LIGHT SYSTEM (PORTABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- (888) 414-3003 (662) 566-2025	Safety Beacon Light Fax: (662) 566-7123 Email: timothy@k-systems.com	 Web Site: www.k-systems.com	6/1/1999	R188

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- (270) 527-4200	Dibond for Highway & Work Zone Signage Fax: (270) 527-1552 Email:	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. Web Site: www.alcancompositesusa.com	5/9/2006	R547
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- (800) 333-5641	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand Fax: (503) 364-0340 Email: ryan@dicktools.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance. Web Site: www.dicketools.com	2/27/2000	R220, R221, R222, R223, R224, R225

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295	X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring Fax: (607) 734-8783 Email: info@usa-sign.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R232, R233, R234
		Web Site: www.usa-sign.com		
Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295	C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr Fax: (607) 734-8783 Email: info@usa-sign.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228, R229, R231
		Web Site: www.usa-sign.com		
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA Fax: (804) 261-1040 Email: dchrisman@kormansigns.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404, R405, R406, R407, R408.
		Web Site: www.kormansigns.com		
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE Fax: (804) 261-1040 Email: dchrisman@kormansigns.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412, R413, R414, R415, R416.
		Web Site: www.kormansigns.com		
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- (800) 521-6776	4812, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster Fax: (248) 488-5700 Email: kjackson@mdiworldwide.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237, R238, R239, R240.
		Web Site: www.mditraficcontrol.com		
TraFFix Devices Incorporated 220 Calle Pintesresco San Clemente CA 92672- (801) 446-4450 (801) 979-7099	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48" Fax: (801) 446-1157 Email: clemonds@traffixdevices.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R251, R245
		Web Site: www.traffixdevices.com		
TraFFix Devices Incorporated 220 Calle Pintesresco San Clemente CA 92672- (801) 446-4450 (801) 979-7099	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand Fax: (801) 446-1157 Email: clemonds@traffixdevices.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R243, R244
		Web Site: www.traffixdevices.com		

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal Fax: (888) 842-2368 Email: ctanner@betmfg.com	Type I w/ or w/out lights	3/9/2000	R246, R247, R250
		Web Site: www.bentmfg.com		

625.03.04

BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal Fax: (888) 842-2368 Email: ctanner@betmfg.com	Type II w/ or w/out lights	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type III Plywood Panel Fax: (888) 842-2368 Email: ctanner@betmfg.com	Type III w/ or w/out lights	3/9/2000	R246
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (408) 431-8689	Type III B Barricades; TD2500 Type III Barricades, TD2650 Works Barricade Type III Anchor Barricade Fax: (408) 269-9902 Email: billdaly@filtrona.com	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R253, R245, R255, R256
Highway Technologies 4PO Box 337320 North Las Vegas NV 89033- (702) 453-1616	Type 3D Barricades Fax: (702) 438-3460 Email: evelyn.sheldon@hwy-tech.com		1/10/2000	R435
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- (216) 231-8590	PST-III (Type III barricade) Fax: (216) 231-2702 Email: wejamieson@plasticsafety.com	Type III	3/19/2004	R483
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- (847) 470-0400	Sentinel Type III Fax: (847) 470-0420 Email:	Type III	2/21/2007	R001
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB Fax: (818) 841-5096 Email: sales@trafficwks.com	Type I and Type III B	12/3/2002	R374, R375
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade Fax: (818) 841-5096 Email: sales@trafficwks.com	Barricade Type I and Type II	7/5/2005	R526, R527, R528, R529, R530, R531.

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD2550 Work Barricade Type III	Type III	7/5/2005	R525
	Fax: (818) 841-5096	Email: sales@trafficwks.com	Web Site: www.trafficwks.com	
Traffix Devices Incorporated 220 Calle Pintesco San Clemente CA 92672- (801) 446-4450	Economy Plastic Folding Barricade & Sand-Filled Bag		4/3/2000	R251
	Fax: (801) 446-1157	Email: clemonds@traffixdevices.com	Web Site: www.traffixdevices.com	
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
	Fax: (914) 636-1282	Email: mstenko@transpo.com	Web Site: www.transpo.com	
Yodock Wall Company Incorporated 1000 Market Street Bloomsburg PA 17815- (888) 496-3625	Yodock Model 2001 / 200 M with Type III Temporary Sign Support	Type III	11/27/2007	R583
	Fax: (570) 380-2859	Email: kathleen@yodock.com	Web Site: www.yodock.com	

627.02.01 PROTECTIVE OVERLAY FILM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380	1150 Scotchlite Protective Overlay Film		5/11/1995	R100
	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717	OL1000 Premium Protective Graffiti Overlay Film		9/28/2000	R268
	Fax: (847) 588-7688	Email: mark.kleinschmit@averydennison.co	Web Site: www.averydennison.com	
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (562) 777-1810	EF-40801 (F-CAL)		5/17/1995	R101
	Fax: (888) 330-7119	Email: nciusa@nikkalite.com	Web Site: www.nikkalite.com	
TradeWinds International PO Box 18498 Long Beach CA 90807-8498 (888) 463-3003	Krystal Kote CTF		8/21/2001	R302
	Fax: (562) 424-1870	Email: tradewinds@usa.com	Web Site: www.twi-coatings.com	

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 (803) 943-9115	Modular Guidance System	Fax: (803) 943-3375 Email: sales@carsonite.com	10/20/1996	R102
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Glare Screen System	Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	7/31/1996	R104
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839	Glare Screen System	Fax: (941) 482-3539 Email: rkjhughes24@yahoo.com	7/31/1996	R103

632.03.05 RETROREFLECTOMETERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	LTL-X; LTL-X 30-Meter Geometry Retroreflector	Fax: (336) 475-7900 Email: Sales@flintrading.com	12/26/1999	R210, R211
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013- (973) 779-5775 (801) 571-3394	MP 30	Fax: (973) 779-5775 Email: sales@miroluxproducts.com	12/26/1999	R213
RoadVista 8581 Aero Drive San Diego CA 92123- (888) 637-2758 (510) 742-5922	StripeMaster series, MX 30, LaserLux	Fax: (858) 576-9286 Email: kbreeding@keoselectronics.com	5/2/2006	R542, R543, R544

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001- (253) 351-9828	DDOT ABS	Fax: (253) 735-6303 Email: bart@alpinemarkings.com	6/2/1999	R184

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	929 ABS; Ceramic Fax: (562) 944-2298	100mm (4") Round Email: sales@apexmarker.com	6/1/1999	R172, R173
			Web Site: www.apexmarker.com	
Glowlite Incorporated 236 South 5th Avenue City of Industry CA 91746- (626) 336-6086 (562) 587-3534	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective Fax: (626) 336-6085	100 mm (4") Round Email: edwardfei_glowlite@yahoo.com	3/7/2005	R516, R517
			Web Site: www.glowlitemarket.com	
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- (800) 228-1701 (951) 529-2666	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) Fax: (909) 627-0999	100mm (4") Round Email: hiwaysafety@linkline.com	6/1/1999	R185, R186
			Web Site: www.hi-waysafety.com	
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- (800) 237-7245 (530) 823-6070	Diamond Back (ABS & Polypropylene) Fax: (530) 823-0994	100mm (4") Round Email: miket@interstatesales.com	6/1/1999	R170
			Web Site: www.interstatesales.com	
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 (714) 656-3659 (925) 373-1751	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow Fax: (925) 215-2549	100mm (4") Round Email: norman@novabrite.com	2/17/2004	R474, R475, R476, R477
			Web Site: www.novabrite.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (877) 843-9757	TD10000 Series (100 mm (4") Round) Fax: (818) 841-5096	100mm (4") Round Email: sales@trafficwks.com	12/3/2002	R373
			Web Site: www.trafficwks.com	

633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	290 Durable Raised Pavement Marker Fax: (702) 914-6016	89mm x 100 mm (3.6" x 4") Email: ejdornak@mmm.com	6/1/1999	R182
			Web Site: www.3M.com/tcm	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	921 AR Fax: (562) 944-2298	100mm x 100 mm (4" x 4") Email: sales@apexmarker.com	3/25/2001	R282
			Web Site: www.apexmarker.com	

633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	911, 953, C88 Permanent Reflective Pavement Markers Ab Fax: (800) 555-0217 Email: klyne@ennispaint.com	100mm x 100 mm (4" x 4")	6/1/1999	R179, R180, R181
			Web Site: www.ennispaint.com	
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- (800) 848-7025	AA; ARC Fax: (740) 345-1336 Email: dforrer@rayolite.com	100mm x 100 mm (4" x 4")	6/1/1999	R174, R175
			Web Site: www.rayolite.com	

633.02.03 PAVEMENT MARKERS (RECESSED REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	944SB Recessed Reflective Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com	51mm x 100 mm (2" x 4")	6/1/1999	R178
			Web Site: www.ennispaint.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	948 Recessed Reflective Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R183
			Web Site: www.ennispaint.com	
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- (800) 848-7025	ARC 2002; ARC 51 2004 Fax: (740) 345-1336 Email: dforrer@rayolite.com	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R176, R177
			Web Site: www.rayolite.com	

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- (602) 276-0406 (602) 418-9902	Hot Applied Flexible Pavement Marker Adhesive part 34270 Fax: (480) 940-0313 Email: sales@crafco.com		6/16/1998	R105
			Web Site: www.crafco.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	836098 Bituminous Adhesive for Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com		6/15/1998	R108
			Web Site: www.ennispaint.com	

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad Fax: (336) 475-7900 Email: Sales@flintrtrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- (800) 669-6940	Dotstick Bituminous Marker Adhesive Fax: (916) 714-4582 Email: customerservice@henry.com		9/29/2003	R464
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 (800) 662-0987 (713) 941-4410	172542 Evergrip Bituminous Marker Adhesive Fax: (713) 947-4949 Email: dolly@gsac.net		6/15/1998	R107

633.02.05 LANE LINE MARKERS (TEMPORARY REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	924 Longterm Temporary Raised Pavement Marker Fax: (562) 944-2298 Email: sales@apexmarker.com	Temporary Markers w/632 Epoxy	9/19/1993	R109
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (408) 431-8689	Halftrack Model 25; Halftrack Model 26; TOM & TRPM (Temporary Overlay Raised) Fax: (408) 269-9902 Email: billdaly@filtrona.com	Work Zone Pavement Markers	2/20/2000	R257, R258
Texas Industries LLC 1341 West Mockingbird Lane Dallas TX 75247- (972) 647-6700	Chip Seal Temporary Markers Fax: Email: dwaggoner@txi.com	Temporary Markers w/632 Epoxy	6/15/1998	R112

634.03.03a PAVEMENT MARKING (HOT-APPLIED THERMOPLASTIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crown Technology LLC PO Box 789 Woodbury GA 30293- (706) 553-9500 (706) 575-0423	Tuffline Alkyd Fax: (706) 553-9501 Email: sales@crownthermo.com		1/17/2003	R400

634.03.03b PAVEMENT MARKING (PREFORMED THERMOPLASTIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	Flame Tape; ThermaLine Fax: (800) 555-0217 Email: klyne@ennispaint.com		6/13/2001	R299, R300
		Web Site: www.ennispaint.com		
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Hot TapeTM; Premark® PLUS Fax: (336) 475-7900 Email: Sales@flintrtrading.com		2/24/2004	R168, R169
		Web Site: www.flintrtrading.com		

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	780 Wet Reflective Removable Tape (*750 was upgraded to 780) Fax: (702) 914-6016 Email: ejdornak@mmm.com	*discontinued manufacturing, but still carried by vendors and still approved	5/21/2003	R423, R424
		Web Site: www.3M.com/tcm		
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	ATM 200 Construction Removable Tape Fax: (252) 536-4940 Email: brobbins@trafficmarking.com		6/15/1999	R117
		Web Site: www.trafficmarking.com		
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223	Series 100 White & Yellow; Series 200 White & Yellow Removable Fax: (702) 649-9237 Email: bjubak@cox.net		6/15/1999	R118, R032
		Web Site: www.britelinetechnologies.com		
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- (314) 968-2569	Aztec III Removable Fax: (314) 968-0494 Email: lgreen@pblaminations.com		6/15/1999	R119
		Web Site: www.pblaminations.com		
Swarco Industries PO Box 89 Columbia TN 38402- (931) 388-5900	Director 2 Detour Grade Fax: (931) 388-4039 Email: office.industries@swarco.com		6/15/1999	R120
		Web Site: www.swarco.com		
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- (609) 730-0839	RW 140 Series; RY 140 Series; R 140 Series Fax: (609) 730-0838 Email: bjsutker@aol.com		8/24/2001	R303, R304, R305
		Web Site: www.trelleborg.com/roadtape		

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion Fax: (661) 391-1054	Application and dilution rates follow manufacturer's instructions. Email: jim.ryan@alonusa.com	2/28/2002	R479
		Web Site: www.alonsashalt.com		
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant Fax: (814) 368-1335	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of Email: ckimball@amref.com	5/2/1999	R121
		Web Site: www.amref.com		
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss Fax: (972) 484-2896	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss) Email: dnix@arrowmagnolia.com	10/26/2005	R498
		Web Site: www.arrowmagnolia.com		
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- (972) 758-7454 (702) 405-0351	Dust Control DC-22 Fax: (972) 596-8418	 Email: dallasroadway@yahoo.com	6/19/2006	R549
		Web Site: www.dallasroadway.com		
Enviroad 2606 North Newark Street Portland OR 97217- (800) 536-2650 (503) 701-7802	Earthbind 100 Fax: (503) 279-2633	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 Email: don@enviroad.com	3/17/2003	R420
		Web Site: www.enviroad.com		
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- (775) 852-3878 (800) 369-3878	Lignin (Ammonium Lignosulfonate) Fax: (970) 346-3959	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: csherven@envirotechservices.com	8/26/2003	R450
		Web Site: www.envirotechservices.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest K Fax: (509) 328-4336	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water. Email: rob@fischbachandmore.com	6/25/1998	R152, R153
		Web Site: www.fischbachandmore.com		
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- (702) 871-1884 (702) 871-7976	Trans Seal I Fax: (702) 871-3629	Application and dilution rates follow manufacturer's instructions. Email: strue@fluid-tech-inc.com	1/3/2002	R323
		Web Site: www.fluid-tech-inc.com		

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 (562) 592-0836 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com Web Site: gmboxtoncompany.com	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	SOILOC-MQ Dust Suppressant; Hercules PAM Fax: (770) 455-6531 Email: hercenv@herculesenvironmental.com Web Site: www.HerculesEnvironmental.c	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.)	5/2/1999	R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- (330) 456-3121	EnviroKleen; Soil Sement Fax: (330) 456-3247 Email: kim@midwestind.com/custserv@mid Web Site: www.midwestind.com	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001	R278, R521
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767 (702) 249-1900	Plas-Bond; Solitac Fax: (702) 649-8446 Email: julie@nuequipment.com Web Site: www.nuequipment.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- (800) 523-9992 (209) 383-3296	Road OYL; Soil Seal Fax: (209) 383-7849 Email: jphillip@sspco.com Web Site: www.sspco.com	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R324, R325
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex Fax: (702) 873-0915 Email: phyllis@soil-tech.com Web Site: www.soil-tech.com	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 (800) 545-5420 (480) 289-3206	Soiltac® Fax: (480) 289-3230 Email: Chuck@Soilworks.com Web Site: www.soilworks.com	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R274, R275
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix Fax: (661) 587-6806 Email: andy@terranovo.com Web Site: www.EarthGuard.com	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by	11/2/2001	R318

637.02.01		DUST PALLIATIVE (OPTIONAL)				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 (312) 436-4433	Dust Armour Fax: (312) 214-9192	Email: bfogel@usg.com	8/28/2006	R553	Web Site: www.usg-erosioncontrol.com	
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- (949) 248-8020	Dust Control 50 Fax: (949) 248-8023	Email: sales@westernemulsions.com	8/26/2003	R449	Web Site: www.westernemulsions.com	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied
637.02.02		SILT FENCE				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
Hanes Geo Components 815 Buxton Street Winston Salem NC 27101- (800) 438-0027 (336) 747-1600	TerraTex SC Fax: (336) 747-1652	Email: keith.harris@hanesindustries.com	6/25/1998	R143	Web Site: www.hanesgeo.com/www.webt	
Triangular Silt Dike Company Incorporated 8410 SE 18th Street Midwest City OK 73110-1632 (800) 290-8473	Triangular Silt Dike Fax: (405) 455-5047	Email: groach@cox.net	6/25/1998	R142	Web Site: www.tri-silkdike.com	
637.02.05		ROADWAY INLET PROTECTION				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
ACF Environmental 2831 Cardwell Road Richmond VA 23234- (800) 448-3636 (800) 423-4567	Siltsack Fax: (804) 246-9737	Email: dkelley@acfenvironmental.com	6/25/1998	R144	Web Site: www.acfenvironmental.com	
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- (800) 909-3677	StreamGuard Catch Basin Fax: (888) 234-3677	Email: jeffb@shopbowhead.com	6/25/1998	R088	Web Site: www.shopbowhead.com	
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- (800) 591-2284 (614) 580-5683	Dandy Curb Bag®; Dandy Bag® Drainage Control Fax: (740) 881-2791	Email: dlc@dandyproducts.com	6/25/1998	R087, R248	Web Site: www.dandyproducts.com	

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- (888) 382-7458 (770) 388-7818	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly Fax: (770) 388-7640 Email: roger@siltsaver.com		12/6/2002	R376, R377
Web Site: www.siltsaver.com				

640.02.03a MSE WALLS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 (800) 762-8962 (707) 443-5093	Reinforced Soil Embankment Wall Fax: (707) 443-2891 Email: suzanne@hilfiker.com		9/8/1998	R122
Web Site: www.hilfiker.com				
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com		9/8/1998	R287, R288
Web Site: www.reinforcedearth.com				
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Plus™; MSE Earth Fax: (831) 430-9340 Email: andrewt@mseplus.com	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R195
Web Site: www.mseplus.com				
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	ARES Retaining Precast Wall System Fax: (949) 488-7084 Email: bmiller@tensarcorp.com	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
Web Site: www.tensarcorp.com				

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288
Web Site: www.reinforcedearth.com				
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Large Wall Panel Fax: (831) 430-9340 Email: andrewt@mseplus.com	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356
Web Site: www.mseplus.com				

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cyro Industries 1796 Main Street Sanford ME 04073- (207) 490-4313	Paraglas Soundtop Soundwall Ready Fit Noise Barrie Fax: (207) 490-4284 Email: nathan.binette@evonik.com Web Site: www.paraglassoundstop.com	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the	8/27/2004	R502
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- (707) 938-4516	Port-O-Wall Soundwall System Fax: (707) 996-5191 Email: rod_allen@port-o-wall.com Web Site: www.port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- (626) 638-7130 (702) 354-3974	Quilite Noise Barrier Fax: (702) 464-3080 Email: morgan@quilite.com Web Site: www.quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R515

640.02.04**RETAINING WALL (MODULAR BLOCK)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- (251) 990-5761	Keysystem 1 Modular Block Retaining Wall Fax: (251) 990-5461 Email: keystone@keystonewalls.com Web Site: www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Pyramid Modular Block Retaining Wall Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com Web Site: www.reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	Mesa Retaining Wall Fax: (949) 488-7084 Email: bmiller@tensarcorp.com Web Site: www.tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343

641.02.01**ATTENUATORS (IMPACT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 Fax: (312) 467-1356 Email: dsanchez@quixtrans.com Web Site: www.energyabsorption.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R125, R126, R127, R128

641.02.01 ATTENUATORS (IMPACT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
SCI Products Incorporated PO Box 4314 St Charles IL 60174- (800) 327-4417 (630) 330-8063	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings Web Site: www.workareaprotection.com	1/20/2006	R545
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	FastTracc; WideTracc; TraccTrinity; Adiem Attenuating Device, Trinity Crash Cushion Fax: (801) 292-3263 Email: mikel.hooley@trin.net	TL-3 "Concrete Foundation Required". May be used for all speed ratings Web Site: www.trin.net	9/9/2003	R451, R452, R453, R454, R346

702.03.01c CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (858) 277-2100	Atlas Res-Cure Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	ASTM C309 Type 1D Web Site: www.atlasform.com	9/4/2007	R573
White Cap 1830 East Lincoln Way Sparks NV 89434- (775) 353-3333	Resin Cure-Clear VOC Fax: (775) 353-3300 Email: bobsmith@white.net	ASTM C309 Type 1D Web Site: www.whitecapdirect.com	9/4/2007	R565
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	1100 Clear Fax: (707) 747-6206 Email: wrmnc@wrmeadows.com	ASTM C309 Type 1D Web Site: www.wrmeadows.com	9/4/2007	R574

702.03.01d CURING COMPOUND (PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (858) 277-2100	Atlas Whix Cure DOT Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	PCCP ASTM C309, Type 2, Class A Web Site: www.atlasform.com	9/4/2007	R582
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439 (913) 233-1737	DSSCC White Resin Cure; DSSCC Clear Wax Cure; DSSCC White Wax Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com	PCCP ASTM C309, Type 2, Class A Web Site: www.daytonsuperio.com	9/4/2007	R580

702.03.01d CURING COMPOUND (PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
SpecChem LLC 44-B Richmond Avenue Kansas City KS 66101- (913) 371-8700 (866) 791-8700	PaveCure WW Fax: (913) 371-8701	PCCP ASTM C309, Type 2, Class A Email: bmeyer@specchemllc.com	2/12/2008	R585
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	1600 White Series Fax: (707) 747-6206	PCCP ASTM C309, Type 2, Class A Email: wrmnc@wrmeadows.com	9/4/2007	R581

702.03.04 CURING COMPOUND (BRIDGE DECKS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (858) 277-2100	Atlas PAMS Cure Fax: (702) 222-0488	Bridge Decks ASTM C309, Type 2, Class B Email: ryanquinn@atlasform.com	9/4/2007	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- (877) 416-3439 (913) 233-1737	DSSCC PAMS Fax: (913) 371-3330	Bridge Decks ASTM C309, Type 2, Class B Email: johnhukey@daytonsuperior.com	9/4/2007	R578
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	2250 White Series Fax: (707) 747-6206	Bridge Decks ASTM C309, Type 2, Class B Email: wrmnc@wrmeadows.com	9/4/2007	R575

702.03.05 FLY ASH (TYPE F ONLY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- (210) 349-4069	Fly Ash Fax:	Type F Email: Pamela.Flynn@boral.com	9/4/2007	R570
Headwaters Resource's Incorporated 951 Industrial Drive Tukwila WA 98188- (206) 575-2046	Fly Ash Fax:	Type F Email: tfox@headwaters.com	9/4/2007	R572

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013- (800) 641-8242	Bondaflex Sil 728SL Fax: (973) 473-4222 Email: minan@maynational.com		8/5/2005	R534
		Web Site: www.bondaflex.com		
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- (602) 276-0406 (602) 418-9902	Roadsaver Silicone SL Sealant Fax: (480) 940-0313 Email: sales@crafco.com		10/7/1993	R129
		Web Site: www.crafco.com		
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- (303) 980-1780 (303) 880-9614	890 SL Fax: (303) 980-1780 Email: jason.sika@dowcorning.com		3/20/1997	R130
		Web Site: www.dowcorning.com		
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 424-3527 (800) 848-1730	DSB 900 SL Self Leveling Silicone Fax: (419) 257-2200 Email: ldurain@dsbrown.com		4/5/2005	R518
		Web Site: www.dsbrown.com		
Pecora Corporation 165 Wambold Road Harleysville PA 19438- (215) 723-6051	Pecora 300 Fax: (215) 721-0286 Email:		9/14/2001	R311
		Web Site: www.pecora.com		
Tremco Incorporated 3735 Green Road Beachwood OH 44122- (800) 321-7906 (216) 292-5000	Spectrum 900 SL Formula 974831& 333 Cartridges Fax: (216) 292-5036 Email: tscs@tremcoinc.com		5/31/2002	R345
		Web Site: www.tremcosealants.com		

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbocrete Sealer Waterbased Acrylic Siloxane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat: Carboguard 893; Top Coat: Carbothane 134HS or 134HG	8/20/1997	R136
		Web Site: www.carboline.com		
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbozinc 11 Solvent Based Inorganic Zinc-Rich Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat: Carboguard 893; Top Coat: Carbothane 134HS or 134HG	8/20/1997	R132
		Web Site: www.carboline.com		

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	1st Field Coat: Carboguard 893 / Top Coat: Carbothane 134HS or Carbothane 134HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Resin; Part B-Catalyst (hardener)	8/20/1997	R133, R134, R135
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- (281) 684-5203 (800) 525-6824	Primer: Interzinc 22HS / Field Coat: Intergard 475HS / Top Coat: Interthane 990HS Fax: (812) 256-6733 Email: daniel.griffin@internationalpaint.com		6/4/2003	R430, R431, R432
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- (210) 861-2286	BP19421 White / BP19422 Yellow Fax: (210) 340-1650 Email: dee.l.mcneill@sherwin.com	Rapid Dry Waterborne Type II	6/2/2003	R425, R426
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- (210) 861-2286	Shop Coat Zinc Clad II B69D11; Zinc Clad II Plus B69VZ13; First Field Coat B67B5 Recoatable Epoxy Primer; Top Coat B65V150 Sherthane 2K Fax: (210) 340-1650 Email: dee.l.mcneill@sherwin.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R137, R138, R139, R124
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216- (210) 861-2286	B65V150 Sherthane 2K / First Field Coat: B67V5 Primer Coat Recoatable Epoxy Primer / B65 Series Corthane™ II 2-Component Acrylic Modified Polyurethane Coating Fax: (210) 340-1650 Email: dee.l.mcneill@sherwin.com		6/2/2003	R140, R123, R429

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	3924S Fluorescent Orange Diamond Grade Sheeting (3924 was upgraded to 3924S) Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Rigid Signs Only (NDOT Type X); *discontinued manufacturing, but still carried by vendors and still approved	8/21/2000	R289, R550
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	3810 High Intensity Series Fax: (702) 914-6016 Email: ejdornak@mmm.com	For ReboundablePplastic Drums Only (Type III)	8/21/2000	R291
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	*3870 & 3930 Permanent Traffic Signs & Temporary Traffic Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); *discontinued manufacturina. but still carried by	12/1/2004	R508

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	3981 & 3983 Diamond Fluorescent VIP (for perm traffic); Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	3870 & 3990 VIP Diamond Grade Type IX Fax: (702) 914-6016 Email: ejdornak@mmm.com	NDOT Type IX	8/16/2000	R269, R270
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	334 & 336 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Barricades Only (Type IV)	12/1/2004	R510, R511
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717 (847) 588-7262	T6500, W7514 Fluorescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.co	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R297, R298
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717 (847) 588-7262	T7500 Prismatic Grade Sheeting Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.co	NDOT Type IX	5/30/2002	R344
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717 (847) 588-7262	T5500A Series High Intensity; T7000 Flourescent Reflective Sheeting No Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.co	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 588-7717 (847) 588-7262	S9000C Cone Collar Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.co	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (800) 821-4264 (310) 532-7500	92847 Nikkalite Crystal Fluorescent Orange Fax: (888) 330-7119 Email: jhu@nikkalite.com	NDOT Type X	4/29/2005	R522

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (800) 821-4264 (310) 532-7500	High Intensity ULG II Fax: (888) 330-7119 Email: jhu@nikkalite.com	For Permanent Traffic Signs	8/16/2000	R271
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	AP1000 Reflective Sheeting Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Conformalight; Marathon Type VI Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294

Web Site: www.nikkalite.com**Web Site:** www.reflexiteamericas.com**Web Site:** www.reflexiteamericas.com**726.03.04 MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- (800) 654-6117 (785) 883-4600	Second Nature Paper Fiber Hydroseeding Mulch Fax: (785) 883-4429 Email: sales@centralfiber.com		6/25/1998	R146
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- (208) 733-9689	Nature's Own Fax: (208) 733-9447 Email: patrick@hmi-mfg.com/info@hmi-mfg.		6/25/1998	R147

Web Site: www.centralfiber.com**Web Site:** www.hmi-mfg.com**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- (800) 654-6117 (785) 883-4600	TacPac GT Fax: (785) 883-4429 Email: salex@centralfiber.com		6/25/1998	R148
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- (707) 588-1444	Driwater Hydro Mix Fax: (707) 588-1445 Email: mary@driwater.com	Note: Surfaces subject to spill; can be slippery.	1/3/2001	R277

Web Site: www.centralfiber.com**Web Site:** www.driwater.com

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- (401) 331-9000 (401) 529-6855	Ecotak OP Moisture Retainer	Fax: (401) 331-2155 Email: tech@easterncolor.net	6/25/1998	R151
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest	Fax: (509) 328-4336 Email: rob@fischbachandmore.com	6/25/1998	R152, R153
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix	Fax: (661) 587-6806 Email: andy@terranovo.com	11/2/2001	R318
Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by				
			Web Site: www.easterncolor.net	
			Web Site: www.fischbachandmore.com	
			Web Site: www.EarthGuard.com	

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon/Paramount Petroleum 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion	Fax: (661) 391-1054 Email: jim.ryan@alonusa.com	2/24/2004	R479
Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil				
			Web Site: www.alonsashalt.com	
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant	Fax: (814) 368-1335 Email: ckimball@amref.com	6/25/1998	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss	Fax: (972) 484-2896 Email: dnix@arrowmagnolia.com	10/26/2005	R498
10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)				
			Web Site: www.arrowmagnolia.com	
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest K	Fax: (509) 328-4336 Email: rob@fischbachandmore.com	6/25/1998	R152, R153
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- (702) 871-1884 (702) 871-7976	Trans Seal I	Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com	1/3/2002	R323
Application and dilution rates follow manufacturer's instructions.				
			Web Site: www.fluid-tech-inc.com	

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 (562) 592-0836 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com Web Site: gmbostoncompany.com	Application and dilution rate: 10 gal of water/1 gal of product per 100 square feet of area	6/10/2003	R433
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	SOILOC-MQ Dust Suppressant; Hercules PAM Fax: (770) 455-6531 Email: hercenv@herculesenvironmental.com Web Site: www.HerculesEnvironmental.c		6/25/1998	R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- (330) 456-3121	Soil Sement Fax: (330) 456-3247 Email: kim@midwestind.com/custserv@mid Web Site: www.midwestind.com	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic: application	4/18/2005	R328
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767 (702) 249-1900	Plas-Bond; Solitac Fax: (702) 649-8446 Email: julie@nuequipment.com Web Site: www.nuequipment.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- (888) 465-8801	SoilBIND Fax: (801) 303-2551 Email: terry@telnetz.com Web Site: www.sequoiaprc.com	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R436
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex Fax: (702) 873-0915 Email: phyllis@soil-tech.com Web Site: www.soil-tech.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 (800) 545-5420 (480) 289-3206	Soiltac® Fax: (480) 289-3230 Email: Chuck@Soilworks.com Web Site: www.soilworks.com	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix Fax: (661) 587-6806 Email: andy@terranovo.com Web Site: www.EarthGuard.com	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by	11/2/2001	R318

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 (312) 436-4433	Enviro-Shield™ Bonded Fiber Matrix & Airtrol™ Geobinder Fax: (312) 214-9192	Email: bfogel@usg.com	8/28/2006	R554, R555
		Web Site: www.usg-erosioncontrol.com		

728.03.02 EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 328-5934	HS 200 Epoxy Adhesive Fax: (800) 362-3320	Email: sstinson@atc.ws	Type I, II, IV and V; Grade 3; Class A 1/14/2003	R392
		Web Site: www.atc.ws		
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 (800) 892-1880 (954) 782-2221	Ultrabond 1, Ultrabond 1100, Ultrabond 1300 & HS200 Fax: (954) 782-2776	Email: rboland@atc.ws	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C 1/10/2002	R329, R330, R331, R391
		Web Site: www.atc.ws		
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (858) 277-2100	Atlas Epoxy Bonder; LPL Epoxy Bonder Fax: (702) 222-0488	Email: ryanquinn@atlasform.com	Type I, II, IV and V; Grade 2; Classes B & C 4/29/2004	R496, R497
		Web Site: www.atlasform.com		
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439 (913) 233-1737	Dayton Superior Sure Anchor I J-51 Fax: (913) 371-3330	Email: johnkukey@daytonsuperior.com	Type I, II, IV and V; Grade 3; Glass A 1/14/2003	R393
		Web Site: www.daytonsuperio.com		
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 531-9222	Duralcrete Fax: (216) 531-9596	Email: blewis@euclidchemical.com	Type I and Type II 11/8/2005	R536
		Web Site: www.euclidchemical.com		
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- (800) 879-8000 (918) 252-6000	HT RE 500 Epoxy Adhesive Anchor Fax: (800) 879-7000	Email: sean.burk@hilti.com	Type IV; Grade 3; Classes A, B & C 1/2/2002	R321
		Web Site: www.us.hilti.com		
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- (630) 350-0370	Ceramic 6 Fax: (630) 495-6204	Email:	Type IV; Grade 3; Classes B & C 5/14/2002	R341
		Web Site: www.itw-redhead.com		

728.03.02 EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- (800) 999-5099 (916) 870-7863	ET22; Epoxy-Tie Resin Adhesive Fax: (209) 234-3868 Email: jlabel@strongtie.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R388, R389, R390
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy 400 Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes	11/7/2006	R563
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type I and II; Grade 2; Classes B & C	1/4/1998	R218, R219
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- (952) 898-8772 (800) 328-5934	CIA-GEL 7000 Adhesive Anchors Fax: (507) 364-8762 Email: jturek@gibraltar1.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Rezi Weld 1000 Fax: (707) 747-6206 Email: wrmnc@wrmeadows.com	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R478

729.02.03 PAINT FORMULATION (EPOXY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- (303) 388-9265 (303) 941-5275	1180 RockHard Epoxy White / 1186 LF RockHard Epoxy Lead-free Yellow / 1185 RockHard Epoxy Catalyst (hardener) Fax: (303) 388-0881 Email: markv@coloradopaint.com		3/20/2000	R199, R200, R201, R359
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS60 ; Epoplex LS50 Fax: (856) 779-2963 Email: epoplex@epoplex.com	LS 50LF Yellow Paint contains Organic Yellow Pigment	12/11/2002	R378, R379

729.02.03 PAINT FORMULATION (EPOXY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (877) 477-7623 (919) 606-9987	HPS-3 White Epoxy Pavement Marker; HPS-1186 LF (non-lead yellow); HPS-3 Leaded Yellow Epoxy Pavement Marker Fax: (919) 767-8506 Email: jhall@ips-road.com	HPS-3 Yellow Paint contains Organic Yellow Pigment	8/28/2002	R357, R358, R441
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (877) 477-7623 (919) 606-9987	HPS-3 Epoxy Pavement Markings (yellow, white); RockHard 1186 LF (non lead yellow) (white) Fax: (919) 767-8506 Email: jhall@ips-road.com		7/16/2003	R441, R442
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- (440) 248-1223 (216) 577-6723	Mark 55.2 NV; Mark 55.3 White; Mark 55.4; Mark 55.3 Yellow organic Fax: (440) 248-1513 Email: hemant@poly-carb.com		10/24/1997	R113, R114, R115, R116

729.02.03d PAINT FORMULATION (POLYUREA)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	1200 Liquid Pavement Marking Fax: (702) 914-6016 Email: ejdornak@mmm.com		7/16/2003	R444
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS90 Fax: (856) 779-2963 Email: epoplex@epoplex.com	Note: This sytem includes Part A - Black	7/16/2003	R440
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (877) 477-7623 (919) 606-9987	HPS-5 Liquid Pavement Markings Fax: (919) 767-8506 Email: jhall@ips-road.com	Note: This sytem includes Part A - Black	7/16/2003	R443

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- (989) 636-2452 (800) 447-4369	UCAR™ Latex DT 400 NA Fax: (989) 832-1465 Email:	Type II	7/19/2002	R166, R167
			Web Site: www.dow.com	

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- (989) 636-2452 (800) 447-4369	UCAR™ Latex DT 250 NA Fax: (989) 832-1465 Email:	Type I	7/19/2002	R166, R167
			Web Site: www.dow.com	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- (800) 477-7641 (800) 967-7704	Fastrack® HD-21A Fax: (800) 382-4008 Email:	Type II	11/30/2001	R319, R320
			Web Site: www.rohmhaas.com	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- (800) 477-7641 (800) 967-7704	Fastrack® 3427 Fax: (800) 382-4008 Email:	Type I	11/30/2001	R319, R320
			Web Site: www.rohmhaas.com	

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2 Fax: (800) 555-0217 Email: klyne@ennispaint.com	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491
			Web Site: www.ennispaint.com	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003 Fax: (323) 778-9719 Email: sales@pervo.com	Fastrack® 3427	7/30/2002	R349, R350
			Web Site: www.pervo.com	

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1 Fax: (800) 555-0217 Email: klyne@ennispaint.com	Fastrack® HD-21A	7/30/2002	R353, R354
			Web Site: www.ennispaint.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	White: 982811 NVW-40-M-1 Yellow: 982812 NVY-40-M-1 Fax: (800) 555-0217 Email: klyne@ennispaint.com	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354
			Web Site: www.ennispaint.com	

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053 Fax: (323) 778-9719	Fastrack® HD-21A Email: sales@pervo.com	7/30/2002	R351, R352
			Web Site: www.pervo.com	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217- (210) 861-2286	White: BP 19421 Yellow: BP 19422 Fax: (210) 340-1650	Fastrack® HD-21A Email:	7/9/2003	R425, R426, R140
			Web Site: www.sherwinwilliams.com	

731.03.01 PAVEMENT REINFORCING FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Solutions PO Box 1267 La Quinta CA 92247- (760) 406-2224	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System Fax:	 Email: roadsolutions@att.net	10/18/2002	R361, R362, R363, R364
			Web Site: www.roadsolutions.com	

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	*5730 Stamark Tape Fax: (702) 914-6016	Type I; *discontinued manufacturing, but still carried by vendors and still approved Email: ejdornak@mmm.com	9/19/2003	R457
			Web Site: www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 300 Tape Fax: (252) 526-4940	Type I Email: brobbins@trafficmarking.com	9/19/2003	R462
			Web Site: www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223	Series 1000 White & Yellow Permanent Fax: (702) 649-9237	Type I Email: bjubak@cox.net	5/9/2006	R546
			Web Site: www.britelinetechnologies.com	
Swarco Industries PO Box 89 Columbia TN 38402- (931) 388-5900	Director 60 Permanent Marking Tape Fax: (931) 388-4039	Type I Type I Email: office.industries@swarco.com	2/17/2004	R472
			Web Site: www.swarco.com	

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Swarco Industries PO Box 89 Columbia TN 38402- (931) 388-5900	Director 35 Pavement Marking Tape Type II	Type I	2/17/2004	R473
	Fax: (931) 388-4039	Email: office.industries@swarco.com	Web Site: www.swarco.com	

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	420 Stamark Intersection Grade Tape, 270-ES Stamark Tape	Type II	9/19/2003	R458
	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 400 Tape	Type II	9/19/2003	R463
	Fax: (252) 526-4940	Email: brobbins@trafficmarking.com	Web Site: www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223	Series 1000 White & Yellow Permanent	Type II	5/9/2006	R546
	Fax: (702) 649-9237	Email: bjubak@cox.net	Web Site: www.britelinetechnolgies.com	

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- (800) 553-1380 (702) 743-0012	A380IES (white) Stamark Tape, 381WR-ES (yellow) Stamark Tape	Type IV	9/19/2003	R460, R461
	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	

QPL DB1 NOTES

November 8, 2005

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.