

QUALIFIED PRODUCTS LIST (QPL)

213.02.1 FILTRATION SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
---------------------------	---------------------	----------------	--------------------------------

NO VENDOR LISTINGS AT THIS TIME

<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>
---------------	-------------	---------------	------------------

213.02.16 BACKFLOW PREVENTER COVER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
---------------------------	---------------------	----------------	--------------------------------

VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029-	SBBC-xx-AL; SBBC-xx-ALI; SBBC-XX-ALPH; SBBC-xx-ALHPI		5/26/1998 R002, R003
--	--	--	----------------------

<i>Mfg #:</i> (800) 729-1314	<i>Fax:</i> (888) 310-3946	<i>Email:</i> kim@vitproducts.com	<i>Web Site:</i> www.vitproducts.com
------------------------------	----------------------------	-----------------------------------	--------------------------------------

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
---------------------------	---------------------	----------------	--------------------------------

RectorSeal 2601 Spenwick Drive Houston TX 77055-	RectorSeal #5		8/2/1999 R189
--	---------------	--	---------------

<i>Mfg #:</i> (713) 263-8001	<i>Fax:</i> (800) 441-0051	<i>Email:</i> cfojt@rectorseal.com	<i>Web Site:</i> www.rectorseal.com
------------------------------	----------------------------	------------------------------------	-------------------------------------

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
---------------------------	---------------------	----------------	--------------------------------

S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022-	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004 R487
--	----------------------------	-------------------------------	----------------

<i>Mfg #:</i> (303) 286-7051 (888) 267-6463	<i>Fax:</i> (303) 287-0109	<i>Email:</i> jennie@s-squaretube.com	<i>Web Site:</i> www.s-squaretube.com
---	----------------------------	---------------------------------------	---------------------------------------

Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122-	V-LOC Mailbox Support System		11/4/1997 R006
---	------------------------------	--	----------------

<i>Mfg #:</i> (262) 814-7000 (800) 444-0331	<i>Fax:</i> (262) 814-7017	<i>Email:</i> bryane@tapconet.com	<i>Web Site:</i> www.tapconet.com/vloc
---	----------------------------	-----------------------------------	--

401.02.03 HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- <i>Mfg #:</i> (281) 892-2500 (800) 242-5562	Pramitol 25E <i>Fax:</i> (281) 892-2501 <i>Email:</i>	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007
<i>Web Site:</i> www.controlsolutionsinc.com				
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- <i>Mfg #:</i> (800) 263-1196 (317) 337-3000	Spike 80 W; Spike 80 DF (dry formula with safer application) <i>Fax:</i> (317) 337-4488 <i>Email:</i> jshong@dow.com	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008, R586
<i>Web Site:</i> www.dowagro.com				

401.02.03b WEED CONTROL FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
NO VENDOR LISTINGS AT THIS TIME				

Mfg #: *Fax:* *Email:* *Web Site:*

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 (972) 247-7111	Super Slick Bio; Slider <i>Fax:</i> (972) 484-2896 <i>Email:</i> dnix@arrowmagnolia.com	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R494, R495
<i>Web Site:</i> www.arrowmagnolia.com				
BG Chemical LP PO Box 720025 Dallas TX 75372- <i>Mfg #:</i> (800) 725-8470 (214) 826-6822	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide <i>Fax:</i> (214) 826-7290 <i>Email:</i> jgunter@bgchemical.com		5/8/2000	R260, R261, R262
<i>Web Site:</i> www.bgchemical.com				
Brody Chemical 6125 West Double Eagle Circle Salt Lake City UT 84118- <i>Mfg #:</i> (800) 480-2436 (801) 548-2287	Slippery Wizard <i>Fax:</i> (800) 588-2436 <i>Email:</i> tamme_price@yahoo.com		7/15/2008	R603
<i>Web Site:</i> www.brodychemical.com				
ChemStation 3400 Encrete Lane Dayton OH 45439- <i>Mfg #:</i> (800) 554-8265 (623) 435-1945	2217-B <i>Fax:</i> (937) 534-0426 <i>Email:</i> koverton@chemstation.com		12/20/2007	R584
<i>Web Site:</i> www.chemstation.com				

401.03.02**ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- <i>Mfg #:</i> (888) 747-4101 (800) 774-9024	SPX-7; No 1 <i>Fax:</i> (770) 386-3391	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. <i>Email:</i> synthetic@pipeline.com	4/27/2000	R263
G & G Products PO Box 157 Moran KS 66755- <i>Mfg #:</i> (620) 237-4244	Clean Slide <i>Fax:</i> (620) 237-4640	<i>Email:</i> cleanslide@yahoo.com	6/17/2008	R599
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- <i>Mfg #:</i> (800) 688-6221 (417) 866-5592	Enviro-Slide Ultra <i>Fax:</i> (417) 866-5593	<i>Email:</i> bhamilton@rhomar.com	4/26/2000	R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- <i>Mfg #:</i> (678) 383-8107	Teclon-Pro <i>Fax:</i> (770) 443-0810	<i>Email:</i> kptectm@bellsouth.net	11/7/2006	R562
ZEP Manufacturing Company 25224 South Schulte Road Tracy CA 95377- <i>Mfg #:</i> (209) 830-5110 (775) 721-2821	R-5274, R-6690; XT-3199 <i>Fax:</i> (209) 830-5124	<i>Email:</i> zepbc@yahoo.com	5/11/2006	R368, R369, R370

*Web Site:**Web Site:* www.cleanslide.com*Web Site:* www.rhomar.com*Web Site:* www.thetecteam.com*Web Site:* www.zep.com**409.03.09****PCCP CRACK SEALERS (OPTIONAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
NO VENDOR LISTINGS AT THIS TIME				
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

409.03.10**EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- <i>Mfg #:</i> (702) 227-6800 (858) 277-2100	Atlas Finish Film <i>Fax:</i> (702) 222-0488	<i>Email:</i> ryanquinn@atlasform.com	1/29/2003	R419
			<i>Web Site:</i> www.atlasform.com	

Web Site: www.atlasform.com

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- Mfg #: (800) 677-4922 (716) 308-6799	Confilm	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R192
Fax: (800) 496-6067 Email: Debbie.steiger@basf.com Web Site: www.wbacorp.com				
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 233-1737	Dayton Superior SureFilm J-74	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R190
Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com Web Site: www.daytonsuperio.com				
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	Eucobar		9/30/1996	R044
Fax: (216) 531-9399 Email: blewis@euclidchemical.com Web Site: www.euclidchemical.com				
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 Mfg #: (410) 354-8600 (800) 637-6372	VaporAid 060		8/2/1999	R191
Fax: (410) 354-1122 Email: akaufmanproducts.net Web Site: www.kaufmanproducts.net				
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- Mfg #: (215) 332-7709 (888) 839-2661	Certi-Vex Envioassist Evaporative Retarder	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R193
Fax: (215) 332-9997 Email: dmanuel@vexcon.com Web Site: www.vexcon.com				
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- Mfg #: (707) 745-6666 (847) 214-2100	Sealtight Evapre Evaporative Retarder	Application rate: 1gal/to 9gal water	8/1/1999	R194
Fax: (707) 747-6206 Email: wrmnca@wrmeadows.com Web Site: www.wrmeadows.com				

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Cemex 5180 Golden Foothill Parkway Suite 200 El Dorado Hills CA 95762- Mfg #: (925) 426-8787 (800) 227-5186	Aggregate		1/26/1997	R014
Fax: (661) 885-4161 Email: carlos.arguelles@cemex.com Web Site: www.cemex.com				
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98057- Mfg #: (425) 228-2120	Aggregate; Sand		1/26/1997	R012
Fax: (425) 228-2199 Email: mineralco@aol.com Web Site: www.mineralco.com				

502.02.04 CONCRETE STAIN

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
United Coatings 19011 East Cataldo Spokane Valley WA 99016- Mfg #: (800) 541-4383 (509) 926-7143	Canyon Tone Stain		4/12/2005	R519
	Fax: (509) 928-1116 Email: shawn@unitedcoatings.com	Web Site: www.unitedcoatings.com		
Vista Paint 2020 East Orangethorpe Avenue Fullerton CA 92831- Mfg #: (714) 680-3800 (702) 292-8316	Coverall 2800 AF Ext. Flat		5/20/2008	R614
	Fax: (702) 597-5222 Email: Stetreault@vistapaint.com	Web Site: www.vistapaint.com		

502.02.05a ANTI GRAFFITI COATING (PERMANENT NON SACRIFICIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- Mfg #: (800) 676-5963 (801) 201-2826	Clear VU High Solids Base Coating (AP 307); Clear Top Coat (AP 100, AP101, or AP 102); Pigmented Top Coat (AP 200, AP 201, or AP 202)	Note: new product replaces GSS10 Anti Graffiti Coating	9/3/2008	R613
	Fax: (801) 255-7123 Email: gregg@americanpolymer.com	Web Site: www.americanpolymer.com		

502.03.13i PREFORMED JOINT FILLERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Chase Construction Products 401 New Karner Road Albany NY 12205- Mfg #: (800) 356-6007	MetaZeal A.J.; Phyzite 380		5/3/1999	R009, R160
	Fax: (518) 346-1110 Email: teck@chasecorp.com	Web Site: www.chaseconstructionproducts.co		
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 279-4800	Polytite N		5/3/1999	R010
	Fax: (913) 279-4806 Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperiorchemical.com		
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 233-1737	Polytite N		8/2/1999	R190
	Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperio.com		
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- Mfg #: (716) 691-3301	Silicoflex		12/7/2000	R276
	Fax: (716) 691-3305 Email: mdstafford@rjwatson.com	Web Site: www.rjwatson.com		

502.03.13i PREFORMED JOINT FILLERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Schul International 1 Industrial Park Drive Pelham NH 03076- Mfg #: (800) 848-1120 (603) 889-6872	Will Seal 600 Fax: (603) 889-6874 Email: info@schul.com		6/4/2002	R347
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- Mfg #: (419) 424-0888 (419) 408-5469	W Seal Fax: (419) 424-5959 Email: warren@techstar-inc.com		5/3/1999	R131
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- Mfg #: (800) 677-4922 (716) 308-6799	Wabo® Evazote UV;JEENE® Structural & Sealing Joint Fax: (716) 691-9239 Email: debbie.steiger@basf.com		8/2/2006	R552, R011

502.03.13j ASPHALTIC PLUG EXPANSION JOINTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- Mfg #: (419) 424-3527 (800) 848-1730	Matrix 502 Pave Tech Fax: (419) 257-2200 Email: ldurain@dsbrown.com		6/5/1997	R198
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- Mfg #: (570) 546-6041 (570) 772-0955	BJS Thorma Joint Systems Fax: (570) 546-2415 Email:		9/19/2002	R360
Wyoming Equipment Sales PO Box 4287 West Syoming PA 18644-0287 Mfg #: (570) 693-2810 (860) 480-1308	APJ Asphalt Plug Joint System Fax: (570) 613-0384 Email: tmcharney@epix.net		12/1/2005	R535

502.03.13k EXPANSION JOINT (SPECIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- Mfg #: (800) 888-8909 (918) 698-6797	Dow 902 XJS Joint System Fax: (918) 582-7510 Email: dale.baker@ssicm.com	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when specified in the contract documents as an	4/22/2002	R212
		Web Site: www.ssicm.com		

502.03.131 EXPANSION JOINT SEALANT

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228-	902 RCS		4/22/2002	R339
Mfg #: (303) 980-1780 (303) 880-9614	Fax: (303) 980-1780	Email: jason.sika@dowcorning.com	Web Site: www.dowcorning.com	
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228-	Wabo® Silicone Sealant - 2 Part		4/22/2002	R340
Mfg #: (800) 677-4922 (716) 308-6799	Fax: (716) 691-9239	Email: debbie.steiger@basf.com	Web Site: www.wbacorp.com	

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110-	Tammscoat Fine		9/4/2007	R567
Mfg #: (800) 321-7628 (216) 531-9222	Fax: (216) 531-9399	Email: blewis@euclidchemical.com	Web Site: www.euclidchemical.com	
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371	Tex.Cote ® XL 70 Bridge Cote ®; 300 Bridge Cote		9/4/2007	R595
Mfg #: (954) 581-0771 (954) 205-5117	Fax: (954) 581-9516	Email: DB1TCA@aol.com	Web Site: www.texcote.com	

502.03.20 RETARDANTS (FOR FORMED, EXPOSED AGGREGATE FINISH)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379-	Preco Hi-V; Preco Tuf-cote		8/17/1999	R196, R197
Mfg #: (800) 327-1570 (800) 433-9517	Fax: (800) 496-6067	Email: jasonlambright@degussa.com	Web Site: www.degussabuildingsystems.com	

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226-	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R020
Mfg #: (602) 276-0406 (602) 418-9902	Fax: (480) 940-0313	Email: sales@crafco.com	Web Site: www.crafco.com	

502.03.22**JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Henry Company 10144 Waterman Road Elk Grove CA 95624- Mfg #: (800) 669-6940	Calseal	Fax: (916) 714-4582 Email: customerservice@henry.com	Web Site: www.henry.com	9/8/1998 R025
Maxwell Products Incorporated 650 Delong Street Salt Lake City UT 84104- Mfg #: (801) 972-2090	Elastoflex 44; Elastoflex 56	Fax: (801) 972-5536 Email: dale@maxwellproducts.com	Web Site: www.dissco.net	1/6/1998 R022, R023

505.02.01**EPOXY COATING (FOR STEEL REINFORCING BARS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Akzo Nobel Coatings 20 Culvert Street Nashville TN 37210- Mfg #: (800) 626-7891 (541) 292-0644	RB600 Resicoat	Fax: (216) 750-7575 Email:	Web Site:	4/30/2008 R591
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- Mfg #: (281) 939-4000 (281) 794-6993	7-2719 Nap Guard Epoxy Coating	Fax: (281) 939-4025 Email: kuruvila.varughese@usadupont.com	Web Site: www.hoovers.com/dupont-coatings	1/18/2001 R281
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- Mfg #: (281) 684-5203 (800) 525-6824	HD33 Interpon; HD34 Fusion Bond	Fax: (812) 256-6733 Email: daniel.griffin@internationalpaint.com	Web Site: www.international-pc.com	1/1/1996 R026, R027
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- Mfg #: (216) 631-2002 (800) 231-2002	1295 E-90 Pow Dax; Scotch Kote 413	Fax: (216) 631-6211 Email:	Web Site:	1/1/1996 R029, R030
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- Mfg #: (281) 370-6164 (281) 630-9878	Lilly Greenbar #720A009	Fax: (281) 370-6654 Email: madams@valspar.com	Web Site: www.valspar.com	1/1/1996 R028

509.03.09**SYNTHETIC DRILLING SLURRY**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
CETCO Drilling Products Group 1500 West Shure Drive, 5th Floor Arlington Heights IL 60004-7803	Shore Pac GCV		9/25/2006	R559
Mfg #: (800) 527-9948 (847) 910-4334	Fax: (847) 394-7823	Email: john.berry@cetco.com/justin.seago@cetco	Web Site: www.constructiondrilling.com	
Geo-Tech Drilling Fluids 220 North Zapata Highway Suite 11A Laredo TX 78043-	Novagel Polymer		9/25/2006	R558
Mfg #: (210) 587-4758 (310) 923-4160	Fax: (210) 568-4567	Email: mholmes@geotech.us	Web Site:	
KB Technologies Ltd 3648 FM 1960 West Suite 107 Houston TX 77068-	SlurryPro CDP		9/25/2006	R561
Mfg #: (800) 525-5237	Fax:	Email:	Web Site:	
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723-	Super Mud		9/25/2006	R560
Mfg #: (562) 634-8180	Fax: (562) 634-1350	Email: sales@pdscoinc.com	Web Site: www.pdscoinc.com	

605.02.01**POLYETHYLENE END SECTIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Advanced Drainage Systems Inc 1499 Sunnybrook Road Alamo CA 94507-	ADS End Section - Flared HDPE Culvert End Sections		10/28/1995	R031
Mfg #: (800) 733-7473 (925) 207-5002	Fax: (925) 407-2872	Email: scott.henrich@ads-pipe.com	Web Site: www.ads-pipe.com	
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117-	Hi-Q Flared End Section		10/28/1995	R033
Mfg #: (801) 278-3453	Fax: (206) 309-0634	Email: llistello@hancor.com	Web Site: www.hancor.com	

609.02.01a**FAST SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Highway Technologies PO Box 41844 Eugene OR 97404-	American Highway Patch II		9/30/1996	R036
Mfg #: (310) 834-3401	Fax: (514) 689-3133	Email: terryedmundson@daytonsuperior.com	Web Site: americanhighwaytechnologies.com	

609.02.01a

FAST SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- Mfg #: (800) 929-3030 (714) 348-1946	Rapid Set DOT Repair Mix Fax: (714) 379-8270 Email: fsenatore@ctscement.com		1/27/1994	R039
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 233-1737	Edoco Fast Patch 928; Dayton Superior HD50 Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com		9/30/1996	R037, R038
Degussa Building System 889 Valley Park Drive Shakopee MN 55379- Mfg #: (800) 433-9517 (952) 496-6000	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar Fax: (800) 496-6067 Email: steve.peterson@degussa.com		1/3/2002	R385, R386, R387
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	High Flow Grout; Eucospeed MP; Eucospeed Fax: (216) 531-9399 Email: blewis@euclidchemical.com		9/30/1996	R041, R042, R043
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	Speed Crete Green Line Fast Setting Horizontal Cem; Conforms with ASTM C-928 Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar Fax: (216) 531-9399 Email: blewis@euclidchemical.com		11/8/2005	R537, R538, R539
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- Mfg #: (800) 243-2206 (203) 336-7900	Highway Patch; Structural Concrete Fax: (203) 336-7930 Email: federicol@fivestarpromts.com		9/30/1996	R034
Henkel Loctite 1416 Franklin Avenue Tracy CA 95376- Mfg #: (209) 830-7803 (209) 482-4488	Loctite MagnaCrete Fax: (209) 830-7804 Email: bob.bacchetti@us.henkel.com		10/17/2008	R615
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656- Mfg #: (949) 470-3225 (949) 246-4177	High Performance Concrete Mix Fax: (949) 470-3883 Email: johncollins@concreterepair.com		1/3/2002	R322

609.02.01a FAST SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- Mfg #: (866) 827-8727 (410) 821-1503	HP Cement		10/22/2004	R507
	Fax: (410) 561-8771	Email: laura@uscproducts.com	Web Site: www.concreterepairmaterials.com	

609.02.01b STORMWATER TREATMENT VAULTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- Mfg #: (775) 831-4592 (800) 229-7283	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
	Fax: (775) 831-4592	Email: edjfranklin@aol.com	Web Site: www.baysaver.com	
Contech Stormwater Solutions Inc 3017 Douglas Boulevard Suite 140 Rancho Cordova CA 95670- Mfg #: (916) 878-5747 (916) 296-6184	CDS, StormFilter; Vortechs Stormwater Treatment System	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448
	Fax: (916) 878-5769	Email: lippnerg@contech-cpi.com	Web Site: www.contechstormwater.com	
Jensen Precast 460 Dunn Circle Sparks NV 89431-5803 Mfg #: (775) 352-6363	JPHV Stormwater Interceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548
	Fax: (775) 352-6364	Email: phammonds@jensenprecast.com	Web Site: www.jensenprecast.com	
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- Mfg #: (775) 358-4430 (775) 745-0605	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286
	Fax: (775) 355-1982	Email: dcatterson@rinker.com	Web Site: www.rinkermaterials.com	
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 Mfg #: (877) 687-7473 (610) 316-0957	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348
	Fax: (610) 687-6327	Email: stormdrains@verizon.net	Web Site: www.stormdrains.com	

609.03.01c TRENCH DRAINS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- Mfg #: (800) 438-6057 (949) 633-6111	HD 200; MD 200 Trench Drain System	This is the general QPL only. System will be selected based on project-specific requirements.	8/28/2006	R556, R557
	Fax: (208) 887-8680	Email: bshort@abtdrains.com	Web Site: www.abtdrains.com	

609.03.01c**TRENCH DRAINS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- Mfg #: (800) 438-6057 (949) 633-6111	A-67 Interceptor; Polydrain Trench Drain System Fax: (208) 887-8680 Email: bshort@abtdrains.com Web Site: www.abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395
ACO Polymer Products Incorporated 825 Beechcraft Casa Grande AZ 85222- Mfg #: (888) 490-9552 (209) 204-0988	S100K; FF300; FG200; K100S; S300K Concrete Surface Drainage Fax: (209) 574-1014 Email: jwhite@aco-online.com Web Site: www.acousa.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398.
Hubbell 301 County Airport Road, Suite 214 Vacaville CA 95688- Mfg #: (800) 346-3061 (707) 452-9920	Polycast 900 Series Grates (Removeable); Polycast 3000 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F) Fax: (707) 452-9923 Email: tbeattie@hps.hubbell.com Web Site: www.polycastdrain.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- Mfg #: (800) 433-1119	MultiDrain Surface Drainage Systems; EconoDrain Systems Fax: (704) 508-1011 Email: steve.born@multidrainsystems.com Web Site: www.multidrainsystems.com	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 Mfg #: (716) 665-1132 (916) 768-5017	Z-886 (6" Wide); Z-882 (12" Wide) Fax: (716) 665-1135 Email: bill.ousley@zurn.com Web Site: www.zurn.com	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422

610.02.01**CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Armortec (A Contech Company) 9025 Centre Pointe Drive West Chester OH 45069- Mfg #: (513) 645-7000	Armotec Cellular Erosion Control Mat Fax: (513) 645-7993 Email: MorylJ@contech-cpi.com Web Site: www.armortec.com	This is the general QPL only. System will be selected based on project-specific requirements.	10/23/2008	R622
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008- Mfg #: (760) 431-2452 (619) 417-8024	Armorflex Fax: (760) 431-2453 Email: eric@attilacorp.com Web Site:	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R332
Contech 4891 Independence Street Wheat Ridge CO 80033- Mfg #: (303) 431-8999	Petraflex Fax: (866) 275-7295 Email: mbaldwin@contech-epi.com Web Site: www.contech-cpi.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R333

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Arcis Corporation 10680 NW 289th North Plains OR 97133-	ADA Arcis Tactiles	"Red" only	9/2/2008	R608
Mfg #: (503) 647-5042 (775) 331-5335	Fax: (503) 647-7731	Email: lindyb@prodigy.net	Web Site: www.arciscorp.com	
Strong Go 3296 East Hemisphere Loop Tucson AZ 85706-	TekWay Dome Tile	Terracotta for dark on light, Green for light on dark	11/27/2006	R564
Mfg #: (866) 439-3216 (877) 254-1259	Fax: (520) 547-3515	Email: gdmiller@stronggo.com	Web Site: www.stronggo.com	
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801-	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
Mfg #: (914) 636-1000 (800) 321-7870	Fax: (914) 636-1282	Email: mstenko@transpo.com	Web Site: www.transpo.com	
Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601-	Truncated Dome ADA Pavers	Concrete Paver, #30 Clear Red for dark on light	3/26/2004	R486
Mfg #: (800) 947-2837 (330) 206-2009	Fax: (330) 823-5502	Email: Cdehoff@wgpaver.com	Web Site: www.gpaver.com	

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414-	Safety Fence		10/10/1999	R202
Mfg #: (800) 426-6933 (612) 623-1700	Fax: (612) 623-2500	Email: customer.service@conwedplastics.com	Web Site: www.conwedplastics.com	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624-	Safety Grid		5/15/2002	R342
Mfg #: (949) 488-7054 (949) 212-8454	Fax: (949) 488-7084	Email: bmiller@tensarcorp.com	Web Site: www.tensarcorp.com	

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Systems Incorporated PO Box 2163 Big Spring TX 79721-	Fleat 350 TL3	TL-3	1/11/1999	R045
Mfg #: (432) 263-2435 (432) 517-0697	Fax: (432) 267-4039	Email: Kaddo@basin-net.net	Web Site: www.roadsystems.com	

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559	ET Plus; LET Soil Tubes; SRT 350 <i>Fax:</i> (801) 292-3263	TL-3 <i>Email:</i> mikel.hooley@trin.net	6/9/2004	R499, R500, R501
			<i>Web Site:</i> www.trin.net	

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- <i>Mfg #:</i> (432) 263-2435 (432) 517-0697	SKT 350 TL3 <i>Fax:</i> (432) 267-4039	TL-3 <i>Email:</i> Kaddo@basin-net.net	2/8/1998	R159
			<i>Web Site:</i> www.roadsystems.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559	CAT 350; ET 200 Plus <i>Fax:</i> (801) 292-3263	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. <i>Email:</i> mikel.hooley@trin.net	3/30/1997	R046, R047
			<i>Web Site:</i> www.trin.net	

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- <i>Mfg #:</i> (928) 333-5501	Offset Block; Glue Laminated Wood Guardrail Posts <i>Fax:</i> (928) 333-4403	Use for W-beam and Tri-beam Guardrails <i>Email:</i> snicoll@aslbeams.com	3/10/2004	R480, R481
			<i>Web Site:</i>	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- <i>Mfg #:</i> (800) 772-7976 (360) 943-9559	King-Size; King Block <i>Fax:</i> (801) 292-3263	Used with steel post Tri-beam guardrails. <i>Email:</i> mike.hooley@trin.net	5/13/2005	R523, R524
			<i>Web Site:</i> www.trin.net	

619.02.01 FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- <i>Mfg #:</i> (800) 648-7916 (803) 943-9115	CGDU <i>Fax:</i> (803) 943-3375	Minimum Embedment Depth: 450mm (18 inches) <i>Email:</i> sales@carsonite.com	11/4/1998	R048
			<i>Web Site:</i> www.carsonite.com	

619.02.01**FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750	SH Replaceable Barrier Marker; SH Dura Post; K Marker <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com	Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R049
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839	Flexstake 600 Series; Easy Drive <i>Fax:</i> (941) 482-3539 <i>Email:</i> rkjhughes24@yahoo.com		6/15/1998	R069
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD5500 Earthflex Delineator <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com		10/13/2004	R506

619.02.01a**FLEXIBLE OBJECT MARKERS (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- <i>Mfg #:</i> (800) 648-7916 (803) 943-9115	Island Sentry K-Marker <i>Fax:</i> (803) 943-3375 <i>Email:</i> sales@carsonite.com	Type 2	8/1/1989	R050
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750	SH Replaceable Barrier Marker; SH Dura Post; K Marker <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com	Type 2	11/4/1998	R052, R053, R605.
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Type K Island Marker <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com	Type 2	9/13/2007	R576
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- <i>Mfg #:</i> (800) 348-9839	T1; T2; BD, HM <i>Fax:</i> (941) 482-3539 <i>Email:</i> jim@flexstake.com/rkjHughes24@yahoo.c	Type 2	6/1/1994	R051
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD 5215 K Marker <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type 2	9/4/2007	R566

619.03.01 PRISMATIC ACRYLIC REFLECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Artuk 6318 West State Street Wauwatosa WI 53213- Mfg #: (414) 475-5020	AKT #18 Center Mounted Reflector		5/5/1998	R054
	Fax: (414) 476-3438 Email: tschoe2992@aol.com	Web Site: www.aktcorp.com		
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- Mfg #: (847) 428-7761	Center-Mounted Delineator Reflector		5/5/1998	R055
	Fax: (847) 428-7764 Email: vega7761@aol.com	Web Site: www.vegamoldedproducts.com		

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Daktronics Incorporated 117 Prince Drive Brookings SD 57006-0128 Mfg #: (605) 696-3929 (605) 695-5624	Light-Emitting Diode Dynamic Message Sign Assembly	Type 1 and Type 2	9/14/2004	R503
	Fax: (605) 697-4700 Email: transportation@daktronics.com	Web Site: www.daktronicsinc.com		
Skyline Products Incorporated 2903 Delta Drive Colorado Spings CO 80910- Mfg #: (719) 392-9046 (719) 314-6883	2070 Light Emitting Diode Dynamic Message Sign	Type 1 and Type 2	4/4/2008	R587
	Fax: (719) 392-2075 Email: adamlyons@skylineproducts.com	Web Site: www.skylineproducts.com		

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- Mfg #: (949) 387-4863 (714) 743-0712	Metered Service Pedestals		11/19/2002	R367
	Fax: (816) 483-6357 Email: dstipe@milbankmfg.com	Web Site: www.milbankmfg.com		
Myers Power Products 725 East Harrison Street Corona CA 92879- Mfg #: (951) 520-1900 (949) 701-8072	Service Pedestals		9/5/2000	R267
	Fax: (951) 520-1961 Email: dianagrootonk@myerspower.com	Web Site: www.myerspowerproducts.com		
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- Mfg #: (800) 860-6157 (951) 493-8394	Service Pedestals		11/19/2002	R366
	Fax: (951) 279-3116 Email: pupsales@pedestals.net	Web Site: www.pedestals.net		

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- <i>Mfg #:</i> (916) 395-8800 (916) 952-5088	Tescoflex Service Pedestals		9/5/2000	R266
	<i>Fax:</i> (916) 429-2817	<i>Email:</i> cvasey@tescocontrols.com	<i>Web Site:</i> www.tescocontrols.com	

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carolina High Mast/CHM Industries Inc 700 East McLeroy Boulevard Suite A Saginaw TX 76179- <i>Mfg #:</i> (682) 286-0046 (817) 657-6973	426 Series (Bottom Latching)		12/30/2003	R469
	<i>Fax:</i> (682) 286-0086	<i>Email:</i> sengberg@chmindustries.com	<i>Web Site:</i> www.chmindustries.com	
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- <i>Mfg #:</i> (847) 473-3800 (847) 217-1070	High Mast Assembly (Bottom Latching)		12/30/2003	R470
	<i>Fax:</i> (847) 473-3870	<i>Email:</i> himastltg@aol.com	<i>Web Site:</i> www.eaglehighmast.com	
Holophane Corporation PO Box 3004 Newark OH 43058- <i>Mfg #:</i> (702) 367-3949 (866) 465-6742	Holophane LD07 Series High Mast Lighting Lowering D (Bottom Latching)		12/30/2003	R468
	<i>Fax:</i> (800) 345-4471	<i>Email:</i> James.Highgate@holophane.com	<i>Web Site:</i> www.MyHolophane.com	

623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- <i>Mfg #:</i> (800) 258-4610 (480) 221-5716	452; 752 Discimonator Opticom Priority Control Systems	Do not mix components, it must be a complete system.	9/27/2001	R306, R307
	<i>Fax:</i> (651) 789-7363	<i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gt	<i>Web Site:</i> www.gtt.com	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- <i>Mfg #:</i> (800) 258-4610 (480) 221-5716	560 Chassis Discimonator Opticom Priority Control		9/19/2003	R459
	<i>Fax:</i> (651) 789-7363	<i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gt	<i>Web Site:</i> www.gtt.com	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- <i>Mfg #:</i> (800) 258-4610 (480) 221-5716	711; 722; 721 Priority Control System Optical Detector Model	Do not mix components, it must be a complete system.	9/27/2001	R308, R309, R310
	<i>Fax:</i> (651) 789-7363	<i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gt	<i>Web Site:</i> www.gtt.com	

623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- <i>Mfg #:</i> (800) 338-3133 (951) 699-1784	2140; 2080 Strobecom II System/Strobecom II OSP; Strobecom II System Card Racks; Strobecom II Optical Preemption Detector <i>Fax:</i> (951) 699-2725 <i>Email:</i> sales@tomar.com	Do not mix components, it must be a complete system.	9/27/2001	R312, R313, R314.
			<i>Web Site:</i> www.tomar.com	

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- <i>Mfg #:</i> (541) 782-3903	Brass Linguine Class 1 <i>Fax:</i> (541) 782-2053 <i>Email:</i> sales@diamondtraffic.com		10/31/2001	R317
			<i>Web Site:</i> www.diamondtraffic.com	
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- <i>Mfg #:</i> (757) 766-4496	Roadtrax BL Sensor Brass Linguine Class 1 <i>Fax:</i> (757) 766-4297 <i>Email:</i> robin.fletcher@meas-spec.com		5/26/1999	R161
			<i>Web Site:</i> www.meas-spec.com	

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bondo Corporation / 3M 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- <i>Mfg #:</i> (770) 983-9826 (404) 661-1875	P/N 606 Detector Loop Sealant <i>Fax:</i> (770) 983-9642 <i>Email:</i> Kmoore972@AOL.com		12/2/2003	R465
			<i>Web Site:</i> www.Bondo.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902	271; 272 Loop Detector Sealant <i>Fax:</i> (480) 940-0313 <i>Email:</i> sales@crafco.com	Rubberized Asphalt Material	8/5/1998	R059, R060
			<i>Web Site:</i> www.crafco.com	
Durant Performance Coatings Inc 112 Railroad Street Revere MA 02151- <i>Mfg #:</i> (800) 420-0021 (781) 289-1400	Stat-a-Flex Polyester Loop Sealant <i>Fax:</i> (781) 289-1405 <i>Email:</i> alosanno@durantcorp.com	Polyester Material	8/5/1998	R061
			<i>Web Site:</i> www.durantcorp.com	
Global Traffic Technologies 1736 East Redfield Road Gilbert AZ 85234- <i>Mfg #:</i> (800) 258-4610 (480) 221-5716	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Priortiy Control System <i>Fax:</i> (651) 789-7363 <i>Email:</i> mike.lemon@gtt.com/gary.stephenson@gtt.com	Rubberized Material	8/5/1998	R057, R058
			<i>Web Site:</i> www.gtt.com	

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- <i>Mfg #:</i> (916) 689-8840	Quikrete Commerical Grade Permanent Blacktop Repair #1701 <i>Fax:</i> (916) 689-8857 <i>Email:</i> nwong@quikrete.com	Asphaltic Concrete	1/1/2001	R280
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- <i>Mfg #:</i> (704) 904-1481	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material <i>Fax:</i> (704) 525-1859 <i>Email:</i> john@loopsealant.com	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R063, R064
Reed & Graham Company 690 Sunol Street San Jose CA 95126- <i>Mfg #:</i> (408) 287-1400 (408) 640-6121	Overkote Loop Filler <i>Fax:</i> (408) 920-0424 <i>Email:</i> rick@rginc.com	Asphaltic Emulsion Material	8/5/1998	R062

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- <i>Mfg #:</i> (732) 919-3119 (732) 751-5810	LED 12" Signal Heads, Pedestrian Signal Heads (all) <i>Fax:</i> (732) 751-5778 <i>Email:</i> Jconlon@dialight.com	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R335, R336
Excellence Opto Incorporated 1400 West Lambert Road Suite #B Brea CA 92821- <i>Mfg #:</i> (562) 694-1246	LED Traffic Signal; Pedestrian Signals <i>Fax:</i> (562) 691-3087 <i>Email:</i> services@eoi.com.tw	12" Red/Yellow/Green Ball TRV-R12SG-D2T, TRV-Y12SG-D2T, TRV-G12sG-D2T	6/17/2008	R598
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- <i>Mfg #:</i> (602) 344-7770 (216) 606-6519	LED 12" Signal Heads, Pedestrian Signal Heads <i>Fax:</i> (602) 344-7771 <i>Email:</i> dmm@phoenixhighwayproducts.com	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R337, R338

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
GE Consumer & Industrial Lighting Sys 4141 Bison Lake Havasu AZ 86404- <i>Mfg #:</i> (928) 855-7223 (714) 323-2636	Versaflood III Induction Signlighter CSV3SL2004 / 85 Watt Induction Lighting Syst (MSR Series Sign) <i>Fax:</i> (928) 855-7237 <i>Email:</i> pete.porte@ge.com		1/17/2003	R402

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>		
Holophane Corporation PO Box 3004 Newark OH 43058- <i>Mfg #:</i> (702) 385-3777 (866) 465-6742	Panel Vue Series Induction Sign Lighting Model PANEL85QLXXDG/QD/Door Prop <i>Fax:</i> (800) 345-4471	<i>Email:</i> Howard.Richards@holophane.com	<i>Web Site:</i> www.MyHolophane.com	1/17/2003	R401

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>		
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- <i>Mfg #:</i> (717) 235-2863 (800) 579-7514	Lumi Trak <i>Fax:</i> (717) 235-5076	<i>Email:</i> george@lumitrak.com	<i>Web Site:</i> www.lumitrak.com	11/19/2002	R365

623.03.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>		
BRG Supply 670 Coleman Avenue San Jose CA 95110- <i>Mfg #:</i> (408) 920-6319	Red Light Detector <i>Fax:</i> (408) 920-6103	<i>Email:</i> monty.brgsupply@yahoo.com	<i>Web Site:</i> www.brgsupply.com	7/16/2003	R446
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- <i>Mfg #:</i> (760) 727-8100	Red Light Detector <i>Fax:</i> (760) 597-7108	<i>Email:</i> cmurphy@mccain-inc.com	<i>Web Site:</i> www.mccain-inc.com	7/16/2003	R445

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>		
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	*3970 LDP Diamond Grade <i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	4/8/1999	R163
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- <i>Mfg #:</i> (847) 588-7717 (847) 588-7262	T6500 Prismatic High Intensity Reflective Sheeting <i>Fax:</i> (847) 588-7688	<i>Email:</i> mark.kleinschmit@averydennison.com	<i>Web Site:</i> www.averydennison.com	4/8/1999	R164

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up Fax: (800) 895-0951	Email: customer.service@reflexite.com	4/8/1999	R162
Web Site: www.reflexiteamericas.com				

625.02.01 CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- Mfg #: (888) 842-0600 (714) 842-0600	MF-180-36 Masterflex Fax: (888) 842-2368	Email: ctanner@betmfg.com	6/15/1998	R065
Web Site: www.bentmfg.com				
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916- Mfg #: (800) 648-7916 (803) 943-9115	SDCF; SMDW Fax: (803) 943-3375	Email: sales@carsonite.com	6/15/1998	R066, R067, R068
Web Site: www.carsonite.com				
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750	SH Replaceable Barrier Marker; SH Dura Post Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	6/15/1998	R070, R053
Web Site: www.energyabsorption.com				
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- Mfg #: (877) 335-4638 (408) 431-8689	FG 300 Curb System; Surface Mounted Post; Complete System; DAPCO Straight Guardrail Reflector Plates Fax: (408) 269-9902	Surface Mounted Email: billdaly@filtrona.com	10/14/1999	R203, R585
Web Site: www.filtronaextrusion.com				
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- Mfg #: (800) 348-9839	Flexstake 700 Series; E-base Fax: (941) 482-3539	Email: rkjhughes24@yahoo.com	6/15/1998	R069
Web Site: www.flexstake.com				
Western Highway Products 10680 Fern Avenue Stanton CA 90680- Mfg #: (800) 854-3360 (714) 761-4811	Repo 300 Fax: (714) 952-2118	Email: western.highway@yahoo.com	6/15/1998	R072
Web Site:				

625.02.02 REFLECTIVE MARKERS (ON CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Artuk 6318 West State Street Wauwatosa WI 53213- Mfg #: (414) 475-5020	FB33 Flexible Barrier Marker/Delineator Fax: (414) 476-3438 Email: tschoe2992@aol.com		2/2/1993	R005
		Web Site: www.aktcorp.com		
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- Mfg #: (877) 335-4638 (408) 431-8689	PCBM 12; T12 High Impact Barrier Reflector Fax: (408) 269-9902 Email: billdaly@filtrona.com		12/17/1997	R017, R018
		Web Site: www.filtronaextrusion.com		
Hall Manufacturing Corporation 297 Margaret King Avenue Ringwood NJ 07456- Mfg #: (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting Fax: (973) 962-7652 Email:		12/17/1997	R019
		Web Site:		
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- Mfg #: (877) 843-9757	TD9300 Roadguide; TD9400 Roadguide Fax: (818) 841-5096 Email: sales@trafficwks.com		12/3/2002	R371, R372
		Web Site: www.trafficwks.com		

625.02.03 CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- Mfg #: (800) 727-9111 (651) 558-3536	Guardian Solar Powered PCMS; Sign Dot Sign DH1000 Fax: (651) 558-3600 Email: sales@addco.com		2/22/1998	R073, R074
		Web Site: www.addco.com		
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- Mfg #: (770) 448-6650	CMS T300; CMS T331; CMS T320; CMS GP465 Changeable Message Signs Fax: (770) 448-8970 Email: info@amsig.com		2/22/1998	R075, R076, R077.
		Web Site: www.amsig.com		
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 Mfg #: (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable) Fax: (204) 888-2912 Email: chelsea.k@enduron.net	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
		Web Site: www.enduron.net		

625.02.03**CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- Mfg #: (888) 994-0300	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380 Fax: (562) 777-7456 Email: geoff@nationalsignalinc.net	Note: the Nighthawk 340 & Nighthawk 345 are being phased out, but some parts are still available Web Site: www.nationalsignalinc.com	2/22/1998	R079, R080, R081.
National Signal Incorporated 9601 John Street Santa Fe Springs CA 90670- Mfg #: (888) 994-0300	ER200; ER200T; CMS330; ER20054 Fax: (562) 777-7456 Email: geoff@nationalsignalinc.net		4/10/2000	R207, R208, R209.
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- Mfg #: (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center Fax: (972) 271-9583 Email: vseymour@precisionsolarcontrols.com		2/22/1998	R084
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 Mfg #: (888) 488-7446 (418) 654-1303	Northern Light PCMS Fax: (418) 654-0517 Email: kim.jack@ver-mac.com		2/22/1998	R085
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- Mfg #: (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered Fax: (610) 391-8601 Email: customerservice@solartechonline.com		2/22/1998	R086
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- Mfg #: (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign Fax: (303) 427-5725 Email: jim@wanco.com		8/5/2002	R355

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- Mfg #: (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion Fax: (707) 374-6801 Email: rkeener@barriersystemsinc.com	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly. Web Site: www.barriersystemsinc.com	4/10/2001	R285

625.02.04**TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750 (916) 645-8181	Engergite III Module; N-E-A-T System; Quadguard		9/3/1998	R089, R090
	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
SCI Products Incorporated PO Box 4314 St Charles IL 60174- Mfg #: (800) 327-4417 (630) 330-8063	SCI100GM Impact Attenuator TL-3 level	TL-3, Must be mounted on a concrete or asphalt slab; requires use of the approved temporary anchoring method when mounted directly onto roadway surfaces.	1/20/2006	R545
	Fax: (630) 377-9270	Email: workarea@workareaprotection.com	Web Site: www.workareaprotection.com	
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 Mfg #: (775) 357-6005 (775) 690-3037	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System		9/3/1998	R092, R093, R094
	Fax: (775) 358-9161	Email: tniffen@tcsi.biz	Web Site: www.tcsi.biz	
Traffic Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- Mfg #: (801) 446-4450 (801) 979-7099	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture drv.	3/22/2000	R095, R096
	Fax: (801) 446-1157	Email: clemonds@traffixdevices.com	Web Site: www.traffixdevices.com	

625.02.05**TRUCK MOUNTED IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750 (916) 645-8181	Safe-Stop 180 TMA (req'd truck weight 7300 to 12,000 k)	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R206
	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
Traffic Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- Mfg #: (801) 446-4450 (801) 979-7099	ScorPion C 10,000 of the TL-3 Design	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264
	Fax: (801) 446-1157	Email: clemonds@traffixdevices.com	Web Site: www.traffixdevices.com	
Trinity Highway Safety 950 West 400 South Centerville UT 84014- Mfg #: (800) 772-7976 (360) 943-9559	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097
	Fax: (801) 292-3263	Email: mikel.hooley@trin.net	Web Site: www.trin.net	

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- Mfg #: (818) 982-3600 (909) 772-1424	Guardian Barrier Water Filled w/350 kit Fax: (818) 982-7742 Email: info@armorcastprod.com	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph. Web Site: www.armorcastprod.com	9/3/1998	R099
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 Mfg #: (312) 467-6750 (916) 645-8181	Triton Barrier (white colored 6.5 ft sections) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON. Web Site: www.energyabsorption.com	3/30/1997	R098
PolyJohn Enterprises, Rhino Barrier Div 2500 Gaspar Avenue Whiting IN 46394-2175 Mfg #: (800) 292-1305	Rhino Safety Barrier(use the 350 kit with install) Fax: (219) 659-0625 Email: Steve.Washburn@polyjohn.com	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/- 1Gal(3.8L); For speeds less than or equal 45 mph;Use 30 m (100 ft) minimum for LON. Web Site: www.rhinobarriers.com	3/10/2004	R482
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- Mfg #: (570) 380-2856 (888) 495-3625	Traffic Control Model 2001 Fax: (570) 380-2859 Email: kathleen@yodock.com	Web Site: www.yodock.com	8/3/2006	R551

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- Mfg #: (888) 414-3003 (662) 566-2025	Safety Beacon Light Fax: (662) 566-7123 Email: timothy@k-systems.com	Web Site: www.k-systems.com	6/1/1999	R188

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- Mfg #: (270) 527-4200	Dibond for Highway; Work Zone Signage Fax: (270) 527-1552 Email:	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. Web Site: www.alcancompositesusa.com	5/9/2006	R547
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- Mfg #: (770) 333-1635	BoneLight ACM; Big Dog Rigid Sign Fax: (770) 333-1639 Email: chris@bonesafety.com	Attached signs must conform to section 712. BoneLight ACM only allowed with this model or stands specified by the FHWA Letter acceptance. Web Site: www.bonesafety.com	10/17/2008	R620, R621

625.03.03

SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bone Safety Signs 2151 NW Parkway SE Suite 100 Marietta GA 30067- <i>Mfg #:</i> (770) 333-1635	RZ-412; RZ-412S; RZ-460; RZ-484 <i>Fax:</i> (770) 333-1639 <i>Email:</i> toya@bonesafety.com <i>Web Site:</i> www.bonesafety.com	Roll-up Fabric Only	10/17/2008	R616, R617, R618.
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- <i>Mfg #:</i> (800) 333-5641	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand <i>Fax:</i> (503) 364-0340 <i>Email:</i> ryan@dicktools.com <i>Web Site:</i> www.dicketools.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R220, R221, R222.
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 (607) 734-2295	C200; C202; C902; Superflex Compact Stand w/Fiberglass Leaf Spr <i>Fax:</i> (607) 734-8783 <i>Email:</i> info@usa-sign.com <i>Web Site:</i> www.usa-sign.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228, R229.
Eastern Metals 1430 Sullivan Street Elmira NY 14901- <i>Mfg #:</i> (800) 872-7446 (607) 734-2295	X501; X550; X551; X600 Interstate Stands w/Full Size Coil Spring <i>Fax:</i> (607) 734-8783 <i>Email:</i> info@usa-sign.com <i>Web Site:</i> www.usa-sign.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R232, R233, R234
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 (804) 262-6050	SS548CE; SS548UCR; SS548A; SS548UC; SS548C; SS548UCA; SS548AE; SS560UCA <i>Fax:</i> (804) 261-1040 <i>Email:</i> dchrisman@kormansigns.com <i>Web Site:</i> www.kormansigns.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404, R405.
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- <i>Mfg #:</i> (800) 296-6050 (804) 262-6050	SS1; SS548CA; SS548E; SS560A; SS548; SS560; SS548UCRA; SS548CAE <i>Fax:</i> (804) 261-1040 <i>Email:</i> dchrisman@kormansigns.com <i>Web Site:</i> www.kormansigns.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412, R413.
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- <i>Mfg #:</i> (800) 521-6776	4812; 4818; 4815RB; 4850RB; 4860KC; 4884CS Sign Support System; 4814K Windmaster <i>Fax:</i> (248) 488-5700 <i>Email:</i> kjackson@mdiworldwide.com <i>Web Site:</i> www.mditraficcontrol.com	Must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237.
Traffix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48" <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com <i>Web Site:</i> www.traffixdevices.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/3/2000	R251, R245

625.03.03**SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Traffix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com	Must conform to section 716. Alpolc sign substrate is allowed only with stands specified by the FHWA letters of acceptance. <i>Web Site:</i> www.traffixdevices.com	4/3/2000	R243, R244

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600	Barricades Type III Plywood Panel <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com	Type III w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000	R246
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com	Type II w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- <i>Mfg #:</i> (888) 842-0600 (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal <i>Fax:</i> (888) 842-2368 <i>Email:</i> ctanner@betmfg.com	Type I w/ or w/out lights <i>Web Site:</i> www.bentmfg.com	3/9/2000	R246, R247, R250
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Type III B Barricades; TD2500 Type III Barricades; TD2650 Works Barricade Type III Anchor Barricade <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. <i>Web Site:</i> www.filtronaextrusion.com	7/14/2000	R253, R245, R255.
Highway Technologies 4PO Box 337320 North Las Vegas NV 89033- <i>Mfg #:</i> (702) 453-1616	Type 3D Barricades <i>Fax:</i> (702) 438-3460 <i>Email:</i> evelyn.sheldon@hwy-tech.com	<i>Web Site:</i> www.hwy-tech.com	1/10/2000	R435
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- <i>Mfg #:</i> (216) 231-8590	PST-III (Type III barricade) <i>Fax:</i> (216) 231-2702 <i>Email:</i> wejamieson@plasticsafety.com	Type III <i>Web Site:</i> www.plasticsafety.com	3/19/2004	R483
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- <i>Mfg #:</i> (847) 470-0400	Sentinel Type III <i>Fax:</i> (847) 470-0420 <i>Email:</i>	Type III <i>Web Site:</i> www.americanlouver.com	2/21/2007	R001

625.03.04**BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200; TD2250; TD2300; TD2500; TD2600 Works Barricade <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Barricade Type I and Type II	7/5/2005	R526, R527, R528.
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type I and Type III B	12/3/2002	R374, R375
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD2550 Work Barricade Type III <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	Type III	7/5/2005	R525
Traffix Devices Incorporated 220 Calle Pintosco San Clemente CA 92672- <i>Mfg #:</i> (801) 446-4450 (801) 979-7099	Economy Plastic Folding Barricade; Sand-Filled Bag <i>Fax:</i> (801) 446-1157 <i>Email:</i> clemonds@traffixdevices.com		4/3/2000	R251
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- <i>Mfg #:</i> (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile <i>Fax:</i> (914) 636-1282 <i>Email:</i> mstenko@transpo.com	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484
Yodock Wall Company Incorporated 900 Patterson Drive Bloomsburg PA 17815- <i>Mfg #:</i> (570) 380-2856 (888) 495-3625	Yodock Model 2001; 200 M with Type III Temporary Sign Support <i>Fax:</i> (570) 380-2859 <i>Email:</i> kathleen@yodock.com	Type III	11/27/2007	R583

627.02.01a**POLYCARBONATE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
NO VENDOR LISTINGS AT THIS TIME				
<i>Mfg #:</i>	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

630.02.01**HEADLIGHT GLARE SCREEN MODULAR UNITS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carsonite® Composites 605 Bob Gifford Boulevard Early Branch SC 29916-	Modular Guidance System		10/20/1996	R102
Mfg #: (800) 648-7916 (803) 943-9115	Fax: (803) 943-3375	Email: sales@carsonite.com	Web Site: www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076	Glare Screen System		7/31/1996	R104
Mfg #: (312) 467-6750	Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	Web Site: www.energyabsorption.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912-	Glare Screen System		7/31/1996	R103
Mfg #: (800) 348-9839	Fax: (941) 482-3539	Email: rkjhughes24@yahoo.com	Web Site: www.flexstake.com	

632.03.05**RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360-	LTL-X; LTL-X 30-Meter Geometry Retroreflector		12/26/1999	R210, R211
Mfg #: (336) 475-6600	Fax: (336) 475-7900	Email: Sales@flintrtrading.com	Web Site: www.flintrtrading.com	
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013-	MP 30		12/26/1999	R213
Mfg #: (973) 779-5775 (801) 571-3394	Fax: (973) 779-5775	Email: sales@miroluxproducts.com	Web Site: www.miroluxproducts.com	
RoadVista 8581 Aero Drive San Diego CA 92123-	StripeMaster series; MX 30; LaserLux		5/2/2006	R542, R543, R544
Mfg #: (888) 637-2758 (510) 742-5922	Fax: (858) 576-9286	Email: kbreeding@keoselectronics.com	Web Site: www.roadvista.com	

633.02.01**NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Alpine Products 550 3rd Street SW Building C Auburn WA 98001-	DDOT ABS	100mm (4") Round	6/2/1999	R184
Mfg #: (253) 351-9828	Fax: (253) 735-6303	Email: bart@alpinemarkings.com	Web Site: www.alpinemarkings.com	

633.02.01 NON-REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	929 ABS; Ceramic <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com	100mm (4") Round	6/1/1999	R172, R173
<i>Web Site:</i> www.apexmarker.com				
Glowlite Incorporated 236 South 5th Avenue City of Industry CA 91746- <i>Mfg #:</i> (626) 336-6086 (562) 587-3534	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective <i>Fax:</i> (626) 336-6085 <i>Email:</i> edwardfei_glowlite@yahoo.com	100 mm (4") Round	3/7/2005	R516, R517
<i>Web Site:</i> www.glowlitemarkers.com				
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- <i>Mfg #:</i> (800) 228-1701 (951) 529-2666	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) <i>Fax:</i> (909) 627-0999 <i>Email:</i> hiwaysafety@linkline.com	100mm (4") Round	6/1/1999	R185, R186
<i>Web Site:</i> www.hi-waysafety.com				
Interstate Sales 12600-200 Locksley Lane Auburn CA 95602- <i>Mfg #:</i> (800) 237-7245 (530) 823-6070	Diamond Back (ABS & Polypropylene) <i>Fax:</i> (530) 823-0994 <i>Email:</i> miket@interstatesales.com	100mm (4") Round	6/1/1999	R170
<i>Web Site:</i> www.interstatesales.com				
Novabrite 13880 Harbor Boulevard Suite 6D Garden Grove CA 92843-4038 <i>Mfg #:</i> (714) 656-3659 (925) 373-1751	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow <i>Fax:</i> (925) 215-2549 <i>Email:</i> norman@novabrite.com	100mm (4") Round	2/17/2004	R474, R475, R476.
<i>Web Site:</i> www.novabrite.com				
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- <i>Mfg #:</i> (877) 843-9757	TD10000 Series (100 mm (4") Round) <i>Fax:</i> (818) 841-5096 <i>Email:</i> sales@trafficwks.com	100mm (4") Round	12/3/2002	R373
<i>Web Site:</i> www.trafficwks.com				

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	290 Durable Raised Pavement Marker <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com	89mm x 100 mm (3.6" x 4")	6/1/1999	R182
<i>Web Site:</i> www.3M.com/tcm				
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	921 AR <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com	100mm x 100 mm (4" x 4")	3/25/2001	R282
<i>Web Site:</i> www.apexmarker.com				

633.02.02 REFLECTIVE PAVEMENT MARKERS (PERMANENT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200	911; 953; C88 Permanent Reflective Pavement Markers Ab <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com	100mm x 100 mm (4" x 4")	6/1/1999	R179, R180, R181
			<i>Web Site:</i> www.ennispaint.com	
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025	AA; ARC <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com	100mm x 100 mm (4" x 4")	6/1/1999	R174, R175
			<i>Web Site:</i> www.rayolite.com	

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200	948 Recessed Reflective Pavement Markers <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R183
			<i>Web Site:</i> www.ennispaint.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200	944SB Recessed Reflective Pavement Markers <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com	51mm x 100 mm (2" x 4")	6/1/1999	R178
			<i>Web Site:</i> www.ennispaint.com	
Ray-O-Lite A Division of Pac-Tec Inc 1010 Brice Street Newark OH 43055- <i>Mfg #:</i> (800) 848-7025	ARC 2002; ARC 51 2004 <i>Fax:</i> (740) 345-1336 <i>Email:</i> dforrer@rayolite.com	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R176, R177
			<i>Web Site:</i> www.rayolite.com	

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902	Hot Applied Flexible Pavement Marker Adhesive part 34270 <i>Fax:</i> (480) 940-0313 <i>Email:</i> sales@crafco.com		6/16/1998	R105
			<i>Web Site:</i> www.crafco.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- <i>Mfg #:</i> (800) 331-8118 (214) 874-7200	836098 Bituminous Adhesive for Pavement Markers <i>Fax:</i> (800) 555-0217 <i>Email:</i> klyne@ennispaint.com		6/15/1998	R108
			<i>Web Site:</i> www.ennispaint.com	

633.02.04 ADHESIVE (FOR PAVEMENT MARKERS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- <i>Mfg #:</i> (336) 475-6600	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad <i>Fax:</i> (336) 475-7900 <i>Email:</i> Sales@flintrtrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- <i>Mfg #:</i> (800) 669-6940	Dotstick Bituminous Marker Adhesive <i>Fax:</i> (916) 714-4582 <i>Email:</i> customerservice@henry.com		9/29/2003	R464
Martin Asphalt 300 Christy Place/PO Box 508 South Houston TX 77587-0508 <i>Mfg #:</i> (800) 662-0987 (713) 941-4410	172542 Evergrip Bituminous Marker Adhesive <i>Fax:</i> (713) 947-4949 <i>Email:</i> dolly@gsac.net		6/15/1998	R107

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- <i>Mfg #:</i> (562) 944-8878 (562) 805-3839	924 Longterm Temporary Raised Pavement Marker <i>Fax:</i> (562) 944-2298 <i>Email:</i> sales@apexmarker.com	Temporary Markers w/632 Epoxy; per mfg 10/29/07 this product is no longer in production	9/19/1993	R109
Filtrona Extrusion 3110 70th Avenue East Tacoma WA 98424- <i>Mfg #:</i> (877) 335-4638 (408) 431-8689	Halftrack Model 25; Halftrack Model 26; TOM; TRPM (Temporary Overlay Raised) <i>Fax:</i> (408) 269-9902 <i>Email:</i> billdaly@filtrona.com	Work Zone Pavement Markers	2/20/2000	R257, R258

634.03.03a HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Crown Technology LLC PO Box 789 Woodbury GA 30293- <i>Mfg #:</i> (706) 553-9500 (706) 575-0423	Tuffline Alkyd <i>Fax:</i> (706) 553-9501 <i>Email:</i> sales@crowthermo.com		1/17/2003	R400

634.03.03b**PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- Mfg #: (800) 331-8118 (214) 874-7200	Flame Tape; ThermoLine		6/13/2001	R299, R300
	Fax: (800) 555-0217	Email: klyne@ennispaint.com	Web Site: www.ennispaint.com	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- Mfg #: (336) 475-6600	Hot TapeTM; Premark® PLUS		2/24/2004	R168, R169
	Fax: (336) 475-7900	Email: Sales@flintrading.com	Web Site: www.flintrading.com	

635.02.01**TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 (702) 743-0012	780 Wet Reflective Removable Tape (*750 was upgraded to 780)	*discontinued manufacturing, but still carried by vendors and still approved	5/21/2003	R423, R424
	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574	Series 200 Construction Removable Tape		6/15/1999	R117
	Fax: (252) 536-4940	Email: brobbins@trafficmarking.com	Web Site: www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223	Series 100 White & Yellow; Series 200 White & Yellow Removable		6/15/1999	R118, R032
	Fax: (702) 649-9237	Email: bjubak@cox.net	Web Site: www.britelinetechnologies.com	
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- Mfg #: (314) 968-2569	Aztec III Removable		6/15/1999	R119
	Fax: (314) 968-0494	Email: lgreen@pblaminations.com	Web Site: www.pblaminations.com	
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900	Director 2 Detour Grade		6/15/1999	R120
	Fax: (931) 388-4039	Email: office.industries@swarco.com	Web Site: www.swarco.com	
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- Mfg #: (609) 730-0839	RW 140 Series; RY 140 Series; R 140 Series		8/24/2001	R303, R304, R305
	Fax: (609) 730-0838	Email: bjsutker@aol.com	Web Site: www.trelleborg.com/roadtape	

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Refining Group 77 North Kendall Avenue Bradford PA 16701- Mfg #: (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant Fax: (814) 368-1335 Email: ckimball@amref.com	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of anv water bodv.	5/2/1999	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- Mfg #: (800) 527-2101 (972) 247-7111	Road Boss Fax: (972) 484-2896 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- Mfg #: (972) 758-7454 (702) 405-0351	Dust Control DC-22 Fax: (972) 596-8418 Email: dallasroadway@yahoo.com		6/19/2006	R549
Enviroad 2606 North Newark Street Portland OR 97217- Mfg #: (800) 536-2650 (503) 701-7802	Earthbind 100 Fax: (503) 279-2633 Email: don@enviroad.com	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 yards of anv water bodv.	3/17/2003	R420
EnviroTech Services Incorporated 9801 Eastmont Court Reno NV 89521- Mfg #: (775) 852-3878 (800) 369-3878	Lignin (Ammonium Lignosulfonate) Fax: (970) 346-3959 Email: csherven@envirotechservices.com	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R450
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 (509) 981-8555	Fisch-Stik; Terravest K Fax: (509) 328-4336 Email: rob@fischbachandmore.com	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- Mfg #: (702) 871-1884 (702) 871-7976	Trans Seal I Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 Mfg #: (562) 592-0836 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433

637.02.01

DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878	SOILOC-MQ Dust Suppressant; Hercules PAM <i>Fax:</i> (770) 455-6531 <i>Email:</i> hercenv@herculesenvironmental.com	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.) <i>Web Site:</i> www.HerculesEnvironmental.com	5/2/1999 R154, R141
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121	EnviroKleen; Soil Sement <i>Fax:</i> (330) 456-3247 <i>Email:</i> kim@midwestind.com/custserv@midwesti	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal <i>Web Site:</i> www.midwestind.com	1/4/2001 R278, R521
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 (702) 249-1900	Plas-Bond; Solitac <i>Fax:</i> (702) 649-8446 <i>Email:</i> julie@nuequipment.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic. <i>Web Site:</i> www.nuequipment.com	11/13/2000 R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 (661) 978-9357	Topein S Emulsion <i>Fax:</i> (661) 391-1054 <i>Email:</i> jim.ryan@alonusa.com	Application and dilution rates follow manufacturer's instructions. <i>Web Site:</i> www.alonsashalt.com	2/28/2002 R479
Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- <i>Mfg #:</i> (800) 523-9992 (209) 383-3296	Road OYL; Soil Seal <i>Fax:</i> (209) 383-7849 <i>Email:</i> jphillip@sspco.com	Application and dilution rates follow manufacturer's instructions. <i>Web Site:</i> www.sspco.com	1/3/2002 R324, R325
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023	Plas-Tex; Poly-Tex <i>Fax:</i> (702) 873-0915 <i>Email:</i> phyllis@soil-tech.com	Application and dilution rates follow manufacturer's instructions; vacant land application only. <i>Web Site:</i> www.soil-tech.com	12/10/2003 R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 (480) 289-3206	Soiltac® <i>Fax:</i> (480) 289-3230 <i>Email:</i> Chuck@Soilworks.com	Application and dilution rates follow manufacturer's instructions. <i>Web Site:</i> www.soilworks.com	9/20/2004 R274, R275
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix <i>Fax:</i> (661) 587-6806 <i>Email:</i> andy@terranovo.com	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic <i>Web Site:</i> www.EarthGuard.com	11/2/2001 R318

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 <i>Mfg #:</i> (312) 436-4433	Dust Armour <i>Fax:</i> (312) 214-9192 <i>Email:</i> bfogel@usg.com		8/28/2006	R553
Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- <i>Mfg #:</i> (949) 248-8020	Dust Control 50 <i>Fax:</i> (949) 248-8023 <i>Email:</i> sales@westernemulsions.com	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied must be at least 5%.	8/26/2003	R449
		<i>Web Site:</i> www.usg-erosioncontrol.com		
		<i>Web Site:</i> www.westernemulsions.com		

637.02.02 SILT FENCE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hanes Geo Components 815 Buxton Street Winston Salem NC 27101- <i>Mfg #:</i> (800) 438-0027 (336) 747-1600	TerraTex SC <i>Fax:</i> (336) 747-1652 <i>Email:</i> keith.harris@hanesindustries.com		6/25/1998	R143
Triangular Silt Dike Company Incorporated 8410 SE 18th Street Midwest City OK 73110-1632 <i>Mfg #:</i> (800) 290-8473	Triangular Silt Dike <i>Fax:</i> (405) 455-5047 <i>Email:</i> groach@cox.net		6/25/1998	R142
		<i>Web Site:</i> www.hanesgeo.com/www.webtec		
		<i>Web Site:</i> www.tri-silkdike.com		

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
ACF Environmental 2831 Cardwell Road Richmond VA 23234- <i>Mfg #:</i> (800) 448-3636 (800) 423-4567	Siltsack <i>Fax:</i> (804) 246-9737 <i>Email:</i> dkelley@acfenvironmental.com		6/25/1998	R144
Bowhead Environmental & Safety 1420 NW Gilman Boulevard #2145 Issaquah WA 98027- <i>Mfg #:</i> (800) 909-3677	StreamGuard Catch Basin <i>Fax:</i> (888) 234-3677 <i>Email:</i> jeffb@shopbowhead.com		6/25/1998	R088
Dandy Products Incorporated 1095 Harcourt Road Suite C Mt Vernon OH 43050- <i>Mfg #:</i> (800) 591-2284 (614) 580-5683	Dandy Curb Bag®; Dandy Bag® Drainage Control <i>Fax:</i> (740) 881-2791 <i>Email:</i> dlc@dandyproducts.com		6/25/1998	R087, R248
		<i>Web Site:</i> www.acfenvironmental.com		
		<i>Web Site:</i> www.shopbowhead.com		
		<i>Web Site:</i> www.dandyproducts.com		

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- Mfg #: (888) 382-7458 (770) 388-7818	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly Fax: (770) 388-7640 Email: roger@siltsaver.com		12/6/2002	R376, R377
			Web Site: www.siltsaver.com	

640.02.03a MSE WALLS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 Mfg #: (800) 762-8962 (707) 443-5093	Reinforced Soil Embankment Wall Fax: (707) 443-2891 Email: suzanne@hilfiker.com		9/8/1998	R122
			Web Site: www.hilfiker.com	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- Mfg #: (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com		9/8/1998	R287, R288
			Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- Mfg #: (831) 430-9300	MSE Plus™; MSE Earth Fax: (831) 430-9340 Email: andrewt@mseplus.com	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R195
			Web Site: www.mseplus.com	
Tensor International 34892 Calle Fortuna Capistrano Beach CA 92624- Mfg #: (949) 488-7054 (949) 212-8454	ARES Retaining Precast Wall System Fax: (949) 488-7084 Email: bmiller@tensarcorp.com	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
			Web Site: www.tensarcorp.com	

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- Mfg #: (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288
			Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- Mfg #: (831) 430-9300	MSE Large Wall Panel Fax: (831) 430-9340 Email: andrewt@mseplus.com	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356
			Web Site: www.mseplus.com	

640.02.03c**SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Cyro Industries 1796 Main Street Sanford ME 04073- <i>Mfg #:</i> (207) 490-4313	Paraglas Soundtop Soundwall Ready Fit Noise Barrier <i>Fax:</i> (207) 490-4284 <i>Email:</i> nathan.binette@evonik.com <i>Web Site:</i> www.paraglassoundstop.com	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the contract documents: it is not a	8/27/2004	R502
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- <i>Mfg #:</i> (707) 938-4516	Port-O-Wall Soundwall System <i>Fax:</i> (707) 996-5191 <i>Email:</i> rod_allen@port-o-wall.com <i>Web Site:</i> www.port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R316
QUILITE International LLC 14557 Bonelli Street Los Angeles CA 90045- <i>Mfg #:</i> (626) 638-7130 (702) 354-3974	Quilite Noise Barrier <i>Fax:</i> (702) 464-3080 <i>Email:</i> morgan@quilite.com <i>Web Site:</i> www.quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R515

640.02.04**MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- <i>Mfg #:</i> (251) 990-5761	Keysystem 1 Modular Block Retaining Wall <i>Fax:</i> (251) 990-5461 <i>Email:</i> keystone@keystonewalls.com <i>Web Site:</i> www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- <i>Mfg #:</i> (949) 587-3060	Pyramid Modular Block Retaining Wall <i>Fax:</i> (949) 587-0185 <i>Email:</i> tmichalik@reinforcedearth.com <i>Web Site:</i> www.reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- <i>Mfg #:</i> (949) 488-7054 (949) 212-8454	Mesa Retaining Wall <i>Fax:</i> (949) 488-7084 <i>Email:</i> bmiller@tensarcorp.com <i>Web Site:</i> www.tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 <i>Mfg #:</i> (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 <i>Fax:</i> (312) 467-1356 <i>Email:</i> dsanchez@quixtrans.com <i>Web Site:</i> www.energyabsorption.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R125, R126, R127.

641.02.01**IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
SCI Products Incorporated PO Box 4314 St Charles IL 60174- Mfg #: (800) 327-4417 (630) 330-8063	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545
SCI Products Incorporated PO Box 4314 St Charles IL 60174- Mfg #: (800) 327-4417 (630) 330-8063	SCI170GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R607
Trinity Highway Safety 950 West 400 South Centerville UT 84014- Mfg #: (800) 772-7976 (360) 943-9559	Adiem Attenuating Device Fax: (801) 292-3263 Email: mikel.hooley@trin.net	TL-3 "Concrete Foundation Required". May be used for all speed ratings	9/9/2003	R451, R452, R453.

702.03.01c**CURING COMPOUND (LIQUID MEMBRANE FORMING COMPOUNDS FOR CURING CONCRETE)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 (858) 277-2100	Atlas Res-Cure Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	ASTM C309 Type 1D	9/4/2007	R573
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227	US SPEC Maxcure Resin Clear Fax: (303) 722-8426 Email: Jlevenberg@usmix.com		8/29/2008	R610
White Cap 1830 East Lincoln Way Sparks NV 89434- Mfg #: (775) 353-3333	Resin Cure-Clear VOC Fax: (775) 353-3300 Email: bobsmith@white.net	ASTM C309 Type 1D	9/4/2007	R565
WR Meadows of Northern California PO Box 907 Benicia CA 94510- Mfg #: (707) 745-6666 (847) 214-2100	1100 Clear, 1600 Clear Fax: (707) 747-6206 Email: wrmca@wrmeadows.com	ASTM C309 Type 1D	9/4/2007	R574

702.03.01d CURING COMPOUND (WHITE PIGMENTED CURING COMPOUND WAX BASE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 (858) 277-2100	Atlas Whix Cure DOT Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 233-1737	DSSCC White Resin Cure; DSSCC Clear Wax Cure; DSSCC White Wax; White Pams Cure; DSSCC Resin Cure & Dye Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com	PCCP ASTM C309, Type 2, Class A	8/29/2008	R580; R611, R612
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	Kurez W VOX White Pigment Cure Fax: (216) 531-9399 Email: blewis@euclidchemical.com		9/30/1996	R040
SpecChem LLC 44-B Richmond Avenue Kansas City KS 66101- Mfg #: (913) 371-8700 (866) 791-8700	PaveCure WW Fax: (913) 371-8701 Email: bmeyer@specchemllc.com	PCCP ASTM C309, Type 2, Class A	2/12/2008	R585
Steel Engineers 716 West Mesquite Las Vegas NV 89106- Mfg #: (702) 386-0023 (530) 348-6809	UniWhite Cure Wax Fax: (816) 200-4578 Email:		6/2/2008	R595
US Mix 112 South Santa Fe Drive Denver CO 80305- Mfg #: (303) 778-7227	US SPEC AMS 3754 Fax: (303) 722-8426 Email: Jlevenberg@usmix.com		7/2/2008	R601

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Atlas Tech Products 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 (858) 277-2100	Atlas PAMS Cure Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KC 66106- Mfg #: (877) 416-3439 (913) 233-1737	DSSCC PAMS; White Pams Cure Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R578

702.03.04 BRIDGE DECK CURING COMPOUND

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
US Mix 112 South Santa Fe Drive Denver CO 80305- <i>Mfg #:</i> (303) 778-7227	US SPEC AMS 3754		7/2/2008	R602
	<i>Fax:</i> (303) 722-8426	<i>Email:</i> Jlevenberg@usmix.com	<i>Web Site:</i> www.usmix.com	
WR Meadows of Northern California PO Box 907 Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100	2245		9/4/2007	R604
	<i>Fax:</i> (707) 747-6206	<i>Email:</i> wrmnca@wrmeadows.com	<i>Web Site:</i> www.wrmeadows.com	

702.03.05 FLY ASH (TYPE F ONLY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Boral Material Technologies 45 Northeast Loop 410 Suite 700 San Antonio TX 78216- <i>Mfg #:</i> (210) 349-4069	Fly Ash	Type F	9/4/2007	R570
	<i>Fax:</i>	<i>Email:</i> Pamela.Flynn@boral.com	<i>Web Site:</i>	
Headwaters Resource's Incorporated 951 Industrial Drive Tukwila WA 98188- <i>Mfg #:</i> (206) 575-2046	Fly Ash	Type F	9/4/2007	R572
	<i>Fax:</i>	<i>Email:</i> tfox@headwaters.com	<i>Web Site:</i>	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Bondaflex Technologies 1700 Route 3 West Clifton NJ 07013- <i>Mfg #:</i> (800) 641-8242	Bondaflex Sil 728SL		8/5/2005	R534
	<i>Fax:</i> (973) 473-4222	<i>Email:</i> minan@maynational.com	<i>Web Site:</i> www.bondaflex.com	
Crafco Incorporated 420 North Roosevelt Avenue Chandler AZ 85226- <i>Mfg #:</i> (602) 276-0406 (602) 418-9902	Roadsaver Silicone SL Sealant		10/7/1993	R129
	<i>Fax:</i> (480) 940-0313	<i>Email:</i> sales@crafco.com	<i>Web Site:</i> www.crafco.com	
Dow Corning Corporation 12081 West Alameda Parkway #421 Lakewood CO 80228- <i>Mfg #:</i> (303) 980-1780 (303) 880-9614	890 SL		3/20/1997	R130
	<i>Fax:</i> (303) 980-1780	<i>Email:</i> jason.sika@dowcorning.com	<i>Web Site:</i> www.dowcorning.com	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- Mfg #: (419) 424-3527 (800) 848-1730	DSB 900 SL Self Leveling Silicone Fax: (419) 257-2200 Email: ldurain@dsbrown.com		4/5/2005	R518
Pecora Corporation 165 Wambold Road Harleysville PA 19438- Mfg #: (215) 723-6051	Pecora 300 Fax: (215) 721-0286 Email:		9/14/2001	R311
Tremco Incorporated 3735 Green Road Beachwood OH 44122- Mfg #: (800) 321-7906 (216) 292-5000	Spectrum 900 SL Formula 974831; 333 Cartridges Fax: (216) 292-5036 Email: tscs@tremcoinc.com		5/31/2002	R345

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- Mfg #: (314) 644-1000	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard(4) 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 811	8/20/1997	R136
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- Mfg #: (314) 644-1000	Shop Coat: Carbozinc® 11 Solvent Based Inorganic Zinc-rich First Field Coat: Carboguard® 893 Cycloaliphatic Amine Epoxy Top Coat: Carbothane® 134 HS Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A: Base Part B: Zinc Filler Part A: Resin Part B: Catalyst Part A: Resin Part B: Urethane Converter 900	8/20/1997	R133, R134, R135
International Paint LLC 5606 Raintree Ridge Jeffersonville IN 47130- Mfg #: (281) 684-5203 (800) 525-6824	Shop Coat: Interzinc® 22HS Primer First Field Coat: Interguard 475HS Top Coat: Interthane® 990HS Fax: (812) 256-6733 Email: daniel.griffin@internationalpaint.com	Part A: QH5055H Part B: QH5056H Part A: EVA010 Part B: EVA046 Part A: 99010A Part B: 870HS/990HS	6/4/2003	R430, R431, R432
PPG Protective & Marine Coatings 1583 San Juan Drive Brea CA 92821- Mfg #: (714) 337-1953 (562) 691-9600	Shop Coat: Dimetcote® 9 Inorganic Zinc First Field Coat: Amercoat® 385 Multi-Purpose Epoxy Top Coat: Interthane® 450 HS Aliphatic Polyurethane Fax: (562) 691-3550 Email: nyemiller@msm.com	Part A: Base Part B: Zinc Dust Part A: Resin Part B: Cure Part A: Resin Part B: Cure	5/21/2008	R592, R593, R594

714.03.01

COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-150 Series Part B: B65V150	6/2/2003	R425, R426
Mfg #: (210) 861-2286	Fax: (210) 340-1650	Email: dee.l.mcneill@sherwin.com	Web Site: www.sherwinwilliams.com	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	Shop Coat: Zinc Clad® II HS Inorganic Zinc-rich Coating First Field Coat: Recoatable Epoxy Primer Top Coat: Corothane® II	Part D: B69VZ1 Part E: B69VZ3 Part F: B69D11 Part G: B67R5 Part H: B57V5 Part A: B65-150 Series Part B: B65V150	8/20/1997	R137, R138, R139.
Mfg #: (210) 861-2286	Fax: (210) 340-1650	Email: dee.l.mcneill@sherwin.com	Web Site: www.sherwinwilliams.com	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78216-	Shop Coat: Zinc Clad® II First Field Coat: Recoatable Epoxy Primer Top Coat: Sherthane® 2K Urethane	Part D: B69V3 Part F: B69D11 Part G: B67R5 Part H: B67V5 Part A: B65-400 Series Part B: B60V2	6/2/2003	R140, R123, R429
Mfg #: (210) 861-2286	Fax: (210) 340-1650	Email: dee.l.mcneill@sherwin.com	Web Site: www.sherwinwilliams.com	

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	*3870; 3930 Permanent Traffic Signs & Temporary Traffic	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type III/ IV); *discontinued manufacturing, but still carried by vendors and still approved	12/1/2004	R508
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3870; 3990 VIP Diamond Grade Type IX	NDOT Type IX	8/16/2000	R269, R270
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3981; 3983 Diamond Fluorescent VIP (for perm traffic);	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3924S Fluorescent Orange Diamond Grade Sheeting (3924 was upgraded to 3924S)	For Rigid Signs Only (NDOT Type X); *discontinued manufacturing, but still carried by vendors and still approved	8/21/2000	R289, R550
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	3810 High Intensity Series	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	

716.03.01

REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 (702) 743-0012	334 & 336 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Barricades Only (Type IV)	12/1/2004	R510, R511
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 588-7717 (847) 588-7262	T5500A Series High Intensity; T7000 Fluorescent Reflective Sheeting No Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.com	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 588-7717 (847) 588-7262	T7500 Prismatic Grade Sheeting Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.com	NDOT Type IX	5/30/2002	R344
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 588-7717 (847) 588-7262	S9000C Cone Collar Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.com	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- Mfg #: (847) 588-7717 (847) 588-7262	T6500; W7514 Fluorescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting Fax: (847) 588-7688 Email: mark.kleinschmit@averydennison.com	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R297, R298
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 (310) 532-7500	High Intensity ULG II Fax: (888) 330-7119 Email: jhu@nikkalite.com	For Permanent Traffic Signs	8/16/2000	R271
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- Mfg #: (800) 821-4264 (310) 532-7500	92847 Nikkalite Crystal Fluorescent Orange Fax: (888) 330-7119 Email: jhu@nikkalite.com	NDOT Type X	4/29/2005	R522
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570	AP1000 Reflective Sheeting Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
				Web Site: www.reflexiteamericas.com

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Reflexite Americas 315 South Street New Britain CT 06051- Mfg #: (800) 654-7570	Conformalight; Marathon Type VI Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294
			Web Site: www.reflexiteamericas.com	

726.03.04 MULCH

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- Mfg #: (800) 654-6117 (785) 883-4600	Second Nature Paper Fiber Hydroseeding Mulch Fax: (785) 883-4429 Email: sales@centralfiber.com		6/25/1998	R146
			Web Site: www.centralfiber.com	
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- Mfg #: (208) 733-9689	Nature's Own Fax: (208) 733-9447 Email: patrick@hmi-mfg.com/info@hmi-mfg.com		6/25/1998	R147
			Web Site: www.hmi-mfg.com	

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- Mfg #: (800) 654-6117 (785) 883-4600	TacPac GT Fax: (785) 883-4429 Email: salex@centralfiber.com		6/25/1998	R148
			Web Site: www.centralfiber.com	
Driwater Incorporated 1042 Hopper Avenue Santa Rosa CA 95403- Mfg #: (707) 588-1444	Driwater Hydro Mix Fax: (707) 588-1445 Email: mary@driwater.com	Note: Surfaces subject to spill; can be slippery.	1/3/2001	R277
			Web Site: www.driwater.com	
Eastern Color & Chemical Company 35 Livingston Street Providence RI 02904- Mfg #: (401) 331-9000 (401) 529-6855	Ecotak OP Moisture Retainer Fax: (401) 331-2155 Email: tech@easterncolor.net		6/25/1998	R151
			Web Site: www.easterncolor.net	
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99205- Mfg #: (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest Fax: (509) 328-4336 Email: rob@fischbachandmore.com		6/25/1998	R152, R153
			Web Site: www.fischbachandmore.com	

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318
<i>Fax:</i> (661) 587-6806	<i>Email:</i> andy@terranovo.com	<i>Web Site:</i> www.EarthGuard.com		

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
American Refining Group 77 North Kendall Avenue Bradford PA 16701- <i>Mfg #:</i> (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant		6/25/1998	R121
<i>Fax:</i> (814) 368-1335	<i>Email:</i> ckimball@amref.com	<i>Web Site:</i> www.amref.com		
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- <i>Mfg #:</i> (800) 527-2101 (972) 247-7111	Road Boss	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498
<i>Fax:</i> (972) 484-2896	<i>Email:</i> dnix@arrowmagnolia.com	<i>Web Site:</i> www.arrowmagnolia.com		
ENCAP LLC 3921 Algoma Road Greenbay WI 54311- <i>Mfg #:</i> (877) 405-5050 (920) 217-0281	PAM 12 PLUS	4/21/08 Hydraulics approved the upgrade from PAM 12 to PAM 12 PLUS.	3/10/2008	R586
<i>Fax:</i> (920) 406-9740	<i>Email:</i> aramirez@encap.net	<i>Web Site:</i> www.encap.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99257- <i>Mfg #:</i> (509) 325-2882 (509) 981-8555	Fisch-Stik; Terravest K		6/25/1998	R152, R153
<i>Fax:</i> (509) 328-4336	<i>Email:</i> rob@fischbachandmore.com	<i>Web Site:</i> www.fischbachandmore.com		
Fluid Tech Incorporated, HAZCO Division 6450 Spring Mountain Road Suite 9 Las Vegas NV 89146- <i>Mfg #:</i> (702) 871-1884 (702) 871-7976	Trans Seal I	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
<i>Fax:</i> (702) 871-3629	<i>Email:</i> strue@fluid-tech-inc.com	<i>Web Site:</i> www.fluid-tech-inc.com		
GM Boston Co International LLC PO Box 121 Sunset Beach CA 90742-0121 <i>Mfg #:</i> (562) 592-0836 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R433
<i>Fax:</i> (562) 592-0836	<i>Email:</i> craighoad@gmbostoncompany.com	<i>Web Site:</i> gmbostoncompany.com		

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- <i>Mfg #:</i> (770) 303-0878	SOILOC-MQ Dust Suppressant; Hercules PAM; Soiloc-Pam <i>Fax:</i> (770) 455-6531 <i>Email:</i> hercenv@herculesenvironmental.com		6/25/1998	R154, R141, R597
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- <i>Mfg #:</i> (330) 456-3121	Soil Sement <i>Fax:</i> (330) 456-3247 <i>Email:</i> kim@midwestind.com/custserv@midwesti	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic: application must be 50 feet away	4/18/2005	R328
NU Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- <i>Mfg #:</i> (702) 649-8767 (702) 249-1900	Plas-Bond; Solitac <i>Fax:</i> (702) 649-8446 <i>Email:</i> julie@nuequipment.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
Paramount Petroleum aka Alon 1201 China Grade Loop Bakersfield CA 93388- <i>Mfg #:</i> (661) 392-3630 (661) 978-9357	Topein S Emulsion <i>Fax:</i> (661) 391-1054 <i>Email:</i> jim.ryan@alonusa.com	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil stabilization.	2/24/2004	R479
Sequoia Pacific Research Company 1192 East Draper Parkway Suite 604 Draper UT 84020- <i>Mfg #:</i> (888) 465-8801	SoilBIND <i>Fax:</i> (801) 303-2551 <i>Email:</i> terry@telnetz.com	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R436
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- <i>Mfg #:</i> (702) 873-2023	Plas-Tex; Poly-Tex <i>Fax:</i> (702) 873-0915 <i>Email:</i> phyllis@soil-tech.com	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233-3814 <i>Mfg #:</i> (800) 545-5420 (480) 289-3206	Soiltac® <i>Fax:</i> (480) 289-3230 <i>Email:</i> Chuck@Soilworks.com	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- <i>Mfg #:</i> (888) 843-1029 (661) 747-5956	EarthGuard Fiber Matrix <i>Fax:</i> (661) 587-6806 <i>Email:</i> andy@terranovo.com	Blending, mixing and application methods must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/2/2001	R318

726.03.13**SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
US Gypsum Company 550 West Adams Street Chicago IL 60661-3676 Mfg #: (312) 436-4433	Enviro-Shield™ Bonded Fiber Matrix; Airtrol™ Geobinder Fax: (312) 214-9192 Email: bfogel@usg.com		8/28/2006	R554, R555
			Web Site: www.usg-erosioncontrol.com	

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Adhesive Technology Corporation 450 East Copans Road Pompano Beach FL 33064-5509 Mfg #: (800) 892-1880 (954) 782-2221	Ultrabond 1; Ultrabond 1100; Ultrabond 1300; HS200 Fax: (954) 782-2776 Email: rboland@atc.ws	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002	R329, R330, R331.
			Web Site: www.atc.ws	
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- Mfg #: (702) 227-6800 (858) 277-2100	Atlas Epoxy Bonder; LPL Epoxy Bonder Fax: (702) 222-0488 Email: ryanquinn@atlasform.com	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004	R496, R497
			Web Site: www.atlasform.com	
Dayton Superior Corporation 4226 Kansas Avenue Kansas City KS 66106- Mfg #: (877) 416-3439 (913) 233-1737	Dayton Superior Sure Anchor I J-51 Fax: (913) 371-3330 Email: johnkukey@daytonsuperior.com	Type I, II, IV and V; Grade 3; Glass A	1/14/2003	R393
			Web Site: www.daytonsuperio.com	
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- Mfg #: (800) 321-7628 (216) 531-9222	Duralcrete Fax: (216) 531-9596 Email: blewis@euclidchemical.com	Type I and Type II	11/8/2005	R536
			Web Site: www.euclidchemical.com	
Hilti Incorporated 5400 South 122nd East Avenue Tulsa OK 74146- Mfg #: (800) 879-8000 (916) 844-4905	HT RE 500 Epoxy Adhesive Anchor Fax: (918) 294-2856 Email: ruben.rivadeneira@hilti.com	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321
			Web Site: www.us.hilti.com	
ITW Red Head 2171 Executive Drive Suite 100 Addison IL 60101- Mfg #: (630) 350-0370	Ceramic 6 Fax: (630) 495-6204 Email:	Type IV; Grade 3; Classes B & C	5/14/2002	R341
			Web Site: www.itw-redhead.com	
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- Mfg #: (800) 999-5099 (916) 870-7863	ET22; Epoxy-Tie Resin Adhesive Fax: (209) 234-3868 Email: jlbel@strongtie.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217
			Web Site: www.simpsonanchors.com	

728.03.02**EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Titan Supply 250 Edison Way Sparks NV 89502- <i>Mfg #:</i> (775) 351-2201 (303) 941-0123	Pro-Poxy 100 <i>Fax:</i> (720) 304-6535 <i>Email:</i> gregg@unitex-chemicals.com	Type II, III, IV and V; Grade 3; Class A, B & C	4/29/2008	R590
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 (816) 231-7700	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives <i>Fax:</i> (816) 483-3149 <i>Email:</i> jerry@unitex-chemicals.com	Type I and II; Grade 2; Classes B & C	1/4/1998	R218, R219
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV <i>Fax:</i> (816) 483-3149 <i>Email:</i> jerry@unitex-chemicals.com	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R388, R389, R390
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- <i>Mfg #:</i> (800) 821-5846 (816) 231-7700	Pro-Poxy 400 <i>Fax:</i> (816) 483-3149 <i>Email:</i> jerry@unitex-chemicals.com	Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes	11/7/2006	R563
USP Structural Connectors 14305 Southcross Drive Suite 200 Burnsville MN 55306- <i>Mfg #:</i> (952) 898-8772 (800) 328-5934	CIA-GEL 7000 Adhesive Anchors <i>Fax:</i> (507) 364-8762 <i>Email:</i> jtunek@gibraltar1.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- <i>Mfg #:</i> (707) 745-6666 (847) 214-2100	Rezi Weld 1000 <i>Fax:</i> (707) 747-6206 <i>Email:</i> wrmnca@wrmeadows.com	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R478

729.03.04**EPOXY PAINT MARKING MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Colorado Paint Company 4747 Holly Street Denver CO 80216- <i>Mfg #:</i> (303) 388-9265 (303) 941-5275	White: RockHard 1180 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B) <i>Fax:</i> (303) 388-0881 <i>Email:</i> markv@coloradopaint.com	"Lead Free Yellow" contains organic yellow pigment.	3/20/2000	R199, R200, R201
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920	White: LS50 (Part A) Lead Free Yellow: RockHard 1186 (Part A) Hardener: RockHard 1185 (Part B) <i>Fax:</i> (856) 779-2963 <i>Email:</i> epoplex@epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R378

729.03.04

EPOXY PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Epoplex 1 Park Avenue Maple Shade NJ 08052- <i>Mfg #:</i> (800) 822-6920	White: LS60 (Part A) Lead Free Yellow: LS60 (Part A) Hardener: LS60 (Part B) <i>Fax:</i> (856) 779-2963 <i>Email:</i> epoplex@epoplex.com <i>Web Site:</i> www.epoplex.com	"Lead Free Yellow" contains organic yellow pigment.	12/11/2002	R379
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- <i>Mfg #:</i> (877) 477-7623 (919) 606-9987	White: HPS-3 (Part A) Lead Free Yellow: HPS-3 (Part A) Hardener: HPS-3 (Part B) <i>Fax:</i> (919) 767-8506 <i>Email:</i> jhall@ips-road.com <i>Web Site:</i> www.ips-road.com	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R441, R442
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 (216) 577-6723	White: Mark 55.4 NV (Part A) Lead Free Yellow: Mark 55.4 NV (Part A) Hardener: Mark 55.4 NV (Part B) <i>Fax:</i> (440) 248-1513 <i>Email:</i> hemant@poly-carb.com <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 (216) 577-6723	White: Mark 55.2 NV (Part A) Lead Free Yellow: Mark 55.2 NV (Part A) Hardener: Mark 55.2 NV (Part B) <i>Fax:</i> (440) 248-1513 <i>Email:</i> hemant@poly-carb.com <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113
Poly-Carb Incorporated 33095 Bainbridge Road Cleveland OH 44139- <i>Mfg #:</i> (440) 248-1223 (216) 577-6723	White: Mark 55.3 NV (Part A) Lead Free Yellow: Mark 55.3 NV (Part A) Hardener: Mark 55.3 NV (Part B) <i>Fax:</i> (440) 248-1513 <i>Email:</i> hemant@poly-carb.com <i>Web Site:</i> www.poly-carb.com	"Lead Free Yellow" contains organic yellow pigment.	10/24/1997	R113

729.03.05a

RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (989) 636-2452 (800) 447-4369	UCAR™ Latex DT 400 NA <i>Fax:</i> (989) 832-1465 <i>Email:</i>	Type II	7/19/2002	R166, R167
Dow Chemical Company 2040 Dow Center Midland MI 48674- <i>Mfg #:</i> (989) 636-2452 (800) 447-4369	UCAR™ Latex DT 250 NA <i>Fax:</i> (989) 832-1465 <i>Email:</i>	Type I	7/19/2002	R166, R167
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- <i>Mfg #:</i> (800) 477-7641 (800) 967-7704	Fastrack® 3427 <i>Fax:</i> (800) 382-4008 <i>Email:</i>	Type I	11/30/2001	R319, R320
		<i>Web Site:</i> www.rohmhaas.com		

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL - ACRYLIC RESIN EMULSIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106-	Fastrack® HD-21A	Type II	11/30/2001	R319, R320
Mfg #: (800) 477-7641 (800) 967-7704	Fax: (800) 382-4008	Email:	Web Site: www.rohmhaas.com	

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL - TEMPORARY STRIPING FORMULATIONS (Type I)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982801 NVW-21-M-2 Yellow: 982802 NVY-21-M-2	UCAR™ Latex DT 250 NA	4/1/2004	R490, R491
Mfg #: (800) 331-8118 (214) 874-7200	Fax: (800) 555-0217	Email: klyne@ennispaint.com	Web Site: www.ennispaint.com	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6000 Yellow: Pervo Plastic 6003	Fastrack® 3427	7/30/2002	R349, R350
Mfg #: (800) 892-3647 (323) 758-1147	Fax: (323) 778-9719	Email: sales@pervo.com	Web Site: www.pervo.com	

729.03.05c RAPID DRY WATERBORNE PAINT MATERIAL - PERMANENT STRIPING FORMULATIONS (Type II)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982831 NVW-HD-M-1 Yellow: 982832 NVY-HD-M-1	Fastrack® HD-21A	7/30/2002	R353, R354
Mfg #: (800) 331-8118 (214) 874-7200	Fax: (800) 555-0217	Email: klyne@ennispaint.com	Web Site: www.ennispaint.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119-	White: 982811 NVW-40-M-1 Yellow: 982812 NVY-40-M-1	UCAR™ Latex DT 400 NA	7/30/2002	R353, R354
Mfg #: (800) 331-8118 (214) 874-7200	Fax: (800) 555-0217	Email: klyne@ennispaint.com	Web Site: www.ennispaint.com	
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496	White: Pervo Plastic 6050 Yellow: Pervo Plastic 6053	Fastrack® HD-21A	7/30/2002	R351, R352
Mfg #: (800) 892-3647 (323) 758-1147	Fax: (323) 778-9719	Email: sales@pervo.com	Web Site: www.pervo.com	
Sherwin-Williams Company, The 45 NE Loop 410 Suite 680 San Antonio TX 78217-	White: BP19421 (TM2399); BP19422 (TM2399) Yellow: BP 19422	Fastrack® HD-21A	7/9/2003	R425, R426, R140
Mfg #: (210) 861-2286	Fax: (210) 340-1650	Email:	Web Site: www.sherwinwilliams.com	

729.03.06 POLYUREA PAINT MARKING MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R444
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
3M Traffic Control Materials Division, 3M Center PO Box 231393 Las Vegas NV 89123-	White: 1200 (Part A) Lead Free Yellow: 1201 (Part A) Cross Linker: 1230 (Part B)	"Lead Free Yellow" contains organic yellow pigment	7/16/2003	R588
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Epoplex 1 Park Avenue Maple Shade NJ 08052-	White: LS90 (Part A) Lead Free Yellow: LS90 (Part A) Cross Linker: LS90 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R440
Mfg #: (800) 822-6920	Fax: (856) 779-2963	Email: epoplex@epoplex.com	Web Site: www.epoplex.com	
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709-	White: HPS-5 (Part A) Lead Free Yellow: HPS-5 (Part A) Cross Linker: HPS-5 (Part B)	"Lead Free Yellow" contains organic yellow pigment.	7/16/2003	R443
Mfg #: (877) 477-7623 (919) 606-9987	Fax: (919) 767-8506	Email: jhall@ips-road.com	Web Site: www.ips-road.com	

731.03.01 PAVEMENT REINFORCING FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Road Solutions PO Box 1267 La Quinta CA 92247-	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System		10/18/2002	R361, R362, R363.
Mfg #: (760) 406-2224	Fax:	Email: roadsolutions@att.net	Web Site: www.roadsolutions.com	

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105-	*5730 Stamark Tape	Type I; *discontinued manufacturing, but still carried by vendors and still approved	9/19/2003	R457
Mfg #: (800) 553-1380 (702) 743-0012	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870-	Series 300 Tape White & Yellow	Type I	9/19/2003	R462
Mfg #: (252) 536-2574	Fax: (252) 526-4940	Email: brobbins@trafficmarking.com	Web Site: www.trafficmarking.com	

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574	Series 400 Tape White & Yellow	Type I	9/19/2003	R463
	Fax: (252) 526-4940 Email: brobbins@trafficmarking.com		Web Site: www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223	Series 900 White; Series 1000 White & Yellow Permanent	Type I	5/9/2006	R546
	Fax: (702) 649-9237 Email: bjubak@cox.net		Web Site: www.britelinetechnologies.com	
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900	Director 35 Pavement Marking Tape Type II	Type I	2/17/2004	R473
	Fax: (931) 388-4039 Email: office.industries@swarco.com		Web Site: www.swarco.com	
Swarco Industries PO Box 89 Columbia TN 38402- Mfg #: (931) 388-5900	Director 60 Permanent Marking Tape Type I	Type I	2/17/2004	R472
	Fax: (931) 388-4039 Email: office.industries@swarco.com		Web Site: www.swarco.com	

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- Mfg #: (800) 553-1380 (702) 743-0012	420 Stamark Intersection Grade Tape, 270-ES Stamark Tape	Type II	9/19/2003	R458
	Fax: (702) 914-6016 Email: ejdornak@mmm.com		Web Site: www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574	Series 400 Tape White & Yellow	Type II	9/19/2003	R463
	Fax: (252) 526-4940 Email: brobbins@trafficmarking.com		Web Site: www.trafficmarking.com	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- Mfg #: (252) 536-2574	Series 300 Tape White & Yellow	Type II	4/29/2008	R462
	Fax: (252) 526-4940 Email: brobbins@trafficmarking.com		Web Site: www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- Mfg #: (702) 649-9223	Series 900 White; Series 1000 White & Yellow Permanent	Type II	5/9/2006	R546
	Fax: (702) 649-9237 Email: bjubak@cox.net		Web Site: www.britelinetechnologies.com	

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date / ID Number</i>	
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89105- <i>Mfg #:</i> (800) 553-1380 (702) 743-0012	A380IES (white) Stamark Tape, 381WR-ES (yellow) Stamark Tape <i>Fax:</i> (702) 914-6016 <i>Email:</i> ejdornak@mmm.com	Type IV	9/19/2003	R460, R461
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- <i>Mfg #:</i> (252) 536-2574	Series 400 Tape White & Yellow <i>Fax:</i> (252) 526-4940 <i>Email:</i> brobbins@trafficmarking.com	Type IV	7/29/2008	R463
			<i>Web Site:</i> www.3M.com/tcm	
			<i>Web Site:</i> www.trafficmarking.com	

QPL DB1 NOTES November 8, 2005

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.