
QPL TABLE OF CONTENTS

| Product Types | Specification # | Page # |
|---|------------------------|---------------|
| ADHESIVE FOR PAVEMENT MARKERS | 633.02.04 | 029 |
| AGGREGATES FOR POLYMER CONCRETE PREBAGGED | 496.02.01 | 003 |
| ASPHALT RELEASE AGENTS | 401.03.02 | 002 |
| ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS | 502.03.13j | 005-006 |
| BARRICADES | 625.03.04 | 025 |
| CELLULAR EROSION CONTROL MATS | 610.02.01 | 011 |
| CHANGEABLE MESSAGE SIGNS | 625.02.03 | 021-022 |
| COATING SYSTEMS FOR BRIDGES | 714.03.01 | 038 |
| CONCRETE STAIN | 502.02.04 | 004 |
| CONSTRUCTION FLEXIBLE POSTS | 625.02.01 | 019-020 |
| DETECTABLE WARNINGS | 613.02.01 | 011-012 |
| DYNAMIC MESSAGE SIGNS | 623.01.01 | 015 |
| EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM | 623.02.29 | 016 |
| EPOXY ANCHORING SYSTEMS | 728.03.02 | 043-045 |
| EPOXY COATING FOR STEEL REINFORCING BARS | 505.02.01 | 007 |
| EPOXY PAINT FORMULATION | 729.02.03 | 045-046 |
| EVAPORATIVE RETARDER | 409.03.10 | 002-003 |
| EXPANSION JOINT SEALANT | 502.03.13l | 006 |
| FAST-SETTING CONCRETE PRODUCTS | 609.02.01a | 008-009 |
| FLARED GUARDRAIL TERMINAL | 618.02.01 | 012-013 |
| FLEXIBLE GUIDE POSTS | 619.02.01 | 013-014 |
| FLEXIBLE TYPE 2 OBJECT MARKERS | 619.02.01a | 014 |
| GUARDRAIL OFFSET BLOCKS | 618.02.01b | 013 |
| HERBICIDES | 401.02.03a | 001 |
| HIGH MAST HEAD FRAME ASSEMBLIES | 623.02.12c | 016 |
| IMPACT ATTENUATORS | 641.02.01 | 036-037 |

QPL TABLE OF CONTENTS

| Product Types | Specification # | Page # |
|--|-----------------|---------|
| JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL | 502.03.22 | 006-007 |
| JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP | 707.03.04 | 037 |
| MODULAR BLOCK RETAINING WALL | 640.02.04 | 036 |
| MODULAR UNITS HEADLIGHT GLARE SCREENS | 630.02.01 | 026 |
| MSE WALLS | 640.02.03a | 035 |
| MSE WALLS (LARGE SIZE 5' x 10' PANELS) | 640.02.03b | 035 |
| MULCH | 726.03.04 | 041 |
| OPTIONAL DUST PALLIATIVE | 637.02.01 | 031-034 |
| OPTIONAL VEHICLE DETECTOR SEALANTS | 623.02.30e | 017-018 |
| PAVEMENT MARKING TAPE | 732.03.01 | 048 |
| PAVEMENT MARKING TAPE | 732.03.02 | 048 |
| PERMANENT NON-REFLECTIVE PAVEMENT MARKERS | 633.02.01 | 027-028 |
| PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT) | 633.02.02 | 028 |
| PLASTIC FENCE FABRIC MATERIAL | 616.02.01 | 012 |
| POLYETHYLENE END SECTIONS | 605.02.01 | 008 |
| POLYUREA PAINT FORMULATION | 729.02.03d | 046 |
| PREFORMED JOINT MATERIAL | 502.03.13i | 004-005 |
| PREFORMED THERMOPLASTIC PAVEMENT MARKINGS | 634.03.03b | 030 |
| PRISMATIC ACRYLIC REFLECTORS | 619.03.01 | 014 |
| PROTECTIVE OVERLAY FILM | 627.02.01 | 025-026 |
| RAPID DRY WATERBORNE PAINT MATERIAL | 729.03.05a | 046 |
| RAPID DRY WATERBORNE PAINT MATERIAL | 729.03.05b | 047 |
| RECESSED REFLECTIVE PAVEMENT MARKERS | 633.02.03 | 028-029 |
| RED LIGHT DETECTORS | 623.05.26 | 019 |
| REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE | 625.02.02 | 020-021 |
| REFLECTIVE SHEETING | 716.03.01 | 038-040 |

QPL TABLE OF CONTENTS

| Product Types | Specification # | Page # |
|---|------------------------|---------------|
| REFLECTIVE SHEETING FOR FLAGGER PADDLES | 624.03.03 | 019 |
| RETROREFLECTOMETERS | 632.03.05 | 026-027 |
| ROADWAY INLET PROTECTION | 637.02.05 | 034 |
| SERVICE PEDESTALS | 623.02.08 | 015 |
| SIGN LIGHTING FIXTURES | 623.03.15 | 018 |
| SIGN SUPPORT SYSTEMS | 625.03.03 | 024 |
| SILT FENCE | 637.02.02 | 034 |
| SOIL STABILIZER | 726.03.13 | 041-043 |
| SOUNDWALL SYSTEMS | 640.02.03c | 035-036 |
| STORMWATER TREATMENT SYSTEMS | 609.02.01b | 009 |
| SYNTHETIC DRILLING SLURRY | 509.03.09 | 008 |
| TACKIFIER | 726.03.05 | 041 |
| TANGENTIAL GUARDRAIL TERMINAL | 618.02.01a | 012 |
| TEMPORARY IMPACT ATTENUATORS | 625.02.04 | 022 |
| TEMPORARY PAVEMENT STRIPING TAPE | 635.02.01 | 030 |
| TEMPORARY PAVEMENT STRIPING TAPE | 635.02.01 | 031 |
| TEMPORARY REFLECTIVE LANE LINE MARKERS | 633.02.05 | 030 |
| TRAFFIC SIGNALS | 623.03.01 | 018 |
| TRENCH DRAIN SYSTEMS | 609.02.01c | 010-011 |
| TRUCK MOUNTED ATTENUATORS | 625.02.05 | 023 |
| TYPE C MAILBOX SUPPORT SYSTEMS | 214.02.01 | 001 |
| VEHICLE DETECTORS (PIEZOELECTRIC SENSORS) | 623.02.30a | 017 |
| WATER FILLED BARRIER RAILS | 625.02.06 | 023 |

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|----------------------------|-----------------------------------|--------------------------------------|------------------|
| VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- (800) 729-1314 | ALHPI 60; SBBC 50 | | 5/26/1998 | R002 |
| | Fax: (888) 310-3946 | Email: kim@vitproducts.com | Web Site: www.vitproducts.com | |

213.03.05 IRRIGATION PIPE JOINT COMPOUNDS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|----------------------------|----------------|-------------------------------------|------------------|
| RectorSeal 2601 Spenwick Drive Houston TX 77055- (713) 263-8001 | RectorSeal #5 | | 8/2/1999 | R209 |
| | Fax: (800) 441-0051 | Email: | Web Site: www.rectorseal.com | |

214.02.01 TYPE C MAILBOX SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|------------------------------|---------------------------------------|--|------------------|
| S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022- (303) 286-7051 (888) 267-6463 | NEX Mailbox Support System | Type C Mailbox Support System | 3/29/2004 | R433 |
| | Fax: (303) 287-0109 | Email: jennie@s-squaretube.com | Web Site: www.s-squaretube.com | |
| Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- (262) 814-7000 (800) 444-0331 | V-LOC Mailbox Support System | | 11/4/1997 | R004 |
| | Fax: (262) 814-7017 | Email: bryane@tapconet.com | Web Site: www.tapconet.com/vloc | |

401.02.03a HERBICIDES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|---|--|------------------|
| Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- (281) 892-2500 | Pramitol 25E | Application rate: 38L/hectare 25gal/acre | 8/1/1993 | R005 |
| | Fax: (281) 892-2501 | Email: | Web Site: www.controlsolutionsinc.com | |
| Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- (800) 263-1196 (317) 337-3000 | Spike 80 W | Application rate: 1.8 kg/hectare 10 lbs/acre | 8/1/1993 | R006 |
| | Fax: (317) 337-4488 | Email: jshong@dow.com | Web Site: www.dowagro.com | |

401.03.02 ASPHALT RELEASE AGENT

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--|------------------|
| Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- (678) 383-8107 | Teclon-Pro Fax: (770) 443-0810 | Email: kptectm@bellsouth.net | 11/7/2006 | R504 |
| | | Web Site: www.thetecteam.com | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111 | Super Slick Bio Fax: (800) 527-2101 | Email: dnix@arrowmagnolia.com | 10/26/05 Name change from Chemco to Arrow Magnolia 4/22/2004 | R437 |
| | | Web Site: www.arrowmagnolia.com | | |
| BG Chemical LP PO Box 720025 Dallas TX 75372- (800) 725-8470 | Black Magic "13"; Black Magic "For Rubber"; Thermal Slide Fax: (214) 826-7290 | Email: jgunter@bgchemical.com | 5/8/2000 | R260 |
| | | Web Site: www.bgchemical.com | | |
| Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- (888) 747-4101 | SPX-7 Fax: (770) 386-3391 | Email: synthetic@pipeline.com | Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. 4/27/2000 | R262 |
| | | Web Site: www.piltec.com | | |
| Rhomar Industries 2107 East Rockhurst Springfield MO 65802- (800) 688-6221 (417) 866-5592 | Enviro-Slide Ultra Fax: (417) 866-5593 | Email: bhamilton@rhomar.com | 4/26/2000 | R258 |
| | | Web Site: www.rhomar.com | | |
| ZEP Manufacturing Company 25224 S Schulte Road Tracy CA 95377- (209) 830-5110 (916) 390-2726 | R-5274, R-6690; Zep E2008 (XT-3199) Fax: (209) 830-5124 | Email: chad.pope@zepmfg.com | 5/11/2006 | R360 |
| | | Web Site: www.zep.com | | |

409.03.10 EVAPORATIVE RETARDER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100 | Atlas Finish Film Fax: (858) 222-0488 | Email: info@atlastechproducts.com | 1/29/2003 | R386 |
| | | Web Site: www.atlasform.com | | |

409.03.10 EVAPORATIVE RETARDER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|---|------------------|
| BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- (800) 433-9517 (800) 628-9990 | Confilm | Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal | 8/2/1999 | R212 |
| | Fax: (800) 496-6067 | Email: steve.peterson@degussa.com | Web Site: www.basf-admixtures.com | |
| Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439 | SureFilm J-74 Finishing Aid | Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal | 8/2/1999 | R210 |
| | Fax: (913) 371-3322 | Email: johnkukey@daytonsuperior.com | Web Site: www.daytonsuperiorchemical.c | |
| Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 (410) 354-8600 (800) 637-6372 | VaporAid 060 | | 8/2/1999 | R211 |
| | Fax: (410) 354-1122 | Email: 222.kaufmanproducts.net | Web Site: www.kaufmanproducts.net | |
| Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- (215) 332-7709 (888) 839-2661 | Certi-Vex Envioassist Evaporative Retarder | Application rate:4.9 m2/1 to 200 ft2/gal | 8/2/1999 | R213 |
| | Fax: (215) 332-9997 | Email: dmanuel@vexcon.com | Web Site: www.vexcon.com | |
| WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100 | Sealtight Evapre Evaporative Retarder | Application rate: 1gal/to 9gal water | 8/1/1999 | R214 |
| | Fax: (707) 747-6206 | Email: wrmnca@wrmeadows.com | Web Site: www.wrmeadows.com | |

496.02.01 AGGREGATES FOR POLYMER CONCRETE PREBAGGED

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|----------------------------|---------------------------------|------------------------------------|------------------|
| Cemex 6601 Knoll Center Parkway #300 Pleasanton CA 94566- (925) 426-8787 (800) 227-5186 | Aggregate | | 1/26/1997 | R013 |
| | Fax: | Email: | Web Site: www.cemex.com | |
| Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98055- (425) 228-2120 | Aggregate, Sand | | 1/26/1997 | R012 |
| | Fax: (425) 228-2199 | Email: mineralco@aol.com | Web Site: www.mineralco.com | |

| 502.02.01 | | ONE WAY & TWO WAY REFLECTIVE MARKERS (ON TOP OF BAR) | | | | |
|--|--|---|--------------------|------------------|---|--|
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | | |
| Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154 | FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154 | Email: sales@astrooptics.com | 2/2/1993 | R014 | Web Site: www.astrooptics.com | |
| 502.02.04 | | CONCRETE STAIN | | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | | |
| Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 401 Ft Lauderdale FL 33312-5371 (954) 581-0771 | Rainstopper Silicone-Acrylic Concrete Stain Fax: (954) 581-9516 | Email: info@texcote.com | 4/12/2005 | R467 | Web Site: www.texcote.com | |
| United Coatings 19011 East Cataldo Spokane Valley WA 99016- (800) 541-4383 | Canyon Tone Stain Fax: (509) 928-1116 | Email: shawn@unitedcoatings.com | 4/12/2005 | R466 | Web Site: www.unitedcoatings.com | |
| 502.02.05a | | PERMANENT NON-SACRIFICIAL ANTI-GRAFFITI COATING | | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | | |
| American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- (801) 255-9505 | GSS-10 Anti Graffiti Coating Fax: (801) 255-7123 | Email: gregg@americanpolymer.com | 10/10/2005 | R483 | Web Site: www.americanpolymer.com | |
| 502.03.13i | | PREFORMED JOINT MATERIAL | | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | | |
| Capital Services Incorporated 112 Morris Road Schenectady NY 12304- (518) 344-7777 | Evazote Fax: (518) 346-1110 | Email: teck@capitalservicesny.com | 5/23/1999 | R182 | Web Site: www.capitalservicesny.com | |
| E-Poxy Engineered Materials 2 E-comm Square/324 Broadway Box 19 Albany NY 12207- (888) 999-2463 | Evazote 380 ESP Fax: (518) 463-3276 | Email: | 5/3/1999 | R008 | Web Site: www.e-poxy.com | |
| Polytite Manufacturing Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439 | Polytite N Fax: (913) 371-3330 | Email: johnhukey@daytonsuperior.com | 5/3/1999 | R010 | Web Site: www.daytonsuperiorchemical.c | |

502.03.13i PREFORMED JOINT MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- (716) 691-3301 | Silicoflex Fax: (716) 691-3305 | Email: mstafford@rjwatson.com | 12/7/2000 | R278 |
| Schul International 1 Industrial Park Drive Pelham NH 03076- (800) 848-1120 | Will Seal 600 Fax: (603) 889-6874 | Email: info@schul.com | 6/4/2002 | R340 |
| TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- (419) 424-0888 (419) 408-5469 | W Seal Fax: (419) 424-5959 | Email: warren@techstar-inc.com | 5/3/1999 | R150 |
| Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922 | JEENE® Structural & Sealing Joint Fax: (716) 691-9239 | Email: debbie.steiger@degussa.com | 5/3/1999 | R011 |
| Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922 | Wabo® Evazote UV Fax: (716) 691-9239 | Email: debbie.steiger@degussa.com | 8/2/2006 | R495 |

502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561 (651) 748-8414 | Matrix 502 Fax: (419) 257-2200 | Email: ldurain@dsbrown.com | 6/5/1997 | R217 |
| Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- (570) 546-6041 (570) 772-0955 | BJS Thorma Joint Systems Fax: (570) 546-2415 | Email: | 9/19/2002 | R353 |
| SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538 (208) 890-4525 | Koch BJS Joint System Fax: (208) 336-0135 | Email: barret2r@semgroupplp.com | 1/6/1998 | R018 |

502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|-------------------------------|-----------------------------------|--------------------|------------------|
| Wyoming Equipment Sales 281 West Sixth Street West Syoming PA 18644-0287 (570) 693-2810 (860) 480-1308 | APJ Asphalt Plug Joint System | | 12/1/2005 | R477 |
| | Fax: (570) 613-0384 | Email: jad.bus@verizon.com | | Web Site: |

502.03.13k EXPANSION JOINT (SPECIAL)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|--|--------------------|------------------|
| Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- (800) 888-8909 (918) 587-5567 | Dow 902 XJS Joint System | This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when | 4/22/2002 | R228 |
| | Fax: (918) 582-7510 | Email: dale.baker@ssicm.com | | Web Site: |

502.03.13l EXPANSION JOINT SEALANT

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|-------------------------------------|
| Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026 | 902 RCS | | 4/22/2002 | R334 |
| | Fax: (866) 735-3668 | Email: stacey.crowder@dowcorning.com | | Web Site: www.dowcorning.com |
| Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922 | Wabo® Silicone Seal - Two Part Sealant | | 4/22/2002 | R335 |
| | Fax: (716) 691-9239 | Email: debbie.steiger@degussa.com | | Web Site: www.wbacorp.com |

502.03.20 RETARDANTS FOR FORMED EXPOSED AGGREGATE FINISH

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|----------------------------|--|--------------------|--|
| Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379- (800) 327-1570 (800) 433-9517 | Preco Hi-V; Preco Tuf-cote | | 8/17/1999 | R216 |
| | Fax: (800) 496-6067 | Email: jasonlambright@degussa.com | | Web Site: www.degussabuildingsystems. |

502.03.22 JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|---|--------------------|---------------------------------|
| Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242 | Crafco Asphalt Rubber | Type 1, 2 or 4; Depends on Climate Zone | 1/7/1998 | R017 |
| | Fax: (580) 940-1425 | Email: sales@crafco.com | | Web Site: www.crafco.com |

502.03.22 JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000 | Calseal Fax: (916) 685-2270 | Email: customerservice@henry.com | 9/8/1998 | R022 |
| | | Web Site: www.henry.com | | |
| Maxwell Products Incorporated 650 Delong Street Salt Lake City UT 84104- (801) 972-2090 | Elastoflex 44; Elastoflex 56 Fax: (801) 972-5536 | Email: dale@maxwellproducts.com | 1/6/1998 | R019 |
| | | Web Site: www.dissco.net | | |
| SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538 (208) 890-4525 | Koch 9000 Fax: (208) 336-0135 | Email: barret2r@semgrouppl.com | 1/6/1998 | R018 |
| | | Web Site: | | |

505.02.01 EPOXY COATING FOR STEEL REINFORCING BARS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- (713) 939-4000 (713) 696-4669 | 7-2719 Nap Guard Epoxy Coating Fax: (713) 939-4025 | Email: varughese@dupontpowder.com | 1/18/2001 | R284 |
| | | Web Site: www.hoovers.com/dupont-coati | | |
| International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289 | HD33 Interpon; HD-34 Fusion Bond Fax: (432) 332-8806 | Email: dgriffin@international-pc.com | 1/1/1996 | R031 |
| | | Web Site: www.international-pc.com | | |
| Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- (216) 631-2002 (800) 231-2002 | 1295 E-90 Pow Dax; Scotch Kote 413 Fax: (216) 631-6211 | Email: | 1/1/1996 | R039 |
| | | Web Site: | | |
| Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- (816) 421-7400 | Lilly Greenbar #720A009 Fax: (816) 421-4563 | Email: | 1/1/1996 | R032 |
| | | Web Site: | | |

509.03.09 SYNTHETIC DRILLING SLURRY

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|------------------------------------|----------------|--------------------|------------------|
| CETCO Drilling Products Group 1350 West Shure Drive Arlington Heights IL 60004- (847) 392-5800 | Shore Pac GCV Fax: | Email: | 9/25/2006 | R501 |
| Geo-Tech Drilling Fluids 220 N. Zapata Hwy, Suite 11A Laredo TX 78043- (210) 587-4758 | Novagel Polymer Fax: | Email: | 9/25/2006 | R500 |
| KB Technologies Ltd 3648 FM 1960 West, Suite 107 Houston TX 77068- (800) 525-5237 | SlurryPro CDP Fax: | Email: | 9/25/2006 | R503 |
| PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- (562) 634-8180 | Super Mud Fax: | Email: | 9/25/2006 | R502 |

605.02.01 POLYETHYLENE END SECTIONS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Advanced Drainage Systems Incorporated 4640 Trueman Boulevard Hilliard OH 40326- (800) 733-7473 (614) 658-0050 | ADS End Section - Flared HDPE Culvert End Sections Fax: (614) 658-0203 | Email: bob.slicker@ads-pipe.com | 10/28/1995 | R040 |
| Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- (801) 278-3453 | Hi-Q Flared End Section Fax: (206) 309-0634 | Email: llistello@hancor.com | 10/28/1995 | R041 |

609.02.01a FAST-SETTING CONCRETE PRODUCTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| American Highway Technologies PO Box 41844 Eugene OR 97404- (310) 834-3401 | American Highway Patch II Fax: (514) 689-3133 | Email: perry.edmundson@daytonsuperior.co | 9/30/1996 | R043 |

609.02.01a FAST-SETTING CONCRETE PRODUCTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--------------------------|--------------------|------------------|
| CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- (800) 929-3030 (714) 348-1946 | Rapid Set DOT Repair Mix Fax: (714) 379-8270 Email: fsenatore@ctscement.com | | 1/27/1994 | R045 |
| Dayton Superior 4226 Kansas Avenue Kansas City KS 55106- (800) 745-3707 (877) 416-3439 | Burke DOT Patch (928 Fast Patch), HD50 Fax: (913) 371-3322 Email: johnhukey@daytonsuperior.com | | 9/30/1996 | R044 |
| Degussa Building System 889 Valley Park Drive Shakopee MN 55379- (800) 433-9517 (952) 496-6000 | Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar Fax: (800) 496-6067 Email: steve.peterson@degussa.com | | 1/3/2002 | R372 |
| Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305 | Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar Fax: (216) 531-9399 Email: rziegler@ | Conforms with ASTM C-928 | 11/8/2005 | R479 |
| Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305 | Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar Fax: (216) 531-9399 Email: blewis@euclidchemical.com | | 9/30/1996 | R047 |
| Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- (800) 243-2206 (203) 336-7900 | Highway Patch & Structural Concrete Fax: (203) 336-7930 Email: | | 9/30/1996 | R042 |
| High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656- (949) 470-3225 (949) 246-4177 | High Performance Concrete Mix Fax: (949) 470-3883 Email: johncollins@concreterepair.com | | 1/3/2002 | R319 |
| US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- (866) 827-8727 (410) 821-1503 | HP Cement Fax: (410) 561-8771 Email: laura@uscproducts.com | | 10/22/2004 | R457 |

609.02.01b STORMWATER TREATMENT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- (775) 831-4592 (800) 229-7283 | BaySaver Fax: (775) 831-4592 Email: edjfranklin@aol.com | This is the general QPL only. The unit will be selected based on the specific project requirements. | 2/19/2001 | R288 |
| CDS Technologies 16360 Monterey Road Suite 250 Morgan Hill CA 95037- (408) 779-6363 (800) 469-7162 | CDS Stormwater Treatment System Fax: (408) 782-0721 Email: cds@cdtech.com | This is the general QPL only. The unit will be selected based on the specific project requirements. | 2/19/2001 | R287 |
| Contech Stormwater Solutions 3498 Celar Court Rancho Cordova CA 95670- (800) 548-4667 (916) 635-0760 | StormFilter and Vortechs Stormwater Treatment System Fax: (916) 635-0764 Email: ericksonn@contech-cpi.com | This is the general QPL only. The unit will be selected based on the specific project requirements. | 7/23/2003 | R401 |
| Jensen Precast 6704 Meadowlark Court Lino Lakes MN 55038- (651) 415-1252 | Stormwater Interceptor Fax: (651) 415-1090 Email: SPhelps@jensenprecast.com | This is the general QPL only. The unit will be selected based on the specific project requirements. | 6/13/2006 | R491 |
| Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- (775) 358-4430 (775) 745-0605 | Stormceptor Fax: (775) 355-1982 Email: dcatterson@rinker.com | This is the general QPL only. The unit will be selected based on the specific project requirements. | 4/22/2001 | R290 |
| Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 (877) 687-7473 (610) 316-0957 | Inceptor Fax: (610) 687-6327 Email: robert@stormdrains.com | This is the general QPL only. System will be selected based on project-specific requirements. | 7/26/2002 | R343 |

609.02.01c TRENCH DRAIN SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| ABT Incorporated 259 Murdock Road, PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806 | HD 200 & MD 200 Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com | | 8/28/2006 | R499 |
| ABT Incorporated 259 Murdock Road, PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806 | A-67 Interceptor; Polydrain Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R377 |

609.02.01c TRENCH DRAIN SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| ACO Polymer Products Incorporated 4200 Finch Road Modesto CA 95357- (888) 490-9552 (209) 204-0988 | S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage Fax: (209) 574-1014 Email: jwhite@aco-online.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003 | R380 |
| Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- (800) 433-1119 | MultiDrain Surface Drainage Systems; EconoDrain Systems Fax: (704) 508-1011 Email: steve.born@multidrainssystems.com | This is the general QPL only. System will be selected based on project-specific requirements. | 4/6/2004 | R435 |
| Strongwell 301 County Airport Road Vacaville CA 95688- (800) 346-3061 (707) 452-9920 | Polycast 900 Series Grates (Removeable); Polycast 3000 Z886 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F) Fax: (650) 992-7100 Email: tbeattie@strongwell.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/13/2005 | R460 |
| Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 (716) 665-1132 | Z-886 (6" Wide); Z-882 (12" Wide) Fax: (716) 665-1135 Email: bill.ousley@zurn.com | This is the general QPL only. System will be selected based on project-specific requirements. | 3/28/2003 | R388 |

610.02.01 CELLULAR EROSION CONTROL MATS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008- (760) 431-2452 (619) 417-8024 | Armorflex Fax: (760) 431-2453 Email: eric@attilacorp.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/28/2002 | R326 |
| Contech 10343 Perfect Parsley Las Vegas NV 89123- (303) 431-8999 | Petraflex Fax: (702) 740-5560 Email: mbaldwin@contech-epi.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/28/2002 | R327 |

613.02.01 DETECTABLE WARNINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|----------------|--------------------|------------------|
| Endicott Clay Products Company PO Box 17 Fairbury NE 68352- (402) 729-3315 | Handicap Detectable Warning Pavers Fax: (402) 729-5804 Email: endicott@endicott.com | Concrete Paver | 3/26/2004 | R430 |

613.02.01 DETECTABLE WARNINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| N-Direct Distribution 1833 East Baseline Road Suite 247 Gilbert AZ 85233- (480) 226-2074 (480) 226-2074 | CASTinTACT Fax: (530) 878-2440 | Concrete Panel Email: bill@n-dir.com | 3/26/2004 | R431 |
| Strong Go 3296 East Hemisphere Loop Tucson AZ 85706- (877) 254-1259 | TekWay Dome Tile Fax: (520) 547-3515 | Email: gmiller@stronggo.com | 11/27/2006 | R506 |
| Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000 (800) 321-7870 | Safe Step - Detectable Warning Tile Fax: (914) 636-1282 | Concrete Panel Email: achawalwala@transpo.com | 3/26/2004 | R429 |
| Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601- (800) 947-2837 (330) 823-1610 | Truncated Dome ADA Pavers Fax: (330) 823-5502 | Concrete Paver Email: info@wgpaver.com | 3/26/2004 | R432 |

Web Site:**Web Site:** www.stronggo.com**Web Site:** www.transpo.com**Web Site:** www.gpaver.com**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414- (800) 426-6933 (612) 623-1700 | Safety Fence Fax: (612) 623-2500 | | 10/10/1999 | R219 |
| Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290 | Safety Grid Fax: (404) 250-9185 | | 5/15/2002 | R337 |

Web Site: www.conwedplastics.com**Web Site:** www.earthtech.com**618.02.01 FLARED GUARDRAIL TERMINAL**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039 | Fleat 350 TL3 Fax: (915) 267-4039 | TL-3 Email: Kaddo@basin-net.net | 1/11/1999 | R055 |

Web Site:

| 618.02.01 | | FLARED GUARDRAIL TERMINAL | | | |
|--|---|---|---|------------------|--|
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | |
| Trinity Industries 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559 | ET Plus; LET Soil Tubes; SRT 350 | TL-3 | 6/9/2004 | R442 | |
| | Fax: (802) 292-2145 | Email: mikel.hooley@trin.net | Web Site: www.trin.net | | |
| 618.02.01a | | TANGENTIAL GUARDRAIL TERMINAL | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | |
| Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039 | SKT 350 TL3 | TL-3 | 2/8/1998 | R181 | |
| | Fax: (915) 267-4039 | Email: Kaddo@basin-net.net | Web Site: | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559 | CAT 350, ET 200 Plus | Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. | 3/30/1997 | R056 | |
| | Fax: (802) 292-2145 | Email: mikel.hooley@trin.net | Web Site: www.trin.net | | |
| 618.02.01b | | GUARDRAIL OFFSET BLOCKS | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | |
| Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- (928) 333-5501 | Offset Block; Glue Laminated Wood Guardrail Posts | Use for W-beam and Tri-beam Guardrails | 3/10/2004 | R426 | |
| | Fax: (928) 333-4403 | Email: snicoll@aslbeams.com | Web Site: | | |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559 | King-Size, King Block | Used with steel post Tri-beam guardrails. | 5/13/2005 | R471 | |
| | Fax: (802) 292-2145 | Email: mike.hooley@trin.net | Web Site: www.trin.net | | |
| 619.02.01 | | FLEXIBLE GUIDE POSTS | | | |
| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> | |
| Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 | CGDU | Minimum Embedment Depth: 450mm (18 inches) | 11/4/1998 | R060 | |
| | Fax: (803) 753-9081 | Email: asansavera@carsonite.com | Web Site: www.carsonite.com | | |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 | Metal Base 248-GP3 | Minimum Embedment Depth: 430 mm (17 inches) | 11/4/1998 | R065 | |
| | Fax: (312) 467-1356 | Email: dsanchez@quixtrans.com | Web Site: www.energyabsorption.com | | |

619.02.01 FLEXIBLE GUIDE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------|------------------------------------|-------------------------------------|------------------|
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757 | TD5500 Earthflex Delineator | | 10/13/2004 | R451 |
| | Fax: (818) 841-5096 | Email: sales@trafficwks.com | Web Site: www.trafficwks.com | |

619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|---|------------------|
| Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 | Island Sentry SMD-615 Surface Mounted K-Marker | | 8/1/1989 | R066 |
| | Fax: (803) 753-9081 | Email: asansavera@carsonite.com | Web Site: www.carsonite.com | |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 | K-Marker; Dura-Post | TL-2 | 11/4/1998 | R068 |
| | Fax: (312) 467-1356 | Email: dsanchez@quixtrans.com | Web Site: www.energyabsorption.com | |
| Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539 | T2 Object Marker | | 6/1/1994 | R067 |
| | Fax: (941) 482-3539 | Email: fsi@flexstake.com | Web Site: | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757 | TD5315 ChannelGard K Marker Type II | Type II | 6/29/2005 | R472 |
| | Fax: (818) 841-5096 | Email: sales@trafficwks.com | Web Site: www.trafficwks.com | |

619.03.01 PRISMATIC ACRYLIC REFLECTORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|-------------------------------------|----------------------------------|---|------------------|
| AKT Corporation 6318 West State Street Wauwatosa WI 53213- (414) 475-5020 | AKT #18 Center Mounted Reflector | | 5/5/1998 | R070 |
| | Fax: (414) 476-3438 | Email: tschoe2992@aol.com | Web Site: www.aktcorp.com | |
| Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- (847) 428-7761 | Center-Mounted Delineator Reflector | | 5/5/1998 | R071 |
| | Fax: (847) 428-7764 | Email: vega7761@aol.com | Web Site: www.vegamoldedproducts.com | |

623.01.01 DYNAMIC MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Daktronics Incorporated 331 32nd Avenue/PO Box 5128 Brookings SD 57006-0128 (605) 697-4067 (605) 697-4061 | Light-Emitting Diode Dynamic Message Sign Assembly Fax: (605) 697-4700 | Type 1 and Type 2 Email: transportation@daktronics.com | 9/14/2004 | R447 |
| | | Web Site: www.daktronicsinc.com | | |
| Skyline Products Incorporated 2903 Delta Drive Colorado Springs CO 80910- (719) 392-9046 (800) 759-9046 | 2070 Light-Emitting Diode Dynamic Message Sign Fax: (719) 392-7107 | Type 1 and Type 2 Email: trafficsystems@skylineproducts.com | 12/1/2005 | R482 |
| | | Web Site: www.skylineproducts.com | | |

623.02.08 SERVICE PEDESTALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- (949) 387-4863 (816) 483-5314 | Metered Service Pedestals Fax: (816) 483-6357 | Email: dstipe@milbankmfg.com | 11/19/2002 | R359 |
| | | Web Site: www.milbankmfg.com | | |
| Myers Power Products 725 East Harrison Street Corona CA 92879- (951) 520-1900 (949) 701-8072 | Service Pedestals Fax: (951) 520-1961 | Email: dianagrootonk@myerspower.com | 9/5/2000 | R270 |
| | | Web Site: www.myerspowerproducts.com | | |
| Pacific Utilities Products 2430 Railroad Street Corona CA 92880- (800) 860-6157 (951) 493-8394 | Service Pedestals Fax: (951) 279-3116 | Email: | 11/19/2002 | R358 |
| | | Web Site: www.pedestals.net | | |
| Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- (916) 395-8800 (916) 952-5088 | Tescoflex Service Pedestals Fax: (916) 429-2817 | Email: cvasey@tescocontrols.com | 9/5/2000 | R269 |
| | | Web Site: www.tescocontrols.com | | |

623.02.11 ALUMINUM POLES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Valmont Lexington 20805 Eaton Avenue Farmington MN 55024- (651) 463-8990 (888) 356-2175 | Aluminum Poles Fax: (651) 463-3349 | (Model Number 291060105T4 w/MD1532P60) Email: bdunsmore@valmont.com | 8/2/1995 | R072 |
| | | Web Site: www.valmont.com | | |

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Carolina High Mast (CHM) 700 East McLeroy Boulevard Suite A Saginaw TX 76179- (682) 286-0046 | 426 Series (Bottom Latching) Fax: (682) 286-0086 Email: bshoemaker@chmindustries.com | | 12/30/2003 | R418 |
| Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- (847) 473-3800 (847) 217-1070 | High Mast Assembly (button latching) Fax: (847) 473-3870 Email: himastltg@aol.com | | 12/30/2003 | R419 |
| Holophane Corporation 8081 Cammeray Drive Citrus Heights CA 95610- (916) 725-1903 | Holophane LD5 Series High Mast Lighting Lowering D Fax: (916) 725-1904 Email: | | 12/30/2003 | R417 |

623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380 | 711, 722, 721 Priority Control System Optical Detector Model Fax: (651) 732-8321 Email: adhollen@mmm.com | Do not mix components, it must be a complete system. | 9/27/2001 | R307 |
| 3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380 | 452, 752 Discimonator Opticom Priority Control Systems Fax: (651) 732-8321 Email: adhollen@mmm.com | Do not mix components, it must be a complete system. | 9/27/2001 | R307 |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 560 Chassis Discimonator Opticom Priority Control Fax: (702) 914-6016 Email: ejdornak@mmm.com | | 9/19/2003 | R408 |
| Tomar 2100 West Obispo Avenue Gilbert AZ 85233- (800) 338-3133 | 2140 & 2080 Tomar Strobecom II System/Strobecom II OSP; Tomar Strobecom II System Card Racks; Strobecom II Optical Preemption Detector Fax: (800) 688-6627 Email: sales@tomar.com | Do not mix components, it must be a complete system. | 9/27/2001 | R309 |

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Diamond Traffic Products PO Box 1455 Oakridge OR 97463- (541) 782-3903 | Brass Linguine Class 1 Fax: (541) 782-2053 Email: sales@diamondtraffic.com | | 10/31/2001 | R312 |
| | | Web Site: www.diamondtraffic.com | | |
| Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- (757) 766-4474 | Roadtrax BL Sensor Brass Linguine Class 1 Fax: (757) 766-4347 Email: robin.fletcher@meas-spec.com | | 5/26/1999 | R183 |
| | | Web Site: www.meas-spec.com | | |

623.02.30e OPTIONAL VEHICLE DETECTOR SEALANTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 | 5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Prirotiy Control System Fax: (651) 732-8321 Email: adhollen@mmm.com | Rubberized Material | 8/5/1998 | R075 |
| | | Web Site: www.3M.com/tcm | | |
| Bondo Corporation 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- (770) 531-1747 | P/N 606 Detector Loop Sealant Fax: (770) 531-7638 Email: Kmoore972Waol.com | | 12/2/2003 | R413 |
| | | Web Site: www.bondo-online.com | | |
| Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 | Loop Detector Sealant 271 & Loop Detector Sealant 272 Fax: (580) 940-1425 Email: sales@crafco.com | Rubberized Asphalt Material | 8/5/1998 | R076 |
| | | Web Site: www.crafco.com | | |
| Durant Paints Incorporated 112 Railroad Street Revere MA 02151- (800) 420-0021 | Stat-a-Flex Polyester Loop Sealant Fax: (781) 289-1405 Email: alosanno@durantcorp.com | Polyester Material | 8/5/1998 | R077 |
| | | Web Site: www.durantcorp.com | | |
| Quikrete Company 7705 Wilbur Way Sacramento CA 95828- (404) 634-9100 | Quikrete Commerical Grade Permanent Blacktop Repair #1701 Fax: (510) 490-2965 Email: tbeeman@quikrete.com | Asphaltic Concrete | 1/1/2001 | R283 |
| | | Web Site: www.quikrete.com | | |
| RAI Products Incorporated PO Box 240772 Charlotte NC 28224- (704) 904-1481 | Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material Fax: (704) 525-1859 Email: john@loopsealant.com | Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material | 8/5/1998 | R079 |
| | | Web Site: www.loopsealant.com | | |

623.02.30e OPTIONAL VEHICLE DETECTOR SEALANTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|-----------------------------|--------------------------------|------------------|
| Reed & Graham Company 690 Sunol Street San Jose CA 95126- (408) 287-1400 | Overkote Loop Filler | Asphaltic Emulsion Material | 8/5/1998 | R078 |
| | <i>Fax:</i> (408) 920-0424 | <i>Email:</i> sal@rginc.com | <i>Web Site:</i> www.rginc.com | |

623.03.01 TRAFFIC SIGNALS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|---|------------------|
| Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- (732) 919-3119 | LED 12" Signal Heads, Pedestrian Signal Heads (all) | All models including Duraled. All models for solid balls. Arrow must be solid. | 3/26/2002 | R330 |
| | <i>Fax:</i> (732) 751-5778 | <i>Email:</i> dboehne@dialight.com | <i>Web Site:</i> www.dialight.com | |
| Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- (602) 344-7770 | LED 12" Signal Heads, Pedestrian Signal Heads | All models including Duraled. All models for solid balls. Arrow must be solid. | 3/26/2002 | R331 |
| | <i>Fax:</i> (602) 344-7771 | <i>Email:</i> dmm@phoenixhighwayproducts.com | <i>Web Site:</i> www.phoenixhighwayproducts.com | |

623.03.15 SIGN LIGHTING FIXTURES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--------------------------------------|-----------------------------------|--|------------------|
| Holophane Corporation PO Box 3004 Newark OH 43058- (530) 676-7071 | Panel Vue Series Sign Lighting | | 1/17/2003 | R382 |
| | <i>Fax:</i> (702) 429-0627 | <i>Email:</i> | <i>Web Site:</i> www.holophane.com | |
| Northern Nevada GE Lighting System 470 South Wilson Drive Chadler AZ 85225- (602) 617-1809 | Versaflood III Induction Signlighter | | 1/17/2003 | R383 |
| | <i>Fax:</i> (480) 664-7166 | <i>Email:</i> steve.farley@ge.com | <i>Web Site:</i> www.gelightingssystem.com | |

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|----------------------------|-----------------------------------|-----------------------------------|------------------|
| Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- (717) 235-2863 | Lumi Trak | | 11/19/2002 | R357 |
| | <i>Fax:</i> (717) 235-5076 | <i>Email:</i> george@lumitrak.com | <i>Web Site:</i> www.lumitrak.com | |

623.05.26 RED LIGHT DETECTORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------|---|--------------------|------------------|
| McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- (760) 727-8100 (760) 734-5027 | Red Light Detector | Fax: (760) 727-8184 Email: cjersey@mccain-inc.com | 7/16/2003 | R399 |
| | | Web Site: www.mccain-inc.com | | |
| Synchronex 1247 Pamona Road Unit 108 Corona CA 92882- (951) 520-8375 (408) 275-8392 | Red Light Detector | Fax: (951) 520-0236 Email: fgirardot@synchronex-usa.com | 7/16/2003 | R400 |
| | | Web Site: www.synchronex-usa.com | | |

624.03.03 REFLECTIVE SHEETING FOR FLAGGER PADDLES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3970 LDP Diamond Grade | Fax: (702) 914-6016 Email: ejdornak@mmm.com | 4/8/1999 | R186 |
| | | Web Site: www.3M.com/tcm | | |
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | T6500 Prismatic High Intensity Reflective Sheeting | Fax: (847) 647-0269 Email: matt.hills@averydennison.com | 4/8/1999 | R187 |
| | | Web Site: www.averydennison.com | | |
| Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570 | Reflexite Fluorescent Orange Super Bright Roll Up | Fax: (800) 895-0951 Email: customer.service@reflexite.com | 4/8/1999 | R185 |
| | | Web Site: www.reflexiteamericas.com | | |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600 | MF-180-36 Masterflex | Fax: (888) 842-2368 Email: bmc@bentmfg.com | 6/15/1998 | R080 |
| | | Web Site: | | |
| Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 | 36 SMDW; Super Duck Channelizer; 436 SDCF | Fax: (803) 943-3375 Email: asansavera@carsonite.com | 6/15/1998 | R081 |
| | | Web Site: www.carsonite.com | | |

625.02.01 CONSTRUCTION FLEXIBLE POSTS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|-----------------|--------------------|------------------|
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 | SH 236SMAD-OS (Post); Dura Post 36" Fax: (312) 467-1356 Email: dsanchez@quixtrans.com | | 6/15/1998 | R084 |
| Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041 | FG 300 Curb System/Surface Mounted Post/Complete System Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com | Surface Mounted | 10/14/1999 | R222 |
| Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539 | Flexstake SM703 Fax: (941) 482-3539 Email: fsi@flexstake.com | | 6/15/1998 | R082 |
| Western Highway Products PO Box 7 Stanton CA 90680- (714) 761-4211 | Repo 36 RPB Fax: (714) 952-2118 Email: info@westernhighway.com | | 6/15/1998 | R086 |

625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154 | FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154 Email: sales@astrooptics.com | | 2/2/1993 | R014 |
| Duraflex Corporation 297 Margaret King Avenue Ringwood NJ 07456- (973) 962-7779 | FlexX 2020 W/75 mm X 75mm Reflective Sheeting Fax: (973) 962-7652 Email: | | 12/17/1997 | R016 |
| Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041 | PCBM 12 & T12 High Impact Barrier Reflector Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com | | 12/17/1997 | R015 |

625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------------------|------------------------------------|-------------------------------------|------------------|
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757 | TD9300 Roadguide; TD9400 Series | | 12/3/2002 | R361 |
| | Fax: (818) 841-5096 | Email: sales@trafficwks.com | Web Site: www.trafficwks.com | |

625.02.03 CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--|------------------|
| Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- (800) 727-9111 (651) 488-8600 | Guardian Solar Powered PCMS, Sign Dot Sign DH1000 | | 2/22/1998 | R088 |
| | Fax: (651) 558-3600 | Email: sales@addco.com | Web Site: www.addco.com | |
| American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- (770) 448-5560 | CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs | | 2/22/1998 | R089 |
| | Fax: (770) 448-8970 | Email: tpaulino@amsig.com | Web Site: www.amsig.com | |
| Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 (204) 885-2580 | CMS 80FM (Solar Powered; Full Matrix Portable) | Solar Powered- Full Matrix Portable Changeable Message Sign | 10/13/2004 | R450 |
| | Fax: (204) 888-2912 | Email: kulbacki.j@enduran.net | Web Site: www.northstartraffic.com | |
| National Signal Corporation 9603 John Street Santa Fe Springs CA 90670- (562) 923-9600 (800) 733-7872 | ER200; ER200T; CMS330 | | 4/10/2000 | R224 |
| | Fax: (562) 923-7555 | Email: NatSignal@aol.com | Web Site: www.nationalsignalinc.com | |
| Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- (972) 278-0553 (972) 278-8683 | Solar Powered Message Board Center | | 2/22/1998 | R094 |
| | Fax: (972) 271-9583 | Email: vseymour@precisionsolarcontrols.co | Web Site: | |
| Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 (888) 488-7446 (418) 654-1303 | Northern Light PCMS | | 2/22/1998 | R095 |
| | Fax: (418) 654-0517 | Email: kim.jack@ver-mac.com | Web Site: www.ver-mac.com | |

625.02.03 CHANGEABLE MESSAGE SIGNS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- (610) 391-8600 (800) 475-5442 | Silent Messenger Solar Powered Fax: (610) 391-8601 Email: customerservice@solartechtechnology.co | | 2/22/1998 | R096 |
| | | Web Site: www.solartech-online.com | | |
| US Traffic Corporation 9603 John Street Santa Fe Springs CA 90670- (800) 733-7872 (562) 923-9600 | Sunray Solar 340; Sunray Solar 345; Sunray Solar 380; Nighthawk 340; Nighthawk 345 Fax: (562) 923-7555 Email: | | 2/22/1998 | R092 |
| | | Web Site: www.ustraffic.net | | |
| Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- (303) 427-5700 (800) 972-0755 | WTLMB-S-LL(A) Changeable Message Sign Fax: (303) 427-5725 Email: scampbell@wanco.com | | 8/5/2002 | R348 |
| | | Web Site: www.wanco.com | | |

625.02.04 TEMPORARY IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- (707) 374-6800 (888) 800-3691 | Absorb 350 Crash Cushion Fax: (707) 374-6801 Email: rkeener@barriersystemsinc.com | TL-3 only; Only use a nine-element design (min) with attachment/transition assembly. | 4/10/2001 | R289 |
| | | Web Site: www.barriersystemsinc.com | | |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181 | Engergite III Module; N-E-A-T System or Quadguard Fax: (312) 467-1356 Email: dsanchez@quixtrans.com | | 9/3/1998 | R102 |
| | | Web Site: www.energyabsorption.com | | |
| SCI Products Incorporated 635 Lucknow Road Harrisburg PA 17110-1635 (800) 327-4417 (630) 377-9100 | SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings | 1/20/2006 | R485 |
| | | Web Site: www.workareaprotection.com | | |
| Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 (775) 358-6005 | Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System Fax: (775) 358-9161 Email: priley@tcsi.biz | | 9/3/1998 | R105 |
| | | Web Site: www.tcsi.biz | | |
| TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137 | Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel Fax: (949) 361-9205 Email: bkulp@traffixdevices.com | Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture drv. | 3/22/2000 | R107 |
| | | Web Site: www.traffixdevices.com | | |

625.02.05 TRUCK MOUNTED ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181 | Safe-Stop TMA (req'd truck weight 7300 to 12,000 k) Fax: (312) 467-1356 | Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.) Email: dsanchez@quixtrans.com | 10/14/1999 | R223 |
| Traffix Devices Incorporated 220 Calle Pinteroesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137 | ScorPion C 10,000 of the TL-3 Design Fax: (949) 361-9205 | TL-3 Required truck weight 9,000 kg (19,842 lb) Email: bkulp@traffixdevices.com | 7/26/2000 | R263 |
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559 | MPS 350 III Fax: (802) 292-2145 | Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.) Email: mikel.hooley@trin.net | 9/3/1998 | R109 |

625.02.06 WATER FILLED BARRIER RAILS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- (818) 982-3600 (909) 772-1424 | Guardian Barrier Water Filled w/350 kit Fax: (818) 982-7742 | (Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph. Email: info@armorcastprod.com | 9/3/1998 | R111 |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181 | Triton Barrier (white colored 6.5 ft sections) Fax: (312) 467-1356 | (White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON. Email: dsanchez@quixtrans.com | 3/30/1997 | R110 |
| Rhino Safety Barriers LLC 2500 Gaspar Avenue Whiting IN 46394- (757) 726-0933 (800) 292-1305 | Rhino Safety Barrier(use the 350 kit with install) Fax: (757) 726-0955 | Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L)); For speeds less than or equal 45 mph:Use 30 m (100 ft) Email: frankranson@msn.com | 3/10/2004 | R427 |
| Yodock Wall Company Incorporated 623 NorthEast 5 Terrace Ft Lauderdale FL 33304- (954) 462-1169 | Model 2001 Fax: (954) 462-6004 | Email: | 8/3/2006 | R494 |

625.02.07 PORTABLE BEACON LIGHT SYSTEM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--------------------------------------|--------------------|------------------|
| K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- (888) 414-3003 (662) 566-7123 | Safety Beacon Light Fax: (662) 566-2025 | Email: timothy@k-kwywtems.com | 6/1/1999 | R207 |
| Web Site: | | | | |

625.03.03 SIGN SUPPORT SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- (270) 527-4200 | Diabond for Highway & Work Zone Signage Fax: (270) 527-1552 | Email: | 5/9/2006 | R489 |
| Web Site: www.alcancompositesusa.com | | | | |
| Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- (800) 333-5641 | Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; Dynalight Sign Stand DL1003W; Uniflex Verticle Portable Sign Stand UF2000 Fax: (503) 364-0340 | Email: ryan@dicktools.com | 2/27/2000 | R238 |
| Web Site: www.dicketools.com | | | | |
| Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295 | C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr, X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring Fax: (607) 734-8783 | Email: info@usa-sign.com | 4/4/2000 | R239 |
| Web Site: www.usa-sign.com | | | | |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050 | SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA Fax: (804) 261-1040 | Email: dchrisman@kormansigns.com | 1/24/2003 | R384 |
| Web Site: www.kormansigns.com | | | | |
| Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050 | SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE Fax: (804) 261-1040 | Email: dchrisman@kormansigns.com | 1/24/2003 | R385 |
| Web Site: www.kormansigns.com | | | | |
| Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- (248) 553-1900 (800) 228-8925 | 4812, 4814CS, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster Fax: (248) 488-5700 | Email: kjackson@mdiworldwide.com | 4/4/2000 | R245 |
| Web Site: www.mdiworldwide.com | | | | |
| Traffix Devices Incorporated 220 Calle Pintosresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137 | Economy Plastic Folding Barricade; Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand; Zephyr Portable Sign Support 48" Fax: (949) 361-9205 | Email: bkulp@traffixdevices.com | 4/3/2000 | R246 |
| Web Site: www.traffixdevices.com | | | | |

625.03.04 BARRICADES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600 | Barricades Type III Plywood Panel; Barricades Type I & Type II Wood or Waffle & Steel Legged; Barricades Type I & Type II All Plastic Universal Fax: (888) 842-2368 Email: bmc@bentmfg.com | With or Without Lights | 3/9/2000 | R250 |
| Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041 | Type III B Barricades; TD2550, TD2650 Works Barricade Type III; Anchor Barricade (Type III B Barricade) Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com | Without signs or lights only. Cannot be used in a configuration that is wider than was tested. | 7/14/2000 | R254 |
| Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- (216) 231-8590 | PST-III (Type III barricade) Fax: (216) 231-2702 Email: wejamieson@plasticsafety.com | | 3/19/2004 | R428 |
| Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- (847) 470-0400 | Sentinel Type III Fax: (847) 470-0420 Email: | Type III | 2/21/2007 | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757 | TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB Fax: (818) 841-5096 Email: sales@trafficwks.com | | 12/3/2002 | R364 |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757 | TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade, TD2550 Work Barricade Type III Fax: (818) 841-5096 Email: sales@trafficwks.com | Barricade Type I and Type II | 7/5/2005 | R475 |
| TraFFix Devices Incorporated 220 Calle Pintesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137 | Economy Plastic Folding Barricade +Sand-filled Bag Fax: (949) 361-9205 Email: bkulp@traffixdevices.com | | 4/3/2000 | R253 |

627.02.01 PROTECTIVE OVERLAY FILM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|---------------------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 1150 Scotchlite Protective Overlay Film Fax: (702) 914-6016 Email: ejdornak@mmm.com | | 5/11/1995 | R112 |
| | | | | Web Site: www.3M.com/tcm |

627.02.01 PROTECTIVE OVERLAY FILM

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | OL1000 Premium Protective Graffiti Overlay Film Fax: (847) 647-0269 | Email: matt.hills@averydennison.com | 9/28/2000 | R271 |
| | | Web Site: www.averydennison.com | | |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (562) 777-1810 (800) 821-4264 | EF-40801 (F-CAL) Fax: (888) 330-7119 | Email: nciusa@nikkalite.com | 5/17/1995 | R113 |
| | | Web Site: www.nikkalite.com | | |
| TradeWinds International PO Box 18498 Long Beach CA 90807-8498 (562) 424-1739 | Krystal Kote CTF Fax: (562) 424-1870 | Email: tradewinds@usa.com | 8/21/2001 | R305 |
| | | Web Site: www.twi-coatings.com | | |

630.02.01 MODULAR UNITS HEADLIGHT GLARE SCREENS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916 | Modular Guidance System Fax: (803) 753-9081 | Email: asansavera@carsonite.com | 10/20/1996 | R114 |
| | | Web Site: www.carsonite.com | | |
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 | Glare Screen System Fax: (312) 467-1356 | Email: dsanchez@quixtrans.com | 7/31/1996 | R117 |
| | | Web Site: www.energyabsorption.com | | |
| Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539 | Glare Screen System Fax: (941) 482-3539 | Email: fsi@flexstake.com | 7/31/1996 | R115 |
| | | Web Site: | | |

632.03.05 RETROREFLECTOMETERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600 | LTL 2000; LTL-X 30-Meter Geometry Retroreflectometer Fax: (336) 475-7900 | Email: flint@flintrtrading.com | 12/26/1999 | R227 |
| | | Web Site: www.flintrtrading.com | | |

632.03.05 RETROREFLECTOMETERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013- (973) 779-5775 (801) 571-3394 | MP 30 Fax: (973) 779-5775 Email: sales@miroluxproducts.com | | 12/26/1999 | R229 |
| | | Web Site: www.miroluxproducts.com | | |
| RoadVista 8581 Aero Drive San Diego CA 92123- (888) 637-2758 (858) 279-6044 | StripeMaster series, MX 30, LaserLux Fax: (858) 576-9286 Email: qadler@roadvista.com | | 5/2/2006 | R484 |
| | | Web Site: www.roadvista.com | | |

633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Alpine Products 550 3rd Street SW Building C Auburn WA 98001- (253) 351-9828 | DDOT ABS Fax: (253) 351-9828 Email: | 100mm (4") Round | 6/2/1999 | R203 |
| | | Web Site: www.alpinemarkings.com | | |
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839 | 929 ABS; Ceramic Fax: (562) 944-2298 Email: sales@apexmarker.com | 100mm (4") Round | 6/1/1999 | R194 |
| | | Web Site: www.apexnv.com | | |
| Glowlite Incorporated 1429 West Harrison Avenue La Habra CA 90631- (562) 587-3534 (626) 336-6086 | Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective Fax: (562) 691-7528 Email: richardfei88@yahoo.com | 100 mm (4") Round | 3/7/2005 | R463 |
| | | Web Site: | | |
| Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- (800) 228-1701 | Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) Fax: (909) 627-0999 Email: hiwaysafety@linkline.com | 100mm (4") Round | 6/1/1999 | R204 |
| | | Web Site: www.hi-waysafety.com | | |
| Interstate Sales 12305 Locksley Lane Auburn CA 95602- (800) 237-7245 (530) 823-6070 | Diamond Back (ABS & Polypropylene) Fax: (530) 823-0994 Email: miket@interstatesales.com | 100mm (4") Round | 6/1/1999 | R193 |
| | | Web Site: www.interstatesales.com | | |
| Novabrite 4647 Gerrilyn Way Suite 230 Livermore CA 94550- (925) 373-1751 | ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow Fax: (519) 846-8393 Email: norman@novabrite.com | 100mm (4") Round | 2/17/2004 | R423 |
| | | Web Site: www.novabrite.com | | |

633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|------------------------------------|------------------------------------|-------------------------------------|------------------|
| Road Creations 14-N Cockleburr Roanoke TX 76262- (310) 378-0528 | RCB4NR Acrylic | 100mm (4") Round | 6/1/1999 | R205 |
| | <i>Fax:</i> | <i>Email:</i> | <i>Web Site:</i> | |
| Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 | TD10000 Series (100 mm (4") Round) | 100mm (4") Round | 12/3/2002 | R363 |
| | <i>Fax:</i> (818) 841-5096 | <i>Email:</i> sales@trafficwks.com | <i>Web Site:</i> www.trafficwks.com | |

633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|------------------------------------|-------------------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 | 290 Durable Raised Pavement Marker | 89mm x 100 mm (3.6" x 4") | 6/1/1999 | R201 |
| | <i>Fax:</i> (702) 914-6016 | <i>Email:</i> ejdornak@mmm.com | <i>Web Site:</i> www.3M.com/tcm | |
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 | 921 AR | 100mm x 100 mm (4" x 4") | 3/25/2001 | R285 |
| | <i>Fax:</i> (562) 944-2298 | <i>Email:</i> sales@apexmarker.com | <i>Web Site:</i> www.apexnv.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 | 911, 953, C88 Permanent Reflective Pavement Markers Ab | 100mm x 100 mm (4" x 4") | 6/1/1999 | R200 |
| | <i>Fax:</i> (800) 555-0217 | <i>Email:</i> klyne@ennispaint.com | <i>Web Site:</i> www.ennispaint.com | |
| Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025 | AA; ARC | 100mm x 100 mm (4" x 4") | 6/1/1999 | R197 |
| | <i>Fax:</i> (740) 929-1114 | <i>Email:</i> dforrer@rayolite.com | <i>Web Site:</i> www.pactecinc.com | |

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|------------------------------------|-------------------------------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 | 948 Recessed Reflective Pavement Markers | 58mm x 119 mm (2.3" x 4.7") | 6/1/1999 | R202 |
| | <i>Fax:</i> (800) 555-0217 | <i>Email:</i> klyne@ennispaint.com | <i>Web Site:</i> www.ennispaint.com | |

633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|-----------------------------|-------------------------------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 944SB Recessed Reflective Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com | 51mm x 100 mm (2 " x 4 ") | 6/1/1999 | R199 |
| | | | Web Site: www.ennispaint.com | |
| Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025 | ARC 2002; ARC 51 2004 Fax: (740) 929-1114 Email: dforrer@rayolite.com | 58mm x 117 mm (2.3" x 4.6") | 6/1/1999 | R198 |
| | | | Web Site: www.pactecinc.com | |

633.02.04 ADHESIVE FOR PAVEMENT MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--|------------------|
| Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242 | Hot Applied Flexible Pavement Marker Adhesive part 34270 Fax: (580) 940-1425 Email: sales@crafco.com | | 6/16/1998 | R119 |
| | | | Web Site: www.crafco.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 836098 Bituminous Adhesive for Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com | | 6/15/1998 | R122 |
| | | | Web Site: www.ennispaint.com | |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600 | Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad Fax: (336) 475-7900 Email: flint@flintrtrading.com | White Color on Plantmix & Black Color on PCCP | 6/15/1998 | R120 |
| | | | Web Site: www.flintrtrading.com | |
| Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000 | Dotstick Bituminous Marker Adhesive Fax: (916) 685-2270 Email: customerservice@henry.com | | 9/29/2003 | R412 |
| | | | Web Site: www.henry.com | |
| Martin Product Sales LLC 300 Christy Place/PO Box 508 South Houston TX 77587-0508 (800) 662-0987 (713) 818-1005 | 172542 Evergrip Bituminous Marker Adhesive Fax: (713) 947-4949 Email: dolly@gsac.net | | 6/15/1998 | R121 |
| | | | Web Site: www.gsac.net | |

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|-------------------------------|--------------------|--|
| APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839 | 924 Longterm Temporary Raised Pavement Marker Fax: (562) 944-2298 Email: sales@apexmarker.com | Temporary Markers w/632 Epoxy | 9/19/1993 | R123 Web Site: www.apexnv.com |
| Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041 | Halftrack Model 25; Halftrack Model 26 Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com | Work Zone Pavement Markers | 2/20/2000 | R256 Web Site: hwysales@filtrona.com |
| Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041 | TOM, TRPM (Temporary Overlay) Raised Pavement Marker Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com | | 10/13/1993 | R125 Web Site: hwysales@filtrona.com |
| Texas Industries LLC 1202 Andrews Laredo TX 78045- (210) 727-2835 (800) 811-4018 | Chip Seal Temporary Markers Fax: (210) 717-1544 Email: | Temporary Markers w/632 Epoxy | 6/15/1998 | R128 Web Site: |

634.03.03a HOT-APPLIED THERMOPLASTIC PAVEMENT MARKINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|----------------|--------------------|--|
| Crown Technology II LLC 35 Industrial Park Drive Woodbury GA 30293- (706) 553-9500 | Tuffline Alkyd Fax: (706) 553-9501 Email: sales@crownpavementmarkings.com | | 1/17/2003 | R381 Web Site: www.crownpavementmarkings.com |

634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|----------------|--------------------|--|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | Flame Tape; ThermaLine Fax: (800) 555-0217 Email: klyne@ennispaint.com | | 6/13/2001 | R301 Web Site: www.ennispaint.com |
| Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600 | Hot TapeTM; Premark® PLUS Fax: (336) 475-7900 Email: flint@flintrtrading.com | | 2/24/2004 | R192 Web Site: www.flintrtrading.com |

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 750 & 780 Wet Reflective Removable Tape | Fax: (702) 914-6016 Email: ejdornak@mmm.com | 5/21/2003 | R390 |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574 | ATM 200 Construction Removable Tape | Fax: (252) 536-4940 Email: brobbins@trafficmarking.com | 6/15/1999 | R134 |
| Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223 (216) 924-6215 | Series 100 Removable | Fax: (702) 649-9237 Email: bjubak@cox.net | 6/15/1999 | R135 |
| PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- (314) 968-2569 | Aztec III Removable | Fax: (314) 968-0494 Email: gregorygibson@birch.net | 6/15/1999 | R136 |
| Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900 | Director 2 Detour Grade | Fax: (931) 388-4039 Email: office.industries@swarco.com | 6/15/1999 | R137 |
| Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- (609) 730-0829 | RW 140 Series; RY 140 Series; R 140 Series | Fax: (609) 730-0838 Email: bjsutker@aol.com | 8/24/2001 | R306 |

637.02.01 OPTIONAL DUST PALLIATIVE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------------|---|--------------------|------------------|
| Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357 | Topein S Emulsion | Fax: (661) 391-1054 Email: jim.ryan@alonusa.com | 2/28/2002 | R328 |
| American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220 | PennzSuppress D Dust Suppressant | Fax: (814) 368-1335 Email: ckimball@amref.com | 5/2/1999 | R140 |

637.02.01 OPTIONAL DUST PALLIATIVE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111 | Road Boss Fax: (800) 527-2101 | 10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss) Email: dnix@arrowmagnolia.com | 10/26/2005 | R443 |
| Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- (972) 758-7454 (972) 880-1438 | Dust Control DC-22 Fax: (972) 596-8418 | Email: dallasroadway@yahoo.com | 6/19/2006 | R492 |
| Enviroad 2606 North Newark Street Portland OR 97217- (800) 536-2650 (503) 595-2650 | Earthbind 100 Fax: (503) 595-2655 | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 Email: don@enviroad.com | 3/17/2003 | R387 |
| Envirotech Services Incorporated 9801 Eastmont Court Reno NV 89521- (775) 246-2626 (800) 369-3878 | Lignin (Ammonium Lignosulfonate) Fax: (775) 742-3963 | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: csherven@envirotechservices.com | 8/26/2003 | R403 |
| Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555 | Fisch-Stik, Terravest Fax: (509) 328-4336 | Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water. Email: rob@fischbachandmore.com | 6/25/1998 | R180 |
| Fluid Tech Incorporated, HAZCO Division 5720 South Arville Street Suite 104 Las Vegas NV 89118- (702) 871-1884 (702) 871-7976 | Trans Seal I Fax: (702) 871-3629 | Application and dilution rates follow manufacturer's instructions. Email: strue@fluid-tech-inc.com | 1/3/2002 | R320 |
| GM Boston Company 412 Fullerton Avenue Newport Beach CA 92663- (949) 722-6799 (949) 533-6799 | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control Fax: (562) 592-0836 | Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area Email: craighoad@gmbostoncompany.com | 6/10/2003 | R324 |
| Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878 | Soiloc-D Dust Suppressant Fax: (770) 455-6531 | Application Rate of Diluted Mixture: 0.35m ² /L (14sq.ft./gal.) Email: hercenv@herculesenvironmental.com | 5/2/1999 | R160 |

637.02.01 OPTIONAL DUST PALLIATIVE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- (330) 456-3121 | EnviroKleen; Soil Sement Fax: (330) 456-3247 | Application Rate: Initial Treatment: 50- 120 sq ft/gal Maintenance Appl: 120- 500 sq ft/gal Email: kim@midwestind.com/custserv@mid | 1/4/2001 | R281 |
| NUE Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767 | Plas-Bond; Solitac Fax: (702) 649-8446 | Should be only used in areas that will not be disturbed by vehicle or foot traffic. Email: morgan@nuequipment.com | 11/13/2000 | R277 |
| NUE Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767 | Plas-Bond; Soiltac Fax: (702) 649-8446 | Should be only used in areas that will not be disturbed by vehicle or foot traffic. Email: morgan@nuequipment.com | 11/13/2000 | R277 |
| Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- (800) 523-9992 (209) 383-3296 | Road OYL; Soil Seal Fax: (209) 383-7849 | Application and dilution rates follow manufacturer's instructions. Email: jphillip@sspc.com | 1/3/2002 | R321 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023 | Plas-Tex; Poly-Tex Fax: (702) 873-0915 | Application and dilution rates follow manufacturer's instructions; vacant land application only. Email: rue@soil-tech.com | 12/10/2003 | R416 |
| Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771 | Plas-Bond; Soiltac Fax: (480) 545-5456 | Application and dilution rates follow manufacturer's instructions. Email: Dorian@Soilworks.com | 9/20/2004 | R448 |
| Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956 | EarthGuard Fiber Matrix Fax: (661) 587-6806 | Application and dilution rates follow manufacturer's instructions. Email: andy@terranovo.com | 11/2/2001 | R314 |
| US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433 | DustrolTM Dust Control Fax: (916) 966-0634 | Email: bfogel@usg.com | 8/28/2006 | R496 |

637.02.01 OPTIONAL DUST PALLIATIVE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- (949) 248-8020 | Dust Control 50 Fax: (949) 248-8023 | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: sales@westernemulsions.com | 8/26/2003 | R402 |
| | | Web Site: www.westernemulsions.com | | |

637.02.02 SILT FENCE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Triangular Silt Dike Company Incorporated 608 Greenwood Drive Midwest City OK 73110-1632 (800) 290-8473 (405) 741-7406 | Triangular Silt Dike Fax: (450) 741-7406 | Email: tsd@coxinet.net | 6/25/1998 | R164 |
| | | Web Site: groach@cox.net | | |
| WebTec Incorporated 6509-C North Park Boulevard Charlotte NC 28216- (800) 438-0027 (704) 398-0954 | TerraTex SC Fax: (704) 394-7946 | Email: terry.hurley@hanesindustries.com | 6/25/1998 | R165 |
| | | Web Site: www.webtecgeos.com | | |

637.02.05 ROADWAY INLET PROTECTION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| ACF Environmental 2831 Cardwell Road Richmond VA 23234- (800) 448-3636 (800) 423-4567 | Siltsack Fax: (804) 246-9737 | Email: dkelly@acfenvironmental.com | 6/25/1998 | R166 |
| | | Web Site: www.acfenvironmental.com | | |
| Bowhead Manufacturing 1011 SW Klickitat Way Suite 104 Seattle WA 98134- (800) 909-3677 | StreamGuard Catch Basin Fax: (888) 234-3677 | Email: kyleem@bowhead.com | 6/25/1998 | R100 |
| | | Web Site: www.shopbowhead.com | | |
| Dandy Products Incorporated PO Box 1980 Westerville OH 43086- (800) 591-2284 (740) 881-2790 | Dandy Curb Bag; Dandy Bag Drainage Control Fax: (740) 881-2791 | Email: dlc@dandyproducts.com | 6/25/1998 | R098 |
| | | Web Site: www.dandyproducts.com | | |
| Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- (888) 382-7458 (404) 558-4513 | SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly Fax: (770) 388-7640 | Email: marcia@siltsaver.com | 12/6/2002 | R366 |
| | | Web Site: www.siltsaver.com | | |

640.02.03a MSE WALLS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290 | ARES Retaining Precast Wall System Fax: (404) 250-9185 Email: bmillier@tensarcorp.com | Permitted only when specified in the contract documents as an acceptable product. | 6/14/1999 | R188 |
| Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 (707) 443-5093 (800) 762-8962 | Reinforced Soil Embankment Wall Fax: (707) 443-2891 Email: suzanne@hilfiker.com | | 9/8/1998 | R141 |
| Reinforced Earth Company, The 1 Orchard Road, Suite 220 Lake Forest CA 92630- (949) 587-3060 | Reinforced Earth MSE Wall & Retained Earth MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com | | 9/8/1998 | R142 |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300 | MSE Plus™ Fax: (831) 430-9340 Email: andrew_mse@pacbell.net | Modified panels required. W24 longitudinal wire not permitted. | 2/9/2000 | R215 |

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Reinforced Earth Company, The 1 Orchard Road, Suite 220 Lake Forest CA 92630- (949) 587-3060 | Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com | Large panels allowed only when noted on the plans. | 2/28/2001 | R291 |
| SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300 | MSE Large Wall Panel Fax: (831) 430-9340 Email: andrew_mse@pacbell.net | Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans. | 8/26/2002 | R351 |

640.02.03c SOUNDWALL SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Cyro Industries 100 Enterprise Drive Rockaway NJ 07866- (800) 223-2976 (973) 442-6102 | Paraglas Soundtop Soundwall Ready Fit Noise Barrie Fax: (973) 442-6113 Email: steve.barrett@degussa.com | Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the | 8/27/2004 | R446 |

640.02.03c SOUNDWALL SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- (707) 938-4516 | Port-O-Wall Soundwall System Fax: (707) 996-5191 Email: rod_allen@port-o-wall.com Web Site: www.port-o-wall.com | This is the general QPL only. The system will be selected based on specific project requirements. | 10/24/2001 | R310 |
| QUILITE International LLC 8616 La Tijera Boulevard Suite 509 Los Angeles CA 90045- (310) 641-7701 | Quilite Noise Barrier Fax: (310) 641-7768 Email: info@quilite.com Web Site: www.quilite.com | This is the general QPL only. The system will be selected based on specific project requirements. | 2/9/2005 | R462 |

640.02.04 MODULAR BLOCK RETAINING WALL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290 | Mesa Retaining Wall Fax: (404) 250-9185 Email: bmiller@tensarcorp.com Web Site: www.earthtech.com | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R337 |
| Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- (251) 990-5761 | Keysystem 1 Modular Block Retaining Wall Fax: (251) 990-5461 Email: keystone@keystonewalls.com Web Site: www.keystonewalls.com | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R168 |
| Reinforced Earth Company, The 1 Orchard Road, Suite 220 Lake Forest CA 92630- (949) 587-3060 | Pyramid Modular Block Retaining Wall Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com Web Site: www.reinforcedearth.com | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002 | R233 |

641.02.01 IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181 | Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 Fax: (312) 467-1356 Email: dsanchez@quixtrans.com Web Site: www.energyabsorption.com | TL-3, "Concrete Foundation Required". May be used for all speed ratings | 4/27/1998 | R144 |
| SCI Products Incorporated 635 Lucknow Road Harrisburg PA 17110-1635 (800) 327-4417 (630) 377-9100 | SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com Web Site: www.workareaprotection.com | TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings | 1/20/2006 | R485 |

641.02.01 IMPACT ATTENUATORS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559 | FastTracc; WideTracc; TraccTrinity; Adiem Attenuating Device Fax: (802) 292-2145 | TL-3 "Concrete Foundation Required". May be used for all speed ratings Email: mikel.hooley@trin.net | 9/9/2003 | R404 |
| | | Web Site: www.trin.net | | |

707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Bondaflex Technologies 1955 Whitetail Lane Woodland WA 98674- (360) 225-3983 (800) 641-0234 | Bondaflex Sil 728SL Fax: (973) 473-4222 | Email: | 8/5/2005 | R476 |
| | | Web Site: www.bondaflex.com | | |
| Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 582-8242 | Roadsaver Silicone SL Sealant Fax: (580) 940-1425 | Email: sales@crafco.com | 10/7/1993 | R148 |
| | | Web Site: www.crafco.com | | |
| Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026 | 890 SL (888 SL replaced w/890 SL) Fax: (866) 735-3668 | Email: stacey.crowder@dowcorning.com | 3/20/1997 | R149 |
| | | Web Site: www.dowcorning.com | | |
| DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561 (651) 748-8414 | DSB 900 SL Self Leveling Silicone Fax: (419) 257-2200 | Email: bjacobus@dsbrown.com | 4/5/2005 | R464 |
| | | Web Site: www.dsbrown.com | | |
| Pecora Corporation 165 Wambold Road Harleysville PA 19438- (215) 723-6051 | Pecora 300 Fax: (215) 721-0286 | Email: | 9/14/2001 | R308 |
| | | Web Site: | | |
| Tremco Incorporated 3735 Green Road Beachwood OH 44122- (800) 321-7906 (216) 292-5000 | Spectrum 900 SL Formula 974831/333 Cartridges Fax: (216) 292-5036 | Email: tscs@tremcoinc.com | 5/31/2002 | R339 |
| | | Web Site: www.tremcosealants.com | | |

714.03.01 COATING SYSTEMS FOR BRIDGES

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000 | Carbocrete Sealer WB (formerly Carboline L3300-76) Waterbased Acrylic Siloxane Con Fax: (314) 644-4617 Email: carbolineUSA@carboline.com Web Site: www.carboline.com | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997 | R151 |
| Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000 | Carboguard 893 (formerly S151); Carbothane 134HS, (formerly Carboline 134HS); Carbothane 134HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com Web Site: www.carboline.com | Part A-Resin; Part B-Catalyst (hardener); 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997 | R151 |
| Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000 | Carbozinc 11 Solvent Based Inorganaic Zinc-Rich Co Fax: (314) 644-4617 Email: carbolineUSA@carboline.com Web Site: www.carboline.com | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997 | R151 |
| International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289 | Inerguard 475HS Field Coat; Interthane Top Coat; Interzinc 22HA Inorganic Zinc Primer Fax: (713) 684-1511 Email: dgriffin@international-pc.com Web Site: www.international-pc.com | | 6/4/2003 | R392 |
| Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646 | BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com Web Site: | | 6/2/2003 | R391 |
| Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646 | B65V150 Sherthane 2K; First Field Coat: B67V5 Primer Coat Recoatable Epoxy Primer; B65 Series Corthane™ II 2-Component Acrylic Modified Polyurethane Coating Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com Web Site: | | 6/2/2003 | R391 |
| Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646 | Shop Coat: Zinc Clad II B69D11OR Zinc Clad II Plus B69VZ13; First Field Coat: Recoatable Epoxy Primer; Top Coat Sherthane 2K Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com Web Site: | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997 | R151 |

716.03.01 REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---------------------------------------|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | RS-24 Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm | For Roll-up Signs Only (NDOT Type VI) | 9/19/2000 | R294 |

716.03.01

REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3924 & 3924S Fluorescent Diamond Grade Sheeting Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Rigid Signs Only (NDOT Type X) | 8/21/2000 | R292 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3983 Diamond Fluorescent VIP (for perm traffic); Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Permanent Traffic Signs (NDOT Type X) | 7/23/2001 | R303 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3924S Fluorescent Orange Diamond Grade Sheeting Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Rigid Signs Only (NDOT Type X) | 6/26/2006 | R493 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 334 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Barricades Only (Type IV) | 12/1/2004 | R459 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3930 Permanent Traffic Signs & Temporary Traffic Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type IV) | 12/1/2004 | R458 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3810 High Intensity Series Fax: (702) 914-6016 Email: ejdornak@mmm.com | For ReboundablePplastic Drums Only (Type III) | 8/21/2000 | R293 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 336 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com | For Barricades Only (Type IV) | 12/1/2004 | R459 |
| | | Web Site: www.3M.com/tcm | | |
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 3870 VIP; 3990 VIP Diamond Grade Type IX Fax: (702) 914-6016 Email: ejdornak@mmm.com | NDOT Type IX | 8/16/2000 | R272 |
| | | Web Site: www.3M.com/tcm | | |

716.03.01

REFLECTIVE SHEETING

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | T5500A Series High Intensity; T7000 Flourescent Reflective Sheeting No | For Permanent and Temporary Traffic Control Devices (Type III) | 9/15/2003 | R406 |
| | Fax: (847) 647-0269 Email: matt.hills@averydennison.com Web Site: www.averydennison.com | | | |
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | S9000C Cone Collar | For Reboundable Traffic Cones Only, Type III | 2/2/2004 | R420 |
| | Fax: (847) 647-0269 Email: matt.hills@averydennison.com Web Site: www.averydennison.com | | | |
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | T6500, W7514 Flourescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting | For Delineators and Permanent Signs Only (Type III) | 8/21/2000 | R298 |
| | Fax: (847) 647-0269 Email: matt.hills@averydennison.com Web Site: www.averydennison.com | | | |
| Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390 | T7500 Prismatic Grade Sheeting | NDOT Type IX | 5/30/2002 | R338 |
| | Fax: (847) 647-0269 Email: matt.hills@averydennison.com Web Site: www.averydennison.com | | | |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264 | Nikkalite ULGH | For Permanent Traffic Signs | 8/16/2000 | R275 |
| | Fax: (888) 330-7119 Email: nciusa@nikkalite.com Web Site: www.nikkalite.com | | | |
| Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264 | 92847 Nikkalite Crystal Flourescent Orange | NDOT Type X | 4/29/2005 | R469 |
| | Fax: (888) 330-7119 Email: nciusa@nikkalite.com Web Site: www.nikkalite.com | | | |
| Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570 | Conformalight; Marathon Type VI | For Roll-up Signs Only (NDOT Type VI) | 9/19/2000 | R295 |
| | Fax: (800) 895-0951 Email: customer.service@reflexite.com Web Site: www.reflexiteamericas.com | | | |
| Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570 | AP1000 | For Delineators, Safety Fencing and Glare Screens Only (Type V) | 8/21/2000 | R297 |
| | Fax: (800) 895-0951 Email: customer.service@reflexite.com Web Site: www.reflexiteamericas.com | | | |

726.03.04 MULCH

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------------|---|--------------------|------------------|
| Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- (800) 654-6117 (785) 883-4600 | Second Nature Paper Fiber Hydrose | Fax: (785) 883-4429 Email: sales@centralfiber.com | 6/25/1998 | R170 |
| | | Web Site: www.centralfiber.com | | |
| Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- (208) 733-9689 | Nature's Own | Fax: (208) 733-9447 Email: patrick@hmi-mfg.com/info@hmi-mfg.c | 6/25/1998 | R172 |
| | | Web Site: www.hmi-mfg.com | | |

726.03.05 TACKIFIER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------|---|--------------------|------------------|
| Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- (800) 654-6117 (785) 883-4600 | TacPac GT | Fax: (785) 883-4429 Email: salex@centralfiber.com | 6/25/1998 | R174 |
| | | Web Site: www.centralfiber.com | | |
| Driwater Incorporated 600 East Todd Road Santa Rosa CA 95407- (707) 588-1444 | Driwater Hydro Mix | Note: Surfaces subject to spill; can be slippery. Fax: (707) 588-1445 Email: mary@driwater.com | 1/3/2001 | R280 |
| | | Web Site: www.driwater.com | | |
| Eastern Products 1162 Sycamore Lane Mahwah NJ 07430- (201) 934-5050 (607) 734-2295 | Ecotak OP Moisture Retainer | Fax: (201) 934-8686 Email: | 6/25/1998 | R176 |
| | | Web Site: | | |
| Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555 | Fisch-Stik, Terravest | Fax: (509) 328-4336 Email: rob@fischbachandmore.com | 6/25/1998 | R177 |
| | | Web Site: www.fischbackandmore.com | | |

726.03.13 SOIL STABILIZER

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------|--|--------------------|------------------|
| Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357 | Topein S Emulsion | Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil Fax: (661) 391-1054 Email: jim.ryan@alonusa.com | 2/24/2004 | R425 |
| | | Web Site: www.alonsashalt.com | | |

726.03.13**SOIL STABILIZER**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Sequoia Pacific Research Company 1192 East Draper Parkway Darper UT 84020- (801) 303-2558 (888) 465-8801 | SoilBIND Fax: (801) 303-2551 | Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic. Email: terry@telnetz.com | 6/23/2003 | R394 |
| Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023 | Plas-Tex; Poly-Tex Fax: (702) 873-0915 | Should be only used in areas that will not be disturbed by vehicle or foot traffic. Email: rue@soil-tech.com | 6/25/1998 | R179 |
| Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771 | Plas-Bond; Soiltac Fax: (480) 545-5456 | Application and dilution rates follow manufacturer's instructions. Email: Dorian@Soilworks.com | 9/20/2004 | R449 |
| Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956 | EarthGuard Fiber Matrix Fax: (661) 587-6806 | Blending, mixing and application method must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by Email: andy@terranovo.com | 11/2/2001 | R315 |
| US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433 | Enviro-ShieldTM Brand Bonded Fiber Matrix Fax: (916) 966-0634 | Email: bfogel@usg.com | 8/28/2006 | R497 |
| US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433 | AirtrolTM Geobinder Fax: (916) 966-0634 | Email: bfogel@usg.com | 8/28/2006 | R498 |

728.03.02**EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 892-1880 (954) 782-2221 | HS200 Fax: (954) 782-2776 | Type I, II, IV and V; Grade 3; Class A Email: rboland@atc.ws | 1/14/2003 | R374 |
| Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 892-1880 (954) 782-2221 | Ultrabond 1100 Fax: (954) 782-2776 | Type I, II, IV and V; Grade 2; Class C Email: rboland@atc.ws | 1/10/2002 | R325 |

728.03.02

EPOXY ANCHORING SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100 | Atlas Epoxy Bonder; LPL Epoxy Bonder Fax: (858) 222-0488 Email: info@atlastechproducts.com | Type I, II, IV and V; Grade 2; Classes B & C | 4/29/2004 | R438 |
| Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439 | Sure Anchor I J-51 Fax: (913) 371-3322 Email: johnkukey@daytonsuperior.com | Type I, II, IV and V; Grade 3; Glass A | 1/14/2003 | R376 |
| Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305 | Duralcrete Fax: (216) 531-9399 Email: rziegler@ | Type I and Type II | 11/8/2005 | R478 |
| Hilti Incorporated 5400 South 122nd Avenue Tulsa OK 74121- (800) 879-8000 (918) 252-6000 | HT RE 500 Fax: (800) 879-7000 Email: us-SalesDiv73@hilti.com | Type IV; Grade 3; Classes A, B & C | 1/2/2002 | R318 |
| ITW Red Head 1300 North Michael Drive Wood Dale IL 60191- (702) 736-1500 (800) 899-7890 | Ceramic 6 Fax: (800) 368-3844 Email: | Type IV; Grade 3; Classes B & C | 5/14/2002 | R336 |
| Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- (914) 235-6300 | Power Fast Epoxy Injection Gel Adhesive Anchoring Fax: (914) 235-1913 Email: engineering@powers.com | Type I, II, IV and V; Grade 3; Classes B & C | 1/4/1998 | R234 |
| Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- (800) 999-5099 (916) 870-7863 | ET22; Epoxy-Tie Resin Adhesive Fax: (209) 234-3868 Email: jlebel@strongtie.com | Type I, II, IV and V; Grade 3; Classes B & C | 1/4/1998 | R236 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700 | Pro-Poxy 400 Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com | Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes | 11/7/2006 | R505 |

728.03.02 EPOXY ANCHORING SYSTEMS

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700 | Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com | Type I, II, IV and V; Grade 3; Class A | 1/14/2003 | R373 |
| Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700 | Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com | Type I and II; Grade 2; Classes B & C | 1/4/1998 | R237 |
| US Anchor 450 East Copans Road Pompano Beach FL 33064- (305) 782-2221 (800) 892-1880 | HS 200 Epoxy Adhesive Fax: (305) 782-2499 Email: | Type I, II, IV and V; Grade 3; Class A | 1/14/2003 | R374 |
| USP Structural Connectors 703 Rogers Drive Montgomery MN 56069- (507) 364-8368 (800) 328-5934 | CIA-GEL 7000 Adhesive Anchors Fax: (507) 364-8762 Email: jtunek@gibraltar1.com | Type I and IV; Grade 3; Classes B, C, & D | 8/8/2000 | R267 |
| WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100 | Rezi Weld 1000 Fax: (707) 747-6206 Email: wrmnc@wrmeadows.com | Type I, II, IV and V; Grade 2; Classes B & C | 2/19/2004 | R424 |

729.02.03 EPOXY PAINT FORMULATION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Colorado Paint Company 4747 Holly Street Denver CO 80216- (303) 388-9265 (303) 722-7380 | 1185 RockHard Catalyst; RockHard 1180 White, 1186LF Rockhard Non Leaded Yellow Fax: (303) 388-0881 Email: markv@coloradopaint.com | | 3/20/2000 | R218 |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | Rockhard HPS-3 White Epoxy Pavement Marker; RockHard 1186 LF (non-lead yellow); Rockhard HPS-3 Leaded Yellow Epoxy Pavement Marker Fax: (800) 555-0217 Email: klyne@ennispaint.com | HPS-3 Yellow Paint contains Organic Yellow Pigment | 8/28/2002 | R352 |
| Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920 | Epoplex LS60 ; Epoplex LS50; Epoplex LS50 B Fax: (856) 779-2963 Email: epoplex@epoplex.com | LS 50LF Yellow Paint contains Organic Yellow Pigment | 12/11/2002 | R369 |

729.02.03 EPOXY PAINT FORMULATION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|------------------------------------|--------------------|------------------|
| Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (919) 990-7985 (877) 477-7623 | HPS-3 Epoxy Pavement Markings (yellow, white); RockHard 1186 LF (non lead yellow) (white) Fax: | Email: jhall@ips-road.com | 7/16/2003 | R397 |
| | | Web Site: www.ips-road.com | | |
| Poly-Carb Incorporated 33095 Bainbridge Road Solon OH 44139- (440) 248-1223 (800) 225-5649 | Mark 55.2 NV; Mark 55.3 White; Mark 55.4; Mark 55.3 Yellow organic Fax: (440) 248-1513 | Email: hemant@poly-carb.com | 10/24/1997 | R131 |
| | | Web Site: www.poly-carb.com | | |

729.02.03d POLYUREA PAINT FORMULATION

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 1200 Liquid Pavement Marking Fax: (702) 914-6016 | Email: ejdornak@mmm.com | 7/16/2003 | R398 |
| | | Web Site: www.3M.com/tcm | | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | HPS-5 Liquid Pavement Markings Fax: (800) 555-0217 | Email: klyne@ennispaint.com | 7/16/2003 | R397 |
| | | Note: This sytem includes Part A - Black | | |
| | | Web Site: www.ennispaint.com | | |
| Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920 | Epoplex LS90 Fax: (856) 779-2963 | Email: epoplex@epoplex.com | 7/16/2003 | R396 |
| | | Note: This sytem includes Part A - Black | | |
| | | Web Site: www.epoplex.com | | |

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Dow Chemical Company 2040 Dow Center Midland MI 48674- (989) 636-2452 (800) 447-4369 | DT250NA; DT400NA Fax: (989) 832-1465 | Email: | 7/19/2002 | R189 |
| | | Web Site: www.dow.com | | |
| Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- (800) 477-7641 (800) 967-7704 | Rhoplex Fastrack 3427 Type I Waterborne Paint; Rhoplex Fastrack HD21 Type II Waterborne Paint Fax: (800) 382-4008 | Email: internet svc store available w/acct set | 11/30/2001 | R316 |
| | | Web Site: www.rohmhaas.com | | |

729.03.05b

RAPID DRY WATERBORNE PAINT MATERIAL

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|-------------------------------------|------------------|
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 982831 NVW-40-M2 White, 982832 NVY-40-M2 Yellow Rapid Dry Waterborne Paint Fax: (800) 555-0217 Email: klyne@ennispaint.com | Type II (Rohm & Haas Rhoplex Fastrack HD-21A) | 4/1/2004 | R434 |
| | | | Web Site: www.ennispaint.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 982831 NVW-HD21-M2 White, 982832 NVY-HD21-M2 Yellow Rapid Dry Waterborne Pain Fax: (800) 555-0217 Email: klyne@ennispaint.com | Type II | 7/30/2002 | R347 |
| | | | Web Site: www.ennispaint.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 2714A9 White, 2715A9 Yellow Rapid Dry Waterborne Paint Type I Fax: (800) 555-0217 Email: klyne@ennispaint.com | Type I | 12/11/2002 | R370 |
| | | | Web Site: www.ennispaint.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 2771A9 White, 2772A9 Yellow Rapid Dry Waterborne Paint Type II Fax: (800) 555-0217 Email: klyne@ennispaint.com | Type II | 12/11/2002 | R371 |
| | | | Web Site: www.ennispaint.com | |
| Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200 | 982831 NVW-HD21-M1 White, 982832 NVY-HD21-M1 Yellow Type II (Rohm & Haas Rhop Fax: (800) 555-0217 Email: klyne@ennispaint.com | Type II (Rohm & Haas Rhoplex Fastrack HD-21A) | 4/1/2004 | R434 |
| | | | Web Site: www.ennispaint.com | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147 | Pervo Plastics 6050 White, Pervo Plastics 6053 Yellow Type II Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com | Type II | 7/30/2002 | R345 |
| | | | Web Site: www.pervo.com | |
| Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147 | Pervo Plastics 6000 White, Pervo Plastics 6003 Yellow Type I Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com | Type I | 7/30/2002 | R344 |
| | | | Web Site: www.pervo.com | |
| Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646 | BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II; B65V150 Sherthane 2K Top Coat Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com | Type II | 7/9/2003 | R395 |
| | | | Web Site: | |

731.03.01 PAVEMENT REINFORCING FABRIC

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| California Paving Fabrics Incorporated 2300 Barney Street Anderson CA 96007- (800) 443-6322 (530) 365-0108 | GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System Fax: (530) 365-0100 Email: cpf@snowcrest.net | | 10/18/2002 | R354 |
| Web Site: www.californiapavingfabrics.co | | | | |

732.03.01 PAVEMENT MARKING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 5730 Stamark Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com | Type I | 9/19/2003 | R407 |
| Web Site: www.3M.com/tcm | | | | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574 | Series 300 Tape Fax: (252) 526-4940 Email: brobbins@trafficmarking.com | Type I | 9/19/2003 | R410 |
| Web Site: www.trafficmarking.com | | | | |
| Brite Line Technologies 3322 Mendocino Forest Las Vegas NV 89122- (702) 649-9223 (702) 649-9237 | Series 1000 Permanent Pavement Marking Tape Fax: (216) 924-6215 Email: bjubak@cox.net | Type I | 5/9/2006 | R486 |
| Web Site: | | | | |
| Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900 | Director 60 Permanent Marking Tape Type I; Director 35 Pavement Marking Tape Type II Fax: (931) 388-4039 Email: office.industries@swarco.com | Type I | 2/17/2004 | R421 |
| Web Site: www.swarco.com | | | | |

732.03.02 PAVEMENT MARKING TAPE

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012 | 420 Stamark Intersection Grade Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com | Type II | 9/19/2003 | R408 |
| Web Site: www.3M.com/tcm | | | | |
| Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574 | Series 400 Tape Fax: (252) 526-4940 Email: brobbins@trafficmarking.com | Type II | 9/19/2003 | R411 |
| Web Site: www.trafficmarking.com | | | | |

| <i>Mfr Name / Address</i> | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|------------------------------|--------------------------------|---------------------------------|------------------|
| 3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 | A3801 Stamark Tape, 381WR-ES | Type II | 9/19/2003 | R409 |
| | <i>Fax:</i> (702) 914-6016 | <i>Email:</i> ejdornak@mmm.com | <i>Web Site:</i> www.3M.com/tcm | |

QPL DB1 NOTES November 8, 2005

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.