

QPL Index

<i>Spec Number *</i>	<i>Product Types</i>	<i>Page Number</i>
213.02.16	BACKFLOW PREVENTER COVERS	001
213.03.05	JOINT COMPOUNDS (FOR IRRIGATION PIPE)	001
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	001
401.02.03a	HERBICIDES	001
401.03.02	ASPHALT RELEASE AGENTS	002
409.03.10	EVAPORATIVE RETARDER	002-003
496.02.01	AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)	003
502.02.01	REFLECTIVE MARKERS (ONE WAY & TWO WAY ON TOP OF BAR)	003
502.02.04	CONCRETE STAIN	004
502.02.05a	ANTI-GRAFFITI COATING (PERMANENT NON-SACRIFICIAL)	004
502.03.13i	JOINT MATERIAL (PERFORMED)	004-005
502.03.13j	ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS	005
502.03.13k	EXPANSION JOINT (SPECIAL)	006
502.03.13l	EXPANSION JOINT SEALANT	006
502.03.19	COATING SYSTEMS FOR BRIDGES (FINE SURFACE FINISH)	006
502.03.20	RETARDANTS (FOR FORMED EXPOSED AGGREGATE FINISH)	006
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	007
505.02.01	EPOXY COATING (FOR STEEL REINFORCING BARS)	007
509.03.09	SYNTHETIC DRILLING SLURRY	008
605.02.01	END SECTIONS (POLYETHYLENE)	008
609.02.01a	CONCRETE PRODUCTS (FAST-SETTING)	008-009
609.02.01b	STORMWATER TREATMENT SYSTEMS	010
609.02.01c	TRENCH DRAIN SYSTEMS	010-011
610.02.01	CELLULAR EROSION CONTROL MATS	011
613.02.01	DETECTABLE WARNINGS	011-012
616.02.01	PLASTIC FENCE FABRIC MATERIAL	012
618.02.01	GUARDRAIL TERMINAL (FLARED)	012
618.02.01a	GUARDRAIL TERMINAL (TANGENTIAL)	013
618.02.01b	GUARDRAIL OFFSET BLOCKS	013
619.02.01	GUIDE POSTS (FLEXIBLE)	013
619.02.01a	OBJECT MARKERS (FLEXIBLE TYPE 2)	014
619.03.01	REFLECTORS (PRISMATIC ACRYLIC)	014
623.01.01	MESSAGE SIGNS (DYNAMIC)	015
623.02.08	SERVICE PEDESTALS	015
623.02.11	ALUMINUM POLES	015
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLIES	016
623.02.29	OPTICAL DETECTOR SYSTEM (FOR EMERGENCY VEHICLES)	016

QPL Index

<i>Spec Number *</i>	<i>Product Types</i>	<i>Page Number</i>
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	017
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	017-018
623.03.01	TRAFFIC SIGNALS	018
623.03.15	SIGN LIGHTING FIXTURES	018
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	018
623.05.26	RED LIGHT DETECTORS	019
624.03.03	REFLECTIVE SHEETING (FOR FLAGGER PADDLES)	019
625.02.01	POSTS (FOR FLEXIBLE CONSTRUCTION)	019-020
625.02.02	REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)	020-021
625.02.03	MESSAGE SIGNS (CHANGEABLE)	021-022
625.02.04	ATTENUATORS (TEMPORARY IMPACT)	022
625.02.06	BARRIER RAILS (WATER FILLED)	023
625.02.07	BEACON LIGHT SYSTEM (PORTABLE)	024
625.03.03	SIGN SUPPORT SYSTEMS	024-025
625.03.04	BARRICADES	025-026
627.02.01	PROTECTIVE OVERLAY FILM	026-027
630.02.01	HEADLIGHT GLARE SCREEN MODULAR UNITS	027
632.03.05	RETROREFLECTOMETERS	027-028
633.02.01	PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)	028-029
633.02.02	PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)	029
633.02.03	PAVEMENT MARKERS (RECESSED REFLECTIVE)	029-030
633.02.04	PAVEMENT MARKERS ADHESIVE	030
633.02.05	LANE LINE MARKERS (TEMPORARY REFLECTIVE)	031
634.03.03a	PAVEMENT MARKING (HOT-APPLIED THERMOPLASTIC)	031
634.03.03b	PAVEMENT MARKING (PREFORMED THERMOPLASTIC)	031
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	032
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	032
637.02.01	DUST PALLIATIVE (OPTIONAL)	032-035
637.02.02	SILT FENCE	035
637.02.05	ROADWAY INLET PROTECTION	035
640.02.03a	MSE WALLS	036
640.02.03b	MSE WALLS (LARGE SIZE 5' x 10' PANELS)	036
640.02.03c	SOUNDWALL SYSTEMS	036-037
640.02.04	RETAINING WALL (MODULAR BLOCK)	037
641.02.01	ATTENUATORS (IMPACT)	037-038
702.03.01c	CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)	038

QPL Index

<i>Spec Number *</i>	<i>Product Types</i>	<i>Page Number</i>
702.03.01d	CURING COMPOUND (PCCP)	038
702.03.04	CURING COMPOUND (BRIDGE DECKS)	039
702.03.05	FLY ASH (TYPE F ONLY)	039
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	040
714.03.01	COATING SYSTEMS FOR BRIDGES	040-041
716.03.01	REFLECTIVE SHEETING	041-043
726.03.04	MULCH	043
726.03.05	TACKIFIER	043-044
726.03.13	SOIL STABILIZER	044-045
728.03.02	EPOXY ANCHORING SYSTEMS	046-047
729.02.03	PAINT FORMULATION (EPOXY)	047-048
729.02.03d	PAINT FORMULATION (POLYUREA)	048
729.03.05a	PAINT MATERIAL RESIN (RAPID DRY WATERBORNE)	048-049
729.03.05b	PAINT MATERIAL (RAPID DRY WATERBORNE TYPE 1)	049
729.03.05c	PAINT MATERIAL (RAPID DRY WATERBORNE TYPE 2)	049
731.03.01	PAVEMENT REINFORCING FABRIC	050
732.03.01	PAVEMENT MARKING TAPE (TYPE 1)	050
732.03.02	PAVEMENT MARKING TAPE (TYPE 2)	050-051
732.03.03	PAVEMENT MARKING TAPE (TYPE 4)	051
Categories without Vendors		
213.02.18	FILTRATION SYSTEMS (TYPE C)	
401.02.03B	WEED CONTROL FABRIC	
623.02.16	CONDUIT DUCT SEALING COMPOUND	
627.02.01a	SIGNS (POLYCARBONATE)	

QUALIFIED PRODUCTS LIST (QPL)

213.02.16 BACKFLOW PREVENTER COVERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- (800) 729-1314	ALHPI 60; SBBC 50		5/26/1998	R002, R003
	Fax: (888) 310-3946	Email: kim@vitproducts.com	Web Site: www.vitproducts.com	

213.03.05 JOINT COMPOUNDS (FOR IRRIGATION PIPE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055- (713) 263-8001	RectorSeal #5		8/2/1999	R189
	Fax: (800) 441-0051	Email:	Web Site: www.rectorseal.com	

214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022- (303) 286-7051 (888) 267-6463	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R487
	Fax: (303) 287-0109	Email: jennie@s-squaretube.com	Web Site: www.s-squaretube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- (262) 814-7000 (800) 444-0331	V-LOC Mailbox Support System		11/4/1997	R006
	Fax: (262) 814-7017	Email: bryane@tapconet.com	Web Site: www.tapconet.com/vloc	

401.02.03a HERBICIDES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- (281) 892-2500	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R007
	Fax: (281) 892-2501	Email:	Web Site: www.controlsolutionsinc.com	
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- (800) 263-1196 (317) 337-3000	Spike 80 W	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R008
	Fax: (317) 337-4488	Email: jshong@dow.com	Web Site: www.dowagro.com	

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Super Slick Bio; Slider Fax: (800) 527-2101 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R494, R495
BG Chemical LP PO Box 720025 Dallas TX 75372- (800) 725-8470	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide Fax: (214) 826-7290 Email: jgunter@bgchemical.com		5/8/2000	R260, R261, R262
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- (888) 747-4101	SPX-7 Fax: (770) 386-3391 Email: synthetic@pipeline.com	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000	R263
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- (800) 688-6221 (417) 866-5592	Enviro-Slide Ultra Fax: (417) 866-5593 Email: bhamilton@rhomar.com		4/26/2000	R259
Tec-Team Industries 626 Brooks Rackley Road Dallas GA 30157- (678) 383-8107	Teclon-Pro Fax: (770) 443-0810 Email: kptectm@bellsouth.net		11/7/2006	R562
ZEP Manufacturing Company 25224 S Schulte Road Tracy CA 95377- (209) 830-5110 (916) 390-2726	R-5274, R-6690; Zep E2008 (XT-3199) Fax: (209) 830-5124 Email: chad.pope@zepmfg.com		5/11/2006	R368, R369, R370

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100	Atlas Finish Film Fax: (858) 222-0488 Email: info@atlastechproducts.com		1/29/2003	R419
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- (800) 433-9517 (800) 628-9990	Confilm Fax: (800) 496-6067 Email: steve.peterson@degussa.com	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R192
			Web Site: www.atlasform.com	
			Web Site: www.basf-admixtures.com	

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dayton Superior Specialty Chemical Corporation 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439	SureFilm J-74 Finishing Aid Fax: (913) 371-3322	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal Email: johnkukey@daytonsuperior.com	8/2/1999	R190
		Web Site: www.daytonsuperiorchemical.c		
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 (410) 354-8600 (800) 637-6372	VaporAid 060 Fax: (410) 354-1122	Email: 222.kaufmanproducts.net	8/2/1999	R191
		Web Site: www.kaufmanproducts.net		
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- (215) 332-7709 (888) 839-2661	Certi-Vex Envioassist Evaporative Retarder Fax: (215) 332-9997	Application rate:4.9 m2/1 to 200 ft2/gal Email: dmanuel@vexcon.com	8/2/1999	R193
		Web Site: www.vexcon.com		
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Sealtight Evapre Evaporative Retarder Fax: (707) 747-6206	Application rate: 1gal/to 9gal water Email: wrmnc@wrmeadows.com	8/1/1999	R194
		Web Site: www.wrmeadows.com		

496.02.01 AGGREGATES (FOR POLYMER CONCRETE PREBAGGED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cemex 6601 Knoll Center Parkway #300 Pleasanton CA 94566- (925) 426-8787 (800) 227-5186	Aggregate Fax:	Email:	1/26/1997	R014
		Web Site: www.cemex.com		
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98055- (425) 228-2120	Aggregate, Sand Fax: (425) 228-2199	Email: mineralco@aol.com	1/26/1997	R012
		Web Site: www.mineralco.com		

502.02.01 REFLECTIVE MARKERS (ONE WAY & TWO WAY ON TOP OF BAR)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154	FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154	Email: sales@astrooptics.com	2/2/1993	R004, R005
		Web Site: www.astrooptics.com		

502.02.04 CONCRETE STAIN

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 (954) 581-0771 (954) 205-5117	Rainstopper Silicone-Acrylic Concrete Stain	Fax: (954) 581-9516 Email: DB1TCA@aol.com	4/12/2005	R520
United Coatings 19011 East Cataldo Spokane Valley WA 99016- (800) 541-4383 (509) 926-7143	Canyon Tone Stain	Fax: (509) 928-1116 Email: shawn@unitedcoatings.com	4/12/2005	R519

502.02.05a ANTI-GRAFFITI COATING (PERMANENT NON-SACRIFICIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy UT 84070- (801) 255-9505 (800) 676-5963	GSS-10 Anti Graffiti Coating	Fax: (801) 255-7123 Email: gregg@americanpolymer.com	10/10/2005	R541

502.03.13i JOINT MATERIAL (PERFORMED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Chase Construction Products 112 Morris Road Schenectady NY 12304- (518) 344-7777 (800) 356-6007	Phyzite 380	Fax: (518) 346-1110 Email: tech@chasecorp.com	5/23/1999	R160
Chase Construction Products 112 Morris Road Schenectady NY 12304- (800) 356-6007 (518) 344-7777	MetaZeal A.J.	Fax: (518) 346-1110 Email: teck@chasecorp.com	5/3/1999	R009
Polytite Manufacturing Corporation 4226 Kansas Avenue Kansas City KS 66106- (877) 416-3439	Polytite N	Fax: (913) 371-3330 Email: johnhukey@daytonsuperior.com	5/3/1999	R010
RJ Watson Incorporated 78 John Glenn Drive Amherst NY 14228- (716) 691-3301	Silicoflex	Fax: (716) 691-3305 Email: mstafford@rjwatson.com	12/7/2000	R276

502.03.13i JOINT MATERIAL (PERFORMED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Schul International 1 Industrial Park Drive Pelham NH 03076- (800) 848-1120	Will Seal 600 Fax: (603) 889-6874	Email: info@schul.com	6/4/2002	R347
		Web Site: www.willfieldusa.com		
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- (419) 424-0888	W Seal Fax: (419) 424-5959	Email: warren@techstar-inc.com	5/3/1999	R131
		Web Site: www.techstarinc.com		
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566	Wabo® Evazote UV Fax: (716) 691-9239	Email: debbie.steiger@degussa.com	8/2/2006	R552
		Web Site: www.wbacorp.com		
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566	JEENE® Structural & Sealing Joint Fax: (716) 691-9239	Email: debbie.steiger@degussa.com	5/3/1999	R011
		Web Site: www.wbacorp.com		

502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561	Matrix 502 Pave Tech Fax: (419) 257-2200	Email: ldurain@dsbrown.com	6/5/1997	R198
		Web Site:		
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- (570) 546-6041	BJS Thorma Joint Systems Fax: (570) 546-2415	Email:	9/19/2002	R360
		Web Site: www.DSA-Ltd.com		
SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538	Koch BJS Joint System Fax: (208) 336-0135	Email: barret2r@semgrouplp.com	1/6/1998	R024
		Web Site:		
Wyoming Equipment Sales 281 West Sixth Street West Syoming PA 18644-0287 (570) 693-2810	APJ Asphalt Plug Joint System Fax: (570) 613-0384	Email: jad.bus@verizon.com	12/1/2005	R535
		Web Site:		

502.03.13k EXPANSION JOINT (SPECIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- (800) 888-8909 (918) 587-5567	Dow 902 XJS Joint System Fax: (918) 582-7510	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when Email: dale.baker@ssicm.com	4/22/2002	R212
Web Site:				

502.03.13l EXPANSION JOINT SEALANT

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026	902 RCS Fax: (866) 735-3668	Email: stacey.crowder@dowcorning.com	4/22/2002	R339
Web Site: www.dowcorning.com				
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922	Wabo® Silicone Seal - Two Part Sealant Fax: (716) 691-9239	Email: debbie.steiger@degussa.com	4/22/2002	R340
Web Site: www.wbacorp.com				

502.03.19 COATING SYSTEMS FOR BRIDGES (FINE SURFACE FINISH)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 862-2667 (702) 236-5832	Tammscoat Fine Fax: (815) 522-2323	Email: rziegler@euclidchemical.com	9/4/2007	R567
Web Site: www.euclidchemical.com				
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 218 Fort Lauderdale FL 33312-5371 (954) 581-0771 (954) 205-5117	XL70 Bridge Cote Fax: (954) 581-9516	Email: DB1TCA@aol.com	9/4/2007	R568
Web Site: www.texcote.com				

502.03.20 RETARDANTS (FOR FORMED EXPOSED AGGREGATE FINISH)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379- (800) 327-1570 (800) 433-9517	Preco Hi-V; Preco Tuf-cote Fax: (800) 496-6067	Email: jasonlambright@degussa.com	8/17/1999	R196, R197
Web Site: www.degussabuildingsystems.				

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242	Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone Fax: (580) 940-1425 Email: sales@crafco.com	1/7/1998	R020
Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000	Calseal	 Fax: (916) 685-2270 Email: customerservice@henry.com	9/8/1998	R025
Maxwell Products Incorporated 650 DeLong Street Salt Lake City UT 84104- (801) 972-2090	Elastoflex 44; Elastoflex 56	 Fax: (801) 972-5536 Email: dale@maxwellproducts.com	1/6/1998	R022, R023
SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538 (208) 890-4525	Koch 9000	 Fax: (208) 336-0135 Email: barret2r@semgroupplp.com	1/6/1998	R021

505.02.01 EPOXY COATING (FOR STEEL REINFORCING BARS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- (713) 939-4000 (713) 696-4669	7-2719 Nap Guard Epoxy Coating	 Fax: (713) 939-4025 Email: varughese@dupontpowder.com	1/18/2001	R281
International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289	HD33 Interpon; HD-34 Fusion Bond	 Fax: (432) 332-8806 Email: dgriffin@international-pc.com	1/1/1996	R026, R027
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- (216) 631-2002 (800) 231-2002	1295 E-90 Pow Dax; Scotch Kote 413	 Fax: (216) 631-6211 Email:	1/1/1996	R029, R030
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- (816) 421-7400	Lilly Greenbar #720A009	 Fax: (816) 421-4563 Email:	1/1/1996	R028

509.03.09 SYNTHETIC DRILLING SLURRY

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CETCO Drilling Products Group 1350 West Shure Drive Arlington Heights IL 60004- (847) 392-5800	Shore Pac GCV Fax:	Email:	9/25/2006	R559
Geo-Tech Drilling Fluids 220 North Zapata Highway Suite 11A Laredo TX 78043- (210) 587-4758	Novagel Polymer Fax:	Email:	9/25/2006	R558
KB Technologies Ltd 3648 FM 1960 West Suite 107 Houston TX 77068- (800) 525-5237	SlurryPro CDP Fax:	Email:	9/25/2006	R561
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Avenue Paramount CA 90723- (562) 634-8180	Super Mud Fax:	Email:	9/25/2006	R560

605.02.01 END SECTIONS (POLYETHYLENE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Advanced Drainage Systems Incorporated 4640 Trueman Boulevard Hilliard OH 40326- (800) 733-7473 (614) 658-0050	ADS End Section - Flared HDPE Culvert End Sections Fax: (614) 658-0203	Email: bob.slicker@ads-pipe.com	10/28/1995	R031
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- (801) 278-3453	Hi-Q Flared End Section Fax: (206) 309-0634	Email: llistello@hancor.com	10/28/1995	R033

609.02.01a CONCRETE PRODUCTS (FAST-SETTING)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- (310) 834-3401	American Highway Patch II Fax: (514) 689-3133	Email: perry.edmundson@daytonsuperior.co	9/30/1996	R036
			Web Site: americanhighwaytechnologies.	

609.02.01a CONCRETE PRODUCTS (FAST-SETTING)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- (800) 929-3030 (714) 348-1946	Rapid Set DOT Repair Mix Fax: (714) 379-8270 Email: fsenatore@ctscement.com		1/27/1994	R039
Dayton Superior Specialty Chemical Corporation 4226 Kansas Avenue Kansas City KS 55106- (800) 745-3707 (877) 416-3439	Burke DOT Patch (928 Fast Patch), HD50 Fast Setting Concrete Fax: (913) 371-3322 Email: johnhukey@daytonsuperior.com		9/30/1996	R037, R038
Degussa Building System 889 Valley Park Drive Shakopee MN 55379- (800) 433-9517 (952) 496-6000	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar Fax: (800) 496-6067 Email: steve.peterson@degussa.com		1/3/2002	R385, R386, R387
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar Fax: (216) 531-9399 Email: blewis@euclidchemical.com		9/30/1996	R040, R041, R042, R043, R044
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar Fax: (216) 531-9399 Email: rziegler@euclidchemical.com	Conforms with ASTM C-928	11/8/2005	R537, R538, R539
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- (800) 243-2206 (203) 336-7900	Highway Patch & Structural Concrete Fax: (203) 336-7930 Email:		9/30/1996	R034
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656- (949) 470-3225 (949) 246-4177	High Performance Concrete Mix Fax: (949) 470-3883 Email: johncollins@concreterepair.com		1/3/2002	R322
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- (866) 827-8727 (410) 821-1503	HP Cement Fax: (410) 561-8771 Email: laura@uscproducts.com		10/22/2004	R507
				Web Site: www.concreterepairmaterials.c

609.02.01b STORMWATER TREATMENT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- (775) 831-4592 (800) 229-7283	BaySaver Fax: (775) 831-4592 Email: edjfranklin@aol.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R284
CDS Technologies 16360 Monterey Road Suite 250 Morgan Hill CA 95037- (408) 779-6363 (800) 469-7162	CDS Stormwater Treatment System Fax: (408) 782-0721 Email: cds@cdtech.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R283
Contech Stormwater Solutions 3498 Celar Court Rancho Cordova CA 95670- (800) 548-4667 (916) 635-0760	StormFilter & Vortechs Stormwater Treatment System Fax: (916) 635-0764 Email: ericksonn@contech-cpi.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R447, R448
Jensen Precast 6704 Meadowlark Court Lino Lakes MN 55038- (651) 415-1252	Stormwater Interceptor Fax: (651) 415-1090 Email: SPhelps@jensenprecast.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R548
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- (775) 358-4430 (775) 745-0605	Stormceptor Fax: (775) 355-1982 Email: dcatterson@rinker.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R286
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 (877) 687-7473 (610) 316-0957	Inceptor Fax: (610) 687-6327 Email: robert@stormdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R348

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806	A-67 Interceptor; Polydrain Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R394, R395
ABT Incorporated 259 Murdock Road/PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806	HD 200 & MD 200 Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com		8/28/2006	R556, R557

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ACO Polymer Products Incorporated 4200 Finch Road Modesto CA 95357- (888) 490-9552 (209) 204-0988	S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage Fax: (209) 574-1014 Email: jwhite@aco-online.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R396, R397, R398, R399, R290
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- (800) 433-1119	MultiDrain Surface Drainage Systems; EconoDrain Systems Fax: (704) 508-1011 Email: steve.born@multidrainssystems.com	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R492, R493
Strongwell 301 County Airport Road Vacaville CA 95688- (800) 346-3061 (707) 452-9920	Polycast 900 Series Grates (Removeable); Polycast 3000 Z886 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F) Fax: (650) 992-7100 Email: tbeattie@strongwell.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/13/2005	R512, R513, R514
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 (716) 665-1132	Z-886 (6" Wide); Z-882 (12" Wide) Fax: (716) 665-1135 Email: bill.ousley@zurn.com	This is the general QPL only. System will be selected based on project-specific requirements.	3/28/2003	R421, R422

610.02.01 CELLULAR EROSION CONTROL MATS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008- (760) 431-2452 (619) 417-8024	Armorflex Fax: (760) 431-2453 Email: eric@attilacorp.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R332
Contech 10343 Perfect Parsley Las Vegas NV 89123- (303) 431-8999	Petraflex Fax: (702) 740-5560 Email: mbaldwin@contech-epi.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/28/2002	R333

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
N-Direct Distribution 1833 East Baseline Road Suite 247 Gilbert AZ 85233- (480) 226-2074 (480) 226-2074	CAST-in-TACT Fax: (530) 878-2440 Email: bill@n-dir.com	Concrete Panel, Red Brick for dark on light	3/26/2004	R485

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Strong Go 3296 East Hemisphere Loop Tucson AZ 85706- (877) 254-1259	TekWay Dome Tile	Terracotta for dark on light, Green for light on dark Fax: (520) 547-3515 Email: gmiller@stronggo.com Web Site: www.stronggo.com	11/27/2006	R564
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark Fax: (914) 636-1282 Email: achawalwala@transpo.com Web Site: www.transpo.com	3/26/2004	R484
Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601- (800) 947-2837 (330) 823-1610	Truncated Dome ADA Pavers	Concrete Paver, #30 Clear Red for dark on light Fax: (330) 823-5502 Email: info@wgpaver.com Web Site: www.gpaver.com	3/26/2004	R486

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414- (800) 426-6933 (612) 623-1700	Safety Fence		10/10/1999	R202
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	Safety Grid		5/15/2002	R342
		Fax: (612) 623-2500 Email: customer.service@conwedplastics.co Web Site: www.conwedplastics.com		
		Fax: (949) 488-7084 Email: bmiller@tensarcorp.com Web Site: www.tensarcorp.com		

618.02.01 GUARDRAIL TERMINAL (FLARED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039	Fleat 350 TL3	TL-3 Fax: (915) 267-4039 Email: Kaddo@basin-net.net Web Site:	1/11/1999	R045
Trinity Industries 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	ET Plus; LET Soil Tubes; SRT 350	TL-3 Fax: (802) 292-2145 Email: mikel.hooley@trin.net Web Site: www.trin.net	6/9/2004	R499, R500, R501

618.02.01a GUARDRAIL TERMINAL (TANGENTIAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039	SKT 350 TL3 Fax: (915) 267-4039	TL-3 Email: Kaddo@basin-net.net	2/8/1998	R159
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	CAT 350, ET 200 Plus Fax: (802) 292-2145	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. Email: mikel.hooley@trin.net	3/30/1997	R046, R047

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- (928) 333-5501	Offset Block; Glue Laminated Wood Guardrail Posts Fax: (928) 333-4403	Use for W-beam and Tri-beam Guardrails Email: snicoll@aslbeams.com	3/10/2004	R480, R481
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	King-Size, King Block Fax: (802) 292-2145	Used with steel post Tri-beam guardrails. Email: mike.hooley@trin.net	5/13/2005	R523, R524

619.02.01 GUIDE POSTS (FLEXIBLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	CGDU Fax: (803) 753-9081	Minimum Embedment Depth: 450mm (18 inches) Email: asansavera@carsonite.com	11/4/1998	R048
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Metal Base 248-GP3 Fax: (312) 467-1356	Minimum Embedment Depth: 430 mm (17 inches) Email: dsanchez@quixtrans.com	11/4/1998	R049
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD5500 Earthflex Delineator Fax: (818) 841-5096	 Email: sales@trafficwks.com	10/13/2004	R506

619.02.01a OBJECT MARKERS (FLEXIBLE TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	Island Sentry SMD-615 Surface Mounted K- Marker Fax: (803) 753-9081 Email: asansavera@carsonite.com		8/1/1989	R050
			Web Site: www.carsonite.com	
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Dura Post Type 2 K-Marker; Dura-Post 36" Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	TL-2	11/4/1998	R052, R053
			Web Site: www.energyabsorption.com	
Filtrona Extrusion Incorporated 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	Type K marker Fax: (253) 284-8080 Email: BillDaly@filtrona.com		9/13/2007	R576
			Web Site: Filtrona.com	
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	T2 Object Marker Fax: (941) 482-3539 Email: fsi@flexstake.com		6/1/1994	R051
			Web Site:	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD 5215 K Marker Fax: (818) 841-5096 Email: sales@trafficwks.com	Type 2	9/4/2007	R566
			Web Site: www.trafficwks.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD5315 ChannelGard K Marker Type II Fax: (818) 841-5096 Email: sales@trafficwks.com	Type II	6/29/2005	R525
			Web Site: www.trafficwks.com	

619.03.01 REFLECTORS (PRISMATIC ACRYLIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
AKT Corporation 6318 West State Street Wauwatosa WI 53213- (414) 475-5020	AKT #18 Center Mounted Reflector Fax: (414) 476-3438 Email: tschoe2992@aol.com		5/5/1998	R054
			Web Site: www.aktcorp.com	
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- (847) 428-7761	Center-Mounted Delineator Reflector Fax: (847) 428-7764 Email: vega7761@aol.com		5/5/1998	R055
			Web Site: www.vegamoldedproducts.com	

623.01.01 MESSAGE SIGNS (DYNAMIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Daktronics Incorporated 331 32nd Avenue/PO Box 5128 Brookings SD 57006-0128 (605) 697-4067 (605) 697-4061	Light-Emitting Diode Dynamic Message Sign Assembly Fax: (605) 697-4700	Type 1 and Type 2 Email: transportation@daktronics.com	9/14/2004	R503
			Web Site: www.daktronicsinc.com	
Skyline Products Incorporated 2903 Delta Drive Colorado Springs CO 80910- (719) 392-9046 (800) 759-9046	2070 Light-Emitting Diode Dynamic Message Sign Fax: (719) 392-7107	Type 2 Email: trafficsystems@skylineproducts.com	12/1/2005	R540
			Web Site: www.skylineproducts.com	

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- (949) 387-4863 (816) 483-5314	Metered Service Pedestals Fax: (816) 483-6357		11/19/2002	R367
			Web Site: www.milbankmfg.com	
Myers Power Products 725 East Harrison Street Corona CA 92879- (951) 520-1900 (949) 701-8072	Service Pedestals Fax: (951) 520-1961		9/5/2000	R267
			Web Site: www.myerspowerproducts.com	
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- (800) 860-6157 (951) 493-8394	Service Pedestals Fax: (951) 279-3116		11/19/2002	R366
			Web Site: www.pedestals.net	
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- (916) 395-8800 (916) 952-5088	Tescoflex Service Pedestals Fax: (916) 429-2817		9/5/2000	R266
			Web Site: www.tescocontrols.com	

623.02.11 ALUMINUM POLES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Valmont Lexington 20805 Eaton Avenue Farmington MN 55024- (651) 463-8990 (888) 356-2175	Aluminum Poles Fax: (651) 463-3349	(Model Number 291060105T4 w/MD1532P60) Email: bdunsmore@valmont.com	8/2/1995	R056
			Web Site: www.valmont.com	

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carolina High Mast (CHM) 700 East McLeroy Boulevard Suite A Saginaw TX 76179- (682) 286-0046	426 Series (Bottom Latching) Fax: (682) 286-0086 Email: bshoemaker@chmindustries.com		12/30/2003	R469
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- (847) 473-3800 (847) 217-1070	High Mast Assembly (button latching) Fax: (847) 473-3870 Email: himastltg@aol.com		12/30/2003	R470
Holophane Corporation 8081 Cammeray Drive Citrus Heights CA 95610- (916) 725-1903	Holophane LD5 Series High Mast Lighting Lowering D Fax: (916) 725-1904 Email:		12/30/2003	R468

623.02.29 OPTICAL DETECTOR SYSTEM (FOR EMERGENCY VEHICLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380	711, 722, 721 Priority Control System Optical Detector Model Fax: (651) 732-8321 Email: adhollen@mmm.com	Do not mix components, it must be a complete system.	9/27/2001	R308, R309, R310
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	560 Chassis Discimonator Opticom Priority Control Fax: (702) 914-6016 Email: ejdornak@mmm.com		9/19/2003	R459
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380	452 & 752 Discimonator Opticom Priority Control Systems Fax: (651) 732-8321 Email: adhollen@mmm.com	Do not mix components, it must be a complete system.	9/27/2001	R306, R307
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- (800) 338-3133	2140 & 2080 Strobecom II System/Strobecom II OSP; Strobecom II System Card Racks; Strobecom II Optical Preemption Detector Fax: (800) 688-6627 Email: sales@tomar.com	Do not mix components, it must be a complete system.	9/27/2001	R312, R313, R314, R315, R204

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- (541) 782-3903	Brass Linguine Class 1 Fax: (541) 782-2053	Email: sales@diamondtraffic.com	10/31/2001	R317
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- (757) 766-4474	Roadtrax BL Sensor Brass Linguine Class 1 Fax: (757) 766-4347	Email: robin.fletcher@meas-spec.com	5/26/1999	R161
		Web Site: www.diamondtraffic.com		
		Web Site: www.meas-spec.com		

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Prirotiy Control System Fax: (651) 732-8321	Rubberized Material Email: adhollen@mmm.com	8/5/1998	R057, R058
Bondo Corporation 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- (770) 531-1747	P/N 606 Detector Loop Sealant Fax: (770) 531-7638	Email: Kmoore972Waol.com	12/2/2003	R465
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406	271 & 272 Loop Detector Sealant Fax: (580) 940-1425	Rubberized Asphalt Material Email: sales@crafco.com	8/5/1998	R059, R060
Durant Paints Incorporated 112 Railroad Street Revere MA 02151- (800) 420-0021	Stat-a-Flex Polyester Loop Sealant Fax: (781) 289-1405	Polyester Material Email: alosanno@durantcorp.com	8/5/1998	R061
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- (404) 634-9100	Quikrete Commerical Grade Permanent Blacktop Repair #1701 Fax: (510) 490-2965	Asphaltic Concrete Email: tbeeman@quikrete.com	1/1/2001	R280
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- (704) 904-1481	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material Fax: (704) 525-1859	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material Email: john@loopsealant.com	8/5/1998	R063, R064
		Web Site: www.loopsealant.com		

623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reed & Graham Company 690 Sunol Street San Jose CA 95126- (408) 287-1400	Overkote Loop Filler Fax: (408) 920-0424	Asphaltic Emulsion Material Email: rick@rginc.com	8/5/1998	R062
			Web Site: www.rginc.com	

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- (732) 919-3119	LED 12" Signal Heads, Pedestrian Signal Heads (all) Fax: (732) 751-5778	All models including Duraled. All models for solid balls. Arrow must be solid. Email: dboehne@dialight.com	3/26/2002	R335, R336
			Web Site: www.dialight.com	
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- (602) 344-7770	LED 12" Signal Heads, Pedestrian Signal Heads Fax: (602) 344-7771	All models including Duraled. All models for solid balls. Arrow must be solid. Email: dmm@phoenixhighwayproducts.com	3/26/2002	R337, R338
			Web Site: www.phoenixhighwayproducts.com	

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Holophane Corporation PO Box 3004 Newark OH 43058- (530) 676-7071	Panel Vue Series Sign Lighting Fax: (702) 429-0627		1/17/2003	R401
			Web Site: www.holophane.com	
Northern Nevada GE Lighting System 470 South Wilson Drive Chadler AZ 85225- (602) 617-1809	Versaflood III Induction Signlighter CSV3SL2004 Fax: (480) 664-7166		1/17/2003	R402
		Email: steve.farley@ge.com		Web Site: www.gelightingsystems.com
Northern Nevada GE Lighting System 470 South Wilson Drive Chadler AZ 85225- (602) 617-1809	85 Watt Induction Lighting Syst (MSR Series Sign) Fax: (480) 664-7166		1/17/2003	R091
		Email: steve.farley@ge.com		Web Site: www.gelightingsystems.com

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- (717) 235-2863	Lumi Trak Fax: (717) 235-5076		11/19/2002	R365
		Email: george@lumitrak.com		Web Site: www.lumitrak.com

623.05.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- (760) 727-8100 (760) 734-5027	Red Light Detector	Fax: (760) 727-8184 Email: cjersey@mccain-inc.com	7/16/2003	R445
		Web Site: www.mccain-inc.com		
Synchronex 1247 Pamona Road Unit 108 Corona CA 92882- (951) 520-8375 (408) 275-8392	Red Light Detector	Fax: (951) 520-0236 Email: fgirardot@synchronex-usa.com	7/16/2003	R446
		Web Site: www.synchronex-usa.com		

624.03.03 REFLECTIVE SHEETING (FOR FLAGGER PADDLES)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3970 LDP Diamond Grade	Fax: (702) 914-6016 Email: ejdornak@mmm.com	4/8/1999	R163
		Web Site: www.3M.com/tcm		
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	T6500 Prismatic High Intensity Reflective Sheeting	Fax: (240) 925-6891 Email: matt.hills@averydennison.com	4/8/1999	R164
		Web Site: www.averydennison.com		
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up	Fax: (800) 895-0951 Email: customer.service@reflexite.com	4/8/1999	R162
		Web Site: www.reflexiteamericas.com		

625.02.01 POSTS (FOR FLEXIBLE CONSTRUCTION)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	MF-180-36 Masterflex	Fax: (888) 842-2368 Email: bmc@bentmfg.com	6/15/1998	R065
		Web Site:		
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	36 SMDW; Super Duck Channelizer; 436 SDCF	Fax: (803) 943-3375 Email: asansavera@carsonite.com	6/15/1998	R066, R067, R068
		Web Site: www.carsonite.com		

625.02.01 POSTS (FOR FLEXIBLE CONSTRUCTION)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	SH 236SMAD-OS (Post); Dura Post 36" Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	6/15/1998	R070, R053
Filtrona Extrusion, Davidson Traffic Control Produ 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	FG 300 Curb System/Surface Mounted Post/Complete System Fax: (253) 284-8080	Email: PeterSpeer@filtrona.com	10/14/1999	R203
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	Flexstake SM703 Fax: (941) 482-3539	Email: fsi@flexstake.com	6/15/1998	R069
Western Highway Products PO Box 7 Stanton CA 90680- (714) 761-4211	Repo 36 RPB Fax: (714) 952-2118	Email: info@westernhighway.com	6/15/1998	R072

625.02.02 REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154	FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154	Email: sales@astrooptics.com	2/2/1993	R004, R005
Duraflex Corporation 297 Margaret King Avenue Ringwood NJ 07456- (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting Fax: (973) 962-7652	Email:	12/17/1997	R019
Filtrona Extrusion, Davidson Traffic Control Produ 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	PCBM 12 & T12 High Impact Barrier Reflector Fax: (253) 284-8080	Email: PeterSpeer@filtrona.com	12/17/1997	R017, R018

625.02.02 REFLECTIVE MARKERS (ON PORTABLE PRECAST CONCRETE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD9300 Roadguide; TD9400 Series		12/3/2002	R371, R372
	Fax: (818) 841-5096	Email: sales@trafficwks.com		Web Site: www.trafficwks.com

625.02.03 MESSAGE SIGNS (CHANGEABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- (800) 727-9111 (651) 488-8600	Guardian Solar Powered PCMS, Sign Dot Sign DH1000		2/22/1998	R073, R074
	Fax: (651) 558-3600	Email: sales@addco.com		Web Site: www.addco.com
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- (770) 448-5560	CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs		2/22/1998	R075, R076, R077, R078
	Fax: (770) 448-8970	Email: tpaulino@amsig.com		Web Site: www.amsig.com
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable)	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R505
	Fax: (204) 888-2912	Email: kulbacki.j@enduran.net		Web Site: www.northstartraffic.com
National Signal Corporation 9603 John Street Santa Fe Springs CA 90670- (562) 923-9600 (800) 733-7872	ER200; ER200T; CMS330; ER20054		4/10/2000	R207, R208, R209, R071
	Fax: (562) 923-7555	Email: NatSignal@aol.com		Web Site: www.nationalsignalinc.com
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center		2/22/1998	R084
	Fax: (972) 271-9583	Email: vseymour@precisionsolarcontrols.co		Web Site:
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 (888) 488-7446 (418) 654-1303	Northern Light PCMS		2/22/1998	R085
	Fax: (418) 654-0517	Email: kim.jack@ver-mac.com		Web Site: www.ver-mac.com

625.02.03 MESSAGE SIGNS (CHANGEABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered Fax: (610) 391-8601 Email: customerservice@solartechtechnology.co		2/22/1998	R086
		Web Site: www.solartech-online.com		
US Traffic Corporation 9603 John Street Santa Fe Springs CA 90670- (800) 733-7872 (562) 923-9600	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380; Nighthawk 340; Nighthawk 345 Fax: (562) 923-7555 Email:		2/22/1998	R079, R080, R081, R082, R083
		Web Site: www.ustraffic.net		
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign Fax: (303) 427-5725 Email: scampbell@wanco.com		8/5/2002	R355
		Web Site: www.wanco.com		

625.02.04 ATTENUATORS (TEMPORARY IMPACT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion Fax: (707) 374-6801 Email: rkeener@barriersystemsinc.com	TL-3 only; Only use a nine-element design (min) with attachment/transition assembly.	4/10/2001	R285
		Web Site: www.barriersystemsinc.com		
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Engergite III Module; N-E-A-T System or Quadguard Fax: (312) 467-1356 Email: dsanchez@quixtrans.com		9/3/1998	R089, R090
		Web Site: www.energyabsorption.com		
SCI Products Incorporated 635 Lucknow Road Harrisburg PA 17110-1635 (800) 327-4417 (630) 377-9100	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545
		Web Site: www.workareaprotection.com		
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 (775) 358-6005	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System Fax: (775) 358-9161 Email: priley@tcsi.biz		9/3/1998	R092, R093, R094
		Web Site: www.tcsi.biz		
TraFFix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep	3/22/2000	R095, R096
		Web Site: www.traffixdevices.com		

625.02.05 ATTENUATORS (TRUCK MOUNTED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Safe-Stop 180 TMA (req'd truck weight 7300 to 12,000 k) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R206
Traffix Devices Incorporated 220 Calle Pinteroesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	ScorPion C 10,000 of the TL-3 Design Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R264
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	MPS 350 III Fax: (802) 292-2145 Email: mikel.hooley@trin.net	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R097

625.02.06 BARRIER RAILS (WATER FILLED)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- (818) 982-3600 (909) 772-1424	Guardian Barrier Water Filled w/350 kit Fax: (818) 982-7742 Email: info@armorcastprod.com	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph.	9/3/1998	R099
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Triton Barrier (white colored 6.5 ft sections) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON.	3/30/1997	R098
Rhino Safety Barriers LLC 2500 Gaspar Avenue Whiting IN 46394- (757) 726-0933 (800) 292-1305	Rhino Safety Barrier(use the 350 kit with install) Fax: (757) 726-0955 Email: frankranson@msn.com	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L)); For speeds less than or equal 45 mph:Use 30 m (100 ft)	3/10/2004	R482
Yodock Wall Company Incorporated 623 NorthEast 5 Terrace Ft Lauderdale FL 33304- (954) 462-1169	Traffic Control Model 2001 Fax: (954) 462-6004 Email:		8/3/2006	R551

625.02.07 BEACON LIGHT SYSTEM (PORTABLE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- (888) 414-3003 (662) 566-7123	Safety Beacon Light Fax: (662) 566-2025 Email: timothy@k-kwywtems.com		6/1/1999	R188
Web Site:				

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- (270) 527-4200	Diabond for Highway & Work Zone Signage Fax: (270) 527-1552 Email:	Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	5/9/2006	R547
Web Site: www.alcancompositesusa.com				
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- (800) 333-5641	Dynaflex Sign Stand: DF3000S, DF3003S, DF3003W, DF3000WQ; DL1003W; UF 2000 Uniflex Verticle Portable Sign Stand Fax: (503) 364-0340 Email: ryan@dicktools.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	2/27/2000	R220, R221, R222, R223, R224, R225
Web Site: www.dicketools.com				
Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295	X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring Fax: (607) 734-8783 Email: info@usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R232, R233, R234
Web Site: www.usa-sign.com				
Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295	C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr Fax: (607) 734-8783 Email: info@usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R227, R228, R229, R231
Web Site: www.usa-sign.com				
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA Fax: (804) 261-1040 Email: dchrisman@kormansigns.com	Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R403, R404, R405, R406, R407, R408.
Web Site: www.kormansigns.com				
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE Fax: (804) 261-1040 Email: dchrisman@kormansigns.com	Must conform to section 716. Alpolitic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R411, R412, R413, R414, R415, R416.
Web Site: www.kormansigns.com				
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- (248) 553-1900 (800) 228-8925	4812, 4814CS, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster Fax: (248) 488-5700 Email: kjackson@mdiworldwide.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance.	4/4/2000	R235, R236, R237, R238, R239, R240.
Web Site: www.mdiworldwide.com				

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Traffix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. Web Site: www.traffixdevices.com	4/3/2000	R243, R244
Traffix Devices Incorporated 220 Calle Pintoresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Economy Plastic Folding Barricade; Zephyr Portable Sign Support 48" Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	Must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. Web Site: www.traffixdevices.com	4/3/2000	R251, R245

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type II Wood or Waffle & Steel Legged; Barricades Type II All Plastic Universal Fax: (888) 842-2368 Email: bmc@bentmfg.com	Type II w/ or w/out lights Web Site:	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type I Wood or Waffle & Steel Legged; Barricades Type I All Plastic Universal Fax: (888) 842-2368 Email: bmc@bentmfg.com	Type I w/ or w/out lights Web Site:	3/9/2000	R246, R247, R250
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type III Plywood Panel Fax: (888) 842-2368 Email: bmc@bentmfg.com	Type III w/ or w/out lights Web Site:	3/9/2000	R246
Filtrona Extrusion, Davidson Traffic Control Produ 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	Type III B Barricades; TD2550, TD2650 Works Barricade Type III; Anchor Barricade (Type III B Barricade) Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com	Type III w/out signs or lights. Cannot be used in a configuration that is wider than was tested. Web Site: hwysales@filtrona.com	7/14/2000	R253, R245, R255, R256
Highway Rental 4533 Andrews Street/PO Box 337320 North Las Vegas NV 89033- (702) 845-5339 (702) 453-1616	Type 3D Barricades Fax: (702) 438-2261 Email:	 Web Site:	1/10/2000	R435
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- (216) 231-8590	PST-III (Type III barricade) Fax: (216) 231-2702 Email: wejamieson@plasticsafety.com	Type III Web Site: www.plasticsafety.com	3/19/2004	R483

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Plasticade Industries 7700 North Austin Avenue Skokie IL 60077- (847) 470-0400	Sentinel Type III Fax: (847) 470-0420 Email:	Type III	2/21/2007	R001
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD2550 Work Barricade Type III Fax: (818) 841-5096 Email: sales@trafficwks.com	Type III	7/5/2005	R526, R527, R528, R529, R530, R531.
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade Fax: (818) 841-5096 Email: sales@trafficwks.com	Barricade Type I and Type II	7/5/2005	R526, R527, R528, R529, R530, R531.
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB Fax: (818) 841-5096 Email: sales@trafficwks.com	Type I and Type III B	12/3/2002	R374, R375
TraFFix Devices Incorporated 220 Calle Pinteroesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Economy Plastic Folding Barricade & Sand- Filled Bag Fax: (949) 361-9205 Email: bkulp@traffixdevices.com		4/3/2000	R251
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile Fax: (914) 636-1282 Email: achawalwala@transpo.com	Concrete Panel, BBQ for dark on light, Turtle Trail for light on dark	3/26/2004	R484

627.02.01 PROTECTIVE OVERLAY FILM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	1150 Scotchlite Protective Overlay Film Fax: (702) 914-6016 Email: ejdornak@mmm.com		5/11/1995	R100
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	OL1000 Premium Protective Graffiti Overlay Film Fax: (240) 925-6891 Email: matt.hills@averydennison.com		9/28/2000	R268

627.02.01 PROTECTIVE OVERLAY FILM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (562) 777-1810 (800) 821-4264	EF-40801 (F-CAL) Fax: (888) 330-7119	Email: nciusa@nikkalite.com	5/17/1995	R101
Web Site: www.nikkalite.com				
TradeWinds International PO Box 18498 Long Beach CA 90807-8498 (562) 424-1739	Krystal Kote CTF Fax: (562) 424-1870	Email: tradewinds@usa.com	8/21/2001	R302
Web Site: www.twi-coatings.com				

630.02.01 HEADLIGHT GLARE SCREEN MODULAR UNITS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	Modular Guidance System Fax: (803) 753-9081	Email: asansavera@carsonite.com	10/20/1996	R102
Web Site: www.carsonite.com				
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Glare Screen System Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	7/31/1996	R104
Web Site: www.energyabsorption.com				
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	Glare Screen System Fax: (941) 482-3539	Email: fsi@flexstake.com	7/31/1996	R103
Web Site:				

632.03.05 RETROREFLECTOMETERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	LTL 2000; LTL-X 30-Meter Geometry Retroreflectometer Fax: (336) 475-7900	Email: flint@flintrading.com	12/26/1999	R210, R211
Web Site: www.flintrading.com				
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013- (973) 779-5775 (801) 571-3394	MP 30 Fax: (973) 779-5775	Email: sales@miroluxproducts.com	12/26/1999	R213
Web Site: www.miroluxproducts.com				

632.03.05 RETROREFLECTOMETERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RoadVista 8581 Aero Drive San Diego CA 92123- (888) 637-2758 (858) 279-6044	StripeMaster series, MX 30, LaserLux Fax: (858) 576-9286	Email: qadler@roadvista.com	5/2/2006	R542, R543, R544
		Web Site: www.roadvista.com		

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001- (253) 351-9828	DDOT ABS Fax: (253) 351-9828	Email:	6/2/1999	R184
		Web Site: www.alpinemarkings.com		
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	929 ABS; Ceramic Fax: (562) 944-2298	Email: sales@apexmarker.com	6/1/1999	R172, R173
		Web Site: www.apexnv.com		
Glowlite Incorporated 1429 West Harrison Avenue La Habra CA 90631- (562) 587-3534 (626) 336-6086	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective Fax: (562) 691-7528	Email: richardfei88@yahoo.com	3/7/2005	R516, R517
		Web Site:		
Highway Ceramics Incorporated PO Box 6506 Yuma AZ 95366- (520) 726-0241	Ceramic (100 mmm 4" round) Fax: (520) 344-2044	Email:	6/1/1999	R550
		Web Site:		
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- (800) 228-1701	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) Fax: (909) 627-0999	Email: hiwaysafety@linkline.com	6/1/1999	R185, R186
		Web Site: www.hi-waysafety.com		
Interstate Sales 12305 Locksley Lane Auburn CA 95602- (800) 237-7245 (530) 823-6070	Diamond Back (ABS & Polypropylene) Fax: (530) 823-0994	Email: miket@interstatesales.com	6/1/1999	R170
		Web Site: www.interstatesales.com		
Novabrite 4647 Gerrilyn Way Suite 230 Livermore CA 94550- (925) 373-1751	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow Fax: (519) 846-8393	Email: norman@novabrite.com	2/17/2004	R474, R475, R476, R477
		Web Site: www.novabrite.com		

633.02.01 PAVEMENT MARKERS (PERMANENT NON-REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Creations 14-N Cockleburr Roanoke TX 76262- (310) 378-0528	RCB4NR Acrylic	100mm (4") Round	6/1/1999	R187
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316	TD10000 Series (100 mm (4") Round)	100mm (4") Round	12/3/2002	R373
	<i>Fax:</i> (818) 841-5096	<i>Email:</i> sales@trafficwks.com	<i>Web Site:</i> www.trafficwks.com	

633.02.02 PAVEMENT MARKERS (PERMANENT REFLECTIVE - ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380	290 Durable Raised Pavement Marker	89mm x 100 mm (3.6" x 4")	6/1/1999	R182
	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878	921 AR	100mm x 100 mm (4" x 4")	3/25/2001	R282
	<i>Fax:</i> (562) 944-2298	<i>Email:</i> sales@apexmarker.com	<i>Web Site:</i> www.apexnv.com	
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118	911, 953, C88 Permanent Reflective Pavement Markers Ab	100mm x 100 mm (4" x 4")	6/1/1999	R179, R180, R181
	<i>Fax:</i> (800) 555-0217	<i>Email:</i> klyne@ennispaint.com	<i>Web Site:</i> www.ennispaint.com	
Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025	AA; ARC	100mm x 100 mm (4" x 4")	6/1/1999	R174, R175
	<i>Fax:</i> (740) 929-1114	<i>Email:</i> dforrer@rayolite.com	<i>Web Site:</i> www.pactecinc.com	

633.02.03 PAVEMENT MARKERS (RECESSED REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118	948 Recessed Reflective Pavement Markers	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R183
	<i>Fax:</i> (800) 555-0217	<i>Email:</i> klyne@ennispaint.com	<i>Web Site:</i> www.ennispaint.com	

633.02.03 PAVEMENT MARKERS (RECESSED REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	944SB Recessed Reflective Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com	51mm x 100 mm (2" x 4")	6/1/1999	R178
Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025	ARC 2002; ARC 51 2004 Fax: (740) 929-1114 Email: dforrer@rayolite.com	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R176, R177

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242	Hot Applied Flexible Pavement Marker Adhesive part 34270 Fax: (580) 940-1425 Email: sales@crafco.com		6/16/1998	R105
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	836098 Bituminous Adhesive for Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com		6/15/1998	R108
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad Fax: (336) 475-7900 Email: flint@flintrtrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R106
Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000	Dotstick Bituminous Marker Adhesive Fax: (916) 685-2270 Email: customerservice@henry.com		9/29/2003	R464
Martin Product Sales LLC 300 Christy Place/PO Box 508 South Houston TX 77587-0508 (800) 662-0987 (713) 818-1005	172542 Evergrip Bituminous Marker Adhesive Fax: (713) 947-4949 Email: dolly@gsac.net		6/15/1998	R107

633.02.05 LANE LINE MARKERS (TEMPORARY REFLECTIVE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	924 Longterm Temporary Raised Pavement Marker Fax: (562) 944-2298 Email: sales@apexmarker.com	Temporary Markers w/632 Epoxy	9/19/1993	R109
Filtrona Extrusion, Davidson Traffic Control Produ 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	TOM, TRPM (Temporary Overlay) Raised Pavement Marker Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com		10/13/1993	R110, R111
Filtrona Extrusion, Davidson Traffic Control Produ 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	Halftrack Model 25; Halftrack Model 26 Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com	Work Zone Pavement Markers	2/20/2000	R257, R258
Texas Industries LLC 1202 Andrews Laredo TX 78045- (210) 727-2835 (800) 811-4018	Chip Seal Temporary Markers Fax: (210) 717-1544 Email:	Temporary Markers w/632 Epoxy	6/15/1998	R112

634.03.03a PAVEMENT MARKING (HOT-APPLIED THERMOPLASTIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crown Technology II LLC 35 Industrial Park Drive Woodbury GA 30293- (706) 553-9500	Tuffline Alkyd Fax: (706) 553-9501 Email: sales@crownpavementmarkings.com		1/17/2003	R400

634.03.03b PAVEMENT MARKING (PREFORMED THERMOPLASTIC)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	Flame Tape; ThermaLine Fax: (800) 555-0217 Email: klyne@ennispaint.com		6/13/2001	R299, R300
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Hot TapeTM; Premark® PLUS Fax: (336) 475-7900 Email: flint@flintrtrading.com		2/24/2004	R168, R169

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	750 & 780 Wet Reflective Removable Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com		5/21/2003	R423, R424
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	ATM 200 Construction Removable Tape Fax: (252) 536-4940 Email: brobbins@trafficmarking.com		6/15/1999	R117
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223 (216) 924-6215	Series 200 Removable Fax: (702) 649-9237 Email: bjubak@cox.net		6/15/1999	R032
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223 (216) 924-6215	Series 100 Removable Fax: (702) 649-9237 Email: bjubak@cox.net		6/15/1999	R118
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- (314) 968-2569	Aztec III Removable Fax: (314) 968-0494 Email: gregorygibson@birch.net		6/15/1999	R119
Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900	Director 2 Detour Grade Fax: (931) 388-4039 Email: office.industries@swarco.com		6/15/1999	R120
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- (609) 730-0829	RW 140 Series; RY 140 Series; R 140 Series Fax: (609) 730-0838 Email: bjsutker@aol.com		8/24/2001	R303, R304, R305

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion Fax: (661) 391-1054 Email: jim.ryan@alonusa.com	Application and dilution rates follow manufacturer's instructions.	2/28/2002	R479
			Web Site: www.alonsashalt.com	

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant Fax: (814) 368-1335 Email: ckimball@amref.com	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of	5/2/1999	R121
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss Fax: (800) 527-2101 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R498
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- (972) 758-7454 (702) 405-0351	Dust Control DC-22 Fax: (972) 596-8418 Email: dallasroadway@yahoo.com		6/19/2006	R549
Enviroad 2606 North Newark Street Portland OR 97217- (800) 536-2650 (503) 595-2650	Earthbind 100 Fax: (503) 595-2655 Email: don@enviroad.com	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50	3/17/2003	R420
Envirotech Services Incorporated 9801 Eastmont Court Reno NV 89521- (775) 246-2626 (800) 369-3878	Lignin (Ammonium Lignosulfonate) Fax: (775) 742-3963 Email: csherven@envirotechservices.com	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied	8/26/2003	R450
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest K Fax: (509) 328-4336 Email: rob@fischbachandmore.com	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.	6/25/1998	R152, R153
Fluid Tech Incorporated, HAZCO Division 5720 South Arville Street Suite 104 Las Vegas NV 89118- (702) 871-1884 (702) 871-7976	Trans Seal I Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
GM Boston Company 412 Fullerton Avenue Newport Beach CA 92663- (949) 722-6799 (949) 533-6799	PX 300 Soil Stabilizer & Dust Palliative & Erosion Control Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R433

637.02.01 DUST PALLIATIVE (OPTIONAL)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	Soiloc-D Dust Suppressant	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.)	5/2/1999	R141
	Fax: (770) 455-6531	Email: hercenv@herculesenvironmental.com	Web Site: www.HerculesEnvironmental.c	
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- (330) 456-3121	EnviroKleen; Soil Sement	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal	1/4/2001	R278, R521
	Fax: (330) 456-3247	Email: kim@midwestind.com / custserv@mid	Web Site: www.midwestind.com	
NUE Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
	Fax: (702) 649-8446	Email: morgan@nueequipment.com	Web Site: www.nueequipment.com	
Soil Stabilization Products Co Incorporated 806 West 22nd Street Merced CA 95340- (800) 523-9992 (209) 383-3296	Road OYL; Soil Seal	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R324, R325
	Fax: (209) 383-7849	Email: jphillip@sspc.com	Web Site: www.sspco.com	
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003	R466, R467
	Fax: (702) 873-0915	Email: rue@soil-tech.com	Web Site: www.soil-tech.com	
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771	Plas-Bond; Soiltac	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R274, R275
	Fax: (480) 545-5456	Email: Dorian@Soilworks.com	Web Site: www.Soilworks.com	
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956	EarthGuard Fiber Matrix	Application and dilution rates follow manufacturer's instructions.	11/2/2001	R318
	Fax: (661) 587-6806	Email: andy@terranovo.com	Web Site: www.terranova.com	
US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433	DustrolTM Dust Control		8/28/2006	R553
	Fax: (916) 966-0634	Email: bfogel@usg.com	Web Site: www.gypsumsolutions.com	

637.02.01		DUST PALLIATIVE (OPTIONAL)				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
Western Emulsions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- (949) 248-8020	Dust Control 50 Fax: (949) 248-8023	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: sales@westernemulsions.com	8/26/2003	R449	Web Site: www.westernemulsions.com	
637.02.02		SILT FENCE				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
Triangular Silt Dike Company Incorporated 608 Greenwood Drive Midwest City OK 73110-1632 (800) 290-8473 (405) 741-7406	Triangular Silt Dike Fax: (450) 741-7406	Email: tsd@coxinet.net	6/25/1998	R142	Web Site: groach@cox.net	
WebTec Incorporated 6509-C North Park Boulevard Charlotte NC 28216- (800) 438-0027 (704) 398-0954	TerraTex SC Fax: (704) 394-7946	Email: terry.hurley@hanesindustries.com	6/25/1998	R143	Web Site: www.webtecgeos.com	
637.02.05		ROADWAY INLET PROTECTION				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>		
ACF Environmental 2831 Cardwell Road Richmond VA 23234- (800) 448-3636 (800) 423-4567	Siltsack Fax: (804) 246-9737	Email: dkelly@acfenvironmental.com	6/25/1998	R144	Web Site: www.acfenvironmental.com	
Bowhead Manufacturing 1011 SW Klickitat Way Suite 104 Seattle WA 98134- (800) 909-3677	StreamGuard Catch Basin Fax: (888) 234-3677	Email: kyleem@bowhead.com	6/25/1998	R088	Web Site: www.shopbowhead.com	
Dandy Products Incorporated PO Box 1980 Westerville OH 43086- (800) 591-2284 (740) 881-2790	Dandy Curb Bag; Dandy Bag Drainage Control Fax: (740) 881-2791	Email: dlc@dandyproducts.com	6/25/1998	R087, R248	Web Site: www.dandyproducts.com	
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- (888) 382-7458 (404) 558-4513	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly Fax: (770) 388-7640	Email: marcia@siltssaver.com	12/6/2002	R376, R377	Web Site: www.siltssaver.com	

640.02.03a MSE WALLS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 (707) 443-5093 (800) 762-8962	Reinforced Soil Embankment Wall		9/8/1998	R122
	Fax: (707) 443-2891	Email: suzanne@hilfiker.com	Web Site: www.hilfiker.com	
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls		9/8/1998	R287, R288
	Fax: (949) 587-0185	Email: tmichalik@reinforcedearth.com	Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R195
	Fax: (831) 430-9340	Email: andrew_mse@pacbell.net	Web Site:	
Tensar International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R165
	Fax: (949) 488-7084	Email: bmiller@tensarcorp.com	Web Site: www.tensarcorp.com	

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Reinforced Earth MSE Large Wall Panel & Retained Earth Large MSE Walls	Large panels allowed only when noted on the plans.	2/28/2001	R287, R288
	Fax: (949) 587-0185	Email: tmichalik@reinforcedearth.com	Web Site: www.reinforcedearth.com	
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Large Wall Panel	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R356
	Fax: (831) 430-9340	Email: andrew_mse@pacbell.net	Web Site:	

640.02.03c SOUNDWALL SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cyro Industries 100 Enterprise Drive Rockaway NJ 07866- (800) 223-2976 (973) 442-6102	Paraglas Soundtop Soundwall Ready Fit Noise Barrie	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the	8/27/2004	R502
	Fax: (973) 442-6113	Email: steve.barrett@degussa.com	Web Site: www.cyro.com	

640.02.03c SOUNDWALL SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- (707) 938-4516	Port-O-Wall Soundwall System Fax: (707) 996-5191 Email: rod_allen@port-o-wall.com Web Site: www.port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R316
QUILITE International LLC 8616 La Tijera Boulevard Suite 509 Los Angeles CA 90045- (310) 641-7701	Quilite Noise Barrier Fax: (310) 641-7768 Email: info@quilite.com Web Site: www.quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R515

640.02.04 RETAINING WALL (MODULAR BLOCK)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- (251) 990-5761	Keysystem 1 Modular Block Retaining Wall Fax: (251) 990-5461 Email: keystone@keystonewalls.com Web Site: www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R145
Reinforced Earth Company, The 1 Orchard Road Suite 220 Lake Forest CA 92630- (949) 587-3060	Pyramid Modular Block Retaining Wall Fax: (949) 587-0185 Email: tmichalik@reinforcedearth.com Web Site: www.reinforcedearth.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R214
Tensor International 34892 Calle Fortuna Capistrano Beach CA 92624- (949) 488-7054 (949) 212-8454	Mesa Retaining Wall Fax: (949) 488-7084 Email: bmiller@tensarcorp.com Web Site: www.tensarcorp.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R343

641.02.01 ATTENUATORS (IMPACT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 Fax: (312) 467-1356 Email: dsanchez@quixtrans.com Web Site: www.energyabsorption.com	TL-3, "Concrete Foundation Required". May be used for all speed ratings	4/27/1998	R125, R126, R127, R128
SCI Products Incorporated 635 Lucknow Road Harrisburg PA 17110-1635 (800) 327-4417 (630) 377-9100	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270 Email: workarea@workareaprotection.com Web Site: www.workareaprotection.com	TL-3, Must be mounted on a concrete or asphalt slab. May be used for all speed ratings	1/20/2006	R545

641.02.01 ATTENUATORS (IMPACT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	FastTracc; WideTracc; TraccTrinity; Adiem Attenuating Device, Trinity Crash Cushion Fax: (802) 292-2145 Email: mikel.hooley@trin.net	TL-3 "Concrete Foundation Required". May be used for all speed ratings	9/9/2003	R451, R452, R453, R454, R346
Web Site: www.trin.net				

702.03.01c CURING COMPOUND (ALL CONCRETE EXCEPT PCCP AND DECKS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4640 Brinell Street San Diego CA 92111-2302 (858) 277-2100	Atlas Res-Cure Fax: Email:	ASTM C309 Type 1D	9/4/2007	R573
Web Site:				
White Cap 1830 East Lincoln Way Sparks NV 89434- (775) 353-3333	Resin Cure-Clear VOC Fax: Email:	ASTM C309 Type 1D	9/4/2007	R565
Web Site:				
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	1100 Clear Fax: (707) 747-6206 Email: wrmca@wrmeadows.com	ASTM C309 Type 1D	9/4/2007	R574
Web Site: www.wrmeadows.com				

702.03.01d CURING COMPOUND (PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4640 Brinell Street San Diego CA 92111-2302 (858) 277-2100	Atlas Whix Cure DOT Fax: Email:	PCCP ASTM C309, Type 2, Class A	9/4/2007	R582
Web Site:				
Dayton Superior Specialty Chemical Corporation 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439	DSSCC White Resin Cure Fax: (913) 371-3322 Email: johnhukey@daytonsuperior.com	PCCP ASTM C309, Type 2, Class A	9/4/2007	R580
Web Site: www.daytonsuperiorchemical.c				
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	1600 White Series Fax: (707) 747-6206 Email: wrmca@wrmeadows.com	PCCP ASTM C309, Type 2, Class A	9/4/2007	R581
Web Site: www.wrmeadows.com				

702.03.04 CURING COMPOUND (BRIDGE DECKS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Tech Products 4640 Brinell Street San Diego CA 92111-2302 (858) 277-2100	Atlas PAMS Cure	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R579
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Dayton Superior Specialty Chemical Corporation 4226 Kansas Avenue Kansas City KC 66106- (800) 745-3707 (877) 416-3439	DSSCC PAMS	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R578
	<i>Fax:</i> (913) 371-3322	<i>Email:</i> johnhukey@daytonsuperior.com	<i>Web Site:</i> www.daytonsuperiorchemical.c	
WR Meadows of Northern California PO Box 907 Benicia CA 94510- (707) 745-6666 (847) 214-2100	2250 White Series	Bridge Decks ASTM C309, Type 2, Class B	9/4/2007	R575
	<i>Fax:</i> (707) 747-6206	<i>Email:</i> wrmca@wrmeadows.com	<i>Web Site:</i> www.wrmeadows.com	

702.03.05 FLY ASH (TYPE F ONLY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Boral Material Technologies Monticello TX	Fly Ash	Type F	9/4/2007	R569
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Boral Material Technologies Rockdale TX	Fly Ash	Type F	9/4/2007	R570
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Headwaters Resource's Incorporated Delta UT	Fly Ash	Type F	9/4/2007	R571
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Headwaters Resource's Incorporated Bridger WY	Fly Ash	Type F	9/4/2007	R572
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	
Headwaters Resource's Incorporated Page AZ	Fly Ash	Type F	9/4/2007	R577
	<i>Fax:</i>	<i>Email:</i>	<i>Web Site:</i>	

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bondaflex Technologies 1955 Whitetail Lane Woodland WA 98674- (360) 225-3983 (800) 641-0234	Bondaflex Sil 728SL Fax: (973) 473-4222 Email:		8/5/2005	R534
		Web Site: www.bondaflex.com		
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 582-8242	Roadsaver Silicone SL Sealant Fax: (580) 940-1425 Email: sales@crafco.com		10/7/1993	R129
		Web Site: www.crafco.com		
Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026	890 SL (888 SL replaced w/890 SL) Fax: (866) 735-3668 Email: stacey.crowder@dowcorning.com		3/20/1997	R130
		Web Site: www.dowcorning.com		
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561 (651) 748-8414	DSB 900 SL Self Leveling Silicone Fax: (419) 257-2200 Email: bjacobus@dsbrown.com		4/5/2005	R518
		Web Site: www.dsbrown.com		
Pecora Corporation 165 Wambold Road Harleysville PA 19438- (215) 723-6051	Pecora 300 Fax: (215) 721-0286 Email:		9/14/2001	R311
		Web Site:		
Tremco Incorporated 3735 Green Road Beachwood OH 44122- (800) 321-7906 (216) 292-5000	Spectrum 900 SL Formula 974831& 333 Cartridges Fax: (216) 292-5036 Email: tscs@tremcoinc.com		5/31/2002	R345
		Web Site: www.tremcosealants.com		

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carboguard 893 (formerly S151); Carbothane 134HS, (formerly Carboline 134HS); Carbothane 134HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Resin; Part B-Catalyst (hardener); 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R133, R134, R135
		Web Site: www.carboline.com		
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbocrete Sealer WB (formerly Carboline L3300-76) Waterbased Acrylic Siloxane Con Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R136
		Web Site: www.carboline.com		

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbozinc 11 Solvent Based Inorganaic Zinc- Rich Co Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R132
International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289	Inerguard 475HS Field Coat; Interthane Top Coat; Interzinc 22HA Inorganic Zinc Primer Fax: (713) 684-1511 Email: dgriffin@international-pc.com		6/4/2003	R430, R431, R432
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	B65V150 Sherthane 2K; First Field Coat: B67V5 Primer Coat Recoatable Epoxy Primer; B65 Series Corthane™ II 2-Component Acrylic Modiefied Polyurethane Coating Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com		6/2/2003	R140, R123, R429
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	Shop Coat Zinc Clad II B69D11; Zinc Clad II Plus B69VZ13; First Field Coat B67B5 Recoatable Epoxy Primer; Top Coat B65V150 Sherthane 2K Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R137, R138, R139, R124
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com		6/2/2003	R425, R426

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3870 & 3990 VIP Diamond Grade Type IX Fax: (702) 914-6016 Email: ejdornak@mmm.com	NDOT Type IX	8/16/2000	R269, R270
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	334 & 336 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Barricades Only (Type IV)	12/1/2004	R510, R511
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3930 Permanent Traffic Signs & Temporary Traffic Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type IV)	12/1/2004	R508

716.03.01**REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3810 High Intensity Series Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Reboundable Plastic Drums Only (Type III)	8/21/2000	R291
		Web Site: www.3M.com/tcm		
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3924 & 3924S Fluorescent Orange Diamond Grade Sheeting Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Rigid Signs Only (NDOT Type X)	8/21/2000	R289, R550
		Web Site: www.3M.com/tcm		
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3983 Diamond Fluorescent VIP (for perm traffic); Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R301
		Web Site: www.3M.com/tcm		
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	T7500 Prismatic Grade Sheeting Fax: (240) 925-6891 Email: matt.hills@averydennison.com	NDOT Type IX	5/30/2002	R344
		Web Site: www.averydennison.com		
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	T5500A Series High Intensity; T7000 Flourescent Reflective Sheeting No Fax: (240) 925-6891 Email: matt.hills@averydennison.com	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R455, R456
		Web Site: www.averydennison.com		
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	S9000C Cone Collar Fax: (240) 925-6891 Email: matt.hills@averydennison.com	For Reboundable Traffic Cones Only, Type III	2/2/2004	R471
		Web Site: www.averydennison.com		
Avery Dennison Corporation 7542 North Natchez Avenue Niles IL 60714- (847) 647-7717 (847) 588-7688	T6500, W7514 Flourescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting Fax: (240) 925-6891 Email: matt.hills@averydennison.com	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R164, R297, R298
		Web Site: www.averydennison.com		
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264	92847 Nikkalite Crystal Fluorescent Orange Fax: (888) 330-7119 Email: nciusa@nikkalite.com	NDOT Type X	4/29/2005	R522
		Web Site: www.nikkalite.com		

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264	Nikkalite ULGH Fax: (888) 330-7119 Email: nciusa@nikkalite.com	For Permanent Traffic Signs	8/16/2000	R271
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	AP1000 Reflective Sheeting Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Delineators, Safety Fencing and Glare Screens Only (Type V)	8/21/2000	R295
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Conformalight; Marathon Type VI Fax: (800) 895-0951 Email: customer.service@reflexite.com	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R293, R294

Web Site: www.nikkalite.com**Web Site:** www.reflexiteamericas.com**Web Site:** www.reflexiteamericas.com**726.03.04 MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- (800) 654-6117 (785) 883-4600	Second Nature Paper Fiber Hydrose Fax: (785) 883-4429 Email: sales@centralfiber.com		6/25/1998	R146
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- (208) 733-9689	Nature's Own Fax: (208) 733-9447 Email: patrick@hmi-mfg.com/info@hmi-mfg.		6/25/1998	R147

Web Site: www.centralfiber.com**Web Site:** www.hmi-mfg.com**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- (800) 654-6117 (785) 883-4600	TacPac GT Fax: (785) 883-4429 Email: salex@centralfiber.com		6/25/1998	R148
Driwater Incorporated 600 East Todd Road Santa Rosa CA 95407- (707) 588-1444	Driwater Hydro Mix Fax: (707) 588-1445 Email: mary@driwater.com	Note: Surfaces subject to spill; can be slippery.	1/3/2001	R277

Web Site: www.centralfiber.com**Web Site:** www.driwater.com

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eastern Products 1162 Sycamore Lane Mahwah NJ 07430- (201) 934-5050 (607) 734-2295	Ecotak OP Moisture Retainer	Fax: (201) 934-8686 Email:	6/25/1998	R151
		Web Site:		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest	Fax: (509) 328-4336 Email: rob@fischbachandmore.com	6/25/1998	R152, R153
		Web Site: www.fischbackandmore.com		

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion	Fax: (661) 391-1054 Email: jim.ryan@alonusa.com	2/24/2004	R479
		Web Site: www.alonsashalt.com		
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant	Fax: (814) 368-1335 Email: ckimball@amref.com	6/25/1998	R121
		Web Site: www.amref.com		
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss	Fax: (800) 527-2101 Email: dnix@arrowmagnolia.com	10/26/2005	R498
		Web Site: www.arrowmagnolia.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest K	Fax: (509) 328-4336 Email: rob@fischbachandmore.com	6/25/1998	R152, R153
		Web Site: www.fischbackandmore.com		
Fluid Tech Incorporated, HAZCO Division 5720 South Arville Street Suite 104 Las Vegas NV 89118- (702) 871-1884 (702) 871-7976	Trans Seal I	Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com	1/3/2002	R323
		Web Site: www.fluid-tech-inc.com		
GM Boston Company 412 Fullerton Avenue Newport Beach CA 92663- (949) 722-6799 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control	Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com	6/10/2003	R433
		Web Site:		

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	Hercules Soil LocE		6/25/1998	R154
	Fax: (770) 455-6531	Email: hercenv@herculesenvironmental.com	Web Site: www.HerculesEnvironmental.c	
Midwest Industrial Supply Incorporated 1101 3rd Street SE Canton OH 44701- (330) 456-3121	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic: application	4/18/2005	R328
	Fax: (330) 456-3247	Email: kim@midwestind.com / custserv@mid	Web Site: www.midwestind.com	
NUE Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R274, R275
	Fax: (702) 649-8446	Email: morgan@nuequipment.com	Web Site: www.nuequipment.com	
Sequoia Pacific Research Company 1192 East Draper Parkway Darper UT 84020- (801) 303-2558 (888) 465-8801	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R436
	Fax: (801) 303-2551	Email: terry@telnetz.com	Web Site: www.sequoiaprc.com	
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R466, R467
	Fax: (702) 873-0915	Email: rue@soil-tech.com	Web Site: www.soil-tech.com	
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771	Plas-Bond; Soiltac	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R504
	Fax: (480) 545-5456	Email: Dorian@Soilworks.com	Web Site: www.Soilworks.com	
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956	EarthGuard Fiber Matrix	Blending, mixing and application method must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by	11/2/2001	R318
	Fax: (661) 587-6806	Email: andy@terranovo.com	Web Site: www.terranova.com	
US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433	Enviro-Shield™ Brand Bonded Fiber Matrix & Airtrol™ Geobinder		8/28/2006	R554, R555
	Fax: (916) 966-0634	Email: bfogel@usg.com	Web Site: www.usg-enviroshield.com	

728.03.02

EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 892-1880 (954) 782-2221	Ultrabond 1, Ultrabond 1100, Ultrabond 1300 & HS200 Fax: (954) 782-2776 Email: rboland@atc.ws	Type I, II, IV and V; Grade 2; Class C, & 1300 Class B & C	1/10/2002	R329, R330, R331, R391
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100	Atlas Epoxy Bonder; LPL Epoxy Bonder Fax: (858) 222-0488 Email: info@atlastechproducts.com	Type I, II, IV and V; Grade 2; Classes B & C	4/29/2004	R496, R497
Dayton Superior Specialty Chemical Corporation 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439	Sure Anchor I J-51Epoxy Anchoring System Fax: (913) 371-3322 Email: johnkukey@daytonsuperior.com	Type I, II, IV and V; Grade 3; Glass A	1/14/2003	R393
Euclid Chemical Company, Tech Center 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Duralcrete Fax: (216) 531-9399 Email: rziegler@euclidchemical.com	Type I and Type II	11/8/2005	R536
Hilti Incorporated 5400 South 122nd Avenue Tulsa OK 74121- (800) 879-8000 (918) 252-6000	HT RE 500 Fax: (800) 879-7000 Email: us-SalesDiv73@hilti.com	Type IV; Grade 3; Classes A, B & C	1/2/2002	R321
ITW Red Head 1300 North Michael Drive Wood Dale IL 60191- (702) 736-1500 (800) 899-7890	Ceramic 6 Fax: (800) 368-3844 Email:	Type IV; Grade 3; Classes B & C	5/14/2002	R341
Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- (914) 235-6300	Power Fast Epoxy Injection Gel Adhesive Anchoring Fax: (914) 235-1913 Email: engineering@powers.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R215
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- (800) 999-5099 (916) 870-7863	ET22; Epoxy-Tie Resin Adhesive Fax: (209) 234-3868 Email: jlebel@strongtie.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R216, R217
			Web Site: www.stongtie.com/simpsonanc	

728.03.02 EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy 400 Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type II, III, IV and V; Grade 3; Class A, B & C; Gel time 7.5 minutes	11/7/2006	R563
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type I and II; Grade 2; Classes B & C	1/4/1998	R218, R219
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R388, R389, R390
US Anchor 450 East Copans Road Pompano Beach FL 33064- (305) 782-2221 (800) 892-1880	HS 200 Epoxy Adhesive Fax: (305) 782-2499 Email:	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R392
USP Structural Connectors 703 Rogers Drive Montgomery MN 56069- (507) 364-8368 (800) 328-5934	CIA-GEL 7000 Adhesive Anchors Fax: (507) 364-8762 Email: jturek@gibraltar1.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R265
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Rezi Weld 1000 Fax: (707) 747-6206 Email: wrmnc@wrmeadows.com	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R478

729.02.03 PAINT FORMULATION (EPOXY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- (303) 388-9265 (303) 722-7380	RockHard 1185 Catalyst; RockHard 1180 White, RockHard 1186LF Non Leaded Yellow; Rockhard 1186 White; RockHard Epoxy Hardener Fax: (303) 388-0881 Email: markv@coloradopaint.com		3/20/2000	R199, R200, R201, R359
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS60 ; Epoplex LS50; Epoplex LS50 B Fax: (856) 779-2963 Email: epoplex@epoplex.com	LS 50LF Yellow Paint contains Organic Yellow Pigment	12/11/2002	R378, R379, R380

729.02.03 PAINT FORMULATION (EPOXY)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (919) 990-7985 (800) 275-6353	HPS-3 Epoxy Pavement Markings (yellow, white); RockHard 1186 LF (non lead yellow) (white) Fax: (919) 990-8218 Email: jhall@ips-road.com		7/16/2003	R441, R442
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (919) 990-7985 (800) 275-6353	HPS-3 White Epoxy Pavement Marker; HPS-1186 LF (non-lead yellow); HPS-3 Leaded Yellow Epoxy Pavement Marker Fax: (919) 990-8218 Email: jhall@ips-road.com	HPS-3 Yellow Paint contains Organic Yellow Pigment	8/28/2002	R357, R358, R441
Poly-Carb Incorporated 33095 Bainbridge Road Solon OH 44139- (440) 248-1223 (800) 225-5649	Mark 55.2 NV; Mark 55.3 White; Mark 55.4; Mark 55.3 Yellow organic Fax: (440) 248-1513 Email: hemant@poly-carb.com		10/24/1997	R113, R114, R115, R116

729.02.03d PAINT FORMULATION (POLYUREA)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	1200 Liquid Pavement Marking Fax: (702) 914-6016 Email: ejdornak@mmm.com		7/16/2003	R444
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS90 Fax: (856) 779-2963 Email: epoplex@epoplex.com	Note: This sytem includes Part A - Black	7/16/2003	R440
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (919) 990-7985 (800) 275-6353	HPS-5 Liquid Pavement Markings Fax: (919) 990-8218 Email: jhall@ips-road.com	Note: This sytem includes Part A - Black	7/16/2003	R443

729.03.05a PAINT MATERIAL RESIN (RAPID DRY WATERBORNE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- (989) 636-2452 (800) 447-4369	DT250NA Type 1 Waterborne Paint & DT400NA Type II Waterborne Paint Fax: (989) 832-1465 Email:	Use for Type I and Type II Water Borne Paint Respectively	7/19/2002	R166, R167
			Web Site: www.dow.com	

729.03.05a PAINT MATERIAL RESIN (RAPID DRY WATERBORNE)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- (800) 477-7641 (800) 967-7704	Rhoplex Fastrack 3427 Type I Waterborne Paint &; Rhoplex Fastrack HD21A Type II Waterborne Paint Fax: (800) 382-4008 Email: internet svc store available w/acct set	Use for Type I and Type II Water Borne Paint Respectively	11/30/2001	R319, R320
Web Site: www.rohmhaas.com				

729.03.05b PAINT MATERIAL (RAPID DRY WATERBORNE Type 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	Pervo Plastics 6000 White, Pervo Plastics 6003 Yellow Type I Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com	Type I (Rohm & Haas Rhoplex 3427)	7/30/2002	R349, R350
Web Site: www.pervo.com				

729.03.05c PAINT MATERIAL (RAPID DRY WATERBORNE Type 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-HD21A-M1 White, 982832 NVY- HD21A-M1 Yellow Type II Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	4/1/2004	R490, R491
Web Site: www.ennispaint.com				
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-40-M2 White, 982832 NVY-40-M2 Yellow Rapid Dry Waterborne Paint Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II (DOW DT400NA)	4/1/2004	R488, R489
Web Site: www.ennispaint.com				
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-HD21A-M2 White, 982832 NVY- HD21A-M2 Yellow Rapid Dry Waterborne Pain Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	7/30/2002	R353, R354
Web Site: www.ennispaint.com				
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	Pervo Plastics 6050 White, Pervo Plastics 6053 Yellow Type II Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	7/30/2002	R351, R352
Web Site: www.pervo.com				
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II; B65V150 Sherthane 2K Top Coat Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	7/9/2003	R425, R426, R140
Web Site:				

731.03.01 PAVEMENT REINFORCING FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
California Paving Fabrics Incorporated 2300 Barney Street Anderson CA 96007- (800) 443-6322 (530) 365-0108	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System Fax: (530) 365-0100 Email: cpf@snowcrest.net		10/18/2002	R361, R362, R363, R364
Web Site: www.californiapavingfabrics.co				

732.03.01 PAVEMENT MARKING TAPE (TYPE 1)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	5730 Stamark Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com	Type I	9/19/2003	R457
Web Site: www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 300 Tape Fax: (252) 526-4940 Email: brobbins@trafficmarking.com	Type I	9/19/2003	R462
Web Site: www.trafficmarking.com				
Brite Line Technologies 3322 Mendocino Forest Las Vegas NV 89122- (702) 649-9223 (702) 649-9237	Series 1000 Permanent Pavement Marking Tape Fax: (216) 924-6215 Email: bjubak@cox.net	Type I	5/9/2006	R546
Web Site:				
Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900	Director 60 Permanent Marking Tape Fax: (931) 388-4039 Email: office.industries@swarco.com	Type I Type I	2/17/2004	R472
Web Site: www.swarco.com				

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	420 Stamark Intersection Grade Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com	Type II	9/19/2003	R458
Web Site: www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 400 Tape Fax: (252) 526-4940 Email: brobbins@trafficmarking.com	Type II	9/19/2003	R463
Web Site: www.trafficmarking.com				

732.03.02 PAVEMENT MARKING TAPE (TYPE 2)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900	Director 35 Pavement Marking Tape Type II	Type I	2/17/2004	R473
<i>Fax:</i> (931) 388-4039		<i>Email:</i> office.industries@swarco.com	<i>Web Site:</i> www.swarco.com	

732.03.03 PAVEMENT MARKING TAPE (TYPE 4)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	A3801 Stamark Tape, 381WR-ES	Type IV	9/19/2003	R460, R461
<i>Fax:</i> (702) 914-6016		<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	

**QPL DB1 NOTES
November 8, 2005**

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.