

# QUALIFIED PRODUCTS LIST (QPL)

| <b>213.02.16</b>  |                              | <b>BACKFLOW PREVENTER COVERS</b>       |                    |                  |
|---|------------------------------|--|--------------------|------------------|
| <i>Mfr Name / Address</i>   | <i>Product Name</i>          | <i>Remarks</i>                         | <i>Carded Date</i> | <i>ID Number</i> |
| VIT Products Incorporated<br>2063 Wineridge Place<br>Escondido CA 92029-<br>(800) 729-1314 x.0    | ALHPI 60; SBBC 50            |  | 5/26/1998          | R002             |
|   | <i>Fax:</i> (888) 310-3946   | <i>Email:</i>                          | <i>Web Site:</i>   |                  |
| <b>213.02.18</b>  |                              | <b>FILTRATION SYSTEMS TYPE C</b>       |                    |                  |
| <i>Mfr Name / Address</i>   | <i>Product Name</i>          | <i>Remarks</i>                         | <i>Carded Date</i> | <i>ID Number</i> |
| Amiad Filtration System<br>220 Celsius Avenue<br>Oxnard CA 93030-<br>(800) 969-4055 x.0           | Filtration Systems           |  | 9/30/1996          | R003             |
|   | <i>Fax:</i> (800) 776-3458   | <i>Email:</i>                          | <i>Web Site:</i>   |                  |
| <b>213.03.05</b>  |                              | <b>IRRIGATION PIPE JOINT COMPOUNDS</b> |                    |                  |
| <i>Mfr Name / Address</i>   | <i>Product Name</i>          | <i>Remarks</i>                         | <i>Carded Date</i> | <i>ID Number</i> |
| RectorSeal<br>2601 Spenwick Drive<br>Houston TX 77055-<br>(713) 263-8001 x.0                      | RectorSeal #5                |  | 8/2/1999           | R209             |
|   | <i>Fax:</i> (713) 263-7577   | <i>Email:</i>                          | <i>Web Site:</i>   |                  |
| <b>214.02.01</b>  |                              | <b>TYPE C MAILBOX SUPPORT SYSTEMS</b>  |                    |                  |
| <i>Mfr Name / Address</i>   | <i>Product Name</i>          | <i>Remarks</i>                         | <i>Carded Date</i> | <i>ID Number</i> |
| S-Square Tube Products<br>5495 East 69th Avenue<br>Commence City CO 80022-<br>(303) 286-7051 x.0  | NEX Mailbox Support System   | Type C Mailbox Support System          | 3/29/2004          | R433             |
|   | <i>Fax:</i> (303) 287-0109   | <i>Email:</i> jennie@s-squaretube.com  | <i>Web Site:</i>   |                  |
| Traffic & Parking Control Company<br>800 Wall Street<br>Elm Grove WI 53122-<br>(262) 814-7000 x.0 | V-LOC Mailbox Support System |  | 11/4/1997          | R004             |
|   | <i>Fax:</i> (262) 814-7017   | <i>Email:</i> bryane@tapconet.com      | <i>Web Site:</i>   |                  |

**401.02.03a HERBICIDES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>        | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|--|--------------------|------------------|
| Control Solutions Incorporated (CSI)<br>5903 Genoa Red Bluff Road<br>Pasadena TX 77507-<br>(281) 892-2500 x.0 | Pramitol 25E               | Application rate: 38L/hectare<br>25gal/acre          | 8/1/1993           | R005             |
|   | <b>Fax:</b>                | <b>Email:</b>  | <b>Web Site:</b>   |                  |
| Dow Agro Sciences<br>9330 Zionsville Road<br>Indianapolis IN 46214-<br>(800) 263-1196 x.0                     | Spike 80 W                 | Application rate: 1.8 kg/hectare 10<br>lbs/acre      | 8/1/1993           | R006             |
|   | <b>Fax:</b>                | <b>Email:</b>  | <b>Web Site:</b>   |                  |
| EI Dupont de Nemours & Company<br>1007 Market Street<br>Wilmington DE 19898-<br>(800) 441-7515 x.0            | Hyvar X 80 W               | Application Rate: 2.8 kg/hectare 15<br>lbs. per acre | 8/2/1993           | R007             |
|   | <b>Fax:</b> (302) 992-6161 | <b>Email:</b>  | <b>Web Site:</b>   |                  |

**401.03.02 ASPHALT RELEASE AGENTS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i>                     | <i>ID Number</i> |
|--|--|---|--|------------------|
| Arrow Magnolia International LP<br>2646 Rodney Lane<br>Dallas TX 75229-<br>(800) 527-2101 x.0 (800) 969-6300 | Super Slick Bio  | 10/26/05 Name change from Chemco<br>to Arrow Magnolia   | 4/22/2004                              | R437             |
|  | <b>Fax:</b> (972) 484-2896                                   | <b>Email:</b>   | <b>Web Site:</b> www.arrowmagnolia.com |                  |
| BG Chemical LP<br>PO Box 720025<br>Dallas TX 75372-<br>(800) 725-8470 x.0                                    | Black Magic "13"; Black Magic "For Rubber";<br>Thermal Slide |   | 5/8/2000                               | R260             |
|  | <b>Fax:</b> (214) 826-7290                                   | <b>Email:</b> jgunter@bgchemical.com  | <b>Web Site:</b>                       |                  |
| Compound Technologies Incorporated<br>70 Riverside Drive<br>Cartersville GA 30120-<br>(888) 747-4101 x.0     | SPX-7  | Dilution rates: 1:5 (water) for<br>superpave mix designs; 1:20 (water)<br>for conventional mix designs. | 4/27/2000                              | R262             |
|  | <b>Fax:</b> (770) 386-3391                                   | <b>Email:</b> synthetic@pipeline.com  | <b>Web Site:</b>                       |                  |
| Rhomar Industries<br>2107 East Rockhurst<br>Springfield MO 65802-<br>(800) 688-6221 x.0 (417) 866-5592       | Enviro-Slide Ultra   |   | 4/26/2000                              | R258             |
|  | <b>Fax:</b> (417) 866-5593                                   | <b>Email:</b>   | <b>Web Site:</b> www.rhomar.com        |                  |
| ZEP Manufacturing Company<br>1420 Seaboard Industrial Boulevard<br>Atlanta GA 30318-<br>(404) 352-1680 x.0   | Zep E2008 (XT-3199)  |   | 12/3/2002                              | R360             |
|  | <b>Fax:</b> (404) 350-6218                                   | <b>Email:</b>   | <b>Web Site:</b> www.zep.com           |                  |

**409.03.10 EVAPORATIVE RETARDER**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Atlas Construction Supply Incorporated<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118-<br>(702) 227-6800 x.0 (877) 588-2100    | Atlas Finish Film<br><br><b>Fax:</b> (858) 277-0585 <b>Email:</b>   |   | 1/29/2003          | R386             |
|  |   | <b>Web Site:</b> www.atlasform.com                                  |                    |                  |
| Dayton Superior<br>4226 Kansas Avenue<br>Kansas City KS 66106-<br>(877) 416-3439 x.0 (800) 745-3700                                | SureFilm J-74 Finishing Aid<br><br><b>Fax:</b> (913) 279-4806 <b>Email:</b> johnkukey@daytonsuperior.com      | Finishing Aid:4.9 m2/l (200ft2/gal) to<br>(9.8 m2/l) 400 ft2/gal    | 8/2/1999           | R210             |
|  |   | <b>Web Site:</b>  |                    |                  |
| Degussa Building System (aka Master Bldrs Inc)<br>889 Valley Park Drive<br>Shakopee MN 55379-<br>(800) 327-1570 x.0 (800) 433-9517 | Confilm<br><br><b>Fax:</b> (800) 496-6067 <b>Email:</b> steve.peterson@degussa.com                            | Application rate:4.9 m2/l (200ft2/gal)<br>to (9.8 m2/l) 400 ft2/gal | 8/2/1999           | R212             |
|  |   | <b>Web Site:</b>  |                    |                  |
| Kaufman Products<br>3811 Curtis Avenue<br>Baltimore MD 21226-<br>(410) 354-8600 x.0  | VaporAid 060<br><br><b>Fax:</b> (410) 354-1122 <b>Email:</b> 222.kaufmanproducts.net                          |   | 8/2/1999           | R211             |
|  |   | <b>Web Site:</b>  |                    |                  |
| Vexcon Chemical Incorporated<br>7240 State Road<br>Philadelphia PA 19135-<br>(215) 332-7709 x.0 (888) 839-2661                     | Certi-Vex Envioassist Evaporative Retarder<br><br><b>Fax:</b> (215) 332-9997 <b>Email:</b> dmanuel@vexcon.com | Application rate:4.9 m2/1 to 200<br>ft2/gal                         | 8/2/1999           | R213             |
|  |   | <b>Web Site:</b>  |                    |                  |
| WR Meadows Incorporated<br>865 Teal Drive<br>Benicia CA 94510-<br>(707) 745-6666 x.0 (847) 214-2100                                | Sealtight Evapre Evaporative Retarder<br><br><b>Fax:</b> (707) 747-6206 <b>Email:</b>                         | Application rate: 1gal/to 9gal water                                | 8/1/1999           | R214             |
|  |   | <b>Web Site:</b>  |                    |                  |

**496.02.01 AGGREGATES FOR POLYMER CONCRETE PREBAGGED**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|------------------|--------------------|------------------|
| Manufacturers Mineral Company<br>1215 Monster Road SW<br>Renton WA 98055-<br>(425) 228-2120 x.0 | Aggregate, Sand<br><br><b>Fax:</b> (425) 228-2199 <b>Email:</b> |                  | 1/26/1997          | R012             |
|   |   | <b>Web Site:</b> |                    |                  |
| RMC Lone Star<br>6601 Knoll Center Parkway<br>Pleasanton CA 94566-<br>(510) 426-2190 x.0        | Aggregate<br><br><b>Fax:</b> <b>Email:</b>                      |                  | 1/26/1997          | R013             |
|   |   | <b>Web Site:</b> |                    |                  |

**502.02.01 ONE WAY & TWO WAY REFLECTIVE MARKERS (ON TOP OF BAR)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                      | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|-------------------------------------|--------------------|------------------|
| Astro Optics<br>1200 Abbott Drive<br>Elgin IL 60123-<br>(847) 488-9154 x.0 (847) 488-9151 | FB33 Tab Marker; FB33 Flexible Barrier Rail<br>Tab Markers |                                     | 2/2/1993           | R014             |
|   | <b>Fax:</b>  | <b>Email:</b> sales@astrooptics.com | <b>Web Site:</b>   |                  |

**502.02.04 CONCRETE STAIN**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                         | <i>Remarks</i>                         | <i>Carded Date</i>                      | <i>ID Number</i> |
|---|---|--|---|------------------|
| Textured Coatings of America (TEX-COTE)<br>4101 Ravenswood Road Suite 401<br>Ft Lauderdale FL 33312-<br>(954) 581-0771 x.0 (954) 205-5117 | Rainstopper Silicone-Acrylic Concrete Stain |  | 4/12/2005                               | R467             |
|   | <b>Fax:</b> (954) 581-9516                  | <b>Email:</b>                          | <b>Web Site:</b> www.texcote.com        |                  |
| United Coatings<br>19011 East Cataldo<br>Greenacres WA 99016-<br>(800) 541-4383 x.0 (509) 998-6263  | Canyon Tone Stain                           |  | 4/12/2005                               | R466             |
|   | <b>Fax:</b> (509) 928-1116                  | <b>Email:</b> shawn@unitedcoatings.com | <b>Web Site:</b> www.unitedcoatings.com |                  |

**502.03.02 RETARDANTS FOR FORMED EXPOSED AGGREGATE FINISH**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>        | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|----------------|--------------------|------------------|
| Fosroc Incorporated<br>150 Carley Court<br>Georgetown KY 40324-<br>(502) 863-6800 x.0 | Preco Hi-V; Preco Tuf-cote |                | 8/17/1999          | R216             |
|   | <b>Fax:</b> (502) 863-6805 | <b>Email:</b>  | <b>Web Site:</b>   |                  |

**502.03.13i PREFORMED JOINT MATERIAL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>        | <i>Remarks</i> | <i>Carded Date</i>                         | <i>ID Number</i> |
|--|----------------------------|----------------|--|------------------|
| Capital Services Incorporated<br>112 Morris Road<br>Schenectady NY 12304-<br>(518) 344-7777 x.0 (800) 356-6007 | Evazote                    |                | 5/23/1999                                  | R182             |
|  | <b>Fax:</b> (518) 346-1110 | <b>Email:</b>  | <b>Web Site:</b> www.capitalservicesny.com |                  |
| Epoxy Industries Incorporated<br>2 E-comm Square/324 Broadway Box 19<br>Albany NY 12207-<br>(518) 463-3271 x.0 | Evazote 380 ESP            |                | 5/3/1999                                   | R008             |
|  | <b>Fax:</b> (518) 463-3276 | <b>Email:</b>  | <b>Web Site:</b> www.epoplex.com           |                  |
| Illbruck Incorporated<br>3800 Washington Avenue North<br>Minneapolis MN 55412-<br>(612) 521-3555 x.0           | Will Seal 600              |                | 6/4/2002                                   | R340             |
|  | <b>Fax:</b> (612) 521-1010 | <b>Email:</b>  | <b>Web Site:</b>                           |                  |

**502.03.13i                    PREFORMED JOINT MATERIAL**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>               | <i>Remarks</i>                           | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------------|--|--------------------|------------------|
| Polytite Manufacturing Corporation<br>4226 Kansas Avenue<br>Kansas City            KS    66106-<br>(877) 416-3439 x.0               | Polytite N                        |  | 5/3/1999           | R010             |
|   | <b>Fax:</b>                       | <b>Email:</b>                            | <b>Web Site:</b>   |                  |
| RJ Watson Incorporated<br>78 John Glenn Drive<br>Amherst                NY    14228-<br>(716) 691-3301 x.0                          | Silicoflex                        |  | 12/7/2000          | R278             |
|   | <b>Fax:</b> (716) 691-3305        | <b>Email:</b> mstafford@rjwatson.com     | <b>Web Site:</b>   |                  |
| TechStar Incorporated<br>1219 West Main Cross Street<br>Findlay                OH    45840-<br>(419) 424-0888 x.0    (419) 408-5469 | W Seal                            |  | 5/3/1999           | R150             |
|   | <b>Fax:</b> (419) 424-5959        | <b>Email:</b> warren@techstar-inc.com    | <b>Web Site:</b>   |                  |
| Watson Bowman Acme Corporation<br>95 Pineview Drive<br>Amherst                NY    14228-<br>(716) 691-7566 x.0    (800) 677-4922  | JEENE® Structural & Sealing Joint |  | 5/3/1999           | R011             |
|   | <b>Fax:</b> (716) 691-9239        | <b>Email:</b> debbie.steiger@degussa.com | <b>Web Site:</b>   |                  |

**502.03.13j                    ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>           | <i>Remarks</i>                        | <i>Carded Date</i>               | <i>ID Number</i> |
|---|-------------------------------|---------------------------------------|----------------------------------|------------------|
| DS Brown Company, The<br>300 East Cherry Street<br>North Baltimore        OH    45872-<br>(419) 257-3561 x.0    (651) 748-8414      | 502 Matrix PaveTech           |                                       | 6/5/1997                         | R217             |
|   | <b>Fax:</b> (419) 257-2200    | <b>Email:</b> ldurain@dsbrown.com     | <b>Web Site:</b>                 |                  |
| Dynamic Surface Applications Ltd<br>373 Village Road<br>Pennsdale              PA    17756-<br>(570) 546-6041 x.0    (570) 772-0955 | BJS Thorma Joint Systems      |                                       | 9/19/2002                        | R353             |
|   | <b>Fax:</b> (570) 546-2415    | <b>Email:</b>                         | <b>Web Site:</b> www.DSA-Ltd.com |                  |
| SemMaterials LP<br>4303 Gekeler Lane<br>Boise                    ID    83716-<br>(208) 345-2538 x.0    (208) 890-4525               | Koch BJS Joint System         |                                       | 1/6/1998                         | R018             |
|   | <b>Fax:</b> (208) 336-0135    | <b>Email:</b> barret2r@semgrouplp.com | <b>Web Site:</b>                 |                  |
| Wyoming Equipment Sales<br>281 West Sixth Street<br>West Syoming           PA    18644-0287<br>(570) 693-2810 x.0                   | APJ Asphalt Plug Joint System |                                       | 12/1/2005                        | R477             |
|   | <b>Fax:</b> (570) 613-0384    | <b>Email:</b>                         | <b>Web Site:</b>                 |                  |

**502.03.13k      EXPANSION JOINT (SPECIAL)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Silicone Specialties Incorporated (SSI)<br>PO Box 50009<br>Tulsa OK 74150-<br>(800) 888-8909 x.0 (918) 587-5567 | Dow 902 XJS Joint System<br><br><b>Fax:</b> (918) 582-7510 | This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when<br><b>Email:</b> dale.baker@ssicm.com | 4/22/2002          | R228             |
| <b>Web Site:</b>  |  |  |                    |                  |

**502.03.13l      EXPANSION JOINT SEALANT**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                              | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Dow Corning Corporation<br>2200 West Salsburg Road<br>Midland MI 48686-<br>(989) 496-4000 x.0                 | 902 RCS<br><br><b>Fax:</b> (866) 735-3668                                | <b>Email:</b> stacey.crowder@dowcorning.com | 4/22/2002          | R334             |
| <b>Web Site:</b>  |  |   |                    |                  |
| Watson Bowman Acme Corporation<br>95 Pineview Drive<br>Amherst NY 14228-<br>(716) 691-7566 x.0 (800) 677-4922 | Wabo® Silicone Seal - Two Part Sealant<br><br><b>Fax:</b> (716) 691-9239 | <b>Email:</b> debbie.steiger@degussa.com    | 4/22/2002          | R335             |
| <b>Web Site:</b>  |  |   |                    |                  |

**502.03.22      JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Crafco Incorporated<br>420 North Roosevelt Avenue<br>Chandler AZ 85226-<br>(602) 276-0406 x.0 (800) 528-8242 | Crafco Asphalt Rubber<br><br><b>Fax:</b> (580) 940-1425         | Type 1, 2 or 4; Depends on Climate Zone<br><b>Email:</b> sales@crafco.com | 1/7/1998           | R017             |
| <b>Web Site:</b>   |   |   |                    |                  |
| Henry Company<br>10144 Waterman Road<br>Elk Grove CA 95624-<br>(916) 685-2000 x.0                            | Calseal<br><br><b>Fax:</b> (916) 685-2270                       | <b>Email:</b>   | 9/8/1998           | R022             |
| <b>Web Site:</b> www.henry.com   |   |   |                    |                  |
| Maxwell Products Incorporated<br>650 DeLong Street<br>Salt Lake City UT 84104-<br>(801) 972-2090 x.0         | Elastoflex 44M; Elastoflex 56<br><br><b>Fax:</b> (801) 972-5536 | <b>Email:</b>   | 1/6/1998           | R019             |
| <b>Web Site:</b>   |   |   |                    |                  |
| Meggison Enterprise Incorporated<br>PO Box 1780<br>Arvada CO 80001-<br>(303) 296-3439 x.0                    | Megaseal Type 1323<br><br><b>Fax:</b> (303) 293-8304            | <b>Email:</b>   | 9/8/1998           | R020             |
| <b>Web Site:</b>   |   |   |                    |                  |

**502.03.22 JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i> | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|---------------------|--|--------------------|------------------|
| SemMaterials LP<br>4303 Gekeler Lane<br>Boise ID 83716-<br>(208) 345-2538 x.0 (208) 890-4525 | Koch 9000           | <i>Fax:</i> (208) 336-0135 <i>Email:</i> barret2r@semgrouplp.com | 1/6/1998           | R018             |
| <i>Web Site:</i>   |                     |  |                    |                  |

**505.02.01 EPOXY COATING FOR STEEL REINFORCING BARS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Akzo Nobel<br>4150 East 56th Street<br>Cleveland OH 44101-<br>(216) 750-6475 x.0   | Corflex CF 4650 (Green); Bars Resicoat 500607                 | <i>Fax:</i> (216) 750-7575 <i>Email:</i>                            | 1/1/1996           | R029             |
| <i>Web Site:</i>   |   |   |                    |                  |
| Devoe/Fuller O'Brien Paint<br>1645 Winterwood Avenue<br>Sparks NV 89434-<br>(775) 343-3246 x.0 (800) 433-9517            | Epoxy Coating for Steel Reinforcing Bars EL-704-P             | <i>Fax:</i> (775) 626-3502 <i>Email:</i>                            | 1/1/1996           | R030             |
| <i>Web Site:</i>   |   |   |                    |                  |
| Dupont Powder Coatings USA Incorporated<br>9800 Genard Road<br>Houston TX 77041-<br>(713) 939-4000 x.0 (713) 696-4669    | 7-2719 Nap Guadr Epoxy Coating                                | <i>Fax:</i> (713) 939-4025 <i>Email:</i> varughese@dupontpowder.com | 1/18/2001          | R284             |
| <i>Web Site:</i>   |   |   |                    |                  |
| EI Dupont de Nemours & Company<br>1007 Market Street<br>Wilmington DE 19898-<br>(800) 441-7515 x.0                       | Flint Flex 531-6080; Flint Flex 531-6085; Flint Flex 531-6086 | <i>Fax:</i> (302) 992-6161 <i>Email:</i>                            | 1/1/1996           | R028             |
| <i>Web Site:</i>   |   |   |                    |                  |
| International Paint Incorporated/Coombes Equipment<br>207 North Amburgey<br>Odessa TX 79763-<br>(432) 337-6295 x.0       | HD33 Interpon; HD-34 Fusion Bond                              | <i>Fax:</i> (432) 332-8806 <i>Email:</i>                            | 1/1/1996           | R031             |
| <i>Web Site:</i> www.international-pc.com  |   |   |                    |                  |
| Mobil/Exxon Lubricants<br>3225 Gallows Road<br>Fairfax VA 22037-<br>(713) 656-4455 x.0                                   | Mobilox 1004-R-2 (Mobilgreases)                               | <i>Fax:</i> <i>Email:</i>   | 1/1/1996           | R033             |
| <i>Web Site:</i>   |   |   |                    |                  |
| Seibert Powder Coatings USA Incorporated<br>11110 Berea Road<br>Cleveland OH 44102-<br>(216) 631-2002 x.0 (800) 231-2002 | 1295 E-90 Pow Dax; Scotch Kote 413                            | <i>Fax:</i> (216) 631-6211 <i>Email:</i>                            | 1/1/1996           | R039             |
| <i>Web Site:</i>   |   |   |                    |                  |

**505.02.01 EPOXY COATING FOR STEEL REINFORCING BARS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Valspar Corporation, The<br>1136 Fayette<br>North Kansas City MO 64116-<br>(816) 421-7400 x.0 | Lilly Greenbar #720A009<br><br><b>Fax:</b> (816) 421-4563 <b>Email:</b> |                | 1/1/1996           | R032             |
| <b>Web Site:</b>  |   |                |                    |                  |

**605.02.01 POLYETHYLENE END SECTIONS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|----------------|--------------------|------------------|
| Advanced Drainage Systems Incorporated<br>4640 Trueman Boulevard<br>Hilliard OH 40326-<br>(614) 658-0050 x.0 | ADS End Section - Flared HDPE Culvert End<br>Sections<br><br><b>Fax:</b> (614) 658-0204 <b>Email:</b> |                | 10/28/1995         | R040             |
| <b>Web Site:</b>   |   |                |                    |                  |
| Hancor Incorporated<br>4794 Sanoy Circle<br>Salt Lake City UT 84117-<br>(801) 278-3453 x.0                   | Hi-Q Flared End Section<br><br><b>Fax:</b> (206) 309-0634 <b>Email:</b> llistello@hancor.com          |                | 10/28/1995         | R041             |
| <b>Web Site:</b> www.hancor.com  |   |                |                    |                  |

**609.02.01a FAST-SETTING CONCRETE PRODUCTS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|----------------|--------------------|------------------|
| 5 Star Products Incorporated<br>425 Stillson Road<br>Fairfield CT 06824-<br>(916) 354-2374 x.0 (800) 243-2206            | Highway Patch & Structural Concrete<br><br><b>Fax:</b> (203) 336-7930 <b>Email:</b>                                 |                | 9/30/1996          | R042             |
| <b>Web Site:</b>   |   |                |                    |                  |
| American Concrete Systems Incorporated<br>7966 Arjons Drive<br>San Diego CA 92126-<br>(310) 834-3401 x.0                 | American Highway Patch II<br><br><b>Fax:</b> (310) 830-4566 <b>Email:</b>   |                | 9/30/1996          | R043             |
| <b>Web Site:</b>   |   |                |                    |                  |
| CTS Cement Manufacturing Company<br>11065 Knott Avenue Suite A<br>Cypress CA 90630-<br>(800) 929-3030 x.0 (714) 348-1946 | Rapid Set DOT Repair Mix<br><br><b>Fax:</b> (714) 379-8270 <b>Email:</b> fsenatore@ctscement.com                    |                | 1/27/1994          | R045             |
| <b>Web Site:</b>   |   |                |                    |                  |
| Dayton Superior<br>4226 Kansas Avenue<br>Kansas City KS 55106-<br>(877) 416-3439 x.0 (800) 745-3700                      | Burke DOT Patch (928 Fast Patch), HD50<br><br><b>Fax:</b> (913) 279-4806 <b>Email:</b> johnhukey@daytonsuperior.com |                | 9/30/1996          | R044             |
| <b>Web Site:</b>   |   |                |                    |                  |



**609.02.01a FAST-SETTING CONCRETE PRODUCTS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Degussa Building System (aka Master Bldrs Inc)<br>889 Valley Park Drive<br>Shakopee MN 55379-<br>(800) 327-1570 x.0 (800) 433-9517     | Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar  | <i>Fax:</i> (800) 496-6067 <i>Email:</i> steve.peterson@degussa.com     | 1/3/2002           | R372             |
| Euclid Chemical Company<br>19218 Redwood Road<br>Cleveland OH 44110-<br>(800) 321-7628 x.0 (216) 692-8305                              | Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar   | <i>Fax:</i> (216) 531-9399 <i>Email:</i> blewis@euclidchemical.com      | 9/30/1996          | R047             |
| High Performance Concrete Repair Materials Inc<br>27068 La Paz Road #450<br>Aliso Viejo CA 92656-<br>(949) 470-3225 x.0 (949) 246-4177 | High Performance Concrete Mix  | <i>Fax:</i> (949) 470-3883 <i>Email:</i> johncollins@concreterepair.com | 1/3/2002           | R319             |
| Tamms Industries<br>2825 State Route 72<br>Kirland IL 60146-<br>(800) 862-2667 x.0 (818) 841-5096                                      | Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar | <i>Fax:</i> (815) 522-3394 <i>Email:</i>                                | 11/8/2005          | R479             |
| US Concrete Products<br>16 Greenmeadow Drive<br>Timonium MD 21093-<br>(866) 827-8727 x.0 (410) 821-1503                                | HP Cement  | <i>Fax:</i> (410) 561-8771 <i>Email:</i> laura@uscproducts.com          | 10/22/2004         | R457             |

**609.02.01b STORMWATER TREATMENT SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>             | <i>Remarks</i>                           | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------------------|--|--------------------|------------------|
| BaySaver<br>PO Box 8553<br>Incline Village NV 89452-<br>(775) 831-4592 x.0                                      | BaySaver                        | <i>Fax:</i> (775) 831-4592 <i>Email:</i> | 2/19/2001          | R288             |
| CDS Technologies<br>16360 Monterey Road Suite 250<br>Morgan Hill CA 95037-<br>(408) 779-6363 x.0 (916) 296-6184 | CDS Stormwater Treatment System | <i>Fax:</i> (408) 782-0721 <i>Email:</i> | 2/19/2001          | R287             |

**609.02.01b STORMWATER TREATMENT SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Contech Stormwater Solutions<br>3498 Celar Court<br>Rancho Cordova CA 95670-<br>(916) 635-0760 x.0 (800) 548-4667     | StormFilter<br><br><b>Fax:</b> (916) 635-0764 <b>Email:</b> neile@contech-cpi.com                          | This is the general QPL only. The unit will be selected based on the specific project requirements. | 2/19/2001          | R286             |
| Contech Stormwater Solutions<br>3498 Celar Court<br>Rancho Cordova CA 95670-<br>(916) 635-0760 x.0 (800) 548-4667     | Vortechs Stormwater Treatment System<br><br><b>Fax:</b> (916) 635-0764 <b>Email:</b> neile@contech-cpi.com | 609.02.01b  | 7/23/2003          | R401             |
| Rinker Materials, Concrete Pipe Division<br>999 Marietta Way<br>Sparks NV 89431-<br>(775) 358-4430 x.0 (775) 745-0605 | Stormceptor<br><br><b>Fax:</b> (775) 355-1982 <b>Email:</b> dcatterson@rinker.com                          | This is the general QPL only. The unit will be selected based on the specific project requirements. | 4/22/2001          | R290             |
| Stormdrain Solutions<br>333 Beaumont Road<br>Devon PA 19333-<br>(877) 687-7473 x.0 (610) 316-0957                     | Inceptor<br><br><b>Fax:</b> (610) 687-6327 <b>Email:</b> robert@stormdrains.com                            | This is the general QPL only. System will be selected based on project-specific requirements.       | 7/26/2002          | R343             |

**609.02.01c TRENCH DRAIN SYSTEMS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| ABT Incorporated<br>259 Murdock Road<br>Troutman NC 28166-<br>(800) 438-6057 x.0 (704) 528-9806                | A-67 Interceptor; Polydrain Trench Drain System<br><br><b>Fax:</b> (704) 528-5478 <b>Email:</b> johncarpenter@abtdrains.com   | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003          | R377             |
| ACO Polymer Products Incorporated<br>4200 Finch Road<br>Modesto CA 95357-<br>(888) 490-9552 x.0 (209) 204-0988 | S100K, FF300, FG200, K100S, K300S Concrete Surface Drainage<br><br><b>Fax:</b> (209) 574-1014 <b>Email:</b> jwhite@aco-online.com   | This is the general QPL only. System will be selected based on project-specific requirements. | 1/17/2003          | R380             |
| Multidrain Systems Incorporated<br>PO Box 88<br>Barium Springs NC 28010-<br>(800) 433-1119 x.0 (704) 528-1011  | MultiDrain Surface Drainage Systems; EconoDrain Systems<br><br><b>Fax:</b> <b>Email:</b> steve.born@multidrainsystems.com   | This is the general QPL only. System will be selected based on project-specific requirements. | 4/6/2004           | R435             |
| Strongwell<br>301 County Airport Road<br>Vacaville CA 95688-<br>(800) 346-3061 x.0 (707) 452-9920              | Polycast 900 Series Grates (Removeable); Polycast 3000 Z886 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F)<br><br><b>Fax:</b> (650) 992-7100 <b>Email:</b> tbeattie@strongwell.com | This is the general QPL only. System will be selected based on project-specific requirements. | 1/13/2005          | R460             |

**609.02.01c TRENCH DRAIN SYSTEMS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Zurn Industries Incorporated<br>2855 Girts Road<br>Jamestown NY 14701-<br>(716) 665-1132 x.0 | Z-886 (6" Wide); Z-882 (12" Wide)<br><br><b>Fax:</b> (716) 665-1135 <b>Email:</b> | This is the general QPL only. System will be selected based on project-specific requirements. | 3/28/2003          | R388             |
| <b>Web Site:</b>   |   |   |                    |                  |

**610.02.01 CELLULAR EROSION CONTROL MATS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                                       | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Attila Environmental Products<br>5927 Balfour Court Suite 108<br>Carlsbad CA 92008-<br>(760) 431-2452 x.0 (619) 417-8024 | Armorflex<br><br><b>Fax:</b>                              | This is the general QPL only. System will be selected based on project-specific requirements. | 1/28/2002          | R326             |
| <b>Email:</b> eric@attilacorp.com <b>Web Site:</b>   |   |   |                    |                  |
| Petraflex<br>4444 West 78th Street<br>Minneapolis MN 55435-<br>(800) 787-2359 x.0  | Petraflex<br><br><b>Fax:</b> (612) 897-3858 <b>Email:</b> | This is the general QPL only. System will be selected based on project-specific requirements. | 1/28/2002          | R327             |
| <b>Web Site:</b>   |   |   |                    |                  |

**613.02.01 DETECTABLE WARNINGS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| Endicott Clay Products Company<br>PO Box 17<br>Fairbury NE 68352-<br>(402) 729-3315 x.0                              | Handicap Detectable Warning Pavers<br><br><b>Fax:</b> (402) 729-5804 <b>Email:</b> endicott@endicott.com       | Concrete Paver | 3/26/2004          | R430             |
| <b>Web Site:</b>   |  |                |                    |                  |
| N-Direct Distribution<br>1833 East Baseline Road Suite 247<br>Gilbert AZ 85233-<br>(480) 226-2074 x.0 (480) 226-2074 | CASTinTACT<br><br><b>Fax:</b> (530) 878-2440 <b>Email:</b> bill@n-dir.com                                      | Concrete Panel | 3/26/2004          | R431             |
| <b>Web Site:</b>   |  |                |                    |                  |
| Pavestone<br>4720 Alto Avenue<br>Las Vegas NV 89115-<br>(702) 221-2700 x.0 (702) 807-4477                            | ADA Compliant Detectable Warning Paver<br><br><b>Fax:</b> (702) 221-2727 <b>Email:</b> pdavidson@pavestone.com | Concrete Paver | 5/13/2004          | R440             |
| <b>Web Site:</b>   |  |                |                    |                  |
| Transpo Industries Incorporated<br>20 Jones Street<br>New Rochelle NY 10801-<br>(914) 636-1000 x.0 (800) 321-7870    | Safe Step - Detectable Warning Tile<br><br><b>Fax:</b> (914) 636-1282 <b>Email:</b> achawalwala@transpo.com    | Concrete Panel | 3/26/2004          | R429             |
| <b>Web Site:</b>   |  |                |                    |                  |

**613.02.01 DETECTABLE WARNINGS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Whitacre Greer<br>1400 South Mahoning Avenue<br>Alliance OH 44601-<br>(800) 947-2837 x.0 | Truncated Dome ADA Pavers<br><br><b>Fax:</b> (330) 823-5502 | Concrete paver<br><br><b>Email:</b> info@wgpaver.com | 3/26/2004          | R432             |
|  |   | <b>Web Site:</b> www.gpaver.com                      |                    |                  |

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Conwed Plastics<br>2810 Weeks Avenue SE<br>Minneapolis MN 55414-<br>(800) 426-6933 x.0 (612) 623-1700                        | Safety Fence<br><br><b>Fax:</b> (612) 623-2500             | <br><br><b>Email:</b> customer.service@conwedplastics.co | 10/10/1999         | R219             |
|  |  | <b>Web Site:</b> www.conwedplastics.com                  |                    |                  |
| Plastic Safety Systems Incorporated<br>2444 Baldwin Road<br>Cleveland OH 44104-<br>(216) 231-8590 x.0                        | All Purpose Safety Fence<br><br><b>Fax:</b> (216) 231-2702 | <br><br><b>Email:</b>                                    | 10/10/1999         | R220             |
|  |  | <b>Web Site:</b>   |                    |                  |
| Tensor Company Construction Products Grp<br>5775-B Glenridge Drive<br>Atlanta GA 30328-<br>(404) 250-9056 x.0 (818) 841-5096 | Safety Grid<br><br><b>Fax:</b> (404) 250-9077              | <br><br><b>Email:</b>                                    | 10/10/1999         | R221             |
|  |  | <b>Web Site:</b>   |                    |                  |

**618.02.01 FLARED GUARDRAIL TERMINAL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>                                  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Road Systems Incorporated<br>PO Box 2163<br>Big Spring TX 79721-<br>(432) 263-2435 x.0 (432) 267-4039  | Fleat 350 TL3<br><br><b>Fax:</b> (915) 267-4039                    | TL-3<br><br><b>Email:</b> Kaddo@basin-net.net   | 1/11/1999          | R055             |
|  |  | <b>Web Site:</b>                                |                    |                  |
| Trinity Industries<br>950 West 400 South<br>Centerville UT 84014-<br>(800) 772-7976 x.0 (360) 943-9559 | ET Plus; LET Soil Tubes; SRT 350<br><br><b>Fax:</b> (801) 292-9138 | TL-3<br><br><b>Email:</b> mikel.hooley@trin.net | 6/9/2004           | R442             |
|  |  | <b>Web Site:</b>                                |                    |                  |

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                           | <i>Remarks</i>                                | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Road Systems Incorporated<br>PO Box 2163<br>Big Spring TX 79721-<br>(432) 263-2435 x.0 (432) 267-4039 | SKT 350 TL3<br><br><b>Fax:</b> (915) 267-4039 | TL-3<br><br><b>Email:</b> Kaddo@basin-net.net | 2/8/1998           | R181             |
|   |   | <b>Web Site:</b>                              |                    |                  |

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                                    | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Trinity Highway Safety<br>950 West 400 South<br>Centerville UT 84014-<br>(800) 772-7976 x.0 (360) 943-9559 | CAT 350, ET 200 Plus<br><br><b>Fax:</b> (801) 292-9138 | Cat 350 - TL3 for median areas only<br>w/bi-directional traffic; ET 200 Plus -<br>TL3 metal or wood posts allowed<br>w/guardrail terminal.<br><b>Email:</b> mikel.hooley@trin.net | 3/30/1997          | R056             |
| <b>Web Site:</b>   |  |   |                    |                  |

**618.02.01b GUARDRAIL OFFSET BLOCKS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Arizona Structural Laminators<br>2000 West Central Avenue<br>Eagar AZ 85925-<br>(928) 333-5501 x.0         | Offset Block; Glue Laminated Wood Guardrail<br>Posts<br><br><b>Fax:</b> (928) 333-4403 | Use for W-beam and Tri-beam<br>Guardrails<br><b>Email:</b> snicoll@aslbeams.com    | 3/10/2004          | R426             |
| <b>Web Site:</b>   |  |  |                    |                  |
| Trinity Highway Safety<br>950 West 400 South<br>Centerville UT 84014-<br>(800) 772-7976 x.0 (360) 943-9559 | King King Block; King Block<br><br><b>Fax:</b> (801) 292-9138                          | Used with steel post Tri-beam<br>guardrails.<br><b>Email:</b> mike.hooley@trin.net | 5/13/2005          | R471             |
| <b>Web Site:</b>   |  |  |                    |                  |

**619.02.01 FLEXIBLE GUIDE POSTS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Carsonite International<br>605 Bob Gifford Boulevard<br>Early Branch SC 29916-<br>(800) 648-7916 x.0                    | CGDU<br><br><b>Fax:</b> (803) 753-9081                        | Minimum Embedment Depth:<br>450mm ( 18 inches)<br><b>Email:</b>                        | 11/4/1998          | R060             |
| <b>Web Site:</b>  |   |  |                    |                  |
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0    | Metal Base 248-GP3<br><br><b>Fax:</b> (800) 770-6755          | Minimum Embedment Depth: 430<br>mm (17 inches)<br><b>Email:</b> dsanchez@quixtrans.com | 11/4/1998          | R065             |
| <b>Web Site:</b> www.energyabsorption.com   |   |  |                    |                  |
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0 (877) 843-9757 | TD5500 Earthflex Delineator<br><br><b>Fax:</b> (818) 841-5096 | <b>Email:</b> sales@trafficwks.com   | 10/13/2004         | R451             |
| <b>Web Site:</b>  |   |  |                    |                  |

**619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| Carsonite International<br>605 Bob Gifford Boulevard<br>Early Branch SC 29916-<br>(800) 648-7916 x.0 | Island Sentry SMD-615 Surface Mounted K-<br>Marker<br><br><b>Fax:</b> (803) 753-9081 | <b>Email:</b>  | 8/1/1989           | R066             |
| <b>Web Site:</b>   |  |                |                    |                  |

**619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>                                    | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 | K-Marker; Dura-Post<br><br><b>Fax:</b> (800) 770-6755                 | TL-2<br><br><b>Email:</b> dsanchez@quixtrans.com  | 11/4/1998          | R068             |
| Flexstake Incorporated<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912-<br>(800) 348-9839 x.0                           | T2 Object Marker<br><br><b>Fax:</b> (239) 482-3539                    | <b>Email:</b> fsi@flexstake.com                   | 6/1/1994           | R067             |
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0             | TD5315 ChannelGard K Marker Type II<br><br><b>Fax:</b> (818) 841-5096 | Type II<br><br><b>Email:</b> sales@trafficwks.com | 6/29/2005          | R472             |

**Web Site:** www.energyabsorption.com**Web Site:****Web Site:****619.03.01 PRISMATIC ACRYLIC REFLECTORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------------------------|--------------------|------------------|
| AKT Corporation<br>6318 West State Street<br>Wauwatosa WI 53213-<br>(414) 475-5020 x.0                | AKT #18 Center Mounted Reflector<br><br><b>Fax:</b> (414) 476-3438    | <b>Email:</b> tschoe2992@aol.com | 5/5/1998           | R070             |
| Vega Molded Products Incorporated<br>122 Industrial Drive<br>Gilberts IL 60136-<br>(847) 428-7761 x.0 | Center-Mounted Delineator Reflector<br><br><b>Fax:</b> (847) 428-7764 | <b>Email:</b>                    | 5/5/1998           | R071             |

**Web Site:****Web Site:****623.01.01 DYNAMIC MESSAGE SIGNS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                         | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Daktronics Incorporated<br>331 32nd Avenue<br>Brookings SD 57006-<br>(605) 597-4472 x.0               | Light-Emitting Diode Dynamic Message Sign<br>Assembly<br><br><b>Fax:</b> (605) 597-4700 | Type 1 and Type 2<br><br><b>Email:</b> | 9/14/2004          | R447             |
| Skyline Products Incorporated<br>2903 Delta Drive<br>Colorado Springs CO 80910-<br>(719) 392-9046 x.0 | 2070 Light-Emitting Diode Dynamic Message<br>Sign<br><br><b>Fax:</b> (719) 392-3839     | Type 1 and Type 2<br><br><b>Email:</b> | 12/1/2005          | R482             |

**Web Site:****Web Site:**

**623.02.08 SERVICE PEDESTALS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>         | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|-----------------------------|---|--------------------|------------------|
| Milbank Manufacturing Company<br>PO Box 419028<br>Kansas City MO 64141-<br>(949) 387-4863 x.0 (816) 483-5314 | Metered Service Pedestals   | <b>Fax:</b> (816) 483-6357 <b>Email:</b> dstipe@milbankmfg.com        | 11/19/2002         | R359             |
| Myers Power Products<br>725 East Harrison Street<br>Corona CA 92879-<br>(951) 520-1900 x.0 (949) 701-8072    | Service Pedestals           | <b>Fax:</b> (951) 520-1961 <b>Email:</b> dianagrootonk@myerspower.com | 9/5/2000           | R270             |
| Pacific Utilities Products<br>13703 Melvin Way<br>Anaheim CA 92806-<br>(800) 860-6157 x.0                    | Service Pedestals           | <b>Fax:</b> <b>Email:</b>   | 11/19/2002         | R358             |
| Tesco Controls Incorporated<br>3434 52nd Avenue<br>Sacramento CA 95823-<br>(916) 395-8800 x.0 (916) 952-5088 | Tescoflex Service Pedestals | <b>Fax:</b> (916) 429-2817 <b>Email:</b> wsumner@tescocontrols.com    | 9/5/2000           | R269             |

**623.02.11 ALUMINUM POLES**

| <i>Mfr Name / Address</i>  | <i>Product Name</i> | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|---------------------|--|--------------------|------------------|
| Valmont Lexington<br>20805 Eaton Avenue<br>Farmington MN 55024-<br>(651) 463-8990 x.0 (888) 356-2175 | Aluminum Poles      | (Model Number 291060105T4 w/MD1532P60)<br><b>Fax:</b> (651) 463-3349 <b>Email:</b> bdunsmore@valmont.com | 8/2/1995           | R072             |

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--------------------------------------|--|--------------------|------------------|
| Carolina High Mast<br>700 East McLeroy Boulevard Suite A<br>Saginaw TX 76179-<br>(682) 286-0046 x.0                       | 426 Series (Bottom Latching)         | <b>Fax:</b> <b>Email:</b>                                  | 12/30/2003         | R418             |
| Eagle High Mast Lighting Company<br>1070A Northpoint Boulevard<br>Waukegan IL 60085-<br>(847) 473-3800 x.0 (847) 217-1070 | High Mast Assembly (button latching) | <b>Fax:</b> (847) 473-3870 <b>Email:</b> himastltg@aol.com | 12/30/2003         | R419             |

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>                     | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|------------------------------------|--------------------|------------------|
| Holophane Corporation<br>8081 Cammeray Drive<br>Citrus Heights CA 95610-<br>(916) 725-1903 x.0 | Holophane LD5 Series High Mast Lighting<br>Lowering D<br><br><b>Fax:</b> (916) 725-1904 <b>Email:</b> |                                    | 12/30/2003         | R417             |
|  |   | <b>Web Site:</b> www.holophane.com |                    |                  |

**623.02.16 CONDUIT DUCT SEALING COMPOUND**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|------------------|--------------------|------------------|
| NSI Industries Incorporated<br>9730 Northcross Center Court<br>Charlotte NC 28078-<br>(800) 321-5847 x.0 (704) 439-2420 | Conduit Duct Sealing Compound<br><br><b>Fax:</b> (800) 841-5566 <b>Email:</b> mike@nsiindustries.com |                  | 8/10/1998          | R073             |
|   |  | <b>Web Site:</b> |                    |                  |

**623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M<br>Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 560 Chassis Discimonator Opticom Priority<br>Control<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>                              |   | 9/19/2003          | R408             |
|  |   | <b>Web Site:</b> www.3M.com/tcm                         |                    |                  |
| 3M Traffic Control Materials Division, 3M<br>Center<br>2625 NE 44th Avenue<br>Portland OR 97213-<br>(503) 440-2636 x.0           | 711, 722, 721 Priority Control System Optical<br>Detector Model<br><br><b>Fax:</b> (651) 732-8321 <b>Email:</b> adhollen@mmm.com  | Do not mix components, it must be a<br>complete system. | 9/27/2001          | R307             |
|  |   | <b>Web Site:</b> www.3M.com/tcm                         |                    |                  |
| 3M Traffic Control Materials Division, 3M<br>Center<br>2625 NE 44th Avenue<br>Portland OR 97213-<br>(503) 440-2636 x.0           | 452, 752 Discimonator Opticom Priority Control<br>Systems<br><br><b>Fax:</b> (651) 732-8321 <b>Email:</b> adhollen@mmm.com        | Do not mix components, it must be a<br>complete system. | 9/27/2001          | R307             |
|  |   | <b>Web Site:</b> www.3M.com/tcm                         |                    |                  |
| Tomar<br>2100 West Obispo<br>Gilbert AZ 85233-<br>(800) 338-3133 x.0   | 2140 & 2080 Tomar Strobecom II<br>System/Strobecom II OSP<br><br><b>Fax:</b> (800) 688-6627 <b>Email:</b>                         | Do not mix components, it must be a<br>complete system. | 9/27/2001          | R309             |
|  |   | <b>Web Site:</b> www.tomar.com                          |                    |                  |
| Tomar<br>2100 West Obispo<br>Gilbert AZ 85233-<br>(800) 338-3133 x.0   | Tomar Strobecom II System Card Racks;<br>Strobecom II Optical Preemption Detector<br><br><b>Fax:</b> (800) 688-6627 <b>Email:</b> | Do not mix components, it must be a<br>complete system. | 9/27/2001          | R309             |
|  |   | <b>Web Site:</b> www.tomar.com                          |                    |                  |



**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|----------------|--------------------|------------------|
| Diamond Traffic Products<br>PO Box 1455<br>Oakridge OR 97463-<br>(541) 782-3903 x.0               | Brass Linguine Class 1<br><br><b>Fax:</b> (541) 782-2053 <b>Email:</b> sales@diamondtraffic.com                        |                | 10/31/2001         | R312             |
| Measurement Specialties Incorporated<br>1000 Lucas Way<br>Hampton VA 23666-<br>(757) 766-4474 x.0 | Roadtrax BL Sensor Brass Linguine Class 1<br><br><b>Fax:</b> (757) 766-4297 <b>Email:</b> robin.fletcher@meas-spec.com |                | 5/26/1999          | R183             |
| Peek Traffic<br>2511 Corporate Way<br>Palmetto FL 34221-<br>(800) 245-7660 x.0                    | Brass Linguine Class 1<br><br><b>Fax:</b> (941) 366-8770 <b>Email:</b>   |                | 10/31/2001         | R313             |

**623.02.30e OPTIONAL VEHICLE DETECTOR SEALANTS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>              | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|-----------------------------|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>2625 NE 44th Avenue<br>Portland OR 97213-<br>(503) 440-2636 x.0 | 5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Priortiy Control System<br><br><b>Fax:</b> (651) 732-8321 <b>Email:</b> adhollen@mmm.com | Rubberized Material         | 8/5/1998           | R075             |
| Bondo Corporation<br>3700 Atlanta Industrial Parkway NW<br>Atlanta GA 30331-<br>(770) 531-1747 x.0 (404) 661-1875   | P/N 606 Detector Loop Sealant<br><br><b>Fax:</b> (770) 531-7638 <b>Email:</b> Kmoore972Waol.com   |                             | 12/2/2003          | R413             |
| Crafco Incorporated<br>420 North Roosevelt Avenue<br>Chadler AZ 85226-<br>(602) 276-0406 x.0 (800) 528-8242         | Loop Detector Sealant 271 & Loop Detector Sealant 272<br><br><b>Fax:</b> (580) 940-1425 <b>Email:</b> sales@crafco.com                                  | Rubberized Asphalt Material | 8/5/1998           | R076             |
| Durant Paints Incorporated<br>112 Railroad Street<br>Revere MA 02151-<br>(800) 420-0021 x.0 (781) 289-1400          | Stat-a-Flex Polyester Loop Sealant<br><br><b>Fax:</b> (781) 289-1405 <b>Email:</b> alosanno@durantcorp.com  | Polyester Material          | 8/5/1998           | R077             |
| Quikrete of Northern California Incorporated<br>1465 West 4th Street<br>Reno NV 89503-<br>(775) 329-0407 x.0        | Quikrete (Sackrete) Special (Loop Mix) Blacktop A<br><br><b>Fax:</b> (775) 329-0478 <b>Email:</b>   | Asphaltic Concrete          | 1/1/2001           | R283             |

**623.02.30e**      **OPTIONAL VEHICLE DETECTOR SEALANTS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| RAI Products Incorporated<br>PO Box 240772<br>Charlotte NC 28224-<br>(704) 525-1852 x.0 (704) 904-1481 | Pro-Seal 6006 Polyester Material; Permanent<br>Sealer 974 Nitrile Rubber Material<br><br><b>Fax:</b> (704) 525-1859 <b>Email:</b> john@raiproducts.com | Sealer 974 - Nitrile Rubber Material,<br>Pro-Seal 6006 - Polyester Material<br><br><b>Web Site:</b> | 8/5/1998           | R079             |
| Reed & Graham Company<br>690 Sunol Street<br>San Jose CA 95126-<br>(408) 287-1400 x.0                  | Overkote Loop Filler<br><br><b>Fax:</b> (408) 286-7876 <b>Email:</b>   | Asphaltic Emulsion Material<br><br><b>Web Site:</b>   | 8/5/1998           | R078             |

**623.03.01**      **TRAFFIC SIGNALS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Dialight Corporation<br>1501 Route 34 South<br>Farmingdale NJ 07727-<br>(732) 919-3119 x.0 (732) 751-5828 | LED 12" Signal Heads, Pedestrian Signal Heads<br>(all)<br><br><b>Fax:</b> (732) 751-5778 <b>Email:</b> dboehne@dialight.com | All models including Duraled. All<br>models for solid balls. Arrow must be<br>solid.<br><br><b>Web Site:</b> | 3/26/2002          | R330             |
| GELcore<br>6180 Halle Drive<br>Valley View OH 44125-<br>(216) 606-6555 x.0                                | LED 12" Signal Heads, Pedestrian Signal Heads<br><br><b>Fax:</b> (216) 606-6556 <b>Email:</b>                               | All models including Duraled. All<br>models for solid balls. Arrow must be<br>solid.<br><br><b>Web Site:</b> | 3/26/2002          | R331             |

**623.03.15**      **SIGN LIGHTING FIXTURES**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>                                  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Allied Lighting Systems<br>3914 Murphy Canyon Road Suite A164<br>San Diego CA 92123-<br>(858) 505-4740 x.0 | 85 Watt Induction Lighting Syst (MSR Series<br>Sign)<br><br><b>Fax:</b> (858) 505-4117 <b>Email:</b> | <br><br><b>Web Site:</b> www.alliedlighting.com | 1/17/2003          | R383             |
| Holophane Corporation<br>PO Box 3004<br>Newark OH 43058-<br>(530) 676-7071 x.0 (916) 599-2588              | Panel Vue Series Sign Lighting<br><br><b>Fax:</b> (702) 429-0627 <b>Email:</b>                       | <br><br><b>Web Site:</b> www.holophane.com      | 1/17/2003          | R382             |

**623.03.22**      **LUMINAIRE RETRIEVAL SYSTEM**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                        | <i>Remarks</i>           | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--------------------------|--------------------|------------------|
| Lumi Trak Incorporated<br>PO Box 158<br>Shreburry PA 17361-<br>(717) 235-2863 x.0 | Lumi Trak<br><br><b>Fax:</b> <b>Email:</b> | <br><br><b>Web Site:</b> | 11/19/2002         | R357             |

**623.05.26 RED LIGHT DETECTORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i> | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------|----------------|--------------------|------------------|
| McCain Incorporated<br>2365 Oak Ridge Way<br>Vista CA 92081-<br>(760) 727-8100 x.0 (760) 734-5027 | Red Light Detector  |                | 7/16/2003          | R399             |
|   | <b>Fax:</b>         | <b>Email:</b>  | <b>Web Site:</b>   |                  |
| Synchronex<br>1420 Claremont Boulevard Suite 200<br>Claremont CA 91711-<br>(909) 482-1040 x.0     | Red Light Detector  |                | 7/16/2003          | R400             |
|   | <b>Fax:</b>         | <b>Email:</b>  | <b>Web Site:</b>   |                  |

**624.03.03 REFLECTIVE SHEETING FOR FLAGGER PADDLES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                                | <i>Remarks</i>                             | <i>Carded Date</i>              | <i>ID Number</i> |
|---|--|--|---------------------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3970 LDP Diamond Grade                             |  | 4/8/1999                        | R186             |
|   | <b>Fax:</b> (702) 914-6016                         | <b>Email:</b>                              | <b>Web Site:</b> www.3M.com/tcm |                  |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                             | T6500 Prismatic High Intensity Reflective Sheeting |  | 4/8/1999                        | R187             |
|   | <b>Fax:</b> (847) 647-0269                         | <b>Email:</b> matt.hills@averydennison.com | <b>Web Site:</b>                |                  |
| Reflexite North America<br>1001 41st Street<br>Sacramento CA 95819-<br>(916) 739-6903 x.0                                     | Reflexite Fluorescent Orange Super Bright Roll Up  |  | 4/8/1999                        | R185             |
|   | <b>Fax:</b> (916) 457-3813                         | <b>Email:</b>                              | <b>Web Site:</b>                |                  |

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                       | <i>Remarks</i>                | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|-------------------------------|--------------------|------------------|
| Bent Manufacturing Company<br>17311 Nichols Street<br>Huntington Beach CA 92647-<br>(888) 842-0600 x.0 (714) 842-0600 | MF-180-36 Masterflex                      |                               | 6/15/1998          | R080             |
|   | <b>Fax:</b> (888) 842-2368                | <b>Email:</b> bmc@bentmfg.com | <b>Web Site:</b>   |                  |
| Carsonite International<br>605 Bob Gifford Boulevard<br>Early Branch SC 29916-<br>(800) 648-7916 x.0                  | 36 SMDW; Super Duck Channelizer; 436 SDCF |                               | 6/15/1998          | R081             |
|   | <b>Fax:</b> (803) 943-3375                | <b>Email:</b>                 | <b>Web Site:</b>   |                  |

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|-----------------|--------------------|------------------|
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0     | SH 236SMAD-OS (Post); Dura Post 36"<br><br><b>Fax:</b> (800) 770-6755 <b>Email:</b> dsanchez@quixtrans.com |                 | 6/15/1998          | R084             |
| Filtrona Extrusion, Davidson Traffic Control Products<br>3110 70th Avenue East<br>Tacoma WA 98424-<br>(877) 335-4638 x.0 | FG 300 Curb System/Surface Mounted Post<br><br><b>Fax:</b> <b>Email:</b> cathybest@filtrona.com            | Surface Mounted | 10/14/1999         | R222             |
| Flexstake Incorporated<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912-<br>(800) 348-9839 x.0 (239) 481-3539                | Flexstake SM703<br><br><b>Fax:</b> (239) 482-3539 <b>Email:</b> fsi@flexstake.com                          |                 | 6/15/1998          | R082             |
| Western Highway Products<br>PO Box 7<br>Stanton CA 90680-<br>(714) 751-4811 x.0  | Repo 36 RPB<br><br><b>Fax:</b> (714) 952-2118 <b>Email:</b>  |                 | 6/15/1998          | R086             |

**625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|----------------|--------------------|------------------|
| Astro Optics<br>1200 Abbott Drive<br>Elgin IL 60123-<br>(847) 488-9154 x.0 (847) 488-9151                                | FB33 Tab Marker; FB33 Flexible Barrier Rail<br>Tab Markers<br><br><b>Fax:</b> <b>Email:</b> sales@astrooptics.com |                | 2/2/1993           | R014             |
| Duraflex Corporation<br>297 Margaret King Avenue<br>Ringwood NJ 07456-<br>(973) 962-7779 x.0                             | FlexX 2020 W/75 mm X 75mm Reflective<br>Sheeting<br><br><b>Fax:</b> (973) 962-7652 <b>Email:</b>                  |                | 12/17/1997         | R016             |
| Filtrona Extrusion, Davidson Traffic Control Products<br>3110 70th Avenue East<br>Tacoma WA 98424-<br>(877) 335-4638 x.0 | PCBM 12 High Impact Barrier Reflector<br><br><b>Fax:</b> <b>Email:</b> cathybest@filtrona.com                     |                | 12/17/1997         | R015             |

**625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>             | <i>Remarks</i>                     | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------------------|------------------------------------|--------------------|------------------|
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0 (877) 843-9757 | TD9300 Roadguide; TD9400 Series |                                    | 12/3/2002          | R361             |
|   | <b>Fax:</b> (818) 841-5096      | <b>Email:</b> sales@trafficwks.com |                    | <b>Web Site:</b> |

**625.02.02a BARRIER MARKER DRUMS ON CONCRETE BARRIER RAILS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>        | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|----------------|--------------------|------------------|
| Beebe Incorporated/Stinson Equipment Ltd<br>1895 Grant Street NE<br>Salem OR 97303-<br>(503) 315-2097 x.0 | 0B3W00 Saddlemarker Drums  |                | 12/17/1997         | R101             |
|   | <b>Fax:</b> (503) 585-5437 | <b>Email:</b>  |                    | <b>Web Site:</b> |

**625.02.03 CHANGEABLE MESSAGE SIGNS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i>               |
|---|---|--|--------------------|--------------------------------|
| Addco Manufacturing Company Incorporated<br>40 Arlington Avenue<br>St Paul MN 55117-<br>(800) 727-9111 x.0 (651) 488-8600   | Guardian Solar Powered PCMS, Sign Dot Sign<br>DH1000                |  | 2/22/1998          | R088                           |
|   | <b>Fax:</b> (651) 558-3600  | <b>Email:</b>  |                    | <b>Web Site:</b> www.addco.com |
| American Signal Company Incorporated<br>3649 Clearview Parkway<br>Atlanta GA 30340-<br>(770) 458-7278 x.0                   | CMS T300, CMS T331, CMS T320, CMS GP465<br>Changeable Message Signs |  | 2/22/1998          | R089                           |
|   | <b>Fax:</b> (770) 448-8970  | <b>Email:</b>  |                    | <b>Web Site:</b>               |
| Crown Construction Equipment<br>PO Box 234, Station L<br>Winnipeg, Manitoba<br>R3H 0Z5<br>(204) 885-5800 x.0 (800) 661-0304 | CMS 80FM (Solar Powered; Full Matrix Portable)                      | Solar Powered- Full Matrix Portable<br>Changeable Message Sign | 10/13/2004         | R450                           |
|   | <b>Fax:</b> (204) 885-7557  | <b>Email:</b>  |                    | <b>Web Site:</b>               |
| International Traffic Control Products<br>PO Box 133<br>Junction TX 76849-<br>(915) 446-4339 x.0 (800) 894-7111             | TS 100 Changeable Message Signs                                     |  | 2/22/1998          | R093                           |
|   | <b>Fax:</b> (915) 446-4083  | <b>Email:</b>  |                    | <b>Web Site:</b>               |
| National Signal<br>9603 John Street<br>Santa Fe Springs CA 90670-<br>(562) 923-9600 x.0 (888) 994-0300                      | ER200; ER200T; CMS330   |  | 4/10/2000          | R224                           |
|   | <b>Fax:</b> (562) 923-7555  | <b>Email:</b> NatSignal@aol.com                                |                    | <b>Web Site:</b>               |

**625.02.03 CHANGEABLE MESSAGE SIGNS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                                   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Precision Solar Control Incorporated<br>2985 Market Street<br>Garland TX 75041-<br>(972) 278-0553 x.0 (972) 278-8683    | Solar Powered Message Board Center<br><br><b>Fax:</b> (972) 271-9583  | <b>Email:</b> vseymour@precisionsolarcontrols.co | 2/22/1998          | R094             |
| Signalisation-Ver-Mac Incorporated<br>1781 Bresse<br>Sainte-Foy, Quebec<br>G2G 2V2<br>(888) 488-7446 x.0 (418) 654-1303 | Northern Light PCMS<br><br><b>Fax:</b> (418) 654-0517   | <b>Email:</b> kim.jack@ver-mac.com               | 2/22/1998          | R095             |
| Solar Technology Incorporated<br>7620 Cetronia Road<br>Allentown PA 18106-<br>(610) 391-8600 x.0                        | Silent Messenger Solar Powered<br><br><b>Fax:</b> (610) 391-8601  | <b>Email:</b> customerservice@solartechnology.co | 2/22/1998          | R096             |
| US Traffic Corporation<br>6690 Amador Plaza Road Suite 205<br>Dublin CA 94568-<br>(925) 556-5900 x.0 (925) 306-3011     | Sunray Solar 340; Sunray Solar 345; Sunray<br>Solar 380; Nighthawk 340; Nighthawk 345<br><br><b>Fax:</b> (925) 556-5904 | <b>Email:</b>                                    | 2/22/1998          | R092             |
| Wanco Incorporated<br>5870 Tennyson Street<br>Arvada CO 80003-<br>(303) 427-5700 x.0                                    | WTLMB-S-LL(A) Changeable Message Sign<br><br><b>Fax:</b> (303) 427-5725   | <b>Email:</b> scampbell@wanco.com                | 8/5/2002           | R348             |

**625.02.04 TEMPORARY IMPACT ATTENUATORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Barrier Systems Incorporated<br>180 River Road<br>Rio Vista CA 94571-<br>(707) 374-6800 x.0 (888) 800-3691                          | Absorb 350 Crash Cushion<br><br><b>Fax:</b> (707) 374-6801  | TL-3 only; Only use a nine -element<br>design (min) with<br>attachment/transition assembly.<br><b>Email:</b> rkeener@barriersystemsinc.com | 4/10/2001          | R289             |
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 (916) 645-8181 | Engergite III Module; N-E-A-T System or<br>Quadguard<br><br><b>Fax:</b> (800) 770-6755                    | <b>Email:</b> dsanchez@quixtrans.com   | 9/3/1998           | R102             |
| Traffic Control Service Incorporated<br>372 Wolverine Way<br>Sparks NV 89431-5728<br>(775) 358-6005 x.0                             | Energite III; React 350 Crash Cushion; Fitch<br>Inertial Barrier System<br><br><b>Fax:</b> (775) 358-9161 | <b>Email:</b> priley@tcsi.biz  | 9/3/1998           | R105             |

**625.02.04 TEMPORARY IMPACT ATTENUATORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| TraFFix Devices Incorporated<br>220 Calle Pintosco<br>San Clemente CA 92672-<br>(949) 361-5663 x.0 (650) 343-1137 | Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel<br><br><b>Fax:</b> (949) 361-9205 <b>Email:</b> | Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.<br><br><b>Web Site:</b> www.traffixdevices.com | 3/22/2000          | R107             |

**625.02.05 TRUCK MOUNTED ATTENUATORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 (916) 645-8181 | Safe-Stop TMA (req'd truck weight 7300 to 12,000 k)<br><br><b>Fax:</b> (800) 770-6755 <b>Email:</b> dsanchez@quixtrans.com | Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)<br><br><b>Web Site:</b> www.energyabsorption.com | 10/14/1999         | R223             |
| TraFFix Devices Incorporated<br>220 Calle Pintosco<br>San Clemente CA 92672-<br>(949) 361-5663 x.0 (650) 343-1137                   | ScorPion C 10,000 of the TL-3 Design<br><br><b>Fax:</b> (949) 361-9205 <b>Email:</b>                                       | TL-3 Required truck weight 9,000 kg (19,842 lb)<br><br><b>Web Site:</b> www.traffixdevices.com                   | 7/26/2000          | R263             |
| Trinity Highway Safety<br>950 West 400 South<br>Centerville UT 84014-<br>(800) 772-7976 x.0 (360) 943-9559                          | MPS 350 III<br><br><b>Fax:</b> (801) 292-9138 <b>Email:</b> mikel.hooley@trin.net  | Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)<br><br><b>Web Site:</b>                          | 9/3/1998           | R109             |

**625.02.06 WATER FILLED BARRIER RAILS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Armorcast Products Company Incorporated<br>13230 Saticoy Street<br>North Hollywood CA 91605-<br>(818) 982-3600 x.0                  | Guardian Barrier Water Filled w/350 kit<br><br><b>Fax:</b> (818) 982-7742 <b>Email:</b>                                | (Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph.<br><br><b>Web Site:</b>                                 | 9/3/1998           | R111             |
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 (916) 645-8181 | Triton Barrier (white colored 6.5 ft sections)<br><br><b>Fax:</b> (800) 770-6755 <b>Email:</b> dsanchez@quixtrans.com  | (White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON.<br><br><b>Web Site:</b> www.energyabsorption.com                 | 3/30/1997          | R110             |
| Rhino Safety Barriers LLC<br>2500 Gaspar Avenue<br>Whiting IN 46394-<br>(757) 726-0933 x.0 (800) 292-1305                           | Rhino Safety Barrier(use the 350 kit with install)<br><br><b>Fax:</b> (757) 726-0955 <b>Email:</b> frankranson@msn.com | Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L)); For speeds less than or equal 45 mph:Use 30 m (100 ft)<br><br><b>Web Site:</b> | 3/10/2004          | R427             |

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| K&K Systems Incorporated<br>687 Palmatto Road<br>Tupelo MS 38801-<br>(888) 414-3003 x.0 (662) 566-2025 | Safety Beacon Light<br><br><b>Fax:</b> (662) 566-7123 <b>Email:</b> timothy@k-kwywtems.com |                | 6/1/1999           | R207             |
| <b>Web Site:</b>   |  |                |                    |                  |

**625.03.03 SIGN SUPPORT SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Dicke Tool Company<br>1201 Warren Avenue<br>Downers Grove IL 60515-<br>(630) 969-0050 x.0 | DF3000S , DF3003S, DL1003W, DF3000WQ<br>Dynaflex Sign Stand<br><br><b>Fax:</b> (630) 969-3973 <b>Email:</b>                         | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 2/27/2000          | R238             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Dicke Tool Company<br>1201 Warren Avenue<br>Downers Grove IL 60515-<br>(630) 969-0050 x.0 | DF3003W Dynaflex Sign Stand; UF2000<br>Portable Sign Stand<br><br><b>Fax:</b> (630) 969-3973 <b>Email:</b>                          | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 2/27/2000          | R238             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Eastern Metals<br>1430 Sullivan Street<br>Elmira NY 14901-<br>(800) 872-7446 x.0          | C802, C832, C842 Sign Stands<br><br><b>Fax:</b> (607) 734-8783 <b>Email:</b>  | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 4/4/2000           | R244             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Eastern Metals<br>1430 Sullivan Street<br>Elmira NY 14901-<br>(800) 872-7446 x.0          | C102, C132, C142 High Performance Compact<br>Stands<br><br><b>Fax:</b> (607) 734-8783 <b>Email:</b>                                 | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 4/4/2000           | R242             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Eastern Metals<br>1430 Sullivan Street<br>Elmira NY 14901-<br>(800) 872-7446 x.0          | C200, C202, C232, C242, C902, C942 Superflex<br>Compact Stand w/Fiberglass Leaf Spr<br><br><b>Fax:</b> (607) 734-8783 <b>Email:</b> | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 4/4/2000           | R239             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Eastern Metals<br>1430 Sullivan Street<br>Elmira NY 14901-<br>(800) 872-7446 x.0          | X600 Interstate Stands w/Full Size Coil Spring<br><br><b>Fax:</b> (607) 734-8783 <b>Email:</b>                                      | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 4/4/2000           | R241             |
| <b>Web Site:</b>  |   |   |                    |                  |
| Eastern Metals<br>1430 Sullivan Street<br>Elmira NY 14901-<br>(800) 872-7446 x.0          | X501, X550, X551 Reflective Sheeting<br><br><b>Fax:</b> (607) 734-8783 <b>Email:</b>  | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. | 4/4/2000           | R242             |
| <b>Web Site:</b>  |   |   |                    |                  |



**625.03.03 SIGN SUPPORT SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Korman Signs Incorporated<br>3029 Lincoln Avenue<br>Richmond VA 23228-<br>(800) 296-6050 x.0 (804) 262-6050         | SS548CE, SS548UCR, SS548A, SS548UC,<br>SS548C, SS548UCA, SS548AE, SS560UCA<br>Reflective Sheeting<br><b>Fax:</b> (804) 261-1040 <b>Email:</b> dchrisman@kormansigns.com <b>Web Site:</b>                                 | Reflective sheeting must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003          | R384             |
| Korman Signs Incorporated<br>3029 Lincoln Avenue<br>Richmond VA 23228-<br>(800) 296-6050 x.0 (804) 262-6050         | SS1, SS548CA, SS548E, SS560A, SS548,<br>SS560, SS548UCRA, SS548CAE Reflective<br>Sheeting<br><b>Fax:</b> (804) 261-1040 <b>Email:</b> dchrisman@kormansigns.com <b>Web Site:</b>   | Reflective sheeting must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance. | 1/24/2003          | R385             |
| Marketing Displays International<br>38271 West Twelve Mile Road<br>Farmington Hills MI 48331-<br>(248) 552-1900 x.0 | 4812, 4814CS, 4818, 4815RB, 4850RB,<br>4860KA, 4884CS Sign Support System; 4814K<br>Windmaster<br><b>Fax:</b> (248) 488-5700 <b>Email:</b> <b>Web Site:</b>  | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance.        | 4/4/2000           | R245             |
| Traffix Devices Incorporated<br>220 Calle Pintoresco<br>San Clemente CA 92672-<br>(949) 361-5663 x.0 (650) 343-1137 | Economy Plastic Folding Barricade; Big Buster<br>Dual Spring Folding Leg Sign Stand; Little<br>Buster Dual Spring Folding Sign Stand<br><b>Fax:</b> (949) 361-9205 <b>Email:</b> <b>Web Site:</b> www.traffixdevices.com | Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance.        | 4/3/2000           | R246             |

**625.03.04 BARRICADES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Bent Manufacturing Company<br>17311 Nichols Street<br>Huntington Beach CA 92647-<br>(888) 842-0600 x.0 (714) 842-0600       | Barricades Type III Plywood Panel; Barricades<br>Type I & Type II Wood or Waffle & Steel Legged;<br>Barricades Type I & Type II All Plastic Universal<br><b>Fax:</b> (888) 842-2368 <b>Email:</b> bmc@bentmfg.com <b>Web Site:</b> | With or Without Lights   | 3/9/2000           | R250             |
| Filtrona Extrusion, Davidson Traffic Control<br>Products<br>3110 70th Avenue East<br>Tacoma WA 98424-<br>(877) 335-4638 x.0 | Type III B Barricades; TD2550, TD2650 Works<br>Barricade Type III; Anchor Barricade (Type III B<br>Barricade)<br><b>Fax:</b> <b>Email:</b> cathybest@filtrona.com <b>Web Site:</b> hwysales@filtrona.com                           | Without signs or lights only. Cannot be used in a configuration that is wider than was tested. | 7/14/2000          | R254             |
| Plastic Safety Systems Incorporated<br>2444 Baldwin Road<br>Cleveland OH 44104-<br>(216) 231-8590 x.0                       | PST-III (Type III barricade)<br><b>Fax:</b> (216) 231-2702 <b>Email:</b> <b>Web Site:</b>  |  | 3/19/2004          | R428             |
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0 (877) 843-9757     | TD2150; TD2000 Barricade 24" Wide; TD2200,<br>TD2250, TD2300, TD2500, TD2600 Works<br>Barricade, TD2550 Work Barricade Type III<br><b>Fax:</b> (818) 841-5096 <b>Email:</b> sales@trafficwks.com <b>Web Site:</b>                  | Barricade Type I and Type II   | 7/5/2005           | R475             |

**625.03.04 BARRICADES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0 (877) 843-9757 | TD3000 A Frame Barricade Type I; TD2400<br>Works All Plastic Type IIIB<br><br><b>Fax:</b> (818) 841-5096 <b>Email:</b> sales@trafficwks.com |                | 12/3/2002          | R364             |
| Traffix Devices Incorporated<br>220 Calle Pintoresco<br>San Clemente CA 92672-<br>(949) 361-5663 x.0 (650) 343-1137     | Economy Plastic Folding Barricade +Sand-filled<br>Bag<br><br><b>Fax:</b> (949) 361-9205 <b>Email:</b> www.traffixdevices.com                |                | 4/3/2000           | R253             |

**627.02.01 PROTECTIVE OVERLAY FILM**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M<br>Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 1150 Scotchlite Protective Overlay Film<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>                                      |                | 5/11/1995          | R112             |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                                | OL1000 Premium Protective Graffiti Overlay Film<br><br><b>Fax:</b> (847) 647-0269 <b>Email:</b> matt.hills@averydennison.com |                | 9/28/2000          | R271             |
| Nippon Carbide Industries<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90670-<br>(562) 777-1810 x.0 (800) 821-4264       | EF-40801 (F-CAL)<br><br><b>Fax:</b> (888) 330-7119 <b>Email:</b> nciusa@nikkalite.com  |                | 5/17/1995          | R113             |
| TradeWinds International<br>PO Box 18498<br>Long Beach CA 90807-8498<br>(562) 424-1739 x.0                                       | Krystal Kote CTF<br><br><b>Fax:</b> (562) 424-1870 <b>Email:</b> tradewinds@usa.com  |                | 8/21/2001          | R305             |

**630.02.01 MODULAR UNITS HEADLIGHT GLARE SCREENS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|----------------|--------------------|------------------|
| Carsonite International<br>605 Bob Gifford Boulevard<br>Early Branch SC 29916-<br>(800) 648-7916 x.0 | Modular Guidance System<br><br><b>Fax:</b> (803) 943-3375 <b>Email:</b> |                | 10/20/1996         | R114             |

**630.02.01 MODULAR UNITS HEADLIGHT GLARE SCREENS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                                   | <i>Remarks</i>                            | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 | Glare Screen System<br><br><b>Fax:</b> (800) 770-6755 | <b>Email:</b> dsanchez@quixtrans.com      |                    | R117             |
|  |   | <b>Web Site:</b> www.energyabsorption.com |                    |                  |
| Flexstake Incorporated<br>2150 Andrea Lane #C<br>Ft Meyers FL 33912-<br>(800) 348-9839 x.0                           | Glare Screen<br><br><b>Fax:</b> (239) 482-3539        | <b>Email:</b> fsi@flexstake.com           | 7/31/1996          | R115             |
|  |   | <b>Web Site:</b>                          |                    |                  |

**632.03.05 RETROREFLECTOMETERS**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>                       | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--------------------------------------|--------------------|------------------|
| Flint Trading Incorporated<br>115 Todd Court<br>Thomasville NC 27360-<br>(336) 475-6600 x.0    | LTL 2000; LTL-X 30-Meter Geometry<br>Retroreflectometer<br><br><b>Fax:</b> (336) 475-7900 | <b>Email:</b> flint@flintrading.com  | 12/26/1999         | R227             |
|  |   | <b>Web Site:</b> www.flintrading.com |                    |                  |
| Mirolux Products Incorporated<br>19 Campbell Avenue<br>Clifton NJ 07013-<br>(973) 779-5775 x.0 | MP 30<br><br><b>Fax:</b> (973) 779-5775   | <b>Email:</b>                        | 12/26/1999         | R229             |
|  |   | <b>Web Site:</b>                     |                    |                  |
| RoadVista<br>8581 Aero Drive<br>San Diego CA 92123-<br>(888) 637-2758 x.0                      | StripeMaster series, MX 30, LaserLux<br><br><b>Fax:</b> (858) 576-9286                    | <b>Email:</b>                        | 5/2/2006           |                  |
|  |   | <b>Web Site:</b>                     |                    |                  |

**633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                                | <i>Remarks</i>                     | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|------------------------------------|--------------------|------------------|
| Alpine Products<br>117 G Street SW<br>Auburn WA 98001-<br>(253) 735-6303 x.0                          | DDOT ABS<br><br><b>Fax:</b> (253) 351-9828         | <b>Email:</b>                      | 6/2/1999           | R203             |
|   |  | <b>Web Site:</b>                   |                    |                  |
| APEX Universal Incorporated<br>11033 Forest Place<br>Santa Fe Springs CA 90670-<br>(562) 944-8878 x.0 | 929 ABS; Ceramic<br><br><b>Fax:</b> (562) 944-2298 | <b>Email:</b> sales@apexmarker.com | 6/1/1999           | R194             |
|   |  | <b>Web Site:</b> www.apexnv.com    |                    |                  |

**633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>    | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|-------------------|--------------------|------------------|
| Glowlite Incorporated<br>1429 West Harrison Avenue<br>La Habra CA 90631-<br>(562) 587-3534 x.0 (626) 336-6086           | Type A/4" White Non Reflective; Type AY/4"<br>Yellow Non Reflective<br><br><b>Fax:</b> (562) 691-7528 <b>Email:</b> richardfei88@yahoo.com | 100 mm (4") Round | 3/7/2005           | R463             |
| Highway Ceramics Incorporated<br>PO Box 6506<br>Yuma AZ 95366-<br>(520) 726-0241 x.0                                    | Ceramic (100 mmm 4" Round)<br><br><b>Fax:</b> (520) 344-2044 <b>Email:</b>   | 100mm (4") Round  | 6/1/1999           | R196             |
| Hi-Way Safety Incorporated<br>13310 5th Street<br>Chino CA 91710-<br>(714) 591-1781 x.0                                 | Model P20-2000W ABS (10 mm 4" Round);<br>Model P20-2001Y ABS (10 mm 4" Round)<br><br><b>Fax:</b> <b>Email:</b>                             | 100mm (4") Round  | 6/1/1999           | R204             |
| Interstate Sales<br>12305 Locksley Lane<br>Auburn CA 95602-<br>(800) 237-7245 x.0 (530) 823-6070                        | Diamond Back (ABS & Polypropylene)<br><br><b>Fax:</b> (530) 823-0994 <b>Email:</b> miket@interstatesales.com                               | 100mm (4") Round  | 6/1/1999           | R193             |
| Novabrite LLC<br>4647 Gerrilyn Way Suite 230<br>Livermore CA 94550-<br>(925) 373-1751 x.0                               | ADOT - W White; ADOT - Y Yellow; CDOT - W<br>White; CDOT - Y Yellow<br><br><b>Fax:</b> (519) 846-8393 <b>Email:</b>                        | 100mm (4") Round  | 2/17/2004          | R423             |
| Road Creations<br>14-N Cockleburr<br>Roanoke TX 76262-<br>(310) 378-0528 x.0  | RCB4NR Acrylic<br><br><b>Fax:</b> <b>Email:</b>  | 100mm (4") Round  | 6/1/1999           | R205             |
| Three D Traffic Works Incorporated<br>430 North Varney Street<br>Burbank CA 91502-<br>(323) 849-1316 x.0 (877) 843-9757 | TD10000 Series (100 mm (4") Round)<br><br><b>Fax:</b> (818) 841-5096 <b>Email:</b> sales@trafficwks.com                                    | 100mm (4") Round  | 12/3/2002          | R363             |

**633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>            | <i>Carded Date</i>              | <i>ID Number</i> |
|--|--|---------------------------|---------------------------------|------------------|
| 3M Traffic Control Materials Division, 3M<br>Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 290 Durable Raised Pavement Marker<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b> | 89mm x 100 mm (3.6" x 4") | 6/1/1999                        | R201             |
|  |  |                           | <b>Web Site:</b> www.3M.com/tcm |                  |

**633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| APEX Universal Incorporated<br>11033 Forest Place<br>Santa Fe Springs CA 90670-<br>(562) 944-8878 x.0 (562) 805-3839 | 921 AR<br><br><b>Fax:</b> (562) 944-2298   | 100mm x 100 mm (4" x 4")<br><br><b>Email:</b> sales@apexmarker.com         | 3/25/2001          | R285             |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                    | 911, 953, C88 Permanent Reflective Pavement Markers Ab<br><br><b>Fax:</b> (847) 647-0269 | 100mm x 100 mm (4" x 4")<br><br><b>Email:</b> matt.hills@averydennison.com | 6/1/1999           | R200             |
| Ray-O-Lite<br>1870 James Parkway<br>Heath OH 43056-<br>(800) 848-7025 x.0  | AA; ARC<br><br><b>Fax:</b> (740) 929-1114  | 100mm x 100 mm (4" x 4")<br><br><b>Email:</b> dforrer@rayolite.com         | 6/1/1999           | R197             |

**Web Site:** www.apexnv.com**Web Site:****Web Site:****633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390 | 944SB Recessed Reflective Pavement Markers<br><br><b>Fax:</b> (847) 647-0269 | 51mm x 100 mm (2" x 4")<br><br><b>Email:</b> matt.hills@averydennison.com     | 6/1/1999           | R199             |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390 | 948 Recessed Reflective Pavement Markers<br><br><b>Fax:</b> (847) 647-0269   | 58mm x 119 mm (2.3" x 4.7")<br><br><b>Email:</b> matt.hills@averydennison.com | 6/1/1999           | R202             |
| Ray-O-Lite<br>1870 James Parkway<br>Heath OH 43056-<br>(800) 848-7025 x.0                         | ARC 2002; ARC 51 2004<br><br><b>Fax:</b> (740) 929-1114                      | 58mm x 117 mm (2.3" x 4.6")<br><br><b>Email:</b> dforrer@rayolite.com         | 6/1/1999           | R198             |

**Web Site:****Web Site:****Web Site:****633.02.04 ADHESIVE FOR PAVEMENT MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                                     | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390 | 836098 Bituminous Adhesive for Pavement Markers<br><br><b>Fax:</b> (847) 647-0269 | <br><br><b>Email:</b> matt.hills@averydennison.com | 6/15/1998          | R122             |

**Web Site:**

**633.02.04 ADHESIVE FOR PAVEMENT MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                                   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Crafco Incorporated<br>420 North Roosevelt Avenue<br>Chadler AZ 85226-<br>(602) 276-0406 x.0 (800) 528-8242               | Hot Applied Flexible Pavement Marker Adhesive<br>part 34270<br><br><b>Fax:</b> (580) 940-1425 <b>Email:</b> sales@crafco.com |  | 6/16/1998          | R119             |
| Flint Trading Incorporated<br>115 Todd Court<br>Thomasville NC 27360-<br>(336) 475-6600 x.0                               | Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad<br><br><b>Fax:</b> (336) 475-7900 <b>Email:</b> flint@flintrtrading.com        | White Color on Plantmix & Black<br>Color on PCCP | 6/15/1998          | R120             |
| Gulf States Asphalt Company Incorporated<br>PO Box 508/300 Christy Place<br>South Houston TX 77587-<br>(800) 662-0987 x.0 | Bituminous marker adhesive<br><br><b>Fax:</b> (713) 947-4906 <b>Email:</b>   |  | 6/15/1998          | R121             |
| Henry Company<br>10144 Waterman Road<br>Elk Grove CA 95624-<br>(916) 685-2000 x.0   | Dotstick Bituminous Marker Adhesive<br><br><b>Fax:</b> (916) 685-2270 <b>Email:</b>  |  | 9/29/2003          | R412             |

**633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|-------------------------------|--------------------|------------------|
| APEX Universal Incorporated<br>11033 Forest Place<br>Santa Fe Springs CA 90670-<br>(562) 944-8878 x.0 (562) 805-3839        | 924 Longterm Temporary Raised Pavement<br>Marker<br><br><b>Fax:</b> (562) 944-2298 <b>Email:</b> sales@apexmarker.com | Temporary Markers w/632 Epoxy | 9/19/1993          | R123             |
| Filtrona Extrusion, Davidson Traffic Control<br>Products<br>3110 70th Avenue East<br>Tacoma WA 98424-<br>(877) 335-4638 x.0 | Halftrack Model 25; Halftrack Model 26<br><br><b>Fax:</b> <b>Email:</b> cathybest@filtrona.com                        | Work Zone Pavement Markers    | 2/20/2000          | R256             |
| Filtrona Extrusion, Davidson Traffic Control<br>Products<br>3110 70th Avenue East<br>Tacoma WA 98424-<br>(877) 335-4638 x.0 | TOM, TRPM (Temporary Overlay) Raised<br>Pavement Marker<br><br><b>Fax:</b> <b>Email:</b> cathybest@filtrona.com       |                               | 10/13/1993         | R125             |

**633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>         | <i>Remarks</i>                | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------|-------------------------------|--------------------|------------------|
| Texas Industries LLC<br>1202 Andrews<br>Laredo TX 78045-<br>(210) 727-2835 x.0 (800) 811-4018 | Chip Seal Temporary Markers | Temporary Markers w/632 Epoxy | 6/15/1998          | R128             |
|   | <b>Fax:</b> (210) 717-1544  | <b>Email:</b>                 | <b>Web Site:</b>   |                  |

**634.03.03a HOT-APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>        | <i>Remarks</i>                                | <i>Carded Date</i> | <i>ID Number</i> |
|---|----------------------------|---|--------------------|------------------|
| Crown Technology II LLC<br>35 Industrial Park Drive<br>Woodbury GA 30293-<br>(706) 553-9500 x.0 | Tuffline Alkyd             |   | 1/17/2003          | R381             |
|   | <b>Fax:</b> (706) 553-9501 | <b>Email:</b> sales@crownpavementmarkings.com | <b>Web Site:</b>   |                  |

**634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>        | <i>Remarks</i>                      | <i>Carded Date</i>                   | <i>ID Number</i> |
|---|----------------------------|-------------------------------------|--------------------------------------|------------------|
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75120-<br>(800) 331-8118 x.0     | Flame Tape; ThermaLine     |                                     | 6/13/2001                            | R301             |
|   | <b>Fax:</b> (800) 555-0217 | <b>Email:</b> klyne@ennisplaint.com | <b>Web Site:</b>                     |                  |
| Flint Trading Incorporated<br>115 Todd Court<br>Thomasville NC 27360-<br>(336) 475-6600 x.0 | Hot TapeTM; Premark® PLUS  |                                     | 2/24/2004                            | R192             |
|   | <b>Fax:</b> (336) 475-7900 | <b>Email:</b> flint@flintrading.com | <b>Web Site:</b> www.flintrading.com |                  |

**635.02.01 TEMPORARY PAVEMENT STRIPING TAPE**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                 | <i>Remarks</i>                            | <i>Carded Date</i>                      | <i>ID Number</i> |
|--|-------------------------------------|---|---|------------------|
| 3M Traffic Control Materials Division, 3M<br>Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 750 Wet Reflective Removable Tape   |   | 5/21/2003                               | R390             |
|  | <b>Fax:</b> (702) 914-6016          | <b>Email:</b>                             | <b>Web Site:</b> www.3M.com/tcm         |                  |
| Advance Traffic Markings<br>PO Box H<br>Roanoke Rapids NC 27870-<br>(252) 536-2574 x.0   | ATM 200 Construction Removable Tape |   | 6/15/1999                               | R134             |
|  | <b>Fax:</b> (252) 536-4940          | <b>Email:</b> brobbins@trafficmarking.com | <b>Web Site:</b> www.trafficmarking.com |                  |

**635.02.01 TEMPORARY PAVEMENT STRIPING TAPE**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|----------------|--------------------|------------------|
| Brite Line Technologies<br>3322 Mendocino Forest<br>Las Vegas NV 89122-<br>(702) 649-9223 x.0 (216) 924-6215 | Series 100 Removable<br><br><b>Fax:</b> (702) 649-9237 <b>Email:</b> bjubak@cox.net                              |                | 6/15/1999          | R135             |
| Garlock Rubber Tech<br>201 Dana Drive<br>Paragould AZ 72451-<br>(870) 239-4051 x.0                           | Bilrite Series 2000 Temporary Removable Highway<br><br><b>Fax:</b> (870) 239-4054 <b>Email:</b> swartzsr@gte.net |                | 6/15/1999          | R184             |
| PB Laminations Incorporated<br>2940 Mary Avenue<br>Brentwood MO 63144-<br>(314) 968-2569 x.0                 | Aztec III Removable<br><br><b>Fax:</b> (314) 968-0494 <b>Email:</b> gregorygibson@birch.net                      |                | 6/15/1999          | R136             |
| Swarco Industries<br>270 Rutherford Lane<br>Columbia TN 38401-<br>(615) 388-5900 x.0                         | Director 2 Detour Grade<br><br><b>Fax:</b> <b>Email:</b>   |                | 6/15/1999          | R137             |
| Trelleborg Industri AB<br>55 Lexington Drive<br>Pennington NJ 08534-<br>(609) 730-0829 x.0                   | RW 140 Series; RY 140 Series; R 140 Series<br><br><b>Fax:</b> (609) 730-0838 <b>Email:</b> bjsutker@aol.com      |                | 8/24/2001          | R306             |

**637.02.01 OPTIONAL DUST PALATIVE**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i>                     | <i>ID Number</i> |
|---|--|--|--|------------------|
| Arrow Magnolia International LP<br>2646 Rodney Lane<br>Dallas TX 75229-<br>(800) 527-2101 x.0 (800) 969-6300    | Road Boss<br><br><b>Fax:</b> (972) 484-2896 <b>Email:</b>                              | 10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss) | 10/26/2005                             | R443             |
|   |  |  | <b>Web Site:</b> www.arrowmagnolia.com |                  |
| Alon Asphalt Bakersfield<br>1201 China Grade Loop<br>Bakersfield CA 93388-<br>(661) 392-3630 x.0 (661) 978-9357 | Topein S Emulsion<br><br><b>Fax:</b> (661) 391-1054 <b>Email:</b> jim.ryan@alonusa.com | Application and dilution rates follow manufacturer's instructions.         | 2/28/2002                              | R328             |
|   |  |  | <b>Web Site:</b> www.alonsashalt.com   |                  |



**637.02.01                    OPTIONAL DUST PALATIVE**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| American Refining Group<br>77 North Kendall Avenue<br>Bradford PA 16701-<br>(814) 368-1200 x.0 (281) 770-0220                              | PennzSuppress D Dust Suppressant<br><br><b>Fax:</b> (814) 368-1335 <b>Email:</b> ckimball@amref.com                                     | Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of | 5/2/1999           | R140             |
| Enviroad<br>2606 North Newark Street<br>Portland OR 97217-<br>(800) 536-2650 x.0   | Earthbind 100<br><br><b>Fax:</b> (503) 279-2633 <b>Email:</b> don@enviroad.com  | Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50     | 3/17/2003          | R387             |
| Envirotech Services Incorporated<br>9801 Eastmont Court<br>Reno NV 89521-<br>(775) 246-2626 x.0 (800) 369-3878                             | Lignin (Ammonium Lignosulfonate)<br><br><b>Fax:</b> (775) 742-3963 <b>Email:</b> csherven@envirotechservices.com                        | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied         | 8/26/2003          | R403             |
| Fischbach; and more LLC<br>2512 West Courtland Avenue<br>Spokane WA 99207-<br>(509) 325-2882 x.0 (509) 981-8555                            | Terravest<br><br><b>Fax:</b> (509) 328-4336 <b>Email:</b> rob@fischbachandmore.com  | Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water.            | 6/25/1998          | R180             |
| Fluid Tech Incorporated, HAZCO Division<br>5720 South Arville Street Suite 104<br>Las Vegas NV 89118-<br>(702) 871-1884 x.0 (702) 871-7976 | Trans Seal I<br><br><b>Fax:</b> (702) 871-3629 <b>Email:</b> strue@fluid-tech-inc.com   | Application and dilution rates follow manufacturer's instructions.  | 1/3/2002           | R320             |
| GM Boston Company<br>412 Fullerton Avenue<br>Newport Beach CA 92663-<br>(949) 722-6799 x.0 (949) 533-6799                                  | PX 300 Soil Stabilizer & Dust Pallative & Erosion Control<br><br><b>Fax:</b> (562) 592-0836 <b>Email:</b> craighoad@gmbostoncompany.com | Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area   | 6/10/2003          | R324             |
| Hercules Environmental Dust & Erosion Products<br>6596 New Peachtree Road<br>Doraville GA 30340-<br>(770) 303-0878 x.0                     | Soiloc-D Dust Suppressant<br><br><b>Fax:</b> (770) 455-6531 <b>Email:</b>   | Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.)   | 5/2/1999           | R160             |
| Midwest Industrial Supply Incorporated<br>1101 3rd Street Southeast<br>Canton OH 44701-<br>(330) 456-3121 x.0                              | EnviroKleen; Soil Sement<br><br><b>Fax:</b> (330) 456-3247 <b>Email:</b> kim@midwestind.com/custserv@mid                                | Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal   | 1/4/2001           | R281             |

**637.02.01            OPTIONAL DUST PALATIVE**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| NUI Equipment Incorporated<br>184 West Brooks Avenue<br>North Las Vegas NV 89030-<br>(702) 649-8767 x.0 (702) 649-8446 | Plas-Bond; Soiltac<br><br><b>Fax:</b>                               | Should be only used in areas that will not be disturbed by vehicle or foot traffic.<br><br><b>Email:</b> morgan@nuequipment.com                            | 11/13/2000         | R277             |
| Soil Stabilization Products Company Incorporated<br>806 West 22nd Street<br>Merced CA 95340-<br>(800) 523-9992 x.0     | Envirotac II; Road OYL; Soil Seal<br><br><b>Fax:</b> (209) 383-7849 | Application and dilution rates follow manufacturer's instructions.<br><br><b>Email:</b>  | 1/3/2002           | R321             |
| Soil Tech Company<br>5375 South Cameron Drive Suite L<br>Las Vegas NV 89118-<br>(702) 873-2023 x.0                     | Poly-Tex<br><br><b>Fax:</b> (702) 873-0915                          | Application and dilution rates follow manufacturer's instructions; vacant land application only.<br><br><b>Email:</b>                                      | 12/10/2003         | R416             |
| Soil Works LLC<br>681 North Monterey Street #101<br>Gilbert AZ 85233-<br>(480) 545-5454 x.0 (760) 345-0771             | Plas-Bond; Soiltac<br><br><b>Fax:</b> (480) 545-5456                | Application and dilution rates follow manufacturer's instructions.<br><br><b>Email:</b> Dorian@Soilworks.com   | 9/20/2004          | R448             |
| Terra Novo<br>8000 Jill Jean Avenue<br>Bakersfield CA 93380-<br>(661) 587-5716 x.0 (661) 747-5956                      | EarthGuard Fiber Matrix<br><br><b>Fax:</b> (661) 587-6806           | Application and dilution rates follow manufacturer's instructions.<br><br><b>Email:</b> andy@terranovo.com   | 11/2/2001          | R314             |
| Western Emusions Incorporated<br>3 Monarch Bay Plaza Suite 210<br>Dana Point CA 92629-<br>(949) 248-8020 x.0           | Dust Control 50<br><br><b>Fax:</b> (949) 248-8023                   | Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied<br><br><b>Email:</b> | 8/26/2003          | R402             |

**637.02.02            SILT FENCE**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                                    | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Triangular Silt Dike Company Incorporated<br>8410 Southeast 18th<br>Midwest City OK 73110-<br>(800) 290-8473 x.0 (405) 921-7406 | Triangular Silt Dike<br><br><b>Fax:</b> (450) 741-7406 | <br><br><b>Email:</b> tsd@coxinet.net                  | 6/25/1998          | R164             |
| WebTec Incorporated<br>6509-C North Park Boulevard<br>Charlotte NC 28216-<br>(800) 438-0027 x.0 (704) 398-0954                  | TerraTex SC<br><br><b>Fax:</b> (704) 394-7946          | <br><br><b>Email:</b> terry.hurley@hanesindustries.com | 6/25/1998          | R165             |

**637.02.05 ROADWAY INLET PROTECTION**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| ACF Environmental<br>2831 Cardwell Road<br>Richmond VA 23234-<br>(800) 644-9223 x.0 (800) 423-4567                | Siltsack  | <i>Fax:</i> (804) 246-9737 <i>Email:</i> dkelley@acfenvironmental.com | 6/25/1998          | R166             |
| Dandy Products Incorporated<br>2011 R Harisburg Pike<br>Grove City OH 43123-<br>(614) 875-6305 x.0 (800) 591-2284 | Beaver Dam Drainage Control; Dandy Bag<br>Drainage Control          | <i>Fax:</i> (614) 799-8760 <i>Email:</i> dandy@ascinet.com            | 6/25/1998          | R098             |
| Foss Environmental & Infrastructure<br>PO Box 80327<br>Seattle WA 98108-<br>(800) 909-3677 x.0                    | StreamGuard Catch Basin   | <i>Fax:</i> (888) 234-3677 <i>Email:</i>                              | 6/25/1998          | R100             |
| Silt-Saver Incorporated<br>1094 Culpepper Drive<br>Conyers GA 30094-<br>(770) 388-7818 x.0 (888) 382-7458         | SS-200A Frame & Filter Assembly; SS-100A<br>Frame & Filter Assembly | <i>Fax:</i> (770) 388-7640 <i>Email:</i> roger@siltsaver.com          | 12/6/2002          | R366             |

**640.02.03a MSE WALLS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>             | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------------------|--|--------------------|------------------|
| Hilfiker Retaining Walls<br>1902 Hilfiker Lane<br>Eureka CA 95503-5711<br>(707) 443-5093 x.0 (800) 762-8962 | Reinforced Soil Embankment Wall | <i>Fax:</i> (707) 443-2891 <i>Email:</i> suzanne@hilfiker.com  | 9/8/1998           | R141             |
| Reinforced Earth Company<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108-<br>(619) 688-2400 x.0  | MSE Wall                        | <i>Fax:</i> (619) 688-2499 <i>Email:</i> zalyassin@reinforcedearth.com   | 9/8/1998           | R142             |
| Reinforced Earth Company<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108-<br>(619) 688-2400 x.0  | Retained Earth™ MSE Walls       | <i>Fax:</i> (619) 688-2499 <i>Email:</i> zalyassin@reinforcedearth.com   | 9/8/1998           | R143             |
| SSL LLC<br>4740 Scotts Valley Drive Suite E<br>Scotts Valley CA 95066-<br>(831) 430-9300 x.0                | MSE Plus™                       | Modified panels required. W24<br>longitudinal wire not permitted.<br><i>Fax:</i> (831) 430-9340 <i>Email:</i> andrew_mse@pacbell.net | 2/9/2000           | R215             |

**640.02.03a MSE WALLS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Tensar Earth Technologies Incorporated<br>Lakeside Center, 5883 Glenridge Drive<br>Atlanta GA 30328-<br>(404) 250-1290 x.0 (818) 841-5096 | ARES Retaining Precast Wall System<br><br><b>Fax:</b> (404) 250-9185 <b>Email:</b> | Permitted only when specified in the contract documents as an acceptable product.<br><br><b>Web Site:</b> | 6/14/1999          | R188             |

**640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|--|--------------------|------------------|
| Reinforced Earth Company<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108-<br>(619) 688-2400 x.0 | MSE Large Wall Panel<br><br><b>Fax:</b> (619) 688-2499 <b>Email:</b> zalyassin@reinforcedearth.com <b>Web Site:</b>            | Large panels allowed only when noted on the plans.   | 2/28/2001          | R291             |
| Reinforced Earth Company<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108-<br>(619) 688-2400 x.0 | Retained Earth™ Large MSE Walls<br><br><b>Fax:</b> (619) 688-2499 <b>Email:</b> zalyassin@reinforcedearth.com <b>Web Site:</b> | Large panels allowed only when noted on the plans.   | 8/26/2002          | R350             |
| SSL LLC<br>4740 Scotts Valley Drive Suite E<br>Scotts Valley CA 95066-<br>(831) 430-9300 x.0               | MSE Large Wall Panel<br><br><b>Fax:</b> (831) 430-9340 <b>Email:</b> andrew_mse@pacbell.net <b>Web Site:</b>                   | Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans. | 8/26/2002          | R351             |

**640.02.03c SOUNDWALL SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Cyro Industries<br>100 Enterprise Drive<br>Rockaway NJ 07866-<br>(800) 223-2976 x.0 (973) 442-6102                            | Paraglas Soundtop Soundwall Ready Fit Noise Barrie<br><br><b>Fax:</b> (973) 442-6113 <b>Email:</b> steve.barrett@degussa.com <b>Web Site:</b> www.cyro.com | Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the | 8/27/2004          | R446             |
| Port-O-Wall Systems LLC<br>585 5th Street West<br>Sonoma CA 95476-<br>(707) 938-4516 x.0                                      | Port-O-Wall Soundwall System<br><br><b>Fax:</b> (707) 938-4576 <b>Email:</b>   | This is the general QPL only. The system will be selected based on specific project requirements.<br><br><b>Web Site:</b>            | 10/24/2001         | R310             |
| QUILITE International LLC<br>8616 La Tijera Boulevard Suite 509<br>Los Angeles CA 90045-<br>(310) 641-7701 x.0 (213) 718-5578 | Quilite Noise Barrier<br><br><b>Fax:</b> (702) 592-8973 <b>Email:</b> info@quilite.com <b>Web Site:</b>  | This is the general QPL only. The system will be selected based on specific project requirements.                                    | 2/9/2005           | R462             |

**640.02.04 MODULAR BLOCK RETAINING WALL**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Keystone Retaining Wall System<br>13453 County Road #1<br>Fairhope AL 36532-<br>(251) 990-5761 x.0  | Keysystem 1 Modular Block Retaining Wall<br><br><b>Fax:</b> (251) 990-5461 <b>Email:</b>  | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002          | R168             |
| Reinforced Earth Company<br>1660 Hotel Circle North Suite 304<br>San Diego CA 92108-<br>(619) 688-2400 x.0                                | Pyramid Modular Block Retaining Wall<br><br><b>Fax:</b> (619) 688-2499 <b>Email:</b> zalyassin@reinforcedearth.com <b>Web Site:</b> | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002          | R233             |
| Tensor Earth Technologies Incorporated<br>Lakeside Center, 5883 Glenridge Drive<br>Atlanta GA 30328-<br>(404) 250-1290 x.0 (818) 841-5096 | Mesa Retaining Wall<br><br><b>Fax:</b> (404) 250-9185 <b>Email:</b>   | Permitted only when the contract documents specify a modular block retaining wall. | 5/15/2002          | R337             |

**641.02.01 IMPACT ATTENUATORS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Energy Absorption Systems Incorporated<br>35 East Wacker Drive Suite 1100<br>Chicago IL 60601-<br>(312) 467-6750 x.0 (916) 645-8181 | Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350<br><br><b>Fax:</b> (800) 770-6755 <b>Email:</b> dsanchez@quixtrans.com <b>Web Site:</b> www.energyabsorption.com | TL-3, TL-2 and TL-1 "Concrete Foundation Required"   | 4/27/1998          | R144             |
| SCI Products Incorporated<br>635 Lucknow Road<br>Harrisburg PA 17110-1635<br>(800) 327-4417 x.0 (630) 377-9100                      | SCI100GM Impact Attenuator TL-3 level<br><br><b>Fax:</b> (630) 377-9270 <b>Email:</b> workarea@workareaprotection.com <b>Web Site:</b>   | TL-3, Must be mounted on a concrete or asphalt slab. | 1/20/2006          | R485             |
| Trinity Highway Safety<br>950 West 400 South<br>Centerville UT 84014-<br>(800) 772-7976 x.0 (360) 943-9559                          | FastTracc; WideTracc; TraccTrinity; Adiem<br>Attenuating Device<br><br><b>Fax:</b> (801) 292-9138 <b>Email:</b> mikel.hooley@trin.net <b>Web Site:</b>                                     | TL-3 "Concrete Foundation Required"                  | 9/9/2003           | R404             |

**707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i>                 | <i>ID Number</i> |
|--|---|----------------|------------------------------------|------------------|
| Bondaflex Technologies<br>1955 Whitetail Lane<br>Woodland WA 98674-<br>(360) 225-3983 x.0 (800) 641-0234 | Bondaflex Sil 728SL<br><br><b>Fax:</b> (973) 473-4222 <b>Email:</b> |                | 8/5/2005                           | R476             |
|  |   |                | <b>Web Site:</b> www.bondaflex.com |                  |

**707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Crafco Incorporated<br>420 North Roosevelt Avenue<br>Chadler AZ 85226-<br>(602) 276-0406 x.0 (800) 582-8242       | Roadsaver Silicone SL part 34903<br><br><b>Fax:</b> (580) 940-1425 <b>Email:</b> sales@crafco.com               |                | 10/7/1993          | R148             |
| Dow Corning Corporation<br>2200 West Salsburg Road<br>Midland MI 48686-<br>(989) 496-4000 x.0                     | 890 SL (888 SL replaced w/890 SL)<br><br><b>Fax:</b> (866) 735-3668 <b>Email:</b> stacey.crowder@dowcorning.com |                | 3/20/1997          | R149             |
| DS Brown Company, The<br>300 East Cherry Street<br>North Baltimore OH 45872-<br>(419) 257-3561 x.0 (651) 748-8414 | DSB 900 SL Self Leveling Silicone<br><br><b>Fax:</b> (419) 257-2200 <b>Email:</b> bjacobus@dsbrown.com          |                | 4/5/2005           | R464             |
| Pecora Corporation<br>165 Wambold Road<br>Harleysville PA 19438-<br>(215) 723-6051 x.0                            | Pecora 300<br><br><b>Fax:</b> (215) 721-0286 <b>Email:</b>  |                | 9/14/2001          | R308             |
| Tremco Incorporated<br>3735 Green Road<br>Beachwood OH 44122-<br>(216) 292-5000 x.0                               | Spectrum 900 SL<br><br><b>Fax:</b> (216) 766-5543 <b>Email:</b>   |                | 5/31/2002          | R339             |

**714.03.01 COATING SYSTEMS FOR BRIDGES**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Carboline Protective Coatings<br>350 Hanley Industrial Court<br>St Louis MO 63144-<br>(314) 644-1000 x.0 (314) 644-4617 | Carboguard 893 (formerly S151); Carbothane 134HS, (formerly Carboline 134HS); Carbothane 134HG Aliphatic Acrylic Polyurethane<br><br><b>Fax:</b> (925) 382-4142 <b>Email:</b> | Part A-Resin; Part B-Catalyst (hardener); 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997          | R151             |
| Carboline Protective Coatings<br>350 Hanley Industrial Court<br>St Louis MO 63144-<br>(314) 644-1000 x.0 (314) 644-4617 | Carbozinc 11 Solvent Based Inorganaic Zinc-Rich Co<br><br><b>Fax:</b> (925) 382-4142 <b>Email:</b>  | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG          | 8/20/1997          | R151             |
| Carboline Protective Coatings<br>350 Hanley Industrial Court<br>St Louis MO 63144-<br>(314) 644-1000 x.0 (314) 644-4617 | Carbocrete Sealer WB (formerly Carboline L3300-76) Waterbased Acrylic Siloxane Con<br><br><b>Fax:</b> (925) 382-4142 <b>Email:</b>  | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG          | 8/20/1997          | R151             |

**714.03.01 COATING SYSTEMS FOR BRIDGES**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| International Paint Incorporated<br>6001 Antoine Drive (77091)<br>Houston TX 77210-<br>(713) 682-1711 x.0 (800) 525-6824 | Inerguard 475HS Field Coat; Interthane Top Coat; Interzinc 22HA Inorganic Zinc Primer<br><br><b>Fax:</b> (713) 684-1511 <b>Email:</b>  |   | 6/4/2003           | R392             |
|  |  | <b>Web Site:</b> www.international-pc.com   |                    |                  |
| Sherwin-Williams Company<br>4243 Industrial Center Boulevard<br>San Antonio TX 78217-<br>(210) 861-2286 x.0              | B65V150 Sherthane 2K; B67V5 Primer Coat Recoatable Epoxy Primer<br><br><b>Fax:</b> (210) 590-4395 <b>Email:</b> dee.l.mcneill@sherwin.com                                    |   | 6/2/2003           | R391             |
|  |  | <b>Web Site:</b>  |                    |                  |
| Sherwin-Williams Company<br>4243 Industrial Center Boulevard<br>San Antonio TX 78217-<br>(210) 861-2286 x.0              | Zinc Clad II B69D11, Zinc Clad II Plus B69VZ13; Carbozinc 11 Solvent Based Inorganaic Zinc-Rich Co<br><br><b>Fax:</b> (210) 590-4395 <b>Email:</b> dee.l.mcneill@sherwin.com | Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG | 8/20/1997          | R151             |
|  |  | <b>Web Site:</b>  |                    |                  |
| Sherwin-Williams Company<br>4243 Industrial Center Boulevard<br>San Antonio TX 78217-<br>(210) 861-2286 x.0              | BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II<br><br><b>Fax:</b> (210) 590-4395 <b>Email:</b> dee.l.mcneill@sherwin.com                                   |   | 6/2/2003           | R391             |
|  |  | <b>Web Site:</b>  |                    |                  |

**716.03.01 REFLECTIVE SHEETING**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                            | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 334 Barricade Type IV<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>                           | For Barricades Only (Type IV)             | 12/1/2004          | R459             |
|   |   | <b>Web Site:</b> www.3M.com/tcm           |                    |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3983 Diamond Fluorescent VIP (for perm traffic)<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b> | For Permanent Traffic Signs (NDOT Type X) | 7/23/2001          | R303             |
|   |   | <b>Web Site:</b> www.3M.com/tcm           |                    |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3870 VIP; 3990 VIP Diamond Grade Type IX<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>        | NDOT Type IX                              | 8/16/2000          | R272             |
|   |   | <b>Web Site:</b> www.3M.com/tcm           |                    |                  |

**716.03.01****REFLECTIVE SHEETING**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i>              | <i>ID Number</i> |
|---|---|---|---------------------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | RS-24   | For Roll-up Signs Only (NDOT Type VI)                                       | 9/19/2000                       | R294             |
|   | <b>Fax:</b> (702) 914-6016  | <b>Email:</b>   | <b>Web Site:</b> www.3M.com/tcm |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3810 High Intensity Series  | For Reboundable Plastic Drums Only (Type III)                               | 8/21/2000                       | R293             |
|   | <b>Fax:</b> (702) 914-6016  | <b>Email:</b>   | <b>Web Site:</b> www.3M.com/tcm |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3924 Fluorescent Diamond Grade Sheeting   | For Rigid Signs Only (NDOT Type X)  | 8/21/2000                       | R292             |
|   | <b>Fax:</b> (702) 914-6016  | <b>Email:</b>   | <b>Web Site:</b> www.3M.com/tcm |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 3930 Permanent Traffic Signs & Temporary Traffic                                  | For Permanent Traffic Signs and Temporary Traffic Control Devices (Type IV) | 12/1/2004                       | R458             |
|   | <b>Fax:</b> (702) 914-6016  | <b>Email:</b>   | <b>Web Site:</b> www.3M.com/tcm |                  |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 336 Barricade Type IV   | For Barricades Only (Type IV)   | 12/1/2004                       | R459             |
|   | <b>Fax:</b> (702) 914-6016  | <b>Email:</b>   | <b>Web Site:</b> www.3M.com/tcm |                  |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                             | S9000C Cone Collar  | For Reboundable Traffic Cones Only, Type III                                | 2/2/2004                        | R420             |
|   | <b>Fax:</b> (847) 647-0269  | <b>Email:</b> matt.hills@averydennison.com                                  | <b>Web Site:</b>                |                  |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                             | T5500A Series High Intensity; T7000 Fluorescent Reflective Sheeting               | For Permanent and Temporary Traffic Control Devices (Type III)              | 9/15/2003                       | R406             |
|   | <b>Fax:</b> (847) 647-0269  | <b>Email:</b> matt.hills@averydennison.com                                  | <b>Web Site:</b>                |                  |
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                             | T6500, W7514 Fluorescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting | For Delineators and Permanent Signs Only (Type III)                         | 8/21/2000                       | R298             |
|   | <b>Fax:</b> (847) 647-0269  | <b>Email:</b> matt.hills@averydennison.com                                  | <b>Web Site:</b>                |                  |



**716.03.01 REFLECTIVE SHEETING**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                        | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|--|---|--------------------|------------------|
| Avery Dennison<br>6565 West Howard Street<br>Niles IL 60714-<br>(847) 647-7717 x.0 (847) 588-7390                          | T7500 Prismatic Grade Sheeting             | NDOT Type IX  | 5/30/2002          | R338             |
|  | <b>Fax:</b> (847) 647-0269                 | <b>Email:</b> matt.hills@averydennison.com                      | <b>Web Site:</b>   |                  |
| Nippon Carbide Industries<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90670-<br>(310) 532-7500 x.0 (800) 821-4264 | 92847 Nikkalite Crystal Fluorescent Orange | NDOT Type X   | 4/29/2005          | R469             |
|  | <b>Fax:</b> (888) 330-7119                 | <b>Email:</b> nciusa@nikkalite.com                              | <b>Web Site:</b>   |                  |
| Nippon Carbide Industries<br>12981 East Florence Avenue<br>Santa Fe Springs CA 90670-<br>(310) 532-7500 x.0 (800) 821-4264 | Nikkalite ULGH                             | For Permanent Traffic Signs                                     | 8/16/2000          | R275             |
|  | <b>Fax:</b> (888) 330-7119                 | <b>Email:</b> nciusa@nikkalite.com                              | <b>Web Site:</b>   |                  |
| Reflexite North America<br>1001 41st Street<br>Sacramento CA 95819-<br>(916) 739-6903 x.0                                  | AP1000                                     | For Delineators, Safety Fencing and Glare Screens Only (Type V) | 8/21/2000          | R297             |
|  | <b>Fax:</b> (916) 457-3813                 | <b>Email:</b>   | <b>Web Site:</b>   |                  |
| Reflexite North America<br>1001 41st Street<br>Sacramento CA 95819-<br>(916) 739-6903 x.0                                  | Conformalight; Marathon Type VI            | For Roll-up Signs Only (NDOT Type VI)                           | 9/19/2000          | R295             |
|  | <b>Fax:</b> (916) 457-3813                 | <b>Email:</b>   | <b>Web Site:</b>   |                  |

**726.03.04 MULCH**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>               | <i>Remarks</i>                                   | <i>Carded Date</i> | <i>ID Number</i> |
|---|-----------------------------------|--|--------------------|------------------|
| Central Fiber Corporation<br>4814 Fiber Lane<br>Wellsville KS 66092-<br>(800) 654-6117 x.0 (785) 883-4600 | Second Nature Paper Fiber Hydrose |  | 6/25/1998          | R170             |
|   | <b>Fax:</b> (785) 883-4429        | <b>Email:</b>                                    | <b>Web Site:</b>   |                  |
| Hamilton Manufacturing Incorporated<br>901 Russet Street<br>Twin Falls ID 83301-<br>(208) 733-9689 x.0    | Nature's Own                      |  | 6/25/1998          | R172             |
|   | <b>Fax:</b> (208) 733-9447        | <b>Email:</b> patrick@hmi-mfg.com/info@hmi-mfg.c | <b>Web Site:</b>   |                  |

**726.03.05 TACKIFIER**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                                    | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Central Fiber Corporation<br>4814 Fiber Lane<br>Wellsville KS 66095-<br>(800) 654-6117 x.0 (785) 883-4600       | TacPac GT<br><br><b>Fax:</b> (785) 883-4429 <b>Email:</b>                          |   | 6/25/1998          | R174             |
|   |  | <b>Web Site:</b>                                  |                    |                  |
| Driwater Incorporated<br>600 East Todd Road<br>Santa Rosa CA 95407-<br>(707) 588-1444 x.0                       | Driwater Hydro Mix<br><br><b>Fax:</b> (707) 588-1445 <b>Email:</b>                 | Note: Surfaces subject to spill; can be slippery. | 1/3/2001           | R280             |
|   |  | <b>Web Site:</b>                                  |                    |                  |
| Eastern Products<br>1162 Sycamore Lane<br>Mahwah NJ 07430-<br>(201) 934-5050 x.0                                | Ecotak OP Moisture Retainer<br><br><b>Fax:</b> (201) 934-8686 <b>Email:</b>        |   | 6/25/1998          | R176             |
|   |  | <b>Web Site:</b>                                  |                    |                  |
| Fischbach; and more LLC<br>2512 West Courtland Avenue<br>Spokane WA 99207-<br>(509) 325-2882 x.0 (509) 981-8555 | Terravest<br><br><b>Fax:</b> (509) 328-4336 <b>Email:</b> rob@fischbachandmore.com |   | 6/25/1998          | R177             |
|   |  | <b>Web Site:</b>                                  |                    |                  |

**726.03.13 SOIL STABILIZER**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|---|--------------------|------------------|
| Alon Asphalt Bakersfield<br>1201 China Grade Loop<br>Bakersfield CA 93388-<br>(661) 392-3630 x.0 (661) 978-9357 | Topein S Emulsion<br><br><b>Fax:</b> (661) 391-1054 <b>Email:</b> jim.ryan@alonusa.com              | Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil | 2/24/2004          | R425             |
|   |   | <b>Web Site:</b> www.alonsashalt.com  |                    |                  |
| American Refining Group<br>77 North Kendall Avenue<br>Bradford PA 16701-<br>(814) 368-1200 x.0 (281) 770-0220   | PennzSuppress D Dust Suppressant<br><br><b>Fax:</b> (814) 368-1335 <b>Email:</b> ckimball@amref.com |   | 6/25/1998          | R138             |
|   |   | <b>Web Site:</b>  |                    |                  |
| Arrow Magnolia International LP<br>2646 Rodney Lane<br>Dallas TX 75229-<br>(800) 527-2101 x.0 (800) 969-6300    | Road Boss<br><br><b>Fax:</b> (972) 484-2896 <b>Email:</b>   | 10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)  | 10/26/2005         | R441             |
|   |   | <b>Web Site:</b> www.arrowmagnolia.com  |                    |                  |
| Fischbach; and more LLC<br>2512 West Courtland Avenue<br>Spokane WA 99207-<br>(509) 325-2882 x.0 (509) 981-8555 | Terravest<br><br><b>Fax:</b> (509) 328-4336 <b>Email:</b> rob@fischbachandmore.com                  |   | 6/25/1998          | R173             |
|   |   | <b>Web Site:</b>  |                    |                  |

## 726.03.13

## SOIL STABILIZER

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>                                | <i>Carded Date</i>  | <i>ID Number</i> |
|--|--|---|---|------------------|
| Fischback and More<br>2512 West Courtland Avenue<br>Spokane WA 99205-<br>(509) 325-2882 x.0  | Fisch-Stick<br><br><b>Fax:</b> (509) 328-4336  | <b>Email:</b> fischbach@omnicast.net          | 6/25/1998   | R177             |
| Fluid Tech Incorporated, HAZCO Division<br>5720 South Arville Street Suite 104<br>Las Vegas NV 89118-<br>(702) 871-1884 x.0 (702) 871-7976 | Trans Seal I<br><br><b>Fax:</b> (702) 871-3629   | <b>Email:</b> strue@fluid-tech-inc.com        | Application and dilution rates follow manufacturer's instructions.<br>1/3/2002  | R323             |
| GM Boston Company<br>412 Fullerton Avenue<br>Newport Beach CA 92663-<br>(949) 722-6799 x.0 (949) 533-6799                                  | PX 300 Soil Stabilizer & Dust Palliative & Erosion Control<br><br><b>Fax:</b> (562) 592-0836 | <b>Email:</b> craighoad@gmbostoncompany.com   | Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area<br>6/10/2003   | R393             |
| Hercules Environmental Dust & Erosion Products<br>6596 New Peachtree Road<br>Doraville GA 30340-<br>(770) 303-0878 x.0                     | Hercules Soil LocE<br><br><b>Fax:</b> (770) 455-6531   | <b>Email:</b>                                 | 6/25/1998   | R178             |
| Midwest Industrial Supply Incorporated<br>1101 3rd Street Southeast<br>Canton OH 44701-<br>(330) 456-3121 x.0                              | Soil Sement<br><br><b>Fax:</b> (330) 456-3247  | <b>Email:</b> kim@midwestind.com/custserv@mid | Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must<br>4/18/2005 | R468             |
| NUI Equipment Incorporated<br>184 West Brooks Avenue<br>North Las Vegas NV 89030-<br>(702) 649-8767 x.0 (702) 649-8446                     | Plas-Bond; Soiltac<br><br><b>Fax:</b>  | <b>Email:</b> morgan@nuequipment.com          | Should be only used in areas that will not be disturbed by vehicle or foot traffic.<br>11/13/2000   | R277             |
| Sequoia Pacific Research Company<br>1192 East Draper Parkway<br>Darper UT 84020-<br>(801) 303-2558 x.0 (801) 414-7777                      | SoilBIND<br><br><b>Fax:</b> (801) 303-2551   | <b>Email:</b> terry@telnetz.com               | Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.<br>6/23/2003                  | R394             |
| Soil Tech Company<br>5375 South Cameron Drive Suite L<br>Las Vegas NV 89118-<br>(702) 873-2023 x.0   | Plas-Tex; Poly-Tex<br><br><b>Fax:</b> (702) 873-0915   | <b>Email:</b>                                 | Should be only used in areas that will not be disturbed by vehicle or foot traffic.<br>6/25/1998  | R179             |

**726.03.13 SOIL STABILIZER**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>                                       | <i>Remarks</i>  | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|---|--------------------|------------------|
| Soil Works LLC<br>681 North Monterey Street #101<br>Gilbert AZ 85233-<br>(480) 545-5454 x.0 (760) 345-0771 | Plas-Bond; Soiltac<br><br><b>Fax:</b> (480) 545-5456      | Application and dilution rates follow manufacturer's instructions.<br><br><b>Email:</b> Dorian@Soilworks.com  | 9/20/2004          | R449             |
|  |   | <b>Web Site:</b> www.Soilworks.com  |                    |                  |
| Terra Novo<br>8000 Jill Jean Avenue<br>Bakersfield CA 93380-<br>(661) 587-5716 x.0 (661) 747-5956          | EarthGuard Fiber Matrix<br><br><b>Fax:</b> (661) 587-6806 | Blending, mixing and application method must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by<br><br><b>Email:</b> andy@terranovo.com | 11/2/2001          | R315             |
|  |   | <b>Web Site:</b>  |                    |                  |

**728.03.02 EPOXY ANCHORING SYSTEMS**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|--|--------------------|------------------|
| Adhesive Technologies<br>450 East Copans Road<br>Pompano Beach FL 33064-<br>(800) 892-1880 x.0 (954) 782-2221                   | HS200<br><br><b>Fax:</b> (954) 782-2776                                | Type I, II, IV and V; Grade 3; Class A<br><br><b>Email:</b> rboland@atc.ws               | 1/14/2003          | R374             |
|   |  | <b>Web Site:</b>   |                    |                  |
| Adhesive Technologies<br>450 East Copans Road<br>Pompano Beach FL 33064-<br>(800) 892-1880 x.0 (954) 782-2221                   | Ultradond 1100<br><br><b>Fax:</b> (954) 782-2776                       | Type I, II, IV and V; Grade 2; Class C<br><br><b>Email:</b> rboland@atc.ws               | 1/10/2002          | R325             |
|   |  | <b>Web Site:</b>   |                    |                  |
| Atlas Construction Supply Incorporated<br>4840 West Hacienda Avenue<br>Las Vegas NV 89118-<br>(702) 227-6800 x.0 (877) 588-2100 | Atlas Epoxy Bonder; LPL Epoxy Bonder<br><br><b>Fax:</b> (858) 277-0585 | Type I, II, IV and V; Grade 2; Classes B & C<br><br><b>Email:</b>                        | 4/29/2004          | R438             |
|   |  | <b>Web Site:</b> www.atlasform.com   |                    |                  |
| Dayton Superior<br>4226 Kansas Avenue<br>Kansas City KS 66106-<br>(877) 416-3439 x.0 (800) 745-3700                             | Sure Anchor I J-51<br><br><b>Fax:</b> (913) 279-4806                   | Type I, II, IV and V; Grade 3; Glass A<br><br><b>Email:</b> johnkukey@daytonsuperior.com | 1/14/2003          | R376             |
|   |  | <b>Web Site:</b>   |                    |                  |
| Hilti Incorporated<br>5400 South 122nd Avenue<br>Tulsa OK 74121-<br>(800) 879-8000 x.0  | HT RE 500<br><br><b>Fax:</b> (800) 879-7000                            | Type IV; Grade 3; Classes A, B & C<br><br><b>Email:</b> Us-SalesDiv73@hilti.com          | 1/2/2002           | R318             |
|   |  | <b>Web Site:</b>   |                    |                  |
| ITW Ramset, Red Head<br>1300 North Michael Drive<br>Wood Dale IL 60191-<br>(800) 899-7890 x.0 (630) 350-0370                    | Ceramic 6<br><br><b>Fax:</b> (630) 350-7985                            | Type IV; Grade 3; Classes B & C<br><br><b>Email:</b>                                     | 5/14/2002          | R336             |
|   |  | <b>Web Site:</b>   |                    |                  |

## 728.03.02

## EPOXY ANCHORING SYSTEMS

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i>                                  | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|---|--------------------|------------------|
| Powers Fasteners Incorporated<br>2 Powers Lane<br>Brewster NY 10509-<br>(914) 235-6300 x.0                    | Power Fast Epoxy Injection Gel Adhesive<br>Anchoring<br><br><b>Fax:</b> (914) 235-1913 <b>Email:</b> engineering@powers.com    | Type I, II, IV and V; Grade 3;<br>Classes B & C | 1/4/1998           | R234             |
| Simpson Strong-Tie<br>5151 South Airport Way<br>Stockton CA 95206-<br>(800) 999-5099 x.0                      | Epoxy-Tie Resin Adhesive ET22; ET22C Epoxy-<br>Tie Resin Adhesive<br><br><b>Fax:</b> (209) 234-3868 <b>Email:</b>              | Type I, II, IV and V; Grade 3; Classes<br>B & C | 1/4/1998           | R236             |
| Tamms Industries<br>2825 State Route 72<br>Kirland IL 60146-<br>(800) 862-2667 x.0    (818) 841-5096          | Duralcrete<br><br><b>Fax:</b> (815) 522-3394 <b>Email:</b>   | Type I and Type II                              | 11/8/2005          | R478             |
| Unitex Corporation<br>3101 Gardner Avenue<br>Kansas City MO 64120-<br>(800) 821-5846 x.0    (816) 231-7700    | Pro-poxy 300 Type III Epoxy Binder; Symons<br>Res-Con 304; ProPoxy 50 Super LV<br><br><b>Fax:</b> (816) 483-3149 <b>Email:</b> | Type I, II, IV and V; Grade 3; Class A          | 1/14/2003          | R373             |
| Unitex Corporation<br>3101 Gardner Avenue<br>Kansas City MO 64120-<br>(800) 821-5846 x.0    (816) 231-7700    | Pro-Epoxy 200 Binders/Adhesives; Pro-Epoxy<br>Fast 300 Binders/Adhesives<br><br><b>Fax:</b> (816) 483-3149 <b>Email:</b>       | Type I and II; Grade 2; Classes B & C           | 1/4/1998           | R237             |
| US Anchor<br>450 East Copans Road<br>Pompano Beach FL 33064-<br>(305) 782-2221 x.0    (800) 872-3330          | HS 200 Epoxy Adhesive<br><br><b>Fax:</b> (305) 782-2499 <b>Email:</b>  | Type I, II, IV and V; Grade 3; Class A          | 1/14/2003          | R374             |
| USP Structural Connectors<br>703 Rogers Drive<br>Montgomery MN 56069-<br>(507) 364-8368 x.0    (800) 328-5934 | CIA-GEL 7000 Adhesive Anchors<br><br><b>Fax:</b> (507) 364-8762 <b>Email:</b> jtunek@gibraltar1.com                            | Type I and IV; Grade 3; Classes B, C,<br>& D    | 8/8/2000           | R267             |
| WR Meadows Incorporated<br>865 Teal Drive<br>Benicia CA 94510-<br>(707) 745-6666 x.0    (847) 214-2100        | Rezi Weld 1000<br><br><b>Fax:</b> (707) 747-6206 <b>Email:</b>   | Type I, II, IV and V; Grade 2; Classes<br>B & C | 2/19/2004          | R424             |

**729.02.03 EPOXY PAINT FORMULATION**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|--|--------------------|------------------|
| Colorado Paint Company<br>4747 Holly Street<br>Denver CO 80216-<br>(303) 388-9265 x.0 (303) 722-7380                          | RockHard Epoxy Hardener; RockHard 1186 White<br><br><b>Fax:</b> (303) 388-0881 <b>Email:</b>  |  | 3/20/2000          | R218             |
| Epoplex<br>1 Park Avenue<br>Maple Shade NJ 08052-<br>(800) 822-6920 x.0   | Epoplex LS60 ; Epoplex LS50; Epoplex LS50 B<br><br><b>Fax:</b> (856) 779-2963 <b>Email:</b> www.epoplex.com   | LS 50LF Yellow Paint contains Organic Yellow Pigment | 12/11/2002         | R369             |
| Innovative Performance System<br>2400 Ellis Road<br>Research Triangle Park NC 27709-<br>(925) 935-5954 x.0 (877) 477-7623     | Rockhard HPS-3 White Epoxy Pavement Marker; RockHard 1186 LF (non-lead yellow); Rockhard HPS-3 Leaded Yellow Epoxy Pavement Marker<br><br><b>Fax:</b> (925) 935-5409 <b>Email:</b> jlester@ips-road.com | HPS-3 Yellow Paint contains Organic Yellow Pigment   | 8/28/2002          | R352             |
| Poly-Carb Incorporated<br>33095 Bainbridge Road<br>Cleveland OH 44139-<br>(440) 248-1223 x.0 (800) 225-5649                   | Mark 55.2 NV; Mark 55.3 White; Mark 55.4; Mark 55.3 Yellow organic<br><br><b>Fax:</b> (440) 248-1513 <b>Email:</b> hemant@poly-carb.com   |  | 10/24/1997         | R131             |
| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 1200 Liquid Pavement Marking<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>  |  | 7/16/2003          | R398             |
| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                                       | <i>Carded Date</i> | <i>ID Number</i> |

**729.02.03d POLYUREA PAINT FORMULATION**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>   | <i>Remarks</i>                           | <i>Carded Date</i> | <i>ID Number</i> |
|--|---|--|--------------------|------------------|
| Epoplex<br>1 Park Avenue<br>Maple Shade NJ 08052-<br>(800) 822-6920 x.0  | Epoplex LS90<br><br><b>Fax:</b> (856) 779-2963 <b>Email:</b>  | Note: This sytem includes Part A - Black | 7/16/2003          | R396             |
| Innovative Performance Systems<br>2400 Ellis Road<br>Research Triangle Park NC 27709-<br>(925) 935-5954 x.0 (877) 477-7623 | HPS-5 Liquid Pavement Markings<br><br><b>Fax:</b> (925) 935-5409 <b>Email:</b> jlester@ips-road.com | Note: This sytem includes Part A - Black | 7/16/2003          | R397             |
|  |   |  | <b>Web Site:</b>   |                  |

**729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i>                    | <i>Carded Date</i>           | <i>ID Number</i> |
|---|---|-----------------------------------|------------------------------|------------------|
| Dow Chemical Company<br>2040 Dow Center<br>Midland MI 48674-<br>(989) 636-2452 x.0 (800) 447-4369 | DT250NA; DT400NA<br><br><b>Fax:</b> (989) 832-1465 <b>Email:</b>  | Use for Type I Water Borne Paint  | 7/19/2002                    | R189             |
|   |   |                                   | <b>Web Site:</b> www.dow.com |                  |
| Rohm and Haas<br>100 Independence Mall<br>West Philadelphia PA 19106-<br>(215) 592-3000 x.0       | Rhoplex Fastrack 3427 Type I Waterborne Paint;<br>Rhoplex Fastrack HD21 Type II Waterborne<br>Paint<br><br><b>Fax:</b> (215) 592-3377 <b>Email:</b> | Use for Type II Water Borne Paint | 11/30/2001                   | R316             |
|   |   |                                   | <b>Web Site:</b>             |                  |

**729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL**

| <i>Mfr Name / Address</i>  | <i>Product Name</i>  | <i>Remarks</i>                                   | <i>Carded Date</i>             | <i>ID Number</i> |
|--|--|--|--------------------------------|------------------|
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75119-<br>(800) 331-8118 x.0          | 2771A9 White, 2772A9 Yellow Rapid Dry<br>Waterborne Paint Type II<br><br><b>Fax:</b> (800) 555-0217 <b>Email:</b> klyne@ennispaint.com                 | Type II  | 12/11/2002                     | R371             |
|  |  |  | <b>Web Site:</b>               |                  |
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75120-<br>(800) 331-8118 x.0          | 982831 NVW-40-M2 White, 982832 NVY-40-M2<br>Yellow Rapid Dry Waterborne Paint<br><br><b>Fax:</b> (800) 555-0217 <b>Email:</b> klyne@ennispaint.com     | Type II (Rohm & Haas Rhoplex<br>Fastrack HD-21A) | 4/1/2004                       | R434             |
|  |  |  | <b>Web Site:</b>               |                  |
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75119-<br>(800) 331-8118 x.0          | 2714A9 White, 2715A9 Yellow Rapid Dry<br>Waterborne Paint Type I<br><br><b>Fax:</b> (800) 555-0217 <b>Email:</b> klyne@ennispaint.com                  | Type I   | 12/11/2002                     | R370             |
|  |  |  | <b>Web Site:</b>               |                  |
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75120-<br>(800) 331-8118 x.0          | 982831 NVW-HD21-M2 White, 982832 NVY-<br>HD21-M2 Yellow Rapid Dry Waterborne Pain<br><br><b>Fax:</b> (800) 555-0217 <b>Email:</b> klyne@ennispaint.com | Type II  | 7/30/2002                      | R347             |
|  |  |  | <b>Web Site:</b>               |                  |
| Ennis Paint Incorporated<br>1509 South Kaufman<br>Ennis TX 75120-<br>(800) 331-8118 x.0          | 982831 NVW-HD21-M1 White, 982832 NVY-<br>HD21-M1 Yellow Type II (Rohm & Haas Rhop<br><br><b>Fax:</b> (800) 555-0217 <b>Email:</b> klyne@ennispaint.com | Type II (Rohm & Haas Rhoplex<br>Fastrack HD-21A) | 4/1/2004                       | R434             |
|  |  |  | <b>Web Site:</b>               |                  |
| Pervo Pain<br>6624 Stanford Avenue<br>Las Angeles CA 90001-<br>(800) 892-3647 x.0 (213) 758-1147 | Pervo Plastics 6050 White, Pervo Plastics 6053<br>Yellow Type II Waterborne Paint<br><br><b>Fax:</b> (213) 778-9719 <b>Email:</b> sales@pervo.com      | Type II  | 7/30/2002                      | R345             |
|  |  |  | <b>Web Site:</b> www.pervo.com |                  |

**729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>   | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|---|----------------|--------------------|------------------|
| Pervo Paint<br>6624 Stanford Avenue<br>Las Angeles CA 90001-<br>(800) 892-3647 x.0 (213) 758-1147 | Pervo Plastics 6000 White, Pervo Plastics 6003 Yellow Type I Waterborne Paint<br><br><b>Fax:</b> (213) 778-9719 <b>Email:</b> sales@pervo.com | Type I         | 7/30/2002          | R344             |
| Sherwin-Williams Company<br>2325 Hollins Ferry Road<br>Baltimore MD 21230-<br>(410) 625-8439 x.0  | BP19422 Yellow; BP19421 White Rapid Dry Waterborne Paint Type II; B65V150 Sherthane 2K<br><br><b>Fax:</b> (410) 625-8249 <b>Email:</b>        | Type II        | 7/9/2003           | R395             |

**Web Site:** www.pervo.com**Web Site:****731.03.01 PAVEMENT REINFORCING FABRIC**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|----------------|--------------------|------------------|
| California Paving Fabrics Incorporated<br>2300 Barney Street<br>Anderson CA 96007-<br>(800) 443-6322 x.0 (530) 365-0108 | GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System<br><br><b>Fax:</b> (530) 365-0100 <b>Email:</b> cpf@snowcrest.net |                | 10/18/2002         | R354             |

**Web Site:** www.californiapavingfabrics.co**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>  | <i>Remarks</i> | <i>Carded Date</i> | <i>ID Number</i> |
|---|--|----------------|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 5730 Stamark Tape<br><br><b>Fax:</b> (702) 914-6016 <b>Email:</b>  |                | 9/19/2003          | R407             |
| Advance Traffic Markings<br>PO Box H<br>Roanoke Rapids NC 27870-<br>(252) 536-2574 x.0  | Series 300 Tape<br><br><b>Fax:</b> (252) 526-4940 <b>Email:</b> brobbins@trafficmarking.com  |                | 9/19/2003          | R410             |
| Swarco<br>PO Box 89<br>Columbia TN 38402-<br>(931) 388-5900 x.0   | Director 60 Permanent Marking Tape Type I; Director 35 Pavement Marking Tape Type II<br><br><b>Fax:</b> (931) 388-4039 <b>Email:</b> |                | 2/17/2004          | R421             |

**Web Site:** www.3M.com/tcm**Web Site:** www.trafficmarking.com**Web Site:**



---

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i>                 | <i>Remarks</i>   | <i>Carded Date</i> | <i>ID Number</i> |
|---|-------------------------------------|--|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | 420 Stamark Intersection Grade Tape | <i>Fax:</i> (702) 914-6016 <i>Email:</i>                             | 9/19/2003          | R408             |
|   |                                     | <i>Web Site:</i> www.3M.com/tcm                                      |                    |                  |
| Advance Traffic Markings<br>PO Box H<br>Roanoke Rapids NC 27870-<br>(252) 536-2574 x.0  | Series 400 Tape                     | <i>Fax:</i> (252) 526-4940 <i>Email:</i> brobbins@trafficmarking.com | 9/19/2003          | R411             |
|   |                                     | <i>Web Site:</i> www.trafficmarking.com                              |                    |                  |

---

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

| <i>Mfr Name / Address</i>   | <i>Product Name</i> | <i>Remarks</i>                           | <i>Carded Date</i> | <i>ID Number</i> |
|---|---------------------|--|--------------------|------------------|
| 3M Traffic Control Materials Division, 3M Center<br>PO Box 231393<br>Las Vegas NV 89123-<br>(800) 553-1380 x.0 (702) 743-0012 | A3801 Stamark Tape  | <i>Fax:</i> (702) 914-6016 <i>Email:</i> | 9/19/2003          | R409             |
|   |                     | <i>Web Site:</i> www.3M.com/tcm          |                    |                  |

## **QPL DB1 NOTES**

**November 8, 2005**

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at [jvanhavel@dot.state.nv.us](mailto:jvanhavel@dot.state.nv.us) or by telephone at (775) 888-7894.