

QUALIFIED PRODUCTS LIST (QPL)

213.02.16		BACKFLOW PREVENTER COVERS		
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
VIT Products Incorporated 2063 Wineridge Place Escondido CA 92029- (800) 729-1314	ALHPI 60; SBBC 50		5/26/1998	R002
	<i>Fax:</i> (888) 310-3946	<i>Email:</i> kim@vitproducts.com	<i>Web Site:</i> www.vitproducts.com	
213.03.05		IRRIGATION PIPE JOINT COMPOUNDS		
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RectorSeal 2601 Spenwick Drive Houston TX 77055- (713) 263-8001	RectorSeal #5		8/2/1999	R209
	<i>Fax:</i> (800) 441-0051	<i>Email:</i>	<i>Web Site:</i> www.rectorseal.com	
214.02.01		TYPE C MAILBOX SUPPORT SYSTEMS		
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
S-Square Tube Products 5495 East 69th Avenue Commence City CO 80022- (303) 286-7051 (888) 267-6463	NEX Mailbox Support System	Type C Mailbox Support System	3/29/2004	R433
	<i>Fax:</i> (303) 287-0109	<i>Email:</i> jennie@s-squartube.com	<i>Web Site:</i> www.s-squartube.com	
Traffic & Parking Control Company 800 Wall Street Elm Grove WI 53122- (262) 814-7000 (800) 444-0331	V-LOC Mailbox Support System		11/4/1997	R004
	<i>Fax:</i> (262) 814-7017	<i>Email:</i> bryane@tapconet.com	<i>Web Site:</i> www.tapconet.com/vloc	
401.02.03a		HERBICIDES		
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Control Solutions Incorporated (CSI) 5903 Genoa Red Bluff Road Pasadena TX 77507- (281) 892-2500	Pramitol 25E	Application rate: 38L/hectare 25gal/acre	8/1/1993	R005
	<i>Fax:</i> (281) 892-2501	<i>Email:</i>	<i>Web Site:</i> www.controlsolutionsinc.com	
Dow AgroSciences LLC 9330 Zionsville Road Indianapolis IN 46268- (800) 263-1196 (317) 337-3000	Spike 80 W	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R006
	<i>Fax:</i> (317) 337-4488	<i>Email:</i> jshong@dow.com	<i>Web Site:</i> www.dowagro.com	

401.03.02 ASPHALT RELEASE AGENTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Super Slick Bio Fax: (800) 527-2101 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco to Arrow Magnolia	4/22/2004	R437
BG Chemical LP PO Box 720025 Dallas TX 75372- (800) 725-8470	Black Magic "13"; Black Magic "For Rubber"; Thermal Slide Fax: (214) 826-7290 Email: jgunter@bgchemical.com		5/8/2000	R260
Compound Technologies Incorporated 70 Riverside Drive Cartersville GA 30120- (888) 747-4101	SPX-7 Fax: (770) 386-3391 Email: synthetic@pipeline.com	Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs.	4/27/2000	R262
Rhomar Industries 2107 East Rockhurst Springfield MO 65802- (800) 688-6221 (417) 866-5592	Enviro-Slide Ultra Fax: (417) 866-5593 Email: bhamilton@rhomar.com		4/26/2000	R258
ZEP Manufacturing Company 25224 S Schulte Road Tracy CA 95377- (209) 830-5110 (916) 390-2726	R-5274, R-6690; Zep E2008 (XT-3199) Fax: (209) 830-5124 Email: chad.pope@zepmfg.com		5/11/2006	R360

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100	Atlas Finish Film Fax: (858) 222-0488 Email: info@atlastechproducts.com		1/29/2003	R386
BASF Admixtures Incorporated 23700 Chagrin Boulevard Cleveland OH 44122- (800) 433-9517 (800) 628-9990	Confilm Fax: (800) 496-6067 Email: steve.peterson@degussa.com	Application rate:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R212
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439	SureFilm J-74 Finishing Aid Fax: (913) 371-3322 Email: johnkukey@daytonsuperior.com	Finishing Aid:4.9 m2/l (200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R210

409.03.10 EVAPORATIVE RETARDER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Kaufman Products 3811 Curtis Avenue Baltimore MD 21226-1131 (410) 354-8600 (800) 637-6372	VaporAid 060 Fax: (410) 354-1122	Email: 222.kaufmanproducts.net	8/2/1999	R211
		Web Site: www.kaufmanproducts.net		
Vexcon Chemical Incorporated 7240 State Road Philadelphia PA 19135- (215) 332-7709 (888) 839-2661	Certi-Vex Envioassist Evaporative Retarder Fax: (215) 332-9997	Email: dmanuel@vexcon.com	8/2/1999	R213
		Web Site: www.vexcon.com		
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Sealtight Evapre Evaporative Retarder Fax: (707) 747-6206	Email: wrmca@wrmeadows.com	8/1/1999	R214
		Web Site: www.wrmeadows.com		

496.02.01 AGGREGATES FOR POLYMER CONCRETE PREBAGGED

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cemex 6601 Knoll Center Parkway #300 Pleasanton CA 94566- (925) 426-8787 (800) 227-5186	Aggregate Fax:	Email:	1/26/1997	R013
		Web Site: www.cemex.com		
Manufacturers Mineral Company 1215 Monster Road SW Renton WA 98055- (425) 228-2120	Aggregate, Sand Fax: (425) 228-2199	Email: mineralco@aol.com	1/26/1997	R012
		Web Site: www.mineralco.com		

502.02.01 ONE WAY & TWO WAY REFLECTIVE MARKERS (ON TOP OF BAR)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154	FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154	Email: sales@astrooptics.com	2/2/1993	R014
		Web Site: www.astrooptics.com		

502.02.04 CONCRETE STAIN

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Textured Coatings of America (TEX-COTE) 4101 Ravenswood Road Suite 401 Ft Lauderdale FL 33312-5371 (954) 581-0771 (954) 205-5117	Rainstopper Silicone-Acrylic Concrete Stain Fax: (954) 581-9516	Email: info@texcote.com	4/12/2005	R467
		Web Site: www.texcote.com		

502.02.04		CONCRETE STAIN				
<i>Mfr Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
United Coatings 19011 East Cataldo Spokane Valley (800) 541-4383	WA 99016- (509) 926-7143	Canyon Tone Stain			4/12/2005	R466
		Fax: (509) 928-1116	Email: shawn@unitedcoatings.com	Web Site: www.unitedcoatings.com		
502.02.05a		PERMANENT NON-SACRIFICIAL ANTI-GRAFFITI COATING				
<i>Mfr Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Polymer Corporation 9176 South 300 West Suite 4 Sandy (801) 255-9505	UT 84070- (800) 676-5963	GSS-10 Anti Graffiti Coating			10/10/2005	R483
		Fax: (801) 255-7123	Email: gregg@americanpolymer.com	Web Site: www.americanpolymer.com		
Seal America 13545 Field Lane Reno (775) 853-6710	NV 89511- (775) 250-8522	Seal Guard			10/28/2006	R504
		Fax: (775) 853-6709	Email: dbaker@sealamerica.com	Web Site:		
502.03.13i		PREFORMED JOINT MATERIAL				
<i>Mfr Name / Address</i>		<i>Product Name</i>		<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Capital Services Incorporated 112 Morris Road Schenectady (518) 344-7777	NY 12304- (800) 356-6007	Evazote			5/23/1999	R182
		Fax: (518) 346-1110	Email: teck@capitalservicesny.com	Web Site: www.capitalservicesny.com		
E-Poxy Engineered Materials 2 E-comm Square/324 Broadway Box 19 Albany (888) 999-2463	NY 12207- (518) 463-3271	Evazote 380 ESP			5/3/1999	R008
		Fax: (518) 463-3276	Email:	Web Site: www.e-poxy.com		
Polytite Manufacturing Corporation 4226 Kansas Avenue Kansas City (877) 416-3439	KS 66106- (877) 416-3439	Polytite N			5/3/1999	R010
		Fax: (913) 371-3330	Email: johnhukey@daytonsuperior.com	Web Site: www.dayton superiorchemical.c		
RJ Watson Incorporated 78 John Glenn Drive Amherst (716) 691-3301	NY 14228- (716) 691-3301	Silicoflex			12/7/2000	R278
		Fax: (716) 691-3305	Email: mstafford@rjwatson.com	Web Site: www.rjwatson.com		

502.03.13i PREFORMED JOINT MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Schul International 1 Industrial Park Drive Pelham NH 03076- (800) 848-1120	Will Seal 600 Fax: (603) 889-6874 Email: info@schul.com		6/4/2002	R340
TechStar Incorporated 1219 West Main Cross Street Findlay OH 45840- (419) 424-0888 (419) 408-5469	W Seal Fax: (419) 424-5959 Email: warren@techstar-inc.com		5/3/1999	R150
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922	JEENE® Structural & Sealing Joint Fax: (716) 691-9239 Email: debbie.steiger@degussa.com		5/3/1999	R011
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922	Wabo® Evazote UV Fax: (716) 691-9239 Email: debbie.steiger@degussa.com		8/2/2006	R495

502.03.13j ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561 (651) 748-8414	Matrix 502 Fax: (419) 257-2200 Email: ldurain@dsbrown.com		6/5/1997	R217
Dynamic Surface Applications Ltd 373 Village Road Pennsdale PA 17756- (570) 546-6041 (570) 772-0955	BJS Thorma Joint Systems Fax: (570) 546-2415 Email:		9/19/2002	R353
SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538 (208) 890-4525	Koch BJS Joint System Fax: (208) 336-0135 Email: barret2r@semgrouplp.com		1/6/1998	R018
Wyoming Equipment Sales 281 West Sixth Street West Syoming PA 18644-0287 (570) 693-2810 (860) 480-1308	APJ Asphalt Plug Joint System Fax: (570) 613-0384 Email: jad.bus@verizon.com		12/1/2005	R477

502.03.13k		EXPANSION JOINT (SPECIAL)						
<i>Mfr Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Silicone Specialties Incorporated (SSI) PO Box 50009 Tulsa OK 74150- (800) 888-8909 (918) 587-5567		Dow 902 XJS Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted only when	4/22/2002	R228	<i>Fax:</i> (918) 582-7510	<i>Email:</i> dale.baker@ssicm.com	<i>Web Site:</i>
502.03.131		EXPANSION JOINT SEALANT						
<i>Mfr Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026		902 RCS		4/22/2002	R334	<i>Fax:</i> (866) 735-3668	<i>Email:</i> stacey.crowder@dowcorning.com	<i>Web Site:</i> www.dowcorning.com
Watson Bowman Acme Corporation 95 Pineview Drive Amherst NY 14228- (716) 691-7566 (800) 677-4922		Wabo® Silicone Seal - Two Part Sealant		4/22/2002	R335	<i>Fax:</i> (716) 691-9239	<i>Email:</i> debbie.steiger@degussa.com	<i>Web Site:</i> www.wbacorp.com
502.03.20		RETARDANTS FOR FORMED EXPOSED AGGREGATE FINISH						
<i>Mfr Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Degussa Building Systems 889 Valley Park Drive Shakopee MN 55379- (800) 327-1570 (800) 433-9517		Preco Hi-V; Preco Tuf-cote		8/17/1999	R216	<i>Fax:</i> (800) 496-6067	<i>Email:</i> jasonlambright@degussa.com	<i>Web Site:</i> www.degussabuildingsystems.
502.03.22		JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL						
<i>Mfr Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>			
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242		Crafco Asphalt Rubber	Type 1, 2 or 4; Depends on Climate Zone	1/7/1998	R017	<i>Fax:</i> (580) 940-1425	<i>Email:</i> sales@crafco.com	<i>Web Site:</i> www.crafco.com
Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000		Calseal		9/8/1998	R022	<i>Fax:</i> (916) 685-2270	<i>Email:</i> customerservice@henry.com	<i>Web Site:</i> www.henry.com
Maxwell Products Incorporated 650 Delong Street Salt Lake City UT 84104- (801) 972-2090		Elastoflex 44; Elastoflex 56		1/6/1998	R019	<i>Fax:</i> (801) 972-5536	<i>Email:</i> dale@maxwellproducts.com	<i>Web Site:</i> www.dissco.net

502.03.22 JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
SemMaterials LP 4303 Gekeler Lane Boise ID 83716- (208) 345-2538 (208) 890-4525	Koch 9000	<i>Fax:</i> (208) 336-0135 <i>Email:</i> barret2r@semgrouplp.com	1/6/1998	R018
<i>Web Site:</i>				

505.02.01 EPOXY COATING FOR STEEL REINFORCING BARS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dupont Powder Coatings USA Incorporated 9800 Genard Road Houston TX 77041- (713) 939-4000 (713) 696-4669	7-2719 Nap Guard Epoxy Coating	<i>Fax:</i> (713) 939-4025 <i>Email:</i> varughese@dupontpowder.com	1/18/2001	R284
<i>Web Site:</i> www.hoovers.com/dupont-coati				
International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289	HD33 Interpon; HD-34 Fusion Bond	<i>Fax:</i> (432) 332-8806 <i>Email:</i> dgriffin@international-pc.com	1/1/1996	R031
<i>Web Site:</i> www.international-pc.com				
Seibert Powder Coatings USA Incorporated 11110 Berea Road Cleveland OH 44102- (216) 631-2002 (800) 231-2002	1295 E-90 Pow Dax; Scotch Kote 413	<i>Fax:</i> (216) 631-6211 <i>Email:</i>	1/1/1996	R039
<i>Web Site:</i>				
Valspar Corporation, The 1136 Fayette North Kansas City MO 64116- (816) 421-7400	Lilly Greenbar #720A009	<i>Fax:</i> (816) 421-4563 <i>Email:</i>	1/1/1996	R032
<i>Web Site:</i>				

509.03.09 SYNTHETIC DRILLING SLURRY

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CETCO Drilling Products Group 1350 West Shure Drive Arlington Heights IL 60004- (847) 392-5800	Shore Pac GCV	<i>Fax:</i> <i>Email:</i>	9/25/2006	R501
<i>Web Site:</i>				
Geo-Tech Drilling Fluids 220 N. Zapata Hwy, Suite 11A Laredo TX 78043- (210) 587-4758	Novagel Polymer	<i>Fax:</i> <i>Email:</i>	9/25/2006	R500
<i>Web Site:</i>				

509.03.09 SYNTHETIC DRILLING SLURRY

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
KB Technologies Ltd. 3648 FM 1960 West, Suite 107 Houston TX 77068- (800) 525-5237	SlurryPro CDP		9/25/2006	R503
	Fax:	Email:	Web Site:	
PDS Company c/o Champion Equipment Company 8140 East Rosecrans Ave Paramount CA 90723- (562) 634-8180	Super Mud		9/25/2006	R502
	Fax:	Email:	Web Site:	

605.02.01 POLYETHYLENE END SECTIONS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Advanced Drainage Systems Incorporated 4640 Trueman Boulevard Hilliard OH 40326- (800) 733-7473 (614) 658-0050	ADS End Section - Flared HDPE Culvert End Sections		10/28/1995	R040
	Fax: (614) 658-0203	Email: bob.slicker@ads-pipe.com	Web Site: www.ads-pipe.com	
Hancor Incorporated 4794 Sanoy Circle Salt Lake City UT 84117- (801) 278-3453	Hi-Q Flared End Section		10/28/1995	R041
	Fax: (206) 309-0634	Email: llistello@hancor.com	Web Site: www.hancor.com	

609.02.01a FAST-SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Highway Technologies PO Box 41844 Eugene OR 97404- (310) 834-3401	American Highway Patch II		9/30/1996	R043
	Fax: (514) 689-3133	Email: perry.edmundson@daytonsuperior.co	Web Site: americanhighwaytechnologies.	
CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress CA 90630- (800) 929-3030 (714) 348-1946	Rapid Set DOT Repair Mix		1/27/1994	R045
	Fax: (714) 379-8270	Email: fsenatore@ctscement.com	Web Site: www.ctscement.com	
Dayton Superior 4226 Kansas Avenue Kansas City KS 55106- (800) 745-3707 (877) 416-3439	Burke DOT Patch (928 Fast Patch), HD50		9/30/1996	R044
	Fax: (913) 371-3322	Email: johnhukey@daytonsuperior.com	Web Site: www.daytonsuperiorchemical.c	

609.02.01a FAST-SETTING CONCRETE PRODUCTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Degussa Building System 889 Valley Park Drive Shakopee MN 55379- (800) 433-9517 (952) 496-6000	Emaco S66 CI; SET 45 (CT); ThorRoc 10-60 Rapid Mortar Fax: (800) 496-6067 Email: steve.peterson@degussa.com		1/3/2002	R372
		Web Site: www.chemrex.com		
Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Speed Crete Green Line Fast Setting Horizontal Cem; Speed Crete 2028 Rapid Setting Motar; Express Repair Rapid Setting Motar Fax: (216) 531-9399 Email: rziegler@	Conforms with ASTM C-928	11/8/2005	R479
		Web Site: www.euclidchemical.com		
Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Kurez Vox White Pigmented, High Flow Grout; Eucospeed MP, Eucospeed, Eucobar Fax: (216) 531-9399 Email: blewis@euclidchemical.com		9/30/1996	R047
		Web Site: www.euclidchemical.com		
Five Star Products Incorporated 750 Commerce Drive Fairfield CT 06825- (800) 243-2206 (203) 336-7900	Highway Patch & Structural Concrete Fax: (203) 336-7930 Email:		9/30/1996	R042
		Web Site: www.fivestarprouducts.com		
High Performance Concrete Repair Materials Inc 27068 La Paz Road #450 Aliso Viejo CA 92656- (949) 470-3225 (949) 246-4177	High Performance Concrete Mix Fax: (949) 470-3883 Email: johncollins@concreterepair.com		1/3/2002	R319
		Web Site: www.ConcreteRepair.com		
US Concrete Products 16 Greenmeadow Drive Timonium MD 21093- (866) 827-8727 (410) 821-1503	HP Cement Fax: (410) 561-8771 Email: laura@uscproducts.com		10/22/2004	R457
		Web Site: www.concreterepairmaterials.c		

609.02.01b STORMWATER TREATMENT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
BaySaver Technologies Incorporated PO Box 8553 Incline Village NV 89452- (775) 831-4592 (800) 229-7283	BaySaver Fax: (775) 831-4592 Email: edjfranklin@aol.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R288
		Web Site: www.baysaver.com		
CDS Technologies 16360 Monterey Road Suite 250 Morgan Hill CA 95037- (408) 779-6363 (800) 469-7162	CDS Stormwater Treatment System Fax: (408) 782-0721 Email: cds@cdtech.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	2/19/2001	R287
		Web Site: www.cdstech.com		

609.02.01b STORMWATER TREATMENT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Contech Stormwater Solutions 3498 Celar Court Rancho Cordova CA 95670- (800) 548-4667 (916) 635-0760	StormFilter and Vortechs Stormwater Treatment System Fax: (916) 635-0764 Email: ericksonn@contech-cpi.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	7/23/2003	R401
Jensen Precast 6704 Meadowlark Court Lino Lakes MN 55038- (651) 415-1252	Stormwater Interceptor Fax: (651) 415-1090 Email: SPhelps@jensenprecast.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	6/13/2006	R491
Rinker Materials, Concrete Pipe Division 999 Marietta Way Sparks NV 89431- (775) 358-4430 (775) 745-0605	Stormceptor Fax: (775) 355-1982 Email: dcatterson@rinker.com	This is the general QPL only. The unit will be selected based on the specific project requirements.	4/22/2001	R290
Stormdrain Solutions Incorporated 333 Beaumont Road Devon PA 19333-1703 (877) 687-7473 (610) 316-0957	Inceptor Fax: (610) 687-6327 Email: robert@stormdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	7/26/2002	R343

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ABT Incorporated 259 Murdock Road, PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806	HD 200 & MD 200 Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com		8/28/2006	R499
ABT Incorporated 259 Murdock Road, PO Box 837 Troutman NC 28166- (800) 438-6057 (704) 528-9806	A-67 Interceptor; Polydrain Trench Drain System Fax: (704) 528-5478 Email: johncarpenter@abtdrains.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R377
ACO Polymer Products Incorporated 4200 Finch Road Modesto CA 95357- (888) 490-9552 (209) 204-0988	S100K, FF300, FG200, K100S, S300K Concrete Surface Drainage Fax: (209) 574-1014 Email: jwhite@aco-online.com	This is the general QPL only. System will be selected based on project-specific requirements.	1/17/2003	R380
Multidrain Systems Incorporated PO Box 88 Barium Springs NC 28010- (800) 433-1119	MultiDrain Surface Drainage Systems; EconoDrain Systems Fax: (704) 508-1011 Email: steve.born@multidrainsystems.com	This is the general QPL only. System will be selected based on project-specific requirements.	4/6/2004	R435

609.02.01c TRENCH DRAIN SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Strongwell 301 County Airport Road Vacaville CA 95688- (800) 346-3061 (707) 452-9920	Polycast 900 Series Grates (Removeable); Polycast 3000 Z886 Trench Drain System; Polycast 700 Series Frames (Appl Load Class F) Fax: (650) 992-7100 Email: tbeattie@strongwell.com	This is the general QPL only. System will be selected based on project-specific requirements. Web Site: www.stongwell.com	1/13/2005	R460
Zurn Industries / Flo-Thru 2640 South Work Street Falconer NY 14733-1716 (716) 665-1132	Z-886 (6" Wide); Z-882 (12" Wide) Fax: (716) 665-1135 Email: bill.ousley@zurn.com	This is the general QPL only. System will be selected based on project-specific requirements. Web Site: www.zurn.com	3/28/2003	R388

610.02.01 CELLULAR EROSION CONTROL MATS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Attila Environmental Products 5927 Balfour Court Suite 108 Carlsbad CA 92008- (760) 431-2452 (619) 417-8024	Armorflex Fax: (760) 431-2453 Email: eric@attilacorp.com	This is the general QPL only. System will be selected based on project-specific requirements. Web Site:	1/28/2002	R326
Contech 10343 Perfect Parsley Las Vegas NV 89123- (303) 431-8999	Petraflex Fax: (702) 740-5560 Email: mbaldwin@contech-epi.com	This is the general QPL only. System will be selected based on project-specific requirements. Web Site: www.contech-cpi.com	1/28/2002	R327

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Endicott Clay Products Company PO Box 17 Fairbury NE 68352- (402) 729-3315	Handicap Detectable Warning Pavers Fax: (402) 729-5804 Email: endicott@endicott.com	Concrete Paver Web Site: www.endicott.com	3/26/2004	R430
N-Direct Distribution 1833 East Baseline Road Suite 247 Gilbert AZ 85233- (480) 226-2074 (480) 226-2074	CASTinTACT Fax: (530) 878-2440 Email: bill@n-dir.com	Concrete Panel Web Site:	3/26/2004	R431
Pavestone 4720 Alto Avenue Las Vegas NV 89115- (702) 221-2700 (702) 807-4477	ADA Compliant Detectable Warning Paver Fax: (702) 221-2727 Email: pdavidson@pavestone.com	Concrete Paver Web Site: www.pavestone.com	5/13/2004	R440

613.02.01 DETECTABLE WARNINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Transpo Industries Incorporated 20 Jones Street New Rochelle NY 10801- (914) 636-1000 (800) 321-7870	Safe Step - Detectable Warning Tile	Concrete Panel	3/26/2004	R429
	Fax: (914) 636-1282	Email: achawalwala@transpo.com	Web Site: www.transpo.com	
Whitacre Greer 1400 South Mahoning Avenue Alliance OH 44601- (800) 947-2837 (330) 823-1610	Truncated Dome ADA Pavers	Concrete paver	3/26/2004	R432
	Fax: (330) 823-5502	Email: info@wgpaver.com	Web Site: www.gpaver.com	

616.02.01 PLASTIC FENCE FABRIC MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Conwed Plastics 2810 Weeks Avenue SE Minneapolis MN 55414- (800) 426-6933 (612) 623-1700	Safety Fence		10/10/1999	R219
	Fax: (612) 623-2500	Email: customer.service@conwedplastics.co	Web Site: www.conwedplastics.com	
Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290	Safety Grid		5/15/2002	R337
	Fax: (404) 250-9185	Email: bmiller@tensarcorp.com	Web Site: www.earthtech.com	

618.02.01 FLARED GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039	Fleat 350 TL3	TL-3	1/11/1999	R055
	Fax: (915) 267-4039	Email: Kaddo@basin-net.net	Web Site:	
Trinity Industries 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	ET Plus; LET Soil Tubes; SRT 350	TL-3	6/9/2004	R442
	Fax: (802) 292-2145	Email: mikel.hooley@trin.net	Web Site: www.trin.net	

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated PO Box 2163 Big Spring TX 79721- (432) 263-2435 (432) 267-4039	SKT 350 TL3	TL-3	2/8/1998	R181
	Fax: (915) 267-4039	Email: Kaddo@basin-net.net	Web Site:	

618.02.01a TANGENTIAL GUARDRAIL TERMINAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	CAT 350, ET 200 Plus Fax: (802) 292-2145	Cat 350 - TL3 for median areas only w/bi-directional traffic; ET 200 Plus - TL3 metal or wood posts allowed w/guardrail terminal. Email: mikel.hooley@trin.net	3/30/1997	R056
Web Site: www.trin.net				

618.02.01b GUARDRAIL OFFSET BLOCKS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arizona Structural Laminators 2000 West Central Avenue Eagar AZ 85925- (928) 333-5501	Offset Block; Glue Laminated Wood Guardrail Posts Fax: (928) 333-4403	Use for W-beam and Tri-beam Guardrails Email: snicoll@aslbeams.com	3/10/2004	R426
Web Site:				
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	King-Size, King Block Fax: (802) 292-2145	Used with steel post Tri-beam guardrails. Email: mike.hooley@trin.net	5/13/2005	R471
Web Site: www.trin.net				

619.02.01 FLEXIBLE GUIDE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	CGDU Fax: (803) 753-9081	Minimum Embedment Depth: 450mm (18 inches) Email: asansavera@carsonite.com	11/4/1998	R060
Web Site: www.carsonite.com				
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Metal Base 248-GP3 Fax: (312) 467-1356	Minimum Embedment Depth: 430 mm (17 inches) Email: dsanchez@quixtrans.com	11/4/1998	R065
Web Site: www.energyabsorption.com				
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD5500 Earthflex Delineator Fax: (818) 841-5096	 Email: sales@trafficwks.com	10/13/2004	R451
Web Site: www.trafficwks.com				

619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	Island Sentry SMD-615 Surface Mounted K-Marker Fax: (803) 753-9081	 Email: asansavera@carsonite.com	8/1/1989	R066
Web Site: www.carsonite.com				

619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	K-Marker; Dura-Post Fax: (312) 467-1356	TL-2 Email: dsanchez@quixtrans.com	11/4/1998	R068
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	T2 Object Marker Fax: (941) 482-3539	Email: fsi@flexstake.com	6/1/1994	R067
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD5315 ChannelGard K Marker Type II Fax: (818) 841-5096	Type II Email: sales@trafficwks.com	6/29/2005	R472
			Web Site: www.energyabsorption.com	
			Web Site:	
			Web Site: www.trafficwks.com	

619.03.01 PRISMATIC ACRYLIC REFLECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
AKT Corporation 6318 West State Street Wauwatosa WI 53213- (414) 475-5020	AKT #18 Center Mounted Reflector Fax: (414) 476-3438	Email: tschoe2992@aol.com	5/5/1998	R070
Vega Molded Products Incorporated 122 Industrial Drive/PO Box 246 Gilberts IL 60136- (847) 428-7761	Center-Mounted Delineator Reflector Fax: (847) 428-7764	Email: vega7761@aol.com	5/5/1998	R071
			Web Site: www.aktcorp.com	
			Web Site: www.vegamoldedproducts.com	

623.01.01 DYNAMIC MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Daktronics Incorporated 331 32nd Avenue/PO Box 5128 Brookings SD 57006-0128 (605) 697-4067 (605) 697-4061	Light-Emitting Diode Dynamic Message Sign Assembly Fax: (605) 697-4700	Type 1 and Type 2 Email: transportation@daktronics.com	9/14/2004	R447
Skyline Products Incorporated 2903 Delta Drive Colorado Springs CO 80910- (719) 392-9046 (800) 759-9046	2070 Light-Emitting Diode Dynamic Message Sign Fax: (719) 392-7107	Type 1 and Type 2 Email: trafficsystems@skylineproducts.com	12/1/2005	R482
			Web Site: www.daktronicsinc.com	
			Web Site: www.skylineproducts.com	

623.02.08 SERVICE PEDESTALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Milbank Manufacturing Company 4801 Deramus Avenue Kansas City MO 64120- (949) 387-4863 (816) 483-5314	Metered Service Pedestals	Fax: (816) 483-6357 Email: dstipe@milbankmfg.com	11/19/2002	R359
Myers Power Products 725 East Harrison Street Corona CA 92879- (951) 520-1900 (949) 701-8072	Service Pedestals	Fax: (951) 520-1961 Email: dianagrootonk@myerspower.com	9/5/2000	R270
Pacific Utilities Products 2430 Railroad Street Corona CA 92880- (800) 860-6157 (951) 493-8394	Service Pedestals	Fax: (951) 279-3116 Email:	11/19/2002	R358
Tesco Controls Incorporated 3409 52nd Avenue Sacramento CA 95823- (916) 395-8800 (916) 952-5088	Tescoflex Service Pedestals	Fax: (916) 429-2817 Email: cvasey@tescocontrols.com	9/5/2000	R269

623.02.11 ALUMINUM POLES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Valmont Lexington 20805 Eaton Avenue Farmington MN 55024- (651) 463-8990 (888) 356-2175	Aluminum Poles	(Model Number 291060105T4 w/MD1532P60) Fax: (651) 463-3349 Email: bdunsmore@valmont.com	8/2/1995	R072

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carolina High Mast (CHM) 700 East McLeroy Boulevard Suite A Saginaw TX 76179- (682) 286-0046	426 Series (Bottom Latching)	Fax: (682) 286-0086 Email: bshoemaker@chmindustries.com	12/30/2003	R418
Eagle High Mast Lighting Company 1070A Northpoint Boulevard Waukegan IL 60085- (847) 473-3800 (847) 217-1070	High Mast Assembly (button latching)	Fax: (847) 473-3870 Email: himastltg@aol.com	12/30/2003	R419

623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Holophane Corporation 8081 Cammeray Drive Citrus Heights CA 95610- (916) 725-1903	Holophane LD5 Series High Mast Lighting Lowering D Fax: (916) 725-1904 Email:		12/30/2003	R417
		Web Site: www.holophane.com		

623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380	711, 722, 721 Priority Control System Optical Detector Model Fax: (651) 732-8321 Email: adhollen@mmm.com	Do not mix components, it must be a complete system.	9/27/2001	R307
		Web Site: www.3M.com/tcm		
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	560 Chassis Discimonator Opticom Priority Control Fax: (702) 914-6016 Email: ejdornak@mmm.com		9/19/2003	R408
		Web Site: www.3M.com/tcm		
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380	452, 752 Discimonator Opticom Priority Control Systems Fax: (651) 732-8321 Email: adhollen@mmm.com	Do not mix components, it must be a complete system.	9/27/2001	R307
		Web Site: www.3M.com/tcm		
Tomar 2100 West Obispo Avenue Gilbert AZ 85233- (800) 338-3133	2140 & 2080 Tomar Strobecom II System/Strobecom II OSP; Tomar Strobecom II System Card Racks; Strobecom II Optical Preemption Detector Fax: (800) 688-6627 Email: sales@tomar.com	Do not mix components, it must be a complete system.	9/27/2001	R309
		Web Site: www.tomar.com		

623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Diamond Traffic Products PO Box 1455 Oakridge OR 97463- (541) 782-3903	Brass Linguine Class 1 Fax: (541) 782-2053 Email: sales@diamondtraffic.com		10/31/2001	R312
		Web Site: www.diamondtraffic.com		
Measurement Specialties Incorporated 1000 Lucas Way Hampton VA 23666- (757) 766-4474 (757) 766-1500	Roadtrax BL Sensor Brass Linguine Class 1 Fax: (757) 766-4347 Email: robin.fletcher@meas-spec.com		5/26/1999	R183
		Web Site: www.meas-spec.com		

623.02.30e**OPTIONAL VEHICLE DETECTOR SEALANTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center 2625 NE 44th Avenue Portland OR 97213- (503) 440-2636 (800) 553-1380	5000 Rubberized Loop Detector Sealant; 3M Discimonator Opticom Priortiy Control System Fax: (651) 732-8321 Email: adhollen@mmm.com	Rubberized Material	8/5/1998	R075
Bondo Corporation 3700 Atlanta Industrial Parkway NW Atlanta GA 30331- (770) 531-1747 (800) 622-8754	P/N 606 Detector Loop Sealant Fax: (770) 531-7638 Email: Kmoore972WaoI.com		12/2/2003	R413
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242	Loop Detector Sealant 271 & Loop Detector Sealant 272 Fax: (580) 940-1425 Email: sales@crafco.com	Rubberized Asphalt Material	8/5/1998	R076
Durant Paints Incorporated 112 Railroad Street Revere MA 02151- (800) 420-0021 (781) 289-1400	Stat-a-Flex Polyester Loop Sealant Fax: (781) 289-1405 Email: alosanno@durantcorp.com	Polyester Material	8/5/1998	R077
Quikrete Company 7705 Wilbur Way Sacramento CA 95828- (404) 634-9100	Quikrete Commerical Grade Permanent Blacktop Repair #1701 Fax: (510) 490-2965 Email: tbeeman@quikrete.com	Asphaltic Concrete	1/1/2001	R283
RAI Products Incorporated PO Box 240772 Charlotte NC 28224- (704) 904-1481	Pro-Seal 6006 Polyester Material; Permanent Sealer 974 Nitrile Rubber Material Fax: (704) 525-1859 Email: john@loopsealant.com	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R079
Reed & Graham Company 690 Sunol Street San Jose CA 95126- (408) 287-1400 (408) 640-6121	Overkote Loop Filler Fax: (408) 920-0424 Email: sal@rginc.com	Asphaltic Emulsion Material	8/5/1998	R078

623.03.01**TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dialight Corporation 1501 Route 34 South Farmingdale NJ 07727- (732) 919-3119 (732) 751-5828	LED 12" Signal Heads, Pedestrian Signal Heads (all) Fax: (732) 751-5778 Email: dboehne@dialight.com	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R330
				Web Site: www.dialight.com

623.03.01 TRAFFIC SIGNALS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Phoenix Highway Products Inc/GELcore 2631 North 37th Drive Phoenix AZ 85009- (602) 344-7770 (216) 606-6519	LED 12" Signal Heads, Pedestrian Signal Heads Fax: (602) 344-7771	All models including Duraled. All models for solid balls. Arrow must be solid. Email: dmm@phoenixhighwayproducts.com	3/26/2002	R331
Web Site: www.phoenixhighwayproducts.				

623.03.15 SIGN LIGHTING FIXTURES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Holophane Corporation PO Box 3004 Newark OH 43058- (530) 676-7071 (916) 599-2588	Panel Vue Series Sign Lighting Fax: (702) 429-0627	 Email:	1/17/2003	R382
Web Site: www.holophane.com				
Northern Nevada GE Lighting System 470 South Wilson Drive Chadler AZ 85225- (602) 617-1809	Versaflood III Induction Signlighter Fax: (480) 664-7166	 Email: steve.farley@ge.com	1/17/2003	R383
Web Site: www.gelightingssystems.com				

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Lumi Trak Incorporated PO Box 158 Shrewsbury PA 17361- (717) 235-2863 (800) 579-7514	Lumi Trak Fax: (717) 235-5076	 Email: george@lumitrak.com	11/19/2002	R357
Web Site: www.lumitrak.com				

623.05.26 RED LIGHT DETECTORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
McCain Incorporated 2365 Oak Ridge Way Vista CA 92081- (760) 727-8100 (760) 734-5027	Red Light Detector Fax: (760) 727-8184	 Email: cjersey@mccain-inc.com	7/16/2003	R399
Web Site: www.mccain-inc.com				
Synchronex 1247 Pamona Road Unit 108 Corona CA 92882- (951) 520-8375 (408) 275-8392	Red Light Detector Fax: (951) 520-0236	 Email: fgirardot@synchronex-usa.com	7/16/2003	R400
Web Site: www.synchronex-usa.com				

624.03.03 REFLECTIVE SHEETING FOR FLAGGER PADDLES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3970 LDP Diamond Grade Fax: (702) 914-6016 Email: ejdornak@mmm.com		4/8/1999	R186
		Web Site: www.3M.com/tcm		
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	T6500 Prismatic High Intensity Reflective Sheeting Fax: (847) 647-0269 Email: matt.hills@averydennison.com		4/8/1999	R187
		Web Site: www.averydennison.com		
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Reflexite Fluorescent Orange Super Bright Roll Up Fax: (800) 895-0951 Email: customer.service@reflexite.com		4/8/1999	R185
		Web Site: www.reflexiteamericas.com		

625.02.01 CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	MF-180-36 Masterflex Fax: (888) 842-2368 Email: bmc@bentmfg.com		6/15/1998	R080
		Web Site:		
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	36 SMDW; Super Duck Channelizer; 436 SDCF Fax: (803) 943-3375 Email: asansavera@carsonite.com		6/15/1998	R081
		Web Site: www.carsonite.com		
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	SH 236SMAD-OS (Post); Dura Post 36" Fax: (312) 467-1356 Email: dsanchez@quixtrans.com		6/15/1998	R084
		Web Site: www.energyabsorption.com		
Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	FG 300 Curb System/Surface Mounted Post/Complete System Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com	Surface Mounted	10/14/1999	R222
		Web Site: hwysales@filtrona.com		
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	Flexstake SM703 Fax: (941) 482-3539 Email: fsi@flexstake.com		6/15/1998	R082
		Web Site:		

625.02.01 CONSTRUCTION FLEXIBLE POSTS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Western Highway Products PO Box 7 Stanton CA 90680- (714) 761-4211	Repo 36 RPB Fax: (714) 952-2118	Email: info@westernhighway.com	6/15/1998	R086
			Web Site: www.westernhighway.com	

625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECST CONCRETE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Astro Optics Corporation 1200 Abbott Drive Elgin IL 60123- (847) 488-9154	FB33 Tab Marker; FB33 Flexible Barrier Rail Tab Markers Fax: (847) 488-9154	Email: sales@astrooptics.com	2/2/1993	R014
			Web Site: www.astrooptics.com	
Duraflex Corporation 297 Margaret King Avenue Ringwood NJ 07456- (973) 962-7779	FlexX 2020 W/75 mm X 75mm Reflective Sheeting Fax: (973) 962-7652	Email:	12/17/1997	R016
			Web Site:	
Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	PCBM 12 & T12 High Impact Barrier Reflector Fax: (253) 284-8080	Email: PeterSpeer@filtrona.com	12/17/1997	R015
			Web Site: hwysales@filtrona.com	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD9300 Roadguide; TD9400 Series Fax: (818) 841-5096	Email: sales@trafficwks.com	12/3/2002	R361
			Web Site: www.trafficwks.com	

625.02.03 CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Addco Manufacturing Company Incorporated 240 Arlington Avenue St Paul MN 55117- (800) 727-9111 (651) 488-8600	Guardian Solar Powered PCMS, Sign Dot Sign DH1000 Fax: (651) 558-3600	Email: sales@addco.com	2/22/1998	R088
			Web Site: www.addco.com	
American Signal Company Incorporated (AMSIG) 2755 Bankers Industrial Drive Atlanta GA 30360- (770) 448-5560	CMS T300, CMS T331, CMS T320, CMS GP465 Changeable Message Signs Fax: (770) 448-8970	Email: tpaulino@amsig.com	2/22/1998	R089
			Web Site: www.amsig.com	

625.02.03

CHANGEABLE MESSAGE SIGNS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Enduron Custom Incorporated 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 (204) 885-2580	CMS 80FM (Solar Powered; Full Matrix Portable)	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R450
	Fax: (204) 888-2912	Email: kulbacki.j@enduran.net	Web Site: www.northstartraffic.com	
National Signal Corporation 9603 John Street Santa Fe Springs CA 90670- (562) 923-9600 (800) 733-7872	ER200; ER200T; CMS330		4/10/2000	R224
	Fax: (562) 923-7555	Email: NatSignal@aol.com	Web Site: www.nationalsignalinc.com	
Precision Solar Control Incorporated 2985 Market Street Garland TX 75041- (972) 278-0553 (972) 278-8683	Solar Powered Message Board Center		2/22/1998	R094
	Fax: (972) 271-9583	Email: vseymour@precisionsolarcontrols.co	Web Site:	
Signalisation-Ver-Mac Incorporated 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 (888) 488-7446 (418) 654-1303	Northern Light PCMS		2/22/1998	R095
	Fax: (418) 654-0517	Email: kim.jack@ver-mac.com	Web Site: www.ver-mac.com	
Solar Technology Incorporated 7620 Cetronia Road Allentown PA 18106- (610) 391-8600 (800) 475-5442	Silent Messenger Solar Powered		2/22/1998	R096
	Fax: (610) 391-8601	Email: customerservice@solartechnology.co	Web Site: www.solartech-online.com	
US Traffic Corporation 9603 John Street Santa Fe Springs CA 90670- (800) 733-7872 (562) 923-9600	Sunray Solar 340; Sunray Solar 345; Sunray Solar 380; Nighthawk 340; Nighthawk 345		2/22/1998	R092
	Fax: (562) 923-7555	Email:	Web Site: www.ustraffic.net	
Wanco Incorporated 5870 Tennyson Street Arvada CO 80003- (303) 427-5700 (800) 972-0755	WTLMB-S-LL(A) Changeable Message Sign		8/5/2002	R348
	Fax: (303) 427-5725	Email: scampbell@wanco.com	Web Site: www.wanco.com	

625.02.04 TEMPORARY IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Barrier Systems Incorporated 180 River Road Rio Vista CA 94571- (707) 374-6800 (888) 800-3691	Absorb 350 Crash Cushion Fax: (707) 374-6801 Email: rkeener@barriersystemsinc.com	TL-3 only; Only use a nine -element design (min) with attachment/transition assembly.	4/10/2001	R289
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Engergite III Module; N-E-A-T System or Quadguard Fax: (312) 467-1356 Email: dsanchez@quixtrans.com		9/3/1998	R102
Traffic Control Service Incorporated 372 Wolverine Way Sparks NV 89431-5728 (775) 358-6005	Energite III; React 350 Crash Cushion; Fitch Inertial Barrier System Fax: (775) 358-9161 Email: priley@tcsi.biz		9/3/1998	R105
TraFFix Devices Incorporated 220 Calle Pinteroesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Big Sandy 48247-SPI Temporary Impact Attenuators; Big Sandy Sand Barrel Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight lids to keep sand moisture dry.	3/22/2000	R107

625.02.05 TRUCK MOUNTED ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Safe-Stop TMA (req'd truck weight 7300 to 12,000 k) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R223
TraFFix Devices Incorporated 220 Calle Pinteroesco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	ScorPion C 10,000 of the TL-3 Design Fax: (949) 361-9205 Email: bkulp@traffixdevices.com	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R263
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	MPS 350 III Fax: (802) 292-2145 Email: mikel.hooley@trin.net	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R109

625.02.06 WATER FILLED BARRIER RAILS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Armorcast Products Company Incorporated 13230 Saticoy Street North Hollywood CA 91605- (818) 982-3600 (909) 772-1424	Guardian Barrier Water Filled w/350 kit Fax: (818) 982-7742 Email: info@armorcastprod.com	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; for speeds less than or equal 45 mph. Web Site: www.armorcastprod.com	9/3/1998	R111
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Triton Barrier (white colored 6.5 ft sections) Fax: (312) 467-1356 Email: dsanchez@quixtrans.com	(White colored 6.5 ft sections) for speeds less than or equal 45 mph; use 30 m (100 ft) minimum for LON. Web Site: www.energyabsorption.com	3/30/1997	R110
Rhino Safety Barriers LLC 2500 Gaspar Avenue Whiting IN 46394- (757) 726-0933 (800) 292-1305	Rhino Safety Barrier(use the 350 kit with install) Fax: (757) 726-0955 Email: frankranson@msn.com	Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L); For speeds less than or equal 45 mph:Use 30 m (100 ft) Web Site: www.rhinobarriers.com	3/10/2004	R427
Yodock Wall Company Incorporated 623 NorthEast 5 Terrace Ft Lauderdale FL 33304- (954) 462-1169	Model 2001 Fax: (954) 462-6004 Email:		8/3/2006	R494

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
K&K Systems Incorporated 687 Palmetto Road Tupelo MS 38801- (888) 414-3003 (662) 566-7123	Safety Beacon Light Fax: (662) 566-2025 Email: timothy@k-kwywtems.com		6/1/1999	R207

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alcan Composites USA Incorporated 208 West 5th Street Benton KY 42025- (270) 527-4200	Diabond for Highway & Work Zone Signage Fax: (270) 527-1552 Email:		5/9/2006	R489
Dicke Tool Company 1845 Anunsen Street NE Salem OR 97303- (800) 333-5641	Dynaflex Sign Stand: DF3000S , DF3003S, DF3003W, DF3000WQ; Dynalight Sign Stand DL1003W; Uniflex Verticle Portable Sign Stand UF2000 Fax: (503) 364-0340 Email: ryan@dicktools.com	Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance. Web Site: www.dicketools.com	2/27/2000	R238

625.03.03 SIGN SUPPORT SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eastern Metals 1430 Sullivan Street Elmira NY 14901- (800) 872-7446 (607) 734-2295	C200, C202, C902, Superflex Compact Stand w/Fiberglass Leaf Spr, X501, X550, X551, X600 Interstate Stands w/Full Size Coil Spring Fax: (607) 734-8783 Email: info@usa-sign.com Web Site: www.usa-sign.com	Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance.	4/4/2000	R239
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS548CE, SS548UCR, SS548A, SS548UC, SS548C, SS548UCA, SS548AE, SS560UCA Fax: (804) 261-1040 Email: dchrisman@kormansigns.com Web Site: www.kormansigns.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R384
Korman Signs Incorporated 3029 Lincoln Avenue Richmond VA 23228- (800) 296-6050 (804) 262-6050	SS1, SS548CA, SS548E, SS560A, SS548, SS560, SS548UCRA, SS548CAE Fax: (804) 261-1040 Email: dchrisman@kormansigns.com Web Site: www.kormansigns.com	Must conform to section 716. Alpolic sign substrate is allowed only with stands specified by the FHWA letters of acceptance.	1/24/2003	R385
Marketing Displays International (MDI) 38271 West Twelve Mile Road Farmington Hills MI 48331- (248) 553-1900 (800) 228-8925	4812, 4814CS, 4818, 4815RB, 4850RB, 4860KC, 4884CS Sign Support System; 4814K Windmaster Fax: (248) 488-5700 Email: kjackson@mdiworldwide.com Web Site: www.mdiworldwide.com	Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance.	4/4/2000	R245
Traffix Devices Incorporated 220 Calle Pintosresco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Economy Plastic Folding Barricade; Big Buster Dual Spring Folding Leg Sign Stand; Little Buster Dual Spring Folding Sign Stand Fax: (949) 361-9205 Email: bkulp@traffixdevices.com Web Site: www.traffixdevices.com	Reflective sheeting must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letter of acceptance.	4/3/2000	R246

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bent Manufacturing Company 17311 Nichols Street Huntington Beach CA 92647- (888) 842-0600 (714) 842-0600	Barricades Type III Plywood Panel; Barricades Type I & Type II Wood or Waffle & Steel Legged; Barricades Type I & Type II All Plastic Universal Fax: (888) 842-2368 Email: bmc@bentmfg.com Web Site:	With or Without Lights	3/9/2000	R250
Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	Type III B Barricades; TD2550, TD2650 Works Barricade Type III; Anchor Barricade (Type III B Barricade) Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com Web Site: hwysales@filtrona.com	Without signs or lights only. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R254
Plastic Safety Systems Incorporated 2444 Baldwin Road Cleveland OH 44104- (216) 231-8590	PST-III (Type III barricade) Fax: (216) 231-2702 Email: wejamieson@plasticsafety.com Web Site: www.plasticsafety.com		3/19/2004	R428

625.03.04 BARRICADES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD2150; TD2000 Barricade 24" Wide; TD2200, TD2250, TD2300, TD2500, TD2600 Works Barricade, TD2550 Work Barricade Type III Fax: (818) 841-5096 Email: sales@trafficwks.com	Barricade Type I and Type II	7/5/2005	R475
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD3000 A Frame Barricade Type I; TD2400 Works All Plastic Type IIIB Fax: (818) 841-5096 Email: sales@trafficwks.com		12/3/2002	R364
TraFFix Devices Incorporated 220 Calle Pintosco San Clemente CA 92672- (949) 361-5663 (650) 343-1137	Economy Plastic Folding Barricade +Sand-filled Bag Fax: (949) 361-9205 Email: bkulp@traffixdevices.com		4/3/2000	R253
627.02.01 PROTECTIVE OVERLAY FILM				
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	1150 Scotchlite Protective Overlay Film Fax: (702) 914-6016 Email: ejdornak@mmm.com		5/11/1995	R112
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	OL1000 Premium Protective Graffiti Overlay Film Fax: (847) 647-0269 Email: matt.hills@averydennison.com		9/28/2000	R271
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (562) 777-1810 (800) 821-4264	EF-40801 (F-CAL) Fax: (888) 330-7119 Email: nciusa@nikkalite.com		5/17/1995	R113
TradeWinds International PO Box 18498 Long Beach CA 90807-8498 (562) 424-1739	Krystal Kote CTF Fax: (562) 424-1870 Email: tradewinds@usa.com		8/21/2001	R305

630.02.01 MODULAR UNITS HEADLIGHT GLARE SCREENS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International 605 Bob Gifford Boulevard Early Branch SC 29916- (800) 648-7916	Modular Guidance System Fax: (803) 753-9081	Email: asansavera@carsonite.com	10/20/1996	R114
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750	Glare Screen System Fax: (312) 467-1356	Email: dsanchez@quixtrans.com	7/31/1996	R117
Flexstake Incorporated 2150 Andrea Lane #C Ft Meyers FL 33912- (800) 348-9839 (239) 481-3539	Glare Screen System Fax: (941) 482-3539	Email: fsi@flexstake.com	7/31/1996	R115

632.03.05 RETROREFLECTOMETERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	LTL 2000; LTL-X 30-Meter Geometry Retroreflectometer Fax: (336) 475-7900	Email: flint@flintrading.com	12/26/1999	R227
Mirolux Products Incorporated 19 Campbell Avenue Clifton NJ 07013- (973) 779-5775 (801) 571-3394	MP 30 Fax: (973) 779-5775	Email: sales@miroluxproducts.com	12/26/1999	R229
RoadVista 8581 Aero Drive San Diego CA 92123- (888) 637-2758 (858) 279-6044	StripeMaster series, MX 30, LaserLux Fax: (858) 576-9286	Email: qadler@roadvista.com	5/2/2006	R484

633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alpine Products 550 3rd Street SW Building C Auburn WA 98001- (253) 351-9828	DDOT ABS Fax: (253) 351-9828	Email:	6/2/1999	R203
		Web Site: www.alpinemarkings.com		

633.02.01 PERMANENT NON-REFLECTIVE PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	929 ABS; Ceramic Fax: (562) 944-2298	100mm (4") Round Email: sales@apexmarker.com	6/1/1999	R194
			Web Site: www.apexnv.com	
Glowlite Incorporated 1429 West Harrison Avenue La Habra CA 90631- (562) 587-3534 (626) 336-6086	Type A/4" White Non Reflective; Type AY/4" Yellow Non Reflective Fax: (562) 691-7528	100 mm (4") Round Email: richardfei88@yahoo.com	3/7/2005	R463
			Web Site:	
Hi-Way Safety Incorporated 13310 5th Street Chino CA 91710- (800) 228-1701	Model P20-2000W ABS (10 mm 4" Round); Model P20-2001Y ABS (10 mm 4" Round) Fax: (909) 627-0999	100mm (4") Round Email: hiwaysafety@linkline.com	6/1/1999	R204
			Web Site: www.hi-waysafety.com	
Interstate Sales 12305 Locksley Lane Auburn CA 95602- (800) 237-7245 (530) 823-6070	Diamond Back (ABS & Polypropylene) Fax: (530) 823-0994	100mm (4") Round Email: miket@interstatesales.com	6/1/1999	R193
			Web Site: www.interstatesales.com	
Novabrite 4647 Gerrilyn Way Suite 230 Livermore CA 94550- (925) 373-1751	ADOT - W White; ADOT - Y Yellow; CDOT - W White; CDOT - Y Yellow Fax: (519) 846-8393	100mm (4") Round Email: norman@novabrite.com	2/17/2004	R423
			Web Site: www.novabrite.com	
Road Creations 14-N Cockleburr Roanoke TX 76262- (310) 378-0528	RCB4NR Acrylic Fax:	100mm (4") Round Email:	6/1/1999	R205
			Web Site:	
Three D Traffic Works Incorporated 430 North Varney Street Burbank CA 91502- (323) 849-1316 (877) 843-9757	TD10000 Series (100 mm (4") Round) Fax: (818) 841-5096	100mm (4") Round Email: sales@trafficwks.com	12/3/2002	R363
			Web Site: www.trafficwks.com	

633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	290 Durable Raised Pavement Marker Fax: (702) 914-6016	89mm x 100 mm (3.6" x 4") Email: ejdornak@mmm.com	6/1/1999	R201
			Web Site: www.3M.com/tcm	

633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	921 AR Fax: (562) 944-2298	100mm x 100 mm (4" x 4") Email: sales@apexmarker.com	3/25/2001	R285
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	911, 953, C88 Permanent Reflective Pavement Markers Ab Fax: (800) 555-0217	100mm x 100 mm (4" x 4") Email: klyne@ennispaint.com	6/1/1999	R200
Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025	AA; ARC Fax: (740) 929-1114	100mm x 100 mm (4" x 4") Email: dforrer@rayolite.com	6/1/1999	R197

Web Site: www.apexnv.com**Web Site:** www.ennispaint.com**Web Site:** www.pactecinc.com**633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	944SB Recessed Reflective Pavement Markers Fax: (800) 555-0217	51mm x 100 mm (2" x 4") Email: klyne@ennispaint.com	6/1/1999	R199
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	948 Recessed Reflective Pavement Markers Fax: (800) 555-0217	58mm x 119 mm (2.3" x 4.7") Email: klyne@ennispaint.com	6/1/1999	R202
Ray-O-Lite 1870 James Parkway Heath OH 43056- (800) 848-7025	ARC 2002; ARC 51 2004 Fax: (740) 929-1114	58mm x 117 mm (2.3" x 4.6") Email: dforrer@rayolite.com	6/1/1999	R198

Web Site: www.ennispaint.com**Web Site:** www.ennispaint.com**Web Site:** www.pactecinc.com**633.02.04 ADHESIVE FOR PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 528-8242	Hot Applied Flexible Pavement Marker Adhesive part 34270 Fax: (580) 940-1425	 Email: sales@crafco.com	6/16/1998	R119

Web Site: www.crafco.com

633.02.04 ADHESIVE FOR PAVEMENT MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	836098 Bituminous Adhesive for Pavement Markers Fax: (800) 555-0217 Email: klyne@ennispaint.com		6/15/1998	R122
			Web Site: www.ennispaint.com	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Bundy 12cm x 12 cm Pad (5" x 5") Adhesive Pad Fax: (336) 475-7900 Email: flint@flintrtrading.com	White Color on Plantmix & Black Color on PCCP	6/15/1998	R120
			Web Site: www.flintrtrading.com	
Henry Company 10144 Waterman Road Elk Grove CA 95624- (916) 685-2000	Dotstick Bituminous Marker Adhesive Fax: (916) 685-2270 Email: customerservice@henry.com		9/29/2003	R412
			Web Site: www.henry.com	
Martin Product Sales LLC 300 Christy Place/PO Box 508 South Houston TX 77587-0508 (800) 662-0987 (713) 818-1005	172542 Evergrip Bituminous Marker Adhesive Fax: (713) 947-4949 Email: dolly@gsac.net		6/15/1998	R121
			Web Site: www.gsac.net	

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated 11033 Forest Place Santa Fe Springs CA 90670- (562) 944-8878 (562) 805-3839	924 Longterm Temporary Raised Pavement Marker Fax: (562) 944-2298 Email: sales@apexmarker.com	Temporary Markers w/632 Epoxy	9/19/1993	R123
			Web Site: www.apexnv.com	
Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	TOM, TRPM (Temporary Overlay) Raised Pavement Marker Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com		10/13/1993	R125
			Web Site: hwysales@filtrona.com	
Filtrona Extrusion, Davidson Traffic Control Products 3110 70th Avenue East Tacoma WA 98424- (877) 335-4638 (253) 284-8041	Halftrack Model 25; Halftrack Model 26 Fax: (253) 284-8080 Email: PeterSpeer@filtrona.com	Work Zone Pavement Markers	2/20/2000	R256
			Web Site: hwysales@filtrona.com	

633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Texas Industries LLC 1202 Andrews Laredo TX 78045- (210) 727-2835	Chip Seal Temporary Markers	Temporary Markers w/632 Epoxy	6/15/1998	R128
	<i>Fax:</i> (210) 717-1544	<i>Email:</i>	<i>Web Site:</i>	

634.03.03a HOT-APPLIED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crown Technology II LLC 35 Industrial Park Drive Woodbury GA 30293- (706) 553-9500	Tuffline Alkyd		1/17/2003	R381
	<i>Fax:</i> (706) 553-9501	<i>Email:</i> sales@crownpavementmarkings.com	<i>Web Site:</i> www.crownpavementmarkings.com	

634.03.03b PREFORMED THERMOPLASTIC PAVEMENT MARKINGS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118	Flame Tape; ThermaLine		6/13/2001	R301
	<i>Fax:</i> (800) 555-0217	<i>Email:</i> klyne@ennispaint.com	<i>Web Site:</i> www.ennispaint.com	
Flint Trading Incorporated 115 Todd Court Thomasville NC 27360- (336) 475-6600	Hot TapeTM; Premark® PLUS		2/24/2004	R192
	<i>Fax:</i> (336) 475-7900	<i>Email:</i> flint@flintrading.com	<i>Web Site:</i> www.flintrading.com	

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380	750 Wet Reflective Removable Tape		5/21/2003	R390
	<i>Fax:</i> (702) 914-6016	<i>Email:</i> ejdornak@mmm.com	<i>Web Site:</i> www.3M.com/tcm	
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	ATM 200 Construction Removable Tape		6/15/1999	R134
	<i>Fax:</i> (252) 536-4940	<i>Email:</i> brobbins@trafficmarking.com	<i>Web Site:</i> www.trafficmarking.com	
Brite Line Technologies 3788 Trotters Ridge Drive Las Vegas NV 89122- (702) 649-9223	Series 100 Removable		6/15/1999	R135
	<i>Fax:</i> (702) 649-9237	<i>Email:</i> bjubak@cox.net	<i>Web Site:</i>	

635.02.01 TEMPORARY PAVEMENT STRIPING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
PB Laminations Incorporated 2940 Mary Avenue Brentwood MO 63144- (314) 968-2569	Aztec III Removable Fax: (314) 968-0494	Email: gregorygibson@birch.net	6/15/1999	R136
Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900	Director 2 Detour Grade Fax: (931) 388-4039	Email: office.industries@swarco.com	6/15/1999	R137
Trelleborg Industri AB 55 Lexington Drive Pennington NJ 08534- (609) 730-0829	RW 140 Series; RY 140 Series; R 140 Series Fax: (609) 730-0838	Email: bjsutker@aol.com	8/24/2001	R306

637.02.01 OPTIONAL DUST PALLIATIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion Fax: (661) 391-1054	Application and dilution rates follow manufacturer's instructions. Email: jim.ryan@alonusa.com	2/28/2002	R328
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant Fax: (814) 368-1335	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from within 50 yards of Email: ckimball@amref.com	5/2/1999	R140
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss Fax: (800) 527-2101	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss) Email: dnix@arrowmagnolia.com	10/26/2005	R443
Dallas Roadway Products Incorporated 18916 Fortson Avenue Dallas TX 75252- (972) 758-7454 (972) 880-1438	Dust Control DC-22 Fax: (972) 596-8418	Email: dallasroadway@yahoo.com	6/19/2006	R492
Enviroad 2606 North Newark Street Portland OR 97217- (800) 536-2650 (503) 595-2650	Earthbind 100 Fax: (503) 595-2655	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used within 50 Email: don@enviroad.com	3/17/2003	R387

637.02.01 OPTIONAL DUST PALLIATIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Envirotech Services Incorporated 9801 Eastmont Court Reno NV 89521- (775) 246-2626 (800) 369-3878	Lignin (Ammonium Lignosulfonate) Fax: (775) 742-3963	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: csherven@envirotechservices.com	8/26/2003	R403
		Web Site: www.envirotechservices.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest Fax: (509) 328-4336	Application and dilution rate follow manufacturer's instructions. 10-20 Gallons/acre. Mix 1 gallon to 20 gallons minimum of water. Email: rob@fischbachandmore.com	6/25/1998	R180
		Web Site: www.fischbackandmore.com		
Fluid Tech Incorporated, HAZCO Division 5720 South Arville Street Suite 104 Las Vegas NV 89118- (702) 871-1884 (702) 871-7976	Trans Seal I Fax: (702) 871-3629	Application and dilution rates follow manufacturer's instructions. Email: strue@fluid-tech-inc.com	1/3/2002	R320
		Web Site: www.fluid-tech-inc.com		
GM Boston Company 412 Fullerton Avenue Newport Beach CA 92663- (949) 722-6799 (949) 533-6799	PX 300 Soil Stabilizer & Dust Palliative & Erosion Control Fax: (562) 592-0836	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area Email: craighoad@gmbostoncompany.com	6/10/2003	R324
		Web Site:		
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	Soiloc-D Dust Suppressant Fax: (770) 455-6531	Application Rate of Diluted Mixture: 0.35m2/L (14sq.ft./gal.) Email: hercenv@herculesenvironmental.com	5/2/1999	R160
		Web Site: www.HerculesEnvironmental.c		
Midwest Industrial Supply Incorporated 1101 3rd Street Southeast Canton OH 44701- (330) 456-3121	EnviroKleen; Soil Sement Fax: (330) 456-3247	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance Appl: 120-500 sq ft/gal Email: kim@midwestind.com/custserv@mid	1/4/2001	R281
		Web Site: www.midwestind.com		
NUE Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767	Plas-Bond; Soiltac Fax: (702) 649-8446	Should be only used in areas that will not be disturbed by vehicle or foot traffic. Email: morgan@nuequipment.com	11/13/2000	R277
		Web Site: www.nuequipment.com		
Nui Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767	Plas-Bond; Solitac Fax: (702) 649-8446	Should be only used in areas that will not be disturbed by vehicle or foot traffic. Email: morgan@nuequipment.com	11/13/2000	R277
		Web Site: www.nuequipment.com		

637.02.01 OPTIONAL DUST PALLIATIVE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Soil Stabilization Products Co Inc 806 West 22nd Street Merced CA 95340- (800) 523-9992 (209) 383-3296	Road OYL; Soil Seal Fax: (209) 383-7849	Application and dilution rates follow manufacturer's instructions. Email: jphillip@sspc.com	1/3/2002	R321
		Web Site: www.sspco.com		
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex Fax: (702) 873-0915	Application and dilution rates follow manufacturer's instructions; vacant land application only. Email: rue@soil-tech.com	12/10/2003	R416
		Web Site: www.soil-tech.com		
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771	Plas-Bond; Soiltac Fax: (480) 545-5456	Application and dilution rates follow manufacturer's instructions. Email: Dorian@Soilworks.com	9/20/2004	R448
		Web Site: www.Soilworks.com		
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956	EarthGuard Fiber Matrix Fax: (661) 587-6806	Application and dilution rates follow manufacturer's instructions. Email: andy@terranovo.com	11/2/2001	R314
		Web Site: www.terranova.com		
US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433	DustrolTM Dust Control Fax: (916) 966-0634		8/28/2006	R496
		Email: bfogel@usg.com		
		Web Site: www.gypsumsolutions.com		
Western Emusions Incorporated 3 Monarch Bay Plaza Suite 210 Dana Point CA 92629- (949) 248-8020	Dust Control 50 Fax: (949) 248-8023	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is applied Email: sales@westernemulsions.com	8/26/2003	R402
		Web Site: www.westernemulsions.com		

637.02.02 SILT FENCE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Triangular Silt Dike Company Incorporated 608 Greenwood Drive Midwest City OK 73110-1632 (800) 290-8473 (405) 741-7406	Triangular Silt Dike Fax: (450) 741-7406		6/25/1998	R164
		Email: tsd@coxinet.net		
		Web Site: groach@cox.net		
WebTec Incorporated 6509-C North Park Boulevard Charlotte NC 28216- (800) 438-0027 (704) 398-0954	TerraTex SC Fax: (704) 394-7946		6/25/1998	R165
		Email: terry.hurley@hanesindustries.com		
		Web Site: www.webtecgeos.com		

637.02.05 ROADWAY INLET PROTECTION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ACF Environmental 2831 Cardwell Road Richmond VA 23234- (800) 448-3636 (800) 423-4567	Siltsack	Fax: (804) 246-9737 Email: dkelley@acfenvironmental.com	6/25/1998	R166
		Web Site: www.acfenvironmental.com		
Bowhead Manufacturing 1011 SW Klickitat Way Suite 104 Seattle WA 98134- (800) 909-3677	StreamGuard Catch Basin	Fax: (888) 234-3677 Email: kyleem@bowhead.com	6/25/1998	R100
		Web Site: www.shopbowhead.com		
Dandy Products Incorporated PO Box 1980 Westerville OH 43086- (800) 591-2284 (740) 881-2790	Dandy Curb Bag; Dandy Bag Drainage Control	Fax: (740) 881-2791 Email: dlc@dandyproducts.com	6/25/1998	R098
		Web Site: www.dandyproducts.com		
Silt-Saver Incorporated 1094 Culpepper Drive Conyers GA 30094- (888) 382-7458 (404) 558-4513	SS-200A Frame & Filter Assembly; SS-100A Frame & Filter Assembly	Fax: (770) 388-7640 Email: marcia@siltsaver.com	12/6/2002	R366
		Web Site: www.siltsaver.com		

640.02.03a MSE WALLS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product. Fax: (404) 250-9185 Email: bmiller@tensarcorp.com	6/14/1999	R188
		Web Site: www.earthtech.com		
Hilfiker Retaining Walls 1902 Hilfiker Lane Eureka CA 95503-5711 (707) 443-5093 (800) 762-8962	Reinforced Soil Embankment Wall	Fax: (707) 443-2891 Email: suzanne@hilfiker.com	9/8/1998	R141
		Web Site: www.hilfiker.com		
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- (619) 688-2400	MSE Wall, Retained Earth™ MSE Walls	Fax: (619) 688-2499 Email: zalyassin@reinforcedearth.com	9/8/1998	R142
		Web Site: www.reinforcedearth.com		
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Plus™	Modified panels required. W24 longitudinal wire not permitted. Fax: (831) 430-9340 Email: andrew_mse@pacbell.net	2/9/2000	R215
		Web Site:		

640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- (619) 688-2400	MSE Large Wall Panel, Retained Earth™ Large MSE Walls Fax: (619) 688-2499 Email: zalyassin@reinforcedearth.com Web Site: www.reinforcedearth.com	Large panels allowed only when noted on the plans.	2/28/2001	R291
SSL LLC 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066- (831) 430-9300	MSE Large Wall Panel Fax: (831) 430-9340 Email: andrew_mse@pacbell.net Web Site:	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans.	8/26/2002	R351

640.02.03c SOUNDWALL SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Cyro Industries 100 Enterprise Drive Rockaway NJ 07866- (800) 223-2976 (973) 442-6102	Paraglas Soundtop Soundwall Ready Fit Noise Barrie Fax: (973) 442-6113 Email: steve.barrett@degussa.com Web Site: www.cyro.com	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in the	8/27/2004	R446
Port-O-Wall Systems LLC 585 5th Street West Sonoma CA 95476- (707) 938-4516	Port-O-Wall Soundwall System Fax: (707) 996-5191 Email: rod_allen@port-o-wall.com Web Site: www.port-o-wall.com	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R310
QUILITE International LLC 8616 La Tijera Boulevard Suite 509 Los Angeles CA 90045- (310) 641-7701	Quilite Noise Barrier Fax: (310) 641-7768 Email: info@quilite.com Web Site: www.quilite.com	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R462

640.02.04 MODULAR BLOCK RETAINING WALL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Earth Tech Incorporated Lakeside Center, 5883 Glenridge Drive Atlanta GA 30328- (949) 212-8454 (404) 250-1290	Mesa Retaining Wall Fax: (404) 250-9185 Email: bmiller@tensarcorp.com Web Site: www.earthtech.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R337
Keystone Retaining Wall System 13453 County Road #1 Fairhope AL 36532- (251) 990-5761	Keysystem 1 Modular Block Retaining Wall Fax: (251) 990-5461 Email: keystone@keystonewalls.com Web Site: www.keystonewalls.com	Permitted only when the contract documents specify a modular block retaining wall.	5/15/2002	R168

640.02.04 MODULAR BLOCK RETAINING WALL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company, The 1660 Hotel Circle North Suite 304 San Diego CA 92108- (619) 688-2400	Pyramid Modular Block Retaining Wall Fax: (619) 688-2499	Permitted only when the contract documents specify a modular block retaining wall. Email: zalyassin@reinforcedearth.com	5/15/2002	R233
		Web Site: www.reinforcedearth.com		

641.02.01 IMPACT ATTENUATORS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated 35 East Wacker Drive Suite 1100 Chicago IL 60601-2076 (312) 467-6750 (916) 645-8181	Quad-Guard Standard; Quad-Guard Wide (69/90); Quad-Guard Elite, React 350 Fax: (312) 467-1356	TL-3, TL-2 and TL-1 "Concrete Foundation Required" Email: dsanchez@quixtrans.com	4/27/1998	R144
		Web Site: www.energyabsorption.com		
SCI Products Incorporated 635 Lucknow Road Harrisburg PA 17110-1635 (800) 327-4417 (630) 377-9100	SCI100GM Impact Attenuator TL-3 level Fax: (630) 377-9270	TL-3, Must be mounted on a concrete or asphalt slab. Email: workarea@workareaprotection.com	1/20/2006	R485
		Web Site:		
Trinity Highway Safety 950 West 400 South Centerville UT 84014- (800) 772-7976 (360) 943-9559	FastTracc; WideTracc; TraccTrinity; Adiem Attenuating Device Fax: (802) 292-2145	TL-3 "Concrete Foundation Required" Email: mikel.hooley@trin.net	9/9/2003	R404
		Web Site: www.trin.net		

707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bondaflex Technologies 1955 Whitetail Lane Woodland WA 98674- (360) 225-3983 (800) 641-0234	Bondaflex Sil 728SL Fax: (973) 473-4222		8/5/2005	R476
		Email:	Web Site: www.bondaflex.com	
Crafco Incorporated 420 North Roosevelt Avenue Chadler AZ 85226- (602) 276-0406 (800) 582-8242	Roadsaver Silicone SL part 34903 Fax: (580) 940-1425	Email: sales@crafco.com	10/7/1993	R148
		Web Site: www.crafco.com		
Dow Corning Corporation 2200 West Salsburg Road Midland MI 48686-0994 (989) 496-6000 (989) 496-8026	890 SL (888 SL replaced w/890 SL) Fax: (866) 735-3668	Email: stacey.crowder@dowcorning.com	3/20/1997	R149
		Web Site: www.dowcorning.com		

707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
DS Brown Company, The 300 East Cherry Street North Baltimore OH 45872- (419) 257-3561 (651) 748-8414	DSB 900 SL Self Leveling Silicone Fax: (419) 257-2200 Email: bjacobus@dsbrown.com		4/5/2005	R464
Pecora Corporation 165 Wambold Road Harleysville PA 19438- (215) 723-6051	Pecora 300 Fax: (215) 721-0286 Email:		9/14/2001	R308
Tremco Incorporated 3735 Green Road Beachwood OH 44122- (800) 321-7906 (216) 292-5000	Spectrum 900 SL Formula 974831/333 Cartridges Fax: (216) 292-5036 Email: tscs@tremcoinc.com		5/31/2002	R339

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carboguard 893 (formerly S151); Carbothane 134HS, (formerly Carboline 134HS); Carbothane 134HG Aliphatic Acrylic Polyurethane Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Resin; Part B-Catalyst (hardener); 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R151
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbocrete Sealer WB (formerly Carboline L3300-76) Waterbased Acrylic Siloxane Con Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R151
Carboline Protective Coatings 350 Hanley Industrial Court St Louis MO 63144- (314) 644-1000	Carbozinc 11 Solvent Based Inorganaic Zinc- Rich Co Fax: (314) 644-4617 Email: carbolineUSA@carboline.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R151
International Paint Incorporated 6001 Antoine Drive Houston TX 77091- (800) 525-6824 (713) 684-1289	Inerguard 475HS Field Coat; Interthane Top Coat; Interzinc 22HA Inorganic Zinc Primer Fax: (713) 684-1511 Email: dgriffin@international-pc.com		6/4/2003	R392
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	Shop Coat: Zinc Clad II B69D11OR Zinc Clad II Plus B69VZ13; First Field Coat: Recoatable Epoxy Primer; Top Coat Sherthane 2K Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R151

714.03.01 COATING SYSTEMS FOR BRIDGES

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com Web Site:		6/2/2003	R391
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	B65V150 Sherthane 2K; First Field Coat; B67V5 Primer Coat Recoatable Epoxy Primer; B65 Series Corthane™ II 2-Component Acrylic Modified Polyurethane Coating Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com Web Site:		6/2/2003	R391

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3924S Fluorescent Orange Diamond Grade Sheeting Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	For Rigid Signs Only (NDOT Type X)	6/26/2006	R493
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	334 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	For Barricades Only (Type IV)	12/1/2004	R459
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3930 Permanent Traffic Signs & Temporary Traffic Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	For Permanent Traffic Signs and Temporary Traffic Control Devices (Type IV)	12/1/2004	R458
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3983 Diamond Fluorescent VIP (for perm traffic); Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	For Permanent Traffic Signs (NDOT Type X)	7/23/2001	R303
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3870 VIP; 3990 VIP Diamond Grade Type IX Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	NDOT Type IX	8/16/2000	R272
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3810 High Intensity Series Fax: (702) 914-6016 Email: ejdornak@mmm.com Web Site: www.3M.com/tcm	For ReboundablePplastic Drums Only (Type III)	8/21/2000	R293

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	336 Barricade Type IV Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Barricades Only (Type IV)	12/1/2004	R459
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	3924 & 3924S Fluorescent Diamond Grade Sheeting Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Rigid Signs Only (NDOT Type X)	8/21/2000	R292
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	RS-24 Fax: (702) 914-6016 Email: ejdornak@mmm.com	For Roll-up Signs Only (NDOT Type VI)	9/19/2000	R294
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	T5500A Series High Intensity; T7000 Flourescent Reflective Sheeting No Fax: (847) 647-0269 Email: matt.hills@averydennison.com	For Permanent and Temporary Traffic Control Devices (Type III)	9/15/2003	R406
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	T6500, W7514 Flourescent Reflective Sheeting; W6100 Prismatic Reflective Sheeting Fax: (847) 647-0269 Email: matt.hills@averydennison.com	For Delineators and Permanent Signs Only (Type III)	8/21/2000	R298
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	T7500 Prismatic Grade Sheeting Fax: (847) 647-0269 Email: matt.hills@averydennison.com	NDOT Type IX	5/30/2002	R338
Avery Dennison Corporation 6565 West Howard Street Niles IL 60714- (847) 647-7717 (847) 588-7390	S9000C Cone Collar Fax: (847) 647-0269 Email: matt.hills@averydennison.com	For Reboundable Traffic Cones Only, Type III	2/2/2004	R420
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264	Nikkalite ULGH Fax: (888) 330-7119 Email: nciusa@nikkalite.com	For Permanent Traffic Signs	8/16/2000	R275

716.03.01 REFLECTIVE SHEETING

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Nippon Carbide Industries 12981 East Florence Avenue Santa Fe Springs CA 90670- (310) 532-7500 (800) 821-4264	92847 Nikkalite Crystal Fluorescent Orange	NDOT Type X Fax: (888) 330-7119 Email: nciusa@nikkalite.com Web Site: www.nikkalite.com	4/29/2005	R469
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	Conformalight; Marathon Type VI	For Roll-up Signs Only (NDOT Type VI) Fax: (800) 895-0951 Email: customer.service@reflexite.com Web Site: www.reflexiteamericas.com	9/19/2000	R295
Reflexite Americas 315 South Street New Britain CT 06051- (800) 654-7570	AP1000	For Delineators, Safety Fencing and Glare Screens Only (Type V) Fax: (800) 895-0951 Email: customer.service@reflexite.com Web Site: www.reflexiteamericas.com	8/21/2000	R297

726.03.04 MULCH

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66092- (800) 654-6117 (785) 883-4600	Second Nature Paper Fiber Hydrose	 Fax: (785) 883-4429 Email: sales@centralfiber.com Web Site: www.centralfiber.com	6/25/1998	R170
Hamilton Manufacturing Incorporated 901 Russet Street Twin Falls ID 83301- (208) 733-9689	Nature's Own	 Fax: (208) 733-9447 Email: patrick@hmi-mfg.com/info@hmi-mfg.c Web Site: www.hmi-mfg.com	6/25/1998	R172

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation 4814 Fiber Lane Wellsville KS 66095- (800) 654-6117 (785) 883-4600	TacPac GT	 Fax: (785) 883-4429 Email: salex@centralfiber.com Web Site: www.centralfiber.com	6/25/1998	R174
Driwater Incorporated 600 East Todd Road Santa Rosa CA 95407- (707) 588-1444	Driwater Hydro Mix	Note: Surfaces subject to spill; can be slippery. Fax: (707) 588-1445 Email: mary@driwater.com Web Site: www.driwater.com	1/3/2001	R280

726.03.05 TACKIFIER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eastern Products 1162 Sycamore Lane Mahwah NJ 07430- (201) 934-5050 (607) 734-2295	Ecotak OP Moisture Retainer Fax: (201) 934-8686 Email:		6/25/1998	R176
		Web Site:		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest Fax: (509) 328-4336 Email: rob@fischbachandmore.com		6/25/1998	R177
		Web Site: www.fischbackandmore.com		

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon Asphalt Bakersfield 1201 China Grade Loop Bakersfield CA 93388- (661) 392-3630 (661) 978-9357	Topein S Emulsion Fax: (661) 391-1054 Email: jim.ryan@alonusa.com	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers instructions for soil	2/24/2004	R425
		Web Site: www.alonsashalt.com		
American Refining Group 77 North Kendall Avenue Bradford PA 16701- (814) 368-1200 (281) 770-0220	PennzSuppress D Dust Suppressant Fax: (814) 368-1335 Email: ckimball@amref.com		6/25/1998	R138
		Web Site: www.amref.com		
Arrow Magnolia International LP 2646 Rodney Lane Dallas TX 75229- (800) 527-2101 (972) 247-7111	Road Boss Fax: (800) 527-2101 Email: dnix@arrowmagnolia.com	10/26/05 Name change from Chemco (Soil Tite) to Arrow Magnolia (Road Boss)	10/26/2005	R441
		Web Site: www.arrowmagnolia.com		
Fischbach; and more LLC 2512 West Courtland Avenue Spokane WA 99207- (509) 325-2882 (509) 981-8555	Fisch-Stik, Terravest Fax: (509) 328-4336 Email: rob@fischbachandmore.com		6/25/1998	R177
		Web Site: www.fischbackandmore.com		
Fluid Tech Incorporated, HAZCO Division 5720 South Arville Street Suite 104 Las Vegas NV 89118- (702) 871-1884 (702) 871-7976	Trans Seal I Fax: (702) 871-3629 Email: strue@fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions.	1/3/2002	R323
		Web Site: www.fluid-tech-inc.com		
GM Boston Company 412 Fullerton Avenue Newport Beach CA 92663- (949) 722-6799 (949) 533-6799	PX 300 Soil Stabilizer & Dust Pallative & Erosion Control Fax: (562) 592-0836 Email: craighoad@gmbostoncompany.com	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R393
		Web Site:		

726.03.13

SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hercules Environmental Dust & Erosion Products 6596 New Peachtree Road Doraville GA 30340- (770) 303-0878	Hercules Soil LocE		6/25/1998	R178
	Fax: (770) 455-6531	Email: hercenv@herculesenvironmental.com	Web Site: www.HerculesEnvironmental.c	
Midwest Industrial Supply Incorporated 1101 3rd Street Southeast Canton OH 44701- (330) 456-3121	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic; application must	4/18/2005	R468
	Fax: (330) 456-3247	Email: kim@midwestind.com / custserv@mid	Web Site: www.midwestind.com	
Nui Equipment Incorporated 184 West Brooks Avenue North Las Vegas NV 89030- (702) 649-8767	Plas-Bond; Solitac	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	11/13/2000	R277
	Fax: (702) 649-8446	Email: morgan@nuequipment.com	Web Site: www.nuequipment.com	
Sequoia Pacific Research Company 1192 East Draper Parkway Darper UT 84020- (801) 303-2558 (888) 465-8801	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R394
	Fax: (801) 303-2551	Email: terry@telnetz.com	Web Site: www.sequoiaprc.com	
Soil Tech Company 6420 Cameron Drive Suite 207 Las Vegas NV 89118- (702) 873-2023	Plas-Tex; Poly-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic.	6/25/1998	R179
	Fax: (702) 873-0915	Email: rue@soil-tech.com	Web Site: www.soil-tech.com	
Soil Works LLC 681 North Monterey Street #101 Gilbert AZ 85233- (480) 545-5454 (760) 345-0771	Plas-Bond; Soiltac	Application and dilution rates follow manufacturer's instructions.	9/20/2004	R449
	Fax: (480) 545-5456	Email: Dorian@Soilworks.com	Web Site: www.Soilworks.com	
Terra Novo 8000 Jill Jean Avenue Bakersfield CA 93380- (661) 587-5716 (661) 747-5956	EarthGuard Fiber Matrix	Blending, mixing and application method must follow manufacturer's instructions. Should be only used in areas that will not be disturbed by	11/2/2001	R315
	Fax: (661) 587-6806	Email: andy@terrano.com	Web Site: www.terrano.com	
US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433	AirtrolTM Geobinder		8/28/2006	R498
	Fax: (916) 966-0634	Email: bfogel@usg.com	Web Site: www.gypsumsolutions.com	

726.03.13 SOIL STABILIZER

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
US Gypsum Company 125 South Franklin Street Chicago IL 60606- (916) 966-0639 (312) 606-4433	Enviro-Shield™ Brand Bonded Fiber Matrix Fax: (916) 966-0634	 Email: bfogel@usg.com	8/28/2006	R497
		Web Site: www.usg-enviroshield.com		

728.03.02 EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 892-1880 (954) 782-2221	HS200 Fax: (954) 782-2776	Type I, II, IV and V; Grade 3; Class A Email: rboland@atc.ws	1/14/2003	R374
		Web Site: www.adhesivetechologies.co		
Adhesive Technologies 450 East Copans Road Pompano Beach FL 33064- (800) 892-1880 (954) 782-2221	Ultrabond 1100 Fax: (954) 782-2776	Type I, II, IV and V; Grade 2; Class C Email: rboland@atc.ws	1/10/2002	R325
		Web Site: www.adhesivetechologies.co		
Atlas Construction Supply Incorporated 4840 West Hacienda Avenue Las Vegas NV 89118- (702) 227-6800 (877) 588-2100	Atlas Epoxy Bonder; LPL Epoxy Bonder Fax: (858) 222-0488	Type I, II, IV and V; Grade 2; Classes B & C Email: info@atlastechproducts.com	4/29/2004	R438
		Web Site: www.atlasform.com		
Dayton Superior 4226 Kansas Avenue Kansas City KS 66106- (800) 745-3707 (877) 416-3439	Sure Anchor I J-51 Fax: (913) 371-3322	Type I, II, IV and V; Grade 3; Glass A Email: johnkukey@daytonsuperior.com	1/14/2003	R376
		Web Site: www.daytonsuperiorchemical.c		
Euclid Chemical Company 19218 Redwood Road Cleveland OH 44110- (800) 321-7628 (216) 692-8305	Duralcrete Fax: (216) 531-9399	Type I and Type II Email: rziegler@	11/8/2005	R478
		Web Site: www.euclidchemical.com		
Hilti Incorporated 5400 South 122nd Avenue Tulsa OK 74121- (800) 879-8000 (918) 252-6000	HT RE 500 Fax: (800) 879-7000	Type IV; Grade 3; Classes A, B & C Email: us-SalesDiv73@hilti.com	1/2/2002	R318
		Web Site: www.us.hilti.com		
ITW Red Head 1300 North Michael Drive Wood Dale IL 60191- (702) 736-1500 (800) 899-7890	Ceramic 6 Fax: (800) 368-3844	Type IV; Grade 3; Classes B & C Email:	5/14/2002	R336
		Web Site: www.itwredhead.com		

728.03.02 EPOXY ANCHORING SYSTEMS

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Powers Fasteners Incorporated 2 Powers Lane Brewster NY 10509- (914) 235-6300	Power Fast Epoxy Injection Gel Adhesive Anchoring Fax: (914) 235-1913 Email: engineering@powers.com Web Site: www.powers.com	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R234
Simpson Strong-Tie 5151 South Airport Way Stockton CA 95206- (800) 999-5099 (916) 870-7863	ET22; Epoxy-Tie Resin Adhesive Fax: (209) 234-3868 Email: jlebel@strongtie.com Web Site: www.stongtie.com/simpsonanc	Type I, II, IV and V; Grade 3; Classes B & C	1/4/1998	R236
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy 200 Binders/Adhesives; Pro-Poxy 300 Fast Binders/Adhesives Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com Web Site: www.unitex-chemicals.com	Type I and II; Grade 2; Classes B & C	1/4/1998	R237
Unitex Corporation 3101 Gardner Avenue Kansas City MO 64120- (800) 821-5846 (816) 231-7700	Pro-Poxy Type III DOT Epoxy Binder; Symons Res-Con 304; Pro-Poxy 50 Super LV Fax: (816) 483-3149 Email: jerry@unitex-chemicals.com Web Site: www.unitex-chemicals.com	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R373
US Anchor 450 East Copans Road Pompano Beach FL 33064- (305) 782-2221 (800) 892-1880	HS 200 Epoxy Adhesive Fax: (305) 782-2499 Email: Web Site: www.usanchor.com	Type I, II, IV and V; Grade 3; Class A	1/14/2003	R374
USP Structural Connectors 703 Rogers Drive Montgomery MN 56069- (507) 364-8368 (800) 328-5934	CIA-GEL 7000 Adhesive Anchors Fax: (507) 364-8762 Email: jturek@gibraltar1.com Web Site: www.uspconnectors.com	Type I and IV; Grade 3; Classes B, C, & D	8/8/2000	R267
WR Meadows of Northern California 865 Teal Drive Benicia CA 94510- (707) 745-6666 (847) 214-2100	Rezi Weld 1000 Fax: (707) 747-6206 Email: wrmca@wrmeadows.com Web Site: www.wrmeadows.com	Type I, II, IV and V; Grade 2; Classes B & C	2/19/2004	R424

729.02.03 EPOXY PAINT FORMULATION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Colorado Paint Company 4747 Holly Street Denver CO 80216- (303) 388-9265 (303) 722-7380	1185 RockHard Catalyst; RockHard 1180 White, 1186LF Rockhard Non Leaded Yellow Fax: (303) 388-0881 Email: markv@coloradopaint.com Web Site: www.coloradopaint.com		3/20/2000	R218

729.02.03 EPOXY PAINT FORMULATION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	Rockhard HPS-3 White Epoxy Pavement Marker; RockHard 1186 LF (non-lead yellow); Rockhard HPS-3 Leaded Yellow Epoxy Pavement Marker Fax: (800) 555-0217 Email: klyne@ennispaint.com	HPS-3 Yellow Paint contains Organic Yellow Pigment	8/28/2002	R352
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS60 ; Epoplex LS50; Epoplex LS50 B Fax: (856) 779-2963 Email: epoplex@epoplex.com	LS 50LF Yellow Paint contains Organic Yellow Pigment	12/11/2002	R369
Innovative Performance Systems (IPS) PO Box 13582 Research Triangle Park NC 27709- (919) 990-7985 (877) 477-7623	HPS-3 Epoxy Pavement Markings (yellow, white); RockHard 1186 LF (non lead yellow) (white) Fax: Email: jhall@ips-road.com		7/16/2003	R397
Poly-Carb Incorporated 33095 Bainbridge Road Solon OH 44139- (440) 248-1223 (800) 225-5649	Mark 55.2 NV; Mark 55.3 White; Mark 55.4; Mark 55.3 Yellow organic Fax: (440) 248-1513 Email: hemant@poly-carb.com		10/24/1997	R131

729.02.03d POLYUREA PAINT FORMULATION

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	1200 Liquid Pavement Marking Fax: (702) 914-6016 Email: ejdornak@mmm.com		7/16/2003	R398
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	HPS-5 Liquid Pavement Markings Fax: (800) 555-0217 Email: klyne@ennispaint.com	Note: This sytem includes Part A - Black	7/16/2003	R397
Epoplex 1 Park Avenue Maple Shade NJ 08052- (800) 822-6920	Epoplex LS90 Fax: (856) 779-2963 Email: epoplex@epoplex.com	Note: This sytem includes Part A - Black	7/16/2003	R396

729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company 2040 Dow Center Midland MI 48674- (989) 636-2452 (800) 447-4369	DT250NA; DT400NA Fax: (989) 832-1465 Email:	Use for Type I Water Borne Paint	7/19/2002	R189
		Web Site: www.dow.com		
Rohm and Haas 100 Independence Mall West Philadelphia PA 19106- (800) 477-7641 (800) 967-7704	Rhoplex Fastrack 3427 Type I Waterborne Paint; Rhoplex Fastrack HD21 Type II Waterborne Paint Fax: (800) 382-4008 Email: internet svc store available w/acct set	Use for Type II Water Borne Paint	11/30/2001	R316
		Web Site: www.rohmhaas.com		

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-HD21-M1 White, 982832 NVY- HD21-M1 Yellow Type II (Rohm & Haas Rhop Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	4/1/2004	R434
		Web Site: www.ennispaint.com		
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	2771A9 White, 2772A9 Yellow Rapid Dry Waterborne Paint Type II Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II	12/11/2002	R371
		Web Site: www.ennispaint.com		
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	2714A9 White, 2715A9 Yellow Rapid Dry Waterborne Paint Type I Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type I	12/11/2002	R370
		Web Site: www.ennispaint.com		
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-40-M2 White, 982832 NVY-40-M2 Yellow Rapid Dry Waterborne Paint Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	4/1/2004	R434
		Web Site: www.ennispaint.com		
Ennis Paint Incorporated 1509 South Kaufman Ennis TX 75119- (800) 331-8118 (214) 874-7200	982831 NVW-HD21-M2 White, 982832 NVY- HD21-M2 Yellow Rapid Dry Waterborne Pain Fax: (800) 555-0217 Email: klyne@ennispaint.com	Type II	7/30/2002	R347
		Web Site: www.ennispaint.com		
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	Pervo Plastics 6000 White, Pervo Plastics 6003 Yellow Type I Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com	Type I	7/30/2002	R344
		Web Site: www.pervo.com		

729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Pervo Paint PO Box 01496 Los Angeles CA 90001-0496 (800) 892-3647 (323) 758-1147	Pervo Plastics 6050 White, Pervo Plastics 6053 Yellow Type II Waterborne Paint Fax: (323) 778-9719 Email: sales@pervo.com	Type II	7/30/2002	R345
Web Site: www.pervo.com				
Sherwin-Williams Company, The 4243 Industrial Center Boulevard San Antonio TX 78217- (210) 646-8646	BP19421 White, BP19422 Yellow Rapid Dry Waterborne Paint Type II; B65V150 Sherthane 2K Top Coat Fax: (210) 646-6719 Email: dee.l.mcneill@sherwin.com	Type II	7/9/2003	R395
Web Site:				

731.03.01 PAVEMENT REINFORCING FABRIC

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
California Paving Fabrics Incorporated 2300 Barney Street Anderson CA 96007- (800) 443-6322 (530) 365-0108	GlasGrid 8502; The Detail Repair System; GlasGrid 8501; The Complete Road System Fax: (530) 365-0100 Email: cpf@snowcrest.net		10/18/2002	R354
Web Site: www.californiapavingfabrics.co				

732.03.01 PAVEMENT MARKING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	5730 Stamark Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com	Type I	9/19/2003	R407
Web Site: www.3M.com/tcm				
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 300 Tape Fax: (252) 526-4940 Email: brobbins@trafficmarking.com	Type I	9/19/2003	R410
Web Site: www.trafficmarking.com				
Swarco Industries 270 Rutherford Lane Columbia TN 38402- (800) 216-8781 (931) 388-5900	Director 60 Permanent Marking Tape Type I; Director 35 Pavement Marking Tape Type II Fax: (931) 388-4039 Email: office.industries@swarco.com	Type I	2/17/2004	R421
Web Site: www.swarco.com				

732.03.02 PAVEMENT MARKING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380 (702) 743-0012	420 Stamark Intersection Grade Tape Fax: (702) 914-6016 Email: ejdornak@mmm.com	Type II	9/19/2003	R408
Web Site: www.3M.com/tcm				

732.03.02 PAVEMENT MARKING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Advance Traffic Markings PO Box H Roanoke Rapids NC 27870- (252) 536-2574	Series 400 Tape	Type II	9/19/2003	R411
	Fax: (252) 526-4940	Email: brobbins@trafficmarking.com	Web Site: www.trafficmarking.com	
Brite Line Technologies 3322 Mendocino Forest Las Vegas NV 89122- (702) 649-9223	Series 1000 Permanent Pavement Marking Tape	Type II	5/9/2006	R486
	Fax: (216) 924-6215	Email: bjubak@cox.net	Web Site:	

732.03.03 PAVEMENT MARKING TAPE

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control Materials Div, 3M Center PO Box 231393 Las Vegas NV 89123- (800) 553-1380	A3801 Stamark Tape	Type II	9/19/2003	R409
	Fax: (702) 914-6016	Email: ejdornak@mmm.com	Web Site: www.3M.com/tcm	

QPL DB1 NOTES

November 8, 2005

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Jason Van Havel, Product Evaluation Coordinator, via email at jvanhavel@dot.state.nv.us or by telephone at (775) 888-7894.