



# QUALIFIED PRODUCTS LIST (QPL)

## Table of Contents

*4/25/16: Please be advised that several specification numbers have changed to align those categories with their listing in NDOT's 2014 Standard Specifications for Road and Bridge Construction. Also, be advised that one category was renamed and several categories were recently eliminated by the Product Evaluation Committee and no longer appear within the QPL.*

Spec #	Spec Description	Page #
213.02.17	BACKFLOW PREVENTER COVERS	1
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
401.03.02	ASPHALT RELEASE AGENTS	1 – 2
406.02.01	PRIME COAT MATERIAL	2
408.02.05	ALL WEATHER ASPHALT COLD PATCH	3 – 4
496.02.01	OVERLAY SYSTEM (POLYESTER)	4
497.02.01	ADHESIVES FOR MULTILAYER OVERLAYS	4
502.02.04a	CONCRETE STAIN	5
502.02.04b	CONCRETE PAINT	5
502.02.05a	ANTI-GRAFFITI COATINGS	5 – 6
502.03.13b	PREFORMED JOINT FILLERS	6 – 7
502.03.13c	ASPHALTIC PLUG EXPANSION JOINTS	7
502.03.13d	EXPANSION JOINT SEALANT	7 – 8
502.03.13e	EXPANSION JOINT (SPECIAL)	8
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	8
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	9
505.02.01	EPOXY COATINGS (FOR STEEL REINFORCING BARS)	9 – 10
609.02.01a	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	10 – 15
609.02.01c	TRENCH DRAINS	15 – 17
610.02.01	ARTICULATED CONCRETE BLOCK	17
613.02.01	DETECTABLE WARNINGS (ADA TILE)	18 – 19
616.02.01	PLASTIC FENCE FABRIC	19
618.02.01a	GUARDRAIL TERMINAL (FLARED)	19

618.02.01b	GUARDRAIL TERMINAL (TANGENTIAL)	19 – 20
618.02.01c	GUARDRAIL OFFSET BLOCKS	20
619.02.01	GUIDEPOSTS (FLEXIBLE)	21 – 23
619.02.01a	OBJECT MARKERS (FLEXIBLE, TYPE 2)	23 – 25
623.01.01	DYNAMIC MESSAGE SIGNS	25
623.02.08	SERVICE PEDESTALS	25 – 26
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	26
623.02.16	DUCT SEALING COMPOUND	26 – 27
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	27
623.02.30e	VEHICLE DETECTOR SEALANTS (OPTIONAL)	27 – 28
623.02.31	DRIVER FEEDBACK SIGNS	28
623.03.01	TRAFFIC SIGNALS	29 – 30
623.03.15	SIGN LIGHTING FIXTURES	30 – 31
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	31
623.05.26	RED LIGHT DETECTORS	31
625.02.01	GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)	31 – 33
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	33 – 34
625.02.03a	CHANGEABLE MESSAGE SIGNS	35 – 36
625.02.03b	CHANGEABLE MESSAGE SIGNS (INTELLIGENT)	36 – 38
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	38 – 40
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	40 – 41
625.02.06	WATER FILLED BARRIER RAIL	41 – 42
625.02.07	PORTABLE BEACON LIGHT SYSTEM	42
625.03.03	SIGN SUPPORT SYSTEM	42 – 48
625.03.04	BARRICADES	48 – 52
627.02.01a	POLYCARBONATE SIGNS	52
630.02.01	HEADLIGHT GLARE SCREENS MODULAR UNITS	52
632.03.05	RETRORELECTOMETERS	52 – 53
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	53 – 54
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	54 – 55
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	56

633.02.04	PAVEMENT MARKERS ADHESIVE	56 – 57
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	57
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	58
637.02.01	DUST PALLIATIVE (OPTIONAL)	59 – 61
641.02.01	IMPACT ATTENUATORS	61 – 62
642.02.02	CONCRETE PANEL WALL SYSTEMS	62 – 63
642.02.03	SEGMENTAL BLOCK WALL SYSTEMS	63 – 64
646.02.02	CRACK SEALANTS	64
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	65
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	65 – 66
702.03.04	CURING COMPOUND (BRIDGE DECK)	66 – 67
702.03.05	POZZOLANS	67 – 68
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	68 – 69
714.03.01	COATING SYSTEMS FOR BRIDGES	69
716.03.01	REFLECTIVE SHEETING	69 – 74
726.03.04	HERBICIDES	74
726.03.07	MULCH	74 – 77
726.03.08	TACKIFIER	77 – 78
726.03.17	SOIL STABILIZER	78 – 81
728.03.02a	EPOXY ANCHORING SYSTEMS	81 – 86
729.03.04	PAINT MARKING MATERIAL (EPOXY)	86 – 87
729.03.05a	RAPID DRY WATERBORNE PAINT – ACRYLIC RESIN EMULSIONS	87 – 88
729.03.05b	RAPID DRY WATERBORNE PAINT – TEMPORARY STRIPING FORMULATIONS (TYPE I)	88 – 89
729.03.05c	RAPID DRY WATERBORNE PAINT – PERMANENT STRIPING FORMULATIONS (TYPE II)	89 – 90
729.03.06	PAVEMENT MARKING MATERIAL (POLYUREA)	90
732.03.01	PAVEMENT MARKING TAPE (TYPE I)	91
732.03.02	PAVEMENT MARKING TAPE (TYPE II)	92
732.03.03	PAVEMENT MARKING TAPE (TYPE IV)	92 – 93
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	93
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	93 – 94

# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.02.17 BACKFLOW PREVENTER COVERS

Vendor Name / Address	Product Name	Remarks
VIT Products Incorporated Kim Goldenstein 2063 Wineridge Place Escondido CA 92029 sales@vitproducts.com	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211 www.vitproducts.com	<b>ALHPI 60</b>     approved 6 /14/2006
VIT Products Incorporated Kim Goldenstein 2063 Wineridge Place Escondido CA 92029 sales@vitproducts.com	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211 www.vitproducts.com	<b>SBBC-50 ALPH</b>     approved 6 /14/2006

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Eileen French PO Box 306 Commerce City CO 80037 admin@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	<b>NEX</b>     Type C approved 3 /29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	<b>V-LOC</b>     Type C approved 11/4 /1997

### 401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	<b>Super Slick Asphalt Release Agent</b>     approved 7 /12/2006
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>Black Magic</b>     approved 7 /21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>GreenGuard</b>     approved 11/5 /2009

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Brody Chemical Richard Wagner 6125 W. Double Eagle Circle Salt Lake City UT 84118 richard@brodychemical.com	Phone: (801) 963-2436 Cell: (800) 488-2436 Fax: (801) 963-2437  www.brodychemical.com	<b>First Choice Asphalt Release</b>  approved 6 /15/2016
Compound Technologies Inc Vickie Grimes 70 Riverside Drive Cartersville GA 30120 vgrimes@asphaltrelease.com	Phone: (678) 721-4101 Cell: (770) 891-3307 Fax: (770) 386-3391  www.asphaltrelease.com	<b>No 1</b>  Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. approved 7 /21/2000
Compound Technologies, Inc. Paul Wilson 70 Riverside Drive SW Cartersville GA 30120 vgrimes@asphaltrelease.com	Phone: (678) 721-4101 Cell: (770) 891-3307 Fax: (770) 386-3391  www.asphaltrelease.com	<b>BMF</b>  approved 6 /15/2016
KT Chemicals, Inc. Karl Taft 1002 N Central Expressway Ste 499 Richardson TX 75080 info@kt-chemicals.com	Phone: (855) 932-2228 Cell: Fax:  www.kt-chemicals.com	<b>ClearRelease</b>  approved 6 /15/2016
Rhomar Industries Eric Vestal 2107 East Rockhurst Springfield MO 65802 evestal@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593  www.rhomar.com	<b>Enviro-Slide Ultra</b>  approved 4 /26/2000

**406.02.01 PRIME COAT MATERIAL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ergon Asphalt Products Ryan Proctor 3901 Ponderosa Way Las Vegas NV 89118 ryan.proctor@ergon.com	Phone: (303) 243-4607 Cell: Fax:  www.ergon.com	<b>ePrime</b>  Dilute according to manufacturer's directions approved 9 /11/2012
Paramount Alon Asphalt Bakersfield Jim Ryan PO Box 5655 Bakersfield CA 93388 jryan@ppcla.com	Phone: (661) 392-3630 Cell: (661) 978-9357 Fax: (661) 399-1054  www.alonashalt.com	<b>Topein-S</b>  Dilute 1 part Topein-S with 3 parts water, apply 0.25 gal per sq yd and allow to break, then apply 0.15 gal per sq yd and allow to cure for 24 hours. Adjust at Resident Engineer's direction to prevent puddling or runoff. approved 9 /11/2012

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Cold Mix Manufacturing Corporation Dario Amicucci 65 Edison Ave Mount Vernon NY 10550 sales@greenpatch.com Phone: (800) 985-9192 Cell: Fax: (718) 463-0292 www.greenpatch.com	<b>Greenpatch</b>	approved 8 /28/2013
CrafcO, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafcO.com Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafcO.com	<b>HP Asphalt Repair</b>	approved 10/13/2011
Highway Product Incorporated Jim Lenford 7905 Agate Road White City OR 97503 lenford.jim6800toolbox.com Phone: (800) 866-5269 Cell: (541) 826-3551 Fax: (541) 826-3607 www.800toolbox.com	<b>All Season Patch</b>	approved 6 /1 /1999
Interwest Safety Supply Incorporated Dave Krantz 724 East 1860 South Provo UT 84606-6214 dkrantz@iwsafety.com Phone: (801) 375-6321 Cell: Fax: (801) 377-2739 www.iwsafety.com	<b>Instant Road Repair</b>	approved 12/31/2011
Lakeside Industries Rick Rawlings 6505 226th Place SE Suite 200/PO Box 7016 Issaquah WA 98027 rickr@lakesideind.com Phone: (425) 313-2681 Cell: (425) 313-2600 Fax: (425) 313-2620 www.lakesideind.com	<b>EZ Street Cold Asphalt</b>	approved 1 /13/2011
Nord-Agrar International Incorporated Customer Service 1605 Sonoma Avenue Albany CA 94707 rami@nordagrAr.com Phone: (800) 238-4838 Cell: (510) 525-8961 Fax: (510) 525-8743 www.nordagrAr.com	<b>Perma Patch</b>	approved 10/13/2011
QPR Lloyd Washington 7322 Bonnyshire Drive Chattanooga TN 37416 lwashington@qprmail.com Phone: (800) 388-4338 Cell: (425) 553-6874 Fax: (423) 553-6879 www.qprusa.com	<b>QPR High Performance Cold Patch</b>	approved 10/13/2011
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864 www.seaboardasphalt.com	<b>Bond-X Green High Performance Cold Mix</b>	approved 9 /3 /2014

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com	Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864  www.seaboardasphalt.com	<b>Seaboard Asphalt Bond-X Bond X</b>  approved 10/13/2011
Unique Paving Materials Corporation William Stul 3993 East 93rd Street Cleveland OH 44105 info@uniquepavingmaterials.com	Phone: (800) 441-4880 Cell: (562) 243-3804 Fax: (216) 341-8514  www.uniquepavingmaterials.com	<b>UPM High Performance Cold Mix</b>  approved 10/13/2011

**496.02.01 OVERLAY SYSTEM (POLYESTER)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488  www.atlasform.com	<b>Atlas Tech-Deck</b>  approved 3/13/2012
Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (866) 494-1772 Cell: (858) 442-8185 Fax: (858) 571-5043  www.kwikbondpolymers.com	<b>PPC-1121</b>  approved 3/13/2012

**497.02.01 ADHESIVES FOR MULTILAYER OVERLAYS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
E-Bond Epoxies Incorporated Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043  www.polymerdek.com	<b>E-Bond 526</b>  approved 8/29/2009
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid</b>  approved 8/29/2009
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  www.unitex-chemicals.com	<b>Pro-Poxy Type III DOT</b>  approved 8/29/2009

**502.02.04a CONCRETE STAIN**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**502.02.04a CONCRETE STAIN**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
GAF Customer Care Commercial 1 Campus Drive Parsippany NJ 07054 customercarecommercial@gaf.com	Phone: (877) 423-7663 Cell: Fax: (866) 248-6299  www.gaf.com	<b>Canyon Tone Stain</b> Local contact John De Vito, ph: (925) 393-4211, e: jdevito@gaf.com  approved 4 /12/2005
Vista Paint Corporation Odis Freeman 2020 East Orangethorpe Avenue Fullerton CA 92831 ofreeman@vistapaint.com	Phone: (714) 680-3800 Cell: (702) 292-8316 Fax: (714) 459-4677  www.vistapaint.com	<b>Coverall 2800 AF Ext. Flat</b>  approved 5 /20/2008

**502.02.04b CONCRETE PAINT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Fraze Paints Bill Harkson 5280 S.Valley View Las Vegas NV 89118 bharkson@thecomexgroup.com	Phone: (702) 895-9800 Cell: (702) 335-9481 Fax: (702) 597-5200	<b>Duratec II 100% Acrylic Concrete Paint</b>  approved 2 /1 /2013

**502.02.05a ANTI-GRAFFITI COATINGS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123  www.americanpolymer.com	<b>Clear VU High Solids (AP 307)</b> Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202)  7 /6 /2008 10/08 new product replaces GSS 10
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303  www.integument.com	<b>Fluorogrip Anti Graffiti Film</b> For signs ONLY  approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: (818) 515-5004 Fax: (818) 502-0818  www.monopoleinc.com	<b>Monochem Permashield 5600 Premium System</b> Company passed an additional metal field test  approved 10/6 /2009
Sherwin-Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>2K Waterbased Urethane Anti Graffiti</b> Part A: B65T00194 and Part B: B65V190  approved 9 /21/2009



**502.02.05a ANTI-GRAFFITI COATINGS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Starco Group, The/SEI Chemical Company Phone: (323) 266-7111 Ross Sklar 3137 East 26th St Vernon CA 90058 ross@thestarcogroup.com www.thestarcogroup.com	<b>GPA 200 Graffiti Proofer</b>	Flattening agent required approved 9 /29/2009
Starco Group, The/SEI Chemical Company Phone: (323) 266-7111 Ross Sklar 3137 East 26th St Vernon CA 90058 ross@thestarcogroup.com www.thestarcogroup.com	<b>GPA 300 Graffiti Proofer</b>	Flattening agent required approved 9 /29/2009
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com www.texcote.com	<b>Graffiti-Gard "S"</b>	approved 11/12/2010

**502.03.13b PREFORMED JOINT FILLERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com www.wbacorp.com	<b>JEENE Structural &amp; Sealing Jt</b>	approved 8 /2 /2006
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com www.wbacorp.com	<b>Wabo Evazote UV</b>	approved 8 /2 /2006
Polyset Company Incorporated Terry Eck P.O. Box 111 Mechanicville NY 12118 t.eck@polyset.com www.polyset.com	<b>Ply-Seal</b>	approved 3 /28/2011
Polyset Company Incorporated Terry Eck P.O. Box 111 Mechanicville NY 12118 t.eck@polyset.com www.polyset.com	<b>Ply-Seal XE Beige</b>	approved 3 /28/2011

**502.03.13b PREFORMED JOINT FILLERS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
RJ Watson Incorporated Eric Watson 11035 Walden Alden NY 14004 ewatson@rjwatson.com	Phone: (716) 901-7020 Cell: Fax: (716) 901-7015  www.rjwatson.com	<b>Silicoflex</b>    approved 12/7 /2000
Sunshine Industrial, Inc. Mack Hahn or Ayme Price 5051 Merriam Drive Merriam KS 66203 mackh.sunshine@yahoo.com	Phone: (913) 362-6300 Cell: (816) 820-0035 Fax: (913) 362-6341  sunshineindustrial.com	<b>Polytite N</b>    approved 5 /7 /2015
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959  www.techstar-inc.com	<b>W Seal</b>    approved 4 /19/1999

**502.03.13c ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
BASF/Watson Bowman Acme Corp Debra Steiger 95 Pineview Drive Amherst NY 14228 debbie.steiger@basf.com	Phone: (800) 677-4922 Cell: (716) 817-5410 Fax: (716) 691-9239  www.wbacorp.com	<b>Wabo Expandex</b>    approved 12/5 /2011
DS Brown Company Brent Toller 300 East Cherry Street North Baltimore OH 45872 btoller@dsbrown.com	Phone: (800) 848-1730 Cell: (801) 837-8555 Fax: (419) 257-2200  www.dsbrown.com	<b>Matrix 502 DS Brown</b>    approved 6 /5 /1997
Dynamic Surface Application Ltd Mike Stachowicz 373 Village Road Pennsdale PA 17756 mstachowicz@dsa-ltd.com	Phone: (800) 491-5663 Cell: (413) 427-0227 Fax: (888) 600-0036  www.dsa-ltd.com	<b>BJS Thorma Joint System</b>    approved 9 /19/2002

**502.03.13d EXPANSION JOINT SEALANT**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
BASF/Watson Bowman Acme Corp Debbie Steiger 95 Pineview Drive Amherst NY 14228 debbie.steiger@basf.com	Phone: (800) 677-4922 Cell: (716) 308-6799 Fax: (716) 691-9239  www.wbacorp.com	<b>Wabo Silicone Seal</b>    Two part sealant  approved 8 /2 /2006

**502.03.13d EXPANSION JOINT SEALANT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: (303) 484-6206 www.dowcorning.com	<b>890 SL Silicone Sealant</b> approved 4 /22/2002
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: (303) 484-6206 www.dowcorning.com	<b>902 RCS</b> approved 4 /22/2002
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax: usa.sika.com	<b>Sikasil 728 RCS</b> approved 10/15/2014

**502.03.13e EXPANSION JOINT (SPECIAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Silicone Specialties Incorporated Joe Maloney PO Box 50009 Tulsa OK 74150 joe.maloney@ssicm.com	Phone: (800) 888-8909 Cell: (915) 276-1376 Fax: (918) 582-7510 www.ssicm.com	<b>Dow 902 XJS Joint System</b> This is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. approved 4 /22/2002

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	<b>Tammscoat Fine</b> approved 1 /1 /2006
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>TexCote 300 Bridge Cote</b> approved 6 /16/2008
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>TexCote XL70 Bridge Cote</b> approved 6 /16/2008

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>Crafco Asphalt Rubber</b> Type 1, 2 or 4 depends on the climate zone  approved 1 /7 /1998
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>Deery 180</b> Type 1, 2 or 4 depends on the climate zone  approved 6 /6 /2013
Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax:  www.henry.com	<b>Calseal</b> Type 1, 2 or 4 depends on the climate zone  approved 9 /8 /1998
Maxwell Products Incorporated Larry Allen 650 South Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536  www.maxwellproducts.com	<b>Elastoflex 650</b> Type 1, 2 or 4 depends on the climate zone  approved 9 /30/1996
Maxwell Products Incorporated Larry Allen 650 South Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536  www.maxwellproducts.com	<b>Elastoflex 670</b> Type 1, 2 or 4 depends on the climate zone  approved 9 /30/1996
Titan Construction Supply Fred Mathis 250 Edison Reno NV 89502 fmathis@titalsupply.com	Phone: (775) 336-2201 Cell: Fax:  www.titanconstructionsupply.com	<b>Asphalt Rubber Modified</b> Type 1, 2 or 4 depends on the climate zone  approved 11/22/2016

**505.02.01 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Electrical Markets Division Karu Alahapperuma 6801 River Place Boulevard Austin TX 78726 kalahapperuma@mmm.com	Phone: (979) 848-5502 Cell: (979) 215-4571 Fax: (979) 848-5533  www.3m.com/corrosion	<b>Scotchkote 413 Fusion Bonded Epoxy Powder Coating</b> Fusion Bonded Epoxy Coating 413 - AASHTO M284 / ASTM A775  approved 10/10/2011
3M Infrastructure Protection Division Sam Attaguile 6801 Riverplace Boulevard Austin TX 78726 samattaguile@mmm.com	Phone: (512) 984-4146 Cell: Fax: (512) 984-4871  www.3m.com/corrosion	<b>Scotchkote 413/215</b> Rebar Liquid Patch Compound 413/215 - AASHTO M284 / ASTM A775 as repair material for 3M FB 413  approved 10/10/2011

**505.02.01 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Akzo Nobel Andy Stevenson 20 Culvert Street Nashville TN 37210 andy.stevenson@akzonobel.com	Phone: (615) 259-2430 Cell: (623) 203-8337 Fax: (615) 255-7903  www.akzonobel.com	<b>Resicoat RB600 HKF30R</b>     approved 4 /30/2008
Dupont Coating Solutions, Inc. Bob Batchelor 6131 McCauley Rd. Valley Springs CA 95252 robert.e.batchelor@usa.dupont.com	Phone: (209) 772-9411 Cell: (209) 815-4650 Fax: (209) 772-9411  www.dupontpowder.com	<b>7-2719 Nap Gard</b>     approved 1 /22/2001
Dupont Coating Solutions, Inc. Bob Batchelor 6131 McCauley Rd. Valley Springs CA 95252 robert.e.batchelor@usa.dupont.com	Phone: (209) 772-9411 Cell: (209) 815-4650 Fax: (209) 772-9411  www.dupontpowder.com	<b>7-2750 Nap Gard</b>     approved 1 /22/2001
Valspar Corporation Karl Jorgenrud P.O. Box 1461 Minneapolis MN 55440 kjorgenrud@valspar.com	Phone: (612) 851-7036 Cell: (612) 309-5900 Fax: (612) 465-2676  www.valspar.com	<b>Lilly Greenbar #720A009</b>     approved 4 /4 /2000
Valspar Corporation Sandra Goebel 1101 South 3rd Street Minneapolis MN 55415 sgoebel@valspar.com	Phone: (651) 324-6031 Cell: Fax: (952) 835-1988  www.valsparindustrial.com	<b>Vectrashield</b>     approved 3 /28/2017

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ardex LP Dennis Layne 400 Ardex Park Drive Aliquippa PA 15001 dennis.layne@ardexamericas.com	Phone: (724) 203-5000 Cell: (602) 418-1292 Fax: (724) 203-0373  www.ardexamericas.com	<b>Transportation Repair Mortar (TRM)</b>     The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 10/31/2013
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488  www.atlasform.com	<b>Atlas Pro-1 Patch</b>     The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 5 /14/2009
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067  www.buildingstystems.basf.com	<b>Master Emaco S466 CI</b>     The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 1 /3 /2002

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	<b>Master Emaco T10-60</b> Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067 www.buildingstystems.basf.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /3 /2002
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	<b>Master Emaco T545 DOT</b> Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067 www.buildingstystems.basf.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /3 /2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>Ulti Pave3</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6 /28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>UltiGrout</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6 /28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>Utility Fill One Step</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6 /28/2010
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	<b>RS Cement All</b> Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270 www.ctscement.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	<b>RS Concrete Mix</b> Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270 www.ctscement.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	<b>RS DOT Repair Mix</b> Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270 www.ctscement.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	<b>Phone:</b> (800) 929-3030 <b>Cell:</b> (626) 833-8838 <b>Fax:</b> (714) 379-8270  www.ctscement.com	<b>RS Motar Mix</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. RS=Rapid Set  approved 1 /27/1994
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>Phone:</b> (801) 671-3658 <b>Cell:</b> <b>Fax:</b>  www.daytonsuperior.com	<b>Dayton Superior HD-50</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 9 /30/1996
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>EucoSpeed</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 9 /23/1998
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>EucoSpeed MP</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 9 /23/1998
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>Express Repair</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 3 /16/2006
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>Hi-Flow Grout</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 3 /16/2006
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>Speed Crete 2028 Rapid</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 1 /8 /2004
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Phone:</b> (800) 321-7628 <b>Cell:</b> (216) 692-8305 <b>Fax:</b> (216) 531-9399  www.euclidchemical.com	<b>Speed Crete Green Line</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.  approved 1 /8 /2004

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Five Star Products Incorporated Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarpromducts.com	<b>Highway Patch</b> Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarpromducts.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /30/1996
Five Star Products Incorporated Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarpromducts.com	<b>Structural Concrete</b> Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarpromducts.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /30/1996
Henkel Loctite Tom Lopez 3093 Remington Way Tracy CA 95377 tom.lopez@henkel.com	<b>Loctite MagnaCrete</b> Phone: (209) 834-5547 Cell: (209) 650-8317 Fax: www.henkelna.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 4 /10/2006
HP Concrete Repair Materials, Inc. John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com	<b>High Performance Concrete</b> Phone: (949) 470-3225 Cell: Fax: (949) 470-3888 www.concreterepair.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /3 /2002
MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planitop 18</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
R.A. Lucas Company, Inc. Raeleen Lucas 5182 Katella Ave., Suite 1048 Los Alamitos CA 90720-2853 lucasco@ralucasco.com	<b>Phosocrete HC</b> Phone: (562) 799-6160 Cell: Fax: (562) 799-6150 www.ralucasco.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	<b>Sikacrete 321FS</b> Phone: (925) 785-6241 Cell: Fax: usa.sika.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 12/28/2016
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	<b>Sikaquick 2500</b> Phone: (925) 785-6241 Cell: Fax: usa.sika.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 12/28/2016



**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 cbuchanan@specchemllc.com	Phone: (913) 233-9700 Cell: Fax:  www.specchemllc.com	<b>Repcon 928</b>	the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc, unless pre-approved through Materials Division for other applications. approved 5 /7 /2013
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771  www.uscproducts.com	<b>HP Cement</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 10/22/2004
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC Quickset</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC R3</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC STR Mortar</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 8 /29/2008
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch Concrete</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 9 /3 /2014
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch EXT</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. approved 3 /24/2017

**609.02.01a FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>US SPEC V/O Patch</b> Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.uspec.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 3 /24/2017
WR Meadows Incorporated of Arizona Lauren Mazza 4220 South Sarival Avenue Goodyear AZ 85338 lmazza@wrmeadows.com	<b>Futura 15 Fast Setting Concrete</b> Phone: (623) 932-9383 Cell: Fax: (623) 932-1547 www.wrmeadows.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 8 /21/2008

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	<b>A-67 Interceptor</b> Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	<b>MHD 12 (12" ID)</b> Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	(12" Trench Drain System). This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	<b>MHD 8 (8" ID)</b> Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	(8" Trench Drain System). This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	<b>Polydrain</b> Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	<b>XHD</b> Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /17/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>FG200 Concrete</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>S100K Concrete</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>S300K Concrete</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>TrafficDrain</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003
Hubbell Lenoir City, Inc. Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	<b>Polycast 700</b> Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 3 /2 /2005
Hubbell Lenoir City, Inc. Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	<b>Polycast 900R</b> Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 9 /18/2012
Multidrain Systems Incorporated Steve Born PO Box 7107 Statesville NC 28687 steve.born@multidrainsystems.com	<b>EconoDrain</b> Phone: (866) 634-6057 Cell: (704) 873-9081 Fax: (704) 873-9082 www.multidrainsystems.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 4 /6 /2004
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	<b>MultiDrain</b> Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 4 /6 /2004
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.delre@zurn.com	<b>Z-882 (9.25" Wide)</b> Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 3 /28/2003

**609.02.01c TRENCH DRAINS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.delre@zurn.com	Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	<b>Z-886 (4" Wide)</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 3/28/2003

**610.02.01 ARTICULATED CONCRETE BLOCK**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Basalite Concrete Products, LLC James Motarex 335 Greg Street Sparks NV 89431-6295 james.motarex@paccoast.com	Phone: (775) 358-1200 Cell: (775) 745-1286 Fax: (775) 359-5997 www.basalite.com	<b>UltraFlex</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 11/18/2009
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax:	<b>Armorflex</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 10/23/2008
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax:	<b>Petraflex</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 10/23/2008
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanescompanies.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (760) 431-2453 www.hanesgeo.com	<b>Armorflex</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 1/21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	<b>Shorblock</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 3/23/2009
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511 www.shoretac.com	<b>Shoretac</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 3/23/2009
Soil Retention Products, Inc. Nick Jansson 2501 State Street Carlsbad CA 92008 njansson@soilretention.com	Phone: (760) 966-6090 Cell: Fax: (760) 966-6099 www.soilretention.com	<b>Enviroflex</b> This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 8/23/2011

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>ACO DWD</b>	Approved NV Red ONLY     approved 2 /26/2009
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>DWD Heritage</b>	Approved NV Red ONLY     approved 2 /26/2009
ADA Tactile Systems John Rapacz 2210 West Shangrila Phoenix AZ 85029 johnr@getsuredome.com	Phone: (602) 843-8710 Cell: (602) 694-2301 Fax: (602) 843-8715  www.getsuredome.com	<b>SureDome</b>	Approved for NV Red and NV Green     approved 12/10/2008
Advanced Surface Systems, Inc. (ASSI) Karen "KC" Hemry 509 Radford Place Knoxville TN 37917 kchemry@hotmail.com	Phone: (865) 540-3833 Cell: (865) 206-4789 Fax: (865) 540-3933  www.suredome.com	<b>SureDome</b>	Approved for NV Red and NV Green     approved 10/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731  www.arcis-corp.com	<b>ADA Arcis Tactile</b>	Approved for NV Red and NV Green     approved 9 /2 /2008
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742  www.armorcastprod.com	<b>Armorcast DWS</b>	Approved for NV Red and NV Green     approved 2 /28/2011
StrongGo, LLC Jennifer Rinn 3296 East Hemisphere Loop Tucson AZ 85706-5013 jrinn@stronggo.com	Phone: (866) 439-3216 Cell: (502) 547-3510 Fax: (502) 547-3515  www.stronggo.com	<b>TekWay Dome Tiles</b>	Approved for NV Red and NV Green     approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282  www.transpo.com	<b>Step-Safe DWS</b>	Approved for NV Red and NV Green     approved 3 /26/2004

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
United Diamond & Stone, Inc. Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263 www.uniteddiamond.com	<b>Cast-in-Tact 3</b> Approved for NV Red and NV Green approved 8 /20/2009

**616.02.01 PLASTIC FENCE FABRIC**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax: www.contech-cpi.com	<b>Safety Geogrid</b> approved 5 /15/2002
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 www.conwedplastics.com	<b>Safety Fence</b> approved 10/10/1999

**618.02.01a GUARDRAIL TERMINAL (FLARED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>Fleat 350</b> TL-3 Compliant approved 9 /29/2009
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>Fleat SP</b> TL-3 Compliant approved 9 /29/2009
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>SRT 350</b> approved 3 /30/1997

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>MSKT (MASH Sequentially Kinking Terminal)</b> MASH, TL-3 Compliant approved 12/28/2016

**618.02.01b GUARDRAIL TERMINAL (TANGENTIAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>SKT 350</b> TL-3 Compliant approved 1 /12/1998
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>SKT Lite</b> TL-3 Compliant approved 1 /12/1998
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722 www.roadsystems.com	<b>SKT SP</b> TL-3 Compliant approved 1 /12/1998
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>CAT 350</b> TL-3 Compliant approved 3 /30/1997
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>ET Plus</b> TL-3 Compliant approved 6 /20/2016

**618.02.01c GUARDRAIL OFFSET BLOCKS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	<b>Glue Laminated Wood</b> Used with w-beam and tri-beam guardrails approved 3 /10/2004
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>King-Block</b> Used with steel post tri-beam guardrails approved 5 /31/2005
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>King-Sized King Block</b> Used with steel post tri-beam guardrails approved 5 /31/2005

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Carsonite Composites Ernest Joyner 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	<b>Flexguard Post System</b>	Type 2; standard surface and soil/ground mount options available	approved 1 /17/2013
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>RT 360 HD BD Tub</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>RT 360 HD Tub</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>SH Barrier Replaceable</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>SH Dura Post</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>SH K-Marker</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>SH Tubular</b>	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	approved 10/5 /2008
NDM Marketing Systems, Inc. Dale Wheeler 26 Gateway Drive Jasper GA 30143 info@ndm-inc.com	<b>TSM Series</b>		approved 9 /3 /2014



**619.02.01 GUIDEPOSTS (FLEXIBLE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Complete Curb</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and soil/ground mount options available approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model EFX</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and soil/ground mount options available approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model PE</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and soil/ground mount options available approved 10/15/1999
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model UR</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and soil/ground mount options available approved 10/15/1999
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Driveable Del</b> Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Type 2; standard surface and surface/soil mount options available approved 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Shur-Flex Guardrail Clamp</b> Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Type 2; standard surface and surface/soil mount options available approved 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Shur-Tite Cable Barrier</b> Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Type 2; standard surface and soil/ground mount options available approved 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Socket Mt Del</b> Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Type 2; standard surface and surface/soil mount options available approved 4 /30/2009

**619.02.01 GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417  www.shur-tite.com	<b>Surface Mt Del</b> Type 2; standard surface and surface/soil mount options and angled mounts  approved 4 /30/2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 5500 Earthflex Del</b> Type 2; standard surface and surface/soil mount options available  approved 12/3 /2002

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>Island Sentry K-Marker</b> Type 2; standard surface and surface/soil mount options available  approved 8 /1 /1989
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD Bolt Down</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD Tubular</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH Dura Post 36"</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH K-Marker Series</b> Type 2; standard surface and soil/ground mount options available  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH Replaceable Barrier</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>SH Tubular</b> Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	Type 2; standard surface and soil/ground mount options available	approved 10/5 /2008
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>BD Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	approved 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>HM Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	approved 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>T1 Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	approved 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>T2 Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	approved 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Complete Curb</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model PE</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model UR</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	approved 6 /19/2009

**619.02.01a OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>FG 300 Turn Pike Curb</b> Type 2; standard surface and surface/soil mount options available  approved 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Type K Island Marker</b> Type 2; standard surface and surface/soil mount options available  approved 9 /13/2007
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417  www.shur-tite.com	<b>Shur-Flex Driveable</b> Type 2; standard surface and surface/soil mount options available  approved 2 /2 /2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 5215 K Marker</b> Type 2; standard surface and surface/soil mount options available  approved 12/3 /2002

**623.01.01 DYNAMIC MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700  www.daktronics.com	<b>Light-Emitting Diode DMS</b> Type 1 and type 2  approved 1 /7 /2004

**623.02.08 SERVICE PEDESTALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eaton Corporation Tom Barber 6225 South Valley View Suite C Las Vegas NV 89118 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771  www.eaton.com	<b>Service Pedestals</b>  approved 1 /7 /2011
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (660) 463-0827 Cell: (714) 743-0712 Fax:  www.milbankmfg.com	<b>Metered Service Pedestals</b>  approved 1 /15/2002

**623.02.08 SERVICE PEDESTALS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Myers Power Products Diana Grootenk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: (949) 375-3399 Fax: (909) 923-1806  www.myerspowerproducts.com	<b>Service Pedestals</b> +UPS/BBS   approved 9 /5 /2000
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116  www.pedestals.net	<b>Service Pedestals</b>    approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 8440 Florin Road Sacramento CA 95828 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 403-0013  www.tescocontrols.com	<b>Tescoflex Service Pedestals</b>    approved 11/21/2002

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086  www.chmindustries.com	<b>Series 426</b> Bottom latching   approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 14904 E. Summit Drive Fountain Hills AZ 85268 himastltg@aol.com or Eaglekaren@aol.com	Phone: (847) 473-3800 Cell: (847) 247-1100 Fax: (480) 248-6730  www.eaglehighmast.com	<b>High Mast Assembly</b> Bottom latching   approved 1 /2 /2004
Holophane Corporation John Caratozzolo, LC 42425 N 10th Avenue Phoenix AZ 85086 jcaratozzolo@holoplane.com	Phone: (623) 465-9135 Cell: (480) 227-7823 Fax: (866) 616-5189  www.holophane.com	<b>Series Holophane LD5 Lighting Lowering D</b> Bottom latching   approved 1 /2 /2004

**623.02.16 DUCT SEALING COMPOUND**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483  www.idealind.com	<b>Duct Seal</b>    approved 10/7 /2009

**623.02.16 DUCT SEALING COMPOUND**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Rectorseal Shawn Sites 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 263-8001 Cell: (800) 231-3345 Fax: (713) 263-7577 www.rectorseal.com	<b>RectorSeal</b> approved 10/7 /2009

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
High Leah Electronics, Inc. (see remarks) Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053 www.diamondtraffic.com	<b>Brass Linguine Class 1</b> This company is doing business as Diamond Traffic Products. approved 1 /11/2001
Measurement Specialties, Inc. Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297 www.meas-spec.com	<b>Roadtrax BL Sensor Brass Linguine Class 1</b> approved 5 /26/1999

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	<b>5000 Rubberized Loop</b> Rubberized asphalt material approved 6 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3m.com/tcm	<b>P/N 606 Detector Loop</b> Rubberized asphalt material approved 6 /16/2000
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	<b>271 Loop Detector</b> Rubberized asphalt material approved 8 /5 /1998
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	<b>272 Loop Detector</b> Rubberized asphalt material approved 8 /5 /1998

**623.02.30e VEHICLE DETECTOR SEALANTS (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Durant Performance Coating, Inc. Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405 www.durantcorp.com	<b>Stat-a-Flex Polyester Loop</b> Polyester material approved 11/19/1996
Quikrete Company Rob Hernandez 7705 Wilbur Way Sacramento CA 95828 rhernandez@quikrete.com	Phone: (916) 689-8840 Cell: (916) 248-2139 Fax: (916) 689-8857 www.quikrete.com	<b>Commercial Grade Permanent Blacktop Repair #1701</b> Asphaltic concrete material approved 1 /1 /2001
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Perm Sealer 974 Nitrile</b> Nitrile rubber material approved 12/19/1996
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Pro Seal 6006 Polyester</b> Polyester material approved 12/19/1996
Reed & Graham Company Peter Fitzpatrick 690 Sunol Street San Jose CA 95126 peter@rginc.com	Phone: (408) 287-1400 Cell: (408) 421-2833 Fax: (408) 294-3696 www.rginc.com	<b>Overkote Loop Filler</b> Asphaltic emulsion material approved 8 /5 /1998

**623.02.31 DRIVER FEEDBACK SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Traffic Logix Brett Ferrin 3 Harriett Lane Spring Valley NY 10977 bferrin@trafficlogix.com	Phone: (866) 915-6449 Cell: (801) 371-8784 Fax: (866) 995-6449 www.trafficlogix.com	<b>Driver Feedback Signs</b> approved 6 /14/2011
TraffiCalm Systems/MOR Manufacturing Karen Hentemann 5676 East Seltice Way Post Falls ID 83854 khentemann@trafficalm.com	Phone: (855) 738-2722 Cell: (208) 691-0102 Fax: www.mormanufacturing.com	<b>TraffiCalm/DriveBrite Radar Driver Feedback Signs</b> approved 1 /13/2011

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	<b>LED 12" Signal Heads (all)                      16"x18" Ped Signal Hea</b> Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-3110 www.dialight.com	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 3 /26/2002
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 vendor@eoius.com	<b>LED Traffic Signal</b> Phone: (909) 784-3333 Cell: (626) 823-8639 Fax: (909) 784-3330 www.eoius.com	12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 6 /17/2008
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 vendor@eoius.com	<b>Pedestrian Traffic Signal</b> Phone: (909) 784-3333 Cell: (626) 823-8639 Fax: (909) 784-3330 www.eoius.com	12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 6 /17/2008
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>TSL-12G-LX-IL6-A1-P3</b> Phone: (903) 935-2695 Cell: (903) 399-8055 Fax: (408) 518-8128 www.leotek.com	approved 4 /2 /2015
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>TSL-12R-LX-IL6-A1-P3</b> Phone: (903) 935-2695 Cell: (903) 399-8055 Fax: (408) 518-8128 www.leotek.com	approved 4 /2 /2015
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>TSL-12Y-LX-IL6-A1-P3</b> Phone: (903) 935-2695 Cell: (903) 399-8055 Fax: (408) 518-8128 www.leotek.com	approved 4 /2 /2015
Leotek Electronics USA Corp Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>LED 12" Signal Heads (all)                      16"x18" Tinted Ped</b> Phone: (408) 380-1788 Cell: (903) 935-2695 Fax: (408) 518-8128 www.leotek.com	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 4 /6 /2010
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>TSL-PED-16-CIL-9 16"                      Countdown LED FH/MP</b> Phone: (408) 380-1788 Cell: (903) 935-2695 Fax: (408) 518-8128 www.leotek.com	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 4 /6 /2010



**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	Phone: (408) 380-1788 Cell: (903) 935-2695 Fax: (408) 518-8128  www.leotek.com	<b>TSL-PED-16-CIL-P1</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/7 /2012
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	Phone: (408) 380-1788 Cell: (903) 935-2695 Fax: (408) 518-8128  www.leotek.com	<b>TSL-PED-16-DIL 16" LED FH/MP Indication</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 4 /6 /2010
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771  www.lumination.com	<b>LED 12" GTx Signal Heads Pedestrian Signal Heads</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/3 /2011
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	Phone: (602) 344-7770 Cell: (602) 326-5698 Fax: (602) 344-7771  www.lumination.com	<b>LED 12" Signal Heads</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 3 /26/2002
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	Phone: (972) 480-0888 Cell: Fax: (972) 480-8884  www.trastarusa.com	<b>JXC-300HFT Series LED Vehicular Lamps</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/6 /2012
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	Phone: (972) 480-0888 Cell: Fax: (972) 480-8884  www.trastarusa.com	<b>JXJ300-07 Omni-directional "Tinted" Led Arrow</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/6 /2012
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	Phone: (972) 480-0888 Cell: Fax: (972) 480-8884  www.trastarusa.com	<b>JXM 300/400 VIE Series Countdown Pedestrian Lamps</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/6 /2012

**623.03.15 SIGN LIGHTING FIXTURES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237  www.gelightingssystem.com	<b>85 Watt Induction Versaflood III Induction</b>  (MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004) ***Product will be discontinued on January 1, 2017***  approved 1 /17/2003

**623.03.15 SIGN LIGHTING FIXTURES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237  www.gelightingsystems.com	<b>GTx LED Signal Modules</b>     approved 11/14/2011

Holophane Corporation John Caratozzolo, LC 42425 N 10th Avenue Phoenix AZ 85086 jcaratozzolo@holoplane.com	Phone: (623) 465-9135 Cell: (480) 227-7823 Fax: (866) 616-5189  www.holophane.com	<b>Panel Vue Series Model 85QLXXDG/QD/Door Prop</b>     approved 1 /17/2003
--	---	---

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@lumitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076  www.lumitrak.com	<b>Lumi Trak</b>     approved 10/11/2000

**623.05.26 RED LIGHT DETECTORS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (750) 727-8100 Fax: (760) 597-7108  www.mccain-inc.com	<b>Red Light Detector</b>     approved 7 /16/2003

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Bent MFG. CO. BDAA, Inc. Jessica Ybarra 15442 Chemical Lane Huntington Beach CA 92649 freight@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368  www.bentmfg.com	<b>MF-180-36 Masterflex</b> Type 3; standard surface/soil mount options available     approved 8 /7 /1996

Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>SDCF</b> Type 3; standard surface/soil mount options available     approved 10/1 /2008
--	---	--

Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>SMDW</b> Type 3; standard surface/soil mount options available     approved 10/1 /2008
--	---	--

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD BD Tub</b>  Type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 11/21/2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD Tub</b>  Type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 11/21/2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559  www.TrinityHighway.com	<b>SH Dura Post</b>  Type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559  www.TrinityHighway.com	<b>SH Replaceable Barrier</b>  Type 3; standard surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Impact Recovery Systems Megan Morris 4955 Stout Drive San Antonio TX 78219 mmorris@impactrecovery.com	<b>Phone:</b> (800) 736-5256 <b>Cell:</b> <b>Fax:</b> (210) 734-6448  www.impactrecovery.com	<b>Surface Mounted Delineator</b>   approved 1 /15/2013
Impact Recovery Systems Megan Morris 4955 Stout Drive San Antonio TX 78219 mmorris@impactrecovery.com	<b>Phone:</b> (210) 736-4477 <b>Cell:</b> <b>Fax:</b> (210) 734-6448  www.impactrecovery.com	<b>Tuff Curb</b>   approved 7 /23/2013
Impact Recovery Systems Megan Morris 4955 Stout Drive San Antonio TX 78219 mmorris@impactrecovery.com	<b>Phone:</b> (800) 736-5256 <b>Cell:</b> <b>Fax:</b> (210) 734-6448  www.impactrecovery.com	<b>Tuff Curb XLP</b>   approved 1 /15/2013
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>Phone:</b> (253) 284-8000 <b>Cell:</b> (253) 284-8005 <b>Fax:</b> (253) 284-8080  www.pexco.com	<b>FG 300 Complete Curb</b>  Type 3; standard surface/soil mount options available  approved 7 /2 /2008

**625.02.01 GUIDEPOSTS (CONSTRUCTION, FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>FG 300 Model PE</b> Type 3; standard surface/soil mount options available  approved 7 /2 /2008
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>FG 300 Model UR</b> Type 3; standard surface/soil mount options available  approved 7 /2 /2008
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>FG 300 UR HD Flex</b> Type 3; standard surface/soil mount options available  approved 7 /2 /2008
Qwick Kurb Incorporated Micheal Hare 1916 US 41 South Ruskin FL 33470 qpl@qwickkurb.com	Phone: (813) 645-5072 Cell: (334) 538-2665 Fax: (813) 645-4856  www.quickkurb.com	<b>Qwick Kurb</b> Type 3; standard surface/soil mount options available  approved 11/21/2008
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417  www.shur-tite.com	<b>Shur-Flex Surface/Soil Mt</b> Type 3; standard surface/soil mount options available  approved 4 /30/2009

**625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FB 33 Flexible Barrier</b>   approved 2 /2 /1993
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FB34</b>   approved 12/28/2016
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FT - Flex Tab</b>   approved 12/28/2016

**625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652  www.hallmanufacturing.com	<b>FlexX 2020</b> w/75 mm X 75mm    approved 12/17/1997
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304  www.irwinhodson.com	<b>A-Shape Highway Traffic Reflector</b> Epoxy shall be used for fastening the reflective marker to the top of the concrete barrier rail   approved 5 /7 /2015
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304  www.ihco.com	<b>Barrier Traffic Reflector Series</b>   approved 9 /3 /2013
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>DAPCO Straight Guardrail Reflector Plates</b> Type II; standard surface and soil/ground mount options available   approved 1 /9 /1995
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>PCBM 12H High Impact</b> Type II; standard surface and soil/ground mount options available   approved 11/3 /2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>PCBM T12H High Impact</b> Type II; standard surface and soil/ground mount options available   approved 11/3 /2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 9300 Roadguide</b>   approved 12/3 /2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 9400 Roadguide</b>   approved 12/3 /2002

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS GP 465</b>     approved 4 /8 /1997
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS T331</b>     approved 4 /8 /1997
Enduron Custom Incorporated Chelsea Smith 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 chelsea.s@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912  www.enduron.net	<b>CMS 80FM</b>     approved 10/13/2004
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 340*</b>     * DISCONTINUING THESE PRODUCTS approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 345*</b>     * DISCONTINUING THESE PRODUCTS approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 345</b>     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 380</b>     approved 4 /10/2000
Precision Solar Control, Inc. Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.precisionsolarcontrols.com	<b>SMC HE 1000</b>     approved 2 /22/1998

**625.02.03a CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517 www.ver-mac.com	<b>PCMS</b> approved 2 /22/1998
Wanco Incorporated Dan Myers 5870 Tennyson Street Arvada CO 80003 dan.myers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	<b>WTLMB(A)</b> Hydraulic tower lift approved 8 /5 /2002
Wanco Incorporated Dan Myers 5870 Tennyson Street Arvada CO 80003 dan.myers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725 www.wanco.com	<b>WTLMB(B)</b> Hand winch tower lift approved 8 /5 /2002
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.workareaprotection.com	<b>Pro-line Arrow Board</b> approved 2 /27/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.workareaprotection.com	<b>PSC SMC 1000 ST</b> approved 7 /18/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.workareaprotection.com	<b>SMC / MMMC 4000 FM Mini</b> approved 2 /27/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683 www.workareaprotection.com	<b>SMC 2000 FM ST</b> approved 11/7 /2012

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ADDco Acquisition, LLC Customer Service 240 Arlington Avenue East St Paul MN 55117 sales@addco.com	Phone: (651) 488-8600 Cell: Fax: (651) 558-3600 www.addco.com	<b>Sign Dot Sign DH1000</b> approved 5 /28/1996

**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS GP465</b>     approved 4 /10/1997
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS T331</b>     approved 4 /10/1997
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 340*</b>     * DISCONTINUING THESE PRODUCTS approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 345*</b>     * DISCONTINUING THESE PRODUCTS approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 345</b>     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 380</b>     approved 4 /10/2000
Precision Solar Control, Inc. Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.precisionsolarcontrols.com	<b>SMC SM 2000</b>     approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517  www.ver-mac.com	<b>PCMS</b>     approved 2 /22/1998



**625.02.03b CHANGEABLE MESSAGE SIGNS (INTELLIGENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger II</b>       approved 8 /14/2009
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger III</b>       approved 8 /14/2009
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger Solar Powered</b>       approved 2 /22/1998

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Energite III</b>       TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 4 /14/1999
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Energite III Module</b>       TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 4 /26/2006
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Quadguard</b>       TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 4 /26/2006
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>React 350</b>       TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 4 /14/1999
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Absorb 350</b>       TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 10/30/2009

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	<b>Universal Tau II</b> Phone: (559) 999-5015 Cell: Fax: www.barriersystemsinc.com	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 10/30/2009
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	<b>XTENUator</b> Phone: (559) 999-5015 Cell: Fax: www.barriersystemsinc.com	TL-3 Compliant; Unit selected must have a manufacturer speed recommendation for design and meet the speed requirements as directed in the Special Provisions. approved 10/30/2009
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 benjamin.gascoigne@PSS-Innovations.com	<b>Crash Gard Sand Barrel</b> Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.PSS-Innovations.com.com	TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 9 /12/2012
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	<b>Big Sandy 48247-SPI Temp</b> Phone: (801) 979-7099 Cell: Fax: (949) 573-9290 www.traffixdevices.com	TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	<b>Big Sandy Sand Barrel</b> Phone: (801) 979-7099 Cell: Fax: (949) 573-9290 www.traffixdevices.com	TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item. approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 CLeMonds@TraFFixDeVices.com	<b>Sentry Longitudinal Energy Dissipater (SLED)</b> Phone: (801) 979-7099 Cell: Fax: (949) 573-9290 www.TraFFixDeVices.com	TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the item. approved 3 /25/2016
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>QuadGuard II Narrow CZ TL-3</b> Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	This (24") attenuator shall only be allowed for use as a temporary end treatment. approved 3 /24/2017
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 gripnedn@earthlink.net	<b>Triton Barrier CET TL-3</b> Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the item. approved 12/28/2016

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>SCI100GM</b>  MASH approved, TL-3 Compliant; Must be mounted on a concrete or asphalt slab; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.  approved 2 /23/2007

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 4475 Delancy Drive Las Vegas NV 89103 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Safe-Stop 180 TMA</b>  TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.  approved 11/3 /1999

Energy Absorption Systems, Inc. Don Gripne 4475 Delancy Drive Las Vegas NV 89103 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SS90HD</b>  TL-3 Compliant;Trailer Mounted - required truck weight 7,300 to 12,000 kg (16,096 to 26,460 lbs). Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 12/4 /2014
--	--	--

Gregory Industries Incorporated Eric Smith 4100 13th Street SW Canton OH 44710 esmith@gregorycorp.com	Phone: (330) 477-4800 Cell: (330) 265-1168 Fax: (330) 477-0626  www.gregorycorp.com	<b>TTMA-100 Trailer Truck Mounted Attenuator</b>  TL-3 Compliant; Trailer Mounted - Minimum support vehicle weight of 10,000lbs (4,535.9kg). Maximum support vehicle weight: unlimited. Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 3 /4 /2015
---	---	---

Lindsay Transporation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>U-MAD Trailer</b>  TL-3 Compliant; Trailer Mounted - Support Vehicle must be 18,998lbs (8613kg) +/-992lbs (450kg). Unit length selected must be 129 inch TL-3 length cushion and must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 2 /25/2015
--	---	---

Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>UMAD TMA</b>  TL-3 Compliant; Truck Mounted - Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 10/10/2011
---	---	--

TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>ScorPion C 10,000</b>  TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.  approved 7 /26/2000
--	---	--

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>MPS 350 III</b> TL-3 Compliant; Truck Mounted - Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs; Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.

approved  
9 /17/1997

**625.02.06 WATER FILLED BARRIER RAIL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742  www.armorcastprod.com	<b>Guardian Barrier Water Filled w/350 Kit</b> Allowed for speeds less than or equal to 45 mph.
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Triton Barrier</b> Use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800</b> Type 3; with or without lights; approved for all speeds.
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 Gate</b> Type 3; with or without lights; approved for all speeds.
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 MDS</b> Type 3; with or without lights; approved for all speeds.
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 VLB</b> Type 3; with or without lights; approved for all speeds.
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Orion Steel Barrier</b> Type 3 Approved for all speeds

approved  
6 /23/1998

approved  
3 /30/1997

approved  
6 /20/2012

approved  
6 /20/2012

approved  
6 /20/2012

approved  
6 /20/2012

approved

12/23/2013

**625.02.06 WATER FILLED BARRIER RAIL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
PolyJohn Enterprise/SinksNMore Div. Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	<b>Phone:</b> (800) 292-1305 <b>Cell:</b> <b>Fax:</b> (219) 659-0625  www.rhinobarriers.com	<b>Rhino Safety Barrier w/350 kit</b> Use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)). *NOTE: 350 kit no longer available*
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559  www.TrinityHighway.com	<b>Traffic Control System 2001</b> allowed for speeds less than or equal to 45 mph.

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-systems.com	<b>Phone:</b> (888) 414-3003 <b>Cell:</b> (662) 566-2025 <b>Fax:</b> (662) 566-7123  www.k-systems.com	<b>Safety Beacon Light</b>  approved 1 / 6 / 1998

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alcan Composites USA, Inc. Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	<b>Phone:</b> (270) 527-4200 <b>Cell:</b> (800) 434-3042 <b>Fax:</b> (270) 527-1552  www.alcancompositesusa.com	<b>Dibond for Highway Work Zone Signage</b> Must conform to section 716. Alpolc sign substrate is allowed only with stands specified by the FHWA letters of acceptance
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>Bone Light 4MM ACM Aluminum Composite</b> Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-412</b> Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-412-2S</b> Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-460</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-460-2S</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-484</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	<b>Phone:</b> (770) 333-1635 <b>Cell:</b> (352) 598-5308 <b>Fax:</b> (770) 333-1639  www.bonesafety.com	<b>SZ-484-2S</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054  www.dicketool.com	<b>DF3000S Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054  www.dicketool.com	<b>DF3000WQ Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054  www.dicketool.com	<b>DF3003S Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054  www.dicketool.com	<b>DF3003W Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>		
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054  www.dicketool.com	<b>DL1003W Dynaflex</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054  www.dicketool.com	<b>UF2000 Uniflex Verticle Portable</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>C200</b>	must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>C202</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>C902 Superflex Compact Stand w/Fiberglass Leaf Spr</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>Superflex Compact Stand w/Fiberglass Leaf Spr</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>X501 FS Coil Spring</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783  www.usa-sign.com	<b>X550 FS Coil Spring</b>	Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 4 /4 /2000

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X551 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X600 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS1</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548A</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548AE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548C</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548CA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003



**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548CAE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548CE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548E</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UC</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UCA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UCR</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UCRA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS560</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>Phone:</b> (800) 296-6050 <b>SS560A</b> <b>Cell:</b> (804) 262-6050 <b>Fax:</b> (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4812</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4814K Windmaster</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4815RB</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4818</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4850RB</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4860KC</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>Phone:</b> (800) 521-6776 <b>4884CS</b> <b>Cell:</b> (248) 488-5762 <b>Fax:</b> (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>Big Buster Dual SF</b> Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance; SF=Spring Folding	approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>Economy Plastic FB</b> Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance; FB= Folding Bar	approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>Little Buster Dual SF</b> Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance; SF=Spring Folding	approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>Zephyr Portable Stand</b> Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance.	approved 3 /22/2000

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Bent MFG. CO. BDAA, Inc. Jessica Ybarra 15442 Chemical Lane Huntington Beach CA 92649 freight@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368  www.bentmfg.com	<b>All Plastic Universal Waffle &amp; Steel Legged</b> Type 1 and type 2; with or without lights	approved 5 /2 /2006
Bent MFG. CO. BDAA, Inc. Jessica Ybarra 15442 Chemical Lane Huntington Beach CA 92649 freight@bentmfg.com	Phone: (888) 842-0600 Cell: (714) 842-0600 Fax: (888) 842-2368  www.bentmfg.com	<b>Plywood Panel Barricade</b> Type 3; with or without lights	approved 3 /10/2000
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460  www.hwy-tech.com	<b>Barricade</b> Type 3 with or without lights	approved 1 /10/2000
Impact Recovery Systems Megan Morris 4955 Stout Drive San Antonio TX 78219 mmorris@impactrecovery.com	Phone: (800) 736-5256 Cell: Fax: (210) 734-6448  www.impactrecovery.com	<b>Type III Barricade</b>	approved 1 /15/2013

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type I Barricade (Wood/Steel)</b>	Type I Barricade wood/steel 8" panel only	approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type I Roadmarker Barricade (All Plastic)</b>		approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type II Barricade (Wood/Steel)</b>	Type II Barricade wood/steel 8" panel only	approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type II Roadmarker Barricade (All Plastic)</b>		approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type III Barricade (Wood/Steel)</b>	Type III Barricade wood/steel 8" panel only	approved 12/3 /2012
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Barricade</b>	Type 3B; with or without lights	approved 11/5 /2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>O-Frame Barricade</b>	Type 3B; with or without lights	approved 11/5 /2009
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074  www.plasticade.com	<b>Plasticade Angle Iron Type III Barricade</b>	Type 3	approved 12/31/2012

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	<b>Plasticade Telespar Type III Barricade</b> Type 3 approved 12/31/2012
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 955-8074 www.plasticade.com	<b>Sentinel</b> approved 2/21/2007
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 benjamin.gascoigne@PSS-Innovations.com	Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.PSS-Innovations.com	<b>Anchor Barricade</b> Type 3; with or without lights approved 5/5/2010
R.A. Lucas Company, Inc. Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	Phone: (562) 799-6160 Cell: (714) 397-4428 Fax: (562) 799-6150 ralucasco.com	<b>42" Channelizer</b> Type 3; standard surface/soil mount options available approved 1/23/2001
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2100 Works Barricade</b> Type 1 and type 2 Cannot be used in configuration that is wider than was tested - 24" approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2150 Works Barricade</b> Type 1 and type 2 Vannot be used in configuration that is wider than was tested - 24" approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2200 Works Barricade</b> Type 1 and type 2 Cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	<b>TD 2250 Works Barricade</b> Type 1 and type 2 Cannot be used in configuration that is wider than was tested approved 10/14/2004

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2300 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2400 All Plastic</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3B; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2500 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2550 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2600 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2650 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 3000 A Frame Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2 Cannot be used in configuration that is wider than was tested approved 12/3 /2002
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	<b>Economy Plastic Folding Bar Sand Fill Bag</b> Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290 www.traffixdevices.com	Type 3; with or without lights approved 4 /3 /2000

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>200/M w/Temporary Signal Model # 2001</b> Type 3; with or without lights  approved 3 /10/2004
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>Lane Changer B500 LC Traffic Drum</b> Type 3; with or without lights  approved 7 /12/2010

**627.02.01a POLYCARBONATE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
No Vendors at this Time *** *** ***	Phone: *** Cell: Fax:	approved 11/4 /2008

**630.02.01 HEADLIGHT GLARE SCREENS MODULAR UNITS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>Modular Guidance System</b>  approved 10/1 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Glare Screen System</b>  approved 7 /31/1996
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539  www.flexstake.com	<b>Glare Screen System</b>  approved 7 /31/1996

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Flint Trading Incorporated Ed Vodegel 115 Todd Court Thomasville NC 27360 sales@ennisflint.com	Phone: (336) 475-6600 Cell: (916) 205-7073 Fax: (336) 475-7900  www.ennisflint.com	<b>LTL-2000 discontinuing</b> 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies  approved 6 /1 /1999

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Flint Trading Incorporated Ed Vodegel 115 Todd Court Thomasville NC 27360 sales@ennisflint.com	Phone: (336) 475-6600 Cell: (916) 205-7073 Fax: (336) 475-7900  www.ennisflint.com	<b>LTL-X 30 Meter Geometry</b>     approved 6 /1 /1999
Mirolux Products Incorporated William Kaiser 12571 S. Deer Canyon Lane Draper UT 84020-3105 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394  www.miroluxproducts.com	<b>Mirolux Ultra 30</b>     approved 12/26/1999
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286  www.roadvista.com	<b>LaserLux CEN 30</b> <b>LaserLux CEN 30 Mobile</b> 10/08 MX 30 Retroreflectometer was discontinued but still qualifies; 12/16 CEN 30 both the mobile and portable units have been discontinued but still qualify. approved 12/5 /2016
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286  www.roadvista.com	<b>StripeMaster Series I</b>     approved 5 /27/2010
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286  www.roadvista.com	<b>StripeMaster Series II</b>     approved 5 /27/2010

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303  www.alpinemarkings.com	<b>DDOT ABS</b> 100 mm (4") round    approved 6 /2 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>929 ABS</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round  approved 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>929 PP</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round  approved 6 /1 /1999



**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>Ceramic</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round  approved 6 /1 /1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085  www.glowlitemarket.com	<b>W: Type A/4"</b> <b>Y: Type AY/4"</b> 100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective  W = White; Y = Yellow approved 3 /7 /2005
Hi-Way Safety Incorporated Luke de Leon 13310 5th Street Chino CA 91710 Ideleon@hiwaysafety.com	Phone: (909) 591-1781 Cell: (909) 591-1781 Fax: (909) 627-0999  www.hi-waysafety.com	<b>W: ABS DOT 4"</b> <b>Y: ABS DOT 4"</b> <b>Y: ABS DOT 4" Non R</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round (non reflective)  W = White; Y = Yellow; R = Reflective approved 6 /1 /1999
Interstate Sales Mike Trentman 12600 Locksley Lane, Suite 200 Auburn CA 95602 mike@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994  www.interstatesales.com	<b>Diamond Back (ABS &amp; Polypropylene)</b> 100 mm (4") round (ABS & Polypropylene)  approved 6 /1 /1999
NovaShield Industrial Incorporated Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 92606-5106 norman@novashield.com	Phone: (714) 656-3659 Cell: Fax: (925) 215-2549  www.nvoashield.com	<b>W: ADOT</b> <b>Y: ADOT</b> <b>W: CDOT</b> <b>Y: CDOT</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round 100 mm (4") round  W = White; Y = Yellow approved 3 /20/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 10000 Series</b> 100 mm (4") round  approved 12/4 /2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>290 Durable Raised</b> 89 mm x 100 mm (3.6"X4")  approved 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>921 AR</b>  approved 6 /1 /1999

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>911 Ab</b> 100 mm (4") round    approved 2 /6 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>953 Ab</b> 100 mm (4") round    approved 2 /6 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>C80 FH Raised</b> 100 mm (4") round    approved 2 /6 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>C88 Ab</b> 100 mm (4") round    approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>AA</b> 100 mm x 100 mm (4"X4")    approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>ARC</b> 100 mm x 100 mm (4"X4")    approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>Round Shoulder ARC</b> 100 mm x 100 mm (4"X4")    approved 6 /1 /1999

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Phone: (336) 475-6600 Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com www.ennisflint.com	<b>944SB</b>	58 mm x 119 mm (2.3"x4.7") approved 2 /6 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Phone: (336) 475-6600 Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com www.ennisflint.com	<b>948</b>	51 mm x 119 mm (2"x4") approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com www.rayolite.com	<b>2002</b>	58 mm x 19 mm (2.3"x4.6") approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com www.rayolite.com	<b>2004</b>	58 mm x 19 mm (2.3"x4.6") approved 6 /1 /1999

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com www.crafco.com	<b>34270 Hot Applied Flexible</b>	approved 6 /16 /1998
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com www.flintrtrading.com	<b>Bundy 12 cm X 12 cm Pad; (5" X 5") Pad</b>	White color on plantmix and back color on PCCP approved 5 /4 /1998
Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com www.henry.com	<b>Dotstick Bituminous</b>	approved 9 /29 /2003

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Martin Asphalt Dolly Navarrete 300 Christy Place South Houston TX 77587 dnavarrete@martinmlp.com	Phone: (713) 941-4410 Cell: (713) 818-1005 Fax: (713) 947-4906  www.martinasphalt.com	<b>172542 Evergrip Bituminous</b>     approved 6 /15/1998
Martin Asphalt Company Dolly Navarrete 300 Christy Place South Houston TX 77587 dolly.navarrete@martinmlp.com	Phone: (713) 943-5210 Cell: (713) 941-4410 Fax: (713) 947-4908  www.martinasphalt.com	<b>Evergrip Flexible GTR BMA</b>     approved 6 /15/2016

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>Apex Chip Seal / Overlay Marker</b>     approved 1 /8 /2013
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085  www.glowlitemarkers.com	<b>W: Type 932 (1-way)</b> <b>Y: Type 932 (2-way)</b>  100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective; W = White; Y = Yellow  approved 3 /7 /2005
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Halftrack Model 25</b>    Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Halftrack Model 26</b>    Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>TOM</b>    Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>TRPM (Temporary Overlay)</b>    Work zone pavement markers  approved 11/29/2000

**635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>710 WRR</b>     WRR = Wet Reflective Removable white/yellow available	approved 8 /16/2006
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>200 Construction R</b>     R = Removeable white/yellow available	approved 9 /24/2003
Brite Line Technologies Shea Durkin 10660 E. 51st Ave Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 100R</b>     R = Removeable white/yellow available	approved 6 /15/1999
Brite Line Technologies Shea Durkin 10660 E. 51st Ave Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 200R</b>     R = Removeable white/yellow available	approved 6 /15/1999
Brite Line Technologies Shea Durkin 10660 E. 51st Ave Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Deltaline TWR</b>     TWR = Temporary Wet Removeable white/yellow available	approved 6 /15/1999
Swarco Industries / Traffic Mgt Johnathan Knudson 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Director 2 - (DG) Director 2 (DG-WR)</b>     DG = Detour Grade WR = Wet Reflective white/yellow available	approved 4 /26/1999
Tape4 LLC Greg Gibson 2940 Mary Avenue St Louis MO 63144 greg@tape4.com	Phone: (314) 968-2569 Cell: Fax: (314) 968-0494  www.tape4.com	<b>Aztec III R</b>     R = Removeable white/yellow available	approved 6 /7 /2013
Trelleborg Industri AB Teun Loontjens 23181 Trelleborg Sweden teunlootjens@trelleborg.com	Phone: (464) 105-1536 Cell: (467) 081-5366 Fax: (464) 105-1122  www.trelleborg.com/roadtape	<b>Series R 140 Series RW 140 Series RY 140</b>     R = Removeable white/yellow available	approved 8 /24/2001

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
------------------------------	---------------------	----------------	--

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alon Asphalt Bakersfield Jim Ryan 1201 China Grade Loop/PO Box 5655 Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 978-9357 <b>Fax:</b> (661) 399-1054  www.alonasphalt.com	<b>Topein S Emulsion</b> Application and dilution rates follow manufacturer's instructions  approved 2 /28/2002
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	<b>Phone:</b> (800) 527-2101 <b>Cell:</b> (214) 415-3984 <b>Fax:</b> (972) 247-7111  www.arrowmagnolia.com	<b>Road Boss</b> Application and dilution rates follow manufacturer's instructions  approved 11/8 /2005
Dallas Roadway Products, Inc. Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	<b>Phone:</b> (972) 803-6708 <b>Cell:</b> (702) 405-0351 <b>Fax:</b> (972) 596-8418  www.dallasroadway.com	<b>Dust Control DC-22</b> Application and dilution rates follow manufacturer's instructions  approved 6 /19/2006
Eco-Infrastructure Solutions, LLC Greg Martinez 701 North St. Vrain Street El Paso TX 79902 greg@eco-infrastructuresolutions.com	<b>Phone:</b> (915) 276-0879 <b>Cell:</b> <b>Fax:</b> (915) 276-0879  www.eco-infrastructuresolutions.com	<b>DustStop</b> Application and dilution rates follow manufacturer's instructions  approved 5 /6 /2010
EnviRoad, LLC Swayne Walther 2606 North Newark Street Portland OR 97217 swayne@enviroad.com	<b>Phone:</b> (800) 536-2650 <b>Cell:</b> (503) 279-2606 <b>Fax:</b> (503) 279-2621  www.enviroad.com	<b>Earthbind 100</b> Application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water  approved 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (800) 369-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959  www.envirotechservices.com	<b>Lignin (Ammonium Lignosulfonate)</b> Application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%  approved 8 /26/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (775) 852-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959  www.envirotechservices.com	<b>RoadSaver</b>  approved 5 /7 /2015
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Phone:</b> (702) 871-1884 <b>Cell:</b> (702) 871-7976 <b>Fax:</b> (702) 871-3629  www.fluid-tech-inc.com	<b>Trans Seal I</b> Application and dilution rates follow manufacturer's instructions  approved 1 /3 /2002

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799  gmbostoncompany.com	<b>PX 300</b>  Application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area	<b>approved</b> 6 /10/2003
Hercules Environmental, Inc. Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531  www.HerculesEnvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppressant</b>  Application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)	<b>approved</b> 5 /2 /1999
Innovative Turf Solutions Melissa Schrad 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633  www.innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /16/2011
LSC Environmental Products Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>Earth Bound</b>	<b>approved</b> 2 /16/2011
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>EarthGuard</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>EarthGuard Fiber Matrix</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 11/2 /2001
Midwest Industrial Supply, Inc. Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247  www.midwestind.com	<b>EnviroKleen</b>  Application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	<b>approved</b> 1 /13/2000
Midwest Industrial Supply, Inc. Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247  www.midwestind.com	<b>Soil Sement</b>  Application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal	<b>approved</b> 1 /13/2000

**637.02.01 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Plas-Bond</b>	Application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic <b>approved</b> 11/13/2000
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic <b>approved</b> 11/13/2000
Pennzsuppress Corporation Emily Montgomery PO Box 543173 Grand Prairie TX 75054 emily.montgomery@pennzsuppress.com Phone: (469) 853-6168 Cell: Fax: (817) 652-2215 www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b>	Application and dilution rates follow manufacturer's instructions; application rate: 0.9 m2/L (36 sq ft / gal) (apply twice); can be used in travel-ways ONLY; application is restricted from within 50 feet of any body of water. <b>approved</b> 5 /2 /1999
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 12/10/2003
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Poly-Tex</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 12/10/2003
Soilworks, LLC Chad Falkenberg 7580 N. Dobson Road, Suite 320 Scottsdale AZ 85256 info@soilworks.com Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 9 /20/2004
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 966-0634 www.usg-erosioncontrol.com	<b>Dust Armour</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 8 /28/2006

**641.02.01 IMPACT ATTENUATORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>Quad Guard Standard</b>	TL-3 Compliant <b>approved</b> 6 /30/2008



**641.02.01 IMPACT ATTENUATORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Quad Guard Wide (69/90)</b> TL-3 Compliant  approved 6 /15/1998
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>QuadGuard Elite 8 Bay</b> TL-3 Compliant  approved 6 /30/2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>React 350 (60/96/120)</b> TL-3 Compliant  approved 6 /15/1998
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Universal Tau II</b> TL-3 Compliant  approved 8 /22/2011
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Universal Tau IIR</b> TL-3 Compliant  approved 8 /22/2011
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>SCI100GM</b> MASH approved, TL-3 Compliant; Approved at all speeds.  approved 2 /23/2007

**642.02.02 CONCRETE PANEL WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hilfiker Retaining Wall Lauren Blankinship 1902 Hilfiker Lane Eureka CA 95503 lauren@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891  www.hilfiker.com	<b>Reinforced Soil Embankment Wall</b>  approved 9 /8 /1998

**642.02.02 CONCRETE PANEL WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  www.reinforcedearth.com	<b>Reinforced Earth Lrg Wall</b>     approved 2 /7 /2001
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  www.reinforcedearth.com	<b>Retained Earth</b>     approved 2 /7 /2001
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Earth</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Large Wall Panel</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Plus</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
Tensar International Corporation Jong Lee 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 jlee@tensarcorp.com	Phone: (770) 344-2090 Cell: (951) 312-0251 Fax: (770) 968-9881  www.tensar-international.com	<b>Ares Retaining Precast Wall</b>     approved 6 /11/1998
Vist-A-Wall Systems Brian Nami 650 Justice Lane Mansfield TX 76063 brian.nami@vistawallsystems.com	Phone: (817) 507-0200 Cell: (281) 923-5565 Fax: (817) 507-0197  www.vistawallsystems.com	<b>Stabilized Earth Walls</b>     approved 8 /28/2013

**642.02.03 SEGMENTAL BLOCK WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Jensen Precast Frank Nunes 625 Bergin Way Sparks NV 89431-5803 fnunes@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 359-1038  www.jensenprecast.com	<b>Redi-Rock</b>     Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications approved 7 /23/2009

**642.02.03 SEGMENTAL BLOCK WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  Pyramid   www.reinforcedearth.com	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications  approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	Phone: (866) 758-3427 Cell: (702) 255-6364 Fax:  KeySteel SQFT MSE Panel   www.keystonewalls.com	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications  approved 5 /15/2002
Tensar International Corporation Jong Lee 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 jlee@tensarcorp.com	Phone: (770) 344-2090 Cell: (951) 312-0251 Fax: (770) 968-9881  MESA   www.tensar-international.com	Permitted only when specified in the contract documents as an acceptable product  approved 1 /1 /2012

**646.02.02 CRACK SEALANTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: Fax: (216) 531-9399  Dural 50   www.euclidchemical.com	approved 8 /29/2009
Liquid Concrete K.C. Sullivan 16915 SE 272 Street Suite 100-143 Covington WA 98042 kcs@liquidconcrete.com	Phone: (800) 201-9300 Cell: (206) 321-0702 Fax: (877) 349-1922  Ure-Kote R-60   www.liquidconcrete.com	approved 7 /11/2007
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax:  Sikadur 55 SLV   usa.sika.com	approved 6 /15/2016
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  Bridge Seal 75%   www.unitex-chemicals.com	approved 8 /29/2009

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Res-Cure</b> ASTM C309 Type 1D approved 9 /2 /2008
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.daytonsuperior.com	<b>Resin Cure w/Dye J11WD</b> ASTM C309 Type 1D approved 1 /8 /2010
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	<b>US SPEC MaxCure Resin Clear</b> ASTM C309 Type 1D approved 2 /6 /2006
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1100 Clear</b> ASTM C309 Type 1D approved 8 /20/2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1300 Clear</b> ASTM C309 Type 1D approved 8 /20/2008
White Cap Steve LaForge 1830 East Lincoln Way Sparks NV 89434 stevelaforge@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300 www.whitecapdirect.com	<b>Resin Cure - Clear VOC</b> ASTM C309 Type 1D approved 9 /4 /2008

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Pro-Cure White</b> PCCP ASTM C309, Type 2, Class A approved 9 /2 /2008
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.daytonsuperior.com	<b>White Wax Cure J9A</b> PCCP ASTM C309, Type 2, Class A approved 8 /29/2008

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	<b>Kurez Vox White</b> PCCP ASTM C309, Type 2, Class A approved 8 /21/1997
SpecChem John Love 1511 Baltimore Ave Ste 600 Kansas City MO 64108 jlove@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 713-2241 Fax: (816) 561-4021 www.specchemllc.com	<b>Atlas Pro-Cure White</b> PCCP ASTM C309, Type 2, Class A approved 1 /22/2014
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City KS 64108 cbuchanan@specchemllc.com	Phone: (913) 233-9700 Cell: Fax: www.specchemllc.com	<b>Pavecure WW</b> PCCP ASTM C309, Type 2, Class A approved 2 /18/2008
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	<b>US SPEC MaxCure Wax White</b> PCCP ASTM C309, Type 2, Class A approved 7 /2 /2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1600 White</b> PCCP ASTM C309, Type 2, Class A approved 8 /21/2008

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Pro-Cure AMS</b> Bridge Decks ASTM C309, Type 2, Class B approved 9 /2 /2008
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.daytonsuperior.com	<b>DSSCC White PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B Bridge Decks ASTM C309, Type 2, Class B approved 6 /17/2008
SpecChem, LLC John Love 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 jlove@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 713-2241 Fax: (816) 561-4029 www.specchemllc.com	<b>Atlas Pro-Cure AMS</b> PCCP ASTM C309, Type 2, Class A approved 1 /22/2014

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 cbuchanan@specchemllc.com	Phone: (913) 233-9700 Cell: Fax:  www.specchemllc.com	<b>Pave Cure AMS</b>    approved 5 /7 /2013
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.usspec.com	<b>US SPEC AMS 3754 White</b> Bridge Decks ASTM C309, Type 2, Class B  approved 6 /17/2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206  www.wrmeadows.com	<b>2245 Bridge Deck Cure</b> Bridge Decks ASTM C309, Type 2, Class B  approved 8 /21/2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206  www.wrmeadows.com	<b>2250 White</b> Bridge Decks ASTM C309, Type 2, Class B  approved 8 /21/2008

**702.03.05 POZZOLANS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Boral Material Technologies, LLC Melissa Garcia 45 NE Loop 410, Suite 700 San Antonio TX 78216 melissa.garcia@boral.com	Phone: (210) 349-4069 Cell: (210) 241-1595 Fax: (210) 491-3413  www.boralflyash.com	<b>Boral Micron 3 Fly Ash Class F</b> Plant: Rockdale, TX  approved 2 /17/2010
Boral Material Technologies, LLC Melissa Garcia 45 NE Loop 410, Suite 700 San Antonio TX 78216 melissa.garcia@boral.com	Phone: (210) 241-1595 Cell: (210) 349-4069 Fax: (210) 491-3413  www.boralflyash.com	<b>Plant Apache Class F Fly Ash</b>  approved 6 /15/2016
Headwaters Resources Larry Bronson P.O. Box 50192 Henderson NV 89016 LBronson@headwaters.com	Phone: (702) 547-6941 Cell: (702) 498-4797 Fax: (702) 547-6941  www.flyash.com	<b>Class F Fly Ash</b> Class F Fly Ash Sources: Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY  approved 2 /17/2010
Nevada Cement Company Scott Murphy I-80 Exit 46, PO Box 840 Fernley NV 89408 smurphy@nevadacement.com	Phone: (775) 575-2281 Cell: (775) 232-4508 Fax: (775) 575-4387  www.nevadacement.com	<b>Pozzolan Class "N"</b> Class N  approved 4 /8 /2011

**702.03.05 POZZOLANS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Salt River Materials Group - Phoenix Cement Co Phone: (480) 850-5757	<b>Pozzolan Class F</b>	Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM approved
Jeff Hearne 8800 East Chaparral Road Suite 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Cell: (602) 321-6040 Fax: (480) 850-5758 www.srmaterials.com	2 /4 /2011
Whitemud Resources Incorporated Thomas O' Neill Bow Valley Square 2 205 - 5 Avenue SW Suite 3900 Calgary, AB, T2P 2V7 Canada info@whitemudresources.com	Phone: (403) 441-8206 Cell: (403) 266-1985 Fax: (403) 263-5035 www.whitemudresources.com	<b>Whitemud</b> approved 2 /4 /2011

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	<b>Roadsaver Silicone SL</b> approved 6 /20/2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-6833 Cell: (303) 880-9614 Fax: (303) 484-6206 www.dowcorning.com	<b>890 SL</b> approved 3 /20/1997
DS Brown Company Ben Jacobus 300 East Cherry Street North Baltimore OH 45872 bjacobus@dsbrown.com	Phone: (800) 848-1730 Cell: (651) 748-8114 Fax: (651) 748-8115 www.dsbrown.com	<b>DSB 900 SL Silicone</b> SL = Self Leveling approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Pecora 300</b> approved 9 /15/2001
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax: usa.sika.com	<b>Sikasil 728 SL</b> approved 4 /10/2006

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535  www.tremcosealants.com	<b>Spectrem 900 SL Formula 974831 w/ 333 Cartridges</b> SL = Self Leveling  approved 5/31/2002

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Carboline Company Debbie Simmons 2150 Schuetz Road Maryland Heights MO 63146 dlsimmons@carboline.com	Phone: (314) 644-1000 Cell: (770) 846-1318 Fax: (314) 587-2693  www.carboline.com	<b>Carbozinc 11 RED OXIDE ONLY</b> Shop Coat: Part A: Base Part B: Zinc Filler 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy - Part A: Resin Part B: Catalyst Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane - Part A: Resin Part B: Urethane Converter 811  approved 12/30/1998
International Paint, LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733  www.international-pc.com	<b>Interzinc 22HS Primer RED OXIDE ONLY</b> Shop Coat: Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS  approved 1/10/2005
PPG Protective & Marine Coatings Tod Savage 1934 Aspen Lane El Cajon CA 92019 tod.savage@ppg.com	Phone: (619) 633-8406 Cell: (619) 633-8406 Fax:  www.ppgpmc.com	<b>Dimetcote 9 Inorganic Zinc RED OXIDE ONLY</b> Shop Coat: Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi-Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure  approved 5/21/2008
Sherwin Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>Zinc Clad II RED OXIDE ONLY</b> Shop Coat: Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65- 150 Series Part B: B65V150  approved 12/30/1998

**716.03.01 REFLECTIVE SHEETING**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
3M Company, Traffic Safety Security Division Eric Dornak P.O. Box 23139 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (701) 743-0012 Cell: Fax:  www.3m.com/tss	<b>RS60/641 Roll-Up Signs</b> Type VI  approved 12/28/2016
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3300 Flex P</b> Type IV  approved 9/10/2010  for Barricades and Cones



**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>334</b> Type IV for Barricades ONLY and Permanent Traffic approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3340 Cone</b> Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3910 FL DG</b> Type IX for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3911 FL Y DG</b> Type IX for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3914 FL DG</b> Type IX for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3924S</b> Type IV for Barricades ONLY and Permanent Traffic approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3930</b> Type IV for Barricades ONLY and Permanent Traffic approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3990 VIP DG</b> Type IX DG=Diamond Grade approved 9 /10/2010

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>Phone:</b> (800) 553-1380 <b>Cell:</b> (702) 743-0012 <b>Fax:</b> (651) 732-8435  www.3M.com/tcm	<b>4000 DG3</b>  Type XI B=Barricade; WZ=Work Zones	approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>Phone:</b> (800) 553-1380 <b>Cell:</b> (702) 743-0012 <b>Fax:</b> (651) 732-8435  www.3M.com/tcm	<b>4080 DG3 WZ</b>  Type XI B=Barricade; WZ=Work Zones	approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>Phone:</b> (800) 553-1380 <b>Cell:</b> (702) 743-0012 <b>Fax:</b> (651) 732-8435  www.3M.com/tcm	<b>444 DG3 B</b>  Type XI B=Barricade; WZ=Work Zones	approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>Phone:</b> (800) 553-1380 <b>Cell:</b> (702) 743-0012 <b>Fax:</b> (651) 732-8435  www.3M.com/tcm	<b>RS-24* Roll-up</b>  Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs	approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>Phone:</b> (800) 553-1380 <b>Cell:</b> (702) 743-0012 <b>Fax:</b> (651) 732-8435  www.3M.com/tcm	<b>RS-34* Roll-up</b>  Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs	approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>Phone:</b> (847) 627-3111 <b>Cell:</b> (847) 588-7257 <b>Fax:</b> (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11500</b>  Type XI OC=OmniCube	approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>Phone:</b> (847) 627-3111 <b>Cell:</b> (847) 588-7257 <b>Fax:</b> (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11511</b>  Type XI OC=OmniCube	approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>Phone:</b> (847) 627-3111 <b>Cell:</b> (847) 588-7257 <b>Fax:</b> (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11513</b>  Type XI OC=OmniCube	approved 7 /29/2010

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11514</b> Type XI OC=OmniCube	approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OV T9500</b> Type IX OV=OmniView	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OV T9511</b> Type IX OV=OmniView	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OV T9513</b> Type IX OV=OmniView	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OV T9514</b> Type IX OV=OmniView	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>S9000C Cone Collar</b> Type VI for reboundable traffic cones ONLY	approved 2 /2 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>T6500 P HI</b> Type IV for temporary traffic control devices, delineators and permanent signs ONLY	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>W6000 P</b> Type IV for temporary traffic control devices, delineators and permanent signs ONLY	approved 7 /10/2001

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>W7514 F</b> Type IV for temporary traffic control devices, delineators and permanent signs ONLY  approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>WR-7100 White R</b> Type IV F= Fluorescent; R= Reboundable  approved 3 /31/2011
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>WR-7114 Orange FR</b> Type IV F= Fluorescent; R= Reboundable  approved 3 /31/2011
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Oralite 5900 High Intensity Prismatic All Colors</b> Type IV  approved 2 /5 /2013
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Oralite 5900 White and Yellow Intensity Prismatic</b> Type IV  approved 2 /5 /2013
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Oralite 5930 Fluorescent Orange Work Zone Rigid</b> Type IX  approved 2 /5 /2013
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE AP 1000</b> Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.  approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE AR 1000</b> Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.  approved 4 /8 /1999

**716.03.01 REFLECTIVE SHEETING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Marathon Roll-up</b> Type VI for use in emergency traffic control construction work zones and utility work areas approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Resilience Channelizer Tape</b> Type IV for use in construction work zones on drums, cones, tubes, posts, and vertical panels approved 4 /6 /2011
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Super Bright Roll-Up</b> Type VI for use in emergency traffic control construction work zones and utility work areas approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Reflective Flag*</b> Type VI *for flagger poles ONLY approved 4 /6 /2011

**726.03.04 HERBICIDES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Control Solutions Incorporated Howard Stoddard 5903 Genoa-Red Bluff Road Pasadena TX 77507-1041 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501  www.controlsolutionsinc.com	<b>Pramitol 25E</b> Application rate: 38L/hectare 25 gal/acre approved 8 /1 /1993
Dow AgroSciences, LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmiller@dow.com	Phone: (916) 525-2633 Cell: (916) 296-2811 Fax: (866) 373-4252  www.dowagro.com	<b>Spike 80 DF</b> Application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application W is a wet formula approved 8 /2 /1993

**726.03.07 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Excelsior Company Kurt Kelsey 831 Pioneer Avenue Rice Lake WI 54868 kkelsey@erosionlab.com	Phone: (715) 236-5643 Cell: (715) 234-6861 Fax: (715) 236-5627  www.curlex.com	<b>Bindex BFM</b> Application and dilution rates follow manufacturer's instructions approved 3 /28/2013

## 726.03.07 MULCH

Vendor Name / Address	Product Name	Remarks
Central Fiber Jeff Ward 1525 Waynesburg Dr, SE Canton OH 44707 sales@centralfiber.com	Phone: (330) 452-2630 Cell: Fax: (330) 452-2644 www.centralfiber.com	<b>Spraymatrix</b> approved 2 /26/2015
Central Fiber Jeff Ward 1525 Waynesburg Dr, SE Canton OH 44707 sales@centralfiber.com	Phone: (330) 452-2630 Cell: Fax: (330) 452-2644 www.centralfiber.com	<b>Spraymatt</b> approved 2 /25/2015
Fiber Marketing International, Inc. Earl Dahlin 11111 East Trent Spokane WA 99206 earl@fmisales.com	Phone: (206) 459-4942 Cell: (509) 927-4071 Fax: (509) 927-2330 www.fmisales.com	<b>Rainier Fiber Bonded Fiber Matrix</b> approved 6 /15/2016
Fiber Marketing International, Inc. Earl Dahlin 11111 East Trent Spokane WA 99206 earl@fmisales.com	Phone: (206) 459-4942 Cell: (509) 927-4071 Fax: (509) 927-2330 www.fmisales.com	<b>Rainier Fiber Premium Wood Fiber Mulch</b> approved 6 /15/2016
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	<b>NaturesOwn Evolution 70 NaturesOwn Mulch</b> Application and dilution rates follow manufacturer's instructions approved 6 /25/1998
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	<b>NaturesOwn Evolution NaturesOwn X9000 Mulch</b> Application and dilution rates follow manufacturer's instructions approved 6 /25/1998
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447 www.hmi-mfg.com	<b>NaturesOwn Mulch with Tac NaturesOwn Mulch</b> Application and dilution rates follow manufacturer's instructions approved 4 /4 /2012
Hydrostraw, LLC Ronald Edwards 22110 S. SR 27 Rockford WA 99030 ron@hydrostraw.com	Phone: (800) 545-1755 Cell: Fax: (815) 468-7450 www.hydrostraw.com	<b>Bonded Fiber Matrix Guar Plus Formulation</b> Application and dilution rates follow manufacturer's instructions approved 8 /30/2011

**726.03.07 MULCH****Vendor Name / Address****Product Name****Remarks**

Hydrostraw, LLC Ronald Edwards 22110 S. SR 27 Rockford WA 99030 ron@hydrostraw.com	Phone: (800) 545-1755 Cell: Fax: (815) 468-7450  www.hydrostraw.com	<b>Hydrostraw Original</b>	Application and dilution rates follow manufacturer's instructions	approved 2 /3 /2009
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard</b>	Application and dilution rates follow manufacturer's instructions	approved 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard Fiber Matrix</b>	Application and dilution rates follow manufacturer's instructions	approved 11/2 /2001
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>Conwed 1000</b>	Application and dilution rates follow manufacturer's instructions	approved 12/18/2008
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>Flexterra HP FGM</b>	Application and dilution rates follow manufacturer's instructions	approved 12/18/2008
Profile Products, LLC Sandra House 1525 Waynesburg Dr. SE Canton OH 44707 shouse@profileproducts.com	Phone: (330) 452-2630 Cell: (847) 215-1144 Fax: (847) 215-0577  www.profileproducts.com	<b>Second Nature Paper Fiber</b>	Application and dilution rates follow manufacturer's instructions	approved 6 /25/1998
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>TerraMulch Wood Fiber</b>	Application and dilution rates follow manufacturer's instructions	approved 12/18/2008
Tensor/North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensorcorp.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247  www.nagreen.com	<b>Hydra CM Steep Slope</b>	Application and dilution rates follow manufacturer's instructions	approved 2 /27/2012

**726.03.07 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Tensar/North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensarcorp.com	<b>Hydra CX2 Extreme Slope</b> Phone: (800) 772-2040 Cell: Fax: (812) 867-0247 www.nagreen.com	Application and dilution rates follow manufacturer's instructions approved 2 /27/2012

**726.03.08 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Resources Incorporated Vinny Gupta 5546 Shepherdsville Road Louisville KY 40228 vinny@apexr.com	<b>DustFloc</b> Phone: (502) 964-7521 Cell: Fax: (502) 964-7520 www.apexr.com	approved 3 /27/2017
Chemstar (aka Golden Gate) Bob Johnson 3915 Hiawatha Avenue Minneapolis MN 55406-3203 bob.johnson@chemstar.com	<b>StarTac 100</b> Phone: (303) 986-4343 Cell: Fax: (303) 986-4747 www.chemstar.com	approved 3 /27/2017
Chemstar (aka Golden Gate) Bob Johnson 3915 Hiawatha Avenue Minneapolis MN 55406-3203 bob.johnson@chemstar.com	<b>StarTac 600</b> Phone: (303) 986-4343 Cell: Fax: (303) 986-4747 www.chemstar.com	approved 3 /27/2017
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>PX 300</b> Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 gmbostoncompany.com	Application and dilution rates follow manufacturer's instructions approved 6 /10/2003
HydroStraw, LLC Ron Edwards 22110 S State Route 27 Rockford WA 99030 ron@hydrostraw.com	<b>HydroStraw Fiber RX</b> Phone: (800) 545-1755 Cell: (509) 291-6000 Fax: (815) 468-7450 www.hydrostraw.com	approved 3 /24/2017
Innovative Turf Solutions Melissa Schrad 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b> Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com	Application and dilution rates follow manufacturer's instructions approved 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-1045</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions approved 2 /3 /2010



**726.03.08 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-1046</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions approved 2 /3 /2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-3500</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions approved 2 /3 /2010
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>EarthGuard</b> Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806 www.lscenv.com	Application and dilution rates follow manufacturer's instructions approved 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>EarthGuard Fiber Matrix</b> Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806 www.lscenv.com	Application and dilution rates follow manufacturer's instructions approved 11/2 /2001
Pennzsuppress Corporation Emily Montgomery PO Box 543173 Grand Prairie TX 75054 emily.montgomery@pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b> Phone: (469) 853-6168 Cell: Fax: (817) 652-8815 www.pennzsuppress.com	Application and dilution rates follow manufacturer's instructions approved 5 /19/2004

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alon Asphalt Bakersfield Jim Ryan 1201 China Grade Loop/PO Box 5655 Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Topein S Emulsion</b> Phone: (661) 392-3630 Cell: (661) 978-9357 Fax: (661) 391-1054 www.alonasphalt.com	Application and dilution rates follow manufacturer's instructions approved 2 /28/2002
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	<b>Road Boss</b> Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	Application and dilution rates follow manufacturer's instructions approved 11/8 /2005
ENCAP, LLC Shannon Homme 3921 Algoma Road Green Bay WI 54311 accountservices@encap.net	<b>PAM-12 PLUS</b> Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.enceppro.com/index.php/products/	Application and dilution rates follow manufacturer's instructions approved 3 /10/2008

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
EnviRoad, LLC Swayne Walther 2606 North Newark Street Portland OR 97217 swayne@enviroad.com	<b>Earthbind 100</b> Phone: (800) 536-2650 Cell: (503) 279-2606 Fax: (503) 279-2621 www.enviroad.com	Application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	approved 3 /17/2003
Evonik Stockhausen, LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	<b>HydroPam</b> Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Application and dilution rates follow manufacturer's instructions	approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Road Oyl</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Soil Seal</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Trans Seal I</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>PX 300</b> Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 gmbostoncompany.com	Application and dilution rates follow manufacturer's instructions	approved 6 /10/2003
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Hercules Pam</b> Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	Application and dilution rates follow manufacturer's instructions	approved 5 /18/2004
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Soiloc-MQ-Dust Suppr</b> Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	Application and dilution rates follow manufacturer's instructions	approved 5 /18/2004

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Soiloc-Pam</b> Phone: (770) 303-0878 Cell: Fax: (770) 455-6531 www.HerculesEnvironmental.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 5/18/2004
Innovative Turf Solutions Melissa Schrad 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b> Phone: (513) 317-8311 Cell: Fax: (513) 672-9633 www.innovativeturfsolutions.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 2/16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-1045</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 2/3/2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-1046</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 2/3/2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>FI-3500</b> Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517 www.soilmoist.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 2/3/2010
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>EarthGuard</b> Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806 www.lscenv.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 11/2/2001
Midwest Industrial Supply, Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind.com	<b>Soil Sement</b> Phone: (330) 456-3121 Cell: Fax: (330) 456-3247 www.midwestind.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 1/4/2001
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89135-0907 daniel@nuequipment.com	<b>Plas-Bond</b> Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	Application and dilution rates follow manufacturer's instructions <b>approved</b> 11/13/2000

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89135-0907 daniel@nuequipment.com	Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions	approved 11/13/2000
Pennzsuppress Corporation Emily Montgomery PO Box 4339 Grand Prairie TX 75054 emily.montgomery@pennzsuppress.com	Phone: (469) 853-6168 Cell: Fax: (817) 652-8815 www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b>	Application and dilution rates follow manufacturer's instructions	approved 5/19/2004
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com	Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex</b>	Application and dilution rates follow manufacturer's instructions	approved 12/10/2003
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com	Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Poly-Tex</b>	Application and dilution rates follow manufacturer's instructions	approved 12/10/2003
Soilworks, LLC Chad Falkenberg 7580 N Dobson Road, Suite 320 Scottsdale AZ 85256 info@soilworks.com	Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions	approved 9/20/2004
Tensar North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensarcorp.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247 www.nagreen.com	<b>Hydra CX2 Extreme Slope</b>	Application and dilution rates follow manufacturer's instructions	approved 2/27/2012
Tensar North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	<b>HydraCM Steep Slope Matrix</b>	Application and dilution rates follow manufacturer's instructions.	approved 2/27/2012

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	<b>ULTRABOND 1</b>	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	approved 11/21/2005

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	<b>ULTRABOND 1300</b> Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 11/21/2005
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	<b>ULTRABOND HS-200</b> Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 11/21/2005
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	<b>Atlas Epoxy Bonder</b> Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Type I, II, IV and V; Grade 2 Classes B&C approved 4 /29/2004
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	<b>LPL Epoxy Bonder</b> Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Type I, II, IV and V; Grade 2 Classes B&C approved 4 /29/2004
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>AquaFilm J-74</b> Phone: (877) 416-3439 Cell: Fax: www.daytonsuperior.com	Type I, II, IV and V; Grade 3; Class A approved 1 /14/2003
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>Sure Anchor I J-51</b> Phone: (877) 416-3439 Cell: Fax: www.daytonsuperior.com	Type I, II, IV and V; Grade 3; Class A approved 1 /14/2003
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Dural 452 MV</b> Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 11/29/2012
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	<b>HIT RE 500</b> Phone: (800) 879-8000 Cell: (800) 950-6610 Fax: (918) 294-2968 www.us.hilti.com	Type IV; Grade 3; Classes A, B&C approved 7 /6 /2009

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	Phone: (800) 879-8000 Cell: (800) 950-6610 Fax: (918) 294-2968 www.us.hilti.com	<b>HTE 50</b> Type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C approved 7 /6 /2009
ITW Commercial Construction North America Amy Kolczak 700 High Grove Blvd Glendale Heights IL 60139 akolczak@itwccna.com	Phone: (800) 848-5611 Cell: (630) 825-7900 Fax: www.itwredhead.com	<b>Red Head Epcon C6+ Adhesive Anchoring System</b> Type I, II, and IV, Grade 3 and Class B and C approved 6 /15/2016
Mapei Americas Headquarters Bruce Haller 1144 East Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	Phone: (800) 425-2734 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	<b>Planibond AE</b> approved 8 /3 /2011
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy EP-420</b> Type II, Grade 2; Classes B&C approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy EP-430 Fast</b> Type I, II, IV & V; Grade 3; Classes 1; B&C approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy EP-450</b> Type I, II, IV & V; Grade 1; Classes B&C approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286 www.pecora.com	<b>Dynapoxy Low Mod Epoxy</b> Type III, Grade 2; Classes B&C approved 6 /7 /2010
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>DEWALT PE1000+</b> Type I, II, IV and V; Grade 2; Classes B&C approved 12/1 /2016

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>DEWALT Pure 110+</b> Type I, II, IV and V; Grade 2; Classes B&C approved 12/1 /2016
Powers Fasteners Beth Hinkley 2 Powers Lane Brewster NY 10509 beth.hinkley@sbdinc.com	Phone: (800) 524-3244 Cell: (845) 230-7503 Fax: (914) 576-6483 www.powers.com	<b>DEWALT Pure GP</b> Type I, II, IV and V; Grade 3; Classes B&C approved 12/1 /2016
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>DEWALT Pure50+</b> Type I, II, IV and V; Grade 3; Classes B&C approved 12/1 /2016
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>PE1000+</b> Type I, II, IV and V; Grade 2; Classes B&C approved 12/5 /2011
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>Power Fast Plus</b> Type I, II, IV and V; Grade 2; Classes B&C approved 12/5 /2011
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>Pure 110+</b> Type I, II, IV and V; Grade 2; Classes B&C approved 11/22/2013
Powers Fasteners Beth Hinkley 2 Powers Lane Brewster NY 10509 beth.hinkley@sbdinc.com	Phone: (800) 524-3244 Cell: (845) 230-7503 Fax: (914) 576-6483 www.powers.com	<b>Pure GP</b> Type I, II, IV and V; Grade 3; Classes B&C approved 3 /25/2016
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483 www.powers.com	<b>Pure50+</b> Type I, II, IV and V; Grade 3; Classes B&C approved 11/22/2013

**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	<b>Standard Set</b> Phone: (914) 253-6300 Cell: Fax: (914) 576-6483 www.powers.com	Type I, II, IV and V; Grade 2; Classes B&C approved 11/25/2008
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	<b>T308 Plus</b> Phone: (914) 253-6300 Cell: Fax: (914) 576-6483 www.powers.com	Type I, II, IV and V; Grade 2; Classes B&C approved 11/25/2008
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	<b>Sikadur 35 Hi Mod</b> Phone: (925) 785-6241 Cell: Fax: usa.sika.com	approved 4 /10/2006
Simpson Strong Tie Wendy Allen 5151 South Airport Way Stockton CA 95206 wallen@strongtie.com	<b>EDOT</b> Phone: (800) 999-5099 Cell: (415) 559-9038 Fax: (209) 234-3868 www.stongtie.com/products/anchorsyste	Type I, II, IV and V; Grade 3; Classes B&C approved 1 /15/2009
Simpson Strong Tie Wendy Allen 5151 South Airport Way Stockton CA 95206 wallen@strongtie.com	<b>ET-HP Epoxy Adhesive</b> Phone: (800) 999-5099 Cell: (415) 559-9038 Fax: (209) 234-3868 www.stongtie.com/products/anchorsyste	Type IV, Grade 3, Class C approved 1 /15/2009
Titan Construction Supply, Inc. Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	<b>Pro-Poxy 100</b> Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	Type II, III, IV and V; Grade 3; Class A, B&C approved 4 /29/2008
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>J-51 Sure Anchor I</b> Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	Type I, II, IV & V; Grade 3; Class A approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>Pro-Poxy 200</b> Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	Type I, II, IV & V; Grade 2; Class B&C approved 1 /14/2003



**728.03.02a EPOXY ANCHORING SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	<b>Pro-Poxy 300</b> Type I, II, IV & V; Grade 2; Class B&C  approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	<b>Pro-poxy 300 FAST</b> Type I, II, IV & V; Grade 2; Class B&C  approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	<b>Pro-Poxy 50</b> Type I, II, IV & V; Grade 2; Classes B&C  approved 1 /14/2003
USP Structural Connectors, MiTek USA, Inc. Jim Collins 14305 Southcross Drive, Suite 200 Burnsville MN 55306 jcollins@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (952) 898-8605 www.uspconnectors.com	<b>CIA-GEL 6000-GP</b> Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C  approved 3 /25/2016
USP Structural Connectors, MiTek USA, Inc. Jim Collins 14305 Southcross Drive Suite 200 Burnsville MN 55306 jcollins@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (952) 898-8605 www.uspconnectors.com	<b>CIA-GEL 7000 Adhesive</b> Type I & IV; Grade 3; Classes B, C&D  approved 8 /9 /2000
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>Rezi Weld 1000</b> Type I, II, IV and V; Grade 2; Classes B&C  approved 7 /17/2002

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881 www.coloradopaint.com	<b>1180</b> White: 1180 Part A Yellow: 1186 Part A Hardener: 1185 Part B  approved 3 /23/2000  "Lead Free Yellow" contains organic yellow pigment.

**729.03.04 PAINT MARKING MATERIAL (EPOXY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>HPS-3</b> White: HPS-3 Part A Yellow: HPS-3 Part A Black: HPS-3 Part A Hardener: HPS-3 Part B  "Lead Free Yellow" contains organic yellow pigment.
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS50</b> White: LS50 Part A Yellow: LS50 Part A Hardener: LS50 Part B  "Lead Free Yellow" contains organic yellow pigment.
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS60</b> White: LS60 Part A Yellow: LS60 Part A Hardener: LS60 Part B  "Lead Free Yellow" contains organic yellow pigment.
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.2 NV</b> White: Mark 55.2 Part A Yellow: Mark 55.2 Part A Hardener: Mark 55.2 Part B  "Lead Free Yellow" contains organic yellow pigment.
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.3 NV</b> White: Mark 55.3 Part A Yellow: Mark 55.3 Part A Hardener: Mark 55.3 Part B  "Lead Free Yellow" contains organic yellow pigment.
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.4 NV</b> White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B  "Lead Free Yellow" contains organic yellow pigment.

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arkema Incorporated Keith Olesen 410 Greyson Drive Cary NC 27511 keith.olesen@arkema.com	Phone: (919) 469-6773 Cell: (919) 434-5845 Fax:  www.arkema.com	<b>ENCOR DT 250</b> Type I  approved 7/19/2002
Arkema Incorporated Keith Olesen 410 Greyson Drive Cary NC 27511 keith.olesen@arkema.com	Phone: (919) 469-6773 Cell: (919) 434-5845 Fax:  www.arkema.com	<b>ENCOR DT 400</b> Type II  approved 7/19/2002

**729.03.05a RAPID DRY WATERBORNE PAINT - ACRYLIC RESIN EMULSIONS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dow Chemical/Rohm & Haas LLC Joanna Shurell 100 Independence Mall West Philadelphia PA 19106 dowClG@dow.com	<b>Phone:</b> (800) 447-4369 <b>Cell:</b> (215) 592-3000 <b>Fax:</b> (800) 382-4008  www.dowanswercenter.com	<b>Fastrack 3427</b> Type I; prev Rhoplex Fastrack 3427; Bulk #10081323; Substance #101051012  approved 5 /20/1999
Dow Chemical/Rohm & Haas LLC Joanna Shurell 100 Independence Mall West Philadelphia PA 19106 dowClG@dow.com	<b>Phone:</b> (800) 447-4369 <b>Cell:</b> (215) 592-3000 <b>Fax:</b> (800) 382-4008  www.dowanswercenter.com	<b>Fastrack HD21A</b> Type II; prev Rhoplex Fastrack HD21A; Bulk #10076070; Substance #101084604  approved 5 /20/1999

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	<b>Phone:</b> (909) 356-2130 <b>Cell:</b> (916) 742-3869 <b>Fax:</b> (909) 356-2135  www.americantrafficproducts.com	<b>170 White, 176 Yellow Fast Dry Waterborne Paint</b> Both are Fastrack 3427  approved 1 /15/2013
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	<b>Phone:</b> (303) 388-9265 <b>Cell:</b> (303) 332-9216 <b>Fax:</b> (303) 388-0881  www.coloradopaint.com	<b>W: 1160-NV Waterborne Y: 1166-NV Waterborne</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow  approved 12/16/2011
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	<b>Phone:</b> (336) 475-6600 <b>Cell:</b> <b>Fax:</b> (336) 475-7900  www.ennisflint.com	<b>W: 982801 NVW-21-M-2 Y: 982802 NVY-21-M-2</b> ENCOR Latex DT 250 NA ENCOR Latex DT 250 NA W = White; Y = Yellow  approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	<b>Phone:</b> (336) 475-6600 <b>Cell:</b> <b>Fax:</b> (336) 475-7900  www.ennisflint.com	<b>W: 982821 NVW-34-M-1 Y: 982822 NVY-34-M-1</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow  approved 12/1 /2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	<b>Phone:</b> (336) 475-6600 <b>Cell:</b> <b>Fax:</b> (336) 475-7900  www.ennisflint.com	<b>W: Pervo Plastics 6000 Y: Pervo Plastics 6003</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow  approved 7 /30/2002

**729.03.05b RAPID DRY WATERBORNE PAINT - TEMPORARY STRIPING FORMULATIONS (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
International Coatings Company, Inc. Amelia Nucup 13929 East 166th Street Cerritos CA 90703 anucup@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486  www.iccink.com	<b>W: Line-Pro 5630</b> <b>Y: Line-Pro 5640</b>  Line-Pro 5630 Line-Pro 5640  W = White; Y = Yellow
		approved 7 /24/2013

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	Phone: (909) 356-2130 Cell: (916) 742-3869 Fax: (909) 356-2135  www.americantrafficproducts.com	<b>380 White High Build Paint</b>
		approved 12/4 /2014
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	Phone: (909) 356-2130 Cell: (916) 742-3869 Fax: (909) 356-2135  www.americantrafficproducts.com	<b>386 Yellow High Build Paint</b>
		approved 7 /22/2013
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881  www.coloradopaint.com	<b>W: 1110-NV Ultra High</b> <b>Y: 1116-NV Ultra High</b>  Rhoplex Fastrack HD-21A Type II Rhoplex Fastrack HD-21A Type II  W = White; Y = Yellow
		approved 12/16/2011
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982811 NVW-40-M-2</b> <b>Y: 982812 NVY-40-M-2</b>  ENCOR Latex DT 400 NA ENCOR Latex DT 400 NA  W - White; Y = Yellow
		approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982831 NVW-HD-M-1</b> <b>Y: 982832 NVY-HD-M-1</b>  Fastrack HD21A Fastrack HD21A  W = White; Y = Yellow
		approved 12/11/2002
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>W: Pervo Plastics 6050</b> <b>Y: Pervo Plastics 6053</b>  Fastrack HD21A Fastrack HD21A  W = White; Y = Yellow
		approved 7 /30/2002

**729.03.05c RAPID DRY WATERBORNE PAINT - PERMANENT STRIPING FORMULATIONS (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
International Coatings Company, Inc. Amelia Nucup 13929 East 166th Street Cerritos CA 90703 anucup@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486  www.iccink.com	<b>Line-Pro 5610 White</b> <b>Line-Pro 5620 Yellow</b>	Company contact: Ameilia Nucup and/or Scott Johnson, (562) 926-1010 ext 343 and/or (714) 299-0631  approved 11/19/2013
Sherwin Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>W: TM2398</b> <b>Y: TM2399</b>	Fastrack HD-21A Fastrack HD-21A  W = White; Y = Yellow  approved 7 /9 /2003

**729.03.06 PAVEMENT MARKING MATERIAL (POLYUREA)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Company Thanh-Huong Do Building 235-3A-09 St Paul MN 55144 ejdornak@mmm.com	Phone: (651) 733-1110 Cell: (702) 743-0012 Fax:  www.3m.com	<b>3M All Weather Liquid</b> <b>Pavement Marking Series</b> <b>5000</b>	Reflective media applied by Double Drop w/Reflective Element Method. Usage is restricted to Clark Co w/elevation ≤ 4,000 feet.  approved 3 /25/2016
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>HPS-5</b>	White: Part A Yellow: Part A Cross Linker: Part B Double Drop w/Glass Spheres Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet.  approved 7 /25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS90</b>	White: Part A Yellow: Part A Cross Linker: Part B Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide  approved 2 /6 /2003
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 75.4</b>	White: Part A Yellow: Part A Cross Linker: Part B Double Drop w/Glass Sphere Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet.  approved 1 /10/2013
Swarco Colorado Paint Company Ling Tan 4747 Holly Street Denver CO 80216 ling.tan@swarco.com	Phone: (303) 388-9265 Cell: Fax: (303) 388-0881  www.coloradopaint.com	<b>MFUA 12</b>	6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere statewide  approved 6 /7 /2013

**732.03.01 PAVEMENT MARKING TAPE (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**732.03.01 PAVEMENT MARKING TAPE (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 270</b> Type I white/yellow available  approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b> Type I white/yellow available  approved 4 /29/2008
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b> Type I white/yellow available  approved 4 /29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 100</b> Type I white/yellow available  approved 10/10/2007
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 200</b> Type I white/yellow available  approved 10/10/2007
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Delta-line TWR</b> Type I white/yellow available  approved 10/10/2007
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 35</b> Type I white/yellow available  approved 2 /17/2004
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 60</b> Type I white/yellow available  approved 2 /17/2004

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b> Type II white/yellow available  approved 4 /29/2008
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b> Type II white/yellow available  approved 4 /29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 900</b> Type II white/yellow available  approved 2 /2 /2010
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Deltaline XRP</b> Type II white/yellow available  approved 2 /2 /2010
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 35</b> Type II white/yellow available  approved 2 /17/2004

**732.03.03 PAVEMENT MARKING TAPE (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 270</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 380</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 390</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011

**732.03.03 PAVEMENT MARKING TAPE (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Advance Traffic Markings Brenda Robbins PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b> Type IV white/yellow available    approved 10/19/2012
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b> Type IV    approved 4 /29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Deltaline XRP</b> Type IV    approved 2 /2 /2010

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crown Technology, LLC Jeannie Elliott 35 Industrial Park Drive Woodbury GA 30293 jeannie1@crownthermo.com	Phone: (706) 553-9500 Cell: (800) 457-6267 Fax: (866) 553-9501  www.crownthermo.com	<b>Ecotherm Yellow Alkyd</b> Yellow Only    approved 10/23/2013
Crown Technology, LLC Jeannie Elliott 35 Industrial Park Drive Woodbury GA 30293 jeannie1@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501  www.crownthermo.com	<b>Tuffline Alkyd</b> Lead free    approved 10/14/2004
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>W: 885555 Alkyd Thermoplastic</b> <b>Y: 884685 Alkyd</b> Lead free W = White; Y = Yellow   approved 9 /30/2009

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (336) 475-6600 Cell: Fax: (336) 475-7900  www.ennisflint.com	<b>Flame Tape</b>    approved 5 /14/2001



**732.03.04b PAVEMENT MARKINGS (PERFORMED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint Inc (Ennis Traffic Safety Solutions) Phone: (336) 475-6600	<b>Thermaline</b>	approved
Dennis Evangelista 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Cell: Fax: (336) 475-7900  www.ennisflint.com	5 /14/2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 <b>Hot Tape</b> Cell: Fax: (336) 475-7900  www.flintrtrading.com	approved 5 /3 /2001
Flint Trading Incorporated Dennis Evangelista 115 Todd Court Thomasville NC 27360 sales@flintrtrading.com	Phone: (336) 475-6600 <b>PreMark</b> Cell: Fax: (336) 475-7900  www.flintrtrading.com	Replaced PreMark 20/20 Flex Plus approved 5 /3 /2001

**QPL NOTES**  
**April 25, 2017**

If specified in a contract's Special Provisions under the "Notice to Contractors", contractors are required to use that Qualified Products List (QPL). This dated QPL is distributed to the contractors along with contract documentation.

The QPL is maintained by the NDOT Research Section. Products will remain on the QPL as long as their performance is satisfactory and the product vendor/manufacturer complies with NDOT requirements. Poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The NDOT Product Evaluation Coordinator must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future.

If you have any questions regarding QPL and/or product evaluation process, contact Sabra Gilbert-Young, Product Evaluation Coordinator, via e-mail at [sgilbert-young@dot.nv.gov](mailto:sgilbert-young@dot.nv.gov) or by telephone at (775) 888-7894.